

(PHYSICO-CHEMICAL CONSTANTS.)

MELTING AND BOILING POINT TABLES.

BY

THOMAS CARNELLEY, D.Sc. (LOND.), B.Sc. (VICT.), F.C.S., F.I.C.,

PROFESSOR OF CHEMISTRY IN UNIVERSITY COLLEGE, DUNDEE.

VOL. II.

LONDON:

PUBLISHED BY HARRISON AND SONS, 59, PALL MALL,

Booksellers to the Queen and H.R.H. the Prince of Wales.

1887.



LONDON:
HARRISON AND SONS, PRINTERS IN ORDINARY TO HER MAJESTY,
ST. MARTIN'S LANE.

13217

28/4/91 w 8

PREFACE.

The issue of this second volume of Melting and Boiling Point Tables completes a labour of ten years. It contains more than 32,000 melting and boiling point data, which, with those given in the first volume, make a total of over 51,000.

For the data published by Regnault in the *Mémoires de l'Académie*, in reference to the vapour tension of substances at different temperatures, and for Brock's tables calculated from Regnault's results, I am indebted to Landolt and Börnstein's excellent "Physikalisch-Chemische Tabellen."

The alphabetical index of Root-Carbon Compounds contains not only those for which the melting and boiling point data are known, but also others, in order to render the index more complete for all root-carbon compounds; for these, and for the idea of such an index, I must acknowledge my indebtedness to Richter's admirable "Tabellen der Kohlenstoff-Verbindungen."

The paging of Volume II. has been made continuous with that of Volume I., in order that the two may be bound together if desired.

The portion of Part II. contained in the present volume brings the data down to the Autumn of 1885, while Part III. brings the data down to near the end of 1886.

THOS. CARNELLEY.

University College, Dundee.

June, 1887.

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

TABLE OF CONTENTS OF VOL. II.

MELTING AND BOILING POINT TABLES.

PART II (continued).

Organic Compounds.

	PAGE		PAGE
III. Compounds containing <i>Four Elements</i> :—		III. Compounds containing <i>Four Elements</i>	
1. CHFO	353	(continued) :—	
2. CHClBr	353	14. CHIN	429
CHClI	353	15. CHIP	432
3. CHClO	356	CHIA _s	433
4. CHClS	383	CHIS _b	433
CHClSe	383	16. CHOS	434
CHClTe	383	17. CHOS _e	441
5. CHClN	383	18. CHON	441
6. CHClP	390	19. CHOP	592
CHClA _s	391	CHOA _s	594
CHClS _b	391	CHOS _b	595
CHClBi	391	20. CHSN	595
7. CHBrI	391	CHSP	604
8. CHBrO	392	CHSA _s	605
9. CHBrS	418	CHSS _b	605
CHBrSe	418	CHS _{Bi}	605
CHBrTe	418	21. CHSeN	605
10. CHBrN	419	CHSeP	605
11. CHBrP	425	CHNP	605
CHBrA _s	426	CHNA _s	605
CHBrS _b	426	22. CClBrO	606
12. CHIO	426	CClIO	606
13. CHIS	429	CClOS	606
CHIS _e	429	CClON	606
CHITe	429	CBrOS	606

PART II (continued).

Organic Compounds.

	PAGE		PAGE
III. Compounds containing <i>Four</i> Elements		IV. Compounds containing <i>Five</i> Elements	
(continued):—		(continued):—	
CBrON	606	CHONP	677
CION	606	CHONAs	678
COSN	606	CHONSb	678
CSNP	606	CHSNP	678
IV. Compounds containing <i>Five</i> Elements:—		CClBrOS	678
CHFON	607	CClBrON	678
CHClBrI	607	CCIONP	678
CHClBrO	607	CBrOSN	678
CHClBrN	609	V. Compounds containing <i>Six</i> Elements:—	
CHClBrP	609	CHFCIOS	679
CHClIO	610	CHFOSN	679
CHClIS	610	CHClBrIO	679
CHClIN	610	CHClBrIS	679
CHClOS	610	CHClBrOS	679
CHClON	614	CHClBrON	681
CHClOP	633	CHClBrOP	681
CHClOAs	634	CHClBrSN	682
CHClOSb	634	CHClIOS	682
CHClSN	634	CHClION	682
CHClSP	635	CHClOSN	682
CHClSAs	635	CHClOSeN	685
CHClNP	635	CHClONP	685
CHClNAs	635	CHClONSb	685
CHClNSb	635	CHBrION	685
CHBrIO	635	CHBrOSN	685
CHBrIS	635	CHBrONP	689
CHBrIN	635	CHIOSN	689
CHBrOS	635	CHOSNP	689
CHBrON	637	CClBrOSN	689
CHBrOSb	656	VI. Compounds containing <i>Seven</i> and <i>Eight</i>	
CHBrSN	656	Elements:—	
CHIOS	656	CHClBrOSN	690
CHION	656	CHClOSNP	690
CHIOP	659	CHClBrOSNP	690
CHIOAs	659	VII. Compounds containing <i>Special</i> Ele-	
CHISN	659	ments:—	
CHOSN	660	Compounds containing Ag	691
CHOSP	676	" " Al	691
CHOSSb	677	" " Au	691
CHOSeN	677	" " B	692
CHOSeP	677	" " Ba	694

PART II (*continued*).*Organic Compounds.*

	PAGE		PAGE
VII. Compounds containing <i>Special</i> Elements (<i>continued</i>):—		VII. Compounds containing <i>Special</i> Elements (<i>continued</i>):—	
Compounds containing Be . . .	694	Compounds containing Na . . .	699
" " Ca . . .	694	" " Pb . . .	699
" " Cd . . .	694	" " Pt . . .	700
" " Cr . . .	694	" " Si . . .	703
" " Cu . . .	695	" " Sn . . .	706
" " Fe . . .	695	" " Ti . . .	708
" " Hg . . .	695	" " Tl . . .	708
" " K . . .	698	" " V . . .	708
" " Li . . .	698	" " W . . .	708
" " Mg . . .	698	" " Zn . . .	708

PART III.

I. Vapour Tensions and Boiling Points of Simple Substances	712	III. Freezing and Melting Points of Mixtures, including Cryohydrates (<i>continued</i>):—	
II. Vapour Tensions and Boiling Points of Mixed Substances:—		E. Of Mixtures with Ethylene dibromide	777
A. Of Aqueous Solutions . . .	740	F. Of Mixtures with Formic acid	777
B. Of Solutions other than those in Water	761	G. Of Mixtures with Acetic acid	777
III. Freezing and Melting Points of Mixtures, including Cryohydrates:—		H. Miscellaneous Mixtures . .	778
A. Of Mixtures with Water . .	763	IV. Miscellaneous Melting and Boiling Point Data (Fats, Oils, &c.) . . .	780
B. Of Mixtures with Benzene .	776	V. Volumes and corresponding Years of Issue of the more important Chemical and Physical Periodicals . . .	782
C. Of Mixtures with Naphthalene	777	VI. Alphabetical Index of the Root Compounds of Carbon	788
D. Of Mixtures of Carbon disulphide and Ethyl alcohol . .	777		

The following abbreviations are in addition to those given in Volume I. :—

n. = *normal*.
n.c. = *non-condensable*.
n.d. = *non-decomposable*.

A.J. *American Journal of Pharmacy*.
B.r. *Referate der Berichte der Deutschen Chemischen Gesellschaft zu Berlin*.

VIII

III.—COMPOUNDS CONTAINING FOUR ELEMENTS.

(1.) CHFO.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetone hydrofluoride	$C_3H_6O.HF$	C_3H_7FO	55	Landolf	C. R., 96, 580	44, 655
" dihydrofluoride	$C_3H_6O.2HF$	$C_3H_5F_2O$	-15 to -12	"	"	"
Difluobenzoic acid	$C_6H_3F_2.COOH$	$C_7H_4F_2O_2$	232 u. c.	Jackson & Harts-horn	B., 18, 1993	48, 1224
Benzoyl fluoride	$C_6H_5.CO.F$	C_7H_5FO	161.5 (745)	Borodine	A., 126, 60	ii., 671
Fluobenzoic acid	$C_6H_4F.COOH=1.2$	$C_7H_5FO_2$	117-118	Paternò & Oliveri	G. I. [1882], 85	42, 614
" "	" =1.3	"	123	Paternò	G. I., 11, 90	40, 598
" "	" =1.4	"	123-124	Paternò & Oliveri	G. I. [1882], 85	42, 614
" "	"	"	180-181	"	"	"
" "	"	"	182	"	G. I., 11, 90	40, 598
" "	"	"	182	Schmitt & Gehren	J. p. [2], 1, 394	24, 368
Methylic fluobenzoate	$C_6H_4F.COOMe=1.3$	$C_8H_7FO_2$	192-194	Liquid	Paternò	G. I., 11, 90	40, 598
" "	" "	"	192-194	Liquid	Paternò & Oliveri	G. I. [1882], 85	42, 614
Fluotoluic acid	$C_6H_3.Me.F.COOH=?$	"	160-161	"	"	"
Fluoanisic acid	$C_6H_5.OMe.F.COOH=1.4$	$C_8H_7FO_3$	204	"	"	42, 615
Ethylic fluobenzoate....	$C_6H_4F.COOEt=1.4$	$C_9H_9FO_2$	cf. G. I. 11, 90	Cryst.	Schmitt & Gehren	J. p. [2], 1, 400	vii., 164

(2.) CHClBr and CHClI.

Chlorobromoform	$CHClBr_2$	121-125	Dyson	43, 46	
" "	"	123-125 s. d.	Liquid	Jacobsen and Neumeister	B., 15, 601	42, 938
Bromochloroform	$CHCl_2Br$	91-92	Liquid	"	"	"
α -Chlorodibromethylene	$CHBr : CBrCl$	C_2HClBr_2	141-142 (734)	l.-20	Denzel	B., 11, 1741	36, 213
α -Chlortetrabromethane	$CHBr_2.CBr_2Cl$	C_2HClBr_4	200-205 (285)	32-33	"	B., 11, 1739	"
α - " "	"	"	240 (735)	"	A., 195, 210	36, 369
α - " "	"	"	33	Mabery	A. C. J., 5, 255	46, 663
α - " "	"	"	32-33	Wallach & Bischof	46, 663
Dichlorbromethylene	C_2HCl_2Br	110-115	A., 216, 261	
" "	"	114-116	Liquid	Henry	C. R., 98, 370	46, 979
α - " "	$CHBr : CCl_2$	"	114-116 (740)	l.-20	Denzel	B., 11, 1741	36, 214
α -Dichlortribromethane	$CHBr_2.CBrCl_2$	$C_2HCl_2Br_3$	215-220	l.-20	"	B., 11, 1740	36, 213
Trichlorodibromethane	$C_2HCl_3Br_2$	200 (760) p. d.	Paternò	G. I., 1, 590	vii., 308
" "	"	93-95 (14)	"	"	"
α -Chlorbromethylene	$CH_2 : CClBr$	C_2H_2ClBr	55-58	Müller	As., 3, 287	
" "	"	"	62-63 (750)	Liquid	Denzel	B., 11, 1740 ; A., 195, 206	36, 213
" "	"	"	62-63	Henry	C. R., 97, 1491	46, 571
" "	"	"	63	Liquid	"	C. R., 98, 680	46, 830
" "	"	"	62	Müller	[1864]	
β - " "	$CHCl : CHBr$	"	80-83	A., 216, 258	
" "	"	"	81-82	Liquid	Plimpton	41, 394	
" "	"	"	81-82	Henry	C. R., 98, 741	46, 831
? " "	$(C_2H_2ClBr)_n$	140	Solid	Demole and Dürr	B., 11, 1304	34, 846
α -Chlortribromethane	$CH_2Br.CBr_2Cl$	$C_2H_2ClBr_3$	200-201 (735)	l.-20	Denzel	B., 11, 1735	36, 213, 369
" "	"	"	170-171 (335)	"	A., 195, 210	"
" "	"	"	165-167 (285)	"	"	"
α -Dichlorodibromethane	$CH_2Br.CBrCl_2$	$C_2H_2Cl_2Br_2$	176-178	l.-20	"	B., 11, 1740	36, 213
β - " "	$CHClBr.CHClBr$	"	195-200	A., 216, 257, 262	
Trichlorobromethane	$CCl_3.CH_2Br$	$C_2H_2Cl_3Br$	151-153	Liquid	Henry	C. R., 98, 370	46, 978
α -Chlorodibromethane	$CH_3.CClBr_2$	$C_2H_3ClBr_2$	123-124 (753)	l.-20	Denzel	B., 11, 1739	36, 213
" "	"	"	124	"	A., 195, 210	36, 369

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Chlordibromethane	CH ₂ Br.CHClBr	C ₂ H ₃ ClBr ₂	162.5-163	1.-20	Denzel	B., 11, 1739	36, 213
α -Dichlorbromethane	CH ₃ .CCl ₂ Br	C ₂ H ₃ Cl ₂ Br	98-99 (758)	1.-20	"	B., 11, 1740	"
β -	CH ₂ Br.CHCl ₂ (?)	"	137	Lescœur	B. S. [2], 29, 483	34, 718
"	"	"	137-138	Henry	C. R., 97, 1491	46, 571
"	"	"	138	"	C. R., 98, 370	46, 979
γ -	CHClBr.CH ₂ Cl	"	139-140 c.	Perkin	45, 535	"
δ -	"	151	Lescœur	B. S. [2], 29, 483	34, 718
"	" (?)	158-162	"	"	"
Ethylidene chlorobromide	CH ₃ .CHClBr	C ₂ H ₄ ClBr	81-82	Reboul	A., 155, 215	vii., 489
"	"	"	84.5 (765)	1.-19	Lescœur	B. S. [2], 29, 483	34, 718
"	"	"	84-84.5 (750)	1.-20	Denzel	B., 11, 1739	36, 213
"	"	"	85	"	A., 195, 210	36, 368
"	"	"	85	Plimpton	41, 397	"
Ethylene chlorobromide	CH ₂ Cl.CH ₂ Br	"	105	Denzel	A., 195, 210	36, 369
"	"	"	106-107	James	35, 806	"
"	"	"	106-108	"	47, 366	"
"	"	"	108	Henry	C. R., 98, 370	46, 979
"	"	"	107-108	"	A., 156, 16.	"
"	"	"	107-109	Demole	B., 9, 556	30, 283
"	"	"	108	Plimpton	41, 397	"
"	"	"	104-108	Liquid	Lescœur	B. S. [2], 29, 484	34, 718
"	"	"	107-109	James	43, 37	"
"	"	"	108-110	Simpson	P. R. S., 20, 118	38, 456
?	C ₃ HClBr ₂ (?)	a. 150	Pinner	B., 8, 1324	29, 554
Dichlorbromallylene....	C ₃ HCl ₂ Br	143	"	B., 5, 205	25, 495
"	"	143	"	A., 179, 45	29, 549
Dichlortribrom propylene	C ₃ HCl ₂ Br ₃	207	"	"	"
?	C ₃ H ₂ ClBr	100-110	"	B., 8, 1325	29, 554
Dichlordibrom propylene	C ₃ H ₂ Cl ₂ Br ₂	190 p. d.	Krämer and Pinner	A., 158, 37	24, 558
Dichlorbrom propylene	Cf. C ₃ HCl ₂ Br	C ₃ H ₃ Cl ₂ Br	143	Pinner	A., 179, 45	"
Dichlortribrompropane	Cf. C ₃ HCl ₂ Br ₃	C ₃ H ₃ Cl ₂ Br ₃	207	"	"	"
Chlorbrompropylene	C ₃ H ₄ ClBr	105	A. 112, 237	"
"	CH ₃ .CCl : CHBr or CH ₂ : CCl.CH ₂ Br.	"	100-110	Friedel	A. C. [4], 16, 343	vii., 1019
α -Bromallyl chloride...	CH ₂ : CBr.CH ₂ Cl	"	120	Liquid	Henry	B., 5, 186, 482	vii., 50; 25, 686
α -Chlorallyl bromide	CH ₂ . CCl.CH ₂ Br	"	121	"	C. R., 95, 849	44, 173
Chlorbromglycide	CHCl : CH.CH ₂ Br	"	126	As., 6, 375	ii., 899
"	"	126-127	Reboul	As., 1, 230	vii., 1020
Chlortribrompropane	C ₃ H ₄ ClBr ₃	238 p. d.	"	As., 1, 231	ii., 899
Allylenedichlordibromide	C ₃ H ₄ Cl ₂ Br ₂	190	J. [1872], 323 ; A., 179, 44	"
Dichlordibrompropane	CH ₂ Br.CClBr.CH ₂ Cl	"	200-205	Friedel and Silva	C. R., 74, 955	24, 1190
"	"	"	205	"	C. R., 73, 958	vii., 1020
"	"	"	205	"	C. R., 75, 81	25, 805
"	CH ₂ Cl.CBr ₂ .CH ₂ Cl	"	212	Hartenstein	J. p. [2], 7, 313	26, 1218
"	"	220-221	Reboul	As., 1, 231	ii., 899
"	"	220-225	Friedel and Silva	C. R., 75, 81	25, 805
Chlordibrompropane....	CH ₃ .CClBr.CH ₂ Br	C ₃ H ₃ ClBr ₂	169-170	Reboul	A. C. [5], 14, 453	36, 128
"	"	"	169-170 c.	"	C. R., 82, 377	29, 894
"	"	"	170	Friedel	A., 112, 236	vi., 968
"	"	"	170-175	"	A. C. [4], 16, 343	vii., 1019
"	CH ₃ .CHBr.CHClBr	"	177-177.5 c.	Reboul	C. R., 82, 377	29, 894
"	"	"	177-177.5	"	A. C. [5], 14, 453	36, 128
"	"	195	Oppenheim	J. [1867], 569	vi., 968
"	"	197-199	Simpson	P. R. S., 27, 118	38, 456
"	(Bromallylchlorbromide)	"	197-200	B. S., 31, 410	"
"	CH ₂ Cl.CHBr.CH ₂ Br	"	195-200	Darmstädter	A., 153, 319	vi., 433
"	"	"	abt. 200	J. [1857], 476	i., 894
"	"	"	202	i., 898
"	"	"	202-203	Reboul	J., 13, 461	"
"	" (?)	200-205	Friedel and Silva	C. R., 84, 955	24, 1190
Dichlorbrompropane	C ₃ H ₃ Cl ₂ Br	156-160	A., 138, 123	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dichlorbromopropane	$C_3H_5Cl_2Br$	abt. 176	J. [1857], 477	i., 894
"	"	180-187	Simpson	P. R. S., 27, 118	38, 456
α -Chlorbromopropane....	Me.CClBr.Me	C_3H_6ClBr	93-95.5(745)	Reboul	B., 7, 1037	27, 977
α -	"	"	93	"	A. C. [5], 14, 453	38, 128
α -	"	"	93-93.5(745)	"	A. C. [5], 14, 482	38, 131
β -	Me.CH ₂ .CHClBr	"	112-113	Sawitsch	C. R., 52, 399	vii., 1018
β -	"	"	112-113	Reboul	A., 155, 216	
β -	"	"	abt. 110	"	C. R., 78, 1775	27, 977
β -	"	"	abt. 110	"	A. C. [5], 14, 453	36, 128
β -	"	"	110-112	"	A. C. [5], 14, 487	36, 131
γ -	Me.CHBr.CH ₂ Cl	"	120	"	B., 7, 1037	vii., 1019
γ -	"	"	121	"	A. C. [5], 14, 453	38, 128
γ -	Me.CHCl.CH ₂ Br	"	119-121	Liquid	Friedel and Silva	B. S. [2], 17, 532	25, 890
γ -	"	"	118-120	Simpson	P. R. S., 27, 118	38, 456
δ -	CH ₂ Cl.CH ₂ .CH ₂ Br	"	140-141(746)	Reboul	C. R., 78, 1773	27, 976
δ -	"	"	140-142(746)	"	A. C. [5], 14, 487	38, 132
?	$C_6H_8Cl_2Br_2$	$C_5H_6Cl_2Br_2(?)$	232-236	Pinner	B., 8, 1326	29, 554
Dichloramylene dibromide	$C_5H_8Cl_2Br_2$	230-240	A., 179, 37	
Methylchloridibrompropyl-carbinyl chloride	CHMeBr.CClBr.CHMeCl	"	140-145 (31)	Thurnlackh	A., 223, 149	46, 1118
Dichlortribrombenzene	$Cl_2.Br_3=1.3.2.4.6$	$C_6HCl_2Br_3$	121	Langer	B., 15, 1332	
Trichloridibrombenzene	$Br_2.Cl_3=$ "	$C_6HCl_3Br_2$	149	"	B., 15, 1330	42, 1058
"	" = ?	"	119	A., 215, 119	
Chlortribrombenzene	$Br_3.Cl=1.3.5.6$	$C_6H_2ClBr_3$	80	Silberstein	J. p., 27, 116	44, 661
"	" "	"	82	Langer	B., 15, 1065	42, 954
Chlorbrombenzene	$Cl.Br=1.4$	C_6H_4ClBr	196.3(756.12)	67.4	Körner	G. I., 4, 305	29, 215
"	" = 1.3	"	196	"	"	29, 220
Chlordiallyltetrabromide	$C_6H_9ClBr_4$	Liquid	Henry	C. R., 87, 171	36, 34
Chlorhexylene dibromide	$C_6H_{11}ClBr_2$	218-220	Destrem	B., 16, 229	
Chlorbenzyl bromide	$C_6H_4.Cl.(CH_2Br)=1.4$	C_7H_6ClBr	48.5	Jackson and Field	B., 11, 905	36, 62
"	" "	"	48.5	"	A. C. J., 2, 85 ; 3, 252	40, 806
"	" "	"	48.5	Jackson and White	B. 13, 1217	38, 879
Cinnyl chloridibromide	Ph.C ₃ H ₄ Br ₂ Cl	$C_9H_9ClBr_2$	96.5	Grimaux	C. R., 76, 1598	26, 1139
α -Trichloridibromnaphthalene	$C_{10}H_3Cl_3Br_2$	166	iv., 13
α -Dichloridibromnaphthalene	$C_{10}H_4Cl_2Br_2$	170	"
β -	"	166	"
Dichlorbromnaphthalene	$C_{10}H_5Cl_2Br$	80	Beilstein	Org. Chem. 1205	iv., 11
Chloridibromnaphthalene tetrachloride	$C_{10}H_5Cl_5Br_2$	150	"	Org. Chem. 1206	iv., 10
Chlorbromnaphthalene	$\alpha_1; \alpha_2$	$C_{10}H_6ClBr$	115	B. S., 26, 540	
Chlorbromnaphthalene tetrabromide	$C_{10}H_6ClBr_5$	110	Beilstein	Org. Chem. 1205	
Dichloronaphthalene tetrabromide	$C_{10}H_6Cl_2Br_4$	a. 100+	"	Org. Chem. 1206	iv., 10
Dibromnaphthalene tetrachloride	$C_{10}H_6Cl_4Br_2$	abt. 155	"	"	"
Bromnaphthalene dichloride	$C_{10}H_7Cl_2Br$	165	Gerhardt	iv., 8
Trichlorbromisocymene	Me.Pr ^{β} .Cl ₃ .Br.=1.3.(?) ₄	$C_{10}H_{10}Cl_3Br$	65	Kelbe	B., 16, 619	
Dichloridibromanthracene	$C_{14}H_6Cl_2Br_2$	251-252	Schwarzer	B., 10, 377	32, 493
Dichlorbromanthracene	$C_{14}H_7Cl_2Br$	168	"	"	"
Di(bromphenyl)dichlorethylene	$CCl_2 : C(C_6H_4Br)_2$	$C_{14}H_8Cl_2Br_2$	119-120	Zeidler	B., 7, 1180	28, 148
Dichloranthracene tetrabromide	$C_{14}H_8Cl_2Br_4$	166	Schwarzer	B., 10, 376	32, 493
Di(bromphenyl)-trichlorethane	$CCl_3.CH(C_6H_4Br)_2$	$C_{14}H_9Cl_3Br_2$	139-141	Zeidler	B., 7, 1180	28, 148
Di(bromtolyl)trichlorethane	$CCl_3.CH(C_6H_3BrMe)_2$	$C_{16}H_{13}Cl_3Br_2$	148	Fischer	B., 7, 1192	28, 154
α -Tetrachlortribromdinaphthyl	$C_{10}H_4Cl_2Br_2.C_{10}H_5Cl_2Br$	$C_{20}H_9Cl_4Br_3$	74-76	Faust and Saame	A., 160, 69	vi., 846; 25, 65
β -	"	71-73	"	A., 160, 71	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Iodochloroform	CHCl ₂ I	131	Liquid	A., 22, 229; 126, 239	i., 913
Methylene chloriodide	CH ₂ ClI	109-109.5 (760.4)	Liquid	Sakurai	47, 198	
" "	"	129	"	41, 362	
Chloriodoethylene	CH ₂ :CClI	101-102	Henry	C. R., 98, 518	46, 719
"	"	100-101 (759) p.d.	Liquid	"	C. R., 98, 680	46, 831
"	CHCl:CHI	114-116	A., 216, 263	
"	"	119c.	Liquid	Plimpton	B., 16, 79	41, 392
"	"	119	Henry	C. R., 98, 741	46, 831
Dichloriodoethane	C ₂ H ₃ Cl ₂ I	171-172 s. d. (774)	Liquid	"	C. R., 98, 518	46, 719
Ethylidene chloriodide	CH ₃ .CHClI	117-119	Simpson	P. R. S., 27, 118	38, 456
" "	"	118	Plimpton	41, 397	
Ethylene chloriodide	CH ₂ Cl.CH ₂ I	137-138	Meyer and Wurster	B., 6, 964	
"	"	140-143	Simpson	37, 180
"	"	140.1 (759.3)	s. f. m.	Thorpe	37, 180	
"	"	146 (753)	"	"	
"	"	141	Plimpton	41, 397	
"	"	141	Plimpton & Graves	"	
"	"	145	Simpson	J., 16, 485	
"	"	146	Maumené	J., 22, 345	
"	"	147	Simpson	P. R. S., 11, 390	ii., 579
α-Chlorallyliodide	C ₃ H ₄ ClI	150 (760)	Romburgh	R. T., 1, 233	44, 449
"	"	92-95 (40)	"	B., 16, 393	
β-	CHCl:CH.CH ₂ I	162 p. d. (760.4)	"	B., 16, 392	
Dichloriodopropane	C ₃ H ₅ Cl ₂ I	205	Liquid	Henry	B., 4, 702	24, 907; vii., 320
"	"	205-210	Simpson	P. R. S., 13, 540	vi., 92
Chloriodopropane	CH ₃ .CClI.CH ₃	110-130 (10)	Oppenheim	As., 6, 360	vi., 826, 968
"	CH ₃ .CHCl.CH ₂ I	149 (760)	Friedel and Silva	B. S. [2], 17, 536	vii., 1019
"	"	40-43(10-12)	"	"	"
Chloriodobenzene	C ₆ H ₄ .Cl.I=1.2	a. 233	Liquid	Körner	G. I., 4, 305	29, 215
"	" "	229-230	Liquid	Beilstein and Kurbatow	B., 7, 1395	28, 364
"	" =1.4	226-227	56-57	"	B., 7, 1395	28, 363
"	" "	227.6(751.26)	Solid	Körner	G. I., 4, 305	29, 215
α-Chloriodotoluene	C ₇ H ₆ ClI	242-243	l. -14	Wroblewsky	A., 168, 211, Z. C. [2], 6, 164	27, 55; vii., 1166
β-	"	240	s. 10	"	"	"
γ-	Me.I.Cl=1.2?	240	?	Beilstein and Kühlberg	Z. C. [2], 6, 102	vii., 1177

(3.) CHClO.

Trichloroacetaldehyde (chloral)	CCl ₃ .COH	C ₂ HCl ₃ O	94	Liebig	A., 1, 195	37, 191
"	"	"	944	"	i., 881
"	"	"	-75	Berthelot	G. J. C., 1878	
"	"	"	95-100	Detsenyl	C. C., 1873, 767	27, 572
"	"	"	96-97 (750)	Brühl	G. J. C., 1880	
"	"	"	96.4 c. (760)	Thorpe	37, 191	
"	"	"	97.2 c. (760)	"	"	
"	"	"	97.73 c. (760)	Passavant	39, 55
"	"	"	98.1-99 (745.9)	Kopp	A.	37, 191
"	"	"	98.6	"	i., 881
Dichloroacetyl chloride	CHCl ₂ .CO.Cl	"	108	Bogomoletz	B. S. [2], 34, 330	40, 401
"	"	"	107-108	Liquid	Otto and Beckurts	B., 14, 1618	40, 1030

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Parachloralide	C_2HCl_3O	182	Cloez	iv., 3-11
Trichloroacetic acid	CCl_3COOH	$C_2HCl_3O_2$	a. 180	Henry	B., 12, 1846	
"	"	"	194-195	Solid	Tommasi & Meldola	27, 314
"	"	"	195	44.8	Judson	Z. C. [2], 7, 40	vii., 9
"	"	"	195	44.8	Clermont	C. R., 83, 112	24, 812
"	"	"	45	J. p. [2], 27, 16	
"	"	"	195-200	46	Dumas	A., 32, 109	i., 878
"	"	"	46.5	Richter	Tabellen	
"	"	"	52	Beckurts and Otto	B., 14, 588	
"	"	"	195	52.4	Clermont	A. C. [5], 2, 401	27, 1154
Chloroacetyl chloride	$CH_2Cl.CO.Cl$	$C_2H_2Cl_2O$	105	Wurtz	A., 102, 96	vi., 22
"	"	"	105-107	Bogomoletz	B. S. [2], 34, 330	40, 401
"	"	"	107-108	Henry	C. R., 100, 114	48, 372
Dichloroacetaldehyde	$CHCl_2.CO.H$	"	89-90	Paternò	G. S. P., 5, 123	vi., 76
"	"	"	88-90	Paternò and Pisati	G. I., 1, 461	24, 1190
Paradichloroacetaldehyde	$(C_2H_2Cl_2O)_n$	129-130	Jacobsen	B., 8, 87	28, 631
Metadichloroacetaldehyde	"	n.f. 200	Friedrich	A., 206, 253	40, 407
Dichloroacetic acid	$CHCl_2.CO.OH$	$C_2H_2Cl_2O_2$	189-191	s. 0	Wallach	B., 9, 1212	31, 59
"	"	"	195	Maumené	J., 17, 316	vi., 19
Chlorethylene oxide	$CHCl.CH_2.O$	C_2H_3ClO	89-92	A., 216, 269	
Chloroacetaldehyde	$CH_2Cl.CO.H$	"	85.5 c. (738)	43-45	Richter	R. K. T.	
"	"	"	65-75	"	"	
" (polymer)	$(CH_2Cl.CO.H)_n$	"	87-87.5 c.	Natterer	M. C., 3, 461	42, 1046
Acetyl chloride	$CH_3.CO.Cl$	"	50.9 (746.1)	Thorpe	37, 188
"	"	"	50.93 (746.3)	"	"
"	"	"	55	Gerhardt	J., 5, 444	i., 35
"	"	"	53.5-55	Schall	B., 17, 2204	
"	"	"	51-52 (720)	Brühl	G. J. C., 1880	
"	"	"	55	Gal	A. C. [3], 66, 187	vi., 23
"	"	"	55-56	Kopp	A., 95, 208	37, 188
"	"	"	55-56	Perkin	41, 269	
Chlormethyl formate	$H.CO.O.CH_2Cl$	$C_2H_3ClO_2$	abt. 100	Henry	B., 6, 742	vii., 807
Methyl chloroacetate	$Cl.CO.OCH_3$	"	66.5-67.5	Meyer and Wurster	B., 6, 965	
"	"	"	71.4	Röse	A., 205, 229	40, 252
"	"	"	71-71.5 (750)	Klepl	J. p., 26, 447	44, 311
Chloroacetic acid	$CH_2Cl.CO.OH$	"	180	Geuther	A., 132, 171	vi., 22
"	"	"	185-187.5 (755.7)	s. 62	Hofmann	J., 10, 348	i., 876
"	"	"	180-187	Hentschel	B., 17, 1286	46, 990
"	"	"	183.9 (747)	62-64.5	Tollens	B., 17, 665	"
"	"	"	a. f. 53-54	"	"	"
"	"	"	187	Gal	A. C. [3], 66, 187	vi., 23
"	"	"	185	"	G. J. C., 1862	
"	"	"	187	61	Conrad & Guthzeit	B., 15, 606	42, 946
"	"	"	188	Cahours	G. J. C., 1863	
"	"	"	62	Brühl	G. J. C., 1880	
Trichlorethylalcohol	$CCl_3.CH_2.OH$	$C_2H_3Cl_3O$	151 (737)	17.8	Thurnlackh	A., 210, 67	42, 295
"	"	"	150-152	s. f. m.	Mering	B., 15, 1020	
Trichloromethyl oxide	"	abt. 130	Regnault	A. C. [2], 71, 401	
Chloral hydrate	$CCl_3.CH(OH)_2$	$C_2H_3Cl_2O_2$	95	Martius & Bartholdy	B., 3, 443	vii., 313
"	"	"	97	Personne	C. R., 69, 1363	"
"	"	"	97	Jungfleisch, Le- baigne, & Roucher	J. Ph. [4], 208	"
"	"	"	97.5	49-53	Flückiger	Z. C., 6, 432	"
"	"	"	99	50-51	Jacobsen	A., 157, 243	24, 257
"	"	"	95	Martius and Meun- delssohn	G. J. C., 1870 ; Z. C.	
"	"	"	95	Henry	B., 4, 101	24, 256
"	"	"	58	Ger. Pharm., 1882		
"	"	"	97.5	57	Meyer and Dulk	B., 6, 449	26, 878
"	"	"	57	Friedrich	A., 206, 251	40, 407

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chloral hydrate	$\text{CCl}_3\text{CH}(\text{OH})_2$	$\text{C}_2\text{H}_3\text{Cl}_3\text{O}_2$	115 (755)	s. 40.2	Thomsen	Z. C., 13, 156	vi., 432
" "	"	"	145	56	Roussin	Z. C., 13, 96	
" "	"	"	145	50	Personne	Z. C., 13, 172	
Isochloral hydrate	"	"	80	Meyer and Dulk	A., 171, 74	27, 461
" "	"	"	80	Meyer	B., 6, 449	26, 878
Dichlormethyl oxide	"	$\text{C}_2\text{H}_4\text{Cl}_2\text{O}$	105	Regnault	A. C. [2], 71, 398	
Dichloroacetaldehyde hydrate	$\text{CHCl}_2\text{CH}(\text{OH})_2$	$\text{C}_2\text{H}_4\text{Cl}_2\text{O}_2$	98-100	43 ; 57	Friedrich	A., 206, 251	40, 407
" "	"	"	118-121	56-57	Denaro	G. I., 14, 117	46, 1283
Chlormethyl oxide	$\text{CH}_2\text{ClO}\cdot\text{CH}_3$	$\text{C}_2\text{H}_5\text{ClO}$	79.5 (759)	Friedel	C. R., 84, 247	32, 424
Ethylene hydroxychloride	$\text{CH}_2\text{Cl}\cdot\text{CH}_2\cdot\text{OH}$	"	128	Wurtz	A., 110, 125	ii., 578
" "	"	"	128-131	Demole	B., 9, 555	
" "	"	"	130-131 (760)	Henry	B., 7, 70	
Ethylidene hydroxychloride	$\text{CH}_3\text{CHCl}\cdot\text{OH}$	"	25-30 (10)	Liquid	Hanriot	A. C. [5], 25, 219	42, 590
Ethylic hypochlorite	$\text{Et}\cdot\text{O}\cdot\text{Cl}$	"	36 (752)	Liquid	Sandmeyer	B., 18, 1768	48, 1045
Methyl oxide + HCl	$\text{C}_2\text{H}_7\text{ClO}$	-2	Liquid	Friedel	C. R., 81, 152	28, 1245
β -Dichloroacrylic chloride	$\text{CCl}_2\text{:CH}\cdot\text{COCl}$	$\text{C}_3\text{HCl}_3\text{O}$	a. 145	Wallach & Hunäus	B., 10, 569	32, 591
Trichloroacetyl carboxylic acid	$\text{CCl}_3\cdot\text{CO}\cdot\text{COOH}$	$\text{C}_3\text{HCl}_3\text{O}_3$	89	Hofferichter	J. p. [2], 20, 195	38, 35
Pentachloroacetone	$\text{CHCl}_2\cdot\text{CO}\cdot\text{CCl}_3$	$\text{C}_3\text{HCl}_5\text{O}$	185	Liquid	Cloez	B. S. [2], 39, 636	46, 580
"	"	"	190	Städeler	A., 109, 277	i., 30
"	"	"	192	Liquid	Cloez	B. S. [2], 39, 636	46, 580
"	"	"	182	A., 111, 181	
" + 4H ₂ O	"	15-17	A., 111, 295 ; 122, 120	
β -Dichloroacrylic acid	$\text{CCl}_2\text{:CH}\cdot\text{COOH}$	$\text{C}_3\text{H}_2\text{Cl}_2\text{O}_2$	75-77	Wallach	A., 203, 83 ; B., 8, 1580	38, 799 ; 29, 551
β - " "	"	"	76-77 ; a. f. 63-64	Wallach & Hunäus	B., 10, 568	32, 591
α - " "	$\text{CHCl}\text{:CCl}\cdot\text{COOH}$	"	85-86	Bennett and Hill	B., 12, 656	36, 617
α - " "	"	"	85-86	Hill and Mabery	A. C. J., 4, 263	44, 309
α - " "	"	"	85-86	Cianician & Silber	G. I., 13, 320	46, 176
Tetrachloroacetone + 4H ₂ O	$\text{C}_3\text{H}_2\text{Cl}_4\text{O}$	35	Bouis	A. C. [3], 21, 111	i., 30
" "	"	"	177-180	38-39	Bischoff	B., 8, 1342	29, 559
Hexachloroacetone hydrate	$\text{CO}(\text{CCl}_3)_2\cdot\text{H}_2\text{O}$	$\text{C}_3\text{H}_2\text{Cl}_6\text{O}_2$	15	A., 122, 120	
α -Chloroacrylic acid	$\text{CH}_2\text{:CCl}\cdot\text{COOH}$	$\text{C}_3\text{H}_3\text{ClO}_2$	Liquid	Pinner	B., 8, 964	
α - " "	"	"	176-181	Liquid	Beckurts and Otto	A., 10, 1949	34, 291
α - " "	"	"	63	Wallach	B., 203, 83	38, 799
α - " "	"	"	64-65	Werigo & Melikoff	B., 10, 1499	34, 290
α - " "	"	"	65	Otto and Beckurts	B., 18, 239	48, 510
α - " "	"	"	65 u. c.	Werigo and Werner	A., 170, 163	27, 242 ; vii., 1012
β - " "	$\text{CHCl}\text{:CH}\cdot\text{COOH}$	"	84	Bandrowski	B., 15, 2702	
β - " "	"	"	84-85	Wallach & Hunäus	B., 10, 569	32, 592
β - " "	"	"	84-85	Wallach & Reincke	B., 10, 2128	34, 404
Chlormalonic acid	$\text{CHCl}(\text{COOH})_2$	$\text{C}_3\text{H}_3\text{ClO}_4$	133	Conrad & Guthzeit	B., 15, 605	42, 946
α -Dichloropropionyl chloride	$\text{CH}_3\cdot\text{CCl}_2\cdot\text{COCl}$	$\text{C}_3\text{H}_3\text{Cl}_3\text{O}$	105-115	Beckurts and Otto	B., 11, 388	34, 488
Trichloroacetone	$\text{CH}_3\cdot\text{CO}\cdot\text{CCl}_3$	"	d.	Bouis	A. C. [3], 21, 111	i., 30
"	"	"	170-172	Krämer	B., 7, 257	27, 676
"	"	"	170-172	Bischoff	B., 8, 1338	29, 558
" + 2H ₂ O	"	"	43	"	B., 8, 1338	
" + 2H ₂ O	"	"	44	Krämer	B., 7, 257	27, 676
Trichlormethyl acetate	$\text{CH}_3\cdot\text{COO}\cdot\text{CCl}_3$ (?)	$\text{C}_3\text{H}_3\text{Cl}_3\text{O}_2$	145 d.	Laurent	A. C. [2], 73, 25	i., 23
Methyl trichloroacetate	$\text{CCl}_3\cdot\text{COOMe}$	"	154	Henry	C. R., 101, 250	48, 1122
"	"	"	Clermont	C. R., 96, 437	
Trichloropropionic acid	"	60	A. C. [3], 16, 67, 72, 82	
Trichlorolactic acid	$\text{CCl}_3\cdot\text{CH}(\text{OH})\cdot\text{COOH}$	$\text{C}_3\text{H}_3\text{Cl}_3\text{O}_3$	105-110	Bischoff and Pinner	B., 5, 208	25, 485
" "	"	"	105-110	"	A., 179, 79	29, 555
Isotrichlorglyceric acid	$\text{CCl}_3\cdot\text{C}(\text{OH})_2\cdot\text{COOH}$	$\text{C}_3\text{H}_3\text{Cl}_3\text{O}_4$	102	Claisen & Antweiler	B., 13, 1938	40, 154
Dichlorovinyl methyl oxide	$\text{CCl}_2\text{:CH}\cdot\text{O}\cdot\text{CH}_3$	$\text{C}_3\text{H}_4\text{Cl}_2\text{O}$	109-110	Liquid	Denaro	G. I., 14, 117	46, 1283
α -Chlorpropionyl chloride	$\text{CH}_3\cdot\text{CHCl}\cdot\text{CO}\cdot\text{Cl}$	"	109-110 (744)	Henry	C. R., 100, 114	48, 372
β - " "	$\text{CH}_2\text{Cl}\cdot\text{CH}_2\cdot\text{CO}\cdot\text{Cl}$	"	143-145 (763)	Liquid	"	"	"
β - " "	"	"	a. 140	iii., 466

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dichloracetone	CH ₃ .CO.CHCl ₂	C ₃ H ₄ Cl ₂ O	115-117	Friedel & Ladenburg	A., 159, 259	24, 919
"	"	"	116.5	Städeler	A., 111, 301	i., 30
"	"	"	119-120	Glutz and Fischer	J. p. [2], 4, 52	24, 921
"	"	"	120	Wroblewsky	Z. C. [2], 4, 565	vi., 27
"	"	"	120	Liquid	Mülner	B., 5, 1009	vii., 14; 26, 380
"	"	"	120	Borsche and Fittig	A., 133, 112	
"	"	"	120	Liquid	Bischoff	B., 8, 1330	29, 557
"	"	"	120	Liquid	Grabowsky	B., 8., 1438	"
"	"	"	120	Conrad	A., 186, 236	29, 370
"	"	"					32, 436
"	"	"	120-121	Markownikoff	B., 6, 1210	
"	"	"	121.5	Fittig	J., 12, 345	i., 30
"	"	"	121.5 c.	Theegarten	B., 6, 897	
" (polymer)	"	130-140	Grabowsky	B., 8, 1438	29, 557
"	"	"	132-135	Bischoff	B., 8, 1332	29, 558
"	"	"	135-140	Mülner	B., 5, 1009	
"	CH ₂ Cl.CO.CH ₂ Cl	"	170-171	Liquid	Bischoff	B., 8, 1332	
"	"	"	170-171	Liquid	Glutz and Fischer	J. p. [2], 4, 52	vii., 14; 24, 922
"	"	"	170-171	Bischoff	B., 8, 1332	
"	"	"	172-172.8 c.	42.5	Richter	Tabellen	
"	"	"	168-169 (723)	43	Hörmann	B., 13, 1708	
"	"	"	171-172	42-43	Henry	C. R., 94, 1428	42, 1039
"	"	"	43	Markownikoff	B., 6, 1210	vii., 318; 27, 241
"	"	"	140-170	44	Barbaglia	B., 7, 468	27, 790
"	"	"	167.5	45	Markownikoff	A., 208, 355	40, 1121
Chlorethyl chlorformate	Cl.CO.O.C ₂ H ₄ Cl	C ₃ H ₄ Cl ₂ O ₂	150-160	Liquid	Nemirowsky	J. p. [2], 31, 173	48, 741
Methyl dichloracetate	CHCl ₂ .CO.OCH ₃	"	142-144	Wallach	A., 173, 299	28, 351
"	"	"	144	Henry	C. R., 101, 250	48, 1122
Dichloromethyl acetate	CH ₃ .CO.OCHCl ₂	"	145-148 p. d.	Malaguti	A. C. [2], 70, 379	i., 23
α-Dichloropropionic acid	CH ₃ .CCl ₂ .COOH	"	185-190	1.-8	Beckurts and Otto	B., 9, 1877	32, 180
α-	"	"	185-190	"	B., 10, 264	32, 182
α-	"	"	186-190	"	B., 10, 1952	34, 291
α-	"	"	190-195	Liquid	"	B., 9, 1593	31, 298
α-	"	"	192-194	-4	Ciamician & Silber	B., 18, 1764	
α-	"	"	a. 15	Beckurts and Otto	B., 10, 2039	34, 290
β-	CH ₂ Cl.CHCl.COOH	"	210 (762)	abt. 50	Henry	B., 7, 414	27, 679
β-	"	"	210 (762)	50	"	J. p. [2], 10, 185	28, 347
β-	"	"	50	Werigo & Melikoff	B., 10, 1499	34, 289
β-	"	"	50	Melikoff	B., 13, 274	38, 627
β-	"	"	50	"	C. C. [1881], 354	42, 38
Dichlorolactic acid	CHCl ₂ .CH(OH).COOH	C ₃ H ₄ Cl ₂ O ₃	219-221	75-78	Grimaux and Adam	B., 10, 903	29, 65
"	"	"	76.5-77	B. S., 34, 29	
Chloracetone	CH ₃ .CO.CH ₂ Cl	C ₃ H ₅ ClO	117	Riche	C. R., 49, 176	i., 30
"	"	"	116-120	Liquid	Markownikoff	J., 12, 339	vi., 27
"	"	"	118-120	Henry	B., 5, 190, 966	26, 379
"	"	"	118-121	Bischoff	B., 5, 864	26, 159, 160
"	"	"	119	Linnemann	A., 134, 170	vi., 27
"	"	"	119	Mülner	B., 5, 1009	vii., 13
"	"	"	120	Liquid	Barbaglia	B., 6, 318	26, 877
"	"	"	119-120	Glutz and Fischer	J. p. [2], 14, 52	24, 921
"	"	"	120.5-121.5	Markownikoff	C. R., 81, 668,	29, 339
"	"	"				728, 776	
"	"	"	120-125	Kriwaksim	B., 4, 563	26, 160
Epichlorhydrin	CH ₂ Cl.CH.CH ₂ O	"	115-118	Münder and Tollens	Z. C. [2], 7, 252	25, 999
"	"	"	116.56 (760)	Thorpe	37, 206	
"	"	"	117 (755.5)	Darmstädter	J., 21, 454	
"	"	"	117	Gegerfeldt	B., 6, 721	26, 1123
"	"	"	117-118	Markownikoff	A., 208, 349	40, 1120
"	"	"	118	ii., 898

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Epichlorhydrin	$\text{CH}_2\text{Cl}.\text{CH}.\text{CH}_2\text{O}$	$\text{C}_3\text{H}_5\text{ClO}$	118-119	Lowe	G. J. C., 1870	vii., 48
"	"	"	118-119	Reboul	J., 13, 456	37, 207
"	"	"	115.8 (758)	Schiff	G. J. C., 1881	
"	"	"	120-130	Berthelot	i., 894
α -Chlorallyl alcohol	$\text{CH}_2.\text{CCl}.\text{CH}_2.\text{OH}$	"	136 (763)	Henry	C. R., 95, 849	44, 178
α - " " "	"	"	136-140	Romburgh	R. T., 1, 233	44, 450
β - " " "	$\text{CHCl}:\text{CH}.\text{CH}_2.\text{OH}$	"	153 c.	Liquid	"	B. S., 36, 549	42, 376
Propionyl chloride	$\text{CH}_3.\text{CH}_2.\text{COCl}$	"	abt. 80	Béchamp	J., 9, 429	
"	"	"	80	Sestini	B. S., 11, 470	
"	"	"	77.8-78.3 (724)	Brühl	G. J. C., 1880	
"	"	"	79.5	"	44, 990
β -Chlorpropionic aldehyde	$\text{CH}_2\text{Cl}.\text{CH}_2.\text{CHO}$	"	34.5-35.5	Krestownikoff	B., 12, 1487	38, 234
β - " " "	"	"	170-175 (12-15)	33.5	Grimaux & Adams	B. S. [2], 36, 22	40, 888
β - " " "	"	"	32	Genther & Cartmell	i., 57
Ethyl chlorcarbonate	$\text{Cl}.\text{COOEt}$	$\text{C}_3\text{H}_5\text{ClO}_2$	94	Dumas	A. C. [2], 54, 230	i., 916
Chlormethyl acetate	$\text{CH}_3.\text{COO}.\text{CH}_2\text{Cl}$	"	115-116	Henry	B., 6, 740	vii., 807; 26, 1117
Methyl chloracetate	$\text{CH}_2\text{Cl}.\text{COO}.\text{CH}_3$	"	126-127 (757)	Liquid	"	B., 6, 742	26, 1117
"	"	"	129	Liquid	Meyer	B., 8, 1153	29, 372
"	"	"	130 (740)	A., 179, 8	
"	"	"	130	Henry	C. R., 101, 250	48, 1122
α -Chlorpropionic acid	$\text{CH}_3.\text{CHCl}.\text{COOH}$	"	180-185	"	C. R., 1203, 1258	28, 443
α - " " "	"	"	186	1.-18	Buchanan	Z. C. [2], 4, 523	vi., 960
β - " " "	$\text{CH}_2\text{Cl}.\text{CH}_2.\text{COOH}$	"	33.5-41	Richter	Tabellen	
β - " " "	"	"	203-205 (764)	37-38	Henry	C. R., 100, 114	48, 372
β - " " "	"	"	40.5 c.	Linnemann	A., 163, 96	vii., 27; 25, 689
β - " " "	"	"	58	Richter	vii., 27
β - " " "	"	"	65	Wichelhaus	vi., 960
α -Chlorlactic acid	$\text{CH}_2(\text{OH}).\text{CHCl}.\text{COOH}$	$\text{C}_3\text{H}_5\text{ClO}_3$	Liquid	Melikoff	B., 13, 273, 956	38, 627
α - " " "	"	"	Liquid	"	B., 13, 2153	40, 154
β - " " "	$\text{CH}_2\text{Cl}.\text{CH}(\text{OH}).\text{COOH}$	"	71	Frank	A., 206, 344	40, 417
β - " " "	"	"	77	Richter	J. p. [2], 20, 193	38, 32
β - " " "	"	"	78	Melikoff	B., 13, 2153	40, 154
β - " " "	"	"	78	"	C. C. [1881], 354	42, 38
β - " " "	"	"	78-79	"	B., 13, 273	38, 627
Trichlorpropyl alcohol	$\text{CCl}_3.\text{CHMe}.\text{OH}$	$\text{C}_3\text{H}_5\text{Cl}_3\text{O}$	150-160	49.2	Thurnlackh	A., 210, 78	42, 295
Propylphycite trichlorhydrin	"	172-173	Wolf	Z. C., 12, 465	
Chloral methylate	$\text{CCl}_3.\text{CH}(\text{OH})(\text{OMe})$	$\text{C}_3\text{H}_5\text{Cl}_3\text{O}_2$	98	50	Bartholdy & Martius	B., 3, 445	vii., 314
"	"	"	106	50	Jacobsen	A., 157, 244	24, 257
Allyl alcohol dichloride	$\text{CH}_2\text{Cl}.\text{CHCl}.\text{CH}_2\text{OH}$	$\text{C}_3\text{H}_6\text{Cl}_2\text{O}$	180-184	Tollens and Hen- ninger	B. S. [2], 11, 394; A., 156, 164	vi., 91; vii., 48
"	"	"	182	Hübner and Müller	A., 159, 179	24, 906
"	"	"	182	Münder and Tollens	Z. C. [2], 7, 252	25, 999
"	"	"	183	Gegerfeldt	B., 6, 721	
Glycerol dichlorhydrin	$\text{CH}_2\text{Cl}.\text{CH}(\text{OH}).\text{CH}_2\text{Cl}$	"	158	Claus	A., 170, 125	27, 243
"	"	"	171-171.5	Markownikoff	B., 6, 1211	27, 241
"	"	"	171-171.5 (765) =	"	A., 208, 349	40, 1120
"	"	"	175.8-176.3 c.	"	
"	"	"	172-174	Münder and Tollens	Z. C. [2], 7, 252	25, 999
"	"	"	172-174	Hübner and Müller	Z. C. [2], 7, 232	"
"	"	"	174	"	A., 159, 173	24, 906; vii., 48
"	"	"	174	Friedel and Silva	C. R., 75, 81	25, 805; vii., 1020
"	"	"	176-177	Hübner and Müller	Z. C. [2], 6, 344	vii., 317
"	"	"	176-177	Gegerfeldt	B., 6, 721	26, 1123
"	"	"	176-177 c.	Watt	B., 5, 258	25, 612
"	"	"	175-180	Henry	A., 155, 324	
"	"	"	174-186	Hübner and Müller	Z. C. [2], 6, 344	vii., 317

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Glycerol dichlorhydrin CH ₂ Cl.CH(OH).CH ₂ Cl	C ₃ H ₆ Cl ₂ O	178	b. -35	i., 894
" " "	"	178	Claus	A., 160, 42	26, 1120
" " "	"	179-180	Henry	J. p. [2], 10, 185	26, 346
" " "	"	180	Reboul	J., 13, 458	ii., 898
" " "	"	180-183	Gegerfeldt	Z. C., 13, 672	
" " "	"	182	Hübner and Müller	Z. C. [2], 7, 232	25, 1000
" " "	"	183	Gegerfeldt	B., 6, 720	26, 1123
" " "	"	182 (760)	Kahlbaum	B., 17, 1260	
" " "	"	104 (75)	"	"	
" " "	"	95.1 (50)	"	"	
" " "	"	83.2 (25)	"	"	
" " "	"	79.1 (20)	"	"	
" " "	"	74.6 (15)	"	"	
" " "	"	68.8 (10)	"	"	
" " "	"	64.2 (5)	"	"	
" " "	"	56.6 (0)	"	"	
Propylene chlorhydrin CH ₃ .CH(OH).CH ₂ Cl	C ₃ H ₇ ClO	126-128	Oppenheim	J., 21, 340	vi., 968
" " "	"	127	Oser	B. S. [1860], 235	vii., 1021
" " "	"	127.7 c.	Markownikoff	C. R., 81, 668, 728, 776	29, 339
" " "	"	127-128	Morley and Green	47, 132	
" " CH ₂ (OH).CH ₂ .CH ₂ Cl	"	160 c.	Reboul	C. R., 79, 169	27, 1154
" " "	"	160-162	"	A. C. [5], 14, 491	36, 128, 133
α-Glycerol chlorhydrin CH ₂ Cl.CH(OH).CH ₂ (OH)	C ₃ H ₇ ClO ₂	227.	l. -35	Berthelot	J., 6, 456	i., 893
α- " " "	"	139 (10)	Hanriot	C. R., 86, 1139	34, 656
α- " " "	"	139 (20)	"	A. C. [5], 17, 62	36, 1030
β- " " CH ₂ (OH).CHCl.CH ₂ (OH)	"	144-146 (10)	Liquid	"	C. R., 86, 1139	34, 656
β- " " "	"	148 (20)	"	A. C. [5], 17, 73	36, 1030
β- " " "	"	145-146 (20)	"	"	"
β- " " "	"	159 (100)	"	B. S. [2], 27, 256	32, 301
β- " " "	"	220	Henry	B., 5, 449	
β- " " "	"	230-235	"	J. p. [2], 10, 185	26, 346
Heptachlorethyl acetate	C ₇ HCl ₆ O ₂	b. 100	Leblanc	i., 22
Maléyl chloride C ₂ H ₂ (CO.Cl) ₂	C ₄ H ₂ Cl ₂ O ₂	70-71 (11)	Liquid	Anschütz and Wirtz	B., 18, 1947	47, 900
Fumaryl " "	"	60 (14)	"	"	"
" " "	"	160	Kekulé	As., 2, 86; A., 112, 26	ii., 747
Muco-chloric acid	C ₄ H ₂ Cl ₂ O ₃	125	Schmeltz & Beilstein	As., 3, 280	iv., 764
" "	"	125	Bennett and Hill	B., 12, 656	
Trichlorcrotonyl chloride CCl ₃ .CH : CH.COCl	C ₄ H ₂ Cl ₄ O	162-166	Liquid	Judson	Z. C. [2], 7, 40	vii., 398; 24, 233
?	"	196	Paternò	G. S. P., 5, 123	vi., 77
Tetrachlorethyl oxide (C ₂ HCl ₄) ₂ O	C ₄ H ₂ Cl ₈ O	189.7 (857.5)	Paternò and Pisati	G. I., 2, 333	26, 158
Chlorsuccinic anhydride <u>CH₂.CHCl.CO.O.CO</u>	C ₄ H ₃ ClO ₃	130-131 (14-15); 125-126 (11-12)	38-41	Anschütz & Beumert	B., 15, 642	42, 828
Chlorfumaric acid COOH.CH : CCl.COOH	C ₄ H ₃ ClO ₄	abt. 190 d.	178	Bandrowski	B., 15, 2695	44, 313
" " "	"	191	Kander	J. p. [2], 31, 1	46, 652
Chlormaleic acid C ₂ HCl(COOH) ₂	"	171-172	Carius	B., 3, 334	vi., 798
Trichlorcrotonic aldehyde CCl ₃ .CH : CH.CO	C ₄ H ₃ Cl ₃ O	163-165	Krämer and Pinner	A., 158, 37	vii., 35; 24, 557
" "	"	163-165	Goldberg	J. p. [2], 24, 97	42, 28
Trichlorcrotonic acid CCl ₃ .CH : CH.COOH	C ₄ H ₃ Cl ₃ O ₂	234-236 236-238 44	Krämer and Pinner Judson	A., 158, 37 Z. C. [2], 7, 40; B., 3, 785	24, 558 24, 233; vii., 397
Trichlorethylidenic glycollate <u>O.CH₂.COO.CH.CCl₃ (?)</u>	C ₄ H ₃ Cl ₃ O ₃	41-42	A., 193; 36	
α-γ-dichlorcrotonaldehyde CH ₂ Cl.CH : CCl.CHO	C ₄ H ₄ Cl ₂ O	86-87	s. in CO ₂ and snow	Natterer	M. C., 4, 539	44, 965
α-Chlorcrotonyl chloride CH ₃ .CCl : CH.COCl or CH ₃ .CH : CCl.COCl	"	142	Liquid	Sarnow	B., 4, 731	24, 1047

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tetrolyl chloride	$C_4H_4Cl_2O$	171-172 p. d.	Liquid	Demarçay	C. R., 88, 126	36, 458
"	"	"	172	Liquid	"	B. S., 33, 524	38, 626
"	"	"	172-174	Pawlow	B., 16, 486	
Succinyl chloride	$COCl.CH_2.CH_2.COCl$	$C_4H_4Cl_2O_2$	abt. 190	Gerhardt & Chiozza	C. R., 36, 1050	v., 462
Dichlorocrotonic acid	$CHCl_2.CH : CH.CO_2H$	"	215.5 u. c.	64	Gottlieb	J. p. [2], 12, 1	29, 562
Action of Cl on tetric acid	$C_4H_4Cl_4O$	48-48.5	Demarçay	C. R., 88, 126	36, 458
Action of Cl on tetrolyl chloride	"	49	"	B. S., 33, 524	38, 626
Trichlorbutyryl chloride	$C_3H_3Cl_3.COCl$	"	162-166	Judson	B., 3, 787	
Tetrachlorethyl acetate	$CH_3.COO.CHCl.CCl_3$	$C_4H_4Cl_4O_2$	185	Meyer and Dulk	A., 171, 67	27, 460
"	"	"	186	Curie and Millet	C. R., 83, 745	31, 188
"	"	"	188-189	Z. C. [1870], 345	
Tetrachlorbutyric acid	$C_3H_3Cl_4.CO_2H$	"	140	Pelouze and Gélis	A. C. [3], 10, 449	i., 694
Hexachlorethyl oxide	$CHCl_2.CH_2.O.CCl_2.CH_2Cl$ or $CHCl_2.CHCl.O.CHCl.CHCl_2$	$C_4H_4Cl_6O$	250	Paternò	G. S. P., 5, 123	vi., 77
"	"	"	250	Z. C. [1869], 394	
α -Crotonic chloride	$CH_3.CH : CH.CO.Cl$	C_4H_5ClO	123-128	Pawlowsky	B., 5, 331	
α -Chlorocrotonic aldehyde	$CH_2Cl.CH : CH.CO_2H$	"	147-148	A., 179, 31	
"	"	"	abt. 147	Pinner	B., 8, 1322	29, 553
Chlormethacrylic acid	fr. $CH_2 : CMe.CO_2H$	$C_4H_5ClO_2$	58.5	Morawsky	J. p. [2], 12, 375	29, 563
"	"	"	59	Gottlieb	J. p. [2], 12, 20	29, 562
"	"	"	59-60	"	"	"
β -Chlor- β -crotonic acid	$CH_2 : CCl.CH_2.CO_2H$	"	194.8 c.	59.5	Fröhlich	Z. C. [2], 5, 270	vi., 512
β -	"	"	59.5	Friedrich	B., 15, 218 ; A., 219, 322	44, 968
β -	"	"	59.5	Kahlbaum	B., 12, 2339	
β -	"	"	59.5	Claus and Lischke	B., 14, 1089	
β -Chlorocrotonic acid	$CH_3.CCl : CH.CO_2H$ (?)	"	93	Alberti	I. D., Strassburg, 1876	
β -	"	"	206-211	94	Fröhlich	Z. C. [2], 5, 270	vi., 512
β -	"	"	206-211 p. d.	94	Genther	J. p. [2], 3, 431	24, 813
β -	"	"	206-211	94	"	J. Z., 6 ; pt. 4	vii., 399
β -	"	"	94.5	Kahlbaum	B., 12, 2337	
β -	"	"	94.5	Friedrich	B., 15, 218 ; A., 219, 322	42, 945 ; 44, 968
β -	"	"	97	Thurnlackh	A., 213, 379	42, 1279
α -	$CH_3.CH : CCl.CO_2H$	"	206	94	Sarnow	B., 4, 732	24, 1046
α -	"	"	212	96	"	B., 5, 468	vii., 398 ; 25, 689
α -	"	"	97.5	Kahlbaum	B., 12, 2338	
α -	"	"	97.5	Friedrich	B., 15, 218 ; A., 219, 322	42, 945 ; 44, 968
Ethyl chloroxalate	$COCl.CO_2Et$	$C_4H_5ClO_3$	128	Morley and Saint	43, 400
"	"	"	131	Richter	C. C. [1878], 446	36, 139
"	"	"	140	Henry	B., 4, 600	24, 820 ; vii., 883
Chlorosuccinic acid	$CO_2H.CHCl.CH_2.CO_2H$	$C_4H_5ClO_4$	151.5-152	Anschütz & Beumert	B., 15, 642	42, 828
Trichlorethyl acetate	$CH_3.COO.CHCl.CHCl_2$	$C_4H_5Cl_3O_2$	250-280	Kessel	B., 10, 1999	
Ethyl dichloroacetyl chloride	$C_2H_5.CCl_2.COCl$	$C_4H_5Cl_3O$	152	Geuther	J. [1864], 317	vi., 22
Trichlorvinylethyl oxide	$CCl_2 : CCl.O_2C_2H_5$	"	154.8 c. (755)	Paternò and Pisati	G. I., 2, 333	vii., 2 ; 26, 159
"	"	"	154-156	Liquid	Busch	B., 11, 446	34, 487
Trichlorbutyric aldehyde	$CCl_3.CH_2.CH_2.CHO$	"	164-165 (750)	Engel & Moitessier	C. R., 90, 1075	40, 407
"	"	"	163-165	Liquid	Krämer and Pinner	B., 3, 386
"	$CH_2Cl.CHCl.CHCl.CHO$	"	s. -78	Natterer	M. C., 4, 539	44, 965
Ethyl trichloroacetate	$CCl_3.CO_2Et$	$C_4H_5Cl_3O_2$	164	Malaguti	A. C. [3], 16, 62	i., 879
Trichlorethyl acetate	$CH_3.COO.CH_2.CCl_3$	"	167 (736) ; 71 (183)	Liquid	Thurnlackh	A., 210, 69	42, 295
"	"	"	164	Leblanc	A. C. [3], 10, 207
"	$CH_3.COO.CHCl.CHCl_2$	"	250-280 p. d.	Kessel	B., 10, 1999	34, 133
Trichlorisobutyric acid	fr. $(CH_3)_2.CH.CO_2H$	"	50	Gottlieb	J. p. [2], 12, 1	29, 561
Trichlorbutyric acid	fr. $CH_3.CH_2.CH_2.CO_2H$	"	58	Thurnlackh	A., 213, 374	42, 1279
"	"	"	60	Z. P. C., 6, 494

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trichlorcrotonaldehyde hydrate	$\text{CCl}_3\text{.CH:CH.CH(OH)}_2$	$\text{C}_4\text{H}_5\text{Cl}_3\text{O}_2$	78	Krämer and Pinner	A., 158, 37	24, 557; vii., 400
"	"	"	78	Pinner	A., 179, 21	29, 548
Trichlorethylglycollic acid	$\text{CCl}_3\text{.CH}_2\text{.O.CH}_2\text{.COOH}$	$\text{C}_4\text{H}_5\text{Cl}_3\text{O}_3$	69.5	Thurnlackh	A., 210, 72	42, 295
Pentachlorethyl oxide	$\text{CCl}_3\text{.CCl}_2\text{.O.C}_2\text{H}_5$	$\text{C}_4\text{H}_5\text{Cl}_5\text{O}$	190-210 p.d.	Liquid	Busch	B., 11, 446	34, 487
"	"	"	Liquid	Jacobsen	B., 4, 217	24, 515
"	$\text{CCl}_3\text{.CHCl.O.CH}_2\text{.CH}_2\text{Cl}$	"	235	Henry	B., 7, 763	27, 979
Dichlorbutyric aldehyde	$\text{C}_3\text{H}_5\text{Cl}_2\text{.COH}$	$\text{C}_4\text{H}_6\text{Cl}_2\text{O}$	200	i., 689
"	$\text{CH}_2\text{Cl.CH}_2\text{.CH}_2\text{.COH}$	"	225-230	Saytzeff	A., 171, 251	27, 570
α -Chlorbutyryl chloride	$\text{CH}_3\text{.CH}_2\text{.CHCl.COCl}$	"	129-132	Markownikoff	A., 153, 241
Dichlorethoxyethylene	CHCl:CCl.OEt	"	128.2 c.	Geuther & Brockpoff	J. Z., 7, 359	vii., 487; 26, 867
Dichlorethyl acetate	$\text{CH}_3\text{.COO.C}_2\text{H}_5\text{Cl}_2$	$\text{C}_4\text{H}_6\text{Cl}_2\text{O}_2$	110	Malaguti	A. C. [2], 70, 368
"	"	"	125	Curie and Millet	C. R., 83, 745	31, 188
"	$\text{CH}_3\text{.COO.CHCl.CH}_2\text{Cl}$	"	146-148	Liquid	"	B., 9, 1611	"
"	"	"	165	M. C., 3, 453
Ethyl dichloracetate	$\text{CHCl}_2\text{.COO.C}_2\text{H}_5$	"	150-160	Liquid	Wallach	B., 10, 1527
"	"	"	153	Fischer & Geuther	J., 1864, 316	vi., 19
"	"	"	154-157	Wallach	B., 6, 114	vii., 310; 26, 627
"	"	"	156	Müller	vi., 19
"	"	"	158	"	G. J. C., 1864
"	"	"	156	Curie and Millet	C. R., 83, 745	31, 188
"	"	"	156 (738)	Brühl	G. J. C., 1880
"	"	"	156	Conrad	A., 186, 232	32, 436
Chlorethyl chloracetate	$\text{CH}_2\text{Cl.COO.CH}_2\text{.CH}_2\text{Cl}$	"	180-210 d.	Liquid	Mülder and Bremer	B., 11, 1959	36, 303
"	"	"	145 (i. v.)	"	"	"
"	"	"	197-198 u. c.	Liquid	Heury	C. R., 97, 1308	46, 421
Methyl dichlorpropionate	$\text{CH}_3\text{.CCl}_2\text{.COO.CH}_3$	"	143-144 u. c.	Liquid	Beckurts and Otto	B., 9, 1878	32, 181
"	$\text{C}_2\text{H}_5\text{Cl}_2\text{.COOCH}_3$	"	158	Ciamician & Silber	B., 18, 1764
Dichlorhydroxyisobutyric acid	$\text{CHCl}_2\text{.CMe(OH).COOH}$	$\text{C}_4\text{H}_6\text{Cl}_2\text{O}_3$	82-83	Bischoff	B., 8, 1334	29, 558
"	$(\text{CH}_2\text{Cl})_2\text{C(OH).COOH}$	"	90-92	Grimaux and Adam	C. R., 90, 1252	38, 801
Tetrachlorethyl oxide	$\text{CCl}_3\text{.CHCl.O.C}_2\text{H}_5$	$\text{C}_4\text{H}_6\text{Cl}_4\text{O}$	185-190	Henry	B., 4, 101	24, 255; vii., 314
"	"	"	185-190 u. c. (755)	"	B., 4, 436	24, 696
"	"	"	189.7 (757)	Paternò and Pisati	G. I., 2, 333	vii., 484
Ethoxychloroethylene	CHCl:CH.OEt	$\text{C}_4\text{H}_7\text{ClO}$	122-123	Geuther	Z. C. [2], 7, 128	24, 515; vii., 8
Ethylidene acetochloride	$\text{CH}_3\text{.CHClAc}$	"	121.5 (746)	Franchimont	R. T., 1, 243	44, 452
Chlorcrotyl alcohol	"	158.3 c. (742.5)	s. f. m. of ice and CaCl_2	Thurnlackh	A., 213, 376	42, 1279
Butenylglyceryl epichlorhydrin	"	125.5 c. (738)	Liquid	Zikes	M. C., 6, 348	48, 1046
Isobutyryl chloride	$\text{Me}_2\text{.CH.COCl}$	"	92	Markownikoff	Z. C., 1866, 501	vi., 378, 381
"	"	"	91.5-92.5 (748)	Brühl	A., 203, 19
Butyryl chloride	$\text{CH}_3\text{.CH}_2\text{.CH}_2\text{.COCl}$	"	abt. 95	Gerhardt	J., 5, 445	i., 699; vi., 381
"	"	"	99-101 (734)	Brühl	A., 203, 19
"	"	"	100-101.5	Linnemann	A., 161, 179	25, 395
Chlorbutyric aldehyde	$\text{C}_3\text{H}_6\text{Cl.COH}$	"	141	i., 689
β - " " "	$\text{CH}_3\text{.CHCl.CH}_2\text{.COH}$	"	96-97	Kekulé	Z. C. [2], 5, 572	vi., 513, 25, 616
"	"	"	"	A., 162, 100
Ethylene chloracetin	$\text{CH}_2\text{Cl.CH}_2\text{.OAc}$	$\text{C}_4\text{H}_7\text{ClO}_2$	143-145	Liquid	Ladenburg and Demole	B., 6, 1024
"	"	"	143-145	Henry	B., 7, 70	27, 457
"	"	"	145	Simpson	J., 12, 487	ii., 568
Ethylglycollic chloride	"	127-128	Henry	B., 2, 276
Propyl chlorocarbonate	Cl.COOPr^a	"	115.2 c.	Röse	A., 205, 229	40, 252
"	"	"	120-130d.	Roemer	B., 6, 1101	27, 39

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl chloracetate	$\text{CH}_2\text{Cl.COO.C}_2\text{H}_5$	$\text{C}_4\text{H}_7\text{ClO}_2$	141-142.5	M. C., 2, 696	
" "	"	"	143.5	Wilm	A. C. [3], 49, 97	i., 877
" "	"	"	144-146	Brühl	G. J. C., 1880	
" "	"	"	142-147	Menschutkin and Jermolajew	Z. C. [2], 7, 5	24, 150
Chlorethyl acetate	$\text{CH}_3\text{.COO.CHCl.CH}_3$	"	90-140	Simpson	C. R., 47, 174	i., 109
" "	"	"	120	Wurtz	C. R., 73, 528	24, 1056; vii., 35
" "	"	"	120-124	A., 109, 156	
" "	"	"	121.5 (746)	Franchimont	B., 16, 402	
Methyl α -chlorpropionate....	$\text{CH}_3\text{.CHCl.COOMe}$	"	130-131	A., 208, 342	
" "	"	"	132.5	Kahlbaum	B., 12, 344	36, 521
" β - "	$\text{CH}_2\text{Cl.CH}_2\text{.COOMe}$	"	155-157	Henry	C. R., 100, 114	48, 372
α -Chlorisobutyric acid	$(\text{CH}_3)_2\text{.CCl.COOH}$	"	abt. 190	"	B. S., 25, 23	30, 397
? " "	$\text{C}_3\text{H}_5\text{Cl.COOH}$	"	230-235 p. d.	106-107	Melikoff	B., S., 41, 311	46, 1301
β -Chlorbutyric acid	$\text{CH}_3\text{.CHCl.CH}_2\text{.COOH}$	"	200. d.	Pinner	B., 12, 2056	38, 99
β - " "	"	"	200-201	98-99	Markownikoff	Z. C. [2], 4, 621	vi., 380
Methyl chlorlactate	$\text{CH}_2\text{Cl.CH(OH).COOMe}$	$\text{C}_4\text{H}_7\text{ClO}_3$	185-187	Frank	A., 206, 347	40, 417
Chlorhydroxybutyric acid	$\text{C}_3\text{H}_5\text{Cl(OH).COOH}$	"	53-56	Erlenmeyer and Müller	B., 15, 49	44, 969
" "	"	"	62-63	Melikoff	B., 16, 1268; B. S., 41, 311; 43, 115	44, 969; 46, 1301; 48, 650
" "	"	"	82	"	"	"
" "	"	"	82-83	"	"	"
" "	$\text{CH}_3\text{.C}_2\text{H}_2\text{Cl(OH).COOH}$	"	85	"	"	"
" "	"	m. p. error for 82-83	98-99	"	B., 15, 2586	44, 311
Acetone chloroform	$\text{CMe}_2\text{.CCl}_3\text{.OH}$	$\text{C}_4\text{H}_7\text{Cl}_3\text{O}$	167 <i>u. c.</i>	96-97	Willgerodt	B., 14, 2456	42, 492
" "	"	"	cf. B 15, 2305	96	"	B., 16, 1585	44, 1079
" " $+\frac{1}{2}\text{H}_2\text{O}$	"	"	80-81	"	"	"
Trichlorbutyl alcohol	$\text{C}_3\text{H}_4\text{Cl}_3\text{.CH}_2\text{OH}$	"	120 (45)	61.5-62	Thurnlackh	B., 14, 2759; A., 213, 372	42, 824, 1279
" "	"	"	199-200	60-61	Mering	B., 15, 1021	42, 952
Chloral ethylate	$\text{CCl}_3\text{.CH(OH)(OEt)}$	$\text{C}_3\text{H}_7\text{Cl}_3\text{O}_2$	112.5 (740)	46	Lieben	B., 3, 909	24, 345
" "	"	"	114-115	43-46	"	"	vii., 313
" "	"	"	113.5	Jungfleisch, Lebaigne, & Roucher	J. P. [4], 11, 208	vii., 313
" "	"	"	44-46	26, 879
" "	"	"	115	Henry	B., 4, 102	24, 256
" "	"	"	115	56	Roussin	C. R., 69, 1144	vii., 313
" "	"	"	115-116	S. 40	Martius and Bartholdy	B., 3, 444	"
" "	"	"	115-117	56-57	Jacobsen	A., 157, 244	24, 257
" "	"	"	116	Wurtz	C. R., 85, 53	32, 878
Butylchloralhydrate....	$\text{C}_3\text{H}_4\text{Cl}_3\text{.CH(OH)}_2$	"	v. t. 100 (860)	Engel & Moitessier	C. R., 90, 1075	40, 407
Dichlorethyl oxide	$(\text{CH}_3\text{.CHCl})_2\text{O}$	$\text{C}_4\text{H}_8\text{Cl}_2\text{O}$	116-117	Lieben	J., 11, 291	ii., 599
" "	"	"	115-117	Ressel	A., 175, 46	28, 554
" "	"	"	52 (40)	Liquid	Hanriot	A. C. [5], 25, 219	42, 590
" "	$\text{CH}_2\text{Cl.CHCl.O.C}_2\text{H}_5$	"	140-147	Darcet	A., 28, 82	ii., 540
" "	"	"	140-147	Lieben	J., 12, 446	vi., 596
" "	"	"	147	Wislicenus	A., 192, 106	34, 777
Action of HCl on aldehyde....	58-60 (40)	Hanriot	C. R., 92, 302	40, 404
Dichlorbutylhydrin	"	105-107 (30)	Liquid	Zikes	M. C., 6, 348	48, 1046
Dichlorisobutylhydrin	$\text{C}_4\text{H}_7\text{Cl(OH)Cl}$	"	143.5-(764)	Liquid	(Ecominedes	C. R., 92, 1235	40, 793
Erythrol dichlorhydrin	$\text{C}_4\text{H}_6\text{Cl}_2\text{(OH)}_2$	$\text{C}_4\text{H}_8\text{Cl}_2\text{O}_2$	145 ?	De Luynes	A. C. [4], 2, 385	vi., 583
" "	$\text{CH}_2\text{Cl.[CH(OH)}_2\text{].CH}_2\text{Cl}$	"	125-125.5	Przybytek	B., 17, 1092	46, 979
" "	"	"	124-125	J. R., 13, 171
Chloraldehyde hydrate	$(\text{CH}_2\text{Cl.CHO})_2+\text{H}_2\text{O}$	$\text{C}_4\text{H}_8\text{Cl}_2\text{O}_3$	85.5 cor.	43-50	Natterer	M. C., 3, 442	42, 1046
" "	"	"	85-100	74-75	Glinsky	Z. C., 6, 647	vii., 36
Chlorethyl oxide	$\text{CH}_3\text{.CHCl.O.C}_2\text{H}_5$	$\text{C}_4\text{H}_8\text{ClO}$	97-98	Jacobsen	B., 4, 215	vii., 481; 24, 513
" "	"	"	105	Liquid	Henry	C. R., 100, 1007	48, 883
" "	$\text{CH}_2\text{Cl.CH}_2\text{.O.C}_2\text{H}_5$	"	107-108(o.p.)	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
<i>a</i> -Chlorisobutyl alcohol	(CH ₃) ₂ CCl.CH ₂ .OH	C ₄ H ₉ ClO	128-130	Henry	B. S., 25, 23	30, 397
"	"	"	137	Butlerow	A., 144, 26	vi., 376
Chloraldehyde alcoholate	CH ₂ Cl.CH(OH)(OEt)	C ₄ H ₉ ClO ₂	95-96	Jacobsen	B., 4., 216	vii., 481; 24, 514
"	"	"	93-95	A., 164, 219	
Hydroxychloroethyl oxide	CH ₂ Cl.CH(OH)OEt	"	151-152	Abeljanz	A., 164, 197	26, 156; vii., 482
Butenylglyceryl chlorhydrin	C ₄ H ₇ Cl(OH) ₂	"	134-136c.(28)	Liquid	Zikes	M. C., 6, 348	48, 1046
"	"	"	180-185	A. C.[3], 67, 290; 69, 339	
Action of HCl on aldehyde...	C ₄ H ₁₀ Cl ₂ O ₂	25 (40)	Hanriot	C. R., 92, 302	40, 404
Chloralide	CCl ₂ .CH.O.CO.O.CH.CCl ₃	C ₅ H ₂ Cl ₆ O ₃	112-114	Kekulé	A., 165, 293	i., 884
"	"	"	112-114	Wallach	B., 6, 118	vii., 310
"	"	"	272-273	114-115	"	"	26, 627
"	"	"	268 (734)	114-115	Grabowsky	B., 8, 1434	29, 551
Parachloralide	"	182	Cloez	J., 12, 434	
Pyromucyl chloride	C ₄ H ₃ O.COCl	C ₅ H ₃ ClO ₂	170	Liès-Bodart	iv., 765
"	"	"	160-180	Liquid	Wallach	B., 14, 753	40, 715
Chlorpyromecenic acid	C ₅ H ₂ ClO.OH+H ₂ O	"	174	Hilacbein	J. p. [2], 32, 129	48, 1208
Chlorcitraconic anhydride	C ₆ H ₃ ClO ₃	212	98-100	J., 1873, 583	
"	"	100	Gottlieb	J. p. [2], 8, 73	27, 358
Trichlorphenomalonic acid	CCl ₂ .CO.CH : CH.COOH	C ₅ H ₃ Cl ₃ O ₃	131-132	Kekulé & Strecker	A., 223, 181	46, 1122
"	"	"	131-132	Carius	A., 140, 317; 142, 129	
"	"	"	C ₆ H ₃ Cl ₃ O ₂ (?)	Krafft	B., 10, 798	
Mesaconyl chloride	C ₃ H ₄ (COCl) ₂	C ₅ H ₄ Cl ₂ O ₂	80 (17)	Petri	B., 14, 1635	40, 1032
Itaconyl	"	"	89 (17)	"	"	"
Citraconyl chloride	COCl.CH : CMe.COCl	"	83 (17)	"	"	"
"	"	"	95 (17.5)	Liquid	Strecker	B., 15, 1640	42, 1281
"	"	"	175 d.	Gerhardt & Chiozza	A., 87, 294	
Trichlorethylidene lactate	CCl ₂ .CH.O.CHMe.COO (?)	C ₅ H ₅ Cl ₃ O ₃	222-224	45	A., 193, 36	
Trichlorangelactic acid	CHCl : CCl.CHCl.CH(OH)COOH	"	140	Bischoff and Pinner	B., 5, 213	vii., 400; 25, 486
"	"	"	cf. C ₅ H ₇ Cl ₃ O ₃	140	"	A., 179, 99	29, 556
Acetyl trichlorolactic acid	CCl ₂ .CH(OAc).COOH	C ₅ H ₅ Cl ₃ O ₄	65	Pinner and Fuchs	B. 10, 1061	
Pentic chloride	C ₅ H ₆ Cl ₂ O	189-191	Demarçay	B. S. [2], 33, 575	40, 255
"	"	189-192	"	C. R., 88, 126	36, 458
Ethyl β-dichloroacrylate	CCl ₂ : CH.COEt	C ₅ H ₆ Cl ₂ O ₂	173-175	Liquid	Wallach & Hunäus	B., 10, 569	32, 591
Glutaryl chloride	COCl.(CH ₂) ₃ .COCl	"	216-218	Liquid	Reboul	C. R., 82, 1502; A. C.[5], 14, 501	30, 508; 36, 134
Pyrotartryl chloride	COCl.CH ₂ .CHMe.COCl	"	190-195	Liquid	Hjelt	B., 16, 2624	46, 297
Allyl tetrachlorethyl oxide	CCl ₂ .CHClOC ₃ H ₅	C ₅ H ₆ Cl ₄ O	195 d.	Oghialoro	G. I., 1874, 463	28, 878
Tetrachlorvaleric acid	C ₄ H ₅ Cl ₄ .COOH	C ₅ H ₆ Cl ₄ O ₂	b.-15	Dumas and Stas	A., 35, 145	v., 978
<i>a</i> -chlorallylic acetate	CH ₂ : CCl.CH ₂ .OAc	C ₅ H ₇ ClO ₂	140-145	Henry	B., 5, 454	
<i>a</i> -	"	"	145	"	C. R., 95, 849	44, 173
<i>β</i> -	CHCl : CH.CH ₂ .OAc	"	156-159	Martinoff	B., 8, 1318	29, 541
<i>β</i> -	"	"	157-158	Henry	C. R., 95, 849	
Ethyl β-chloroacrylate	CHCl : CH.COEt	"	143-145	Wallach & Hunäus	B., 10, 569	32, 592
"	"	"	145-146	Pinner	B. 7, 250	27, 682
"	"	"	145-146	Pinner & Bischoff	A., 179, 74	29, 556
Methyl <i>α</i> -chlorcrotonate	CH ₃ .CH : CCl.COOMe	"	160.8	Kahlbaum	B., 12, 344	36, 521
" <i>β</i> -chlor- <i>β</i> -crotonate	CH ₂ : CCl.CH ₂ .COOMe	"	142 c.	Liquid	Fröhlich	Z. C. [2], 5, 274	vi., 512
Chlormethylcrotonic acid	fr. CH ₃ .CH : CMe.COOH	"	209-210	67	Demarçay	C. R., 84, 1087	32, 591
"	"	"	69.5	Rücker	B., 10, 1954	34, 292
"	"	"	68-69	Otto and Beckurts	B., 18, 825, 847	48, 755
<i>α</i> -methyl- <i>β</i> -chlorcrotonic acid	CH ₃ .CCl : CMe.COOH	"	69.5	Friedrich	B., 15, 218	42, 945
Chlorangelic acid	Me.CCl : CH.CH ₂ .COOH	"	103-104	Pinner and Klein	B., 11, 1499	36, 43
Ethyl malonyl chloride	COCl.CH ₂ .COEt	C ₆ H ₇ ClO ₃	170-180	Van t'Hoff	B., 7, 1572	28, 358
Chlorangelactic acid	"	116-116.5	Pinner and Klein	B., 11, 1496	
"	"	140	Pinner	B., 7, 589	27, 787

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Mesachlorpyrotartaric acid...	...	C ₆ H ₇ ClO ₄	129-130	Schwartz	Z. C., 1866, 724	vi., 821, 981
Itachlorpyrotartaric acid	"	225-235	140-145	"	Z. C., 1866, 721	vi., 980
Chlorcitramalic acid	C ₆ H ₇ ClO ₅	100	Gottlieb	A., 160, 101	25, 78
Chloritramalic acid	"	150	Richter	R. K. T.	
Hydrochloroxycitraconic acid	"	160-162 d.	Morawski	J. p. [2], 9, 430	28, 1253
Trichlormethylpropyl ketone	CCl ₃ .CO.Pr	C ₅ H ₇ Cl ₃ O	186 (753)	Grabowsky	B., 8, 1439	29, 557
Methyltrichlorpropyl ketone	CH ₃ .CHCl.CCl ₂ .CO.CH ₃	"	192	Thurnlackh	A., 223, 149	46, 1118
Trichlorhydroxyethyl allyl oxide	CCl ₃ .CH(OH).OC ₃ H ₅	C ₃ H ₇ Cl ₃ O ₂	116	20.5	Oglialoro	G. I. [1874], 463	28, 878
Propylic trichloracetate ...	CCl ₃ .COOPr ^a	"	187	Clermont	C. R., 96, 437	44, 729
Trichlorvaleric acid	C ₄ H ₆ Cl ₃ .COOH	"	b.-18	Dumas and Stas	A., 35, 145	v., 978
Ethylic trichlorlactate	CCl ₃ .CH(OH).COOEt	C ₅ H ₇ Cl ₃ O ₃	66-67	Bischoff and Pinner	B., 5, 218; A., 179, 83	25, 485; 29, 555
Trichlorvalerolactic acid	CH ₂ Cl.(CHCl) ₂ .CH(OH).COOH	"	cf. C ₅ H ₅ Cl ₃ O ₃	140	"	A., 179, 99	29, 556
" " "	"	"	140	Pinner and Klein	B., 11, 1492	
Glycerol acetodichlorhydrin	C ₃ H ₅ .Cl ₂ (OAc)	C ₅ H ₈ Cl ₂ O ₂	188-190	Franchimont	B., 16, 394	
" " "	"	"	194-195	Liquid	Henry	B., 4, 704	24, 908
" " "	"	"	205	Berthelot and Luca	A. C. [3], 53, 460	i., 25
" " "	"	"	202-203	Truchot	J., 18, 503	
Ethylic α-dichlorpropionate...	CH ₃ .CCl ₂ .COOEt	"	155-160	Beckurts and Otto	B., 11, 388	34, 488
" α- "	"	"	156-157	"	B., 9, 1878	32, 181
" α- "	"	"	158	"	B., 9, 1593	
" α- "	"	"	160	Liquid	Klimenko	B., 3, 466	vii., 1012, 1033
" α- "	"	"	155-160	Richter	B., 10, 684	32, 441
" α- "	"	"	160	Beckurts and Otto	B., 10, 1952	34, 292
" β- "	CH ₂ Cl.CHCl.COOEt	"	180 (750)	Henry	B., 7, 414; 10, 1854	
" β- "	"	"	183-184	Werigo & Melikoff	B., 10, 1500	34, 289
" β- "	"	"	180-190	Werigo & Werner	A., 170, 163	vii., 1012; 27, 242
" " "	"	185-190	Werigo & Okulitsch	A., 167, 49	26, 1020
Chlorethyl-β-chlorpropionate	CH ₂ Cl.CH ₂ .COO.C ₂ H ₄ Cl	"	210-215	Liquid	Henry	C. R., 100, 114	48, 372
Ethylic dichlorlactate	C ₆ H ₈ Cl ₂ O ₃	205-206	J. R., 7, 162	
" " "	"	219-221	A., 179, 88	
" " "	"	219-222	B. S., 34, 29	
α-Chlorallyl ethyl oxide	CH ₂ :CCl.CH ₂ .OEt	C ₅ H ₉ ClO	110	Friedel and Silva	C. R., 75, 81	25, 805
α- " " "	"	"	110	Henry	vii., 1020
β- " " "	CHCl:CH.CH ₂ .OEt	"	120	"	B., 5, 189	vii., 50
β- " " "	"	"	120-125	Friedel and Silva	C. R., 75, 81	25, 805
Methylchlorallyl carbinol	CH ₃ .CH:CCl.CHMe.OH	"	158	Liquid	Thurnlackh	A., 223, 149	46, 1118
Acrolein+ethyl chloride	CH ₂ :CH.CClEt.OH	"	115-120	As., 3, 182	
Isovaleryl chloride	(CH ₃) ₂ .CH.CH ₂ .COCl	"	115-120	Béchamp	J., 9, 429	v., 979
" " " "	"	"	113.5-114.5	Brühl	A., 203, 24	
Trimethacetyl chloride	CMe ₃ .COCl	"	105-106	Liquid	Butlerow	A., 173, 373; B., 7, 728	27, 1084; 28, 250
Chlorvaleric aldehyde	CHMe ₂ .CHCl.CHO	"	134-135	Schroeder	B., 4, 402	24, 560; vii., 1195
Chlormethylisopropyl ketone	CH ₂ Cl.CO.CHMe ₂	"	120 p. d.	Étard	C. R., 84, 951	32, 427
Methylchlorpropyl ketone	CH ₃ .CO.CHCl.C ₂ H ₅	"	130	Wislicenus and Conrad	B., 8, 1038	29, 371
" " " "	"	"	130	Liquid	Conrad	A., 186, 242	32, 436
Ethylidene propiochlorhydrin	CH ₃ .CHCl.(O.C ₃ H ₅ O)	C ₅ H ₉ ClO ₂	135 u. c.	Rübenchamp	A., 225, 267	48, 136
Propylene acetochloride	CH ₃ .CH(OAc).CH ₂ Cl	" (?)	151 c.	Morley and Green	47, 132	
Isobutylic chlorocarbonate	Cl.COO.CH ₂ .CHMe ₂	"	130-140 p. d.	Liquid	Mylius	B., 5, 972	26, 266
" " " "	"	"	128.8 c.	Röse	A., 205, 230	40, 252
Propylic chloracetate	CH ₂ Cl.COOPr ^a	"	161 (740)	A., 197, 8	
" " " "	"	"	161-162 (765)	Liquid	Henry	C. R., 100, 114	48, 372
Ethylic α-chlorpropionate	CH ₃ .CHCl.COOEt	"	143.5	Liquid	Brühl	B., 9, 35	29, 700
" α- "	"	"	144	Wichelhaus	A., 148, 169	vi., 960
" α- "	"	"	146	Brühl	A., 203, 24	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylie α-chlorpropionate	CH ₃ CHCl.COOEt	C ₅ H ₉ ClO ₂	150	Wurtz	A., 107, 195	iv., 736
" -β- "	CH ₂ Cl.CH ₂ .COOEt	"	150-160	"	vi., 960
" -β- "	"	"	162-163 (765)	Henry	C. R., 100, 114	48, 372
(Glycerol aceto-chlorhydrin	CH ₂ (OAc).CHCl.CH ₂ .OH	C ₅ H ₉ ClO ₃	230	"	J. p. [2], 10, 185	28, 346
" " " "	"	abt. 250	"	i., 25
Ethylie β-chlorlactate	CH ₂ Cl.CH(OH).COOEt	"	205 u. c.	37	Frank	A., 206, 347	40, 417
" " " "	"	"	160-185 (174)	Melikoff	C. C. [1881], 354	42, 38
" ?- " "	"	"	144	Wurtz	J., 11, 254	
" ?- " "	"	"	150-160	Rudneff	B., 8, 434	
Methyltrichlorpropyl carbinol	CHMeCl.CCl ₂ .CHMe.OH	C ₅ H ₉ Cl ₃ O	123 (41)	50·5	Thurnlackh	A., 223, 149	46, 1118
Allylethyl dichlorhydrin	C ₅ H ₁₀ Cl ₂ O	165	Markownikoff	J. [1865], 492	vi., 99
β-dichlorpropionic aldehyde alcoholate	CH ₂ Cl.CHCl.CH(OH)(OEt)	C ₅ H ₁₀ Cl ₂ O ₂	150-155	As., 3, 192	
Amylene chlorhydrin	C ₅ H ₁₁ ClO	155	Carius	A., 126, 199	vi., 121
Deriv. of chlorinated ether....	"	117-118	Lieben and Bauer	J., 15, 394	
Methylethyl chloracetal	C ₂ H ₃ Cl(OEt)(OMe)	C ₅ H ₁₁ ClO ₂	abt. 137	Lieben	J., 20, 546	vi., 598
Glycerol ethoxychlorhydrin	C ₃ H ₅ Cl(OEt)(OH)	"	180	Reboul	ii, 883
" " " "	"	"	183-185	Henry	Z. C. [2], 6, 575 ; B., 5, 449	vii., 49 ; 25, 686
" " " "	"	"	183-185 (758)	"	J. p. [2], 10, 185	28, 346
" " " "	"	"	188	"	As., 1, 236	
Allylethyl chlorhydrin	"	220	"	J. [1872], 331	
Ethylie chlorlevulinate	C ₅ H ₁₁ ClO ₃	225-230	Liquid	Conrad & Guthzeit	B., 17, 2287	48, 43
Trichlorquinone	C ₆ HCl ₃ O ₂	160	Städeler	A., 69, 327	v., 28
" " " "	"	164-166	Stenhouse	[2], 6, 208	vi., 987
" " " "	"	165-166	Krafft	B., 10, 799	32, 748, 749
Pentachlorphenol	C ₆ Cl ₅ .OH	C ₆ HCl ₅ O	183-184	Beilstein	B., 11, 2183	36, 463
" " " "	"	"	186	Ruoff	B., 9, 1495	
" " " "	"	"	186-187	Merz and Weith	B., 5, 458	vii., 906 ; 25, 701
Pentachlorresorcinol....	C ₆ Cl ₄ (OCl)(OH) = 1.3	C ₆ HCl ₅ O ₂	92·5	Stenhouse	P. R. S., 20, 78	25, 298 ; vii., 1042
? " " "	"	65	"	A., 169, 265	
Pentachlorphenol dichloride	C ₆ Cl ₅ (OH) : Cl ₂	C ₆ HCl ₇ O	68·5-70	Beilstein	B., 11, 680	34, 585
" " " "	"	"	78·5-80	"	B., 11, 2182	36, 463
β-Dichlorquinone	C ₆ H ₂ Cl ₂ : O ₂ = 1.3.2.5	C ₆ H ₂ Cl ₂ O ₂	119	Guareschi and Dac-como	B., 18, 1170	
β- " " " "	" " " " " " " "	"	120	Armstrong	24, 1121
β- " " " "	" " " " " " " "	"	120	Faust	A., 149, 153	"
β- " " " "	" " " " " " " "	"	120	"	Z. C. [1867], 727	vii., 1036
α- " " " "	" " " " " " " "	"	154	Levy and Schultz	B., 13, 1428	38, 888
α- " " " "	" " " " " " " "	"	159	"	A., 210, 150 ; B., 18, 2367	42, 510
α- " " " "	" " " " " " " "	"	159	Schultz	B., 15, 656	
α- " " " "	" " " " " " " "	"	160	Städeler	A., 69, 309	v., 28
α- " " " "	" " " " " " " "	"	164	Krafft	B., 10, 800	32, 749
Dehydromucic chloride	C ₄ H ₂ O(COCl) ₂	C ₆ H ₂ Cl ₂ O ₃	sb. 100	80	Klinkhardt	J. p. [2], 25, 46	42, 498
Dichlorcomanic acid	C ₅ HCl ₂ O ₂ .COOH	C ₆ H ₂ Cl ₂ O ₄	217	Ost	J. p., 27, 293	44, 796
" " " " " " " "	"	"	217	"	J. p., 29, 57	48, 49
Trichlorochloroxybenzene	C ₆ H ₂ Cl ₃ .OCl	C ₆ H ₂ Cl ₄ O	119	Benedikt	M. C., 4, 233	44, 985
Tetrachlorquinol	C ₆ Cl ₄ (OH) ₂ = 6.5.3.2.4.1	C ₆ H ₂ Cl ₄ O ₂	a. 220	"	iii., 216
Chlorquinone	C ₆ H ₃ Cl : O ₂ = ?	C ₆ H ₃ ClO ₂	37-38	Schulz	B., 15, 654	
" " " " " " " "	" " " " " " " "	"	57	Levy and Schultz	A., 210, 144	42, 509
" " " " " " " "	" " " " " " " "	"	57	"	B., 13, 1428	38, 888
" " " " " " " "	" " " " " " " "	"	120	Laubenheimer	B., 9, 770	
" " " " " " " "	" " " " " " " "	"	160	Städeler	A., 69, 300	v., 28
Chlorcomanic acid	C ₆ H ₂ ClO ₂ .COOH	C ₆ H ₃ ClO ₄	247	Ost	J. p. [2], 29, 57	48, 49
Trichlorphenol	OH.Cl ₃ = ?	C ₆ H ₃ Cl ₃ O	250	44	Laurent	iv., 393
" " " " " " " "	" " " " " " " "	"	248·5-249·5	54·1-54·5	Hirsch	B., 13, 1908	40, 164
" " " " " " " "	" " " " " " " "	"	u. c.	"	
" " " " " " " "	" " " " " " " "	"	58	Piria	iv., 393
" " " " " " " "	" " " " " " " "	"	67	Dacomo	B., 18, 1163	vii., 929

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict & J. Ch. Soc.
Trichlorphenol	OH.Cl ₃ =1.2.4.6	C ₆ H ₃ Cl ₃ O	244	67-68	Faust	B., 6, 136	26, 635
"	" "	"	243.5-244.5 <i>p. d.</i>	67-68	"	J. C. [2], 3, 727	vi., 909
Trichlororesorcinol	(OH) ₂ .Cl ₃ =1.3.4 (?) ₂	C ₆ H ₃ Cl ₃ O ₂	69	Claasen	B., 11, 1441	34, 868
"	" "	"	73	Reinhardt	J. p. [2], 17, 336	34, 727
"	" "	"	83	"	"	"
"	" "	"	83	Benedikt	M. C., 4, 224	44, 984
Trichlorquinol	" =1.4.2.3.5	"	a. 130 +	A., 69, 321	iii., 216
"	" "	"	131-132	Krafft	B., 10, 797	32, 748
"	" "	"	133-134	"	B., 10, 797	32, 748
"	" "	"	134	As., 6, 214	vi., 987
Trichlorpyrogallol	(OH) ₃ .Cl ₃ =1.2.3.4.5.6	C ₆ H ₃ Cl ₃ O ₃	177 d.	Webster	45, 206	
" +3H ₂ O	" "	"	115	"	"	
Trichlorphloroglucol	" =1.3.5.2.4.6	"	136 u.c.	"	47, 424	
Phenaconic chloride	"	165	Carius	vi., 905
Dichlorphenol	OH.Cl ₂ =1.2.4	C ₆ H ₄ Cl ₂ O	209-210	42-43	Fischer	Z. C. [2] 4, 386	vi., 908, 921
"	" "	"	209-211	41-42	Chandelon	B., 16, 1749	44, 1109
"	" "	"	42-43	Beilstein and Kurbatow	B., 10, 270	31, 706
"	" "	"	213-214	42-43	"	B., 8, 693	28, 1037
"	" "	"	209-210	43	Faust	B., 6, 136	26, 635
"	" "	"	210	43	Petersen	A., 157, 171	24, 251
"	" "	"	cf. vii, 926	43	Post	B., 7, 332	27, 800
"	" =1.3.5 (?)	"	54-55	Hirsch	B., 11, 1982	36, 315
"	" = (?)	"	213-215	Longuinine	C. R., 86, 1392	34, 832
"	" =1.2.6	"	217-219	63	Chandelon	B., 16, 1752	44, 1109
"	" "	"	cf. vii, 929	65	Post	B., 7, 332	27, 800
"	" "	"	218-220	65	Siefert	Z. C. [2], 5, 450	vi., 909
"	" "	"	218-220	65	Petersen	A., 157, 171	24, 251
"	" "	"	218-220	65	Faust	B., 6, 135	26, 634
Dichlorresorcinol	(OH) ₂ .Cl ₂ =1.3.(?) ₂	C ₆ H ₄ Cl ₂ O ₂	249	77	Reinhardt	J. p. [2], 17, 328	34, 726
"	" =1.3.(?) ₂	"	100	"	B., 10, 1525	34, 222
Dichlorquinol	" =1.4.2.6	"	157-158	A., 149, 154	
"	" =1.4.2.5	"	164	iii., 216
"	" "	"	164	Levy and Schultz	B., 13, 1428	38, 888
"	" "	"	166	"	A., 210, 148	42, 509
"	" = (?)	"	172	Krafft	B., 10, 800	32, 749
Dichlormuconic acid	C ₆ H ₄ Cl ₂ O ₄	w.m. 260 p.d.	Bell	B., 12, 1272	36, 917
Malic chloranilide chloride	C ₆ H ₄ Cl ₄ O ₄	a. 200	A., 193, 44	
Chlorphenol	OH.Cl=1.2	C ₆ H ₅ ClO	Petersen	B., 6, 368	26, 1133
"	" "	"	173	Liquid	Beilstein and Kurbatow	B., 7, 1398 ; A., 176, 39	28, 363
"	" "	"	174	Liquid	"	B., 7, 488	27, 806
"	" "	"	175-176	Fischli	B., 11, 1463	34, 866
"	" "	"	175-177	Müller	A. P. [3], 3, 103	27, 157
"	" "	"	175.5-177	"	"	"
"	" "	"	176	Hasse	B., 10, 2192	34, 416
"	" "	"	175.5-177	l. -15	Faust and Müller	B., 5, 777	26, 65 ; vii., 906
"	" "	"	175.5-177	l. -15	"	A., 173, 303	28, 156
"	" "	"	175.5-177	Liquid	Faust	B., 6, 136	26, 633
"	" "	"	175-180	Liquid	Schnitt	B., 1, 68	26, 634
"	" "	"	180	Post	B., 7, 332	27, 800
"	" "	"	176-177(760)	7	Krämer	A., 173, 331	vii., 906, 929 ; 26, 157
"	" "	"	176-177	7	Körner	G. I., 4, 305	29, 235
"	" =1.3	"	214 c.	Liquid	Beilstein and Kurbatow	B., 7, 1395 ; A., 176, 45	28, 364
"	" "	"	214	Körner	G. I., 4, 305	29, 235
"	" "	"	215	Longuinine	C. R., 86, 1392	34, 832
"	" "	"	211-212 u.c.	28.5	Uhlemann	B., 11, 1161	34, 978
"	" =1.4	"	218	Armstrong	28, 520

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorphenol	OH.Cl=1,4	C ₆ H ₅ ClO	217	36	Beilstein and Kurbatow	B., 7, 487; A., 176, 30	27, 806; vii., 905, 918
"	"	"	217	37	"	B., 7, 1396	28, 363
"	"	"	220	38.5	Bähr-Predari	Z. C. [2], 6, 246	vi., 908
"	"	"	218	Schmitt	B., 1, 68	
"	"	"	218	Faust	B., 6, 1022	
"	"	"	41	Beilstein and Kühlberg	B., 5, 478	28, 72
"	"	"	41	Petersen	B., 6, 378	26, 1133
"	"	"	41	Peters	A., 176, 186	28, 762
"	"	"	41	Hasse	B., 10, 2190	34, 416
"	"	"	218	Post	B., 7, 332	27, 800
"	"	"	218-219	41	Petersen & Predari	A., 157, 125	24, 241
"	"	"	218	41	Faust	B., 6, 136	26, 633, 634
"	"	"	218	41	Körner	G. I., 4, 305	29, 235
"	"	"	abt. 220	41	Dubois	Z. C. [2], 3, 205	vi., 908
Chlorresorcinol	OH.OH.Cl=1.3.?	C ₆ H ₅ ClO ₂	255-256	89	Reinhardt	J. p. [2], 17, 322	34, 726
Chlorquinol	" =1.4.5	"	Wöhler	A., 51, 155; 69, 307	
"	"	"	98	Levy and Schultz	B., 13, 1427	
"	"	"	103-104	Schulz	B., 15, 654	
"	"	"	263 p.d.	106	Levy and Schultz	A., 210, 137	42, 509
Chlorniceic acid	"	"	215	150	St. Evre	J., 1, 529	
Malic chloralide	COOH.CH ₂ .CH.COO. CH(CCl ₃).O	C ₆ H ₅ Cl ₃ O ₅	137-138	Wallach	B., 9, 1215	31, 60
"	"	"	139-140	A., 193, 42	
" ?	"	C ₆ H ₅ Cl ₅ O ₃	129	Grabowsky	B., 6, 1071	27, 46
Tritetrachloracetone + 6H ₂ O	C ₆ H ₅ Cl ₇ O ₂	30-32	Bischoff	B., 8, 1341	29, 559
"	"	"	35	Bouis	A. C., 21, 111	
α-dichlorpropionic pyruvic anhydride	Me.CCl ₂ .CO.O.CO.CO.Me	C ₆ H ₆ Cl ₂ O ₄	160-170	Liquid	Beckurts and Otto	B., 18, 234	48, 507
Chlorethyl crotonate	C ₃ H ₅ .COO.CHCl.CH ₃	C ₆ H ₆ Cl ₄ O ₂	220	Liquid	Pinner	A., 179, 21	29, 549
Chlorphlorone	C ₆ H ₇ ClO ₂	b. 100	Rad	A., 151, 158	vi., 929
Dimethyl chlorfumarate	C ₂ HCl(COOMe) ₂	C ₆ H ₇ ClO ₄	223-225	Liquid	Kauder	J. p. [2], 31, 1	48, 652
Trichlormesityl oxide	C ₆ H ₇ Cl ₃ O	206-208	Grabowsky	B., 8, 1441	29, 557
Ethyl trichlorcrotonate	CCl ₃ .CH : CH.COOEt	C ₆ H ₇ Cl ₃ O ₂	212	Liquid	Judson	Z. C. [2], 7, 40	24, 233; vii., 398
Quercittrichlorhydrin	"	155	A. C. [5], 15, 56	
Trichlorethylidenediacetate	CCl ₃ .CH(OAc) ₂	C ₅ H ₇ Cl ₃ O ₄	221-222 u.c.	Liquid	Meyer and Dulk	B., 4, 966; A., 171, 73	vii., 312; 25, 247; 27, 461
Trichlorphenomalic acid	C ₆ H ₇ Cl ₃ O ₅	131-132	Carius	A., 142, 140	vi., 918
Dichlordumasin	C ₆ H ₅ Cl ₂ O	150-155	A., 110, 22	ii., 351
Allylic α-dichlorpropionate	CH ₃ .CCl ₂ .COO.C ₃ H ₅	C ₆ H ₈ Cl ₂ O ₂	176-178 d.	Beckurts and Otto	B., 9, 1878	32, 181
"	"	"	215-220	A., 167, 230	
Manitol anhydride dichloride	C ₆ H ₃ O ₂ Cl ₂	"	143 (43)	49	Fauconnier	C. R., 95, 991	44, 306
Ethyl acetodichloracetate	CH ₃ .CO.CCl ₂ .COOEt	C ₆ H ₈ Cl ₂ O ₃	205-207	Liquid	Conrad	A., 186, 234	32, 436
Ethin dichloridacetin	C ₂ H ₂ (OCl) ₂ (OAc) ₂	C ₆ H ₅ Cl ₂ O ₄	120 (20)	Prudhomme	C. R., 70, 1137	vii., 11
Dichloradipic acid	COOH.CClMe.CClMe.COOH	"	185	Beckurts and Otto	B., 10, 1503; 18, 847	34, 290; 48, 754
?	CCl ₂ : C(OEt)(OC ₂ H ₃ Cl ₂)	C ₆ H ₅ Cl ₄ O ₂	153-159	Liquid	Friedel	C. C., 1875, 514; B., 8, 642	30, 66
Chlorethyl trichlorbutyrate	C ₃ H ₄ Cl ₃ .COO.CHCl.CH ₃	"	220	A., 179, 41	
Ethyl chlormethacrylate	fr. CH ₂ : CMe.COOEt	C ₆ H ₉ ClO ₂	155-158	Liquid	Morawsky	C. C. [1877], 131	34, 213
" chlor-β-crotonate	CH ₂ : CCl.CH ₂ .COOEt	"	159 u. c.	Claus and Lischke	B., 14, 1089	
" " -β "	"	"	160.5	Geuther	"	
" " -β "	"	"	161.4	Liquid	Fröhlich	Z. C. [2], 5, 273	vi., 512
" " -β "	fr. CH ₂ : CH.CH ₂ .COOEt	"	184 c.	Geuther	J. p. [2], 3, 431	24, 814
" " -α "	fr. CH ₃ .CH : CH.COOEt	"	176	Liquid	Sarnow	B., 5, 469	vii., 398
" " -α "	"	"	176-178	Liquid	A., 164, 101; 173, 301	25, 690
Chlorcrotylic acetate	CH ₂ Cl.CH : CH.CH ₂ .OAc	"	168-169 c.	Liquid	Thurnlackh	A., 213, 379	42, 1279

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorvinyl dimethylacetic acid	$\text{CH}_2 : \text{CCl.CMe}_2.\text{COOH}$	$\text{C}_6\text{H}_9\text{ClO}_2$	63-64	Demarçay	C. R., 84, 1087	32, 591
Chlorethyl-crotonic acid	$\text{C}_2\text{H}_4\text{Cl.C}_3\text{H}_4.\text{COOH}$	"	74-75	"	"	"
Ethyl aceto-chloracetate	$\text{CH}_3.\text{CO.CHCl.COOEt}$	$\text{C}_6\text{H}_9\text{ClO}_3$	193-195	Liquid	Allihn	B., 11, 569	34, 566
Trichloroacetic aldehyde	$\text{C}_2\text{H}_3\text{Cl}_3.\text{CHO}$	$\text{C}_6\text{H}_9\text{Cl}_3\text{O}$	212-214	Liquid	Pinner	B., 10, 1053	32, 586
" "	"	"	215-220	"	B., 8, 1321	29, 554
Isobutylic trichloroacetate	$\text{CCl}_3.\text{COO.CH}_2.\text{CHMe}_2$	$\text{C}_6\text{H}_9\text{Cl}_3\text{O}_2$	187-189	Judson	B., 3, 784	vii., 10
Trichlorobutylic acetate	$\text{C}_3\text{H}_4\text{Cl}_3.\text{CH}_2.\text{OAc}$	"	130-132 (70)	Liquid	Thurnlackh	B., 14, 2759	42, 824
" "	"	"	131-132 (70)	"	A., 213, 373	42, 1279
" "	"	"	217.5 (730)	"	"	"
Trichloroacetic acid	$\text{C}_2\text{H}_3\text{Cl}_3.\text{COOH}$	"	64	Pinner	B., 10, 1054	32, 587
Trichlorohydroquercite	"	155	Prunier	A. C. [5], 15, 5 ; C. R., 86, 338	36, 241 ; 34, 400
Chloral ethylate acetate	$\text{CCl}_3.\text{CH}(\text{OEt})(\text{OAc})$	$\text{C}_6\text{H}_9\text{Cl}_3\text{O}_3$	198 u.c.	Meyer and Dulk	B., 4, 965 ; A., 171, 70	vii., 314 ; 25, 247 ; 27, 461
Phenose trichlorhydrin	"	10	A., 136, 324	"
Pentachloroacetal	$\text{CCl}_3.\text{CH}(\text{OEt})(\text{OC}_2\text{H}_5\text{Cl}_2)$	$\text{C}_6\text{H}_9\text{Cl}_5\text{O}_2$	186-189	Friedel	C. C. [1875], 514	30, 66
?- alcohol	$(\text{CH}_2)_2.\text{CH}(\text{CH}_2\text{Cl}).\text{CCL}.\text{CH}_2.$ OH	$\text{C}_6\text{H}_{10}\text{Cl}_2\text{O}$	115-119 (20)	Liquid	Natterer	M. C., 5, 567	48, 497
Leucic chloride	"	90-100	Lippmann	A., 129, 81	vi., 118
Dichlorpinacolin	"	178	51	Fittig	A., 114, 61	iv., 647
Isobutylic dichloroacetate	$\text{CHCl}_2.\text{COO.CH}_2.\text{CHMe}_2$	$\text{C}_6\text{H}_{10}\text{Cl}_2\text{O}_2$	182-184	Wallach	A., 173, 300	28, 351
Metacrolein dihydrochloride	$\text{C}_6\text{H}_8\text{O}_2.2\text{HCl}$	" (?)	50	Geuther & Cartmell	i., 57
Ethyl dichlorhydroxyiso- butyrate	$\text{CHCl}_2.\text{CMe}(\text{OH}).\text{COOEt}$	$\text{C}_6\text{H}_{10}\text{Cl}_2\text{O}_3$	208-215 p.d.	Bischoff	B., 8, 1336	29, 558
" "	$(\text{CH}_2\text{Cl})_2 : \text{C}(\text{OH}).\text{COOEt}$	"	225-230	Liquid	Kelly	B., 11, 2223	36, 306
Chlorhexylene alcohol	$\text{C}_6\text{H}_{10}\text{ClOH}$	$\text{C}_6\text{H}_{11}\text{ClO}$	165-168	Liquid	Natterer	M. C., 5, 567	48, 498
" "	$\text{CH}_2\text{Cl}.\text{CH}(\text{OH}).\text{CH}_2.\text{C}_3\text{H}_5$ or $\text{CH}_2\text{Cl}.\text{CH}(\text{C}_3\text{H}_5).\text{CH}_2.\text{OH}$	"	183-187	Liquid	Lopatkin	J. p. [2], 30, 389	48, 497
" "	"	185-187	Destrem	B., 16, 228	"
Allylethyl chlorcarbinol	$\text{C}_3\text{H}_5.\text{CClEt}.\text{OH}$	"	133-135	A., 162, 99	"
Capronyl chloride	$\text{CH}_2(\text{CH}_2)_4.\text{COCl}$	"	136-140	A., 130, 364	"
Diethylethylacetyl chlo- ride	$\text{CMe}_2.\text{Et}.\text{COCl}$	"	132	Wischnegradsky	B., 8, 541	28, 878
" ?	"	145-150	Étard	B., 10, 236	"
" ?	"	150	"	C. R., 84, 127	31, 585
Ethylene butyrochlorhydrin	$\text{CH}_2\text{Cl}.\text{CH}_2(\text{O.C}_4\text{H}_7\text{O})$	$\text{C}_6\text{H}_{11}\text{ClO}_2$	190	Simpson	A., 113, 119	ii., 571
Ethylidene "	$\text{CH}_3.\text{CHCl}(\text{O.C}_4\text{H}_7\text{O})$	"	149 u.c.	Rübencamp	A., 225, 267	48, 136
Isoamylic chlorocarbonate	$\text{Cl}.\text{COO.C}_5\text{H}_{11}$	"	154.3 c.	Röse	A., 205, 230	40, 252
Ethyl α -chlorbutyrate	$\text{CH}_3.\text{CH}_2.\text{CHCl}.\text{COOEt}$	"	156-160	Markownikoff	A., 153, 241	"
" β - "	"	"	150-160	Hemilian	B., 6, 562	26, 1021
" β - "	"	"	168-169	J. R., 11, 252	"
" β - "	"	"	168-169 (741)	l. -20	Balbiano	B., 10, 1749 ; G. I., 8, 90	34, 134, 658
" α -chlorisobutyrate	$\text{Me}_2.\text{CCl}.\text{COOEt}$	"	148.5-149.5 c. (749)	Liquid	"	G. I., 8, 371	36, 615
Chloraldehyde ethylate acetate	$\text{CH}_2\text{Cl}.\text{CH}(\text{OEt})(\text{OAc})$	$\text{C}_6\text{H}_{11}\text{ClO}_3$	170	A., 134, 176	"
Dulcitol chlorhydrin	$\text{C}_6\text{H}_7(\text{OH})_4\text{Cl}$	$\text{C}_6\text{H}_{11}\text{ClO}_4$	90	A. C. [4], 27, 178	"
Quercitol chlorhydrin	$\text{C}_6\text{H}_7(\text{OH})_4\text{Cl}$	"	198-202	Prunier	A. C. [5], 15, 54	36, 241
" "	"	"	198-200	"	C. R., 86, 338	34, 400
Trichloroacetal	$\text{CCl}_3.\text{CH}(\text{OEt})_2$	$\text{C}_6\text{H}_{11}\text{Cl}_3\text{O}_2$	197	Liquid	Byasson	C. R., 87, 26	34, 967
" "	"	"	199-201 ; 204.8 c. (759)	Liquid	Wurtz and Vogt	C. R., 74, 277	vii., 2
" "	"	"	199-201 ; 204.8 c. (758.9)	Paternò and Pisati	G. I., 2, 333	26, 158
" "	"	"	230	Henry	B., 4, 101	24, 255 ; vii., 314
" (polymer ?)	$\text{CCl}_3.\text{CH}(\text{OEt})_2$	"	230 p.d.	72	Paternò	C. R., 67, 765	vi., 4 ; vii., 2
" "	"	"	72-74	Paternò and Pisati	G. I., 2, 333	26, 158
" "	"	"	83	Krey	J. Z., 10, 84	31, 295
Dichlorhexyl alcohol	$\text{C}_6\text{H}_{12}\text{Cl}_2\text{O}$	205-210	Destrem	B., 16, 228	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Diet. & J. Ch. Soc.
Dichloroacetal	CHCl ₂ .CH(OEt) ₂	C ₆ H ₁₂ Cl ₂ O ₂	abt. 180	Lieben	J., 10, 436	i., 5
"	"	"	180	Krey	J. Z., 10, 84	31, 295
"	"	"	183-184	A., vols. 149, 150, and 179	
"	"	"	180-187	Jacobsen	B., 4, 217	
"	"	"	186	Jacobsen and Neumeister	B., 15, 600	
"	"	"	185-190	Goldberg	Jp. [2], 24, 100	42, 28
Diglycerol dichlorhydrin	C ₆ H ₁₂ Cl ₂ O ₃	230-235	A. C. [3], 67, 303	
Mannitol dichlorhydrin	C ₆ H ₈ Cl ₂ (OH) ₄	C ₆ H ₁₂ Cl ₂ O ₄	174 d.	Bouchardat	C. R., 75, 1187 ; A. C. [4], 27, 174	vii., 774 ; 26, 161
Hexylene chlorhydrin	C ₆ H ₁₂ Cl.OH	C ₆ H ₁₃ ClO	Liquid	Domac	M. C., 2, 319	40, 1114
" α-chlorhydrin	CHMe(OH).CHCl.CH ₂ .Et	"	abt. 170	Liquid	Henry	C. R., 97, 261	46, 34
" β- "	CHMeCl.CH(OH).CH ₂ .Et	"	170-171(761)	Liquid	"	"	"
Tetramethylethylene chlorhydrin	CMe ₂ Cl.CMe ₂ .OH	"	55	Eltkoff	B., 16, 399	44, 567
Ethylchlorbutyl oxide	Et.O.C ₂ H ₅ Cl.Et	"	137	Lieben and Bauer	J., 15, 393	vi., 597
" "	"	"	141	A., 123, 133 ; 133, 288	
Chloroacetal	CH ₂ Cl.CH(OEt) ₂	C ₆ H ₁₃ ClO ₂	155	Lieben	i., 5
"	"	"	150-160	"	J., 10, 437	
"	"	"	150-160	Goldberg	J. P. [2], 24, 98	42, 28
"	"	"	155	Klien	J. Z., 10, 67	31, 291
"	"	"	156·8 c.	Paternò & Mazzara	G. I., 3, 254	26, 1217
"	"	"	154-159	Krey	J. Z., 10, 84	31, 295
Ethoxyethyl chlorethyl oxide	C ₂ H ₄ Cl.O.C ₂ H ₄ .OEt	"	159	Lieben	A., 133, 287	iv., 288
" "	CHMeCl.O.CHMe.OEt	"	146	Liquid	Hanriot	A. C. [5], 25, 219	42, 590
Triethyleneglycol chlorhydrin	C ₆ H ₁₃ ClO ₃	222-223	A. C. [3], 67, 292	
Diglycerol chlorhydrin	C ₆ H ₁₃ ClO ₄	270	A. C. [3], 67, 303	
Trichlorbenzoyl chloride	C ₆ H ₂ Cl ₃ .COCl = 5.4.3.1	C ₇ H ₂ Cl ₄ O	36	Salkowsky	A., 163, 32	vii., 164 ; 25, 715
" "	" = 6.4.2.1	"	272	abt. 41	Beilstein and Kühnberg	A., 152, 238	vi., 313
Tetrachlorbenzoic acid	COOH.Cl ₄ = 1.2.3.4.6	C ₇ H ₂ Cl ₄ O ₂	187	"	A., 152, 245	"
Chlormecenic acid	HO.C ₆ ClO(COOH) ₂	C ₇ H ₃ ClO ₆	+ H ₂ O	165 d.	Hilsebein	J. p. [2], 32, 129	48, 1202
Dichlorbenzoyl chloride	C ₆ H ₃ Cl ₂ .COCl = 4.3.1	C ₇ H ₃ Cl ₃ O	242	Beilstein and Kühnberg	A., 152, 228	vi., 312
" "	" = 6.2.1	"	244	Liquid	Schultz	A., 187, 273	32, 782
β-Trichlorbenzaldehyde	C ₆ H ₂ Cl ₃ .CHO = ?	"	90	Seelig	B., 18, 425	48, 770
α- "	" = 6.4.2.1	"	112-113	"	"	"
α- "	" = " "	"	110-111	Beilstein and Kühnberg	A., 152, 238	
β-Trichlorbenzoic acid	COOH.Cl ₃ = ?	C ₇ H ₃ Cl ₃ O ₂	129	Seelig	B., 18, 425	48, 770
" "	" = 1.2.4.6	"	160	Janasch	Z. C. [2], 3, 404	ii., 313
" "	" "	"	163	Beilstein and Kühnberg	A., 152, 234	vi., 313 ; 24, 555
" "	" = 1.3.4.5	"	203	Salkowsky	B., 4, 224	25, 715
" "	" "	"	203	"	A., 163, 33	vii., 164
Pentachlorbenzyl alcohol	C ₆ Cl ₅ .CH ₂ .OH	C ₇ H ₃ Cl ₅ O	193	Beilstein and Kühnberg	A., 152, 246	vi., 335
Pentachlororcin	C ₇ H ₃ Cl ₅ O ₂	120·5	Stenhouse	P. R. S., 20, 72 ; A., 163, 175 ; 169, 265	25, 297 ; vii., 878
Chlorbenzoyl chloride ...	C ₆ H ₄ Cl.COCl = 1.4	C ₇ H ₄ Cl ₂ O	220-222	Liquid	Emmerling	B., 8, 881	28, 1261
" "	" = 1.3	"	225	Limpricht & Uslar	A., 102, 263	i., 567
" "	" = 1.2	"	235-238	Liquid	Emmerling	B., 8, 883	28, 1261
" "	" = ?	"	285	Limpricht & Uslar	A., 102, 262	i., 567
Dichlorbenzaldehyde	C ₆ H ₃ Cl ₂ .CHO = 4.2.1 (?)	"	230-233	57-58 u.c.	Gnehm	B., 17, 753	46, 1028
" "	" = 4.3.1	"	68	Beilstein and Kühnberg	A., 152, 228	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dichlorbenzaldehyde	$C_6H_3Cl_2.CHO = 5.3.1$	$C_7H_4Cl_2O$	65-65.5	Gabriel	B., 15, 2001	
Dichlorsalicylaldehyde	$C_6H_2Cl_2.OH.CHO = (1)_2.2.1$	$C_7H_4Cl_2O_2$	25	Löwig	P. A., 36, 383	v., 171
Dichlorbenzoic acid	$COOH.Cl_2 = 1.2.6$	"	122	Aronheim & Dietrich	B., 8, 1404	29, 392
"	"	"	126.5	Schultz	A., 187, 270	32, 782
"	"	"	150	Wilkins and Rack	A., 222, 166	46, 602
"	"	"	301	150	Beilstein	B., 8, 814, 925	28, 1194
"	"	"	abt. 301	150	"	A., 179, 287	29, 252, 587
"	"	"	152	Gnehm	B., 17, 753	46, 1028
"	"	"	155-156	Claus	B., 8., 949	
"	"	"	156	"	B., 6, 722	26, 1141
"	"	"	156	Claus and Pfeifer	B., 5, 658	29, 252
"	"	"	156	Schultz	A., 187, 268	32, 782
"	"	"	196-197	Otto	A., 122, 147	vii., 163
"	"	"	201	Beilstein and Küh- berg	Z. C. [2], 5, 180 ; Z. C. [2] 6, 417	vi., 312 ; vii., 163
"	"	"	201	Claus	B., 6, 723	26, 1141
"	"	"	201	Beilstein	B., 8, 924	29, 252
"	"	"	201	Doebner	B., 9, 130	29, 932
"	"	"	201	Schultz	A., 187, 268	32, 782
Dichlorsalicylic acid	$COOH.OH.Cl_2 = 1.2.3.5$	$C_7H_4Cl_2O_3$	214	Löxner	J. p. [2], 13, 430	
"	"	"	214	Rogers	T. D. Gottigen 1875	
"	"	"	214	Smith	B., 11, 1226	34, 879
"	"	"	224	"	B., 11, 1225	"
Dichlorhydroxybenzoic acid	"	"	156 u. c.	Claus and Reimann	B., 16, 1600	44, 1112
"	"	"	255-256	Löxner	J. p. [2], 13, 434	30, 283
Dichlorhydroxytoluquinone	$Me.Cl_2.OH : O_2 = ?(1)_2.1.2.5$	"	157	Stenhouse & Groves	B., 13, 1306	
Chlorbenzotrichloride	$C_6H_4Cl.CCl_3 = 1.4$	$C_7H_4Cl_4O$	240-260	Klepl	J. p., 28, 193	46, 447
Tetrachlororesol	$CH_3.OH.Cl_4 = 1.3.2.4.5.6$	"	150	Lallemand	J. [1856], 621	v., 795
Pentachlororcinnhypochlorite	$C_7H_3Cl_5O_2.HClO$	$C_7H_4Cl_6O_3$	140.5	Stenhouse	P. R., 20, 72	25, 297
Benzoyl chloride	$C_6H_5.COCl$	C_7H_5ClO	196	A., 163, 181	vii., 878
"	"	"	-1	Lieben	A., 98, 235	i., 566
"	"	"	195	Malaguti	A. C. [2], 70, 376	29, 80
"	"	"	196.1	Schall	B., 17, 2203	
"	"	"	195-200	Cahours	J., 1, 532	
"	"	"	198	Harnitzky	G. J. C., 1864	
"	"	"	198	"	D. P., 256, 144	48, 944
"	"	"	198-198.3	Kopp	A. [1855]	
"	"	"	198.7	Buff	44, 990
Chlorbenzaldehyde	$C_6H_4Cl.CHO = 1.2$	"	210-220	Liquid	Henry	J., 22, 509	
"	"	"	206	Liquid	Müller	D. P., 255, 356	48, 850
"	"	"	210-220	Berlin	A., 151, 140	vi., 329
"	"	"	210-213	Sintenis	B., 4, 699	
"	"	"	47.5	Jackson and White	B., 11, 1043	34, 729
Chlorbenzoic acid	$COOH.Cl = 1.2$	$C_7H_5ClO_2$	130	Chiozza	A. C. [3], 36, 102	i., 555
"	"	"	136.5	Lellmann	B., 17, 536	46, 1133
"	"	"	137	Beilstein and Schlun	J. [1865], 330	vi., 311
"	"	"	137	Petersen	B., 6, 368	26, 1133
"	"	"	137	Richter	B., 4, 463	
"	"	"	140	Limpricht & Uslar	A., 102, 264	i., 555
"	"	"	140	Kolbe & Lautemann	A., 115, 183	vi., 311
"	"	"	151	Wroblewsky	Z. C. [2], 5, 460	"
"	"	"	152	Richter	B., 4, 463	
"	"	"	152.5	Beilstein and Schlun	J. [1865], 330	iv., 341
"	"	"	153	Petersen	B., 6, 368	26, 1133
"	"	"	153	Hubner	A., 222, 67	46, 315
"	"	"	153	Paternò	G. I., 11, 90	40, 598
"	"	"	233	Jackson and Field	A. C. J., 2, 85	40, 803
"	"	"	233-234	Jackson and White	B., 11, 1043	34, 729
"	"	"	234	Emmerling	B., 8, 880	28, 1261
"	"	"	235	Müller	Z. C. [2], 5, 137	vi., 311

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorbenzoic acid	COOH.Cl=1.4	C ₇ H ₅ ClO ₂	235-236	Beilstein & Geitner	A., 139, 336	
"	"	"	236	Beilstein and Schlun	J. [1865], 330	iv., 341
"	"	"	236	Paternò	G. I., 11, 90	40, 598
"	"	"	237	Petersen	B., 6, 368	26, 1133
"	"	"	252 (sic.)	Michaelis & Panek	B., 14, 408	40, 604
Chlorhydroxybenzaldehyde	CHO.OH.Cl=1.4?	"	148-149	Herzfeld	B., 10, 2196	34, 423
Chlorhydroxybenzoic acid	COOH.OH.Cl=1.2.5	C ₇ H ₅ ClO ₃	163	Lossner	J. p. [2], 13, 418	30, 282
"	"	"	167-168	Hasse	B., 10, 2190	34, 416
"	"	"	167.5	Beilstein	B., 8, 816	
"	"	"	170-171	Hübner and Weiss	B., 6, 175	
"	"	"	172	Smith	B., 11, 1227	34, 879
"	"	"	172.5	Hübner & Brenken	B., 6, 174	26, 756
"	"	"	164-165	Hasse	B., 10, 2192	34, 416
"	"	"	169-170	Lossner	J. p. [2], 13, 432	30, 283
"	"	"	187.5-188	Peltzer	A., 146, 287	vi., 900
Chloridibromecenic acid	HO.C ₆ H ₂ ClO(COOH) ₂	C ₇ H ₅ ClO ₆	145 p.d.	Hilsebein	J. p. [2], 32, 129	48, 1203
Trichlororesol	CH ₃ .OH.Cl ₃ =1.3.(?) ₃	C ₇ H ₆ Cl ₃ O	270	96	J., 1856, 620	
Trichlororcinol	Me.(OH) ₂ .Cl ₃ = ?	C ₇ H ₆ Cl ₃ O ₂	123	Stenhouse	P. R., 20, 72	25, 297; vii., 878
"	"	"	159 or 59?	Richter	R. K. T., 140	iv., 214
Trichlortoluquinol	"	"	197	A., 172, 211	
"	"	"	211-212	Southworth	A., 168, 275	27, 62; vi., 1106
"	"	"	211-212	Claus and Riemann	B., 16, 1602	44, 1112
Hydroxybenzaldichloride	C ₆ H ₄ .OH.CHCl ₂ =1.2	C ₇ H ₆ Cl ₂ O	82	Henry	Z. C. [2], 5, 371	vi., 507
Dichlorbenzyl alcohol	C ₆ H ₃ Cl ₂ .CHO=1.4.5	"	77	A., 147, 351	vi., 335
Dichlororesol	C ₆ H ₂ .Me.OH.Cl ₂ =1.4.(?) ₂	"	39 u.c.; 42 u.c.	Claus and Riemann	B., 16, 1599	44, 1112
"	"	"	55 u.c.	"	B., 16, 1601	44, 1112
Dichlortolu-o-quinol	C ₆ HCl ₂ .Me.(OH) ₂	C ₇ H ₆ Cl ₂ O ₂	119-121	Southworth	A., 168, 274	27, 62
"	"	"	167-169	A., 168, 271	
Trichlorvalerolactic chloralide	C ₇ H ₆ Cl ₆ O ₃	295-299	87-88	A., 193, 37	
Trichlorlactic-butyrchloralide	"	106-107	A., 193, 47	
Chlorbenzyl alcohol	C ₆ H ₄ .(CH ₂ OH).Cl=1.4	C ₇ H ₇ ClO	66	Beilstein and Kühlberg	A., 147, 344	vi., 335
"	"	"	70.5	Jackson and Field	A. C. J. [2], 88	40, 806
Chlormethoxybenzene	C ₆ H ₄ .Cl.OMe=1.4	"	abt. 200 u.c.	Liquid	Henry	B., 2, 711	vi., 916
"	"	"	198-202	L- 18	Beilstein and Kurbatow	B., 7, 1396	vii., 905; 28, 363
"	"	"	190-193	Herold	B., 15, 1687	42, 1287
Chloreresol	C ₆ H ₃ Me.OH.Cl=1.4?	"	abt. 240	56	Biedermann	B., 6, 326	26, 898
Chlorterebic acid	CM ₂ .O.CO.CCl : C.COOH	C ₇ H ₇ ClO ₄	200-203	Roser	A., 220, 254	48, 460
Methylic malic chloralide	C ₇ H ₇ Cl ₃ O ₆	85	A., 193, 45	
Oxyheptic dichloride	C ₇ H ₈ Cl ₂ O	21 d. (sic)	Demarçay	C. R., 86, 1138	34, 662
Chlorterebic acid	C ₇ H ₉ ClO ₄	163 d.	Frost	A., 226, 363	48, 393
"	"	160-170	Roser	B., 15, 296	
"	CM ₂ .COO.CH ₂ .CCl.COOH	"	189.5-190	Williams	B., 6, 1097	27, 72
"	"	"	191	Roser	B., 15, 296	
Acetylchloral allylate	CCl ₃ .CH(OAc).O.C ₃ H ₆	C ₇ H ₉ Cl ₃ O ₃	105-107	Liquid	Oliveri	G. I., 14, 13	46, 1118
Lactic butyrchloralide	"	260-262	A., 193, 47	
Acetyltrichlorvalerolactic acid	C ₄ H ₅ Cl ₃ (OAc).COOH	C ₇ H ₉ Cl ₃ O ₄	+H ₂ O	84	Pinner and Klein	B., 11, 1492	
Pimelic chloride	C ₅ H ₁₀ (COCl) ₂	C ₇ H ₁₀ Cl ₂ O ₂	210 p.d.	Kachler	A., 169, 173	27, 155
Acrolein acetyl chloride	C ₃ H ₄ O.2C ₂ H ₃ OCl	C ₇ H ₁₀ Cl ₂ O ₃	140-145	Aronstein	As., 3, 184	vi., 56
Methylchlorallylcarbinol acetate	CHMe : CCl.CHMe.OAc	C ₇ H ₁₁ ClO ₂	172	Thurnlackh	A., 223, 149	46, 1118
Ethylchloromethyl crotonate	fr. CH ₃ .CH : CMe.COOEt	"	173-157	Rücker	B., 10, 1954	34, 292
"	"	"	178-180	Demarçay	C. R., 84, 1087	32, 591
Chlorispropylcrotonic acid	"	s. - 25	"	"	"
Chlorpropylcrotonic acid	"	Liquid - 28	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylic chlorangelactate	$C_4H_9ClO.COOEt$	$C_7H_{11}ClO_3$	230 d.	Liquid	Pinner and Klein	B., 11, 1497	36, 42
Diethylic chlormalonate	$CHCl(COOEt)_2$	$C_7H_{11}ClO_4$	220.5-221.5	A., 209, 221	
" " "	"	"	221-222	Liquid	Conrad & Bischoff	B., 13, 600	38, 629
Glycerol diacetochlorhydrin	$C_3H_5Cl(OAc)_2$	"	abt. 245	Berthelot & Luca	A. C. [3], 53, 433	i., 26
" " "	"	"	245	cf. B, 16, 394	Truchot	J., 18, 503	
Trichloridiisopropylketone	$C_7H_{11}Cl_3O$	228-229	Liquid	Barbaglia & Gucci	B., 13, 1571	40, 34
Amylic trichloracetate	$CCl_3.COOC_5H_{11}$	$C_7H_{11}Cl_3O_2$	217	Clermont	C. R., 96, 437	44, 729
Methyltrichlorpropylcarbinol acetate	$CHMeCl.CCl_2.CHMe.OAc$	"	227	Liquid	Thurnlackh	A., 223, 149	46, 1118
Ethylic trichlorhydroxyvalerate	$C_4H_5Cl_3(OH).COOEt$	$C_7H_{11}Cl_3O_3$	225	40	Pinner and Klein	B., 11, 1492	36, 42
Dichloridiisopropyl ketone	$C_7H_{12}Cl_2O$	175-176	Liquid	Barbaglia & Gucci	B., 13, 1571	40, 34
Glycerol butyro-dichlorhydrin	$C_3H_5Cl_2(OC_4H_7O)$	$C_7H_{12}Cl_2O_2$	226-227 (738)	Truchot	A., 138, 298
Isobutylic α -dichlorpropionate	$CH_3.CCl_2.COOBu^{\beta}$	"	183-185	Backunts and Otto	B., 9, 1879	32, 181
Chloridi-isopropyl ketone	$C_7H_{13}ClO$	141-142	Liquid	Barbaglia and Gucci	B., 13, 1570	40, 34
Chlorethylic valerate	$C_4H_9.CO.CHCl.CH_3$	$C_7H_{13}ClO_2$	118-128 d.	Simpson	P. R. S., 27, 120	38, 459
Ethylidene valerochlorhydrin	$CH_3.CHCl.O.C_5H_9O$	"	162 n. c.	Rübencamp	A., 225, 267	48, 136
Chloral iso-amylate	$CCl_3.CH(OH)(OC_5H_{11})$	$C_7H_{13}Cl_3O_2$	143	s. 25	Bartholdy & Martius	B., 3, 443	vii., 314
" " "	"	145-147	56	Jacobsen	A., 157, 244	24, 257
Heptylene chlorhydrin	$C_7H_{14}Cl.OH$	$C_7H_{15}ClO$	206-208	Clermont	B. S. [2], 13, 404	vii., 644, 868
Glycerol diethyl chlorhydrin	$C_3H_5Cl(OEt)_2$	$C_7H_{15}ClO_2$	184	Reboul & Lourenço	A., 119, 237
Trichlor-phthalic anhydride	$O:(CO)_2:C_6HCl_3=1.2.3.4?$	$C_8HCl_3O_3$	157	Claus and Kautz	B., 18, 1370	48, 972
" " "	" " "	"	157	Atterberg & Widman	B., 10, 1843	34, 322
" " "	" " "	$C_8HCl_3O_4$	115-120	Cahours	A., 67, 29	v., 463
Dichlor-phthalic anhydride	$O:(CO)_2:C_6H_2Cl_2=1.2.(?)_2$	$C_8H_2Cl_2O_3$	185-186	Atterberg	B., 10, 547	32, 623
" " "	" " "	"	187	Faust	A., 160, 64	25, 76; vii., 978
Tetrachlor-phthalic acid	$(COOH)_2.Cl_4=1.2.3.4.5.6$	$C_8H_2Cl_4O_4$	250	Claus and Spruck	B., 15, 1404
Chlorphthalic anhydride	$O:(CO)_2:C_6H_3Cl=1.2.4$	$C_8H_3ClO_3$	89	Cleve	B. S. [2], 29, 499	34, 736
" " "	" " "	"	95	Alén	B. S. [2], 36, 434	42, 409
" " "	" " "	"	95 n. c.	Claus and Dehne	B., 15, 320
" " "	" " "	"	95	Krüger	B., 18, 1759	48, 1053
" " "	" " =1.2.3	"	122	"	"	"
" " "	" " "	"	140-143 (?)	J., 1880, 862
Phthalic chloride	$C_6H_4(COCl)_2=1.2$	$C_8H_4Cl_2O_2$	268	s. 0	Wischin	A., 143, 260	vi., 944
" " "	" " "	"	268	Liquid	Schreder	B., 7, 705	27, 990
" " "	" " "	"	270	s. 0	Müller	Z. C. P. [1863], 257	iv., 633
" " "	" " "	"	270	Liquid	Ador	A. C. [4], 26, 417; A., 164, 229	vii., 979; 26, 66, 392
" " "	" " "	"	270	Piccard	B., 7, 1785	28, 570
Isophthalic chloride	" " =1.3	"	276	41	Schreder	B., 7, 708	27, 991
Terephthalic chloride	" " =1.4	"	259 u.c.	77	Berger	B., 10, 1743
" " "	" " "	"	78	Schreder	B., 7, 708	27, 991
Dichlorpiperonal	$C_6H_3Cl_2.O.CO.CH$	$C_8H_4Cl_2O_3$	90	A., 159, 147
Dichlorphthalic acid	$C_6H_2Cl_2.(COOH)_2=(?)_2.2.1$	$C_8H_4Cl_2O_4$	183-185	Fanst	A., 160, 64	25, 76; vii., 978
" " "	" " "	"	183	Claus and Kautz	B., 18, 1370	48, 972
β -phthalide chloride	$C_6H_4.CCl_3.COCl=1.2$	$C_8H_4Cl_4O$	262 p.d.	47	Gerichten	B., 13, 419	38, 474
" " "	$C_6H_4:(CCl_2)_2:O=1.2$	"	275 p.d.	88	"	B., 13, 418	38, 473
Dichlorpiperonal chloride	$C_6H_3Cl_2.O.CO.CHCl_2$	$C_8H_4Cl_4O_2$	abt. 280 d.	Liquid	A., 159, 147	vi., 948
Tartaric chloralide	$[CH_2.CO.CH(CCl_3).O]_2$	$C_8H_4Cl_6O_6$	122-124	Wallach	B., 9, 1215	31, 60
Chlorphthalic acid	$(COOH)_2.Cl=1.2.4$	$C_8H_5ClO_4$	130-134	Krüger	B., 18, 1759	48, 1053
" " "	" " "	"	148	Claus and Dehne	B., 15, 320
" " "	" " "	"	149-150	Alén	B. S. [2], 36, 434
" " "	" " =1.2.3	"	179-181	Krüger	B., 18, 1759	48, 1053
Chlorisophthalic acid	" " =1.3.5	"	278	Beyer	J. p. [2], 25, 506	42, 1296
Trichloracetoxymethylene	$OAc.Cl_3=1.2.4.6(?)$	$C_8H_5Cl_3O_2$	261-262	As., 7, 184
Dichloracetophenone	$C_8H_6Cl_2O$	250-255	Dyckerhoff	B., 10, 532	32, 481
From polyporic acid	"	109	Stahlschmidt	A., 195, 365	36, 383
Dehydracetyl chloride	$C_8H_7Cl_2O_2$	101	Precht	B., 9, 1100	30, 506
Piperonal dichloride	$C_6H_5.O.CO.CHCl_2$	"	230-240 d.	Liquid	Fittig and Remsen	Z. C. [2], 6, 97; A., 159, 147	vi., 948; 24, 938

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenyl dichloroacetic acid	Ph.CCl ₂ .COOH	C ₈ H ₆ Cl ₂ O ₂	50-55 d.	Claisen	B., 12, 631
" " "	"	"	69	Radziszewski	B., 2, 209	vi., 1102
Dichloroacetoxybenzene	OAc.Cl ₂ =1.2.4	"	244-245	A., 23, 60; As., 7, 184
Dichlorotoluic acid	Me.COOH.Cl ₂ =1.3(?) ₂	"	160-161	A., 144, 269
Dichloroxyloquinone	C ₆ Me ₂ .Cl ₂ :O ₂	"	175	Carstanjen	J. p. [2], 23, 432	42, 612
Methylic dichlorosalicylate	OH.COOMe.Cl ₂ =1.2.(?) ₂	C ₈ H ₆ Cl ₂ O ₃	142	Smith	B., 11, 1226
Dichlormethsalicylic acid	OMe.COOH.Cl ₂ =1.2.(?)	"	abt. 100	Cahours	A. C. [3], 10, 343	v., 163
" " "	"	"	104	Procter	J. Ph. [3], 3, 257	"
Dichloroanisic acid	OMe.COOH.Cl ₂ =1.4.(?)	"	196	Reincecke	B. S. [2], 7, 177	vi., 173
Tetrachlor-β-orcino	C ₆ Me ₂ .Cl ₂ (OCl) ₂	C ₈ H ₆ Cl ₄ O ₂	109 or 190	Stenhouse & Groves	A., 203, 291	37, 399
Tetrachlordimethylquinol	C ₆ Cl ₄ (OMe) ₂	"	153-154	Habermann	B., 11, 1035	34, 728
Chloracetophenone	Ph.CO.CH ₂ Cl	C ₈ H ₇ ClO	246	41	Graebe	B., 4, 35	24, 222
"	"	"	244-245 u.c.	58-59	Staedel	B., 10, 1830	34, 419
Acetochlorphenone	C ₆ H ₄ Cl(CO.CH ₃) = 1.4	"	230-231	20	Gautier	B. S., 43, 602	48, 1061
Toluy chloride	C ₆ H ₄ Me.COCl = 1.2	"	211 (733)	Ador and Rilliet	B., 12, 2301
" " "	" = 1.3	"	218 (724)	"	B., 12, 2300
" " "	" = 1.4	"	224-226 (720)	"	B., 12, 2298
" " "	"	"	214-216	Cahours	A., 108, 316	v., 864
Chlorisobutaldehyde (?)	C ₈ H ₇ ClO ₂	173	106	Boquillon	J. P. [5], 11, 654	48, 962
Phenyl chloracetate	CH ₂ Cl.COOPh	"	230-235	40.2	Prevost	J. p. [2], 4, 379	vii., 9; 25, 144
Phenylchloroacetic acid	Ph.CHCl.COOH	"	78	Radziszewski	B., 2, 208	vi., 1102
" " "	"	"	78	Meyer and Boner	B., 14, 2392
Methylic chlorbenzoate	COOMe.Cl = 1.4	"	42	Emmerling	B., 8, 883	28, 1261
Anisyl chloride	C ₆ H ₄ .OMe.COCl = 1.4	"	262	Cahours	A. C. [3], 23, 351	i., 306
Chloro-α-toluic acid	C ₆ H ₄ Cl(CH ₂ .COOH) = 1.4	"	60	Beilstein & Kühlberg	A., 147, 346	40, 806
" " "	"	"	68	Radziszewski	B., 2, 208	"
" " "	"	"	103.5-104	Jackson and Field	A. C. J., 2, 89; B. 11, 905	40, 804
" " "	"	"	105-106	Z. P. C., 7, 27
Chlortoluic acid	COOH.Me.Cl = 1.2.4	"	130	Krüger	B., 18, 1758	48, 1053
" " "	" = 1.2.3	"	154	"	"	"
" " "	" = 1.2.5	"	166	"	"	"
" " "	" = 1.4.5	"	184-186	Kekulé & Fleischer	B., 6, 1090	27, 66
" " "	"	"	194-195	Gerichten	B., 10, 1249	34, 49
" " "	"	"	194-196 u.c.	"	B., 11, 366	34, 571
" " "	" = 1.3.4	"	203-204	Vollrath	A., 144, 266	v., 864
" " "	"	"	204 c.	Remsen & Kuhara	A. C. J., 3, 424; B., 15, 951	42, 608
" " "	"	"	203-204	Beilstein & Kreisler	A., 144, 182
" " "	"	"	209-210 c.	Jacobsen	B., 18, 1761	48, 1052
Chloroxyloquinone	C ₆ HMe ₂ .Cl:O ₂	"	48	Carstanjen	J. p. [2], 23, 431	42, 612
Methylic chlorosalicylate	COOMe.OH.Cl = 1.2.5	C ₈ H ₇ ClO ₃	48	Smith	B., 11, 1227
Chloroanisic acid	COOH.OMe.Cl = 1.4.6	"	176	A., 56, 312	i., 302
" " "	"	"	180	B. J., 23, 421
" " "	" = 1.4.5	"	214-215	Schall and Dralle	B., 17, 2528	48, 146
Chlordehydracetic acid	C ₈ H ₇ ClO ₄	93	Precht	B., 9, 1101	30, 506
(?)	CPhCl ₂ .COH + HCl	C ₈ H ₇ Cl ₃ O	begins 265 d.	Combes	C. R., 98, 678	48, 837
Ethoxytrichlorbenzene	C ₆ H ₂ Cl ₃ .OEt = ?	"	240	43-44	Faust	Z. C. [2], 3, 727	vi., 909
"	" = 1.2.3.4	"	67-68	Petersen	A., 157, 171	24, 252
Ethoxydichlorbenzene	C ₆ H ₃ Cl ₂ .OEt = ?	C ₈ H ₅ Cl ₂ O	226-227	Liquid	Fischer	Z. C. [2], 4, 386	vi., 908
"	" = 1.3.4	"	236-237	A., 23, 60; As., 7, 183
Dichlordimethyl resorcinol	C ₆ H ₂ (OMe) ₂ .Cl ₂ = 1.3. (?) ₂	C ₈ H ₅ Cl ₂ O ₂	d. 140	Liquid	Hönig	B., 11, 1040	34, 727
" quinol	" = 1.4. (?) ₂	"	126 u.c.	Habermann	B., 11, 1035	34, 728
Dichlor-β-orcino	C ₆ Me ₂ (OH) ₂ .Cl ₂	"	142	Stenhouse & Groves	A., 203, 292	37, 399
Dichloroxyloquinol	"	"	148-150	Carstanjen	J. p. [2], 23, 431	42, 612
"	"	"	175	A., 151, 171
Phenylchloroethyloxyde	Ph.O.CH ₂ .CH ₂ Cl	C ₈ H ₉ ClO	221 (754)	25	Henry	C. R., 96, 1233	44, 802

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J.Ch. Soc.
Ethoxychlorbenzene....	$C_6H_5.OEt.Cl = 1.2$	C_8H_9ClO	208-208.5	Liquid	Beilstein and Kurbatow	B., 7, 1398; A., 176, 39	vii., 906; 28, 363
"	"	"	210	Liquid	Henry	Z. C. [2], 6, 247	vi., 916
"	" = 1.4	"	210-212	21	Beilstein and Kurbatow	B., 7, 1396; A., 176, 31	vii., 905; 28, 363
Chlormethoxytoluene	$C_6H_5Me.OMe.Cl = 1.3.4$ or 6	"	185	A., 151, 115	
"	" = 1.4.5	"	213-215	Liquid	Schall and Dralle	B., 17, 2529	48, 146
Ethyl chloronicate....	$C_8H_9ClO_2$	230	St. Evre	J., 1, 530	
Chlordimethylresorcinol	$C_6H_3(OMe)_2Cl = 1.3.?$	"	118	Hönig	B., 11, 1039	34, 727
Chlorxyloquinol	$C_6HMe_2(OH)_2Cl$	"	147	Carstanjen	J. p. [2], 23, 43	42, 612
"	"	"	148-150	A., 151, 166	
Acetotrithlorethylidene acetic ether	$C_8H_9Cl_3O_3$	154-158 (24-26)	Liquid	Mathews	43, 203	
Crotonic chloral diacetate	$C_3H_2Cl_3.CH(OAc)_2$	$C_8H_9Cl_3O_4$	240-250 p.d.	Liquid	Pinner	A., 179, 21	29, 549
Ethyl malic chloralide	$C_8H_9Cl_3O_5$	45-46	A., 193, 45	
Diethyl chlormaleate	$C_2HCl(COOEt)_2$	$C_8H_{11}ClO_4$	243-245	Claus	A., 191, 80	34, 857
"	"	"	250-260	Henry	A., 156, 179	
Action of HCl on aldehyde... ? - acetate.... $(CH_2)_2.CH(CH_2Cl).CCL.CH_2.OAc$	$C_8H_{12}Cl_2O$ $C_8H_{12}Cl_2O_2$	100 122-123 Liquid	Hanriot Natterer	C. R., 92, 302 M. C., 5, 567	40, 404 48, 498
Diethyl maleate dichloride ? - acetate.... $CH_2Cl.CH(OAc).CH_2.C_3H_5$ or $CH_2Cl.CH(C_3H_5).CH_2.OAc$ $CClEtAc.COOEt$	$C_8H_{12}Cl_2O_4$ $C_8H_{13}ClO_2$	243-245 (735) 203-207 Liquid	Claus and Franck Lopatkin	B., 10, 928 J. p., 30, 389	32, 740 48, 49
Ethyl ethylacetochloracetate	$COOEt.CH_2.CHCl.COOEt$	$C_8H_{13}ClO_3$	215-220 d.	Wislicenus and Conrad	A., 186, 241; B., 8, 1034	29, 370
Diethyl chlorsuccinate	$COOEt.CH_2.CHCl.COOEt$	$C_8H_{13}ClO_4$	234-235	Anschütz	B., 18, 1952	
Diglycerol acetrichlorhydrin	$C_8H_{13}Cl_3O_3$	190 (20)	Z. C., 1866, 513	
Glycerolisovalerodichlorhydrin	$C_3H_5.(OC_2H_5)OCl_2$	$C_8H_{14}Cl_2O_2$	245 (737)	Truchot	A., 138, 298	v., 980
Hexylene acetochlorhydrin	$C_6H_{12}ClOAc$	$C_8H_{15}ClO_2$	188-190	Liquid	Henry	C. R., 97, 260	46, 34
Triethoxydichlorethane ?	$C_2HCl_2(OEt)_3$	$C_8H_{16}Cl_2O_3$	205	J., 1864 and 1873	
" ?	$O(C_2H_5ClOEt)_2$	"	163-165	Abeljanz	A., 164, 220	26, 156
" ?	$O[CH(OEt).CH_2Cl]_2$	"	abt. 165	Jacobsen	B., 4, 216	vil., 481; 24, 514
Octylenechlorhydrin....	$C_8H_{17}ClO$	204-208	Clermont	iv., 173
Glycerol isoamyl chlorhydrin	$C_3H_5(OC_5H_{11})(OH)Cl$	$C_8H_{17}ClO_2$	235	Reboul	J., 13, 464	ii., 884
Tetrachlorcoumarin	$C_9H_2Cl_4O_2$	144-145	Perkin	24, 45	vi., 500
α -Chlorcoumarin	$C_9H_5ClO_2$	122-123	"	24, 44	"
β -	"	162	Bäsecke	A., 154, 84	"
Chlortrimesic acid + H ₂ O	$C_6H_2Cl(COOH)_3 = 6.5.3.1$	$C_9H_5ClO_6$	278	J. p. [2], 15, 310	
α -Trichlorcinnamic acid	$C_6H_2Cl_3.CH : CH.COOH$	$C_9H_5Cl_3O_2$	200-201	Seelig	B., 18, 425	48, 770
β -	"	"	185	"	"	"
Trichloracetophenone benzoic acid	$C_6H_4(CO.CCl_3).COOH = 1.2$	$C_9H_5Cl_3O_3$	144	Gabriel & Michael	B., 10, 1556	34, 430
Salicylic chloral	"	124-125	A., 193, 41	
Dichlorethylene protocatechuic acid	$O.C_2H_2Cl_2.O.C_6H_3.COOH = 4.3.1$	$C_9H_6Cl_2O_4$	118-121	A., 168, 109	
Cinnamyl chloride	$C_6H_5.CH : CH.COCl$	C_9H_7ClO	262	Cahours	A., 178, 214	i., 990
"	"	"	170-171 (58)	35-36	Claisen & Antweiler	B., 13, 2124	40, 169
Chloratropic acid	Fr. $C_6H_5.C(COOH) : CH_2$	$C_9H_7ClO_2$	85	Ladenburg	B., 12, 948	36, 720
α -Chlorcinnamic acid	$Ph.CH : CCl.COOH$	"	fr. water	137-138	Perkin	47, 258	
α -	"	"	fr. petroleum	142	"	"	
α -	"	"	138-139	Forrer	B., 16, 854	
α -	"	"	142-143	Jutz	B., 15, 788	42, 1073
α -	"	"	142	Plochl	B., 15, 1946	44, 195
β -	$Ph.CCl : CH.COOH$	"	114	Jutz	B., 15, 788	42, 1073
β -	"	"	114	Perkin	47, 258	
"	$Cl.(CH : CH.COOH = 1.3$	"	167	Gabriel & Herzberg	B., 16, 2036; C. C. [1884], 35	44, 1123; 48, 661
"	" = 1.2	"	200	"	"	"
"	" = 1.4	"	240-242	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorcinnamic acid	?	C ₉ H ₇ ClO ₂	132	A., 70, 7	i., 987
Acetylic chlorsalicylate	C ₆ H ₃ Cl(OH).COOAc = ? 2.1	C ₉ H ₇ ClO ₄	149	Smith	B., 11, 1227	
Chlormethylnoropionic acid	C ₆ HClOMe.OH.CHO.COOH	C ₉ H ₇ ClO ₅	206	Prinz	J.p., 24, 370	42, 403
Ethylic chlormecenate	HO.C ₅ .ClO(COOH)(COOEt)	C ₉ H ₇ ClO ₆	148	Hilsebein	J.p. [2], 32, 129	48, 1202
From polyoric acid....	C ₉ H ₇ Cl ₂ O ₂ (?)	108	Stahlschmidt	A., 195, 365	36, 383
Ethylic trichlorbenzoate	Cl ₃ .COOEt = 6.4.2.1	C ₉ H ₇ Cl ₃ O ₂	65	Beilstein and Küh- berg	A., 152, 237	vi., 313
" "	" = 5.4.3.1	"	86	Salkowsky	A., 163, 32	vii., 164 ; 25, 715
Propionoxytrichlorbenzene....	Cl ₃ .(O.C ₃ H ₅ O) = 6.4.2.1	"	262.5-264.5 u.c.	Liquid	Dacomo	B., 18, 1163	48, 889
Phenyl dichlorpropionic acid	Ph.CHCl.CHCl.COOH	C ₉ H ₉ Cl ₂ O ₂	162-164 d.	Erlenmeyer	B., 14, 1867	
Dichlorbenzyl acetate	C ₆ H ₃ Cl ₂ (CH ₂ .OAc) = 1.4.?	"	259	Beilstein and Küh- berg	A., 147, 350	vi., 336
Ethylic dichlorbenzoate	C ₆ H ₃ Cl ₂ .COOEt = 4.3.1	"	262-263	Liquid	"	A., 152, 227	vi., 312
" "	" = 4.2.1	"	271 c.	Liquid	Beilstein	B., 8, 435, 813 ; A., 179, 283	28, 1194 ; 29, 587
Ethylic dichlorsalicylate	C ₆ H ₂ Cl ₂ .OH.COOEt = (?) ₂ .2.1	C ₉ H ₈ Cl ₂ O ₃	47	Smith	B., 11, 1226	
Xylylic chloride	Me.Me.COCl = 1.2.4	C ₉ H ₉ ClO	234-236	25.5-26.5	Ador and Meier	B., 12, 1970	38, 252
Methylic phenylchloracetate	Ph.CHCl.COOMe	C ₉ H ₉ ClO ₂	248 c. ; p.d.	Liquid	Meyer and Boner	B., 14, 2392	
Chlorethyl benzoate	Ph.COO.C ₂ H ₄ Cl	"	260-270	A., 113, 121	
α-Chlorhydratropic acid	CH ₂ Cl.CHPh.COOH	"	73-74	Merling	A., 209, 20	40, 1143
β- " "	CH ₃ CClPh.COOH	"	85	Ladenburg	B., 12, 948	
β- " "	"	"	86-88	Merling	A., 209, 4	40, 1143
β- " "	"	"	89	Spiegel	B., 14, 237	40, 277
Chlorphenylpropionic acid	Cl.(CH ₂ .CH ₂ .COOH) = 1.2	"	96.5	Gabriel & Herzberg	B., 16, 2036 ; C. C. [1884], 35	44, 1123 ; 48, 661
" "	" = 1.3	"	77-78	"	"	"
" "	" = 1.4	"	124	"	"	"
" "	"	"	126	A., 147, 95	
Ethylic chlorbenzoate	COOEt.Cl = 1.2	"	237-241	Emmerling	B., 8, 883	28, 1261
" "	"	"	243	A., 143, 96 ; 117, 153	
" "	" = 1.3	"	238-242	Liquid	Kekulé	R., 1861, 308	vi., 311
" "	"	"	245	Limpricht & Usler	A., 102, 263	i., 555
Chlorbenzyl acetate	C ₆ H ₄ Cl(CH ₂ .OAc) = 1.4	"	240	Neuhof	Z. C. [2], 3, 467	vi., 336
Phenyl chlorlactic acid	C ₉ H ₉ ClO ₃	104	A., 147, 79	
" " "	"	+ H ₂ O	78-80	"	
Chlortropic acid	CH ₂ (OH).CClPh.COOH	"	128-130	Ladenburg and Rügheimer	B., 13, 377	38, 472
Ethylic chlorsalicylate	COOEt.OH.Cl = 1.2.4 or 5	"	110	Smith	B., 11, 1227	
p-Cresol chloral	C ₆ H ₄ .Me.OH + CCl ₃ .COH	C ₉ H ₉ Cl ₂ O ₂	52-56	Mazzara	G. I., 13, 269	46, 187
Trichlorvalerolactic butyr- chloralide	C ₉ H ₁₆ Cl ₃ O ₃	300-310	84-86	A., 193, 48	
Phenyl chlorcarbinol ethyl oxide	Ph.CHCl.OEt	C ₉ H ₁₁ ClO	210-212	Hübner and Bente	B., 6, 805	27, 152
Chlorbenzyl ethyl oxide	C ₆ H ₄ Cl(CH ₂ .OEt) = 1.4	"	Liquid	Jackson and White	B., 13, 1218	38, 879
" " "	"	"	Liquid	Jackson and Field	A. C. J., 2, 85	40, 808
" " "	"	"	215-218	Liquid	Neuhof	A., 147, 339	"
" " "	"	"	215-220	Liquid	Naquet	As., 2, 251	v., 855
" " "	"	"	215-220	Beilstein and Küh- berg	A., 161, 335	vi., 336
α-Ethoxychlortoluene	C ₆ H ₃ MeCl.OEt	"	210-220	Liquid	Wroblewsky	Z. C. [2], 6, 164 ; A., 168, 210	vii., 807 ; 27, 55
β- " "	"	"	210-220	Liquid	"	"	"
Anhydrocamphoronicchloride	C ₉ H ₁₁ ClO ₄	130	Kachler & Spitzer	M. C., 6, 173	48, 808
Diethyl trichlorethylidene- malonate	CCl ₃ .CH : C(COOEt) ₂	C ₉ H ₁₁ Cl ₃ O ₄	160-164 (23)	Liquid	Kommenos	A., 218, 145	46, 423
Diethyl chlorethyltricar- boxylate	COOH.CCl(COOEt).CH ₂ . COOEt	C ₉ H ₁₃ ClO ₆	205-215 (160)	Bischoff	A., 214, 44	44, 45
Isobutylic chlorangelacetate	C ₉ H ₁₅ ClO ₃	235-240	Pinner and Klein	B., 11, 1497	36, 42

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethyl ethylchlorimalonate	Et.ClCl (COOEt) ₂	C ₉ H ₁₅ ClO ₄	Liquid	Guthzeit	A., 209, 232	42, 39
" "	" "	" "	228	Liquid	Conrad	B., 14, 618	
Diethyl itachlorpyrotartarate	C ₈ H ₅ Cl(COOEt) ₂	" "	250-252 d.	Liquid	Z. C., 1866, 722	vi., 980
Parachlorpropaldehyde	C ₉ H ₁₅ Cl ₃ O ₃	170-175 (12-15)	33.5	Grimaux & Adam	C. R., 92, 300	40, 406
Pelargonyl chloride	C ₉ H ₁₇ .COCl	C ₉ H ₁₇ ClO	220	Cahours	A. C. [3], 39, 207	iv., 371
Tetrachloronaphthaquinone	Cl ₄ ; O ₂ =α ₁ α ₂ β ₁ β ₂ ; α ₁ α ₂	C ₁₀ H ₂ Cl ₄ O ₂	160 u. c.	Claus and Lippe	B., 16, 1018	44, 921
Trichloronaphthaquinone	C ₁₀ H ₃ Cl ₃ :O ₂	C ₁₀ H ₃ Cl ₃ O ₂	250	Claus and Spruck	B., 15, 1404	42, 1211
"	"	"	250	Claus and Lippe	B., 16, 1017	
" +xH ₂ O	"	"	95	"	"	
"	"	"	95	Claus and Spruck	B., 15, 1404	42, 1211
β-Dichlor-α-naphthaquinone	C ₁₀ H ₄ Cl ₂ :O ₂	C ₁₀ H ₄ Cl ₂ O ₂	152-153	Plagemann	B., 15, 485	
α- " -α- "	"	"	188	Carstanjen	B., 2, 633	
α- " -α- "	"	"	189	Plagemann	B., 15, 485	
α- " -α- "	"	"	189	Græbe	A., 149, 3	vi., 853
α- " -α- "	"	"	190	Darmstädter and Wichelhaus	B., 2, 114	
Chlor-α-naphthaquinone	C ₁₀ H ₅ Cl:O ₂	C ₁₀ H ₅ ClO ₂	109-111	Plagemann	B., 15, 485	
Chlorhydroxynaphthoquinone	C ₁₀ H ₄ Cl(OH):O ₂	C ₁₀ H ₅ ClO ₃	200	vi., 853
Dichlor-α-naphthaquinol	C ₁₀ H ₄ Cl ₂ (OH) ₂	C ₁₀ H ₆ Cl ₂ O ₂	135-140 d.	Græbe	A., 149, 6	vi., 857
Diacetyltetrachlorquinol	C ₆ Cl ₄ (OAc) ₂ =(?) ₄ .4.1	C ₁₀ H ₆ Cl ₄ O ₄	245	"	A., 146, 20	vi., 988
α-naphthoic chloride	C ₁₀ H ₇ .COCl	C ₁₀ H ₇ ClO	297.5	Solid	Hofmann	vi., 851
Chloronaphthol	C ₁₀ H ₆ .Cl.OH=α ₁ ; α ₂	"	57	Claus and Ochler	B., 15, 314	42, 736
"	" = ?β	"	68	Schall	B., 16, 1901	44, 1109
"	" = ?α	"	109	Grimaux	B. S. [2], 18, 208	28, 70
"	" = ?β	"	115	Claus and Zimmermann	B., 14, 1484	40, 915
Mandelic chloralide	Ph.CH.CO.O.CH(CCl ₃)O	C ₁₀ H ₇ Cl ₃ O ₃	305-310 p. d.	59	Wallach	B., 9, 1215	31, 60
"	"	305-310 d.	82-83	A., 193, 40	
Diacetyltrichlorquinol	C ₆ HCl ₃ (OAc) ₂ =(?) ₃ .4.1	C ₁₀ H ₇ Cl ₃ O ₄	153	Græbe	A., 146, 28	vi., 988
" ?	C ₁₀ H ₅ Cl ₂ O ₂	195-196	J. [1872], 424	
Diacetyl dichlorquinol	(OAc) ₂ .Cl ₂ =1.4.2.5	C ₁₀ H ₆ Cl ₂ O ₄	138-140	Schulz	B., 15, 653	
"	" "	"	141	Levy and Schultz	A., 210, 148	42, 509
"	" =1.4.3.5	"	66.5	Levy	B., 16, 1445	44, 1117
Methoxyphenylacryl chloride	C ₆ H ₄ .OMe.(C ₂ H ₂ .COCl)=1.4	C ₁₀ H ₉ ClO ₂	abt. 50	Perkin	J. [1877], 792	31, 410
Diacetyl chlorquinol	(OAc) ₂ .Cl=1.4, 2 or 5	C ₁₀ H ₉ ClO ₄	72	Levy and Schultz	B., 13, 1427	38, 888
"	" "	"	72	"	A., 210, 140	42, 509
"	" "	"	72	Schulz	B., 15, 654	
Chlormeconin	"	175	Anderson	A., 98, 48	iii., 863
Chloropianic acid	C ₆ H ₄ (COH).Cl.(OMe) ₂ .COOH	C ₁₀ H ₉ ClO ₅	210-211	Prinz	J. p., 24, 367	42, 403
Butyryl trichlorphenol	(O.C ₄ H ₇ O).Cl ₃ =1.2.4.6	C ₁₀ H ₉ Cl ₃ O ₂	272-275 u. c.	Liquid	Daccomo	B., 18, 1163	48, 889
Pentachlorthymol	C ₁₀ H ₉ Cl ₅ O	98	Lallemand	A. C. [3], 49, 158	v., 795
Dichloronaphthalene acetochloride	C ₁₀ H ₅ Cl ₂ .Cl ₃ .OAc	C ₁₀ H ₉ Cl ₅ O ₂	195	Widmann	B., 12, 1714	38, 47
Ethyl phenyldichloracetate	Ph.CCl ₂ .COOEt	C ₁₀ H ₁₀ Cl ₂ O ₂	263-266	Claisen	B., 12, 630	38, 648
Glycerol benzodichlorhydrin	C ₃ H ₅ Cl ₂ (OBz)	"	222 (40-50)	A., 138, 298	
Dichlorthymoquinone	"	99	Andresen	J. p. [2], 23, 176	40, 590
Dichloronaphthydrenglycol	"	155-156	B. S., 18, 207 ; 19, 396	
Dichlorethoxyquinone	C ₆ Cl ₂ (OEt) ₂ :O ₂	C ₁₀ H ₁₀ Cl ₂ O ₄	107	Stenhouse	23, 6	vi., 989
Ethyl dichlororsellinate	C ₆ Me.COOEt.(OH) ₂ Cl ₂	"	162	Hesse	A., 117, 315	iv., 237
Deriv. of Valeral	C ₁₀ H ₁₀ Cl ₄ O	208-210	Schroeder	B., 4, 401	24, 560 ; vii., 1195
Diethyl tetrachlorquinol	C ₆ Cl ₄ (OEt) ₂	C ₁₀ H ₁₀ Cl ₄ O ₂	112	Græbe	A., 146, 19	vi., 988
Chloranethol	C ₆ H ₄ .C ₃ H ₄ .Cl.OMe=1.4	C ₁₀ H ₁₁ ClO	258	-6	Ladenburg	Z. C. [2], 5, 575 ; As., 8, 91	vi., 157 ; vii., 72
"	" "	"	228-230	3-4	Landolph	C. R., 82, 226	29, 705
Cuminy chloride	C ₆ H ₄ .Pr.COCl	"	256-258	Cahours	A. C. [3], 23, 347	ii., 184
Benzylchloralmonamide	CCl(CH ₂ Ph)(CONH ₂) ₂	C ₁₀ H ₁₁ ClO ₂	d. 210-220	abt. 80	Bischoff & Emmert	B., 15, 1113	42, 1208

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl chlorotoluate	COOEt.Me.Cl=1.3.?	C ₁₀ H ₁₁ ClO ₂	260-265	A., 144, 267	
Chlorotolylpropionic acid	(CH ₂ .CH ₂ .CO ₂ H)ClMe=1.2.4	"	122-123	Gerichten	B., 11, 365	34, 570
Benzochlorhydrin	C ₃ H ₅ (OH).Cl.(OC ₇ H ₆ O)	C ₁₀ H ₁₁ ClO ₃	-40	Berthelot	A. C. [3], 41, 302	i., 547
Chlorhydroxythymoquinone	C ₆ MePr ^α .OH.Cl:O ₂	"	122	Ladenburg and Engelbrecht	B., 10, 1222	34, 60
Trichlorthymol	Me.Pr ^α .OH.Cl ₃	C ₁₀ H ₁₁ Cl ₃ O	250	45	A. C. [3], 49, 157	
"	"	"	61	"	v., 795
Diethyltrichlorquinol	C ₆ H(OEt) ₂ Cl ₃ =1.4.(?) ₃	C ₁₀ H ₁₁ Cl ₃ O ₂	68-5	Græbe	A., 146, 28	vi., 988
"	"	C ₁₀ H ₁₂ Cl ₂ O	98-99	Auwers	B., 17, 2978	48, 381
Diethyl dichlormuconate	C ₄ H ₂ Cl ₂ (COOEt) ₂	C ₁₀ H ₁₂ Cl ₂ O ₄	95-96	Bell	B., 12, 1273	
Deriv. of Valeral	C ₁₀ H ₁₂ Cl ₂ O	203-204	Schroeder	B., 4, 401	24, 559
Trichlorcamphor	C ₁₀ H ₁₃ Cl ₃ O	54	Cazeneuve	C. R., 99, 609	48, 59
Dichlorcamphor	C ₁₀ H ₁₄ Cl ₂ O	263 d.	93	"	C. R., 94, 730	42, 738
"	"	96	Cazeneuve & Didelot	C. R., 94, 1058	42, 864
"	Isomer	"	77; sf. 70	Cazeneuve	C. R., 94, 1360	42, 1107
Chlorcamphor	C ₁₀ H ₁₅ ClO	244-247	83-84	"	C. R., 94, 1530; 99, 609	44, 214; 48, 58
"	"	93-94	Schiff and Puliti	B., 16, 888	
"	"	244-247 s. d.	100; sf. 95	Cazeneuve	C. R., 95, 1358	44, 599
"	"	95	Wheeler	S. J. [2], 45, 48	vi., 387
Chlorhexylene diacetate	C ₆ H ₉ Cl(OAc) ₂	C ₁₀ H ₅ ClO ₄	140 (20)	Liquid	Natterer	M. C., 5, 567	48, 498
Triethyl chlormethintricarboxylate	CCl(COOEt) ₃	C ₁₀ H ₁₅ ClO ₆	210 (140)	Conrad	B., 14, 618	40, 577
Camphor dichloride	C ₁₀ H ₁₆ Cl ₂ O	70	Pfaundler	B., 11, 364	34, 586
"	"	150-155	Spitzer	"	"
"	"	155-155.5	"	B., 11, 1819	38, 168
Campholic chloride	C ₉ H ₁₇ .COCl	C ₁₀ H ₁₇ .ClO	222-226	A., 126, 265	
"	?	C ₁₀ H ₁₅ Cl ₂ O ₃	98	Kekulé	A., 162, 102, 309	vii., 34; 25, 617
Capryl chloride	C ₉ H ₁₉ .COCl	C ₁₀ H ₁₉ ClO	200-220	Liquid	Grimm	A., 157, 272	24, 361; vii., 249
Hydrochloride of worm seed oil	C ₁₀ H ₁₈ O.HCl	"	30-35	Hell and Ritter	B., 17, 1977	48, 363
Octylene acetochlorhydrin	C ₈ H ₁₆ Cl.OAc	C ₁₀ H ₁₉ ClO ₂	225	Clermont	A., 152, 322	vi., 880
Isovaleraldehyde + 2HCl	(C ₅ H ₁₀ Cl) ₂ O	C ₁₀ H ₂₀ Cl ₂ O	180	Bruylants	B., 8, 414	
Terpenehydratedihydrochloride	C ₁₀ H ₂₀ Cl ₂ O(?)	49	Flavitzky	B., 12, 2355	38, 403
Diglycerol diethylchlorhydrin	O:(C ₃ H ₅)(OEt) ₂ (OH)Cl	C ₁₀ H ₂₁ ClO ₄	285	Reboul & Lourenço	C. R., 52, 401	ii., 894
Dichlor-β-naphthoic acid	C ₁₀ H ₅ Cl ₂ .COOH	C ₁₁ H ₆ Cl ₂ O ₂	291	Ekstrand	B., 17, 1605	48, 1361
α-Naphthoyl chloride	C ₁₀ H ₇ .COCl = α	C ₁₁ H ₇ ClO	297-5	Liquid	Hofmann	B., 1, 41	
β-	" = β	"	304-306	43	Weith	A., 180, 317	30, 86
Dichloroxysacelnimide	C ₁₁ H ₉ Cl ₂ O ₆	d.w.m. 200	Sestini	G. I. [1882], 292	42, 1182
Ethyl acetylchlormecenate	AcO.C ₃ ClO(COOH)(COOEt)	C ₁₁ H ₉ ClO ₇	70	Hilsebein	J. p. [2], 32, 129	48, 1203
Diacetyltrichlorotoluquinol	C ₆ MeCl ₃ (OAc) ₂	C ₁₁ H ₉ Cl ₃ O ₄	114	Borgmann	A., 152, 253	vi., 1106
Diacetyl-m-dichlorotoluquinol	C ₆ HMeCl ₂ (OAc) ₂	C ₁₁ H ₁₀ Cl ₂ O ₄	122-124	Southworth	A., 168, 271	27, 62
Valeryltrichlorphenol	(O.C ₅ H ₉ O).Cl ₃ = 1.2.4.6	C ₁₁ H ₁₁ Cl ₃ O ₂	281-284 u.c.	Liquid	Daccomo	B., 18, 1163	48, 889
Isobutylic dichlorosalicylate	COOBn ^β .OH.Cl ₂ = 1.2.(?) ₂	C ₁₁ H ₁₂ Cl ₂ O ₃	188	Smith	B., 11, 1226	
Diethyltrichlorotoluquinol	C ₆ MeCl ₃ (OEt) ₂	C ₁₁ H ₁₃ Cl ₃ O ₂	107	Borgmann	A., 152, 254	vi., 1106
Camphocarboxylic chloride	C ₁₀ H ₁₄ .OH.COCl	C ₁₁ H ₁₅ ClO ₂	44	Kachler and Spitzer	B., 13, 1413	38, 892
Triethyl chlorethenyltricarboxylate	C ₂ H ₂ Cl(COOEt) ₃	C ₁₁ H ₁₇ ClO ₆	290 p.d.	Bischoff	B., 13, 2162	40, 156
Glycerolchloracetyltriacetin	C ₃ H ₅ (OAc) ₃ .AcCl	C ₁₁ H ₁₇ ClO ₇	240 (20)	Z. C. [1866], 513	
Triglycerolacetotetrachlorhydrin	O ₂ (C ₃ H ₅) ₃ (OAc)Cl ₄	C ₁₁ H ₁₈ Cl ₄ O ₄	230 (20)	"	
Diethyl isobutylchlormalonate	C ₄ H ₉ .CCl(COOEt) ₂	C ₁₁ H ₁₉ ClO ₄	245	Conrad and Bischoff	B., 13, 600	38, 629
"	"	"	245-247	Guthzeit	A., 209, 237	42, 40
Octochlorodiphenol	C ₁₂ Cl ₈ (OH) ₂	C ₁₂ H ₂ Cl ₈ O ₂	233.5-234.5	Weber & Sölscher	B., 16, 884	
Tetrachlor-γ-diphenol	C ₆ H ₂ Cl ₂ (OH).C ₆ H ₂ Cl ₂ (OH)	C ₁₂ H ₆ Cl ₄ O ₂	233	Magati	B., 13, 227	38, 644
Tetrachlorquinhydrone	C ₁₂ H ₆ Cl ₄ O ₄	120	A., 69, 316	
+ 2H ₂ O
From naphthalene	C ₁₀ H ₆ Cl ₂ (OAc).Cl ₃	C ₁₂ H ₉ Cl ₅ O ₂	195	Widmann	B., S. [2], 28, 507	32, 900
Diethyl tetrachlorphthalate	C ₆ (COOEt) ₂ .Cl ₄ = 1.2.3.4.5.6	C ₁₂ H ₁₀ Cl ₄ O ₄	60	Græbe	B., 16, 861	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethylic tetrachlorphthalate	$C_6Cl_4.COO.C(OEt)_2 = 1.2.(?)_4$	$C_{12}H_{10}Cl_4O_4$	124	Græbe	B., 16, 861	
Cumenylacrylchloride	$C_6H_4.Pr(C_2H_5.COCl$	$C_{12}H_{13}ClO$	abt. 25	Perkin	J. [1877], 790	31, 399
Diethylic chlorisophthalate	$(COOEt)_2.Cl = 1.3.5$	$C_{12}H_{13}ClO_4$	abt. 45	Baeyer	J. p. [2], 25, 514	42, 1296
Thymol chloral	$C_6H_3.Me.Pr.OH + CCl_3.CO.H$	$C_{12}H_{15}Cl_3O_2$	130-134	Mazzara	G. I., 13, 269	46, 187
?	$C_{12}H_{25}ClO_4$	275-285	A. C. [3], 67, 310	
Lauryl chloride	$C_{11}H_{23}.COCl$	$C_{12}H_{23}ClO$	142.5 (15)	-17	Krafft and Bürger	B., 17, 1378	46, 1125
Dichlordiphenylene ketone	$C_6H_3Cl.CO.C_6H_3Cl = 1.4.5 ;$ 5.4.1	$C_{13}H_6Cl_2O (?)$	103-104	Hodgkinson and Matthews	43, 171	
"	"	"	158	"	43, 170	
Benzoxytrichlorphenol	$OBz.Cl_3 = 1.2.4.6$	$C_{13}H_7Cl_3O_2$	70	Dacomo	B., 18, 1164	48, 889
Chlordiphenyl ketone	$Ph.CO.C_6H_4Cl$	$C_{13}H_9ClO$	a. 300	75.5-76	Kollarits and Merz	B., 6, 547	vii., 939 ; 26, 1036
Benzoychlorbenzene	$C_6H_4Cl.OBz$	$C_{13}H_9ClO_2$	87	A., 53, 96	i., 554
Ethylic dichlor- β -naphthoate	$C_{10}H_5Cl_2.CO.OEt.$	$C_{13}H_{10}Cl_2O_2$	66	Ekstrand	B., 17, 1605	46, 1362
Benzoyloxylchlorbenzene	$C_6H_5.CH_2.O.C_6H_4.Cl$	$C_{13}H_{11}ClO$	70-71	A., 161, 345	vii., 180
"	"	"	71-71.5	Sintenis	B., 4, 700	24, 909
Ethylic chlor- α -naphthoate	$C_{10}H_6Cl.CO.OEt$	$C_{13}H_{11}ClO_2$	42	Ekstrand	B., 17, 1604	46, 1361
Chlorhydrin of ethylic aceto- benzilidene acetate	$CHPhCl.CHAc.CO.OEt$ or $CH_2Ph.CAcCl.CO.OEt$	$C_{13}H_{15}ClO_3$	41	Claisen & Matthews	A., 218, 170	46, 443
"	"	"	71	"	"	"
Penta-chloranthraquinone	$C_{14}H_3Cl_5O_2$	w.m.	Diehl	B., 11, 181	34, 430
Tetra-	$C_{14}H_4Cl_4O_2$	320-330	"	B., 11, 180	34, 429
"	$C_6Cl_4:(CO)_2:C_6H_4$	"	191	Kircher	B., 17, 1167	46, 1039, 1040
Tetrachloralizarin	$C_{14}H_2Cl_4(OH)_2:O_2$	$C_{14}H_2Cl_4O_4$	260	Diehl	B., 11, 189	
Trichloranthraquinone	$C_{14}H_3Cl_3O_2$	284-290	"	B., 11, 180	34, 429
Pentachloroxytolidene	$C_{14}H_3Cl_5O_2$	187-190	A., 153, 128	
Dichloranthraquinone	$C_{14}H_6Cl_2O_2$	261	Kircher	B., 17, 1169	46, 1040
Dichloralizarin	$C_{14}H_4Cl_2(OH)_2:O_2$	$C_{14}H_6Cl_2O_4$	208-210	Diehl	B., 11, 188	34, 428
Acetyloctochloridiquinol	$C_6Cl_4(OH)_2.C_6Cl_4(OAc)(OH)$	$C_{14}H_6Cl_3O_5$	230	Hesse	A., 114, 294	iii., 216
Chloralizarin	$C_{14}H_5Cl(OH)_2:O_2$	$C_{14}H_7ClO_4$	244-248	Diehl	B., 11, 187	34, 428
Trichloroxytolidene	$C_{14}H_7Cl_3O_2$	87	A., 153, 128	
Anthraquinone dichloride	$C_6H_4.CO.C_6H_4.CCl_2$	$C_{14}H_5Cl_2O$	132-133	Thörner and Zincke	B., 10, 1479	34, 231
Phenanthradichlorketone	$C_6H_4.C_6H_4.CO.CCl_2$	"	165	Lachowicz	B., 16, 331	44, 667
Octochlorethyldiquinol	$C_6Cl_4(OH)_2.C_6Cl_4(OEt)(OH)$	$C_{14}H_3Cl_3O_4$	236	Hesse	A., 114, 292	iii., 216
Chlorphenanthrene	$C_{14}H_9ClO$	122-123	Lachowicz	J. p. [2], 28, 168	46, 82
Chloroxytolidene	$C_{14}H_9ClO_2$	57-58	A., 153, 127	
Benzoylbenzenyl trichloride	$C_6H_4.Bz.CCl_3 = 1.4$	$C_{14}H_9Cl_3O$	107-107.5	Thörner	B., 9, 483	30, 198
"	"	"	111-111.5	"	A., 189, 92	34, 68
Benzoylbenzylene dichloride	$C_6H_4.Bz.CHCl_2 = 1.4$	$C_{14}H_{10}Cl_2O$	94-95	"	B., 9, 483	30, 197
"	"	"	a.s. 85-86	"	A., 189, 91	34, 68
Chlorbenzil	"	71	Zinin	A., 119, 177	vi., 305
Dichlordiacetylnaphthalene	$C_{10}H_4Cl_2(OAc)_2$	$C_{14}H_{10}Cl_2O_4$	236	Græbe	A., 149, 7	vi., 857
Benzoylbenzyl chloride	$C_6H_4.Bz.CH_2Cl = 1.4$	$C_{14}H_{11}ClO$	97-98	Thörner	B., 9, 482	30, 197
"	"	"	a.s. 93-94	"	A., 189, 89	34, 68
Chlorbenzilic acid	$C_{14}H_{11}ClO_2$	270	Cahours	A. C. [3], 23, 350	i., 915
Diphenoltrichlorethane	$CCl_3.CH(C_6H_4.OH)_2$	$C_{14}H_{11}Cl_3O_2$	202 d.	Meer	B., 7, 1201	28, 158
Tetracetoxydichlorbenzene	$C_6Cl_2(OAc)_4$	$C_{14}H_{12}Cl_2O_8$	235	Græbe	A., 146, 34	vi., 990
Diacetoxydichloridihydro- naphthalene	$C_{10}H_6Cl(OAc)_2$	$C_{14}H_{14}Cl_2O_4$	130-131	Grimaux	B. S. [2], 18, 208	26, 69
Diethylic benzylchlormalonate	$(Ph.CH_2.CCl(COOEt)_2$	$C_{14}H_{17}ClO_4$	305 p.d.	Liquid	Conrad	B., 13, 2159	40, 168
Chlorthymyldiacetate	$C_6HClMePr(OAc)_2$	"	87-88	Schulz	B., 15, 657	42, 838
Ostruthin hydrochloride	$C_{14}H_{17}O_2.HCl$	$C_{14}H_{18}ClO_2(?)$	100	Gorup-Besanez	A., 183, 321	31, 717
Anthraquinone carboxyl chloride	$C_{14}H_7:O_2.COCl$	$C_{15}H_7ClO_3$	147	Liebermann and Glock	B., 17, 889	46, 1188
Benzylidenephenyl ketone hydrochloride	$CHPhCl.CH_2.CO.Ph$ or $CH_2Ph.CHCl.CO.Ph$	$C_{15}H_{13}ClO$	quick heat slow heat	119-120 110-112	Claisen and Claparède	B., 14, 2464	42, 512
Trichlorsantonin	$C_{15}H_{15}Cl_3O_3$	213	B. S., 5, 202	v., 191

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Metasantonio chloride	$C_{15}H_{19}ClO_3$	139	Cannizzaro and Valente	G. I., 8, 309	38, 331
Santonio chloride	"	170-171	"	"	"
Alantio chloride	$C_{14}H_{20}(OH).COCl$	$C_{15}H_{21}ClO_2$	140 d.	Kallen	B., 9, 156	29, 917
Myristyl chloride	$C_{14}H_{27}.COCl$	$C_{15}H_{27}ClO$	168 (15)	-1	Krafft and Bürger	B., 17, 1379	48, 1125
Cimicyl chloride	"	abt. 44	Carius	A., 114, 154	i., 964
Dichlorodiphthalyl	$C_{16}H_6Cl_2O_4$	248	Ador	A., 164, 245	28, 68; vii., 980
Diacetoxyoctochlorodiphenyl	$C_6Cl_4(OAc).C_6Cl_4(OAc)$	$C_{16}H_6Cl_8O_4$	193-194	Weber & Söllscher	B., 16, 885	
Dichlor- α -naphthylene phenylene oxide	fr. $C_6H_4.O.C_6H_4$	$C_{16}H_8Cl_2O$	245	Arx	B., 13, 1727	40, 282
Diphthalylidichloride	$(.CCl.C_6H_4.CO.O)_2=(1.2)_2$	$C_{16}H_8Cl_2O_4$	245	Græbe and Schmalzigang	A., 228, 126	48, 798
?	$C_{16}H_9Cl_3O_5$	17	Ador	A., 164, 229	28, 69; vii., 981
Hydropiperoin chloride	$C_7H_5O_2.CHCl.CHCl.C_7H_5O_2$	$C_{16}H_{12}Cl_2O_4$	198	Remsen and Fittig	A., 159, 132	vi., 949; 24, 935
?	$C_{16}H_{12}Cl_4O_2$	109-110	A., 195, 371	
Ethyloxanthranlyl chloride	$C_6H_4.CO.C_6H_4.CClEt$	$C_{16}H_{13}ClO$	88-89	Liebermann and Landshoff	B., 14, 459	40, 609
"	"	"	88-89	Liebermann	A., 212, 87	42, 862
α -compound	$C_{16}H_{13}ClO_2$	117	Städel	B., 9, 1759; 13, 836	31, 459
β -	"	154-155	"	"	"
Carboxyphenylmethyltrichlorethane	$Me.C_6H_4.C_2HCl_3.C_6H_4.COOH$	$C_{16}H_{13}Cl_3O_2$	173-174	Fischer	B., 7, 1192	28, 155
Dichlorhydrocœrnignone	$C_{12}H_2Cl_2(OMe)_4(OH)_2$	$C_{16}H_{16}Cl_2O_6$	220	Hayduck	B., 9, 929	30, 516
Dulcitol aceto-chlorhydrin	$C_{16}H_{23}ClO_{10}$	160	A. C. [4], 27, 154	
Tetreehlyc chlorethyl acetylene tetracarboxylate	$(COOEt)_2CCl.CEt(COOEt)_2$	$C_{16}H_{23}ClO_5$	d.	Liquid	Bischoff and Rach	B., 17, 2786	48, 244
Palmityl chloride	$C_{15}H_{31}.COCl$	$C_{16}H_{31}ClO$	192.5 (15) s.d.	12	Krafft and Bürger	B., 17, 1379	46, 1125
"	"	"	50	Villier	B., 9, 1932	
Cetene chlorhydrin	$C_{16}H_{32}Cl(OH)$	$C_{16}H_{33}ClO$	abt. 300	b.-15	Carius	A., 126, 201	vi., 421
Leucogallol + 2H ₂ O	$C_{18}H_6Cl_{12}O_{12}$	104 d.	Stenhouse & Groves	A., 179, 240	28, 709
Mairogallol	$C_{18}H_7Cl_{11}O_{10}$	109 p.d.	"	A., 179, 237	28, 707
Phthalyltrichlorphenol	$C_6H_4.O_2:(O.C_6H_4Cl_3)_2=1.2;$ $(1.2.4.6)_2$	$C_{18}H_5Cl_6O_4$	193-194	Dacomo	B., 18, 1164	48, 889
Chlordelhydrobenzoylacetic acid	$CCl:C:CPh.O.CPh:C.COOH$	$C_{18}H_{11}ClO_3$	150-151	Perkin	47, 293	
Tetrachlorhydrolyporic acid	$C_{18}H_{14}Cl_4O_4$	108	A., 195, 372	
Diacetoxyphenyltrichlorethane	$CCl_3.CH(C_6H_4.OAc)_2$	$C_{18}H_{15}Cl_3O_4$	138	Fischer	B., 7, 1202	28, 158
From benzoic ether	$C_{18}H_{16}Cl_6O_3$	188-190	Malaguti	A. C. [2], 70, 374	i., 567
Isobutyl oxanthranlyl chloride	$C_6H_4.CO.C_6H_4.CClBu^{\beta}$	$C_{18}H_{17}ClO$	78	Liebermann	A., 212, 87	42, 862
"	"	"	78	Liebermann and Walder	B., 14, 463	40, 610
?	$C_{18}H_{17}ClO_3$	57	Limpricht and Schwanert	A., 160, 177	25, 137
Tetrachlorcarotin	$C_{18}H_{20}Cl_4O$	120	A., 117, 228	
Dichloroleic acid	$C_{18}H_{32}Cl_2O_2$	begins 190	Lefert	J. Ph. [3], 24, 113	iv., 194
Stearyl chloride	$C_{17}H_{35}.COCl$	$C_{18}H_{35}ClO$	215 (15) d.	23	Krafft and Bürger	B., 17, 1380	48, 1126
Isoamyl oxanthranlyl chloride	$C_6H_4.CO.C_6H_4.CCl.C_6H_{11}$	$C_{19}H_{19}ClO$	85	Liebermann and Landshoff	B., 14, 459	40, 609
Dichlor- α -dinaphthalene oxide	$C_{20}H_{10}Cl_2O$	150-151	Knecht & Unzeitig	B., 13, 1725	
" - β -	"	245	"	B., 13, 1726	40, 281
Fluorescein chloride	$C_6H_4:(CO.C_6H_4Cl)_2:O$	$C_{20}H_{10}Cl_2O_3$	252	Baeyer	A., 183, 18	31, 198
"	"	"	252 u.c.	Fischer	B., 7, 1212	28, 159
Dibenzoyltetrachlorquinol	$C_6Cl_4(OBz)_2=1.2.4.5.3.6$	$C_{20}H_{10}Cl_4O_4$	230	Levy and Schultz	B., 13, 1429	38, 888
"	"	"	233	"	A., 210, 156	42, 510
" trichlororesorcinol	$C_6HCl_3(OBz)_2=(?)_2.4.3.1$	$C_{20}H_{11}Cl_3O_4$	133	Reinhard	J. p. [2], 17, 346	34, 727
" trichloroquinol	" = 5.3.2.4.1	"	174	Levy and Schultz	B., 13, 1429	38, 888
"	"	"	174	"	A., 210, 153	42, 510

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict' & J. Ch. Soc.
α -Dichlorophenylanthranol	$C_{20}H_{12}Cl_2O$	abt. 170	Baeyer	A., 202, 95	38, 656
Phenol phthalein chloride	$C_6H_4(CO.C_6H_4Cl)_2$	$C_{20}H_{12}Cl_2O_2$	155-156	"	B., 9, 1233	31, 308
" phthalidein chloride	see B., 9, 1238	156	"	B., 9, 1236	31, 309
Phthalin of fluorescein chloride	$O(C_6H_3Cl)_2 \cdot CH.C_6H_4.COOH$ = $(1.1?)_2$; 1.2	$C_{20}H_{12}Cl_2O_3$	226	"	A., 212, 352	42, 1097
" " "	" "	"	229-230 u.c.	Fischer	B., 7, 1213	28, 159
" " "	"	229-230	Baeyer	A., 183, 21	31, 198
Dibenzoyl-dichlorquinol	$(OBz)_2.Cl_2=1.4.3.5$	$C_{20}H_{12}Cl_2O_4$	105	Levy	B., 16, 1446	44, 1117
" " "	" =1.4.3.2 or 6	"	185	A., 210, 149	
" -dichlororesorcinol	" =1.3.(?) ₂	"	127	Reinhard	J. p. [2], 17, 335	34, 726
" -chlororesorcinol	$(OBz)_2.Cl=1.3.? \dots$	$C_{20}H_{13}ClO_4$	98	"	J. p. [2], 17, 327	"
" -chlorquinol	" =1.4.5	"	130	Levy and Schultz	B., 13, 1428	38, 888
" " "	" "	"	130	"	A., 210, 142	42, 509
Phenol hydrophthalidin chloride	$C_6H_3Cl.CH(OH).C_6H_4.CH.$ C_6H_4Cl	$C_{20}H_{14}Cl_2O$	56	Baeyer	A., 202, 97	38, 656
Dichlorotriphenylmethane carboxylic acid	$(C_6H_4Cl)_2CH.C_6H_4.COOH$	$C_{20}H_{14}Cl_2O_2$	195	"	A., 202, 84	38, 655
" " "	"	"	205-206	"	"	"
" ?	$C_{20}H_{15}Cl_3O_2$	137	Liebermann	B., 6, 953	26, 1242; vii., 1061
Dichloroacetyl-hydrocærulig-none	$C_{12}H_2Cl_2(OMe)_4(OAc)_2$	$C_{20}H_{20}Cl_2O_8$	172	Hayduck	B., 9, 929	30, 516
Arachidyl chloride	$C_{19}H_{39}.COCl$	$C_{20}H_{39}ClO$	66-67	Tassinari	B., 11, 2031	36, 307
Benzene resorcinphthalein + $CHCl_3$	$C_6H_3(OH)_2CPh.C_6H_4.COO$	$C_{21}H_{15}Cl_3O_4$	Cryst.(fr. $CHCl_3$)	113-114	Pechmann	B., 14, 1860	
Glycerol stearo-chlorhydrin	$C_3H_5(C_{16}H_{35}O)Cl(OH)$	$C_{21}H_{41}ClO_3$	28	Berthelot	A. C. [3], 41, 225	v., 425
Dithymol trichlorethane	$CCl_3.CH(C_6H_2Me.Pr.OH)_2$	$C_{22}H_{27}Cl_3O_2$	194	Jäger	B., 7, 1197	31, 262
Naphthalfluorescein dichloride	$C_{24}H_{12}Cl_2O_3$	283	Terrisse	A., 227, 133	48, 667
Dibenzoydichlorotetrahydro-naphthalene	$C_{10}H_4.H_4.(OBz)_2.Cl_2$	$C_{24}H_{18}Cl_2O_4$	148-150	B. S., 18, 208	
Dibenzoyldichlorothymoquinol	$C_6Cl_2Me.Pr.(OBz)_2$	$C_{24}H_{20}Cl_2O_4$	190-191	Schulz	B., 15, 658	42, 838
Dibenzoylchlorothymoquinol ?	$C_6HCl.Me.Pr.(OBz)_2$	$C_{24}H_{21}ClO_4$	116-118	"	"	
Dithymoltrichlorethane	$CCl_3.CH(C_6H_2Me.Pr.OH)_2$ + C_2H_6O	$C_{24}H_{25}Cl_3O_3$	184-186	Liquid	Boquillon	J. P. [5], 11, 654	48, 962
Lignocerylchloride	$C_{22}H_{47}.COCl$	$C_{24}H_{47}ClO$	48-50	Hell and Hermann	B., 13, 1720	40, 250
Diacetyl dichlorocatechin	$C_{21}H_{16}Cl_2O_7(OAc)_2$	$C_{25}H_{22}Cl_2O_{11}$	169	Liebermann and Tauchert	B., 13, 695	40, 53
Heptachlorcholesterin	$C_{26}H_{37}Cl_7O$	60	A., 59, 110	
Octochlorlepidine	$C_{28}H_{12}Cl_8O$	97	Dorn	Z. C. [2], 5, 597	vi., 781
Hexa- "	$C_{28}H_{14}Cl_6O$	80-90	"	A., 155, 356	"
Penta- "	$C_{28}H_{15}Cl_5O$	186	"	A., 155, 355	"
Chloride of diphenic anhydride	$C_{28}H_{16}Cl_2O_5$	128	Græbe and Mensching	B., 13, 1304	38, 812
Dichlorlepidine	$C_{28}H_{18}Cl_2O$	156	Dorn	Z. C., 2 [5], 597	vi., 781
" " "	"	169	Zinin	B., 5, 1106	26, 489
Isodichlorlepidine	"	166	"	B., 8, 696	28, 1005
Dichloroxylepidine	$C_{28}H_{18}Cl_2O_2$	178	Dorn	Z. C., 2 [5], 597	vi., 781
" " "	"	202	Zinin	B., 5, 1106	26, 489
" " "	"	230	"	B., 8, 696	28, 1005
Chlorlepidine	$C_{28}H_{19}ClO$	143-146	Dorn	A., 153, 355	
Chloroxylepidine	$C_{28}H_{19}ClO_2$	185	Zinin	B., 5, 1105	26, 489
Hydrodichloroxylepidine	$C_{28}H_{20}Cl_2O_2$	261	"	B., 8, 696	28, 1005
Dichloroxylepidine	$C_{28}H_{20}Cl_2O_3$	182	"	"	"
From Isohydrobenzoin anhydride	$C_{28}H_{23}ClO$	153	Breuer and Zincke	A., 198, 168	38, 117
" " "	$C_{28}H_{24}Cl_2O(l)$	87 (?)	"	"	"
From quassin	$C_{32}H_{39}Cl_3O_8$	119d.	Oliveri and Denaro	G. I., 15, 6	48, 907
Glyceroldipalmitochlorhydrin	$C_3H_5.Cl.(O.C_{16}H_{31}O)_2$	$C_{35}H_{67}ClO_4$	44	Villier	B., 9, 1933	
Tetrachlorabietic acid	$C_{41}H_{60}Cl_4O_5$	124	J., 1861, 391	
Chlorobastin	$C_8H_5Cl_4O_4$	b. 100	Cross and Bevan	41, 109	

(4.) CHClS, CHClSe, and CHClTe.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dichlorthiophene	C ₄ H ₂ Cl ₂ S	170	Weitz	B., 17, 795	46, 1130
Octochlorethyl sulphide	(C ₂ HCl ₄) ₂ S	C ₄ H ₂ Cl ₈ S	160 p.d.	Riche	A. C. [3], 43, 297	ii., 546
" "	"	"	160 p.d.	Regnault	A. C. [2], 71, 406	
" "	"	217-222	Riche	A., 92, 360	
Chlorthiophene	C ₄ H ₃ ClS	130	Weitz	B., 17, 794	46, 1130
Hexachlorethyl sulphide	(C ₂ H ₂ Cl ₃) ₂ S	C ₄ H ₄ Cl ₆ S	189-192	Riche	A., 92, 359	ii., 545
Tetrachlorethyl sulphide	(C ₂ H ₂ Cl ₂) ₂ S	C ₄ H ₆ Cl ₄ S	167-172	"	A. C., 43, 297	"
Chlorphenylsulphhydrate	C ₆ H ₄ Cl.SH	C ₆ H ₅ ClS	53-54	Glutz	A., 143, 109	vi., 919
Dichlor-β-ethylthiophene	C ₂ SHCl ₂ .Et	C ₂ H ₆ Cl ₂ S	235-237c	Liquid	Bonz	B., 18, 551	48, 767
Chlorbenzyl sulphhydrate	C ₆ H ₄ Cl(CH ₂ .SH)=1.4	C ₇ H ₇ ClS	19(?) ; 19-20	Jackson and White	B., 13, 1218 ; A. C. J., 2, 167	36, 879 ; 40, 807
" "	" "	"	77-78	Beilstein	A., 161, 348	
" "	" "	"	84-85	"	"	
" "	" "	"	84-85	Neuhof	A., 147, 346	
Dithienyl dichlorethylene	CCl ₂ :C(C ₄ H ₃ S) ₂	C ₁₀ H ₆ Cl ₂ S ₂	Liquid	Peter	B., 17, 1343	46, 1001
" trichlorethane	CCl ₂ .CH(C ₄ H ₃ S) ₂	C ₁₀ H ₇ Cl ₂ S ₂	76	"	B., 17, 1342	"
" ?	C ₁₀ H ₂₀ Cl ₂ S ₂	240-250	Guthrie	A., 121, 108	v., 1077
Dichlorphenyl sulphide	(C ₆ H ₄ Cl) ₂ S	C ₁₂ H ₈ Cl ₂ S	88-89	Krafts	B., 7, 1165	28, 153
Dichlorphenyl disulphide	(C ₆ H ₄ Cl) ₂ S ₂	C ₁₂ H ₈ Cl ₂ S ₂	71	Glutz	A., 143, 111	vi., 919
Chlorbenzyl sulphide	(C ₆ H ₄ Cl.CH ₂) ₂ S=?	C ₁₄ H ₁₂ Cl ₂ S	Liquid	Pauly	A., 167, 187	
" "	" = (1.4) ₂	"	42	Jackson and White	B., 13, 1217	38, 879
" disulphide	(C ₆ H ₄ Cl.CH ₂) ₂ S ₂ =(1.4) ₂	C ₁₄ H ₁₂ Cl ₂ S ₂	59	"	A. C. J., 2, 166	40, 807
Dichlorthionessal	C ₂₃ H ₁₈ Cl ₂ S	219	Dorn	A., 153, 351	vi., 1087
Dimethyl selenio-dichloride	Me ₂ SeCl ₂	C ₂ H ₆ Cl ₂ Se	d. 70	59.5	Jackson	B., 8, 110	28, 553
Dimethyl telluro-dichloride ...	Me ₂ TeCl ₂	C ₂ H ₆ Cl ₂ Te	97.5	Wöhler and Dean	A., 93, 233	iii., 992

(5.) CHClN.

Trichlorguanidine	CH ₂ Cl ₃ N ₃	115-120	Beilstein and Kurbatow	B., 7, 731	27, 1097
Methyl nitrogen dichloride....	CH ₃ .NCl ₂	CH ₃ Cl ₂ N	59-60 u.c.	Liquid	Köhler	B., 12, 771	36, 781
Formamidine hydrochloride	NH:CH.NH ₂ +HCl	CH ₆ ClN ₂	81	Gautier	A., 145, 118	
" "	"	"	81	Claisen & Matthews	B., 16, 310	41, 266
Methylamine hydrochloride .	NH ₂ Me+HCl	CH ₆ ClN	abt. 100	Wurtz	C. R., 28, 223 & 322	iii., 997
Dichloracetonitril	CHCl ₂ .CN	C ₂ HCl ₂ N	112-113	Bisschopinck	B., 6, 732	26, 1128
" "	(C ₂ HCl ₂ N) _n	69-70	Weddige & Körner	J. p. [2], 31, 176	48, 739
Chloracetonitril	CH ₂ Cl.CN	C ₂ H ₂ ClN	126-127 p.d.	Engler	B., 6, 1003	27, 76
" "	"	"	123-124	Bisschopinck	B., 6, 732	26, 1128
Ethyl nitrogen dichloride	C ₂ H ₅ .NCl ₂	C ₂ H ₅ Cl ₂ N	91	Wurtz	A. C. [3], 30, 474	ii., 558
" "	"	"	88-89 (762)	liquid-30	Tscherniak	B., 9, 147	29, 913
" "	"	"	86-91	Köhler	B., 12, 771	36, 781
Dichlorethylamine	CH ₂ Cl.CHCl.NH ₂	"	136	Abeljanz	B., 4, 986	25, 607
Hydrogen cyanide sesqui-hydrochloride	2HCN+3HCl	C ₂ H ₅ Cl ₃ N ₂	180 d.	Claisen & Matthews	B., 16, 309	
Acetamidine hydrochloride....	NH:CMe.NH ₂ +HCl	C ₂ H ₇ ClN ₂	164-165	Pinner	B., 17, 178	46, 723
Ethylamine hydrochloride	NH ₂ .Et+HCl	C ₂ H ₅ ClN	abt. 80	Köhler	B., 12, 1871	
" "	"	"	315-320	76-80	Wurtz	C. R., 28, 223, 323	ii., 557
" ?	HCN+(CN) ₂ Cl ₂	C ₃ HCl ₂ N ₃	20	"	A., 44, 308; 79, 280	ii., 280
α-Dichlorpropionitril	CH ₃ .CCl ₂ .CN	C ₃ H ₃ Cl ₂ N	104-107	Otto	A., 116, 199	ii., 532; iv., 736
" "	"	"	103-107	Liquid	Backurts and Otto	B., 9, 1593	31, 298
" "	"	"	105	Liquid	"	"	"
" "	(C ₃ H ₃ Cl ₂ N) _n	73.5	Beckurts and Otto	B., 10, 263	32, 182
" "	"	73.5	"	B., 10, 2040	34, 285
" "	"	74.5	Otto	A., 116, 199	ii., 532; iv., 736

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Chlorpropionitril	CH_3CHClCN	$\text{C}_3\text{H}_4\text{ClN}$	121-122	Liquid	Backunts and Otto	B., 9, 1592	31, 298
Propionitril hydrochloride	$\text{C}_2\text{H}_5\text{CN} + \text{HCl}$	$\text{C}_2\text{H}_5\text{ClN}$	121	Gautier	C. R., 63, 921	vi., 524
Propionamidine hydrochloride	$\text{NH}:\text{C}(\text{Et})\text{NH}_2 + \text{HCl}$	$\text{C}_3\text{H}_9\text{ClN}_2$	d. 230	133	Pinner and Klein	B., 11, 1484	36, 47
" "	"	"	129	Pinner	B., 17, 178	46, 723
Isodimethyl formamidine hydrochloride	$\text{NH}:\text{CH}_2\text{NMe}_2 + \text{HCl}$	"	168-169	"	B., 16, 1650	44, 1090
Propylamine hydrochloride....	$\text{Me}(\text{CH}_2)_2\text{NH}_2 + \text{HCl}$	$\text{C}_3\text{H}_{10}\text{ClN}$	a. 100+	Mendius	A., 121, 129	v., 891
" "	"	"	139.5	Gautier	C. R., 67, 723	vi., 966
" "	"	"	155-158	Linnemann	A., 161, 43	25, 236
Tetrachlorpyrroline	$\text{C}_4\text{HCl}_4\text{N}$	110 d.	Ciamician & Silber	B., 16, 2391	46, 292
α -Chlorcrotonitril	$\text{CH}_3\text{CH}:\text{CCl.CN}$	$\text{C}_4\text{H}_4\text{ClN}$	136	Liquid	Sarnow	B., 5, 470	25, 690
Chloroxalmethylene	$\text{C}_4\text{H}_5\text{Cl}_2\text{N}$	204-205	Liquid	Wallach	A., 184, 53	32, 185
" "	"	205	Wallach & Schulze	B., 14, 422	40, 572
Ethylcyanide + cyanogenchloride	$\text{Et.CN} + \text{CNCl}$	"	60-68	Henke	A., 106, 289	ii., 280
Trichlorbutylenimine	$\text{CCl}_3\text{CH}_2\text{CH}_2\text{CH}:\text{NH}$	$\text{C}_4\text{H}_6\text{Cl}_3\text{N}$	d. 192	164-165	Pinner and Klein	B., 11, 1491	36, 42
" "	"	"	169-170	Schiff	B., 11, 2167	36, 452
Dichloracetethylimidechloride	$\text{CHCl}_2\text{CCl}:\text{NEt}$	"	161-164	Wallach and Kamenske	B., 13, 517	38, 547
Hydropyrroline hydrochloride	$\text{C}_4\text{H}_7:\text{N} + \text{HCl}$	$\text{C}_4\text{H}_8\text{ClN}$	173-174	Ciamician & Dennstedt	B., 16, 1539	44, 1142
Butylamine hydrochloride	$\text{CH}_3(\text{CH}_2)_3\text{NH}_2 + \text{HCl}$	$\text{C}_4\text{H}_{12}\text{ClN}$	195	Linnemann & Zotta	A., 162, 3	vii., 222; 25, 475
Isobutylamine hydrochloride	$\text{CHMeEt.NH}_2 + \text{HCl}$	"	b. 100	Wurtz	A., 93, 124	v., 737
" "	"	"	160	Linnemann	A., 162, 3	25, 477
" "	"	"	160	Brauner	A., 192, 65	34, 779
Butylamine hydrochloride	$\text{CMe}_3\text{NH}_2 + \text{HCl}$	"	a. 250	Linnemann	A., 162, 7	vii., 223; 25, 477
" "	"	"	270-280	Brauner	A., 192, 65	34, 779
Trichlorpyridine	$\text{C}_5\text{H}_2\text{Cl}_3\text{N}$	48	Königs and Geigy	B., 17, 594	46, 1195
" "	"	49-50	"	B., 17, 1834	46, 1369
" ?	$\text{C}_5\text{H}_2\text{Cl}_4\text{N}_2$	212	Pechmann & Stokes	B., 18, 2291	48, 1202
Dichlorpyridine	$\text{C}_5\text{H}_3\text{Cl}_2\text{N}$	66-67	Königs and Geigy	B., 17, 1833	46, 1369
" ?	$\text{C}_5\text{H}_3\text{Cl}_3\text{N}_2$	157.5	Pechmann & Stokes	B., 18, 2291	48, 1202
Chlorpyridine (cf. B., 15, 1179)	$\text{N.Cl}=1.2$	$\text{C}_5\text{H}_4\text{ClN}$	148 (743.5)	Ciamician & Dennstedt	B., 14, 1154	40, 826
" "	"	"	147-148	Liquid	Haitinger & Lieben	M. C., 6, 279	48, 966
Chloroxalmethylethyline	$\text{C}_5\text{H}_7\text{Cl}_2\text{N}$	212-213	"	Wallach and West	B., 9, 264	30, 184
" "	"	212-213	"	Wallach	A., 184, 72	32, 187
Diethylformamidine hydrochloride	$\text{NEt}_2\text{CH}:\text{NH} + \text{HCl}$	$\text{C}_5\text{H}_{13}\text{Cl}_2\text{N}_2$	125	Pinner	B., 17, 180	46, 724
Piperylhydrazine hydrochloride	$\text{C}_5\text{H}_{10}\text{N.NH}_2 + \text{HCl}$	"	162	Knorr	B., 15, 860; A., 221, 297	42, 1115; 46, 467
Hexachlor- α -picoline	$\text{C}_5\text{HCl}_5\text{N.CCl}_3$	$\text{C}_6\text{HCl}_6\text{N}$	60	Ost	J. p., 27, 277	44, 793
" "	"	"	60	Bellmann	J. p. [2], 29, 1	46, 841
Pentachloraniline	$\text{C}_6\text{Cl}_5\text{NH}_2$	$\text{C}_6\text{H}_2\text{Cl}_5\text{N}$	235	Langer	B., 15, 1331	42, 1058
" "	"	"	232	A., 215, 120	
Trichlormethylpurine	$\text{C}_5\text{N}_4\text{MeCl}_3$	$\text{C}_6\text{H}_3\text{Cl}_3\text{N}_4$	174	Fischer	B., 17, 331	46, 996
Tetrachloraniline	$\text{NH}_2\text{Cl}_4=1.2.3.4.6$	$\text{C}_6\text{H}_3\text{Cl}_4\text{N}$	cf. B., 10, 270	88	Beilstein and Kurbatow	B., 11, 1863; A., 196, 236	31, 707; 36, 144
" "	" =1.2.3.5.6	"	"	90	"	"	"
" "	" =1.2.3.4.5	"	"	118	"	"	"
Trichloraniline	$\text{NH}_2\text{Cl}_3=1.2.3.4$	$\text{C}_6\text{H}_4\text{Cl}_3\text{N}$	292 c.	67.5	"	"	"
" "	"	"	cf. 10, 270	67.5	"	B., 9, 1688	31, 473, 707
" "	" =1.2.4.6	"	77	Langer	B., 15, 1064	
" "	"	"	77.5	Körner	31, 706
" "	"	"	78-79	Pierson and Heumann	B., 16, 1049	44, 915
" "	"	"	77.05	Mills	P. M. [4], 49, 21	28, 648
" "	"	"	77.068	"	P. R. [1881], 205	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trichloraniline	NH ₂ .Cl ₃ =1.2.4.6	C ₆ H ₄ Cl ₃ N	260 c. (752)	77.5	Beilstein and Kurbatow	B., 8, 1656	29, 713
"	" "	"	262 c.	77.5	"	B., 11, 1862	36, 143
"	" "	"	80	Wegenhöffer	J. p. [2], 16, 451	34, 297
"	" =1.2.4.5	"	94-95	Beilstein and Kurbatow	B., 9, 579	30, 294
"	" "	"	95	"	B., 9, 1688	31, 473
"	" "	"	95-96	"	B., 11, 1860	36, 143
"	" "	"	270	96.5	Lesimple	A., 137, 125	vi., 921
Quinone dichlordiimide	C ₆ H ₂ Cl ₂ .NH.NH	C ₆ H ₄ Cl ₂ N ₂	124 d.	Krause	B., 12, 48	
Tetrachlor-diamidobenzene	(NH ₂) ₂ .Cl ₄ =1.4.2.3.5.6	C ₆ H ₄ Cl ₄ N ₂	p. d. 200	218 n. c.	"	B., 12, 51	36, 462
NH ₃ on (trichloracetoneitril) _n	C ₆ Cl ₇ N ₃ (NH ₂) ₂	C ₆ H ₄ Cl ₇ N ₅	165	Weddige	J. p. [2], 28, 188	46, 35
Dichloraniline	NH ₂ .Cl ₂ =1.2.3	C ₆ H ₅ Cl ₂ N	252 c.	23-24	Beilstein and Kurbatow	B., 10, 2090 ; 11, 1861 ; A., 196, 217	34, 299 ; 36, 143
"	" =1.2.6	"	39	"	B. S. [2], 30, 25 ; A., 196, 219 ; B., 11, 1861	34, 974 ; 36, 143
"	" = ?	"	49.5	Laubenheimer	B., 7, 1601	28, 759
"	" =1.2.5	"	251	50	Jungfleisch	A. C. [4], 15, 252	
"	" "	"	251	50	Beilstein and Kurbatow	A., 196, 215 ; B., 9, 1688 ; 10, 2089 ; 11, 1861, 2057	31, 473 ; 34, 299 ; 36, 143, 231
"	" =1.3.5	"	259-260 (740.6)	50.5	"	"	"
"	" "	"	50.5	Witt	B., 8, 145	
"	" =1.2.4	"	63-64	Pierson and Henmann	B., 16, 1049	44, 915
"	" "	"	61.9	Körner	G. I., 4, 305	29, 215
"	" "	"	239 n. c.	62.5	Witt	B., 7, 1602	28, 759
"	" "	"	245 c.	63	Beilstein and Kurbatow	A., 196, 219 ; B., 7, 1761 ; 8, 693 ; 10, 270, 2089 ; 11, 1861	28, 451, 1037 ; 31, 706 ; 34, 299 ; 36, 143
"	" =1.3.4	272	71.5	"	"	"
Chloraniline	NH ₂ .Cl = 1.2	C ₆ H ₆ ClN	207 c.	Liquid-14	"	B., 7, 487, 1395	27, 806 ; 28, 363
"	" "	"	Liquid	Jungfleisch	A. C. [4], 15, 186	vii., 145
"	" = 1.3	"	230 c.	Liquid	Beilstein and Kurbatow	B., 7, 1399	28, 364
"	" "	"	Liquid	Körner	G. I., 4, 305	29, 233
"	" = 1.4	"	Solid	"	"	"
"	" "	"	64	Griess	vi., 921
"	" "	"	64	Heumann	B., 5, 915	26, 168
"	" "	"	64	Gabriel	B., 11, 2260	36, 323
"	" "	"	a. 200	65	vi., 439
"	" "	"	69.5	Laubenheimer	B., 9, 1827	31, 594
"	" "	"	69.706	Mills	P. R. [1881], 205	
"	" "	"	69.69	"	P. M. [4], 49, 21	28, 648 ; vii., 905
"	" "	"	230-231 c.	69-70 ; a. s. 70-71	Beilstein and Kurbatow	B., 7, 1395 ; A., 182, 94	28, 362 ; 30, 361
"	" "	"	231	Solid	"	B., 7, 487	27, 806
"	" "	"	70	Wallach and Huth	B., 9, 425	30, 97
Chlor- α -picoline	"	164-165 n. c.	21	Ost	J. p. [2], 27, 278	44, 793
Chlorpicoline	id. with preceding	"	160-170	Ciamician and Dennstedt	B., 14, 1162	40, 827
Dichlordiamidobenzene	(NH ₂) ₂ .Cl ₂ = 1.2.3.5	C ₆ H ₆ Cl ₂ N ₂	60.5	Witt	B., 7, 1604	28, 759
"	" = 1.4.2.6	"	123.5	"	B., 8, 145	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlordiamidobenzene (NH ₂) ₂ Cl = 1.2.4	C ₆ H ₇ ClN ₂	72	Beilstein and Knr- batow	B., 8, 693; 9, 634	28, 1037; 30, 309
" " "	"	72	Laubenheimer	B., 9, 773	30, 295
" " = 1.3.4	"	86	Beilstein and Kur- batow	B., 11, 1939; A., 197, 76	36, 144
Aniline hydrochloride C ₆ H ₅ .NH ₂ + HCl	C ₆ H ₅ ClN	192	Pinner	G. J. C., 1881	
Picoline C ₆ H ₇ N.HCl	"	160	Ramsay	P. M. [5], 2, 271	38, 263
Chlorcyanmethine	C ₆ H ₅ ClN ₃	+ 3H ₂ O	165 n. c.	Baeyer	B., 4, 176	
Chlorcyanmethine dichloride C ₆ H ₅ ClN ₃ .Cl ₂	C ₆ H ₅ Cl ₃ N ₃	s. b. 200	Keller	J. p. [2], 31, 363	48, 961
Chloroxaethyline	C ₆ H ₉ ClN ₂	217-218	s. f. m.	Wallach	B., 7, 327	27, 985
"	"	217-218	ord. temp.	"	A., 184, 40	32, 184
Di(chlorallyl)amine (C ₃ H ₄ Cl) ₂ NH	C ₆ H ₉ Cl ₂ N	194 d.	Engler	B. S. [2], 9, 134	vi., 95
" hydrochloride " + HCl	C ₆ H ₁₀ Cl ₃ N	b. 100	"	"	"
α-methylpiperidine C ₆ H ₁₃ N + HCl	C ₆ H ₁₄ ClN	189	Ladenburg & Roth	B., 18, 48	48, 557
Capronamidine hydrochloride NH:C(C ₅ H ₁₁).NH ₂ + HCl	C ₆ H ₁₅ ClN ₂	106-107	Pinner	B., 17, 178	48, 723
Isobutylbiguanide NH(CH ₂ Pr ⁸).C(NH).NH. C(NH).NH ₂ + HCl	C ₆ H ₁₆ ClN ₅	216	Smolka	M. C., 4, 815	48, 288
" dihydrochloride " + 2HCl	C ₆ H ₁₇ Cl ₂ N ₅	194	"	"	"
Chlorbenzotriline C ₆ H ₄ Cl.CN = 1.2	C ₇ H ₄ ClN	232 n. c.	42-43	Henry	B., 2, 493	
" " = 1.3	"	39	Griess	B., 2, 370	vii., 427
" " = ?	"	b. 40	Limpricht	i., 564
From o-nitrobenzaldehyde	"	82-84	Rudolph	B., 13, 311	38, 469
Isocyanophenyl chloride Ph.N : CCl ₂	C ₇ H ₅ Cl ₂ N	211-212	Liquid	Sell and Zierold	B., 7, 1229	28, 270
" " "	"	212	Hofmann	B., 12, 1127	38, 805
Trichlortoluidine Me.Cl ₃ .NH ₂ =1.2.4.6.3	C ₇ H ₆ Cl ₃ N	91	A., 187, 278	
" " = 1.2.4.5.?	"	94-95	Seelig	B., 18, 423	48, 770
" " = 1.2.3.4.?	"	105	"	"	"
Dichlortoluidine Me.Cl ₂ .NH ₂ =1.2.4.6	C ₇ H ₇ Cl ₂ N	259	88	Wroblewsky and Pirogow	Z. C. [2], 6, 164	vii., 1167, 1177
" " "	"	259	88	Wroblewsky	A., 168, 213	27, 56
Trichlordiamidotoluene Me.Cl ₃ (NH ₂) ₂ =1.2.4.5.3.6	C ₇ H ₇ Cl ₃ N ₂	196	Seelig	B., 18, 423	48, 770
" " = 1.2.3.4.5.6	"	195-207 d.	"	"	"
Chlormethylaniline Cl.NHMe=1.3	C ₇ H ₅ ClN	240	Liquid	Coste and Bodewig	B., 18, 431	48, 793
Chlorbenzylamine Cl.(CH ₂ .NH ₂)=1.4	"	Liquid	Jackson and Field	A. C. J., 2, 95	40, 806
" " = ?	"	Liquid	Berlin	A., 151, 144	vi., 338
Chlortoluidine Me.Cl.NH ₂ =1.3.4	"	222	Liquid	Wroblewsky	Z. C. [2], 5, 322; A., 168, 197	vi., 1104; 27, 54
" " = 1.4.6(?)	"	236	Liquid	Henry and Radzis- zewsky	Z. C. [2], 5, 542	vi., 1104
" " "	"	238	Liquid-14	Wroblewsky	Z. C. [2], 6, 683	vi., 1105
" " "	"	238	Liquid-20	"	A., 168, 197	27, 55
" " = 1.4.3	"	18	Engelbrecht	B., 7, 797	27, 986
" " = 1.2.?	"	26	Lellmann	B., 17, 535	48, 1133
" " = 1.4.6(?)	"	28-29	Engelbrecht	B., 7, 797	27, 986
" " "	"	241	29.5	Beilstein and Kühl- berg	Z. C. [2], 6, 102	vii., 1177
" " = 1.4 ?	"	241	83	Wroblewsky	Z. C. [2], 6, 683	vi., 1105
" " "	"	241	83	"	A., 168, 147	27, 55
" " "	"	237-242	"	Z. C., 12, 684	
" " "	"	243	85	Henry and Radzis- zewsky	Z. C. [2], 6, 157	vi., 1105
Chlormethylaniline hydro- chloride Cl.NHMe=1.3	C ₇ H ₉ Cl ₂ N	164	Coste and Bodewig	B., 18, 430	48, 793
Chlorbenzylamine hydro- chloride Cl.(CH ₂ .NH ₂)=?	"	197	Berlin	A., 151, 144	vi., 339
" " = 1.4	"	239-241	Jackson and Field	A. C. J., 2, 95	40, 805
Benzylamine Ph.CH ₂ .NH ₂ +HCl	C ₇ H ₁₀ ClN	235-240	Spica	G. I., 10, 515	40, 262
Glyoxalisoamyline C ₇ H ₁₂ N ₂ +HCl	C ₇ H ₁₃ ClN ₂	135-136	Radziszewsky & Szul	B., 17, 1291	48, 985
α-γ-hydrolutidine C ₇ H ₁₅ N + HCl	C ₇ H ₁₆ ClN	235	Ladenburg & Roth	B., 18, 919	48, 816
Phenyldichloracetoneitril C ₆ H ₅ .CCl ₂ .CN	C ₈ H ₅ Cl ₂ N	223-224	Claisen	B., 12, 626	
Chloroxindole chloride C ₆ H ₄ .CCl : CCl.NH=1.2	"	cf. B., 15, 786	103-104	Baeyer	B., 12, 458	36, 535

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorphenylacetonitril	$C_6H_4Cl(CH_2.CN)=1.4$	C_8H_6ClN	Liquid	Neuhof	A., 147, 347	40, 806
"	"	"	29	Jackson and Field	A. C. J., 2, 85	40, 803
Tolyldichlorcarbimide	$CH_3.CNCl_2=1.2$	$C_8H_7Cl_2N$	218	Lachmann	B., 12, 1349	36, 935
Trichlorodimethylaniline	$NMe_2.Cl_3=1.2.4.6(?)$	$C_8H_5Cl_3N$	257	32	Krell	B., 5, 879	26, 279
Dichlorodimethylaniline	$NMe_2.Cl_2=1.2.4(?)$	$C_8H_5Cl_2N$	234	Liquid	"	"	"
Acetanilide chloride	$Ph.NH.CCl_2.CH_3$	"	b. 50	Wallach and Hofmann	B., 8, 1570; A., 184, 88	29, 604
Chlordimethylaniline	$NMe_2.Cl=?$	$C_8H_{10}ClN$	212	Liquid	Krell	B., 5, 879	26, 279
"	" = 1.3	"	231-233	Liquid	Baur and Städel	B., 16, 32	44, 579
Chlorethylaniline	$NH.Et.Cl=1.4$	"	Liquid b. 0	Hofmann	A., 74, 143	iv., 451
Chlorxylidine	$Me_2.NH_2.Cl=1.3.4?$	"	89	Tawildarow	Z. C., 1870, 419	
"	" = 1.4.5.?	"	92-93	Jannasch	A., 176, 55	
"	" = 1.4.5.2	"	92	Kluge	B., 18, 2098	
Chlorethylphenylamine hydrochloride	$NHPh.C_2H_4Cl + HCl$	$C_8H_{11}Cl_2N$	158	Nemirowsky	J. p. [2], 31, 173	48, 741
Phenylethylamine hydrochloride	$Ph.CH_2.CH_2.NH_2 + HCl$	$C_8H_{12}ClN$	217	Filati	G. I., 8, 446	36, 719
"	"	"	217	Filati and Piccini	B., 12, 1308	36, 922
"	"	"	217	Spica	G. I., 9, 555	38, 241
Xylylamine hydrochloride	$Me.C_6H_4.CH_2.NH_2 + HCl$	"	185	Pieper	A., 151, 129	vi., 1132
"	"	"	a. 230 d.	Colombo and Spica	G. I., 1875, 124	28, 895
Chloroxalpropyline	$C_8H_{13}ClN_2$	235	Wallach & Schulze	B., 13, 516	38, 547
"	"	236	"	B., 14, 423	40, 572
Di(chlorallyl)ethylamine	$(C_2H_4Cl)_2.N.Et$	$C_8H_{13}Cl_2N$	s.a. 200	Engler	B. S. [2], 9, 134	vi., 95
Hydro- α -isopropylpyridine hydrochloride	$C_8H_{14}ClN$	208-210	Ladenburg	B., 18, 1589	48, 992
α -isopropylpiperidine hydrochloride	$C_8H_{17}N + HCl$	$C_8H_{18}ClN$	206	"	B., 17, 1679	46, 1386
Coniine hydrochloride	"	"	$C_8H_{16}ClN(?)$	218	"	"	"
Copellidine	"	"	171	Dürkopf	B., 18, 923	48, 817
Trichlorquinoline	$C_9H_4Cl_3N$	107.5 u.c.	Rugheimer	B., 17, 738	46, 1050
"	"	140	Feer and Königs	B., 18, 2396	48, 1235
"	"	160.5	Friedländer and Weinberg	B., 15, 1425	42, 1209
α - γ -dichlorquinoline	$N.Cl.Cl=\alpha_1\beta_1\alpha_2$;	$C_9H_5Cl_2N$	67	Baeyer and Bloem	B., 15, 2150, 2152	44, 196
"	"	"	280-282	67	Friedländer and Weinberg	B., 15, 2683	
"	" = $\alpha_1\beta_1\beta_2$;	"	104	"	B., 15, 2679	44, 351
α -3-	"	"	104-105	Baeyer	B., 12, 1321	36, 946
p-	" = α_1 ; $\alpha_1\alpha_2$	"	92-93	Coste	B., 15, 561	42, 979
m-	" = α_1 ; $\alpha_1\beta_2$	"	103-104	"	"	"
Chlorquinoline	$N.Cl=\alpha_1$; β_2	C_9H_6ClN	256	Liquid	"	B., 15, 559	"
"	" = meta	"	264-266	Liquid	Coste and Bodewig	B., 17, 926	46, 1197
"	" = $\alpha_1\beta_1$;	"	266-267	37-38	Friedländer and Ostermeier	B., 15, 334	42, 732
Anhydroamidotoloxamic chloride	$C_6H_3Me.N : CCl.CCl : N$ = 1.3.4	$C_9H_6Cl_2N_2$	114-115	Hinsberg	B., 16, 1533	44, 1129
Methylchloroxindole	$C_8H_4.CCl : CCl.NMe=1.2$	$C_9H_7Cl_2N$	58-59	Baeyer	B., 15, 786	42, 1103
Tetrachloreyanconine	$C_9H_{10}Cl_3N_2Cl$	$C_9H_{10}Cl_4N_2$	Liquid	Riess	J. p. [2], 30, 145	48, 236
Dimethylbenzamidochloride	$Ph.CCl_2NMe_2$	$C_9H_{11}Cl_2N$	36	Hallmann	B., 9, 846	30, 418
Tetrahydroquinoline hydrochloride	$C_9H_{11}N + HCl$	$C_9H_{12}ClN$	180-181	Hoffmann and Königs	B., 16, 729	44, 1143
Trichloreyanethine	$C_9H_{12}Cl_3N_3$	110	Riess	J. p. [2], 30, 145	48, 236
Propylphenylamine hydrochloride	$C_6H_4.Pr^a.NH_2=1.4$	$C_9H_{14}ClN$	203-204	Francksen	B., 17, 1221	46, 1007
Cumidine hydrochloride	$C_6H_4.Pr^b.NH_2=?$	"	62	Schaper	Z. C. [2], 3, 12	vi., 516
Triacetaminamide hydrochloride	$CMe_2.CH_2.CO.CH_2.CMe_2.NH$	$C_9H_{18}ClN$	293	Fischer	B., 16, 650	44, 790
Methyltrichlorquinoline	$C_9NH_3MeCl_3$	$C_{10}H_6Cl_3N$	134	Rügheimer and Hoffmann	B., 17, 741	46, 1023
β -dichloronaphthylamine	$C_{10}H_5Cl_2.NH_2$	$C_{10}H_7Cl_2N$	104	Widmann	B. S. [2], 28, 510	32, 900

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
η -dichloronaphthylamine ...	$C_{10}H_5Cl_2.NH_2$	$C_{10}H_7Cl_2N$	94	Cleve	B. S. [2], 29, 500	34, 736
Chloronaphthylamine ...	$NH_2.Cl = a_1 a_2$;	$C_{10}H_5ClN$	85-86	Atterberg	B., 10, 548	
" " " " " " " "	" = a_1 ; a_1	"	93-94	"	"	
" " " " " " " "	" " "	"	93-94	"	B., 9, 1731	
" " " " " " " "	" = ?	"	98	Seidler	B., 11, 1201	34, 983
Methylchlorquinoline	$N.Me.Cl = a_1 \beta_1 a_2$;	"	290	59	Knorr and Antrick	B., 17, 2878	48, 274
ϵ -dichlordiamidonaphthalene	Cl ; Cl	$C_{10}H_3Cl_2N_2$	204-205	Alén	B. S. [2], 36, 433	42, 410
Quinoline methochloride	$C_9H_7N.MeCl + H_2O$	$C_{10}H_{10}ClN$	126	Ostermeyer	B., 18, 593 ; C.C., 1884, 970	48, 672
Tetrahydroquinoline methochloride	$C_9H_{11}N.MeCl + H_2O$	"	244	"	"	"
Chlor- a -naphthonitril	$C_{10}H_6Cl.CN$	$C_{11}H_6ClN$	145	Ekstrand	B., 17, 1604	46, 1361
Tetrachlordispoline (tetrachlorcryptidine)	$C_{11}H_7Cl_4N$	135	Zorn	J. p. [2], 8, 304	27, 484
" ?	$CPh : N.CCl.CH.CMe : N$	$C_{11}H_9ClN_2$	71	Pinner	B., 17, 2520	48, 159
Ethylchlorquinoline	$N.Cl.Et = a_1 \beta_1 \beta_2$;	$C_{11}H_{10}ClN$	72-73	Baeyer & Jackson	B., 13, 120	38, 407
β -naphthimidoamide hydrochloride	$C_{10}H_7.C(NH_2) : NH + HCl$	$C_{11}H_{11}ClN_2$	224-226	Pinner and Klein	B., 11, 1486	36, 48
Quinoline ethochloride	$C_9H_7N.EtCl + H_2O$	$C_{11}H_{12}ClN$	92.5	Claus and Tosse	B., 16, 1278	44, 1009
Octochlorcarbazole	$C_6Cl_4.NH.C_6Cl_4$	$C_{12}HCl_8N$	275	Knecht	A., 202, 29	38, 661
Hexachlorcarbazole	$C_{12}H_3Cl_6N$	225 d.	"	A., 202, 28	"
Dichlorazophenylene	$Fr. C_6H_4.N.C_6H_4N$	$C_{12}H_6Cl_2N_2$	144	Claus	B., 8, 604	28, 899
Trichlorcarbazole	$C_{12}H_6Cl_3N$	180	Knecht	A., 202, 28	38, 660
Tetrachlordiphenylamine	$NH.(C_6H_3Cl_2)_2$	$C_{12}H_7Cl_4N$	133-134	Gnehm	B., 8, 1040	29, 265
Azoamidodichlorbenzene	$C_6H_3Cl_2.N_2.C_6H_2Cl_2.NH_2$	$C_{12}H_7Cl_4N_3$	126.5	Griess	A., 121, 275	iv., 460
Dichlorazobenzene	$C_6H_4Cl.N_2.C_6H_4.Cl = (1.3)_2$	$C_{12}H_8Cl_2N_2$	101	Laubenheimer	B., 8, 1625	29, 578
" " " " " " " "	" = $(1.4)_2$	"	183 u.c.	Willgerodt	B., 14, 2637	
" " " " " " " "	" " "	"	183	Heumann	B., 5, 914	vii., 150
" " " " " " " "	" " "	"	184	Hofmann & Geyger	B., 5, 918	26, 168
" " " " " " " "	" " "	"	183	Calm & Heumann	B., 13, 1182	38, 880
" " " " " " " "	" " "	"	185	Willgerodt	B., 14, 2635	42, 396
Dichlordiphenylamine	$NH(C_6H_4Cl)_2$	$C_{12}H_9Cl_2N$	80 u.c.	Claus and Schaare	B., 15, 1286	
Azoamidodichlorbenzene	$C_6H_3Cl.N_2.C_6H_4Cl.NH_2$	$C_{12}H_9Cl_2N_3$	124.5	Griess	A., 121, 271	iv., 460
Chloramidodiphenyl....	$C_6H_3.Ph.NH_2.Cl = 1.2.?$	$C_{12}H_{10}ClN$	48	Lüddens	B., 8, 872	
Di-chlorhydrazobenzene	$(Cl.C_6H_4.NH_2)_2 = (1.3)_2$	$C_{12}H_{10}Cl_2N_2$	94	Laubenheimer	B., 8, 1624	29, 578
" " " " " " " "	" = $(1.4)_2$	"	122	Hofmann & Geyger	B., 5, 918	26, 169 ; vii., 151
" " " " " " " "	" " "	"	122	Calm & Heumann	B., 13, 1181	38, 880
Dichlordiamidodiphenyl	$(C_6H_3Cl.NH_2)_2 = (?.4.1)_2$	"	60	Schultz	B., 17, 464	46, 903
" " " " " " " "	" = $(4.3.1)_2$	"	163	"	B., 17, 465	"
" " " " " " " "	" " "	"	163	Laubenheimer	B., 8, 1625	29, 578
Ethyl β -naphthylamine hydrochloride	$C_{10}H_7.NHEt + HCl$	$C_{12}H_{14}ClN$	235	Henriques	B., 17, 2669	48, 168
Trimethylquinoline " "	$C_9NH_3.Me_3 + HCl$	"	260	Pfitzinger	J. p. [2], 32, 240	48, 1246
p-dimethamidoquinoline methochloride	$C_9NH_6.NMe_2 + MeCl$	$C_{12}H_{15}ClN_2$	+ H_2O	244	Ostermeyer	B., 18, 596 ; C.C. 1884, 970	48, 672
Hydro-p-dimethamidoquinoline methochloride	$C_9NH_{10}.NMe_2 + MeCl$	$C_{12}H_{19}ClN_2$	+ $2H_2O$	220	"	"	"
Chloroxalisoamylene	$C_{12}H_{21}ClN_2$	267-270	Liquid	Wallach	A., 214, 316	44, 49
" " " " " " " "	"	265-270	Liquid	Wallach & Schulze	B., 13, 516	38, 547
Methyltetrachlordiphenylamine	$NMe(C_6H_3Cl_2)_2$	$C_{13}H_9Cl_4N$	96-97	Gnehm	B., 8, 1041	29, 265
Benzanilideimide chloride	$Ph.CCl : N.Ph.$	$C_{13}H_{10}ClN$	abt. 310	39-40	Wallach & Hofmann	B., 8, 313	28, 1031
Dichlordiphenylguanidine	$C_{13}H_{11}Cl_2N_3$	140-141	B. S., 32, 170	
α -anidotolyl-phenylhydrochloride	$Fr. C_6H_4PhMe = 1.4$	$C_{13}H_{14}ClN$	280-283 p.d.	Carnelley	29, 21	
? " " " " " " " "	"	200	Jackson	B., 10, 961	32, 606
Benzylidene phenyldiamine hydrochloride	$NHPh.CHPh.NH_2 + HCl$	$C_{13}H_{15}ClN_2$	223-224.5	Berthsen and Szymansky	B., 13, 918	38, 639

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -, β -, γ -, and δ -Dichlordibenzylamine	$\text{NH}(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})_2 = ?$	$\text{C}_{14}\text{H}_{13}\text{Cl}_2\text{N}$	Liquid	Berlin	A., 151, 141	40, 806
α - " " "	" $= (1.4)_2$	"	29	Jackson and Field	A. C. J., 2, 94	40, 805
Trichlorethylidene diphenyl diamine	$\text{CCl}_3\text{CH}(\text{NHPh})_2$	$\text{C}_{14}\text{H}_{13}\text{Cl}_3\text{N}_2$	100-101	Wallach	B., 5, 251; A., 173, 274	vii., 311; 25, 611; 28, 349
" " "	"	"	..	100	Amato	G. I., 5, 461	30, 637
α -dichlordibenzylamine hydrochloride	$\text{NH}(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})_2 = (1.4)_2$	$\text{C}_{14}\text{H}_{14}\text{Cl}_3\text{N}$	288-289	Berlin	A., 151, 141	vi., 338
α - " " "	" "	"	288	Jackson and Field	A. C. J., 2, 85	40, 805
β - " " "	" $= ?$	"	225-228	Berlin	A., 151, 141	vi., 338
γ - " " "	" "	"	218-220	"	"	"
δ - " " "	" "	"	221-222	"	"	"
Trichlorethylidene diphenyl diamine hydrochloride	$\text{CCl}_3\text{CH}(\text{NHPh})_2 + \text{HCl}$	$\text{C}_{14}\text{H}_{14}\text{Cl}_4\text{N}_2$	196	Amato	G. I., 5, 461	30, 638
" " "	$\text{CCl}_3\text{CH}(\text{NHPh})_2 + 2\text{HCl}$	$\text{C}_{14}\text{H}_{15}\text{Cl}_5\text{N}_2$	w.m.	"	"	"
Dibenzylamine hydrochloride	$(\text{C}_6\text{H}_5\text{CH}_2)_2\text{NH} + \text{HCl}$	$\text{C}_{14}\text{H}_{16}\text{ClN}$	250	Limpricht	A., 144, 304	vi., 337
" " "	"	"	255-256	Spica	G. I., 10, 515	40, 262
" ? "	$\text{C}_{15}\text{H}_9\text{Cl}_2\text{N}$	162-163	Gabriel	B., 18, 2450	48, 1231
Cinnamaldehyde anilide hydrochloride	$\text{Ph.CH}:\text{CH.CH}:\text{NPh} + \text{HCl}$	$\text{C}_{15}\text{H}_{14}\text{ClN}$	149	Peine	B., 17, 2117	46, 1345
Methylacridine methochloride	$\text{C}_{13}\text{H}_9\text{NMe} + \text{MeCl}$	$\text{C}_{16}\text{H}_{15}\text{ClN}$	130-135 d.	Bernthsen	A., 224, 1	46, 1356
Amidomethyl dihydro anthracene hydrochloride	$\text{C}_{14}\text{H}_{10}\text{Me.NH}_2 + \text{HCl}$	$\text{C}_{15}\text{H}_{16}\text{ClN}$	245	Roemer	B., 16, 1633	44, 1137
? hydrochloride	$\text{C}_{15}\text{H}_{16}\text{N}_6 + \text{HCl}$	$\text{C}_{15}\text{H}_{17}\text{ClN}_6$	252	Berger	M. C., 5, 451	48, 387
Dimethylphenylbenzylammonium chloride	$(\text{Ph.CH}_2\text{NPhMe}_2)\text{Cl}$	$\text{C}_{15}\text{H}_{18}\text{ClN}$	+ H_2O	110	Michler & Gradmann	B., 10, 2079	
Dibenzylguanidine hydrochloride	$\text{NH}:\text{C}(\text{NH.CH}_2\text{Ph})_2 + \text{HCl}$	$\text{C}_{15}\text{H}_{18}\text{ClN}_3$	176	Strakosch	B., 5, 696	vii., 182, 582
Triamylamine hydrochloride	$(\text{C}_5\text{H}_{11})_3\text{N} + \text{HCl}$	$\text{C}_{15}\text{H}_{34}\text{ClN}$	b. 100	Plimpton	C. R., 91, 433	40, 34
Quinoline benzylchloride	$\text{C}_6\text{H}_7\text{CH}:\text{CH.C}:\text{NCl.CH}_2\text{Ph}$	$\text{C}_{16}\text{H}_{14}\text{ClN}$	170	Clauss and Tosse	B., 16, 1277	44, 1009
" " "	" "	"	+ $2\text{H}_2\text{O}$	129-130	"	"	"
" " "	" "	"	"	130	"	"	"
" " "	" "	"	+ $3\text{H}_2\text{O}$	65	"	"	"
" " "	" "	"	"	65	Claus & Himmelmann	B., 13, 2046	"
" ? "	$\text{Ph.N}:\text{CMe.CH}_2\text{CCl}:\text{NPh}$	$\text{C}_{16}\text{H}_{15}\text{ClN}_2$	116-117	Wallach & Hofmann	B., 8, 1570; A., 184, 95	29, 604; 32, 188
Trichlorethylidene di-p-tolylamine	$\text{CCl}_3\text{CH}(\text{NHC}_6\text{H}_4\text{Me})_2$	$\text{C}_{16}\text{H}_{17}\text{Cl}_3\text{N}_2$	114-115	Wallach	B., 5, 252; A., 173, 279	vii., 311, 1179; 25, 611; 28, 350
From Zn-ethide on benzonitril	$\text{C}_{16}\text{H}_{18}\text{N}_2 + \text{HCl}$	$\text{C}_{16}\text{H}_{19}\text{ClN}_2$	257	Frankland & Evans	37, 565
Diphenylethylamine hydrochloride	$(\text{Ph.CH}_2\text{CH}_2)_2\text{NH} + \text{HCl}$	$\text{C}_{16}\text{H}_{20}\text{ClN}$	265	Fileti and Piccini	B., 12, 1308	
" " "	"	"	quick Ht.	260	Spica	G. I., 9, 555	38, 241
" " "	"	"	slow Ht.	265	"	"	"
Dixylamine hydrochloride	$(\text{Me.C}_6\text{H}_4\text{CH}_2)_2\text{NH} + \text{HCl}$	"	198	Pieper	A., 151, 129	vi., 1133
Butylacridine hydrochloride	$\text{C}_{13}\text{H}_8\text{N.C}_4\text{H}_9 + \text{HCl}$	$\text{C}_{17}\text{H}_{18}\text{ClN}$	191	Bernthsen & Traube	B., 17, 1509	46, 1183
Tetramethylbenzidinemethochloride	$\text{Me}_2\text{N.C}_6\text{H}_4\text{C}_6\text{H}_4\text{NMe}_2\text{Cl}$ $= (1.4)_2$	$\text{C}_{17}\text{H}_{23}\text{ClN}_2$	228	Michler & Pattinson	B., 17, 117	46, 747
Acetamide on phenylecyanamide	$\text{C}_{18}\text{H}_{17}\text{N}_6 + \text{HCl}$	$\text{C}_{18}\text{H}_{18}\text{ClN}_5$	softens 240	256-264 u.c.	Berger	B., 14, 1256	40, 810
Base from aceto-o-toluide	$\text{C}_{18}\text{H}_{19}\text{ClN}_2$	52-53	Wallach	A., 214, 208	44, 48
" " "	"	71-72	"	B., 9, 1214	31, 92
Trichlorethylidene dixylyldiamine	$\text{CCl}_3\text{CH}(\text{NH.C}_6\text{H}_3\text{Me}_2)_2$	$\text{C}_{18}\text{H}_{21}\text{Cl}_3\text{N}_2$	95-99	"	A., 173, 283	28, 350
Ethylene diphenyldimethylammonium chloride	$\text{C}_2\text{H}_4(\text{NClMe}_2\text{Ph})_2$	$\text{C}_{18}\text{H}_{26}\text{Cl}_2\text{N}_2$	124	Hübner, Tolle, and Athenstadt	A., 224, 331	46, 1318
" ? "	$\text{C}_{19}\text{H}_{13}\text{N} + \text{HCl}$	$\text{C}_{19}\text{H}_{14}\text{ClN} (?)$	a. 220	Bernthsen	A., 192, 1	34, 789
Dichlorbenzylidiphenylamine	$\text{NPh}_2\text{CCl}_2\text{Ph}$	$\text{C}_{19}\text{H}_{16}\text{Cl}_2\text{N}$	cf. B. 15, 1285	149	Claus	B., 14, 2369	42, 178

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylenediquinoid hydrochloride	$\text{CH}_2(\text{C}_9\text{H}_6\text{N})_2 + 2\text{HCl}$	$\text{C}_{19}\text{H}_{16}\text{Cl}_2\text{N}_2$	168	Rhousopoulos	B., 16, 2005	44, 1150
Benzenylisodiphenylamine hydrochloride	$\text{NPh}_2\text{CPh} : \text{NH} + \text{HCl}$	$\text{C}_{19}\text{H}_{17}\text{ClN}_2(?)$	223 d.	Berthsen	A., 192, 1	34, 788
Triphenylmethylamine hydrochloride	$\text{CPh}_3\text{NH}_2 + \text{HCl}$	$\text{C}_{19}\text{H}_{15}\text{ClN}$	244	Elbs	B., 16, 1276	44, 1000
Triphenylguanidine hydrochloride	$\text{PhN} : \text{C}(\text{NHPh})_2 + 2\text{HCl}$	$\text{C}_{19}\text{H}_{19}\text{Cl}_2\text{N}_3$	207	Sell and Zierold	B., 7, 1231	28, 270
Cinchonine chloride	$\text{C}_{19}\text{H}_{21}\text{ClN}_2$	52	Koenigs	B., 13, 287	38, 674
" "	"	72	"	B., 14, 1854	"
Diquinoline methochloride	$\text{C}_{18}\text{N}_2\text{H}_{12} + 2\text{MeCl}$	$\text{C}_{20}\text{H}_{18}\text{Cl}_2\text{N}_2 + 6\text{H}_2\text{O}$	260	Ostermeyer	C. C., 1884, 970	48, 672
Triphenylethylamine hydrochloride	$\text{CPh}_3\text{CH}_2\text{NH}_2 + \text{HCl}$	$\text{C}_{20}\text{H}_{20}\text{ClN}$	247	Elbs	B., 17, 700	46, 1031
Chlorhydrobenzamide	isomeric	$\text{C}_{21}\text{H}_{17}\text{ClN}_2(?)$	183	A., 111, 158	"
" "	"	" (?)	186	A., 111, 146	"
Lophine hydrochloride	$\text{C}_{21}\text{H}_{16}\text{N}_2 + \text{HCl}$	"	160	Kühn	iii., 735
" "	"	155	Brunner	A., 151, 135	vi., 793
Trichlortribenzylamine	$\text{N}(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})_3 = (1.4)_3$	$\text{C}_{21}\text{H}_{15}\text{Cl}_3\text{N}$	88-89	Berlin	A., 151, 139	vi., 338
" "	"	"	78.5	Jackson and Field	A. C. J., 2, 92	40, 805
" hydrochloride	$\text{N}(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})_3 + \text{HCl}$ = (1.4) ₃	$\text{C}_{21}\text{H}_{15}\text{Cl}_4\text{N}$	abt. 196	"	"	"
" "	"	"	170-175	Berlin	A., 151, 139	vi., 338
Tribenzylamine hydrochloride	$(\text{C}_6\text{H}_5\text{CH}_2)_3\text{N} + \text{HCl}$	$\text{C}_{21}\text{H}_{22}\text{ClN}$	227-228	Spica	G. I., 10, 515	40, 262
" ?	$\text{C}_{21}\text{H}_{22}\text{ClN}_3$	162-163	Berlin	A., 151, 136	"
Phenylbenzo-β-naphthacridine hydrochloride	$\text{C}_6\text{H}_4\text{CPhC}_{10}\text{H}_6\text{N} + \text{HCl}$	$\text{C}_{23}\text{H}_{16}\text{ClN}$	235	Claus and Richter	B., 17, 1596	46, 1359
β-dicyano-p-phenyl-p-ditolylguanidine	$\text{C}_{23}\text{H}_{22}\text{ClN}_5$	110-115	Landgrebe	B., 11, 975	"
Lenco-base from trichlorbenzaldehyde	$\text{C}_{23}\text{H}_{23}\text{Cl}_3\text{N}_2$	128-129	Fischer	D. P., 252, 78	46, 944
Triphenylethylamine hydrochloride	$(\text{PhCH}_2\text{CH}_2)_3\text{N} + \text{HCl}$	$\text{C}_{24}\text{H}_{28}\text{ClN}$	137-138	Spica	G. I., 9, 555	38, 241
Trixylylamine hydrochloride	$(\text{MeC}_6\text{H}_4\text{CH}_2)_3\text{N} + \text{HCl}$	"	212	Pieper	A., 151, 129	vi., 1133
Triphenylmethylbenzylamine hydrochloride	$\text{PhCH}_2\text{NH.CPh}_3 + \text{HCl}$	$\text{C}_{26}\text{H}_{24}\text{ClN}$	249	Elbs	B., 17, 703	46, 1031
Hydrocinnamide hydrochloride	$(\text{PhCH} : \text{CHCH}_2)_3\text{N}_2$	$\text{C}_{27}\text{H}_{25}\text{ClN}_2$	+3H ₂ O	220-221	Peine	B., 17, 2111	46, 1344
Benzylamarine ethochloride	$\text{C}_{21}\text{H}_{17}(\text{CH}_2\text{Ph})\text{N}_2 + \text{EtCl}$	$\text{C}_{30}\text{H}_{29}\text{ClN}_2$	125 n.c.	Claus & Kohlstock	B., 18, 1854	46, 1133
Ethylbenzylamarine hydrochloride	$\text{C}_{21}\text{H}_{16}\text{Et}(\text{CH}_2\text{Ph})\text{N}_2 + \text{HCl}$	"	135 n.c.	"	"	"
Benzylamarine benzochloride	$\text{C}_{21}\text{H}_{17}(\text{CH}_2\text{Ph})\text{N}_2 + \text{PhCH}_2\text{Cl}$	$\text{C}_{33}\text{H}_{31}\text{ClN}_2$	45	"	B., 18, 1853	"
" "	" "	"	40-75	Claus and Elbs	B., 13, 1420	38, 882

(6.) CHClP, CHClAs, CHClSb, and CHClBi.

Ethylphosphotetrachloride	PEtCl_4	$\text{C}_2\text{H}_5\text{Cl}_4\text{P}$	100 d.	Michaelis	B., 13, 2175	40, 158
Isopropylphosphodichloride	PPr_2Cl_2	$\text{C}_3\text{H}_7\text{Cl}_2\text{P}$	135	Liquid	"	"	"
Phenylphosphodichloride	PPhCl_2	$\text{C}_6\text{H}_5\text{Cl}_2\text{P}$	140-142 (57)	Michaelis and Coste	B., 18, 2109	"
"	"	"	220-222	Köhler & Michaelis	B., 10, 813	32, 451
"	"	"	222 u. c.	Liquid	Michaelis	B., 6, 602, 816	26, 1148; 27, 168
"	"	"	222	"	C. C., 4, 548	37, 347
"	"	"	224.6 (763.6)	Thorpe	37, 347	"
Phenylphosphotetrachloride	PPhCl_4	$\text{C}_6\text{H}_5\text{Cl}_4\text{P}$	73	Michaelis	B., 6, 817	27, 168
Triethylphosphodichloride	PEt_3Cl_2	$\text{C}_6\text{H}_{15}\text{Cl}_2\text{P}$	100	iv., 611
Tolylphosphodichloride	$\text{C}_6\text{H}_4\text{Me.PCl}_2 = 1.2$	$\text{C}_7\text{H}_7\text{Cl}_2\text{P}$	244	Liquid-20	Michaelis & Panek	A., 212, 212	42, 959
"	" = 1.4	"	245	20	"	B., 13, 655	38, 641

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tolylphosphodichloride	$C_6H_4Me.PCl_2=1.4$	$C_7H_7Cl_2P$	245	25	Michaelis & Panek	A., 212, 212	42, 959
"	"	"	240	Liquid	Michaelis	B., 12, 1009	36, 721
Tolylphosphotetrachloride	$C_6H_4Me.PCl_4=1.2$	$C_7H_7Cl_4P$	Solid	Michaelis & Panek	A., 212, 216; B., 13, 653	38, 641; 43, 960
"	" =1.4	"	42	"	"	"
Phenylmethylphosphochloride	$PPhMeCl$	C_7H_9ClP	160	Köhler & Michaelis	B., 10, 814	32, 451
Xylylphosphodichloride	$C_6H_3Me_2PCl_2$	$C_8H_9Cl_2P$	260-290 (?)	Liquid	Michaelis & Panek	A., 212, 236	42, 964
"	$C_6H_3Me_2.PCl_4$	$C_8H_9Cl_4P$	270	Liquid—18	"	"	"
Naphthylphosphodichloride	$C_{10}H_7.PCl_2$	$C_{10}H_7Cl_2P$	<i>a. 360 p. d.</i>	Kelbe	B., 11, 1500	
"	"	"	<i>a. 250</i>	"	B., 9, 1051	
Diphenylphosphochloride	PPh_2Cl	$C_{12}H_{10}ClP$	320	Liquid	Michaelis and Link	A., 207, 208	42, 306
"	"	"	300	Liquid	Michaelis	B., 10, 627	32, 453
"	"	"	210-215 (57)	Michaelis and Coste	B., 18, 2109	
Diphenylphosphodichloride....	PPh_2Cl_3	$C_{12}H_{10}Cl_3P$	Solid	Michaelis	B., 10, 627	32, 453
Triphenylbenzylphosphochloride	$PPh_3(CH_2Ph)Cl$	$C_{25}H_{22}ClP$	+H ₂ O	287	Michaelis & Soden	A., 229, 334	48, 1135
Tetrabenzylphosphochloride	$P(CH_2Ph)_4Cl$	$C_{28}H_{28}ClP$	224-225	Letts and Collie	T. E., 30, 181; P.R.S.E., 11, 46	40, 722; 42, 724
Methylarsendichloride	$AsMeCl_2$	CH_3Cl_2As	133	Baeyer	A., 107, 279	i., 401
Ethylarsendichloride	$AsEtCl_2$	$C_2H_5Cl_2As$	156	Coste	A., 208, 34	
Dimethylarsenchloride (cacodylchloride)	$AsMe_2Cl$	C_2H_6ClAs	<i>a. 100</i>	<i>b.—45</i>	Bunsen	A., 37, 31; 42, 22	i., 405
Phenylarsendichloride	$AsPhCl_2$	$C_6H_5Cl_2As$	252-255	Liquid	Michaelis	B., 9, 1567	31, 311
"	"	"	249	"	B., 8, 1317	29, 610
Phenylarsentetrachloride ...	$AsPhCl_4$	$C_6H_5Cl_4As$	<i>cf. B., 9, 1568</i>	45	"	B., 10, 622	32, 452
Tolylarsendichloride....	$C_6H_4Me.PCl_2=1.2$	$C_7H_7Cl_2As$	264-265	Liquid	Coste and Michaelis	B., 11, 1889; A., 201, 248	36, 163
"	" =1.4	"	267	31	"	"	"
Naphthylarsendichloride	$C_{10}H_7.AsCl_2$	$C_{10}H_7Cl_2As$	63	Michaelis & Schulte	B., 15, 1954	
Phenyldiethylarsendichloride	$AsPhEt_2Cl_2$	$C_{10}H_{15}Cl_2As$	Crystalline	Michaelis	B., 10, 626	32, 453
Diphenylarsenchloride	$AsPh_2Cl$	$C_{12}H_{10}ClAs$	333	Liquid	Coste and Michaelis	B., 11, 1885; A., 201, 215	36, 162; 36, 396
"	"	"	330	Michaelis	A., 207, 195	
Diphenylarsentrichloride	$AsPh_2Cl_3$	$C_{12}H_{10}Cl_3As$	<i>cf. A., 201, 222</i>	174	"	B., 9, 1569	31, 311
Ditolylarsenchloride	$(C_6H_4Me)_2AsCl=(1.4)_2$	$C_{14}H_{14}ClAs$	340-345	Coste	A., 208, 18	
Diphenylethylarsendichloride	$AsPh_2EtCl_2$	$C_{14}H_{16}Cl_2As$	137	Michaelis	A., 201, 235	
Triphenylarsendichloride ...	$AsPh_3Cl_2$	$C_{18}H_{15}Cl_2As$	<i>cf. A., 201, 242</i>	171	Coste and Michaelis	B., 11, 1888	36, 162
Tritolylarsendichloride ..	$As(C_6H_4Me)_3Cl_2=(1.4)_3$	$C_{21}H_{21}Cl_2As$	214	Coste	A., 208, 27	40, 905
Triethylstibine dichloride ...	$SbEt_3Cl_2$	$C_6H_{15}Cl_2Sb$	<i>b. 12</i>	A., 88, 323; 97, 332	i., 342
Tritolylstibine dichloride	$Sb(C_6H_4Me_3)Cl_2=(1.4)_3$	$C_{21}H_{21}Cl_2Sb$	156.5	Michaelis & Genzken	B., 17, 925	46, 1136
Ethylbismuthdichloride	$BiEtCl_2$	$C_2H_5Cl_2Bi$	Crystalline	A., 92, 376	

(7.) CHBrI.

Dibromiodomethane	$CHBr_2I$	6	A., 22, 233	i., 680
Dibromiodethylene	$CIBr:CHBr$	$C_2H_2Br_2I$	66	Homolka and Stolz	B., 18, 2285	48, 1198
<i>a</i> -Bromiodethylene	$CH_2:CBRI$	C_2H_2BrI	<i>128-130 p.d.</i>	Liquid	Henry	C. R., 98, 680	46, 830
			(764)				
<i>β</i> -	$CHBr:CHI$	"	142	Reboul	vii., 491
<i>β</i> -	"	"	<i>150 c.</i>	<i>s. 8</i>	Plimpton	B., 16, 79	41, 395
<i>β</i> -	"	"	150	Plimpton & Graves	43, 123	
<i>β</i> -	"	"	150	Henry	C. R., 98, 741	46, 831
<i>β</i> -	"	"	140-150 d.	A., 216, 266	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Bromiodethylene	CHBr:CHI	C ₂ H ₂ BrI	162	Reboul	vii., 491
? " "	"	"	150 p.d.	25	Lagermark	B., 6, 1211	"
Iodethylenedibromide	CH ₂ Br.CHIBr	C ₂ H ₃ Br ₂ I	170-180 d.	Simpson	P. R. S., 22, 51	27, 564
Ethylidene iodobromide	CH ₃ .CHIBr	C ₂ H ₄ BrI	141-142 (735)	Reboul	A., 155, 213	vii., 489; 27, 240
" "	"	"	142	Plimpton	41, 397	
" "	"	"	141-142	Gargarin	B., 7, 734	27, 1075
" "	"	"	142	Friedel	C. R., 79, 164	27, 1150
" "	"	"	142-143	Liquid -18	Lagermark	B., 7, 913	27, 1151
" "	"	"	142-144	Simpson	P. R. S., 27, 118	38, 456
Ethylene "	CH ₂ Br.CH ₂ I	"	145-147	25.5	Lagermark	B., 7, 908	27, 1151
" "	"	"	150 p.d.	25.5	"	B., 6, 1211	27, 240
" "	"	"	162-167	28	Simpson	P. R. S., 22, 51	27, 564
" "	"	"	162-167	28	Gargarin	B., 7, 733	27, 1075
" "	"	"	163	Plimpton	41, 397	
" "	"	"	163	27.7	Friedel	B., 7, 655; C. R., 79, 164	27, 1151
" " (impure) "	"	"	160-162	Liquid	Lagermark	B., 7, 914	"
" " " "	"	"	160 p.d.	Liquid	Reboul	A., 155, 214	vii., 489
Bromiodpropane	CH ₃ .CBrI.CH ₃	C ₃ H ₆ BrI	147-148 c.; p.d.	"	C. R., 74, 944; B. S., 16, 50; A. C. [5], 14, 483	25, 683; 36, 131; vii., 51, 1017
" "	CH ₃ .CBr.CH ₂ I(?)	"	160-168 p.d.	Liquid	Simpson	P. R. S., 22, 51	27, 564
Tribromiodobenzene ...	Br ₃ .I=1.3.5.6	C ₆ H ₂ Br ₃ I	103.5	Silberstein	J. p. [2], 27, 119	44, 661
Bromiodobenzene	C ₆ H ₄ BrI=1.4	C ₆ H ₄ BrI	251.5 (754.44)	91.9	Körner	G. I., 4, 305	29, 215
" "	" =1.3	"	252 (754.44)	Liquid	"	"	"
" "	" =1.2	"	257.4 (754.44)	Liquid	"	"	"
Dibromdiiodotoluene	Me.Br ₂ .I ₂ =1.3.5.2.4	C ₇ H ₄ Br ₂ I ₂	68	Wroblewsky	B., 9, 1055	30, 511
Dibromiodtoluene	Me.Br ₂ .I=1.3.5.4	C ₇ H ₃ Br ₂ I	270	86	"	A., 168, 190; 192, 209	27, 54; 34, 978
Iodobenzyl bromide....	C ₆ H ₄ I.CH ₂ Br=1.2	C ₇ H ₆ BrI	52-53	Mabery & Robinson	A. C. J., 4, 101; B., 15, 1758	42, 1057
" " " "	" =1.4	"	78.75	Mabery & Jackson	B., 11, 55; A. C. J., 1, 103; 2, 250; 3, 252	34, 421
Bromiodotoluene	Me.Br.I=1.2.3 or 5	"	260	Liquid -20	Wroblewsky	Z. C. [2], 7, 240; A., 168, 164	24, 713; 27, 52
" "	" =1.3.4	"	265	Liquid -14	"	Z. C. [2], 6, 164; A., 168, 159	vii., 1166; 27, 51
Bromidonaphthalene	C ₁₀ H ₆ BrI= $\alpha_1\beta_2$;	C ₁₀ H ₆ BrI	68	Meldola	47, 523	
" "	" = $\alpha_1\alpha_2$;	"	83.5	"	"	
" "	" = $\alpha_1\beta_1$;	"	94	"	"	

(8.) CHBrO.

Tribromacetaldehyde (Bromal)	CBr ₃ .COH	C ₂ HBr ₃ O	a. 100	Löwig	A., 3, 305	i., 666
" " " "	"	"	120-180	Liquid	Pinner	A., 179, 69	29, 550
" " " "	"	"	172-173	Liquid -20	Schäffer	B., 4, 366	24, 558; vii., 209
" " " "	"	"	174 (760)	Kahlbaum	B., 17, 1260	
" " " "	"	"	103.9 (75)	"	"	
" " " "	"	"	92.4 (50)	"	"	
" " " "	"	"	77.7 (25)	"	"	
" " " "	"	"	74.1 (20)	"	"	
" " " "	"	"	68.7 (15)	"	"	
" " " "	"	"	62.3 (10)	"	"	
" " " "	"	"	53.4 (5)	"	"	
" " " "	"	"	40.6 (0)	"	"	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Parabromalide	C_2HBr_3O	200 p.d.	67	Cloez	A., 111, 178	iv., 340
Dibromacetyl bromide	$CHBr_2.COBr$	"	194	Gal	B. S., 5, 172	vi., 21
Tribromacetic acid	$CBr_3.COOH$	$C_2HBr_3O_2$	128-130	Wiedel and Gruber	B., 10, 1150	32, 780
"	"	"	245	130	Schäffer	B., 4, 370	24, 559
"	"	"	250	135	Crofts	A., 129, 56	vi., 18
"	"	"	136	Petrieff	B., 8, 731	
Dibromacetic aldehyde	$CHBr_2.CO$	$C_2H_2Br_2O$	140-142	Liquid	Pinner	B., 7, 1500; C. C. [1875], 3	28, 1174
"	"	"	142	Liquid	"	A., 179, 70	29, 550
Bromacetyl Bromide	$CH_2Br.COBr$	"	150	Hübner	A., 124, 321	vi., 21
"	"	"	149-150	Naumann	A., 129, 263	
"	"	"	150-155	Samosadsky	Z. C. [2], 6, 105	vii., 10
Dibromacetic acid	$CHBr_2.COOH$	$C_2H_2Br_2O_2$	b. 200	Demole	B., 11, 319	
"	"	"	225-230	Perkin and Duppa	12, 3	i., 666
"	"	"	235	43-48	Bouchardat	C. R., 100, 452	48, 499
"	"	"	232-234 p.d.	45-50	Schäffer	B., 4, 368	24, 559
Acetyl bromide	$CH_3.COBr$	C_2H_3BrO	81	Gal	B. S., 5, 172	vi., 20
"	"	"	81	Ritter	J., 8, 504	
Bromethylene oxide	$CHBr.O.CH_2$	"	89-92	Demole	B., 9, 51	29, 693
Bromacetic acid	$CH_2Br.COOH$	$C_2H_3BrO_2$	205-209	"	B., 9, 561	
"	"	"	203	53	Hofmann	B., 16, 588	
"	"	"	208	Geuther	A., 132, 171	vi., 22
"	"	"	208	b. 100	Perkin and Duppa	11, 22	i., 665
Bromal hydrate	$CBr_3.CH.(OH)_2$	$C_2H_3Br_3O_2$	53.5	Schäffer	B., 4, 366	24, 558; vii., 209
Dibromethyl alcohol	$CHBr_2.CH_2.OH$	$C_2H_4Br_2O$	179-181	Demole	B., 9, 49	29, 692
?	$Me.CBr(OBr)OH$	$C_2H_4Br_2O_2$	36-37	Hell & Mülhauser	B., 10, 2105	34, 289
Ethylene Bromhydrin	$CH_2Br.CH_2.OH$	C_2H_5BrO	147	Henry	A. C. [4], 27, 243	
"	"	"	145-150	Demole	B., 9, 48	
"	"	$C_2H_2BrO_3$	89-91	40-45	"	B., 9, 50	
Tribromaerylic acid	$CBr_2:CBr.COOH$	$C_3HBr_3O_2$	115-118	Mabery and Lloyd	A. C. J., 4, 92	42, 1049
"	"	"	117	Mauthner & Suida	M. C., 2, 109	40, 890
"	"	"	118	Hill and Mabery	A. C. J., 3, 172; 4, 263	40, 1125; 44, 309
Tribrompyruvic acid	$CBr_3.CO.COOH$	$C_3HBr_3O_3$	90	Grimaux	C. R., 78, 974	27, 887
"	"	"	+2H ₂ O	104	"	B. S., 21, 393	27, 888
Pentabromacetone	$CHBr_2.CO.CBr_3$	C_3HBr_5O	75	Mulder	J. p., 91, 472	vi., 27
"	"	"	76	Benedikt	C. C. [1878], 101	34, 499
Pentabromomethylic acetate (Bromoxaform)	$CH_2Br.COOCBr_3$	$C_3HBr_5O_2$	74	Steiner	B., 7, 505	27, 886
"	"	"	74.5	Lagermarck	Z. C. [2], 6, 299	vii., 213
"	"	"	75	Cloez	A., 122, 121	i., 996
"	"	"	77	Cahours	A., 64, 352	vi., 17, 370
β-Dibromacrylic acid	$CBr_2:CH.COOH$	$C_3H_2Br_2O_2$	83-84	Jackson and Hill	B., 11, 1674	36, 224
"	"	"	243-250	85	Petri	A., 195, 70	36, 373
"	"	"	85	Mauthner & Suida	W. A., 83, 273	40, 889
"	"	"	85-86	Bandrowski	B., 15, 2703	44, 314
"	"	"	85-86	Hill	B., 12, 660	36, 616
"	"	"	85-86	Hill and Andrews	A. C. J., 4, 177	42, 1187
"	"	"	85-86	Hill and Mabery	A. C. J., 3, 172	40, 1124
Dibrompyruvic acid	$CHBr_2.CO.COOH$	$C_3H_2Br_2O_3$	89-91	Wichelhaus	B., 1, 264	vi., 980
"	"	"	abt. 93	Clermont	B. S. [2], 19, 105	vii., 1033; 26, 495
Dibromomalonic acid	$CBr_2.(COOH)_2$	$C_3H_2Br_2O_4$	126-128	Petrieff	B., 7, 402	27, 787
Tetrabromacetone	$C_3H_2Br_4O$	+2H ₂ O	42-43	Mulder	J. p., 91, 472	vi., 27
Tetrabrompropionic acid	$CHBr_2.CBr_2.COOH$	$C_3H_2Br_4O_2$	125	Mauthner & Suida	W. A., 83, 273	40, 889
"	"	"	125	Hill and Mabery	B., 14, 1681	40, 1030
"	"	"	125-126	"	A. C. J., 4, 263; B., 16, 80	44, 309
"	$CBr_3.CHBr.COOH$	"	118-120	Mabery	A. C. J., 5, 251	46, 664
γ-Bromacrylic acid	$C_3H_3BrO_2$	53	Bandrowski	B., 15, 2702	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Bromoacrylic acid	$\text{CH}_2 : \text{CBr} \cdot \text{COOH}$	$\text{C}_3\text{H}_3\text{BrO}_2$	69-70	Wagner & Tollens	B., 6, 512	26, 1220
" " "	"	"	69-70	Philippi and Tollens	A., 171, 333	27, 680
β - " " "	$\text{CHBr} : \text{CH} \cdot \text{COOH}$	"	115-116	Wallach & Reincke	B., 10, 2130	34, 404
Brompyruvic	$\text{CH}_2\text{Br} \cdot \text{CO} \cdot \text{COOH}$	$\text{C}_3\text{H}_3\text{BrO}_3$	Liquid	Wichelhaus	B., 1, 265	vi., 980
Tribrompropionic acid	$\text{CBr}_3 \cdot \text{CH}_2 \cdot \text{COOH}$	$\text{C}_3\text{H}_3\text{Br}_3\text{O}_2$	53	Fittig and Petri	A., 195, 73	40, 800
" " "	$\text{CH}_2\text{Br} \cdot \text{CBr}_2 \cdot \text{COOH}$	"	92	Michael and Norton	A. C. J., 2, 18	"
" " "	"	"	93	Linnemann & Penl	B., 8, 1098	"
" " "	"	"	95	Mauthner & Suida	W. A., 83, 273	40, 889
" " "	$\text{CHBr}_2 \cdot \text{CHBr} \cdot \text{COOH}$	"	118	Hill and Andrews	A. C. J., 4, 177	42, 1187
" " "	"	"	118	Hill	A. C. J., 4, 273	"
Tribromlactic acid	$\text{CBr}_3 \cdot \text{CH}(\text{OH}) \cdot \text{COOH}$	$\text{C}_3\text{H}_3\text{Br}_3\text{O}_3$	141-143	Wallach & Reincke	B., 10, 2129	34, 403
Dibromacetone	$\text{CH}_2\text{Br} \cdot \text{CO} \cdot \text{CH}_2\text{Br}$	$\text{C}_3\text{H}_4\text{Br}_2\text{O}$	24	Völker	A., 192, 97	34, 781
α -brompropionic bromide	$\text{Me} \cdot \text{CHBr} \cdot \text{COBr}$	"	154-155	...	Kaschirsky	C. C. [1881], 278	42, 36
Dibrompropionic aldehyde	$\text{CH}_2\text{Br} \cdot \text{CHBr} \cdot \text{COH} (?)$	"	79-85 (5-6)	Liquid	Grimaux and Adam	B. S. [2], 36, 136	40, 1029
" " "	"	"	150-170	Aronstein	As., 3, 188	vi., 56
" " "	"	(") _n	59	Henry	B., 7, 1113	28, 143
" " "	"	"	60; 66	Linnemann & Penl	B., 8, 1097	"
" " "	"	"	66	Völker	A., 192, 89	34, 781
α - α -Dibrompropionic acid	$\text{CH}_3 \cdot \text{CBr}_2 \cdot \text{COOH}$	$\text{C}_3\text{H}_4\text{Br}_2\text{O}_2$	220-221 s. d.	61	Phillipi and Tollens	B., 6, 516	26, 1019
" " "	"	"	227	65	Friedel & Machuca	C. R., 54, 220	vii., 1010
" " "	"	"	65-66.5	Tollens	Z. C., 14, 305	24, 1040
α - β - " " "	$\text{CH}_2\text{Br} \cdot \text{CHBr} \cdot \text{COOH}$	"	58	Schmöger	J. p. [2], 24, 43	42, 40
" " "	"	"	slowly heated	64	Tollens	B., 8, 1452	29, 561
" " "	"	"	quickly "	a.f. 51	"	"	"
" " "	"	"	63-64; a.f. 51	Linnemann & Penl	B., 8, 1099	29, 64
" " "	"	"	240 d.	63-64	Phillipi & Tollens	B., 6, 516	26, 1019
" " "	"	"	63-64	Wagner and Tollens	B., 6, 514	26, 1221
" " "	"	"	220-240	64-64.5	Münder and Tollens	B., 5, 73	25, 402
" " "	"	"	69-70	Phillipi and Tollens	B., 6, 518	"
" " "	"	"	+7H ₂ O	s.-5	Linnemann & Penl	B., 8, 1098	29, 64
Dibromlactic acid	$\text{C}_3\text{H}_4\text{Br}_2\text{O}_3$	98	"	B., 8, 1101	"
Propionyl bromide	$\text{CH}_3 \cdot \text{CH}_2 \cdot \text{COBr}$	$\text{C}_3\text{H}_5\text{BrO}$	96-98	Sestini	B. S. [2], 11, 468	vi., 962
" " "	"	"	103-104	Bruyn	C. C., 1885, 356	48, 963
" " "	"	"	104-106	Kaschirsky	C. C., 1881, 278	42, 37
Epibromhydrin	$\text{CH}_2\text{Br} \cdot \text{CH} \cdot \text{CH}_2\text{O}$	"	138	Berthelot & De Luca	J., 9, 600	i., 668
" " "	"	"	139	ii., 898
" " "	"	"	138-140	Henry	A., 154, 363	vii., 210
Bromacetone	$\text{CH}_3 \cdot \text{CO} \cdot \text{CH}_2\text{Br}$	"	140-145 d.	Riche	i., 31
α -Bromallyl alcohol	$\text{CH}_2 : \text{CBr} \cdot \text{CH}_2 \cdot \text{OH}$	"	155	Henry	B., 5, 453	vii., 50, 1018
" " "	"	"	152 (776)	"	B., 14, 404	25, 686
Methylic bromacetate	$\text{CH}_3\text{Br} \cdot \text{COOMe}$	$\text{C}_3\text{H}_5\text{BrO}_2$	144 d.	Perkin and Duppa	11, 22	i., 665
α -Brompropionic acid	$\text{CH}_3 \cdot \text{CHBr} \cdot \text{COOH}$	"	202-205.5 c.	s. -17	Kekulé	A., 130, 17	iv., 733
" " "	"	"	202	Kaschirsky	C. C. [1881], 278	42, 37
" " "	"	"	190-210	Friedel & Machuca	C. R., 53, 408	iv., 733
" " "	"	"	190-210	Beckurts and Otto	B., 18, 222	"
β - " " "	$\text{CH}_2\text{Br} \cdot \text{CH}_2 \cdot \text{COOH}$	"	61.5	Richter	Z. C. [1868], 450	"
" " "	"	"	61-62	Beckurts and Otto	B., 18, 227	48, 506
β -Bromlactic acid	$\text{CH}_2\text{Br} \cdot \text{CH}(\text{OH}) \cdot \text{COOH}$	$\text{C}_3\text{H}_5\text{BrO}_3$	89-90	Melikoff	B., 13, 958	38, 800
Dibrompropyl alcohol	$\text{CH}_2\text{Br} \cdot \text{CHBr} \cdot \text{CH}_2 \cdot \text{OH}$	$\text{C}_3\text{H}_6\text{Br}_2\text{O}$	212-214	Richter	R. K. T.	"
" " "	"	"	217	Aronheim	B., 7, 1382	28, 246
" " "	"	"	219	Weger	A., 221, 61	46, 11
" " "	"	"	219	Morkownikoff	J. [1864], 490	vi., 91
Dibromhydrin	$\text{C}_2\text{H}_5\text{Br}_2 \cdot \text{OH}$	"	219	Berthelot and Luca	J., 8, 627	i., 668
" " "	"	"	219	"	J., 9, 601	"
" " "	"	"	214-220	Zotta	A., 174, 96	"
Trimethylene glycol bromhydrin	$\text{CH}_2\text{Br} \cdot \text{CH}_2 \cdot \text{CH}_2 \cdot \text{OH}$	$\text{C}_3\text{H}_7\text{BrO}$	98-112 (185)	Liquid	Frühling	M. C., 3, 697	44, 42
Propylene " "	$\text{CH}_3 \cdot \text{CHBr} \cdot \text{CH}_2 \cdot \text{OH}$	"	145-148	Z. C. [1870], 423	"
α -Glycerol-bromhydrin	$\text{CH}_2\text{Br} \cdot \text{CH}(\text{OH}) \cdot \text{CH}_2(\text{OH})(?)$	$\text{C}_3\text{H}_7\text{BrO}_2$	180 (10)	Berthelot and Luca	A. C. [3], 48, 304	i., 668
β - " " "	$\text{CH}_2(\text{OH}) \cdot \text{CHBr} \cdot \text{CH}_2(\text{OH})(?)$	"	160 (66)	L. -15	Veley	C. N., 47, 39	"
" " "	$\text{C}_3\text{H}_5\text{Br}_4\text{O}$	210	Henry	A., 154, 363	vii., 210

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromomaleic anhydride	$C_2HBr.CO.O.CO$	C_4HBrO_3	212	Liquid	Kekulé	A., 131, 1	iii., 787
" "	"	"	214	Liquid	Pictet	B., 13, 1670	40, 253
" "	"	"	215	Liquid	Anschütz	B., 10, 1884	34, 136
" "	Polymer ?	"	108-110	Carius	A., 149, 265	vi., 797
Bromomucobromic acid	$C_4HBr_3O_2$	53-54	Jackson and Hill	B., 11, 1673	36, 224
" "	"	55-56	Hill	B., 13, 737	
Bromomaleic acid dibromide	"	55	Hill and Sanger	B., 17, 1761	46, 1305
α -Dibromfurfurane	$CH:CBr.O.CBr:CH$	$C_4H_2Br_2O$	164-165(764); 62-63 (15)	9-10	Hill and Hartshorn	B., 18, 448	46, 762
" "	"	"	165-167	Liquid	Canzoneri & Oliveri	G. I., 15, 113	48, 1144
Mucobromic aldehyde	$C_2Br_2(COH)_2$	$C_4H_2Br_2O_2$	88	Tömmies	B., 12, 1203	36, 918
Isodibromosuccinic anhydride	$CBr_2.CH_2.CO.O.CO$	$C_4H_2Br_2O_3$	32	Pictet	B., 13, 1670	40, 253
Dibromsuccinic " "	$CHBr.CHBr.CO.O.CO$	"	100	Kekulé	As., 2, 85	v., 459
Mucobromic acid	"	120	Schmelz & Beilstein	As., 32, 78	iv., 764
" "	"	120-121	Jackson and Hill	B., 11, 1671	36, 224
" "	"	120-125	Hill	B., 13, 734	26, 625
" "	"	120-130	Limpricht	A., 165, 293	vii., 828
Dibromomaleic acid	$C_2Br_2(COOH)_2$	$C_4H_2Br_2O_4$	108	Kekulé	A., 130, 3	38, 160
" "	"	"	112	"	A., 131, 1	iii., 788
" "	"	"	108-120	Limpricht	A., 165, 294	vii., 828; 26, 625
" "	"	"	120-123	Hill	B., 13, 736	
" "	"	"	123-125	Hill and Hartshorn	B., 18, 450	46, 762
" "	"	"	123-125	Ciamician & Silber	G. I., 14, 31; B., 17, 553	46, 1117
Dibromfumaric acid	$COOH.CBr:CBr.COOH$	"	Blackens 217	219-220 p.d.	Bandrowsky	B., 12, 2213	38, 160
Hexabromethylmethyl ketone	$CBr_3.CH_2.CO.CBr_3$	$C_4H_2Br_6O$	89-90	Demole	B., 11, 1712	36, 220
α -Dibromfurfurane tetrabromide	$CHBr.CBr_2.O.CBr_2CHBr$	"	110-111	Hill	B., 16, 1132	44, 912
" " ?	"	"	110-111	Hill and Hartshorn	B., 18, 449	46, 762
" " ?	"	"	55	" "	" "	" "
Pentabromethylic bromacetate	$CH_2Br.CO.O.CBr_2.CBr_3$	$C_4H_2Br_6O_2$	195-198	Liquid	Kessel	B., 11, 1923	36, 138
Octobromethyl oxide	$(CBr_3.CHBr)_2O$	$C_4H_2Br_8O$	132-135 (450-470)	"	B., 10, 1668	34, 128
" ?	$C_4H_3BrO_2$	84	Limpricht	A., 165, 292	vii., 1032; 26, 625
Bromsuccinic anhydride	$CH_2.CHBr.CO.O.CO$	$C_4H_3BrO_3$	137 (11)	26-31	Anschütz & Bennert	B., 15, 643	42, 828
" ?	"	109	J. p. [2], 23, 441	
Acid from mucobromic acid	$C_4H_3BrO_4$	111-112 (?)	Hill	B., 17, 240	46, 731
Bromomaleic acid	$C_2HBr.(COOH)_2$	"	abt. 120	Carius	A., 149, 265	vi., 797
" "	"	"	125-126	Kekulé	A., 131, 87	iii., 787, 788
" "	"	"	125-126	Anschütz	B., 10, 1884	34, 136
" "	"	"	126-127	Kekulé	A., 130, 1	v., 458
" "	"	"	127-128	Pictet	B., 13, 1670	40, 253
" "	"	"	128	Petri	A., 195, 62	36, 373
" "	"	"	129-130	Bandrowski	B., 12, 345	36, 524
Iso- " "	"	"	160	Kekulé	A., 131, 1	iii., 788
" " " "	"	"	165	Carius	A., 149, 265	vi., 797
Bromfumaric acid	$COOH.CH:CBr.COOH$	"	172	Kekulé	A., 130, 1	v., 458
" "	"	"	172	Bandrowski	B., 12, 345	36, 524
" "	"	"	174-175	Hill and Sanger	B., 17, 1761	
" "	"	"	176-177	"	B., 17, 1763	46, 1306
" "	"	"	177-178	Bandrowski	B., 15, 2697	
Tribromsuccinic acid	$COOH.CHBr.CBr_2.COOH$	$C_4H_3Br_3O_4$	136-137	Petri	A., 195, 70	36, 373
" " " "	?	"	d.w.m. 200	Burgoin	C. R., 78, 1141	27, 786
Tetrabromethylic bromacetate	$CH_2Br.CO.O.CBr_2.CHBr_2$	$C_4H_3Br_5O_2$	175-177	Liquid	Kessel	B., 11, 1921	36, 138
Dibromomethacrylic acid	fr. $CH_2:CMe.COOH$	$C_4H_4Br_2O_2$	78	Cahours	A. C. [3], 67, 129	vi., 510, 511
Dibromcrotonic acid....	"	95-97	Pinner	B., 14, 1081	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromacetic anhydride $(\text{CH}_2\text{Br.CO})_2\text{O}$	$\text{C}_4\text{H}_4\text{Br}_2\text{O}_3$	245	Liquid 0	Gal	C. R., 71, 273	vii., 11; 24, 232
Dibromsuccinic acid $\text{COOH.CHBr.CHBr.COOH}$	$\text{C}_4\text{H}_4\text{Br}_2\text{O}_4$	d.w.m.	G. H., 524	
Isodibromsuccinic acid $\text{COOH.CH}_2\text{CBr}_2\text{COOH}$	"	160	Kekulé	As. 2, 89	v., 459
Tetrabrombutyric acid $\text{C}_3\text{H}_3\text{Br}_4\text{COOH}$	$\text{C}_4\text{H}_4\text{Br}_4\text{O}_2$	115	Limpricht	A., 165, 296	vii., 828; 26, 625
Bromomethacrylic acid $\text{CHBr}:\text{CMe.COOH}$	$\text{C}_4\text{H}_5\text{BrO}_2$	228-230 p.d.	60	Cahours	A. C. [3], 67, 29	vi., 511
"	"	"	62-63	Richter	R. K. T.	
"	"	"	65	Kekulé	As., 2, 85	"
"	"	"	65	Friedrich	A., 203, 351	40, 413
Isobromomethacrylic acid	$\text{CH}_2:\text{C}(\text{CH}_2\text{Br}).\text{COOH}$	"	65-66	Krusemark	A., 206, 12, 22	40, 416
β -Bromocrotonic acid $\text{CH}_3\text{CBr}:\text{CH.COOH}$	"	90	J. p. [2], 25, 388, 394	
β -	"	"	92	Michael & Norton	A. C. J., 2, 15	40, 799
α -	$\text{CH}_3\text{CH}:\text{CBr.COOH}$	"	106-5	"	"	"
"	"	"	cf. B., 15, 49	107-109	Bischoff & Guthzeit	B., 14, 617	
Ethyl oxalyl bromide COOEt.CO.Br.	$\text{C}_4\text{H}_5\text{BrO}_3$	abt. 150	Richter	C. C., 1875, 446	36, 139
Bromsuccinic acid $\text{COOH.CHBr.CH}_2\text{COOH}$	$\text{C}_4\text{H}_5\text{BrO}_4$	159	A.	
"	"	"	160	Anschütz & Bennert	B., 15, 643	
"	"	"	160	Fittig	B., 9, 122	29, 898
Aldehyde bromal $\text{CBr}_3\text{CHO} + \text{CH}_3\text{CHO}$	$\text{C}_4\text{H}_5\text{Br}_3\text{O}_2$	abt. 175	Liquid	Schützenberger	B. S. [2], 19, 8	26, 487
Ethyl tribromacetate CBr_3COOEt	"	225	Gal	B. S., 5, 172	vi., 21
Tribrombutyric acid $\text{C}_3\text{H}_3\text{Br}_3\text{COOH}$	"	111	Michael & Norton	A. C. J., 2, 162	40, 799
"	"	"	114	"	"	"
α -Bromisobutyric bromide $\text{CMe}_2\text{Br.COBr}$	$\text{C}_4\text{H}_6\text{Br}_2\text{O}$	162-164	Kaschirsky	C. C., 1881, 287	42, 37
α -Bromobutyric $\text{CH}_3\text{CH}_2\text{CHBr.COBr}$	"	172-174	"	"	"
Ethyl dibromacetate $\text{CHBr}_2\text{COOEt}$	$\text{C}_4\text{H}_6\text{Br}_2\text{O}_2$	192	Liquid	Schäffer	B., 4, 369	
"	"	"	194	Gal	B. S., 5, 172	vi., 21
"	"	"	192-195	Remi	B., 8, 695	28, 1004
Bromethyl bromacetate $\text{CH}_2\text{Br.CO.OCH}_2\text{CH}_2\text{Br.}$	"	230-240 d.	Demole	B., 9, 557	30, 283
"	$\text{CH}_2\text{Br.CO.OCHBr.CH}_3$	"	180-240 d.	Kessel	B., 10, 1995; 11	34, 133
			(o.p.); 130-135 (360)			1917	
Dibromethyl acetate $\text{CH}_3\text{COO.CH}_2\text{CHBr}_2$	"	193-195 u.c.	Demole	B., 9, 51	
Methyl- α - α -dibrompropionate	$\text{CH}_3\text{CBr}_2\text{COOMe}$	"	175-179	Philippi	A., 171, 323	
Methyl- α - β -dibrompropionate	$\text{CH}_2\text{Br.CHBr.COOMe}$	"	203 (745)	Liquid	Münder & Tollens	B., 5, 74; A., 167, 229	25, 402; vii., 1012
"	"	"	205-8	Weger	A., 221, 61	46, 11
α -Dibrombutyric acid	"	d.	s. -15	Schneider	A., 119, 279	vi., 380
"	"	"	Michael & Norton	A. C. J., 2, 12	
"	"	"	150 (3)	Liquid	Friedel & Machuca	As., 2, 76	vi., 379
α - β -	$\text{CH}_3\text{CHBr.CHBr.COOH}$	"	78	Bulk	A., 139, 69	
"	"	"	87-90	Kolbe	J. p. [2], 25, 385 397	
"	"	"	87	Michael & Norton	A. C. J., 2, 12	
"	"	"	90	Körner	A., 137, 234	vi., 510
Dibromisobutyric acid	"	232 (760)p.d.	45-48	Cahours	R., 4, 145	vi., 379
"	"	"	48	Kolbe	J. p. [2], 25, 373	44, 573
Methyl bromallyl oxide $\text{CH}_3\text{O.C}_3\text{H}_4\text{Br}$	$\text{C}_4\text{H}_7\text{BrO}$	115-116	Henry	Z. C. [2], 6, 575; B., 5, 455	vii., 50; 25, 687
Isobutyric bromide CHMe_2COBr	"	116-118	Kaschirsky	C. C., 1881, 273	42, 37
Butyric bromide $\text{CH}_3\text{CH}_2\text{CH}_2\text{COBr}$	"	126-127	"	"	"
"	"	"	128	"	"	"
Bromisobutyric aldehyde	$(\text{C}_4\text{H}_7\text{BrO})_n$	128-129	"	"	"
Bromethyl acetate $\text{CH}_3\text{COO.CHBr.CH}_3$	$\text{C}_4\text{H}_7\text{BrO}_2$	135-145 p.d.	Tawildarow	A., 211, 353	
"	$\text{CH}_3\text{COO.CH}_2\text{CH}_2\text{Br}$	"	161-163	"	B., 7, 731	27, 1080
Ethyl bromacetate $\text{CH}_2\text{Br.CO.OEt}$	"	159	Aroustein	A., 171, 121	
"	"	"	159	Perkin and Duppa	B., 14, 606	
"	"	"	159	Gal	11, 22	i., 665
α -Bromobutyric acid $\text{CH}_3\text{CH}_2\text{CHBr.COOH}$	"	110 (3)	Friedel & Machuca	B. S., 5, 172	vi., 21
"	"	"	180	Liquid -15	Schneider	As., 2, 76	vi., 379
"	"	"	200	Naumann	A., 119, 279	vi., 379
"	"	"	217 p.d.	Friedel & Machuca	A., 119, 115	"
"	"	"	"	A., 120, 279	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
<i>α</i> -Brombutyric acid	CH ₃ .CH ₂ .CHBr.COOH	C ₄ H ₇ BrO ₂	214-217	Kaschirsky	C. C. [1881], 278	42, 37
<i>β</i> -Bromisobutyric acid	CH ₂ Br.CHMe.COOH	"	22	Engelhorn	A., 200, 65	38, 379
<i>α</i> - " " "	Me ₂ .CBr.COOH	"	42	Markownikoff	A., 138, 361	vi., 379
" " " "	"	"	45	Engelhorn	A., 200, 65	38, 379
" " " "	"	"	45-46	Thomson	A., 200, 75	38, 380
" " " "	"	"	198-200 p.d.	48	Hell & Waldbauer	B., 10, 448	32, 313
" " " "	"	"	48	Kaschirsky	C. C., 1881, 27	42, 37
Bromhydroxybutyric acid	C ₃ H ₅ Br(OH).COOH	C ₄ H ₇ BrO ₃	90	Melikoff	B. S., 43, 115	48, 650
" " " "	"	"	100-102	J. R., 7, 179	
Bromhydroxyisobutyric acid	CH ₂ Br.CMe(OH).COOH	"	100-101	Kolbe	J. p. [2], 25, 376	44, 573
" " " "	"	"	101	Melikoff	B. S., 43, 115	48, 650
Acetone bromoform	COMe ₂ +CHBr ₃	C ₄ H ₇ Br ₃ O	167	Willgerodt	B., 14, 2458	42, 492
" " " "	"	"	175	Willgerodt & Müller	C. C. [1884], 808	48, 648
" " " "	"	"	+xH ₂ O	165-167	"	"	"
Bromal alcoholate	CBr ₃ .CH(OH)(OEt)	C ₄ H ₇ Br ₃ O ₂	44	Schäffer	B., 4, 367	24, 558 ; vii., 209
Glycerol methyl dibromhydrin	C ₃ H ₅ Br ₂ (OMe)	C ₄ H ₈ Br ₂ O	185	Henry	B., 5, 455	25, 687
Ethylene oxybromide	C ₄ H ₈ Br ₂ O ₂	95	65	A. C. [3], 69, 317	ii., 580
Erythrol dibromhydrin	C ₄ H ₆ Br ₂ (OH) ₂	"	130	Champion	C. R., 73, 114	24, 811 ; vii., 471
Bromethyl oxide	CH ₂ Br.CH ₂ .OEt	C ₄ H ₉ BrO	127-128(755)	Liquid	Henry	C. R., 100, 1007	48, 882
Diethyleneglycol bromhydrin	CH ₂ Br.CH ₂ .O.CH ₂ .CH ₂ .OH	C ₄ H ₉ BrO ₂	205	A. C. [3], 67, 286	
" ?	(C ₂ H ₄ O ₂) ₂ .Br ₂ .HBr.	C ₄ H ₉ Br ₃ O ₄	8 d.	Steiner	B., 7, 184	27, 566
Ethyl oxide + bromine	Et ₂ O+Br ₃	C ₄ H ₁₀ Br ₃ O	22	A., 167, 86	
Tribrompyromucic acid	O.CBr : CBr.CBr : C.COOH	C ₅ HBr ₃ O ₃	218-219	Hill and Sanger	B., 17, 1763	43, 1306
Dibrompyromucic acid	O.CBr : CH.CBr : C.COOH	C ₅ H ₂ Br ₂ O ₃	168	"	B., 17, 1762	46, 1305
" " " "	O.CH : CBr.CBr : C.COOH	"	185	Canzoneri & Oliveri	G. I., 14, 172	48, 245
" " " "	"	"	184-186	Tönnies	B., 11, 1088	34, 786
" " " "	"	"	192	Hill and Sanger	B., 17, 1762	46, 1305
Tribromethylidene tribromlactate (Bromalide)	CBr ₃ .CH.O.CH(CBr ₃).COO	C ₅ H ₂ Br ₆ O ₃	158	Wallach & Reincke	B., 10, 2129 ; A., 193, 52	34, 404
Bromcitraconic anhydride	C ₃ H ₃ Br.CO.O.CO	C ₅ H ₃ BrO ₃	95	Richter	R. K. T., 69	
" " " "	"	"	200	97-98	Lagermarck	Z. C. [2], 6, 299	vii., 349
" " " "	"	"	225	Kekulé	As., 2, 92	"
" " " "	"	"	99-100	Richter	R. K. T., 69	"
<i>β</i> -Brompyromucic acid	O.CH . CH.CBr : C.COOH	"	constit. cf. B. 11, 1840	128-129	Hill and Sanger	B., 17, 1762	46, 1306
<i>γ</i> - " " " "	O.CH : CBr.CH : C.COOH	"	"	155	Canzoneri & Oliveri	G. I., 14, 172	48, 245
" " " " " "	"	"	"	155	Schiff & Tassinari	B., 11, 843	34, 721
" " " " " "	"	"	"	156-157	"	G. I., 8, 297	
<i>δ</i> - " " " " " "	O.CBr : CH.CH : C.COOH	"	"	180	"	"	36, 308
" " " " " " " "	"	"	"	183-184	Hill	B., 16, 1131	44, 912
" " " " " " " "	"	"	"	183-184	Hill and Sanger	B., 17, 1763	46, 1306
" " " " " " " " ?	C ₅ H ₃ Br ₅ O ₅	+H ₂ O	d. 120	J. p. [2], 23, 441	
<i>δ</i> -Brompyromucic acid tetrabromide	O.CBr ₂ .CHBr.CHBr.CBr.COOH	C ₅ H ₃ Br ₅ O ₃	170 d.	Hill and Sanger	B., 17, 1763	46, 1306
Itadibrompyrotartaric anhydride	C ₃ H ₄ Br ₂ .CO.O.CO	C ₅ H ₄ Br ₂ O ₃	50	Petri	B., 14, 1637	40, 1032
Pyromucic acid tetrabromide	O.CHBr.CHBr.CHBr.CBr.COOH	C ₅ H ₄ Br ₄ O ₃	159-160 d.	Tönnies	B., 11, 1086	34, 786
Bromitaconic acid	C ₅ H ₅ BrO ₄	164 d.	J., 1873, 584	
Tribromethylidene lactate	CBr ₃ .CH.O.CHMe.COO	C ₆ H ₆ Br ₃ O ₃	95-97	Wallach & Reincke	B., 10, 2130	34, 404
" " " " " " " "	"	"	95-97	Kilimenko	J. p. [2], 13, 100	29, 900
Ethylie tribrompyruvate	CBr ₃ .CO.COOEt	"	95-97	J. R., 8, 125	
Tribrompyrotartaric acid	C ₃ H ₃ Br ₃ (COOH) ₂	C ₅ H ₅ Br ₃ O ₄	w.m. 240	Lagermarck	Z. C. [2], 6, 303	vii., 1034
Ethylie <i>β</i> -dibromacrylate	CBr ₂ :CH.COOEt	C ₅ H ₆ Br ₂ O ₂	212-214	Liquid	Petri	A., 195, 72	36, 373

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromvalerolactone	$C_5H_6Br_2O_2$	81	Wolff	A., 229, 249	48, 1124
Dibromlevulinic acid	$C_5H_6Br_2O_3$	d. 130-140	112-113	Hell and Kehler	B., 17, 1982	46, 1298
Methylic dibromsuccinate	COOMe.CHBr.CHBr.COOH	$C_5H_6Br_2O_4$	d. w. m. 245	Claus	B., 15, 1846	
Itadibrompyrotartaric acid....	"	240-250 (o.p.) d.; 174-175 (i.v.) d.	Petri	B., 14, 1637	
Dibromglutaric acid....	fr. COOH.(CH ₂) ₃ .COOH	"	101-102	B. S., 27, 348	
Dibrompyrotartaric acid	"	127-128	Bischoff & Emmert	B., 15, 1107	42, 1191
Citradibrompyrotartaric acid	"	150	Fittig	A., 187, 42	32, 738
" " "	"	d. 165-170	150	"	B., 10, 517	32, 430
" " "	"	193-194 d.	A., 206, 2	
Meta-dibrompyrotartaric acid	"	170 d.	"	B., 10, 517	32, 430
" " "	"	170	"	A., 187, 42	32, 738
" " "	"	204 d.	A., 206, 2	
Ethylic β-bromacrylate	CHBr : CH.COOEt	$C_5H_7BrO_2$	155-158.5	Wagner and Tollens	A., 171, 350	27, 681
Bromallylic acetate	CH ₂ : CBr.CH ₂ .OAc	"	163-164	Henry	B., 5, 453	25, 686; vii., 50, 1018
Bromvalerolactone	"	"	1-15	Messerschmidt	A., 208, 101	42, 35
Bromlevulinic acid	$C_5H_7BrO_3$	59	Wolff	A., 229, 249	46, 1124
Bromethylmalonic acid	CH ₂ Br.CH ₂ .CH(COOH) ₂	$C_5H_7BrO_4$	116	Fittig and Roeder	B., 16, 373	44, 730
" " "	"	"	116	Roeder	A., 227, 13	48, 653
" " "	"	"	116-117	Perkin	47, 814	
Itabrompyrotartaric acid	$C_3H_5Br(COOH)_2$	"	abt. 250 d.	130-134	Z. C., 1866, 722	vi., 981
" " "	"	"	137	Landolt and Fittig	B., 9, 1193	31, 61
" " "	"	"	137	Fittig	A., 187, 42	32, 737
Bromisopyrotartaric acid	$C_2H_4Br.CH(COOH)_2$	"	141	Claus	B., 10, 824; A., 191, 80	32, 593; 34, 857
Citrabrompyrotartaric acid....	$C_3H_5Br(COOH)_2$	"	148	Fittig	A., 187, 42	32, 738
" " "	"	"	148 d.	Fittig and Landolt	B., 9, 1193	31, 61
Brompyrotartaric acid	fr. COOH.CH ₂ .CHMe.COOH	"	202-204	Guthzeit & Bischoff	B., 14, 616	40, 579
Hydroxybrompyrotartaric acid	$C_3H_4Br(OH)(COOH)_2$	$C_5H_7BrO_5$	156 d.	Scherks	A., 227, 233	48, 513
Ethylic tribromlactate	CB ₃ .CH(OH).COOEt	$C_5H_7Br_3O_3$	44-46	Wallach	A., 193, 52	34, 403
Ethylic α-dibrompropionate	CH ₃ .CBr ₂ .COOEt	$C_5H_8Br_2O_2$	190-191	Philippi and Tollens	B., 6, 517	vii., 1011; 26 1019
" " "	"	"	191-192	Tollens	A., 171, 324	
" αβ- "	CH ₂ Br.CHBr.COOEt	"	211-214	Münder and Tollens	B., 5, 73	25, 404
" " "	"	"	211-214(746)	"	A., 167, 230	vii., 1012
" " "	"	"	210-214	Philippi and Tollens	B., 6, 517	26, 1019
" " "	"	"	214.6	Weger	A., 221, 61	46, 11
Dibromvaleric acid	fr. CH ₂ .(CH ₂) ₃ .COOH	"	57-58	Messerschmidt	A., 208, 110	42, 35
" " "	fr. Angelic acid	"	76 p. d.	Jaffé	A., 135, 291	vi., 157
" " "	$C_2H_4Br.CMeBr.COOH$	"	82-83	Berendes	B., 10, 836	32, 593
" " "	"	"	82-83	Schmidt	A. P. [3], 13, 213	36, 223
" " "	"	"	83-83.5	Fittig	B., 10, 516	
" " "	CH ₃ .CHBr.CBrMe.COOH	"	86.5	Schmidt	B., 12, 255	
" " "	"	"	86-86.5	Pagenstecher	A., 195, 123	36, 456
Bromallylethyloxyde....	CH ₂ : CBr.CH ₂ .OEt	C_5H_9BrO	130-135	Liquid	Henry	B., 5, 189	vii., 50
Isovaleric bromide	CHMe ₂ .CH ₂ .COBr	"	143	Béchamp	C. R., 42, 224	v., 979
Ethylic α-brompropionate	CH ₃ .CHBr.COOEt	$C_5H_9BrO_2$	158	M. C., 2, 543	
" " "	"	"	159-160 d.	Henry	A., 156, 176	
" " "	"	"	160-165	A., 197, 13	
" " "	"	"	162	A., 216, 31	
" " "	"	"	129-132(160)	A., 206, 319	
Methylic α-brombutyrate	Me.CH ₂ .CHBr.COOMe	"	165-172	Duvillier	C. R., 88, 598	36, 523
α-Bromisovaleric acid	CHMe ₂ .CHBr.COOH	"	226-230	Cahours	As., 2, 78	v., 978
α-Brom-methylethylacetic acid	CH ₃ .CH ₂ .CMeBr.COOH	"	66-66.5	Pagenstecher	A., 195, 110	36, 455
Glycerol acetobromhydrin	$C_3H_5Br(OAc)(OH)$	$C_6H_9BrO_3$	175 (100)	J., 1878, 523	
" ethyldibromhydrin	$C_3H_5Br_2(OEt)$	$C_6H_{10}Br_2O$	193-195	Morkownikoff	Z. C., 1865, 554	vi., 99
Tribromquinone	$C_6HBr_3 : O_2$	$C_6HBr_3O_2$	108	A. C. [5], 15, 67	
" " "	"	"	147	Sarauw	A., 209, 120	40, 1136

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tribromhydroxyquinone	$C_6Br_3(OH) : O_2$	$C_6HBr_3O_3$	206-207	Barth and Schreder	M. C., 5, 589	48, 520
Bromoxytetrabrombenzene....	$C_6HBr_4.OBr$	C_6HBr_5O	121	M. C., 1, 361	
Pentabromphenol	$C_6Br_5.OH$	"	225	Körner	A., 137, 210	vi., 908
Pentabromresorcinol ...	$C_6Br_4.OH.OBr=6.5.4.2.3.1$	$C_6HBr_5O_2$	113.5	Stenhouse	P. R., 20, 72; A., 163, 184	25, 298; vii., 1042
Phlorobromin	C_6HBr_3O	152	Benedikt	A., 189, 166	34, 499
Brom. deriv. of Bromanil-aminic acid	C_6HBr_1O	110.5	Stenhouse	As., 8, 22	vi., 986
Dibromquinone	$C_6H_2Br_2 : O_2=??.4.1$	$C_6H_2Br_2O_2$	76	J. p. [2], 24, 465	
"	"	"	88	A. C. [5], 15, 67	
"	"	"	122	Levy and Schultz	A., 210, 157	42, 510
"	"	"	188	Schulz	B., 15, 655	
"	"	"	188	Sarauw	A., 209, 113	40, 1136
Bromoxylbromcomenic acid	$C_6H_2Br_2O_5$	+3H ₂ O	d. 105	J. p. [2], 26, 467	
Bromoxytribrombenzene	$C_6H_2Br_3.OBr$	$C_6H_2Br_4O$	109	Benedikt	A., 199, 128	
"	"	"	118	"	M. C., 1, 360	38, 246
Tetrabromphenol	$C_6HBr_4.OH=6.4.3.2.1$	"	120	Körner	A., 137, 209	vi., 908
Tetrabromresorcinol...	$C_6Br_4(OH)_2=6.5.4.2.3.1$	$C_6H_2Br_4O_2$	163	Claassen	B., 11, 1440	34, 867
"	"	"	167	Benedikt	M. C., 1, 366	
Tetrabrompyrocatechol ...	" =6.5.4.3.2.1	"	187	Stenhouse	C. R., 29, 95	27, 587
Tetrabromquinol	" =6.5.3.2.4.1	"	244	A.	
Bromphenylene oxide	$C_6H_3Br : O$	C_6H_3BrO	195	Marker	A., 124, 250	v., 161
Bromquinone....	$C_6H_3Br : O_2=5.4.1$	$C_6H_3BrO_2$	55-56	Sarauw	A., 209, 102, 106	40, 1135
"	"	"	55-56	Schulz	B., 15, 656	
" (?)	"	" (?)	abt. 88	Étard	A. C. [5], 22, 218	40, 583
Bromcoumalinic acid	$C_4H_2Br(NH_2)(COOH)_2$	$C_6H_3BrO_4$	176	Pechmann	B., 17, 2397	48, 175
Dibromcitraconimide	$C_4H_2Br_2 : (CO)_2 : NH$	$C_6H_3Br_2O_2$	142-144	Mendini	G. I., 15, 182	48, 1126
Tribromphenol	$C_6H_2Br_3.OH=6.4.2.1$	$C_6H_3Br_3O$	89-90; 91	Baumann & Brieger	B., 12, 805	36, 789
"	"	"	92	Post	A., 205, 66	
"	"	"	92	Werner	C. R., 98, 1333	48, 900
"	"	"	abt. 93	Armstrong & Brown	25, 858
"	"	"	94	La Coste	B., 13, 2177	
"	"	"	94-95	Michaelis & La Coste	B., 18, 2112	
"	"	"	95	Sintenis	A., 161, 340	vii., 929
"	"	"	95	Körner	A., 137, 208	vi., 908
Tribromresorcinol	$C_6HBr_3(OH)_2=(?)_24.3.1$	$C_6H_3Br_3O_2$	+xH ₂ O	104	Typke	B., 10, 1578	
"	"	"	"	111	A., 130, 357; M. C., 2, 474	
Tribromquinol	" =5.3.2.4.1	"	136	Sarauw	A., 209, 116	40, 1136
Tribromphloroglucinol	$C_6Br_3(OH)_3=6.4.2.5.3.1$	$C_6H_3Br_3O_3$	148 u.c.	Webster	47, 424	
Bromcitraconimide	$C_4H_3Br : (CO)_2 : NH$	$C_6H_4BrO_2$	179-182	Mendini	G. I., 15, 182	48, 1126
Dibromphenol	$C_6H_3Br_2.OH=4.2.1$	$C_6H_4Br_2O$	154 (11)	40	Körner	A., 137, 205	vi., 908, 929; 24, 252
"	"	"	154 (47)	40	Werner	C. R., 98, 1333	48, 900
"	"	"	40	Baeyer	A., 202, 36	38, 658
"	" =6.2.1	"	55-56	"	A., 202, 36; B., 9, 1232	31, 308; 38, 658
"	"	"	55	Möhlau	B., 15, 2494	
β-Dibromresorcinol ...	$C_6H_2Br_2(OH)_2=??.3.1$	$C_6H_4Br_2O_2$	83-85	Zehenter	M. C., 2, 479	42, 194
α-	"	"	92-93	Hofmann	B., 8, 64	28, 571
"	"	"	92-93	Baeyer	A., 183, 57	31, 204
Isodibromquinol	" =?.?.4.1	"	86-87	Sarauw	A., 209, 109	40, 1136
(=C ₆ H ₃ Br.OH.OBr ?)							
Dibromquinol	" =?.3.4.1	"	185-186	Wichelhaus	B., 12, 1505	38, 42
"	"	"	186; 186-187	Sarauw	A., 209, 100, 107	40, 1135, 1136
"	"	"	188	Schulz	B., 15, 655	
Acetylic mucobromate	$C_6HBr_2O.CO.OAc$	$C_6H_4Br_2O_4$	53-54	Jackson and Hill	B., 11, 1673	36, 224
Bromphenol	$C_6H_4Br.OH=1.2$	C_6H_5BrO	236-238	Liquid 10-12	Fittica	J. p. [2], 28, 176	48, 55
"	"	"	194-195	Liquid	Fittig and Mager	B., 8, 363	"
"	"	"	235	Liquid	Hübner & Brenken	B., 6, 170	vii., 905
"	"	"	Liquid	Körner	G. I., 4, 387	29, 228
"	" =1	"	132(22)118(9)	Liquid -18	"	A., 137, 197	vi., 907

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromphenol	$C_6H_4Br.OH=1.3$	C_6H_5BrO	Liquid	Körner	G. I., 4, 305	29, 228
"	"	"	227-229	Würster & Nölting	B., 7, 905	27, 1163
"	"	"	-18	Petersen	A., 159, 71	24, 249
"	"	"	236-236.5	32-33	Fittig and Mager	B., 8, 364	
"	"	"	236-236.5	32-33	Fittica	J. p. [2], 28, 176	46, 55
"	" =1.4	"	235-236	63-64	Hübner & Brenken	B., 6, 173	26, 751
"	"	"	238	63-64	Fittig and Mager	B., 7, 1177	28, 147
"	"	"	63-64	Post	B., 7, 332	27, 800
"	"	"	63-64	Rakowski & Leppert	B., 8, 789	28, 1197
"	"	"	238	64	Fittica	J. p. [2], 28, 176	46, 55
"	"	"	137 (28)	64	Werner	C. R., 98, 1333	46, 900
"	"	"	66.4	Körner	G. I., 4, 387; J., [1875], 636	29, 228; vii., 905
Bromquinol	$C_6H_3Br(OH)_2=5.4.1$	$C_6H_6BrO_2$	110	Sarauw	A., 209, 100, 105	40, 1135
"	"	"	110-112	Wichelhaus	B., 12, 1504	38, 42
"	"	"	110-112	Schulz	B., 15, 655	
Ethylc mucobromate	$C_3H_5Br_2O.COEt$	$C_6H_6Br_2O_3$	50-51	Jackson and Hill	B., 11, 1672	36, 224
Tetrabromadipic acid	$C_4H_4Br_4(COOH)_2$	$C_6H_6Br_4O_4$	200-211	Limpricht	A., 165, 271	vii., 29; 26, 623
Methylc brommaläate	$C_2HBr(COOME)_2$	$C_6H_7BrO_4$	237-338 u.c.; 126-129 (30-40)	Liquid	Anschütz	B., 12, 2284	
" bromfumarate	"	"	30	"	"	
Bromhydromuconic acid	"	183	Limpricht	A., 165, 265	26, 622; vii., 827
Tribromadipic acid	$C_4H_3Br_3(COOH)_2$	$C_6H_7Br_3O_4$	177-180	"	A., 165, 269	vii., 28; 26, 623
Dibromallyl oxide	$(C_3H_4Br)_2O$	$C_6H_8Br_2O$	212-215	Henry	B., 6, 729	26, 1123
Allylic α - β -dibrompropionate	$CH_2Br.CHBr.COOC_3H_7$	$C_6H_8Br_2O_2$	215-220 (746.5)	Münder & Tollens	A., 167, 230; B., 5, 73	25, 402; vii., 1012
Dibromhydrosorbic acid	"	94-95	Kachel and Fittig	A., 168, 287	27, 44
Ethylc dibromsuccinate	$COOH.CHBr.CHBr.COEt$	$C_6H_8Br_2O_4$	275 u.c.	Claus	B., 15, 1844	44, 44
Dimethylc	$COOMe.CHBr.CHBr.COOMe$	"	61.5-62	Anschütz	B., 12, 2282	
"	"	"	62.5	Claus	B., 15, 1846	
"	"	"	62-64	J. R., 11, 288	
Dibrompropylmalonic acid	$C_3H_5Br_2.CH(COOH)_2$	"	119-121	Hjelt	B., 15, 624	42, 947
Dibromadipic acid	$C_4H_6Br_2(COOH)_2$	"	115-122	A., 165, 266	
"	"	"	175-190 d.	Limpricht	A., 165, 253	vii., 28; 26, 623
"	"	"	205	Ador	B., 4, 627	
Tetrabromcaproic acid	$C_5H_7Br_4.COOH$	$C_6H_8Br_4O_2$	178-179	Barringer & Fittig	A., 161, 325	vii., 1091
"	"	"	183	A., 168, 277; 200, 58	
Ethylc bromomethacrylate	fr. $CH_2: CMe.COOH$	$C_6H_9BrO_2$	192-193	Liquid	Cahours	As., 2, 349	vi., 511
Hemibromhydrin	"	b. 200	Berthelot and Luca	A., 101, 72	i., 669
Propylc α -dibrompropionate	$CH_3.CBr_2.COOPr^{\alpha}$	$C_6H_{10}Br_2O_2$	200-204	Philippi	A., 171, 324	
" α - β -	$CH_2Br.CHBr.COOPr^{\alpha}$	"	233	Weger	A., 221, 61	46, 11
Ethylc dibrombutyrate	$C_3H_7Br_2.COEt$	"	191-193	vi., 380
Dibromcaproic acid	$C_5H_9Br_2.COOH$	"	68	Fittig	B., 9, 120	29, 897
"	"	"	68	Fittig and others	A., 200, 44	38, 377
"	$Et.CH_2.CHBr.CHBr.COOH$	"	77	Markownikoff	B., 6, 1176	
"	"	"	80.5	Fittig and others	A., 200, 35	38, 376
"	$C_2HBr_2.MeEt.COOH$	"	97.6	M. C., 4, 77	
α -	"	99	Mulck	A., 180, 54	29, 924
Dibromisocaproic acid	"	99-100	Geisler	A., 208, 46	42, 42
"	"	90-91	Engelhorn	A., 161, 314; 200, 46	
Ethylc α -bromisobutyrate	$Me_2.CBr.COEt$	$C_6H_{11}BrO_2$	157-160	Markownikoff	B., 6, 1440	27, 359
"	"	"	158-159	Hell & Wittekind	B., 7, 320	
"	"	"	160 u.c. ; 162.7 c.(746)	Hell & Waldebauer	B., 10, 449	32, 313
"	"	"	160 u.c. ; 163.6 (761.9)	Markownikoff	A., 182, 336	
" α -brombutyrate	$C_2H_5.CHBr.COEt$	"	169-174	Hell & Mühlhäuser	B., 13, 474	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylie <i>α</i> -brombutyrate	C ₂ H ₅ .CHBr.COEt	C ₆ H ₁₁ BrO ₂	170-172	...	Hell and Lauber	B., 7, 561	27, 887
" "	"	"	171-172	...	"	...	26, 495
" "	"	"	175-178	...	Cahours	J., 15, 248	vi., 379
" "	"	"	178 c.	...	Tupoleff	A., 171, 249	27, 565
" "	"	"	175-185	...	"	...	26, 495
" ?	"	"	abt. 185 p.d.	...	Schneider	A., 119, 115	vi., 379
Bromcaproic acid	CH ₃ .(CH ₂) ₃ .CHBr.COEt	"	abt. 240	...	Cahours	As., 2, 78	vi., 395
" "	C ₂ H ₄ Br.CHEt.COEt	"	...	Liquid-18	Fittig	B., 9, 121	29, 897
" "	"	"	...	Liquid-18	Fittig and others	A., 200, 42	38, 377
" "	C ₃ H ₅ EtBr.COEt	"	...	25	"	A., 200, 24	38, 375
" "	C ₅ H ₁₀ Br.COEt	"	...	85-86	"	J. R., 11, 128	
Mannitol bromhydrin	C ₆ H ₈ Br(OH) ₃ :O	C ₆ H ₁₁ BrO ₄	...	100	Bouchardat	A. C. [5], 6, 122 ; C. R., 75, 1187	vii., 776 ; 26, 161
Dulcitol	"	"	...	143	"	A. C. [4], 27, 184	
Dibromhexylalcohol	C ₆ H ₁₁ Br ₂ .OH	C ₆ H ₁₂ Br ₂ O	252-254	...	Destrem	B., 16, 228	
Mannitol dibromhydrin	C ₆ H ₈ Br ₂ (OH) ₄	C ₆ H ₁₂ Br ₂ O ₄	...	178 d.	Bouchardat	A. C. [5], 6, 120 ; C. R., 75, 1181	vii., 774 ; 26, 161
Hexylene bromhydrin	Me.CHBr.CHPr.OH	C ₆ H ₁₃ BrO	188-190(769)	Liquid	Henry	C. R., 97, 260	46, 34
Bromacetal	CH ₂ Br.CH(OEt) ₂	C ₆ H ₁₃ BrO ₂	170 p. d.	...	Pinner	B., 5, 149	vii., 1; 25, 406
"	"	"	171	...	Wislicenus	A., 192, 112	34, 777
Triethylene glycol bromhydrin	C ₆ H ₁₃ BrO ₃	250	...	"	A. C. [3], 67, 286	
Pentabrombenzoic acid	C ₆ Br ₅ .COOH	C ₇ HBr ₅ O ₂	...	234-235	Reinecke	Z. C. [2], 5, 110	vi., 310
Tribrombenzoic acid	C ₆ H ₂ Br ₃ .COOH = ?	C ₇ H ₃ Br ₃ O ₂	...	178	Hübner	B., 10, 1705	34, 149
"	" = ?	"	...	186.5	"	B., 10, 1708	"
"	" = 1.4.3.1	"	...	195	"	B., 10, 1706	"
"	" = ?	"	...	234-235	Reinecke	Z. C. [2], 5, 110	vi., 310
Tribromtoluquinone	C ₆ Me.Br ₃ :O ₂ = 1.3.4.6.2.5	"	...	235-236	Canzoneri & Spica	G. I., 12, 469 ; B., 16, 793	44, 330
Tribromdihydroxybenzoic acid	COOH.(OH) ₂ .Br ₃ = 1.3.5.2.4.6	C ₇ H ₃ Br ₃ O ₄	...	183	Barth and Senhofer	A., 159, 225	vii., 433
Pentabromorcinol	C ₇ H ₃ Br ₅ O ₂	...	126	Stenhouse	P. R. S., 20, 72 ; A., 163, 180 ; 169, 252	25, 297 ; vii., 879
Dibrombenzoic acid	COOH.Br.Br = 1.2.3	C ₇ H ₄ Br ₂ O ₂	...	146-148	Neville & Winther	B., 13, 965	37, 435
"	"	"	...	148	Claus and Lade	B., 14, 1170	40, 814
"	"	"	...	150	Hübner & Lawrie	B., 10, 1706	34, 149
"	"	"	...	153	"	B., 10, 1705	34, 148
"	" = 1.2.5	"	...	149-151	Neville & Winther	37, 435	
"	"	"	...	151 ; a. s.	Richter	B., 7, 1147 ; 8, 1422	28, 73
"	"	"	...	151-152	"		
"	"	"	...	151-153	Neville & Winther	B., 13, 963	37, 435
"	"	"	...	153	Hübner	A., 222, 67	46, 316
"	"	"	...	153	Claus and Lade	B., 14, 1170	40, 814
"	" = 1.2.6	"	...	150-167	Neville & Winther	37, 441	
"	" = 1.2.4	"	...	166-168	"	B., 13, 972	37, 443
"	"	"	...	168-170	"	"	37, 442
"	" = 1.3.5	"	...	207-210	"	B., 13, 967	37, 437
"	"	"	...	208-209	"	"	37, 438
"	"	"	...	208-209	Richter	B., 8, 1423	
"	"	"	...	213-214	Hesemann & Köchler	A., 222, 166	46, 600
"	"	"	...	223-227	Hübner	Z. C. [2], 5, 514	vi., 310
"	"	"	...	223-227	Hübner and Angerstein	A., 158, 10	24, 364
"	" = 1.3.?	"	...	228	Hübner & Lawrie	B., 10, 1705	34, 148
"	" = 1.3.4	"	...	223	Halberstadt	B., 14, 2215	42, 183
"	"	"	...	228	"	B., 14, 908	
"	"	"	...	229	Hübner and Smith	B., 10, 1706	34, 148
"	"	"	...	229-230	Burghard and Bentnagel	A., 222, 166	44, 600
"	"	"	...	229-230	Burghard	B., 8, 559	2, 892
"	"	"	...	232-233	Neville & Winther	B., 13, 970	37, 439

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromtoluquinone	$C_6HMe.Br_2 : O_2$	$C_7H_4Br_2O_2$	85	Canzoneri & Spica	G. I., 12, 469 ; B., 16, 793	44, 331
Dibromsalicylic acid....	$COOH.OH.Br_2=1.2.(?)_2$	$C_7H_4Br_2O_3$	abt. 150	Cahours	A. C. [3], 7, 102	v., 156
" "	" =1.2 or 6.3.4	"	218	Hübner and Smith	B., 10, 1706	34, 149
" "	" =1.2.(?) ₂	"	219	Hübner & Rollwage	B., 10, 1707	"
" "	" "	"	221	Hübner and Lawrie	B., 10, 1706	34, 148
" "	" =1.2.3.5	"	223	Lellmaun & Grothmann	B., 17, 2728	48, 265
Dibromhydroxybenzoic acid	" =1.4.(?) ₂	"	266-268	Balbiano	G. I., 13, 65	44, 1125
Dibromdihydroxybenzoic acid	$COOH.(OH)_2.Br_2=1.2.6.3.4$	$C_7H_4Br_2O_4$	214 d.	Zehenter	M. C., 2, 475	42, 193
Dibromgallic acid	$COOH.(OH)_3.Br_2=1.3.4.5.2.6$	$C_7H_4Br_2O_5$	+H ₂ O	140	Grimaux	As., 5, 235	
" "	" "	"	"	150	Etti	B., 11, 1882	
Tetrabromcresol	$Me.OH.Br_4=1.4.2.3.5.6$	$C_7H_4Br_4O$	108-110 d.	Baumann & Brieger	B., 12, 804	36, 789
Benzoyl bromide	$C_6H_5.COBr$	C_7H_5BrO	218-219	0	Claisen	B., 14, 2473	42, 514
Brombenzaldehyde	$C_6H_4Br.CO=1.2$	"	Liquid	A. C. J., 3, 32	
" "	" =1.3	"	Liquid	"	
" "	" =1.4	"	57	Jackson and White	B., 11, 1043	34, 729
Brombenzoic acid	$COOH.Br=1.2$	$C_7H_5BrO_2$	90 (?)	Richter	Z. C. [2], 5, 457	vi., 310
" "	" "	"	sb. 250	100	Peligot	A., 28, 246	i., 555
" "	" "	"	137.5	Richter	B., 4, 462, 465	24, 688
" "	" "	"	137	Hübner & Retschy	Z. C. [2], 7, 631	vii., 1173 ; 25, 697
" "	" "	"	143-144	Bedson	37, 95	
" "	" "	"	147-148	Schramm	B., 18, 1273	
" "	" "	"	148	Zincke	B., 7, 1502	38, 119
" "	" "	"	150	Rahlis	A., 198, 99	"
" "	" "	"	152	Lenep	Z. C. [2], 7, 67	24, 370
" "	" "	"	153	Wrohlewsky	Z. C. [2], 5, 322	vi., 280
" "	" "	"	158	Schultz, Schmidt and Strasser	A., 207, 348	40, 912
" "	" = ?	"	152-153	Reinecke	Z. C. [2], 5, 109	vi., 309
" "	" =1.3	"	151	Jackson	B., 9, 932	30, 512
" "	" "	"	153	Sandmeyer	B., 18, 1496	
" "	" "	"	153	Hübner and Angerstein	A., 158, 5, 19	24, 363 ; vii., 161
" "	" "	"	153	Wrohlewsky	Z. C. [2], 7, 135	24, 564 ; vii., 1177
" "	" "	"	154	"	B., 8, 574 ; A., 192, 196	28, 886 ; 34, 977
" "	" "	"	154	Körner	G. I., 4, 305	29, 216
" "	" "	"	155	Hübner & Retschy	Z. C. [2], 7, 631	25, 697 ; vii., 1173
" "	" "	"	155	Hübner	A., 162, 71	25, 624 ; vii., 1065
" "	" =1.4	"	239-240	Jackson	B., 9, 931	30, 512
" "	" "	"	240	Schramm	B., 17, 2923	
" "	" "	"	245	Hübner and Post	A., 169, 1	27, 56
" "	" "	"	248	Carnelley & Thomson	47, 587	
" "	" "	"	248-251	Hübner	B., 10, 1707	34, 149
" "	" "	"	248	Raveill & Hübner	A., 222, 166	46, 600
" "	" "	"	a. 250	Weith and Landolt	B., 7, 1746 ; 8, 717	28, 1200
" "	" "	"	250	Étard	C. R., 87, 989	33, 320
" "	" "	"	251	Hübner and Olly	J. [1866], 347	vi., 310 ; vii., 161
" "	" "	"	251	Radziszewski	Z. C. [2], 5, 356	vi., 1102
" "	" "	"	251	Hübner and Angerstein	A., 158, 1	24, 363
" "	" "	"	251	Hübner & Retschy	Z. C. [2], 7, 631	vii., 1173 ; 25, 697
" "	" "	"	251	Burghard	B., 8, 558	28, 892

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Brombenzoic acid	COOH.Br=1.4	C ₇ H ₅ BrO ₂	251	Étard	A. C. [5], 22, 218	40, 581
"	"	"	251	Halberstadt	B., 14, 910	
"	"	"	251	Schramm	B., 18, 1273	
Bromsalicylic aldehyde	CHO.OH.Br=1.2.?	"	98-99	Henry	B., 2, 275; Z. C. [2], 5, 371, 478	vi., 1008
Bromhydroxybenzaldehyde	" =1.4.?	"	179-180	Herzfeld	B., 10, 2198	34, 423
Bromhydroxybenzoic acid	COOH.OH.Br=1.2.5	C ₇ H ₅ BrO ₃	164-165	Hübner and Heinerling	Z. C. [2], 7, 711	25, 894
"	"	"	sb. 150-155	164-165	Henry	B., 2, 275	
"	"	"	165	Lellmann and Grothmann	B., 17, 2729	48, 265
"	" =1.2.3	"	184	"	B., 17, 2726	"
"	"	"	219-220	Hübner and Heinerling	Z. C. [2], 7, 711	25, 894
Hydroxybromtoluquinone	C ₆ HMe.Br.(OH).:O ₂	"	196-197	Spica & Magnanini	G. I., 13, 312	48, 175
Bromdihydroxybenzoic acid	COOH.(OH) ₂ .Br=1.2.6.?	C ₇ H ₅ BrO ₄	184 d.	M. C., 2, 480	
"	" =1.3.5.?	"	253	Barth and Senhofer	A., 164, 115	25, 1015; vii., 433
Bromgallic acid	COOH.(OH) ₃ .Br=1.3.4.5.6.	C ₇ H ₅ BrO ₅	a. 200 d.	Grimaux	B. S. [2], 7, 479	vi., 628
Tribrommethoxybenzene	C ₆ H ₂ Br ₃ .OMe	C ₇ H ₅ Br ₃ O	87	Reinecke	B. S. [2], 7, 177	vi., 173
Tribrommethoxyphenol	OMe.OH.Br ₃ =1.2.(?) ₃	C ₇ H ₅ Br ₃ O ₂	102	Tiemann & Koppe	B., 14, 2017	42, 54
"	" =1.3.(?) ₃	"	99	M. C., 1, 368	
"	"	"	104	Tiemann and Parisius	B., 13, 2364	40, 270
Tribromresorcinol	Me.(OH) ₂ .Br ₃ =1.3.5.2.4.6	"	98	Hesse	A., 68, 96	iv., 214
"	"	"	103	Lamparter	A., 134, 257	"
Tribromtoluquinol	" =1.2.5.3.4.6	"	201-202	Canzoneri & Spica.	G. I., 12, 469; B., 16, 793	44, 331
Methylic bromcoumalinate	C ₅ H ₃ BrO ₂ .COOMe	C ₇ H ₆ BrO ₄	134	Pechmann	B., 17, 2379	48, 176
Dibrommethoxybenzene	OMe.Br.Br=1.2.4	C ₇ H ₆ Br ₂ O	54	Cahours	A., 52, 331	i., 305
"	"	"	272	59	Körner	A., 137, 206	vi., 908
Bromomethoxybenzene	OMe.Br=1.4	C ₇ H ₇ BrO	220 n. c.	Liquid	Henry	B., 2, 711; Z. C. [2], 6, 247	vi., 916
"	"	"	223 c.	Körner	A., 137, 203	vi., 907
Brombenzylalcohol	(CH ₂ OH).Br=1.4	"	69	Jackson & Lowery	B., 10, 1209	34, 64
"	(CH ₂ .OH).Br=1.4	"	77	"	A. C. J., 3, 246	
"	"	"	77-77.5	Schramm	B., 17, 2923	
"	" =1.2	"	80	Jackson and White	B., 13, 1218; A. C. J., 2, 316	38, 879
Bromeresol	Me.OH.Br=1.4.5	"	213-214	l. f. m.	Schall and Dralle	B., 17, 2530	48, 146
"	" =1.4.6	"	218-220	17-18	Vogt & Henninger	C. R., 94, 650	42, 729
"	" =1.3.5	"	56-57	Neville & Winther	B., 15, 2991	41, 421
"	" =1.2.?	"	88.5	Wroblewsky	Z. C. [2], 7, 135; A., 168, 165	24, 565; 27, 52
Bromoresorcinol	Me.(OH) ₂ .Br=1.3.5.?	C ₇ H ₇ BrO ₂	135	Lamparter	A., 134, 258	iv., 213
Ethylic pyromucate tetrabromide	CHBr.(CHBr) ₂ .O.CBr.COEt	C ₇ H ₃ Br ₄ O ₃	46-48	Tönnies	B., 11, 1086	34, 786
Bromterebic acid	C ₇ H ₅ BrO ₄	151 d.	Frost	A., 226, 363	48, 393
Methylic ethylic dibromsuccinate	COOMe.(CHBr) ₂ .COOEt	C ₇ H ₁₀ Br ₂ O ₄	62.5 u. c.	Claus	B., 15, 1846	
Ethylic bromlevulinate	C ₄ H ₆ BrO.COEt	C ₇ H ₁₁ BrO ₃	240 p. d.	Conrad & Günthzeit	B., 17, 2286	48, 43
Glycerol dicetobromhydrin	C ₃ H ₅ Br(OAc) ₂	C ₇ H ₁₁ BrO ₄ (?)	170-180(100)	Hanriot	A. C. [5], 17, 62	36, 1030
Isobutylic α-dibrompropionate	CH ₃ .CBr ₂ .COOBu ^β	C ₇ H ₁₂ Br ₂ O ₂	213-218	Philippi	A., 171, 324	
Ethylic dibromvalerate	fr. CHMeEt.COEt	"	185	Jaffé	A., 135, 298	
Bromamylene ethylate	C ₆ H ₅ Br.OEt.	C ₇ H ₁₃ BrO	177-180	Bauer	Z. C. P. (1861), 673	vi., 120
"	"	"	177-180	Reboul	A., 133, 84	
Isoamyllic bromacetate	CH ₂ Br.COOC ₅ H ₁₁	C ₇ H ₁₃ BrO ₂	207	Perkin and Duppa	11, 22	i., 666
Ethylic α-bromvalerate	CH ₃ .(CH ₂) ₂ .CHBr.COEt	"	190-192	Liquid	Juslin	B., 17, 2504	48, 137
" α-bromisovalerate	CHMe ₂ .CHBr.COEt	"	190-194	Borodine	A., 119, 121	v., 978
Bromanthic acid	"	250	As., 2, 83	
Glycerol diethylbromhydrin	C ₃ H ₅ Br.(OEt) ₂	C ₇ H ₁₆ BrO ₂	195-205	Liquid	Henry	B., 4, 704	24, 908

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tribromphthalic anhydride	$C_6HBr_3 : (CO)_2 : O = 7.4.3.2.1$	$C_8HBr_3O_3$	157	Flessa	B., 17, 1484	46, 1186
Dibromphthalic "	$C_6H_2Br_2 : (CO)_2 : O = (?)_2.2.1$	$C_8H_2Br_2O_3$	207.5-208	Guareschi	A., 222, 262	46, 842
" "	" "	" "	208	Blümlein	B., 17, 2491	46, 163
Tetrabromphthalic acid	$C_6Br_4(COOH)_2 = 6.5.4.3.2.1$	$C_8H_2Br_4O_4$	266 d.	"	B., 17, 2494	46, 164
Bromphthalic anhydride	$C_6H_3Br : (CO)_2 : O = 3.2.1$	$C_8H_3BrO_3$	60-65	Pechmann	B., 12, 2126	
" "	" = 4.2.1	"	125	Smith	J. [1879], 143	35, 792
" "	" "	"	132	Guareschi	A., 222, 262	46, 843
" "	" "	"	134-135	Meldola	47, 511, 512	
" "	" "	"	138-140	Faust	A., 160, 62	"
" "	" = ? 2.1	"	v. $C_8H_2Br_2O_3$	207.5-208	Guareschi	G. I., 7, 24 ; G. I. [1881], 542	31, 712 ; 42, 734
Tribromphthalic acid	$(COOH)_2.Br_3 = 1.2.3.4.?$	$C_8H_3Br_3O_4$	190-191	Flessa	B., 17, 1484	46, 1186
Dibromphthalide	$C_8H_4Br_2O_2$	188-189	Guareschi	A., 222, 262	46, 842
Dibromphthalic acid....	$(COOH)_2.Br_2 = 1.2.(?)_2$	$C_8H_4Br_2O_4$	135	"	"	"
" "	" "	"	206	Blümlein	B., 17, 2490	46, 163
Dibromterephthalic acid	" = 1.4.5.?	"	320	Claus and Wimmel	B., 13, 904	36, 632
Bromcoumarone	fr. $C_6H_4.CH : CH.O$	C_8H_5BrO	36	Ebert	A., 226, 347	46, 391
Brompiperonal	$C_6H_2Br(COH).O.CH_2.O$ = ? 1.3.4	$C_8H_5BrO_3$	129	Fittig and Mielck	A., 152, 49	vi., 948
Bromphthalic acid	$(COOH)_2.Br = 1.2.3$	$C_8H_5BrO_4$	135	Guareschi	B., 10, 294 ; G. I., 7, 24	31, 712 ; 43, 3
" "	" "	"	138-140	Faust	A., 160, 62	
" "	" "	"	300-330	138-140	Pechmann	B., 12, 2126	
" "	" = 1.2.4	"	cf. $C_8H_3BrO_3$	174	Meldola	47, 511, 512	
" "	" "	"	"	174-176	Guareschi	A., 222, 262	46, 843
" "	" "	"	"	197 u.c.	Carnelley & Thom-son	47, 591	
Bromisophthalic acid	" = 1.3.4	"	205	Schultz	B., 17, 469	
Bromterephthalic "	" = 1.4.5	"	304-305	Fischli	B., 12, 619	36, 639
" "	" "	"	290-295 u.c.	Carnelley & Thom-son	47, 590	
Brompiperonylic "	$C_6H_2Br(COOH).O.CH_2.O$ = ? 1.3.4	"	204-205	Fittig and Mielck	A., 172, 158	27, 899
Tribromresorcinol acetate	$OH.OAc.Br_3 = 1.3.(?)_3$	$C_8H_5Br_3O_3$	114	Claassen	B., 11, 1442	
Pentabromethylphenol	$C_6H_4.OH.(CBr_2.CBr_3)$	$C_8H_5Br_6O$	103-106 d.	A., 216, 284	
Dibromacetophenone	$Ph.CO.CHBr_2$	$C_8H_6Br_2O$	36	Hunnus	B., 10, 2010	34, 147
" "	" "	"	36-37	A., 195, 161	
Dibromethylenephenol	$HO.C_6H_4.C_2HBr_2$	"	240-250 s.d.	37-38	A., 216, 283	
" ?	"	d.	68-69	Jannasch	Z. C. [2], 7, 453	25, 241
Coumarone dibromide	$C_6H_4.O.CHBr.CHBr$	"	86	Fittig and Ebert	A., 216, 169	44, 474
Dibromphenyl acetic acid	$C_6H_3Br_2(CH_2.COOH)$	$C_8H_6Br_2O_2$	114-115	Bedson	37, 97	
Dibromtoluic acid	$COOH.Me.Br_2 = 1.3.(?)$	"	185-186	Fittig, Ahrens, and Mattheides	A., 147, 36	vi., 1100
" "	" = 1.4.3.6	"	195	Schultz	B., 18, 1762	46, 1054
Dibromxyloquinone	$C_6Me_2Br_2 : O_2 = 1.3.(?)_4$	"	174	A., 195, 273	
" "	" = 1.4.(?)_4	"	184	J. p. [2], 23, 434	
Methyl dibromsalicylic acid....	$COOH.OMe.Br_2 = 1.2.(?)_2$	$C_8H_6Br_2O_3$	145	Cahours	A. C. [3], 10 339	v., 163
Dibromanisic acid	$COOH.OMe.Br_2 = 1.4.(?)_2$	"	207-208	Reinecke	B. S. [2], 7, 177	vi., 173
" "	" "	"	213.5-214.5 c.	Crespi	G. I. [1881], 219	42, 192
Dimethoxydibromquinone	$C_6Br_2(OMe)_2 : O_2$	$C_8H_6Br_2O_4$	175	Hofmann	B., 8, 67	28, 569
" "	"	"	175	"	B., 11, 332	34, 418
Tetrabromethylphenol	$C_8H_6Br_4O$	58-59	A., 216, 283	
" "	"	105-106	A., 156, 255	
" ?	"	138	Hantzsch	A., 215, 51	44, 84
Tetrabrom-β-orcinol	$C_6Me_2Br_2(OBr)_2$	$C_8H_6Br_4O_2$	101	Stenhouse and Groves	A., 203, 293	37, 401
" ?	C_8H_7BrO	212-216	38-39	Jannasch	Z. C. [2], 7, 453	25, 242

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetophenone bromide	Ph.CO.CH ₂ Br	C ₈ H ₇ BrO	cf. B. 11, 931	50	Emmerling and Engler	B., 4, 148	24, 258
"	"	"	50	Staedel and Kleinschmidt	B., 13, 837	38, 660
"	"	"	50	Böttinger	B., 14, 1238	40, 815
"	"	"	50	Hunnus	B., 10, 2008	
"	"	"	50	Möhlau	B., 15, 2466	
Acetylenebromphenylin	"	220 ; d. 240	A., 216, 278	
Bromoxystyrolene	"	265	M. C., 1, 181	
Phenylbromacetic acid	Ph.CHBr.CO ₂ H	C ₈ H ₇ BrO ₂	382	83-84	Glaser and Radziszewski	Z. C. [2], 4, 142 ; B., 2, 208	vi., 1101
Methylic brombenzoate	COOMe.Br=1.2	"	246-247	Liquid	Rahlis	A., 198, 109	38, 119
"	" =1.3	"	31-32	A., 159, 14	
Brom- <i>a</i> -toluic acid	(CH ₂ .COOH).Br=1.4(?)	"	Mixture, cf. 37, 96	76	Radziszewski	B., 2, 208 ; Z. C., [2], 5, 358	vi., 1102
"	" =1.3	"	100-100.5	Gabriel	B., 15, 841	42, 1071
"	" =1.2	"	102.5-103	Jackson and White	B., 13, 1219 ; A. C. J., 2, 316	38, 879
"	" "	"	103-104	Bedson	37, 95	
"	" =1.4	"	114-115	"	37, 94	
"	" "	"	114.5	Jackson & Lowery	B., 10, 1210 ; A. C. J., 3, 246	34, 64
Bromomethoxybenzaldehyde	COH.OH.Br=1.2. ?	"	113-114.5	Perkin	A., 145, 304	vi., 1008
"	" =1.4. ?	"	Solid	Cahours	A. C. [3], 14, 486	i., 306
Bromtoluic acid	COOH.Me.Br=1.3.6	"	140-145	Jacobsen	B., 14, 2352	42, 185
"	" =1.3. ?	"	155	Kelbe	B., 15, 42	42, 619
"	" =1.2.6	"	167	Jacobsen & Wieress	B., 16, 1956	44, 1121
"	" =1.2.5	"	174-176	Jacobsen	B., 17, 2375	48, 143
"	" =1.3. ?	"	185-189	vi., 1100
"	" =1.3.4	"	205-206	Fittig and Ahrens	A., 147, 32	"
"	" "	"	205-206	Ahrens	Z. C., [2], 5, 106	vii., 1175
"	" "	"	205-207	Böttinger & Ramsay	A., 168, 258	27, 69
"	" "	"	209	Jacobsen	B., 14, 2351	42, 185
"	" "	"	208-209 c.	Remsen & Kuhara	A. C. J., 3, 424	42, 608
"	" "	"	210.5	Kelbe	B., 15, 41	42, 619
"	" =1.4.3	"	203-204	Landolph	B., 5, 268	vii., 420 ; 25, 473
"	" "	"	203-204	Morse and Ramsen	B., 11, 225	34, 571
"	" "	"	203.5-204	Jannaschand Diekmann	A., 171, 83	27, 477
"	" "	"	204	Brückner	B., 9, 407	30, 85
Bromphenoxyacetic acid	C ₆ H ₄ .Br.O.CH ₂ .COOH	C ₈ H ₇ BrO ₃	153-154	Fritzsche	J. p. [2], 20, 295	38, 320
Methylic bromsalicylate	COOMe.OH.Br=1.2. ?	"	265-266	36-38	Henry	B., 2, 276 ; Z. C. [2], 5, 479	vi., 1003
Methylbromsalicylic acid	COOH.OMe.Br=1.2. ?	"	55	Cahours	A. C. [3], 10, 339	v., 163
Bromanisic acid	" =1.4. ?	"	205	Laurent	R. S., 10, 6, 362	i., 301
"	" =1.4.5	"	211.5-212 c.	Balbiano	G. I. [1881], 396	42, 169
"	" "	"	213-214	Schall and Dralle	B., 17, 2531	48, 146
"	" "	"	213-214	Salkowski	B., 7, 1013	28, 65
"	" =1.4.6	"	218-218.5	Balbiano	G. I. [1881], 396	42, 169
Bromethylene pyrogallate	fr. C ₆ H ₃ (OH):O ₂ :C ₂ H ₄	"	67	Magatti	B., 12, 1862	38, 250
Bromvanillin	COH.OH.OMe.Br=1.4.5. ?	"	160-161 u. c.	Tiemann & Haarmann	B., 7, 615	27, 896
"	" "	"	161	Carles	B. S. [2], 17, 12	vii., 1201
Bromdehydracetic acid	fr. CH ₂ .Ac.C[CH(COOH):C.OH]	C ₈ H ₇ BrO ₄	134	Oppenheim and Precht	B., 9, 1101	30, 506
"	" "	"	136-137	Perkin and Bernhardt	B., 17, 1524	46, 1121
Bromvanillic acid	COOH.OMe.OH.Br=1.3.4. ?	"	+ H ₂ O	192-193	Matamoto	B., 11, 139	34, 503
Ethylic bromcomenate	C ₅ HBrO ₂ (OH)(COOEt)	C ₈ H ₇ BrO ₃	140-141	Mennel	J. p. [2], 26, 471	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethoxytribrombenzene	$C_6H_2Br_3.OEt$	$C_8H_7Br_3O$	72.5	Möhlau and Oehmichen	J. p., 24, 484	42, 396
Ethyltribromphenol	$C_6HBr_3Et.OH.$	"	53.5-55	A., 156, 256	
Tribromxylenol	$Me_2.OH.Br_3 = ?$	"	141	Wroblewsky	Z. C. [2], 4, 232	vi., 1129
"	" = 1.3.5.2.4.6	"	162.5	Thöl	B., 18, 362	48, 522
"	" = 1.2.4.3.5.6	"	169	Jacobsen	B., 11, 28	34, 412
"	" = 1.3.2.4.5.6	"	175	"	B., 11, 26	"
"	" = 1.4.2.3.5.6	"	175	"	B., 11, 27	"
"	" = 1.3.4.2.5.6	"	179	"	B., 11, 25	34, 411
Ethoxydibrombenzene	$C_6H_3Br_2.OEt=1.3.5$	$C_8H_5Br_2O$	268	Liquid	Möhlau and Oehmichen	J. p. [2], 24, 483	42, 396
Dibromxylenol	$Me_2.OH.Br_2=1.3.4.(?)_2$	"	73	Jacobsen	B., 11, 25	34, 411
"	" = 1.3.(?) ₃	"	80	Armstrong and Gaskell	B., 9, 950	
"	" = ?	"	176	Fittig & Hoogewerf	Z. C. [2], 5, 170	vi., 1129
Dibromdimethylpyrocatechol	$(OMe)_2.Br_2=1.2.(?)_2$	$C_8H_5Br_2O_2$	83-84	Matamoto	B., 11, 137	34, 502
"	" "	"	92	Merck	N. J. T., 21, 134	v., 997
"	" "	"	92-93	Tiemann & Koppe	B., 14, 2018	42, 54
Dibromdimethylresorcinol	" = 1.3.(?) ₂	"	137-138 u. c.	Hönig	B., 11, 1041	34, 727
"	" "	"	141	Tiemann & Parrisius	B., 13, 2365	40, 270
Dibromdimethylquinol	" = 1.4.5.?	"	142	Habernaum	B., 11, 1036	34, 728
Dibromomethylorcinol	$Me.OMe.OH.Br_2=1.3.5.6.(?)_2$	"	146	Tiemann & Streng	B., 14, 2002	42, 52
Dibrom-β-orcinol	$Me_2.(OH)_2.Br_2=?$	"	155	Stenhouse & Groves	A., 203, 296	37, 402
Dibromxyloquinol	"	"	184	Carstanjen	J. p. [2], 23, 421	42, 612
"	"	$C_8H_8Br_4O$	138	Hantzsch	A., 215, 51	44, 84
Phenylbrommethoxyloxyde	$Ph.O.CH_2.CH_2.Br$	C_8H_9BrO	250-260 p. d.	39	Henry	C. R., 96, 1233	44, 802
"	$Ph.O.C_2H_4.Br$	"	240-250 p. d.	39	Weddige	J. p., 24, 241	40, 1137
Bromhydroxystyrolene	$C_6H_5.C_2H_3.Br(OH)$	"	265	Liquid	Suida and Plohu	W. A., 81, 245	40, 268
Ethoxybrombenzene	$C_6H_4.Br.OEt=?$	"	130 = 230 ?	Grimaux	B., 2, 715	
"	" = 1.4	"	233	Liquid	Lippmann	W. A., 62, 605	24, 1040
Methoxybromtoluene	$Me.OMe.Br=1.4.5$	"	225-227	Liquid	Schall and Dralle	B., 17, 2531	48, 146
Bromxylenol	$Me_2.OH.Br=1.3.4.?$	"	Liquid	Jacobsen	B., 11, 25	34, 411
"	" = 1.4.5.?	"	71	B. S., 27, 140	
"	" "	"	74	Adam	B. S., 41, 288	
"	" "	"	87	Jacobsen	B., 11, 27	34, 412
Diethyl bromomaleate	$C_2HBr(COOEt)_2$	$C_8H_{11}BrO_4$	256 (o.p.), u. c. 143 (30-40)	Anschütz	B., 12, 2284	
Brommalophtalic acid	$C_8H_{11}BrO_5$	d. 180	A., 166, 353	
Tribromdipropylacetolactone	$C_8H_{11}Br_3O_2$	cf. A., 216, 76	Liquid-13	Hjelt	B., 15, 628	42, 946
"	?	$C_8H_{11}Br_3O_3$	42-43	Spatzky	J. R. [1885], 61	48, 512
Diethyl dibromsuccinate	$COOEt.(CHBr)_2.COOEt$	$C_8H_{12}Br_2O_4$	140-150 p. d.	58	Kekulé	As., 1, 358	v., 459
"	"	"	58	Anschütz	B., 12, 2281	
"	"	"	59	Claus	B., 15, 1845	
"	"	"	68	Lehrfeld	B., 14, 1820	
Dibromsuberic acid	$C_6H_{10}Br_2(COOH)_2$	"	172-173	Gantter and Hell	B., 15, 149	42, 716
Bromdipropylacetolactone	$C_8H_{13}BrO_2$	cf. A., 216, 73	Liquid-13	Hjelt	B., 15, 628	42, 946
Diethyl bromsuccinate	$COOEt.CH_2.CHBr.COOEt$	$C_8H_{13}BrO_4$	225-226 d.	J. R., 9, 277	
Bromsuberic acid	$C_6H_{11}Br(COOH)_2$	"	cf. A., 155, 251	102-103	Gantter and Hell	B., 15, 148	42, 716
"	"	"	d. 140-150	100-101	Hell and Rempel	B., 18, 814	48, 755
"	?	$C_8H_{20}Br_6O_2$	80 d.	a. 22	Schützenberger	B. S. [2], 19, 8	28, 487
Xanthogallol	$C_{18}H_3Br_4O_6(?)$	$C_9H_2Br_7O_5(?)$	122	Stenhouse	C. N., 29, 96	27, 586; vii., 1031
Tribromumbelliferone	$C_6Br_3(OH).CH.CH.COO$ = (?) ₃ .1.2.?	$C_9H_3Br_3O_3$	194	Posen	B., 14, 2746	42, 839
Tribromcæsculetin	$C_9H_3Br_3O_4$	240 d.	Liebermann and Knietzsch	B., 13, 1592	40, 108
β-Dibromcoumarin	fr. $C_6H_4.CH:CH.COO=1.2$	$C_9H_4Br_2O_2$	176	Perkin	24, 42	vi., 500
a-	$C_6H_3Br.C_2HBr.COO=1.2$	"	174	Ebert	23, 370	
a-	" "	"	179	"	A., 226, 350	
a	" "	"	183	"	24, 40; vi., 500

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Fr. Amidonaphthaquinonimide	$C_9H_4Br_2O_2$	173	Kronfeld	B., 17, 721	46, 1037
Dibromœsculetin	$C_9H_4Br_2O_4$	233	Liebermann and Knietsch	B., 13, 1594	40, 108
α -bromcoumarin	fr. $C_6H_4.CH : CH.COO=1.2$	$C_9H_5BrO_2$	110	Perkin	23, 371 ; 24, 37	vi., 499
β - " "	$C_6H_3Br.C_2H_2.COO=1.2$	"	160	Ebert	A., 226, 349	
β - " "	" "	"	160	Perkin	24, 42	vi., 500
Bromomethylenephthalyl	$C_6H_4 : (CO)_2 : CHBr.=1.2$	"	132-133	Gabriel and Michael	B., 11, 1011	34, 734
Bromocoumarilic acid	fr. $C_6H_4.CH : C(COOH).O=1.2$	$C_9H_5BrO_3$	a. 250	Perkin	24, 48	vi., 498
" " "	"	250-251	Ebert	A., 226, 350	
Bromomethylenephthalyl dibromide	$C_9H_5Br_2O_2$	117.5-118.5 u. c.	Gabriel and Michael	B., 11, 1007	34, 735
Tribromacetophenone carbonic acid	$C_6H_4(CO.CBr_2).COOH=1.2$	$C_9H_5Br_3O_3$	159.5-160	"	B., 10, 1555	34, 229
Coumarin dibromide	$C_9H_6Br_2O_2$	abt. 100 p. d.	Perkin	23, 369	vi., 499
" " "	$C_6H_4.CHBr.CHBr.COO=1.2$	"	105	A., 216, 163	
Methylene phthalide dibromide	$C_6H_4.COO.CBr.CH_2Br=1.2$	"	98-99	Gabriel	B., 17, 2523	48, 164
Bromocinnamic aldehyde	Ph.CBr : CH.COH	C_9H_7BrO	72-73	Zincke and Hagen	B., 17, 1815	46, 1344
" " "	"	112	Gössing	C. C. [1877], 193	34, 318
Bromatropic acid	Ph.C(COOH) : CHBr	$C_9H_7BrO_2$	130	Fittig and Würster	A., 195, 162	36, 380
β -bromocinnamic acid	Ph.CH : CBr.COOH	"	120	Glaser	A., 143, 336	vi., 468
β - " "	" "	"	120	Barische	J. p. [2], 20, 173	36, 43
α - " "	Ph.CBr : CH.COOH	"	130-131	Glaser	A., 143, 333	vi., 468
α - " "	" "	"	131	Barische	J. p. [2], 20, 182	36, 43
α - " "	" "	"	131	Leuckart	B., 15, 17	
Bromocinnamic acid	$C_6H_4Br.(CH : CH.COOH)=1.2$	"	211-213]	Gabriel	B., 15, 2295	44, 195
" " "	" =1.3	"	178-179	"	B., 15, 2297	"
" " "	" =1.4	"	251-253	"	B., 15, 2300	44, 196
Brommellilot anhydride	fr. $O.C_6H_4.(CH_2)_2.CO.O=1.2$	"	106	Hochstetter	A., 226, 355	48, 390
Phenoxybromacrylic acid	CHBr : C(OPh).COOH	$C_9H_7BrO_3$	138	Hill and Stevens	A. C. J., 6, 187	48, 532
Na-ethylate on bromacrolein	"	140	Grimaux and Adam	B. S. [2], 36, 136	40, 1029
Brom-o-aldehydophenoxyacetic acid	fr. $C_6H_4(COH).O.CH_2.COOH$	$C_9H_7BrO_4$	163	Rössing	B., 17, 2992	48, 388
α -phenyltribrompropionic acid	Ph.CBr ₂ .CHBr.COOH	$C_9H_7Br_3O_2$	132	Glaser	A., 143, 335	
β - " "	Ph.CHBr.CBr ₂ .COOH	"	45-48	"	A., 143, 338	
β - " "	Ph.C ₂ HBr ₃ .COOH	"	151	Kinnicutt & Palmer	A. C. J., 5, 583	46, 603
Tribromhydratropic acid	fr. Ph.CHMe.COOH	"	150	Fittig and Würster	A., 195, 163	36, 380
Propionoxytribrombenzene	$C_6H_2Br_3(O.C_3H_5O)$	"	65	Guareschi and Dacomo	B., 18, 1174	48, 891
Cinnamaldehyde dibromide	Ph.CHBr.CHBr.COH	$C_9H_8Br_2O$	100 d.	Zincké and Hagen	B., 17, 1814	46, 1343
Dibromtolylmethylketone	fr. $C_6H_4.Me.Ac=1.4$	"	100	Michaelis	B., 15, 186	42, 970
Dibromhydratropic acid	Ph.CBr(CH ₂ Br).COOH	$C_9H_8Br_2O_2$	115-116	Fittig and Würster	A., 195, 159	36, 379
Phenylidibrompropionic acid	Ph.CHBr.CHBr.COOH	"	195	A.	
" " "	" "	"	196	Anschütz and Kinnicutt	B., 12, 538	36, 645
Methylicdibromphenylacetate	$C_6H_3Br_2.CH_2.COOMe$	"	220-230(d.p.)	Bedson	37, 96	
Ethylic dibrombenzoate	$COOEt.Br_2=1.3.4$	"	38-38.5	Burghard	B., 8, 560	28, 892
" " "	" "	"	38-38.5	Burghard and Beutnagel	A., 222, 166	46, 601
Dibrommesitylenic acid	$COOH.Me_2.Br_2=1.3.5.2.4.or6$	"	194-195	Sussenguth	A., 215, 249	44, 470
Dibromatrolactic acid	$CHBr_2.CPh(OH).COOH$	$C_9H_8Br_2O_3$	167	Böttinger	B., 14, 1236	40, 815
Phenylidibromlactic acid	Ph.C ₂ HBr ₂ (OH).COOH	"	184	Kinnicutt and Palmer	A. C. J., 5, 583	46, 603
Methylic dibromanisate	$COOMe.OMe.Br_2=1.4.(?)_2$	"	91.5-92	Balbiano	G. I., 13, 65	44, 1125

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromhydrocoumaric acid....	(CH ₂ .CH ₂ .COOH).OH.Br ₂ =1.4.(?) ₂	C ₉ H ₈ Br ₂ O ₃	107	Stöhr	A., 225, 57	48, 1350
" "	" "	"	115	Zwenger	A., 25, 116	vi., 716
Dibrommethoxytoluic acid	COOH.OMe.Me.Br ₂ =1.2.4.(?) ₂	"	193-194	Paternò and Canzoneri	G. I., 10, 233	38, 884
Methylacetophenone bromide	C ₉ H ₉ BrO(?)	C ₉ H ₁₀ Br ₂ O(?)	55	Böttinger	B., 14, 1598	40, 1036
Phenylbromallyl oxide	Ph.O.CH ₂ .CBr:CH ₂	"	240 s.d.	Liquid	Henry	C. R., 96, 1233	44, 803
α -Bromhydratropic acid	CH ₂ Br.CHPh.COOH	C ₉ H ₉ BrO ₂	93	Fittig and Würster	A., 195, 152	36, 379
α -	"	"	93-94	Merling	A., 209, 13	40, 1143
β -	CH ₃ .CBrPh.COOH	"	93-94	"	A., 209, 10	"
Phenyl α -brompropionic acid	Ph.CH ₂ .CHBr.COOH	"	137.5	Anschütz and Kinnicutt	B., 12, 537	36, 645
" "	"	"	138	Fittig	B., 9, 1195	31, 61
" "	"	"	137	Fittig and Binder	A., 195, 132	36, 378
" "	"	"	d. 143	137-138	Fittig	B., 10, 519	32, 431
Bromphenylpropionic acid	Br.(CH ₂ .CH ₂ .COOH)=1.3	"	74.5-75	Gabriel	B., 15, 2294	44, 195
" "	" =1.2	"	97-99	"	B., 15, 2296	"
" "	" =1.4	"	136	Glaser	A., 143, 341	"
" "	" "	"	136	Gabriel	B., 13, 1682	"
" "	" "	"	135	Goring	C. C. [1877], 793	34, 318
Ethyl brombenzoate	COOEt.Br=1.2	"	254-255	Liquid	Rahlis	A., 198, 109	38, 119
" "	" =1.3	"	259	Liquid	Engler	B., 4, 707	24, 923
Brombenzyl acetate	C ₆ H ₄ Br.(CH ₂ OAc)=1.4	"	250-260 d.	Liquid	Jackson & Lowery	B., 10, 1209	"
Bromethylsalicylol	COH.OEt.Br.=1.2.?	"	67-68	Perkin	A., 145, 308	vi., 1009
Bromxylic acid	COOH.Me ₂ .Br=1.2.4.5	"	172-173	Sussenguth	A., 215, 244	44, 469
" "	" "	"	174	Gunter	B., 17, 1608	"
" "	" =1.2.5.?	"	189	"	B., 17, 1609	46, 1347
α -Bromomesitylenic acid	COOH.Me ₂ .Br=1.3.5.6	"	146 a.f. 138	Schmidt	A., 193, 172	36, 156
β -	" =1.3.5.4	"	212	Sussenguth	A., 215, 246	44, 469
β -	" "	"	214-215	Schmidt	A., 193, 174	36, 156
Phenylbromlactic acid	Ph.C ₂ H ₂ Br(OH).COOH	C ₉ H ₉ BrO ₃	125	Glaser	A., 147, 83	"
" "	"	"	+H ₂ O	120-122	"	"	"
α -Bromphenoxypropionic acid	CH ₂ .CH(O.C ₆ H ₄ Br).COOH	"	105-106	Saarbach	J. p. [2], 21, 157	38, 393
Methyl bromanisate	COOMe.OMe.Br=1.4.?	"	gentle ht.	Laurent	A., 56, 314	i., 301
Brommellilotic acid	OH.(CH ₂ .CH ₂ .COOH)=1.2	"	141-142 d.	Hochstetter	A., 226, 355	48, 390
Bromveratric acid	COOH.(OMe) ₂ .Br=1.3.4.?	C ₉ H ₉ BrO ₄	183-184	Matsmoto	B., 11, 136	34, 502
Isopropoxytribrombenzene	C ₆ H ₂ Br ₃ .OPr ^{β}	C ₉ H ₉ Br ₃ O	93	Silva	B. S. [2], 13, 27	vi., 917
Methoxytribromxylene	Me ₂ .OMe.Br ₃ =1.3.4.2.5.6	"	120	Jacobsen	B., 11, 26	"
Bromacrolein	(C ₉ H ₉ Br ₃ O ₃) _n	77-78	Grimaux and Adam	B. S. [2], 36, 136	40, 1029
Styccerin dibromhydrin	Ph.C ₃ H ₄ Br ₂ .OH	C ₉ H ₁₀ Br ₂ O	74	Grimaux	C. R., 74, 1598	26, 1139
Methylacetophenone bromide	"	C ₉ H ₉ BrO (?)	55	Böttinger	B., 14, 1598	40, 1036
Dibrompseudocumenol	Me ₃ .OH.Br ₂ =1.3.4.5.2.6	"	148-149	Edler	B., 18, 630	48, 772
Dibrompseudocuminol	" =1.3.4.6.2.5	"	149-150	Reuter	B., 11, 30	34, 413
Dibrommesitol	" =1.3.5.2.4.6	"	150	Jacobsen	A., 195, 271	36, 529
Dibromdimethylorcinol	Me.(OMe) ₂ .Br ₂ =1.3.5.2.4 or 6	C ₉ H ₁₀ Br ₂ O ₂	160	Tiemann and Streng	B., 14, 2001	42, 51
Dimethyldibrommethylpyrogallol	Me.(OMe) ₂ .OH.Br ₂ =?	C ₉ H ₁₀ Br ₂ O ₃	126	Hofmann	B., 12, 1375	38, 249
Dibromnono-dilactone	(CH ₂ Br.C.COO.CH ₂) ₂	C ₉ H ₁₀ Br ₂ O ₄	130	Hjelt	B., 14, 627; 15, 625	40, 577; 42, 946
Isopropoxybrombenzene	C ₆ H ₄ Br.OPr ^{β} =1.4	C ₉ H ₁₁ BrO	236 (760)	Liquid	Silva	Z. C. [1870], 250	vi., 917
Brompseudocuminol	Me ₃ .OH.Br=1.3.4.6.2 or 5	"	250 d.	32	Reuter	B., 11, 29	34, 413
Bromomesitol....	" =1.3.5.2.4	"	80	Jacobsen	A., 195, 270	36, 529
"	" "	"	81	Biedermann and Ledoux	B., 8, 60	"
Brom-mesityleneglycol	(CH ₂ .OH) ₂ .Me.Br=1.3.5.2 or 4	C ₉ H ₁₁ BrO ₂	126	Colson	C. R., 97, 177	46, 57
Phorone tetrabromide	(Me ₂ CBr.CHBr) ₂ CO	C ₉ H ₁₄ Br ₄ O	88-89	Claisen	A., 180, 12	29, 896
"	Me ₂ CBr.CHBr.CBrMe.	"	86-88	"	B., 7, 1168	28, 161
Diallylcarbinolacetate tetrabromide	CHBrAc (CH ₂ Br.CHBr.CH ₂) ₂ .CH.OAc	C ₉ H ₁₄ Br ₄ O ₂	L.f.m.	Saytzeff	A., 185, 137	32, 297

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylic itabrompyrotartrate ?	C ₉ H ₁₅ BrO ₄	270-275 p.d.	Z. C. [1866], 722	vi., 981
Ethylic α-bromcenanthylate...	C ₉ H ₁₁ .CHBr.COEt	C ₉ H ₁₆ Br ₂ O ₂	42	Fittig	B., 17, 3014	48, 376
Tetrabrom-α-naphthaquinone	C ₁₀ H ₂ Br ₄ O ₂	265	Blümlein	B., 17, 2489	48, 163
" -β-	"	164	Flessa	B., 17, 1482	48, 1186
Pentabrom-α-naphthol	C ₁₀ H ₂ Br ₅ .OH	C ₁₀ H ₃ Br ₅ O	238-239	Blümlein	B., 17, 2488	48, 163
" -β-	"	"	237	Flessa	B., 17, 1481	48, 1186
Dibrom-α-naphthaquinone	Br ₂ :O ₂ =β ₁ β ₂ α ₁ α ₂ ;	C ₁₀ H ₄ Br ₂ O ₂	149·5 ; a.s 151·5	Diehl and Merz	B., 11, 1065	34, 736
" " " " " " " "	" =β ₁ β ₁ α ₁ α ₂ ;	"	218	Miller	B. S., 43, 125	48, 667
" -?- " " " " " "	" = ?	"	171-173	Guareschi	A., 222, 262	48, 842
Dibromfural	C ₁₀ H ₄ Br ₂ O ₄	183-184	Fischer	B., 13, 1339	38, 798
" " " " " " " "	"	185	"	A., 211, 225	42, 500
Tetrabrom-β-naphthol	C ₇ H ₃ Br ₄ .OH.	C ₁₀ H ₄ Br ₄ O	156	Smith	35, 791	
Bromhydroxy-α-naphthoquinone	H ₂ O.Br:O ₂ =β ₁ β ₂ α ₁ α ₂ ;	C ₁₀ H ₅ BrO ₃	196·5	Diehl and Merz	B., 11, 1066	34, 737
" -α-	" " " " " " " "	"	196-197	Baltzer	B., 14, 1901	
" -α-	" " " " " " " "	"	201-202	Miller	B. S., 43, 125	48, 667
Bromfural	C ₁₀ H ₅ BrO ₄	Crystalline	Fischer	A., 211, 227	42, 500
Phthalylbromacetic acid	C ₆ H ₄ : (CO) ₂ : CBr.CO ₂ H = 1.2	"	232-235	Gabriel & Michael	B., 10, 2200	34, 426
Pentabromsafrol	C ₁₀ H ₅ Br ₅ O ₂	169-170	Grimaux & Ruotte	A., 152, 90	vi., 1014
Dibrom-α-naphthol	C ₁₀ H ₅ Br ₂ .OH	C ₁₀ H ₆ Br ₂ O	111	Biedermann	B., 6, 1119	27, 161
" -α-	" " " " " " " "	"	111	Meldola	C. N., 47, 536	44, 536; 45, 161
Br on diamidonaphthol	C ₁₀ H ₆ Br ₂ O ₃	175	Diehl and Merz	B., 11, 1068	34, 737
Tetrabromresorcinoldiacetate	(OAc) ₂ .Br ₄ =1.3.2.4.5.6	C ₁₀ H ₆ Br ₄ O ₄	169	Claasen	B., 11, 1441	34, 868
Fural octobromide	C ₁₀ H ₆ Br ₈ O ₄	185 d.	Fischer	B., 13, 1338 ; A., 211, 214	38, 798; 40, 500
Brom-β-naphthol	C ₁₀ H ₆ Br.OH=α ₁ β ₁ ;	C ₁₀ H ₇ BrO	84	Smith	B., 12, 680	35, 790
" " " " " " " "	" " " " " " " "	"	84	Armstrong	B., 15, 202	38, 722
β-Brompropionic coumarin	C ₁₀ H ₇ BrO ₂	146	Perkin	J. [1875], 591	28, 13
Methoxybromphenylpropionic acid	C ₆ H ₃ Br (OMe):C:C.COOH =?2.1	C ₁₀ H ₇ BrO ₃	abt. 168 d.	"	39, 419	
Phenoxybromacetic acid	CHO.CBr:C(OPh).COOH	C ₁₀ H ₇ BrO ₄	104-105	Hill and Stiven	A. C. J., 6, 187	48, 532
Bromhydroxy-β-methylcoumarilic acid	H ₂ O.C ₆ H ₂ Br.CMe:C(COOH).O =1.2.4.3	"	221 d.	Pechmann & Cohen	B., 17, 2135	48, 1332
Phenoxybrommaleic acid	C ₂ Br(OPh)(COOH) ₂	C ₁₀ H ₇ BrO ₅	103-104	Hill and Stiven	A. C. J., 6, 187	48, 532
Tribromresorcinoldiacetate	(OAc) ₂ .Br ₃ =1.3.4.(?) ₂	C ₁₀ H ₇ Br ₃ O ₄	108	Claasen	B., 11, 1439	34, 867
Benzoyldibrompropionic acid	Bz.CHBr.CHBr.COOH	C ₁₀ H ₉ Br ₂ O ₃	135	Pechmann	B., 15, 888	42, 1074
Carboxylphenyldibrompropionic acid	COOH.(CHBr.CHBr.COOH) =1.2	C ₁₀ H ₈ Br ₂ O ₄	212-213	Gabriel & Michael	B., 10, 2204	34, 427
" " " " " " " "	" " " " " " " "	"	d.w.m.a. 300	Löw	B., 18, 949	48, 799
Dibromquinol diacetate	(OAc) ₂ .Br ₂ =1.4.5.?	"	159·5 ; 161	Schulz	B., 15, 654, 655	
Dibromphenylene dioxyacetic acid	C ₆ H ₂ Br ₂ (O.CH ₂ .COOH) ₂ = (?) ₂ .3.1	C ₁₀ H ₈ Br ₂ O ₆	249-250 d.	Gabriel	B., 12, 1640	38, 34
" " " " " " " "	C ₁₀ H ₈ Br ₄ O ₂	183	Fittig & Rarringer	A., 161, 307	25, 488
Methoxydibromphenyldibrompropionic acid	(CHBr.CHBr.COOH).OMe. Br ₂ =1.2.(?) ₂	C ₁₀ H ₆ Br ₄ O ₃	200-202	Perkin	39, 421	
Methoxyphenylbromacrylic acid	(C ₂ HBr.COOH).OMe.Br =1.2.?	C ₁₀ H ₉ BrO ₃	169·5-171	"	39, 423	
" " " " " " " "	" " " " " " " "	"	169	"	39, 426	
Methylic bromterephthalate	(COOMe) ₂ .Br=1.4.5	C ₁₀ H ₉ BrO ₄	a. 300	42	Fischli	B., 12, 620	38, 639
Bromquinol diacetate	(OAc) ₂ .Br=1.4.5	"	71-73	Schulz	B., 15, 655	
Brompiperpropionic acid	CH ₂ :O ₂ :C ₆ H ₂ Br(CH ₂) ₂ .COOH	"	139·6	Weinstein	A., 227, 31	48, 665
Bromeconin	"	167	Anderson	A., 98, 48	iii., 863
Bromacetovanillic acid	COOH.OMe.OAc.Br=1.3.4	C ₁₀ H ₉ BrO ₅	165-167	Matsmoto	B., 11, 138	34, 502
Bromopianic acid	"	192	J. p. [2], 24, 367	
" " " " " " " "	"	204	Wegscheider	M. C., 4, 268	44, 997
" " " " " " " "	"	250-251	"	"	"
Methoxybromphenyldibrompropionic acid	(CHBr.CHBr.COOH).OMe. Br=1.2.?	C ₁₀ H ₉ Br ₃ O ₃	185-188	Perkin	39, 418	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzylidene acetone dibromide	Ph.CHBr.CHBr.CO.Me	C ₁₀ H ₁₀ Br ₂ O	124-125	Claisen & Claparède	B., 14, 2462	42, 512
Methylic phenyldibrompropionate	Ph.CHBr.CHBr.COOMe	C ₁₀ H ₁₀ Br ₂ O ₂	117	Anschütz and Kinnicutt	B., 11, 1220; 12, 538	34, 981; 38, 645
Phenyldibrombutyric acid	Ph.CHBr.CHBr.CH ₂ .COOH	138	Jayne	A., 216, 107	44, 473
Ethylic dibromtoluate	COOEt.Me.Br ₂ =1.4.3.6	..	310	49	Schultz	B., 18, 1762	48, 1054
Dibrompropylbenzoic acid or dibromtoluene propionic acid	Pr ^a .COOH.Br ₂ =1.4.(?) ₂ or (CH ₂ .CH ₂ .COOH).Me.Br ₂ =1.4.(?) ₂	152-153	Claus and Wimmel	B., 13, 903	38, 632
Dibrommethylbenzylacetic acid	135	A., 193, 316	
Dibromengenol	(CH : CHMe).OMe.OH.Br ₂ =1.4.3.(?) ₂	59	Chasanowitz & Hell	B., 18, 824	48, 779
Dibromthymoquinone	Me.Pr ^a .O ₂ .Br ₂ =1.4.2.3.5.6	73.5	Carstanjen	J. p. [2], 3, 55	24, 351; vii., 1156
Methoxyphenyldibrompropionic acid	(CHBr.CHBr.COOH).OMe=1.2	C ₁₀ H ₁₀ Br ₂ O ₃	abt. 156 d.	Perkin	A., 216, 160	39, 420
Ethylic dibromanisate	COOEt.OMe.Br ₂ =1.4.(?) ₂	88 c.	Crespi	G. I. [1881], 419	42, 193
Methyldibromatrolactic acid	163	Böttinger	B., 14, 1597	40, 1036
Ethylic dibromorsellinate	COOEt.(OH) ₂ .Me.Br ₂ =1.2.(?) ₄	C ₁₀ H ₁₀ Br ₂ O ₄	144	A., 117, 315	iv., 237
Dibromengenol dibromide	(CHBr.CHBrMe).OMe.OH.Br ₂ =1.4.3.(?) ₂	C ₁₀ H ₁₀ Br ₄ O ₂	118-119	Chasanowitz & Hell	B., 18, 824	48, 779
Brompropylphenylketone	Ph.CO.CH ₂ .CH ₂ .CH ₂ .Br	C ₁₀ H ₁₁ BrO	37-39	Perkin	47, 843	
Phenylbrombutyric acid	Ph.CHBr.CH ₂ .CH ₂ .COOH	C ₁₀ H ₁₁ BrO ₂	69	Jayne	A., 216, 102	44, 472
Ethylic bromtoluate....	CH ₃ .COOEt.Br=1.3.?	..	270-275	s. -5	Fittig and Ahrens	A., 147, 34	vi., 1100
Bromcumeic acid	COOH.Pr ^a .Br=1.4.5	146	Naquet and Longuine	C. R., 62, 1031	vi., 515
" "	" "	151-152	Gerichten	B., 11, 1719	38, 230
Ethylic bromanisate....	COOEt.OMe.Br=1.4.?	C ₁₀ H ₁₁ BrO ₃	gentle heat	Laurent	A., 56, 313	i., 302
" "	" =1.4.2 or 3	53-60.5	Balbiano	G. I. [1881], 396	42, 169
" "	" =1.4.3 or 2	73.5-74	"	"	"
" "	" "	73.5-74	Crespi	G. I. [1881], 419	42, 192
" bromphenoxyacetate ?	C ₆ H ₄ Br.O.CH ₂ .COOEt	59	J. p. [2], 20, 298	
" "	" "	83	Magatti	B., 12, 1863	38, 250
Anethol dibromide	(CHBr.CHBr.Me).OMe=1.4	C ₁₀ H ₁₂ Br ₂ O	abt. 65	Ladenburg	As., 8, 95	vi., 157; vii., 72
Bromcamphoric anhydride	C ₈ H ₁₃ Br : (CO) ₂ : O	C ₁₀ H ₁₃ BrO ₃	215	Wreden	A., 163, 330	25, 896
Tribromcamphor	C ₁₀ H ₁₃ Br ₃ O	64	Swarts	B., 15, 1625	42, 1300
" "	63-64	Royère	B., 15, 1621	
α-Dibromcamphor	C ₁₀ H ₁₄ Br ₂ O	57-61	Swarts	B., 15, 1622	"
α- " "	59-61	"	B., 15, 1621	
α- " "	57	Montgolfier	B. S., 23, 253	42, 527
α- " "	57	Armstrong and Matthews	[1877]	
α- " "	57	Schiff	B., 14, 1379	"
α- " "	60-61	Zepparovitch	M. C., 3, 231	42, 865
α- " "	61	Kachler & Spitzer	M. C., 3, 205	42, 864; 44, 961
β- " "	285 p.d.	114.5	Swarts	Z. C. [2], 2, 628; B., 15, 1622, 2135	vi., 387; 42, 1300
β- " "	114-115	Kachler & Spitzer	M. C., 3, 205; B., 15, 1343	42, 864
β- " "	114-115	Zepparovitch	M. C., 3, 231	42, 865
Bromcamphor	C ₁₀ H ₁₅ BrO	274	76	Perkin	vi., 387
" "	274 p.d.	76	Maisch	C. C. [1873], 437	27, 582
" "	76	Silva	B., 6, 1093	27, 70
" "	274	76	Kachler & Spitzer	M. C., 3, 205	42, 864
" "	274	76	Swarts	J. [1862], 463	vi., 387
" "	76	Schiff	B., 14, 1377	
" "	76	Schröder	B., 13, 1072	
" "	76	Montgolfier	B. S., 23, 230	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromcapric acid	Bu ^β .(CHBr) ₂ .CHMe.CH ₂ .COOH or Bu ^β .CHBr.CBrPr ^β .COOH	C ₁₀ H ₁₈ Br ₂ O ₂	135 u.c.	Hell and Schoop	B., 12, 194	36, 521
?	C ₁₀ H ₁₈ O+HBr	C ₁₀ H ₁₉ BrO	33-35	Hell and Ritter	B., 17, 2610	48, 172
Tetrabrom- <i>α</i> -naphthoic acid	C ₁₀ H ₃ Br ₄ .COOH	C ₁₁ H ₄ Br ₄ O ₂	239	Hausemann	B., 9, 1523	31, 321
" - <i>β</i> - " "	"	"	259-260	"	"	"
Tetrabromacetyldaphnetin ...	C ₆ Br ₂ (OH)(OAc).CBr : CBr. COO	C ₁₁ H ₄ Br ₄ O ₅	290 d.	Stünkel	B., 12, 113	36, 469
Tribrom- <i>β</i> -naphthoic acid ...	C ₁₀ H ₄ Br ₃ .COOH	C ₁₁ H ₅ Br ₃ O ₂	269-270	Hausemann	B., 9, 1522	31, 320
Brom - <i>α</i> - " "	C ₁₀ H ₇ Br.COOH	C ₁₁ H ₇ BrO ₂	242	"	B., 9, 1517	31, 318, 319
" - <i>β</i> - " "	"	256	"	B., 9, 1518	31, 319
Coumaroxyacetic anhydride dibromide	C ₆ H ₄ .(CHBr) ₂ .COO.CO.CH ₂ O =1.2	C ₁₁ H ₈ Br ₂ O ₄	213	Rössing	B., 17, 3002	46, 389
Methyl <i>β</i> -methylbromumbeliferone dibromide	MeO.C ₆ H ₂ Br.CBrMe. CHBr.COO=1.4.5	C ₁₁ H ₉ Br ₃ O ₃	233-235	Pechmann & Cohen	B., 17, 2134	46, 1332
Tribromocerinol diacetate ...	Me.(OAc) ₂ .Br ₃ =1.3.5.2.4.6	C ₁₁ H ₉ Br ₃ O ₄	143	Claassen	B., 11, 1440	
Bromphenylmethylfurfurane tetrabromide	fr.Ph.CBr.(CHBr) ₂ .CBrMe.O	C ₁₁ H ₉ Br ₅ O	blackens 200	208-210	Paal	B., 17, 2760	48, 249
Coumaroxyacetic acid dibromide	COOH.(CHBr) ₂ .C ₆ H ₄ .O.CH ₂ .COOH=1.2	C ₁₁ H ₁₀ Br ₂ O ₅	219-220	Rössing	B., 17, 2999	46, 389
Dibrommethoxyphenyl dibrombutyric acid	C ₆ H ₂ Br ₂ (OMe)(CHBr.CBrMe.COOH)=(?) ₂ .1.2	C ₁₁ H ₁₀ Br ₄ O ₃	abt. 200	Perkin	39, 434	
Ethyl <i>β</i> -bromocinnamate ...	Ph.CBr.CH.COOEt	C ₁₁ H ₁₁ BrO ₂	290-292	Barisch	J. p. [2], 20, 185	38, 43
Ethoxyphenylbromacrylic acid	OEt.(C ₂ HBr.COOH)=1.2	C ₁₁ H ₁₁ BrO ₃	164	Perkin	39, 428	
Dibromallylacetophenone ...	Ph.CO.(CH ₂) ₂ CHBr.CH ₂ Br	C ₁₁ H ₁₂ Br ₂ O	121-122	"	45, 189	
Ethyl phenyldibrompropionate	Ph.CHBr.CHBr.COOEt	C ₁₁ H ₁₂ Br ₂ O ₂	69	Anschütz and Kinnicutt	B., 11, 1221	34, 981
" " " "	"	"	69	"	B., 12, 538	36, 645
" " " "	"	"	69	Perkin	45, 172	
Dibromphenylvaleric acid	Normal	"	108-109	Baeyer & Jackson	B., 13, 122	38, 407
Styrcinacetodibromhydrin....	Ph.C ₃ H ₄ Br ₂ .OAc	"	85-86	Grimanx	C. R., 76, 1598	26, 1139
Methyl <i>β</i> -methoxyphenyl dibrompropionate	MeO.C ₆ H ₄ .C ₂ H ₂ Br ₂ .COOMe =1.2	C ₁₁ H ₁₂ Br ₂ O ₃	68	Perkin	39, 425, 427	
" <i>α</i> - " " "	"	"	125	"	39, 425 426	
Ethoxyphenyldibrompropionic acid	EtO.C ₆ H ₄ .C ₂ H ₂ Br ₂ .COOH =1.2	"	155 d.	Ebert	A., 216, 158	44, 472
Methylbrom Eugenol	(CH : CHMe)(OMe) ₂ .Br =1.3.4. ?	C ₁₁ H ₁₃ BrO ₂	185 (44)	Liquid	Wassermann	C. R., 88, 1206	36, 790
" " " "	"	"	190 (20)	"	B., 10, 237	
" dibromide	(CHBr.CHBrMe).(OMe) ₂ .Br =1.3.4. ?	C ₁₁ H ₁₃ Br ₃ O ₂	77-78	"	C. R., 88, 1206	36, 790
Dimethyl propyldibrompyrogallol	C ₆ Br ₂ Pr(OMe) ₂ (OH)	C ₁₁ H ₁₄ Br ₂ O ₃	108-109	Hofmann	B., 8, 67 ; 11, 331	
Bromcamphocarbonic acid ...	C ₁₀ H ₁₄ BrO.COOH	C ₁₁ H ₁₅ BrO ₃	109-110	Silva	B., 6, 1093	27, 70
Dibromundecylenic acid ...	C ₁₀ H ₁₉ Br ₂ .COOH	C ₁₁ H ₂₀ Br ₂ O ₂	38	Becker	B., 11, 1413	34, 853
" " " "	"	"	38	Krafft	B., 10, 2035	34, 292
Dibromdiphenylene oxide	C ₁₂ H ₆ Br ₂ O	185	A., 159, 215	
" " " "	"	185	Kreysler	B., 18, 1721	
Bromrosoquinol	C ₁₂ H ₄ Br ₄ (OH) ₂	C ₁₂ H ₆ Br ₄ O ₂	264	Baeyer & Schranbe	B., 11, 1301	34, 869
Tetrabrom- <i>γ</i> -diphenol	(C ₆ H ₂ Br ₂ .OH) ₂ =[1.(?) ₂ .4] ₂	"	264 u.c.	Magatti	B., 13, 225	38, 643
Didromphenyl oxide	C ₁₂ H ₈ Br ₂ O	a. 360	53-55	Hoffmeister	A., 159, 210	vii., 941
" " " "	"	58	Niederhausern	B., 15, 1124	
" " " "	"	58.5	Merz and Weith	B., 14, 191	
Dibrompiperide	C ₁₂ H ₈ Br ₂ O ₄	136	Fittig and Mielck	A., 172, 139, 151	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromoxypiperide	CH ₂ : (O ₂) : C ₆ H ₂ Br.CHBr. CH : C(OH).CH.COO or CH ₂ : (O) : C ₆ H ₂ Br.CHBr. CH(OH).CH : C.COO	C ₁₂ H ₈ Br ₂ O ₅	181-182.5	Fittig and Mielck	A., 172, 156	27, 899
Bromnaphthalic acid	C ₁₀ H ₅ Br(COOH) ₂	C ₁₂ H ₇ BrO ₄	210	Blumenthal	B., 7, 1095	
Benzofuril tetrabromide	C ₁₂ H ₈ Br ₄ O ₃	127-128 p.d.	Fischer	A., 211, 230	42, 500
Bromphenylphenol oxide	C ₆ H ₄ Br.O.C ₆ H ₄ .OH	C ₁₂ H ₉ BrO ₂	Liquid	Böhmer	J. p. [2], 24, 473	42, 398
Brom-β-acetonaphthol	C ₁₀ H ₆ Br.OAc	"	215 (20)	Liquid	Canzoneri	G. I., 12, 424	44, 68
Bromoxypiperide	CH ₂ : O ₂ : C ₆ H ₃ .CHBr.CH : C(OH).CH.COO or CH ₂ : O ₂ : C ₆ H ₃ .CHBr. CH(OH).CH : C.COO	C ₁₂ H ₉ BrO ₅	131.5-132	Fittig and Mielck	A., 172, 144	27, 898
Tetrabrompiperonic acid	C ₁₂ H ₁₀ Br ₄ O ₄	160-165 d.	"	A., 172, 137	
Tetrabromoxypiperonic acid	C ₁₂ H ₁₀ Br ₄ O ₆	d. 100; 153 d.	"	A., 172, 154	
Ethyl brom-α-naphthol	C ₁₀ H ₆ Br.OEt	C ₁₂ H ₁₁ BrO	48	Machetti	G. I., 9, 504	38, 261
" " -β- "	"	"	96	Koelle	B., 13, 1954	40, 178
Brom-β-hydropiperic acid	C ₁₂ H ₁₁ BrO ₄	170-171	Buri	A., 216, 177	44, 485
Cinnamylvinylmethylketone dibromide	Ph.C ₄ H ₄ Br ₂ .CO.Me	C ₁₂ H ₁₂ Br ₂ O	173.5 d.	Diehl and Einhorn	B., 18, 2323	48, 1221
Diethyl dibromterephthalate	(COOEt) ₂ .Br ₂ =1.4.3.6	C ₁₂ H ₁₂ Br ₂ O ₄	335	121	Schultz	B., 18, 1763	48, 1054
Dibromhydropiperic acid	"	135-136	Fittig and Mielck	A., 172, 159	27, 900
" " "	"	137-140	Buri	A., 216, 177	
Dibrommethoxyphenyl dibromvaleric acid	C ₆ H ₂ Br ₂ (OMe)(CHBr). CEtBr.COOH=(?) ₂ .1.2	C ₁₂ H ₁₂ Br ₄ O ₃	abt. 159 d.	Perkin	39, 437	
Phenylhomoparaconic acid hydrobromide	C ₁₂ H ₁₃ BrO ₄	149	Fittig	B., 14, 1825	42, 190
" " "	"	149 d.	Penfield	A., 216, 123	44, 473
Diethyl bromphthalate	(COOEt) ₂ .Br=1.2.3	"	295 d.	A., 160, 64	
Propyl phenyldibrompropionate	Ph.CHBr.CHBr.COOPr ^a	C ₁₂ H ₁₄ Br ₂ O ₂	23	Anschütz and Kin- nicutt	B., 12, 538	38, 645
Brompropylene ethylphenylketate	C ₁₂ H ₁₆ BrO ₂	230 p.d.	Morley and Green	47, 136	
Bromcumylpropionic acid	"	85-87	Perkin	J. [1877], 379	32, 661
Ethylbromeugenol	C ₉ H ₆ .OMe.OEt.Br=1.4.3.?	"	48	Wassermann	A., 179, 386	29, 707
Ethylbromeugenol dibromide	C ₉ H ₅ Br ₂ .OMe.OEt.Br =1.4.3.?	C ₁₂ H ₁₆ Br ₃ O ₂	80	"	A., 179, 385	"
Dipropylbromresorcinol	(OPr ^a) ₂ .Br=1.3.?	C ₁₂ H ₁₇ BrO ₂	70-71 u.c.	Karief	B., 13, 1679	40, 270
Heptabromdiphenylene ketone	C ₆ HBr ₃ .C ₆ H ₄ .CO	C ₁₃ HBr ₇ O	136	Salzmann and Wichelhaus	B., 10, 1402	34, 80
Hexabromdiphenylene ketone	C ₆ HBr ₃ .C ₆ HBr ₃ .CO(?)	C ₁₃ H ₂ Br ₆ O	black 225	nf. 280	"	"	"
Dibromdiphenylene ketone....	fr. C ₆ H ₄ .C ₆ H ₄ .CO=?	C ₁₃ H ₆ Br ₂ O	142.5	Holm	B., 16, 1081	44, 921
" " "	" =1.2; 1.2	"	197	"	"	"
" " "	" " "	"	198	Hodgkinson and Matthews	B., 16, 1103	43, 165
Dibromdiphenylene ketone oxide	"	C ₁₃ H ₆ Br ₂ O ₂	210	Perkin	43, 190	
" " "	"	"	211-212	Behr and Dorp	B., 7, 399	27, 798
Tetrabromdihydroxybenzophenone	CO.(C ₆ H ₂ Br ₂ OH) ₂	C ₁₃ H ₆ Br ₄ O ₃	213-214	Baeyer and Bur- kardt	B., 11, 1299	34, 887
" " "	"	"	213-214	Baeyer	A., 202, 131	38, 658
Bromdiphenylene ketone	C ₆ H ₃ Br.C ₆ H ₄ .CO=1.2; 1.2	C ₁₃ H ₇ BrO	104	Hodgkinson and Matthews	B., 16, 1103	43, 165
Benzoyltribromphenol	OBz.Br ₃ =1.2.4.6	C ₁₃ H ₇ Br ₃ O ₂	81.5	Daccomo	B., 18, 1168	48, 890
Diacetyltribromoesuletin	C ₉ HBr ₃ O ₂ (OAc) ₂	C ₁₃ H ₇ Br ₃ O ₆	180-182	Liebermann and Knietzen	B., 13, 1592	40, 108
Dibromphenylbenzoic acid	C ₁₃ H ₈ Br ₂ O ₂	212	Holm	B., 16, 1082	44, 922
" " "	C ₆ H ₄ Br.C ₆ H ₃ Br.COOH =1.4; 1.(2 or 3).4	"	201.5-203.5	Carmelley and Thomsen	47, 589	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Dibromophenyl benzoic acid	$C_6H_4Br.C_6H_5Br.CO_2H$ =1.4 ; 1.3 (or 2).4	$C_{13}H_9Br_2O_2$	232 ; af. 231	Carnelley and Thomson	47, 589	
Diacetyldibromesculetin	$C_9H_2Br_2O_2(OAc)_2$	$C_{13}H_9Br_2O_6$	177	Liebermann and Knietzen	B., 13, 1595	40, 108
Tetrabromdihydroxydiphenylmethane	$CH_2(C_6H_2Br_2OH)_2$ =[1.(?) ₂ .4] ₂	$C_{13}H_8Br_4O_2$	225	Beck	A., 194, 326 ; B., 10, 1839	34, 421 ; 36, 325
Bromdiphenyl ketone	$C_6H_4Br.CO.Ph$	$C_{13}H_9BrO$	81.5	Kollaritz and Merz	B., 6, 547	vii., 939 ; 26, 1036
Phenylic brombenzoate	$COOPh.Br.=1.3$	$C_{13}H_9BrO_2$	65	J. [1879], 676	
Dibrombenzhydrol	fr. $Ph.CH(OH)Ph$	$C_{13}H_{10}Br_2O$	163	A., 133, 12	iv., 478
Dibrombenzylphenol	fr. $Ph.CH_2.C_6H_4.OH$	abt. 175	Paternò and Fileti	G. I., 3, 121, 251	27, 373
Benzylbromphenyloxide	$Ph.CH_2.O.C_6H_4.Br$	$C_{13}H_{11}BrO$	59-59.5	Sintenis	B., 4, 700 ; A., 161, 344	24, 909 ; vii., 180
Bromdiethylsculetin	fr. $C_9H_2(OEt)_2.CH : CH.CO_2$	$C_{13}H_{13}BrO_4$	169'	Will	B., 16, 2118	46, 69
Bromdiethylaphnetin	115	Will and Jung	B., 17, 1085	46, 1042
Ethyl phenylacetyldibrompropionate	$Ph.CHBr.CBrAc.CO_2Et$	$C_{13}H_{14}Br_2O_3$	97	Claisen	B., 14, 347	40, 405
Benzylidene mesityl oxide tetrabromide	$C_{13}H_{14}Br_4O$	118'	Claisen and Claparède	B., 14, 2461	
Ethyl ethoxyphenyldibrompropionate	$C_6H_4(OEt)[(CHBr)_2.CO_2Et]$ =1.2	$C_{13}H_{16}Br_2O_3$	78	Perkin	39, 428	
Isoamylic dibromreselinate	$C_{13}H_{16}Br_2O_4$	73.8	A., 139, 40	
Acetyldimethylpropyldibrompyrogallol	$C_6Br_2Pr(OMe)_2(OAc)$	101.5-102.5	Hofmann	B., 11, 331	34, 417
Hydrobromcumenyl crotonic acid	$C_6H_4.Pr(CH_2.CHBr.CH_2.CO_2H)$	$C_{13}H_{17}BrO_2$	148-150 p.d.	Perkin	J. [1877], 380	32, 662
Bromsalicin	$C_{13}H_{17}BrO_7$	160	Schmidt	Z. C. [2], 1, 320	vi., 1001
Pentabromanthraquinone	$C_{14}H_3Br_5O_2$	w.m.	Diehl	B., 11, 183	34, 430
Tetrabromanthraquinone	$C_{14}H_4Br_4O_2$	295-300	..	B., 11, 182	..
"	nf. 370	Hammerschlag	B., 10, 1213	34, 76
Tribromanthraquinone	$C_{14}H_5Br_3O_2$	186	Diehl	B., 11, 181	34, 430
"	365	Hammerschlag	B., 10, 1213	34, 76
Tribromflavopurpurin	$C_{14}H_5Br_3O_6$	284 d.	Schunck & Roemer	B., 10, 1823	34, 322
Pentabromoxytolidene	$C_{14}H_5Br_5O_2$	206	A., 153, 127	
α -Dibromanthraquinone	$C_{14}H_6Br_2O_2$	145	Perkin	37, 555	
β -	174-175	..	37, 555	
?	236 u.c.	Diehl	B., 11, 181	
?	270-272	Auerbach	B., 15, 2918	
Dibromphenanthrene quinone	fr. $CO.C_8H_4.C_6H_4.CO$ =2.1 ; 1.2	230	Limpricht	B., 6, 533 ; A., 167, 185	26, 898
Dibrom-?quinone	.. =2.1 ; 1.4	166 u.c. ; 170c	Carnelley & Thomson	47, 592	
Dibromhydroxyanthraquinone	$C_6H_4 : (CO)_2 : C_6HBr_2.OH$ =2.1 ; 1.2.3.5.4	$C_{14}H_6Br_2O_3$	207-208	Baeyer	A., 202, 136 ; B., 9, 1231	31, 308
Dibromalizarin	$C_{14}H_6Br_2O_4$	168-170	Diehl	B., 11, 190	34, 428
Dibromxanthopurpurin	227-230	Plath	B., 9, 1205	31, 87 ; 33, 424
"	231	Schunck & Roemer	33, 424	
Fr. dibrom-o-p-ditolyl	$C_{14}H_8Br_2O_4(?)$	197-198 u.c. ; 201-202 c.	Carnelley & Thomson	47, 592	
Tetrabromoxytolidene	$C_{14}H_5Br_4O_2$	150	A., 153, 127	
Bromanthraquinone	$C_6H_4 : (CO)_2 : C_6H_3Br$ =2.1 ; 1.2.4	$C_{14}H_7BrO_2$	187	Græbe and Liebermann	As., 7, 290	vi., 180
"	.. =2.1 ; 1.2.3	188	Pechmann	B., 12, 2127	
Bromalizarin	$C_{14}H_5Br(OH)_2O_2$	$C_{14}H_7BrO_4$	a. 280	Diehl	B., 11, 190	34, 428
Brompurpurin	$C_{14}H_7BrO_6$	275	D. P., 228, 263	34, 737
"	275	Liebermann & Platte	B., 10, 1620	34, 78
"	276	Schunck & Roemer	B., 10, 554	31, 673 ; 32, 625
Dibromoxytolidene	$C_{14}H_5Br_2O_2$	121	A., 153, 125	
Dibromdiphenylene glycollic acid	$C_{14}H_5Br_2O_3$	abt. 225	Friedländer	B., 10, 537	32, 493
Fr. dibrom-o-p-ditolyl	v. $C_{14}H_6Br_2O_4$	$C_{14}H_8Br_2O_4$	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromdiphenic acid	$C_{12}H_6Br_2(COOH)_2$	$C_{11}H_8Br_2O_4$	295-296	Ostermayer	B., 7, 1091	
Bromsalicylic anhydride	$[C_6H_3Br(OH).CO]_2O=(1.2.1)_2$	$C_{14}H_8Br_2O_6$	164-165	Henry	Z. C. [2], 5, 479	vi., 1003
Dibromresorcinnphthalein	$C_6HBr_2(OH)_2.CO.C_6H_4$ COOH=(?) ₂ .1.3.2; 1.2	218-220	Baeyer	A., 183, 56	31, 204
Brombenzoylbenzoic acid	COOH.Bz.Br.=1.2.3 or 6	$C_{11}H_9BrO_3$	219-221	Pechmann	B., 12, 2126	
Bromdiphenic acid	$C_6H_4(COOH).C_6H_3Br.COOH$ =4.1; 1.4.2	$C_{14}H_9BrO_4$	208 u.c.; 215 c.	Carnelley & Thomson	47, 591	
Pentabromcurcumin dibromide	$C_{14}H_9Br_7O_4$	cf. B., 16, 573	abt. 120 d.	Jackson and Menke	A. C. J., 4, 360	44, 482
Dibromdeoxybenzoin	$C_{14}H_{10}Br_2O$	87	Zinin	A., 126, 221	vi., 332
"	110-112	Limpricht and Schwanert	A., 155, 70	vii., 174
Tetrabromethylene phenyl-oxide	$C_{14}H_{10}Br_4O_2$	b. 100	Z. C. [1869], 447	
Bromdeoxybenzoin	$C_{14}H_{11}BrO$	50	Limpricht and Schwanert	A., 155, 68	vii., 174
Bromdihydroanthrol (?) (?)	92-94	Perger	J. p. [2], 23, 137	40, 608
Brombenzylidene benzoate	Ph.CHBr.OBz	$C_{14}H_{11}BrO_2$	69-70	Claisen	B., 14, 2475	42, 514
Benzoydibromtoluene	Me.OBz.Br ₂ =1.4.3.5	$C_{14}H_{11}Br_2O_2$	91-91.5	Schall and Dralle	B., 17, 2532	48, 146
Ethylene diphenol tetrabromide	$C_{14}H_{14}Br_4O_2$	a. 100	vi., 917
Curcumin tetrabromide	$C_{14}H_{14}Br_4O_4$	cf. B., 16, 573	185 d.	Jackson and Menke	A. C. J., 4, 360	44, 481
Dibromthymoquinol diacetate	$C_6Br_2MePr(OAc)_2$	$C_{14}H_{16}Br_2O_4$	121-122	Schulz	B., 15, 658	
Diacetyl dibrompicomar	$C_6Br_2Pr(OAc)_2.OMe$	$C_{14}H_{16}Br_2O_5$	78	M. C., 4, 185	
Bromthymoquinol diacetate	$C_6HBrMePr(OAc)_2$	$C_{14}H_{17}BrO_4$	91	Schulz	B., 15, 658	42, 838
Tetrabrommorin	$C_{16}H_6Br_4O_7$	+2½H ₂ O	258	Benedikt & Hazura	M. C., 5, 667	48, 554
Brombenzylidene phthalide	$C_6H_4.COO.C : CBrPh=1.2$	$C_{15}H_9BrO_2$	160	Gabriel	B., 18, 2444	48, 1230
From ethobromcodeine	121; 121-122	Gerichten and Schrotter	B., 15, 1485, 2179	42, 1113; 44, 222
Methylbromhydroxyanthraquinone	$C_6H_4:(CO)_2:C_6H.Me.OH.Br$ Br.OH.Me=1.2.3	$C_{15}H_9BrO_3$	205	Fraude	A., 202, 165, B., 12, 237	38, 635
Benzylidene phthalide dibromide	$C_6H_4.COO.CBr.CHBrPh$ =1.2	$C_{15}H_{10}Br_2O_2$	146	Gabriel	B., 17, 2521	48, 165
Tetrabromphloretin	$C_{15}H_{10}Br_4O_5$	205-210 d.	Hlasiwetz	A., 119, 104	iv., 492
Bromeresolphthalein	$C_6H_2BrMe(OH).OC.C_6H_4$ COOH=? ₁ .2.?; 1.2	$C_{15}H_{11}BrO_4$	228	Fraude	B., 12, 240	38, 635
Benzylidene phenylketone dibromide	CHBrPh.CHBr.CO.Ph	$C_{15}H_{12}Br_2O$	156-157	Claisen & Claparède	B., 14, 2464	42, 512
Dibrom- α -pyrocressol	215	Schwarz	B., 16, 2143	48, 79
Dibromdimethoxybenzophenone	fr. CO(C ₆ H ₄ .OMe) ₂ =(1.4) ₂	$C_{15}H_{12}Br_2O_3$	181	Böslér	B., 14, 329	40, 422
Dibromhydrocotoïn	$C_{15}H_{12}Br_2O_4$	95	Jobst and Hesse	A., 199, 59	38, 328
Tetracetyldibromgallic acid	$C_6Br_2(OAc)_3.COOAc$ =6.2.5.4.3.1	$C_{15}H_{12}Br_2O_9$	+2H ₂ O	91	B., 3, 643	
Bromlapachic acid	$C_{10}H_4(C_5H_9):O_2.OBr$	$C_{15}H_{13}BrO_3$	cf. B., 16, 801	139-140	Paternò	G. I., 12, 337	44, 211
Bromhydrocotoïn	$C_{15}H_{13}BrO_4$	147	Jobst and Hesse	A., 199, 59	38, 328
Dibromæsculin	$C_{15}H_{14}Br_2O_9$	193-195 d.	Liebermann and Knietsch	B., 13, 1594	40, 108
Brompirotoxin	$C_{15}H_{15}BrO_6$	d.w.m. 240-250	Paternò & Oglilorò	G. I., 7, 193, B., 10, 1100	32, 790
"	245	Schmidt & Lowenhardt	B., 14, 819	40, 741
Dibrom- α -metasantonin	$C_{15}H_{16}Br_2O_3$	184	Cannizaro and Carneluti	G. I., 10, 461	40, 286
" - β - "	186	"	"	"
Brom- β -metasantonin	$C_{15}H_{17}BrO_3$	114	"	G. I., 8, 318	38, 330
" - β - "	114	"	G. I., 10, 461	40, 285
" - α - "	212	"	"	40, 286
" - α - "	212	"	G. I., 8, 318	38, 330

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Santonyl bromide	$C_{16}H_{19}BrO_3$	145.5	Cannizaro and Valente	G. I., 8, 309	38, 331
Dibrom- α -naphthylene phenylene oxide	$C_{16}H_6Br_2O$	cf. A., 209, 144	284	Arx	B., 13, 1727	40, 282
Diphthalyl dibromide	$C_6H_4.COO.CBr : CBr.C_6H_4$ COO=(1.2) ₂	$C_{16}H_8Br_2O_4$	begins 220 d.	Græbe & Schmalzigang	B., 15, 1674	42, 1298
Dibrom-m-acetoxyanthaquinone	$C_6H_4 : (CO)_2 : C_6H(OAc)Br_2$,	cf. A., 202, 137	189-190	Baeyer	B., 9, 1231	51, 308
Dibromocampheride	$C_{16}H_{10}Br_2O_6$	224-225 d.	Jahnus	B., 14, 2389	42, 209
Diacyltetradibrom- γ -diphenol	$(C_6H_2Br_2.OAc)_2=(1.1.4)_2$	$C_{16}H_{10}Br_4O_4$	245	Magatti	B., 13, 225	38, 643
Tetrabromlecanoric acid	$C_{16}H_{10}Br_4O_7$	abt. 157	Hesse	A., 139, 28	vi., 778
Ethylc dibromdiphenylene glycollate	fr. $C_6H_4.C_6H_4.C(OH).COOEt$	$C_{16}H_{12}Br_2O_3$	150-151	Friedländer	B., 10, 537	32, 493
Dibromhæmatoxylin	$C_{16}H_{12}Br_2O_6$	d. a. 120	Dralle	B., 17, 373	46, 1043
Dibromlecanoric acid	$C_{16}H_{12}Br_2O_7$	175 ; 179 c.	Hesse	A., 139, 28	vi., 778
Diacyldibromrhannetin	$C_{12}H_6Br_2O_3(OAc)_2$	"	211-212	Liebermann and Hörmann	B., 11, 1621 ; A., 196, 322	36, 272
?	$C_{14}H_{10}Br.Ac$	$C_{16}H_{13}BrO$	107	Limpricht and Schwanert	vii., 1163
Bromdioxyretistene	$C_{16}H_{13}BrO_2$	210-212	Z. C. [1869], 74	
Fr. tolane dibromide	$C_{14}H_{10}Br.OAc$	"	107	Limpricht and Schwanert	B., 4, 380	
Dibromethyl deoxybenzoin	fr. $Ph.CH_2.CO.C_6H_4Et=1.4$	$C_{16}H_{14}Br_2O$	113	Söllscher	B., 15, 1681	42, 1292
Methylic diphenyl dibrompropionate	$Ph.CHBr.CBrPh.COOMe$	$C_{18}H_{14}Br_2O_2$	105-108	Cabella	G. I., 14, 14	46, 1348
Tetrabromhydrocærulignone	$C_{12}Br_4(OMe)_4(OH)_2$	$C_{16}H_{14}Br_4O_6$	217-218	Hayduck	B., 9, 930	30, 517
Dibromhydrocærulignone	$C_{12}H_2Br_2(OMe)_4(OH)_2$	$C_{16}H_{16}Br_2O_6$	262	"	"	"
Brompalmitic acid	$C_{15}H_{26}Br.COOH$	$C_{16}H_{27}BrO_2$	31	Schröder	A., 143, 31	vi., 896
Bromhypogeic acid	$C_{15}H_{28}Br.COOH$	$C_{16}H_{29}BrO_2$	19-23	"	A., 143, 26	vi., 727
Tribrompalmitic acid	$C_{15}H_{28}Br_3.COOH$	$C_{16}H_{29}Br_3O_2$	39	"	A., 143, 27	"
Dibrompalmitic acid	$C_{15}H_{29}Br_2.COOH$	$C_{16}H_{30}Br_2O_2$	29	"	A., 143, 24	vi., 726
Ethyl tetrabrommorin	$C_{15}H_5Br_4EtO_7 + 3H_2O$	$C_{17}H_{10}Br_4O_7$	135	Benedikt & Hazura	M. C., 5, 667	48, 554
From bromcinnamic acid	$C_{17}H_{12}Br_2O_2$	a. 340	Leuckart	B., 15, 19	42, 615
Tetrabromevernic acid	$C_{17}H_{12}Br_4O_7$	161	Stenhouse	P. R. S., 17, 222	vii., 496
Bromhydracetonebenzil	$C_{17}H_{13}BrO_2$	172	Japp and Miller	47, 29	
Pentabromdurylbenzoyl	$C_{17}H_{13}Br_5O$	224-225	J. [1879], 372	
Dibenzylidene-acetone tetrabromide	$CO(CHBr.CHBrPh)_2$	$C_{17}H_{14}Br_4O$	206-208	Claisen and Claparède	B., 14, 2461	42, 511
Benzylidene-phthalidebromide ethoxide	$Ph.C_2HBr(OEt).C_6H_4.COO$ =1.2	$C_{17}H_{15}BrO_3$	149	Gabriel	B., 17, 2527	48, 165
Acetylbromhydrocotoin	$C_{17}H_{15}BrO_5$	166	Jobst and Hesse	A., 199, 61	38, 328
Brom α -ditolylpropionic acid	fr. $(Me.C_6H_4)_2.CHMe.COOH$ =(1.4) ₂	$C_{17}C_{17}BrO_2$	143-144	Haiss	B., 15, 1478	42, 1071
Ethylc phenyldibrompropionyl-diethylacetate	$CHBrPh.CHBr.CO.CEt_2$ COOEt	$C_{17}H_{22}Br_2O_3$	55	Claisen and Matthews	A., 218, 170	48, 444
" " "	" "	"	54-55	Matthews	43, 206	
Erythroprocatechol	$C_{15}H_2Br_{10}O$	139 d.	Stenhouse	A., 177, 197	28, 6 ; vii., 1029
Xanthogallol	$C_{15}H_4Br_{14}O_6$	122	"	A., 177, 193	28, 6 ; vii., 1031
?	$C_{15}H_2Br_{11}O_6$	130	"	"	28, 4 ; vii., 1031
Dibromchyrsoquinone	$C_{16}H_8Br_2O_2$	160-165	Adler	B., 12, 1892	38, 263
Dibromethylenebenzoyl carbonic anhydride	$C_6H_4 : (CO)_2 : CH.CBr_2.OC$ $C_6H_4.COOH=(1.2)_2$	$C_{18}H_{10}Br_2O_5$	285-287	Gabriel & Michael	B., 10, 1561	34, 230
Dibromethylene dibenzoyl carbonic acid	fr. $(.CH_2.CO.C_6H_4.COOH)_2$ =(1.2) ₂	$C_{18}H_{12}Br_2O_6$	270-272	"	B., 10, 2209	34, 428
Tribrompyroguaajacol	$C_{18}H_{15}Br_3O_3$	172	Wieser	M. C., 1, 601	40, 813
Phenyldibrompropylic cinamate	$Ph.CH : CH.CO.O.CH$ $(CHBr)_2.Ph$	$C_{18}H_{15}Br_2O_2$	151	Miller	B., 9, 275	29, 939
Dibromhexmethoxydiphenyl	fr. $(MeO)_3C_6H_2.C_6H_2(OMe)_3$	$C_{18}H_{20}Br_2O_6$	138-140	Ewald	B., 11, 1623	36, 253
Dibromoleic acid	cf. A., 140, 56	$C_{18}H_{32}Br_2O_2$	200	Lefort	J. Ph. (3), 24, 113	iv., 194

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tetrabromstearic acid ...	$C_{17}H_{31}Br_4COOH$	$C_{18}H_{32}Br_4O_2$	cf. A., 140, 56	abt. 70	Marasse	Z. C. (2), 5, 571	vi., 1038
Bromoleic acid	$C_{17}H_{32}Br.COOH$	$C_{18}H_{33}BrO_2$	cf. A., 140, 47	35-36	Overbeck	J. p., 97, 159	vi., 881
Dibromoelaidic acid ...	$C_{17}H_{32}Br_2.COOH$	$C_{18}H_{34}Br_2O_2$	cf. A., 140, 61	27	Burg	B. S. (2), 3, 191	vi., 550
Bromstearic acid	$C_{17}H_{31}Br.COOH$	$C_{18}H_{35}BrO_2$	41	Oudemanns	J. p., 89, 1957	v., 419
From isoamyloxanthranol	$C_{19}H_{18}Br_2O$	120 d.	A., 212, 95	
Dibromdiacetylpirotoxide or Diacetylpirotoxide di- bromide	$C_{19}H_{18}Br_2O_8$ or $C_{19}H_{20}Br_2O_8$	180	Paternò & Ogliadoro	G. I., 9, 57	36, 729
Ethyl brompodocarpic acid	$C_{19}H_{23}BrO_3$	158	A., 170, 237	
Pentabromquinol phthaleïn	fr. $C_6H_4 : [CO.C_6H_3(OH)]_2 : O$ $= 1.2 ; (?1.4)_2$	$C_{20}H_7Br_5O_5$	a. 300	Ekstrand	B., 11, 716	34, 676
Pentabromresorcinol oxaleïn	$O.C_6H_2Br(OH).CO.C : (C_6H$ $Br_2.OH)_2 : O = 1. ? 3. ? ;$ $[(?1.3.1.3)]_2$	$C_{20}H_7Br_5O_6$	d.w m. 230	Claus	B., 14, 2567	42, 399
Dibrom- β -dinaphthalene oxide	$C_{20}H_{10}Br_2O$	cf. A., 209, 140	247	Knecht & Unzeitig	B., 13, 1726	40, 281
" - α - " "	"	cf. A., 209, 137	287	"	B., 13, 1725	"
Dibromphenolphthaleïn an- hydride	$C_{20}H_{10}Br_2O_3$	255-258	Baeyer	A., 212, 347	42, 1096
Dibromfluoresceïn	$C_{20}H_{10}Br_2O_5$	260-270	"	A., 183, 38	31, 200
Tetrabromphenol phthaleïn...	$C_6H_4(CO.C_6H_2Br_2.OH)_2 = 1.2 ;$	$C_{20}H_{10}Br_4O_4$	220-230	"	B., 9, 1231	31, 308
" "	" "	"	220-230	"	A., 202, 77	38, 654
Tetrabromphenolphthaleïn	cf. B., 9, 1238	"	a. 280	"	B., 9, 1237	31, 309
Dibromhydroxydiphenyl phthalide	$C_6H_2Br_2(OH).CPh.C_6H_4.COO$	$C_{20}H_{12}Br_2O_3$	196	Pechmann	B., 13, 1615	40, 96
Dibromphenylresorcinphtha- leïn	fr. $C_6H_3(OH)_2.CPh.C_6H_4.COO$ $= 1.3. ? ; 1.2$	$C_{20}H_{12}Br_2O_4$	219	"	B., 14, 1861	42, 184
Tetrabromphenolphthalin	$C_6H_2Br_3(OH).CH(OH).C_6H_4.$ $CO.C_6H_2Br_2.OH$	$C_{20}H_{12}Br_4O_4$	140	Baeyer	B., 9, 1233	31, 308
" "	"	205	"	A., 202, 85	38, 655
Tetrabrompurpurogallin	$C_{20}H_{12}Br_4O_9$	202-204	Clermont & Chautard	C. R., 94, 1362	42, 1066
Hexabromdiresorcinoltetra- acetate	$C_6Br_3(OAc)_2.C_6Br_3(OAc)_2$	$C_{20}H_{12}Br_6O_8$	259	M. C., 1, 356	
Tetrabrom- β -diresorcinol- tetracetate	$C_6HBr_2(OAc)_2.C_6HBr_2(OAc)_2$	$C_{20}H_{14}Br_4O_8$	195	M. C., 1, 353	
Tribromerythrol	$C_{20}H_{19}Br_3O_{10}$	$+ 1\frac{1}{2}H_2O$	139	A., 117, 310	
Dibromdiacetylhydrocœrulig- none	$C_{12}H_2Br_2(OMe)_4(OAc)_2$	$C_{20}H_{20}Br_2O_8$	178	Hayduck	B., 9, 930	30, 516
α -Dibenzoyldithymol	$C_{20}H_{24}Br_2O_2$	215	Dianin	J. R. [1882], 130	42, 624
Hexabromresocyanin	$C_{21}H_{12}Br_6O_6$	250 d.	J. p., 24, 127; 25, 83	
Bromphthalacene oxide	$C_{21}H_{13}BrO$	200	Gabriel	B., 17, 1398	46, 1190
Brombenzylcurcumin	$C_{14}H_{13}(CH_2.C_6H_4Br)_4 = 1.4$	$C_{21}H_{19}BrO_4$	cf. B., 15, 1761	78 ; sf. 76	Jackson and Meuk	A. C. J., 4, 77	42, 1108
Alcoholate of ethylbrompodo- carpinic acid	$C_{21}H_{31}BrO_4$	a. 80	A., 170, 213	
Acetyl tetrabromfluoresceïn ? bromhydrin dibromide	$C_{22}H_{10}Br_4O_6$	278	Baeyer	A., 138, 1	31, 203
Dibromacetoxydiphenyl- phthalide	$C_{22}H_{12}Br(OH).Br_2$ $C_6H_2Br_2(OAc).CPh.C_6H_4.COO$	$C_{22}H_{13}Br_3O$ $C_{22}H_{14}Br_2O_4$	d.w.m. 280	Rousseau	A. C. (5), 28, 145	46, 180
Tribromcotoïn	$C_{22}H_{15}Br_3O_6$	114	Jobst and Hesse	A., 199, 26,	38, 326
Dibromorthocresolphthaleïn	fr. $C_6H_4(CO.C_6H_3Me.OH)_2$ $= 1.2 ; (?1.2)_2$	$C_{22}H_{16}Br_2O_4$	cf. A., 202, 158	255	Frande	B., 12, 239	36, 635
Dehydroacetophenonebenzil tetrabromide	$C_{22}H_{16}Br_4O_2$	110-115	Japp and Miller	47, 36	
Dibrom-o-cresolphthalin	$C_{22}H_{18}Br_2O_4$	236	A., 202, 170	
Dibromerucic acid	$C_{22}H_{40}Br_2O_2$	46-47	Hausknecht	A., 143, 44	vi., 257
Tetrabrombehenic acid	$C_{22}H_{40}Br_4O_2$	77-78	"	A., 143, 45	"
Bromerucic acid	$C_{22}H_{41}BrO_2$	33-34	"	A., 143, 50	vi., 581
Tribrombehenic acid....	$C_{22}H_{41}Br_3O_2$	31-32	"	"	"
Brassicic acid dibromide	$C_{22}H_{42}Br_2O_2$	54	"	A., 143, 57	vi., 367
Dibrombehenic acid	"	42-43	Otto	A., 135, 227	vi., 581

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethyltetrabromaurin	$C_{19}H_8Et_2Br_4O_3$	110-115	Ackermann	B., 17, 1627	46, 1340
Tetrabromphthalfluoresceïn (naphthaleosin)	$C_{24}H_{10}Br_4O_5$	a. 310	Terrisse	A., 227, 133	48, 667
Tetrabromfluoresceïn diacetate	$C_{24}H_{12}Br_4O_7$	278	A., 183, 53	
Tetrabromquercetin	fr. $C_{24}H_{14}O_9 \cdot (O.C_6H_{12}O_4)_2 \cdot O$	218	Liebermann and Hamburger	B., 12, 1185	
Diacetyldibromfluoresceïn	$C_{24}H_{14}Br_2O_5$	208-210	Baeyer	A., 138, 1	31, 200
Dibromfluoresceïn diacetate	$C_{24}H_{14}Br_2O_7$	208-210	A., 183, 38	
Diacetyltetrabromphenolphthalidin	$C_6H_2Br_2(OH).C_6H_4.C$ $(OH).C_6HBr_2.OAc$	$C_{24}H_{14}Br_4O_5$	256	Baeyer	A., 202, 95	38, 656
Diacetyltetrabromphenolphthaleïn	$C_{24}H_{14}Br_4O_6$	134	..	A., 202, 80	38, 654
Diacetyltetrabromphenolphthalideïn	cf. B., 9, 1238	..	cf. A., 202, 108	182-183	..	B., 9, 1237	31, 310
Diacetyltetrabromphenolphthalin	fr. $C_6H_2Br_2(OH).CH(OH).C_6H_4.CO.C_6H_2Br_2.OH$	$C_{24}H_{16}Br_4O_6$	165-166	..	B., 9, 1234; A., 202, 36	31, 309; 38, 655
Tetrabromtetracetylbraziïn	$C_{16}H_6Br_4O_3Ac_4$	$C_{24}H_{18}Br_4O_9$	220-222	Buchka and Ereck	B., 18, 1141	48, 907
Tribromtetracetylbraziïn	$C_{16}H_7Br_3O_3Ac_4$	$C_{24}H_{19}Br_3O_9$	145-147	..	B., 18, 1140	..
?	$C_6H_4(CH_2.O.CHBr.C_6H_4.CO)_2 = 1.4; (1.4)_2 (?)$	$C_{24}H_{20}Br_2O_4$	80	Löw	B., 18, 2073	48, 1208
Diethyl tetrabromrosolic acid	$C_{20}H_{10}Et_2Br_4O_3$	$C_{24}H_{20}Br_4O_3$	110-115	Ackermann	B., 17, 1627	46, 1340
Bromtetracetylbraziïn	$C_{16}H_9BrO_5Ac_4$	$C_{24}H_{21}BrO_9$	203-204	Buchka	B., 17, 685	46, 1044
Diacetylbromcatechin	$C_{21}H_{17}BrO_7(OAc)_2$	$C_{25}H_{23}BrO_{11}$	120	Liebermann and Tauchert	B., 13, 696	40, 53
Pentacetyldibromæsculin	$C_{15}H_9Br_2O_4(OAc)_3$	$C_{25}H_{24}Br_2O_{14}$	203-206	Liebermann and Knietsch	B., 13, 1594	40, 108
Fr. benzophenone	$C_{26}H_{15}Br_5O_2$	125	Linnemann	A., 133, 6	iv., 478
Pentacetylbromhæmatoxylin	$C_{16}H_9BrO_6Ac_5$	$C_{26}H_{23}BrO_{11}$	210	Buchka	B., 17, 684	46, 1043
Tribrombaphinitone	$C_{26}H_{23}Br_3O_6$	180.2 c.; d.	Anderson	30, 585
Br-deriv. of styrogenin	$C_{26}H_{39}Br_3O (?)$	$C_{26}H_{37}Br_3O (?)$	260	Mylus	B., 15, 945	
Cholesterin dibromide	$C_{26}H_{44}Br_2O$	113-114	Liebermann	B., 18, 1807	48, 1075
Tetrabromdiacetylquercetin	$C_{24}H_{10}Br_4O_{11}Ac_2$	$C_{28}H_{16}Br_4O_{13}$	226-228	Liebermann and Hamburger	B., 12, 1185	36, 946
Dibromlepidene	$C_{28}H_{18}Br_2O$	185	A., 153, 131	
"	190	Zinin	J. [1867], 315	vi., 781
Dibromoxylepidine	$C_{28}H_{18}Br_2O_2$	222	J. [1876], 425	
"	239	
Tetracetyldibromgalleïn	$C_{28}H_{18}Br_2O_{11}$	234	Buchka	A., 209, 266	42, 61
Dibromdiacetylquercetin	$C_{24}H_{12}Br_2Ac_2O_{11}$	$C_{28}H_{18}Br_2O_{13}$	218	Liebermann and Hamburger	B., 12, 1184	36, 945
α -Tribrompyrocressol	$C_{28}H_{23}Br_3O_2$	cf. B., 15, 2206	s. 200	Schwarz	M. C., 3, 738	44, 207
γ -"	s. 183
Bromlaserpetin	$C_{30}H_{39}Br_6O_8$	90	Kulz	A. P. [3], 21, 161	46, 183
Bromechicerin	$C_{30}H_{47}Br_2O_2$	116	A., 178, 63	
Bromoquassiïn	$C_{31}H_{42}Br_2O_9$	75	Christensen	A. P. [3], 20, 481	42, 1302
Dibrompalmitone	$C_{31}H_{60}Br_2O$	55	Herez	A., 186, 257	32, 427
" hydrobromide	$C_{31}H_{61}Br_3O$..	5.5
Tetrabromdibenzoylhydrocotin	$C_{32}H_{28}Br_4O_5$	84	Jobst and Hesse	A., 199, 56	38, 327
Dibromdibenzoylhydrocotin	$C_{32}H_{30}Br_2O_5$	147	..	A., 199, 55	..
Fr. quassin	$C_{32}H_{41}Br_3O_9$	155 d.	Oliveri and Denaro	G. I., 14, 1	46, 1192
Bromechitin	$C_{32}H_{51}BrO_2$	100	A., 178, 68	
Tetrabromleucotin	$C_{34}H_{28}Br_4O_{10}$	157	Jobst and Hesse	A., 199, 42	38, 326
Tetrabromoxyleucotin	$C_{34}H_{28}Br_4O_{12}$	159	..	A., 199, 51	38, 327
Dibromleucotin	$C_{34}H_{30}Br_2O_{10}$	187	..	A., 199, 41	38, 326
Dibromoxyleucotin	$C_{34}H_{30}Br_2O_{12}$	190-192	..	A., 199, 50	38, 327

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromstearone	$C_{55}H_{68}Br_2O$	72	J. [1855], 517	v., 425
Br on dioxyretistine	$C_{40}H_{31}Br_4O_5$	234-235	Ekstrand	A., 185, 102	32, 498
Bromechiteïn	$C_{42}H_{67}Br_3O_2$	150	A., 176, 72	
Dibromabietic acid	$C_{44}H_{62}Br_2O_5$	134	Emmerling	B., 12, 1443	38, 265

(9.) CHBrS, CHBrSe, and CHBrTe.

Tribromthiophene	C_4HBr_3S	259-260 c.	29	Rosenberg	B., 18, 1774	48, 1051
Dibromthiophene	$S.Br_2=1.2.?$	$C_4H_2Br_2S$	203-207	Liquid	Meyer and Städler	B., 18, 1490	48, 972
"	" "	"	205-207 u. c.	Liquid	Langer	B., 17, 1566	46, 1133
"	" "	"	206-206.5	Liquid	Meyer	B., 16, 1470	44, 1091
Bromthiophene	C_4H_3BrS	149-151 u. c.	"	B., 16, 1472	"
"	"	149-151	Meyer and Städler	B., 18, 1490	48, 972
Diethylene dithiotetrabromide	$C_2H_4 : SBr_2 : SBr_2 : C_2H_4$	$C_4H_8Br_4S_2$	96 d.	Husemann	A., 126, 287	vi., 607
Tribrom-thiitolene	$S.Me.Br_3=?$	$C_5H_3Br_3S$	34	Vollhard & Erdmann	B., 18, 455	48, 763
" - α - "	" =1.2.3.4.5	"	74	Meyer and Kreis	B., 17, 787	46, 1131, 1132
" - β - "	" =1.3.2.4.5	"	86	Egli	B., 18, 545	48, 766
Dibrom- α -thiitolene	$S.Me.Br_2=1.2.(?)_2$	$C_5H_4Br_2S$	227-229	Liquid	Meyer and Kreis	B., 17, 787	
" - α - "	" "	"	227-229 u. c.	Liquid	Meyer	B., 16, 2970	46, 586
Brombenzene sulphhydrate	$C_6H_4Br.SH=1.4$	C_6H_6BrS	74	Hübner & Alsberg	A., 156, 327	36, 803
"	" "	"	75	"	Z. C. [2], 6, 389	vii., 153
"	" "	"	230-231	74-75	Baumann & Preusse	Z. P. C., 5, 319	42, 756
Tribrom- β -ethylthiophene	$S.Et.Br_3=1.3.2.4.5$	$C_6H_5Br_3S$	108	Bonz	B., 18, 550	48, 766
Dibromthioxylylbromide	$S.Me.Br_2.CH_2Br=1.2.3.4.5$	"	142-144	Paal	B., 18, 2253	48, 1206
Dibrom- β -ethylthiophene	$S.Et.Br_2=1.2.(?)_2$	$C_6H_6Br_2S$	Liquid	Bonz	B., 18, 550	48, 766
Dibromthioxylene	$S.Me_2.Br_2=1.2.5.3.4$	"	246-247 u. c.	46	Messinger	B., 18, 564	48, 767
"	" "	"	50 ; sf. 47	Paal	B., 18, 2253	48, 1206
Bromthioxylene	$S.Me_2.Br=1.2.5.3$	C_6H_7BrS	193-194 u. c.	Liquid	Messinger	B., 18, 1637	48, 1052
Brombenzylsulphhydrate	$C_6H_4Br.(CH_2.SH)=1.4$	C_7H_7BrS	24	Jackson and Harts-horn	A. C. J., 5, 264	46, 665
Bromtoluene sulphhydrate	$Me.Br.SH=1.3.?$	"	246 p. d.	L.-20	Hübner & Wallach	Z. C. [2], 5, 500	vi., 290
"	" "	"	245 p. d.	7	"	"	"
Dithienyldibromethylene	$CBr_2 : C(C_4H_3S)_2$	$C_{10}H_6Br_2S_2$	Liquid	Peter	B., 17, 1344	46, 1001
Dithienyltribromethane	$CBr_3.CH(C_4H_3S)_2$	$C_{10}H_7Br_3S_2$	101-102	"	"	"
Dibromphenyl sulphide	$S(C_6H_4Br)_2$	$C_{12}H_8Br_2S$	109-110	Krafft	B., 7, 1164	28, 153
" disulphide	$S_2(C_6H_4Br)_2=(1.4)_2$	$C_{12}H_8Br_2S_2$	93	Nötling	B., 8, 1310	28, 264
" ?	$C_{14}H_6Br_2S_2$	n. f. 250	Limpricht	B., 6, 534	28, 1032
Brombenzyl sulphide	$(C_6H_4Br.CH_2)_2S=(1.4)_2$	$C_{14}H_{12}Br_2S$	59	Jackson and Harts-horn	A. C. J., 5, 264	46, 665
" disulphide	$(C_6H_4Br.CH_2)_2S_2=(1.4)_2$	$C_{14}H_{12}Br_2S_2$	87-88	"	"	"
Bromtolyl disulphide	$(C_6H_3MeBr)_2S_2=1.2.3$ or 5)	"	56-58	Hübner and Post	A., 169, 42	27, 59
Bromphenylmercaptole of acetone	$CMe_2(S.C_6H_4Br)_2=(1.4)_2$	$C_{15}H_{14}Br_2S_2$	89-90	Baumann	B., 18, 888	48, 749
Bromphenylmercaptol benzaldehyde of	$Ph.CH(S.C_6H_4Br)_2=(1.4)_2$	$C_{19}H_{14}Br_2S_2$	79-80	"	B., 18, 885	"
Bromphenylmercaptol cinnamaldehyde of	$Ph.CH : CH.CH(S.C_6H_4Br)_2=(1.4)_2$	$C_{21}H_{16}Br_2S_2$	105-107	"	"	"
Tribromthionessal	$C_{28}H_{17}Br_3S$	265-270	Fleischer	A., 144, 194	vi., 1087
Dimethylselenio-dibromide....	Me_2SeBr_2	$C_2H_6Br_2Se$	cf. A., 179, 5	82 d.	Jackson	B., 8, 110	28, 553
Dimethyl-telluro-dibromide	Me_2TeBr_2	$C_2H_6Br_2Te$	89	Wöhler and Dean	A., 93, 233	

(10.) CHBrN.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromacetonitril	CHBr ₂ .CN	C ₂ HBr ₂ N	142	Van t'Hoff	B., 7, 1571	
Bromacetonitril hydrobromide	CH ₂ Br.CN+HBr.	C ₂ H ₃ Br ₂ N	sb. 65	65	Engler	A., 133, 139; 142, 69	vi., 523
Acetonitril dihydrobromide	CH ₃ .CN+2HBr.	C ₂ H ₅ Br ₂ N	sb. 49	47-50	"	"	"
Tribromglyoxalin	C ₃ HBr ₃ N ₂	214 d.	Wyss	B., 10, 1371	
Brompropionitril hydrobromide	C ₃ H ₄ BrN+HBr	C ₃ H ₅ Br ₂ N	64	Engler	A., 142, 65	vi., 524
Propionitril dihydrobromide	Me.CH ₂ .CN+2HBr	C ₃ H ₇ Br ₂ N	50-55	"	"	"
Tribromomethylglyoxaline	C ₃ Br ₃ N.NMe	C ₃ H ₃ Br ₃ N ₂	88-89	Wallach	B., 16, 537	44, 911
"	"	"	88-89	Wyss	B., 10, 1372	
Tribromparoxalmethylene	"	258	Radiszewski	B., 15, 2707	44, 308
α-Dibrompyridine	N.Cl ₂ =1.2.?	C ₅ H ₃ Br ₂ N	108	Ladenburg	B., 15, 1030	
α-	" "	"	109-110	Hofmann	B., 12, 989	36, 734
α-	" "	"	109-110	Gerichten	A., 210, 101	42, 315
α	" "	"	110	Schotten	B., 16, 649	
α-	" "	"	110.5	Ladenburg	B., 15, 1142	
α-	" "	"	222	112	Hofmann	B., 16, 588	44, 813
β-	" = ?	"	164-165	Fischer and Reimerschmid	B., 16, 1184	44, 923
β-	" "	"	164	Königs and Geigy	B., 17, 593	46, 1195
Brompyridine	N.Cl=1.2	C ₅ H ₄ BrN	169.5 (760.5)	Liquid	Cianician & Deunstetdt	B., 15, 1174	42, 1214
" (cf. B., 15, 943)	" "	"	169-170	Liquid	Danesi	G. I., 12, 150	42, 867
"	" "	"	170	Hofmann	B., 12, 990	36, 734
"	" "	"	173	Liquid	"	B., 16, 589	
NH ₃ on phlorobromine	C ₆ H ₄ Br ₆ N ₂	120	Benedikt	C. C. [1878], 101	34, 499
?	"	124	A., 189, 167	
Tribrommethylglyoxaline	(C ₃ Br ₃ N)NEt	C ₅ H ₅ Br ₃ N ₂	61-62	Wallach	B., 16, 537	44, 911
"	"	"	61	Wyss	B., 10, 1372	
Tribromdiazobenzimidide	C ₆ H ₂ Br ₃ .N.N : N=1.3.5.6	C ₆ H ₂ Br ₃ N ₃	59	Silberstein	J. p., 27, 116	44, 661
Pentabromaniline	C ₆ Br ₅ .NH ₂	C ₆ H ₂ Br ₅ N	Not b. 220	Körner	G. I., 4, 305	29, 218
"	"	"	222	J. [1875], 344	
Tribromdiazobenzimidide perbromide	C ₆ H ₂ Br ₃ .NBr.NBr ₂ =1.3.5.6	C ₆ H ₂ Br ₆ N ₂	98.5	Silberstein	J. p., 27, 118	
Diazodibromphenylimide	C ₆ H ₂ Br ₂ .N ₂ .NH	C ₆ H ₃ Br ₂ N ₃	62	Griess	P. T. [1864], 700	iv., 484
Tetrabromaniline	Br ₄ .NH ₂ =1.2.3.5.6	C ₆ H ₃ Br ₄ N	115.3	Körner	G. I., 4, 305	29, 212
"	" "	"	116-117	Würster & Nölting	B., 7, 1564	29, 389
p-Diazobromphenylimide	C ₆ H ₃ Br.N ₂ .NH	C ₆ H ₄ BrN ₃	20	Griess	P. T. [1864], 700	iv., 483
Tribiromaniline	Br ₃ .NH ₂ =1.3.5.6	C ₆ H ₄ Br ₃ N	116.22	Mills	28, 648
"	" "	"	116.319	"	P. R. [1881], 85	
"	" "	"	abt. 300	117	Fritzsche	J. p., 28, 204	iv., 436
"	" "	"	117	Hofman	B., 15, 411	42, 951
"	" "	"	118	Körner	G. I., 4, 305	29, 212, 227
"	" "	"	118.5	Zander	A., 198, 1	38, 124
"	" "	"	119	Nölting and Kohn	B., 17, 357	
"	" "	"	119	Nölting & Schöller	B., 8, 819	29, 928
"	" "	"	119	Losanitsch	B., 15, 471	42, 954
"	" "	"	119	Baumann and Tiemann	B., 12, 1192	36, 936
"	" "	"	119	Limpricht	B., 10, 1541	
"	" "	"	119-120	Fittig and Buchner	A., 188, 26	34, 50
"	" =1.2.3.5	"	d. a. 130	n. f. 130	Körner	G. I., 4, 305	29, 223
Dibromaniline	NH ₂ .Br ₂ =1.2.5	C ₆ H ₅ Br ₂ N	51-52	A., 165, 181	
"	" =1.3.5	"	56	Langer	B., 15, 1329	
"	" "	"	56.5	Körner	G. I., 4, 30	29, 218
"	" = ?	"	50-60	Hofmann	A., 53, 47	iv., 436
"	" =1.2.6 (?)	"	70-71	Limpricht	B., 10, 1541	34, 221
"	" =1.2.4	"	78.82	Mills	P. M. [4], 49, 21	28, 648

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromaniline	$\text{NH}_2\text{Br}_2=1.2.4$	$\text{C}_6\text{H}_5\text{Br}_2\text{N}$	78-833	Mills	P. R. [1881], 205	
"	"	"	79-5	Griess	A., 121, 267	iv., 436
"	"	"	79	Tiemann and Piest	B., 15, 2032	
"	"	"	79	Würster	B., 6, 1491	27, 369
"	"	"	79-4	Körner	G. I., 4, 305	29, 212
"	"	"	79-5	Remmers	B., 7, 348	27, 696
"	$=1.3.4$	"	80	Spiegelberg	A., 197, 257	36, 799
"	"	"	80-4	Körner	G. I., 4, 305	29, 218
"	$= ?$	"	84	Limpricht	B., 10, 1541	34, 221
"	$= ?$	"	89-90°	Fittig and Büchner	A., 188, 23	34, 50
Dibrommethylpyridine	Me combined with N	"	108	Ladenburg	B., 15, 1030	
Tetrabrommethylpyrrol	$\text{CBr}:\text{CBr}:\text{CBr}:\text{CBr}:\text{N}:\text{Et}$	$\text{C}_6\text{H}_5\text{Br}_4\text{N}$	90	Bell	B., 10, 1863	38, 526
"	"	"	90	"	B., 11, 1812	
Tribromaniline hydrobromide	$(\text{NH}_2\text{Br}_3=1.3.5)+\text{HBr}$	"	190	Gattermann	B., 16, 635	44, 796
Bromaniline	$\text{NH}_2\text{Br} = 1.3$	$\text{C}_6\text{H}_6\text{BrN}$	Liquid	Griess	[2], 5, 857	vi., 921
"	"	"	Liquid	Petersen	B., 6, 368	26, 1133
"	"	"	241-5	16	Würster and Grubenmann	B., 7, 418	27, 691
"	"	"	241-5	16	Würster & Nötling	B., 7, 905	27, 1163
"	"	"	241-5	16	Würster	A., 173, 145	28, 757
"	"	"	251	18-18-5	Fittig and Mager	B., 8, 364	
"	$\text{NH}_2\text{Br} = 1.2$	"	a. 30	Körner	G. I., 4, 305	29, 232
"	"	"	31	Hübner & Alsberg	Z. C. [2], 6, 639	vii., 143
"	"	"	31	Petersen	B., 6, 368	26, 1133
"	"	"	229	31-31-5	Fittig and Mager	B., 7, 1179	vii., 944; 28, 147
"	$\text{NH}_2\text{Br} = 1.4$	"	50	Hofmann	A., 53, 42	iv., 435
"	"	"	57	Griess	P. T. [1864], 713	vi., 921
"	"	"	61	Gabriel	B., 12, 1638	38, 41
"	"	"	61-871	Mills	P. R. [1881], 205	
"	"	"	61-62	Richter	B., 4, 460	24, 687
"	"	"	61-62	Klinger	A., 184, 261; B., 8, 311	31, 710; 28, 1025
"	"	"	61-8	Mills	P. M. [4], 49, 21	28, 648
"	"	"	cf. 28, 147	63	Fittig and Mager	B., 7, 1175	vii., 904, 944
"	"	"	63	Anschütz & Schultz	B., 9, 1399	
"	"	"	63	Nötling & Schöller	B., 8, 819	29, 928
"	"	"	63	Fittig and Büchner	A., 188, 23	34, 50
"	"	"	63	Calmand Heumann	B., 13, 1182	38, 880
"	"	"	63-64	Baltzer	B., 14, 1902	
"	"	"	63-5	Remmers	B., 7, 347	
"	"	"	63-64	Weith and Landolt	B., 8, 716	28, 1194
"	"	"	64	Petersen	B., 6, 368	26, 1133
"	"	"	64-5	vii., 143
"	"	"	65	Gabriel	B., 11, 2261	36, 324
"	"	"	cf. 29, 212	66-4	Körner	G. I., 4, 287	vii., 904
Methyldibrompyridylum bromide	$\text{C}_6\text{H}_6\text{Br}_3\text{N}$	d. 250	A., 210, 99	
Bromdiamidobenzene	$\text{NH}_2\text{NH}_2\text{Br} = 1.2.4$	$\text{C}_6\text{H}_7\text{BrN}_2$	63	Remmers	B., 7, 347	27, 696
"	"	"	63	Hübner & Retschy	B., 6, 796, 797	26, 1147
Picoline hydrobromide	$\text{C}_6\text{H}_7\text{N}.\text{HBr}$	$\text{C}_6\text{H}_8\text{BrN}$	187	Ramsay	P. M. [5], 2, 271	36, 263
Bromcyanmethine	$\text{C}_6\text{H}_8\text{BrN}_3$	+3H ₂ O	141-142 u.c.	Bayer	B., 4, 178	
Dibromoxaethyline	fr. $\text{C}_3\text{H}_2\text{MeN.NEt}$	$\text{C}_6\text{H}_8\text{Br}_2\text{N}_2$	38	Wallach	B., 16, 537	
α -Methylpiperidine hydrobromide	$\text{C}_6\text{H}_{14}\text{BrN}$	182	Ladenburg & Roth	B., 18, 49	48, 557
Brombenzotrile	$\text{C}_6\text{H}_4\text{Br.CN} = 1.3$	$\text{C}_7\text{H}_4\text{BrN}$	abt. 225	38	Engler	B., 4, 708	24, 924
Dibromindazole	$\text{C}_6\text{H}_3\text{Br}:\text{CBr}:\text{NH}:\text{N}$	$\text{C}_7\text{H}_4\text{Br}_2\text{N}_2$	239	Fischer and Tafel	A., 227, 303	48, 541
Bromindazole...	$\text{C}_7\text{H}_5\text{BrN}_2$	124	Fischer and Tafel	A., 227, 303	48, 541

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tetrabromtoluidine	Me.NH ₂ .Br ₄ =1.3.2.4.5.6	C ₇ H ₃ Br ₄ N	223-224	Neville & Winther	B., 13, 975	37, 449
"	" =1.4.2.3.5.6	"	226-227	"	B., 14, 418	39, 86
Tribromtoluidine	Me.NH ₂ .Br ₃ = ?	C ₇ H ₆ Br ₃ N	72	Schäffer	A., 174, 366	28, 370, 463
"	"	"	82	"	A., 174, 362	28, 370
"	" =1.4.2.3.5	"	82.5-83	Neville & Winther	B., 14, 418	39, 86
"	" =1.3.2.5.6	"	93-94	"	B., 13, 974	37, 448 ; 39, 86
"	" =1.3.(?) ₃	"	95 ; a.s. 101	Limpricht	B., 7, 450	27, 901
"	"	"	95 ; a.s. 101	Lorenz	A., 172, 177	28, 81
"	" =1.3.4.5.6	"	96-96.8	Neville & Winther	B., 13, 974	37, 447 ; 39, 86
"	" =1.3.2.4.6	"	97	Wroblewsky	Z. C. [2], 7, 210, 271 ; A., 168, 197	vii., 1177 ; 24, 1062 ; 27, 54
"	"	"	100-101.6	Neville & Winther	B., 13, 975	37, 440 ; 39, 86
"	" =1.2.(?) ₃	"	105-106	Gerver	A., 169, 379	27, 167
"	"	"	112	Limpricht	B., 6, 1009	27, 73
"	"	"	112	Gerver	A., 169, 378	27, 167
"	" =1.4.2.3.?	"	113	A., 173, 217	
"	" =1.4.2.3.6	"	118-118.6	Neville & Winther	B., 14, 418	39, 86
Benzonitril dihydrobromide	C ₆ H ₅ .CN + 2HBr.	C ₇ H ₇ Br ₂ N	70	Engler	A., 149, 307	vi., 525
Dibromtoluidine	Me.NH ₂ .Br ₂ =1.3.2.6	"	33-35	Neville & Winther	B., 13, 971	37, 440 ; 39, 86
"	" =1.2.3.5	"	43-44	"	37, 630
"	"	"	cf. 39, 86	45-46	"	B., 13, 966	37, 436, 627
"	"	"	46-47	"	B., 14, 419	37, 630
"	"	"	50	Wroblewsky	Z. C. [2], 7, 210 ; A., 168, 187	vii., 1177 ; 24, 564 ; 27, 54
"	"	"	50	Möhlau & Oemichen	J. p., 24, 478	42, 395
"	" =1.(2 or 4).5.6	"	52-53	Neville & Winther	37, 435 ; 39, 86
"	" =1.3.4.5	"	cf. 39, 86	58-59	"	B., 13, 975	37, 447
"	" =1.3.2.5	"	cf. 39, 86	72.5-73.1	"	B., 13, 974	37, 448
"	" =1.4.3.5	"	73	Wroblewsky	Z. C. [2], 5, 460	vi., 1104
"	"	"	73	"	A., 168, 189 ; 173, 216	vii., 1165
"	"	"	cf. 39, 86	73	Neville & Winther	37, 436, 632
"	"	"	76	Wroblewsky	37, 436
"	"	"	73	Mazzara	G. I., 10, 370	38, 879
"	"	"	74	Limpricht	B., 7, 719	27, 991
"	" =1.3.4.6	"	cf. 39, 86	74.6-75.5	Neville & Winther	B., 13, 971	37, 440, 443
"	" =1.3.5.6	"	83	Wroblewsky	Z. C. [2], 7, 135	24, 564
"	"	"	83	"	Z. C. [2], 6, 239	vii., 1165, 1177
"	"	"	83-85	Neville & Winther	37, 434
"	"	"	cf. 39, 86	86.4	"	B., 13, 964	"
"	" =1.4.2.5	"	83	Wroblewsky	A., 168, 186	27, 53
"	"	"	84-85	Neville & Winther	37, 451
"	"	"	cf. 39, 86	84.6-85	"	B., 13, 963	37, 445
"	" =1.4.2.6	"	cf. 39, 86	87-88	"	B., 13, 962	37, 446
"	" =1.2.4.5(?)	"	92.5	Wroblewsky	A., 168, 184 ; Z. C. [2], 6, 239 ; 7, 271	24, 1062 ; 27, 54 ; vii., 1165, 1177
"	"	"	95	"	"	"
"	"	"	cf. 39, 86	97-98	Neville & Winther	B., 13, 970	37, 451
Brombenzylamine	C ₆ H ₄ .Br(CH ₂ .NH ₂)=1.2	C ₇ H ₈ BrN	Liquid	Jackson and White	B., 13, 1219	38, 879
"	" =1.4	"	Liquid	Jackson & Lowery	A. C. J., 3, 247	42, 170
Brommethylaniline	C ₆ H ₄ .Br.NHMe=1.4	"	259-260	Liquid	Würster & Scheibe	B., 12, 1817	38, 107
Bromtoluidine	Me.NH ₂ .Br=1.2.3	"	Liquid 0	Hübner and Roos	B., 6, 801	
"	" (l)	"	253-257	Liquid	Hübner & Wallach	Z. C. [2], 5, 22, 530	vi., 1103
"	"	"	240	Liquid	Wroblewsky	Z. C. [2], 7, 606	25, 698
"	"	"	cf. 39, 86	Liquid	Neville & Winther	B., 13, 1945	37, 630
"	" =1.3.2	"	240	Liquid	Wroblewsky	Z. C. [2], 7, 135, 606	25, 698 ; vii., 1177
"	" =1.4.6	"	25-26	Neville & Winther	B., 14, 418	39, 86
"	" =1.4.5	"	cf. 39, 86	Liquid	"	37, 438, 630
"	"	"	220	Wroblewsky	Z. C. [2], 5, 276	vi., 1104

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromtoluidine	Me.NH ₂ .Br=1.4.5	C ₇ H ₈ BrN	240	s. 8	Wroblewsky	A., 168, 154	27, 51
"	"	"	26	Claus & Steinberg	B., 16, 914	
"	=1.2.4	"	s. -2	Wroblewsky and Kurbatow	Z. C. [2], 7, 165	vi., 1104; vii., 1167, 1176
"	"	"	s. -2	Wroblewsky	A., 168, 177	27, 53, 165
"	"	"	30	Heynemann	A., 158, 340; Z. C. [2], 6, 402	24, 681; vii., 1167, 1176
"	"	"	cf. 39, 86	30-31	Neville & Winther	37, 442	
"	"	"	32	Hübner and Roos	B., 6, 799	27, 165
"	=1.3.5	"	255-260	Liquid-20	Wroblewsky	B., 8, 573; A., 192, 196	28, 886; 34, 977
"	"	"	34.5-37	Neville & Winther	37, 433	
"	"	"	35-35.2	"	"	
"	"	"	35-37	"	37, 449	
"	"	"	cf. 39, 86	35.6-36	"	B., 13, 964	37, 433
"	"	"	36.6	"	37, 433	
"	=1.2.5	"	54-57	"	37, 630	
"	"	"	cf. 39, 86	55-56	"	37, 431, 631	
"	"	"	240 d.	57	Wroblewsky	Z. C. [2], 7, 135; A., 168, 163, 173	24, 564; 27, 51; vii., 1177
"	"	"	56	Grete	A., 177, 249	29, 73
"	"	"	57.5-58	"	B., 8, 567	28, 888
"	=1.3.4	"	cf. 39, 86	30.6-32	Neville & Winther	B., 13, 972	37, 442
"	"	"	67	Wroblewsky	A., 168, 177	27, 53
"	"	"	67	Wroblewsky and Kurbatow	Z. C. [2], 6, 165; J. [1875], 627	vi., 1104; vii., 1167, 1176
"	"	"	75	Hübner and Roos	B., 6, 800	27, 166
"	=1.3.6	"	240	Wroblewsky	A., 168, 173	27, 53
"	"	"	76-77	Neville & Winther	37, 440	
"	"	"	76-78.5	"	37, 431	
"	"	"	77-78	"	"	
"	"	"	78-79	"	B., 13, 963, 969	39, 86
"	"	"	78.4-78.8	"	"	"
Diamidobromtoluene	Me.Br.(NH ₂) ₂ =1.4.2.3	C ₇ H ₉ BrN ₂	59	Hübner & Schüpphaus	B., 17, 776	46, 1143
"	=1.3.2.4	"	104	Ruhemann	B., 14, 2659	42, 392
"	=1.5.2.4	"	107	Grete	A., 177, 262; B., 8, 567	28, 888; 29, 73
Tribromglyoxalisoamyline	C ₇ H ₉ Br ₃ N ₂	216-217	Radziszewski and Szul	B., 17, 1293	46, 986
Lutidine hydrobromide	C ₇ H ₉ N+HBr	C ₇ H ₁₀ BrN	d. 230	Ladenburg & Roth	B., 18, 1592	
Dibromglyoxalisoamyline	C ₇ H ₁₀ Br ₂ N ₂	157-158	Radziszewski and Szul	B., 17, 1293	46, 986
Glyoxalisoamyline hydrobromide	C ₇ H ₁₂ N ₂ +HBr	C ₇ H ₁₃ BrN ₂	100	"	B., 17, 1292	46, 985
Bromdiazobenzene cyanide	C ₆ H ₄ Br.N ₂ .CN+HCN=1.4	C ₆ H ₅ BrN ₄	127.5	Gabriel	B., 12, 1638	38, 41
Phenylbromacetic nitril	Ph.CHBr.CN	C ₈ H ₆ BrN	d. 150	Liquid	Reimer	B., 14, 1798	
Brom- <i>a</i> -toluic nitril	C ₆ H ₄ Br.(CH ₂ .CN)=1.2	"	Liquid	Jackson	A. C. J., 2, 316	
"	" =1.4	"	46	Jackson and Lowry	B., 10, 1210	34, 64
"	"	"	47	"	A. C. J., 3, 246	
Ethenylbromodiamidobenzene	$\text{C}_6\text{H}_3\text{Br.NH.CH}_2\text{.CH:N}$ =?.1.2	C ₆ H ₇ BrN ₂	206	Remmers	B., 7, 348	27, 696
Bromformanhydroisodiamidotoluene	$\text{C}_6\text{H}_2\text{Me.Br.N:CH.NH}$ =1.4.2.3 or 1.4.3.2	"	187	Hübner & Schüpphaus	B., 17, 777	46, 1143
Phenylbromacetimid bromide	Ph.CHBr.CBr:NH	C ₈ H ₇ Br ₂ N	200 d.	Reimer	B., 14, 1797	42, 169
Dibromnaphthylamine	NH ₂ .Br ₂ = $\alpha_1\beta_2$; α	"	101-102	Meldola	47, 514	
"	" = $\alpha_2\beta_1$; β	"	105	"	47, 511	
Bromdimethylaniline	C ₆ H Br.NMe ₂ =1.3	C ₈ H ₁₀ BrN	259 c.	11	Würster & Scheibe	B., 12, 1818	38, 108
"	=1.4	"	55	Weber	B., 8, 715	28, 1200
"	"	"	55	Claus and Howitz	B., 17, 1326	46, 1006

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromdimethylaniline	$C_6H_4Br.NMe_2=1.4$	$C_8H_{10}BrN$	247 (722)	55	Merz and Weith	B., 10, 763	32, 603
"	"	"	264 c.	55	Würster and Beran	B., 12, 1820	38, 108
Bromxylydine	$Me_2.NH_2.Br=1.3.4.5$	"	...	96-97	Genz	B., 3, 225	vii., 1210
Fr. dimethyl-p-diamidobenzene	...	$C_8H_{11}BrN_2$...	146	Würster and Sendtners	B., 12, 1803, 2071	38, 110
Bromcyanmethethine	...	$C_8H_{12}BrN_3$...	155 d.	Riess and Meyer	J. p. [2], 31, 112	48, 646
Hydro-a-isopropylpyridine + HBr	...	$C_8H_{14}BrN$...	230-233	Ladenburg	B., 18, 1589	48, 992
a-isopropylpiperidine + HBr	...	$C_8H_{18}BrN$...	216	"	B., 17, 1679	46, 1386
Coniine + HBr	$C_8H_{16}BrN(?)$	" (?)	...	207	"	"	"
Copellidine + HBr	...	"	...	165	Dürkopf	B., 18, 923	48, 817
Tetretethylammonium tribromide	$NEt_4.Br_3$	$C_8H_{20}Br_3N$...	78	Marquart	J. p. [2], 1, 429	vii., 485
Hexabromquinoline	...	C_9HBr_6N	...	88-89	Weidel	A., 173, 95	28, 88
Tetrabromquinoline	...	$C_9H_3Br_4N$...	119 u.c.	Clauss and Istel	B., 15, 820	42, 1110
Tribromquinoline	...	$C_9H_4Br_3N$...	173-175	Lubavin	Z. C. [2], 5, 690 ; A., 155, 318	vi., 430 ; vii., 307
"	...	"	...	173-175	Hoffmann & Königs	B., 16, 737	
Dibromquinoline	$N.Br_2=1 ; 1.3$	$C_9H_5Br_2N$...	100-101	Coste	B., 15, 559	42, 978
"	$" =1 ; 1.4$	"	...	124-126	"	B., 14, 917 ; 15, 559	40, 742 ; 42, 978
"	"	"	...	127-128	Metzger	B., 17, 188	48, 757
Bromquinoline	$N.Br=?$	C_9H_6BrN	270	...	Coste	B., 14, 916	40, 741
"	$" =1 ; 3$	"	276-278	...	"	B., 15, 558	42, 978
Amidobromquinoline	"	$C_9H_7BrN_2$...	164	"	B., 15, 1920	44, 91
Propenyltribromphenylene diamine	$C_6HBr_3.NH.CEt:N=(?)_3.1.2$	$C_9H_7Br_3N_2$...	257-262	Smith	A. C. J., 6, 172	48, 525
Quinoline tetrabromide	...	$C_9H_7Br_4N(?)$	cf. B. S., 38, 124	88	Grimaux	C. R., 95, 85	
Propenyldibromphenylene diamine	$C_6H_2Br_2.NH.CEt:N=(?)_2.1.2$	$C_9H_8Br_2N_2$...	224-226	Smith	A. C. J., 6, 172	48, 524
Quinoline dibromide + HBr	...	$C_9H_8Br_2N$	cf. B. S., 38, 124	86	...	C. R., 95, 85	42, 1215
Dibromtetrahydroquinoline	...	$C_9H_9Br_2N$...	65-66	Claus and Istel	B., 15, 823	42, 1110
Bromtetrahydroquinoline + HBr	...	$C_9H_{11}Br_2N$...	192 d.	Hoffmann and Königs	B., 16, 737	44, 1145
Ethylmethylbromaniline	$C_6H_4Br.NMeEt=1.4(?)$	$C_9H_{12}BrN$	265	s. b. 0	Claus and Howitz	B., 17, 1327	46, 1006
Dimethylbromtoluidine	$Me.NMe_2.Br=1.2.?$	"	244	Liquid	Michler & Sampais	B., 14, 2173	42, 177
"	$" =1.3.?$	"	276	98	Würster & Riedel	B., 12, 1801, 1825	38, 109
Tribromcyanethine	...	$C_9H_{12}Br_3N_3$...	126	Riess	J. p. [2], 30, 145	48, 236
Propylphenylamine + HBr	$C_6H_4.Pr.(NH_2.HBr)=1.4$	$C_9H_{14}BrN$...	213	Francksen	B., 17, 1222	46, 1008
Bromcyanethine	...	$C_9H_{14}BrN_3$...	152-153	Meyer	J. p. [2], 26, 339	44, 353
"	...	"	...	153	Riess	J. p. [2], 30, 145	48, 235
Methylcopellidine + HBr	$C_8H_{16}MeN + HBr$	$C_9H_{20}BrN$...	151	Dürkopf	B., 18, 926	48, 817
Dibromnaphthylamine	$NH_2.Br_2=a_1a_2\beta_1 ;$	$C_{10}H_7Br_2N$...	118-119	Meldola	B., 12, 1961	38, 260 ; 43, 4
"	$" =\beta_1\beta_1$	"	...	121	Lawson	B., 18, 2424	48, 1239
Bromnaphthylamine	$NH_2.Br=a_2\beta_1 ;$	$C_{10}H_8BrN$...	62	Meldola	47, 510	
"	$" =\beta_1a_1 ;$	"	...	63	"	43, 5	47, 523
"	"	"	...	63	Cosiner	B., 14, 59	40, 606
"	$" =a_1 ; \beta_1 \text{ or } \beta_2$	"	...	63-64	Guareschi	A., 222, 262	46, 843
"	$" =\beta_1a_2 ;$	"	...	71-5	Meldola	47, 509	
"	$" =\beta_2a_1 ;$	"	...	71-5	"	47, 523	
"	$" =?$	"	...	85	Guareschi	A., 222, 262	46, 843
"	$" =a_1a_2 ;$	"	...	94	Rother	B., 4, 850	
"	"	"	...	94	Meldola	43, 5	47, 523
Bromacetamidobenzylcyanide	$NHAc.Br.(CH_2.CN)=1.?.4$	$C_{10}H_9BrN_2$...	127-129	Gabriel	B., 15, 840	42, 1070
Bromamidoacenaphthalide	$(NH_2)_2.Br=a_1a_2\beta_1 ;$	"	...	222	Meldola	47, 501	
Quinoline dibromide methobromide	$C_9NH_7Br_2.MeBr$	$C_{10}H_{10}Br_3N$...	123	Ostermeyer	C. C. [1884], 970 ; B., 18, 594	48, 672
Pyridine dibromide hydrobromide	$(C_5H_5Br_2N)_2.HBr$	$C_{10}H_{11}Br_5N_2$...	125-126	Grimaux	C. R., 95, 85	42, 1216

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethylbromaniline ...	$C_6H_4Br.NEt_2=1,4(?)$	$C_{10}H_{14}BrN$	270	33	Claus and Howitz	B., 17, 1324	46, 1006
Brom- α -naphthoic nitril	$C_{11}H_6BrN$	147	Hausmann	B., 9, 1516	31, 318
" - β - " "	"	148-149	"	B., 9, 1517	"
Quinoline ethbromide ...	$C_9H_7N.EtBr + H_2O$	$C_{11}H_{12}BrN$	80	Claus and Tosse	B., 16, 1277	44, 1009
Decabromdiphenylamine ...	$NH(C_6Br_5)_2 (?)$	$C_{12}HBr_{10}N$	a. 310	Gessner	B., 9, 1512	31, 301
Octobromdiphenylamine	$C_{12}H_3Br_8N$	302-305	"	"	31, 302
Hexabromdiphenylamine	$C_{12}H_5Br_6N$	218	Gnehm	B., 8, 926 *	29, 83
Hexabromdiazamidobenzene	$C_6H_2Br_3.N_2.NH.C_6H_2Br_3$ =1.3.5.6; 6.5.3.1	$C_{12}H_5Br_6N_3$	158 d.	Silberstein	J. p. [2], 27, 120	44, 661
Tetrabromazobenzene	$C_{12}H_6Br_4N_2$	320	Werigo	A., 165, 200	26, 385; vii., 148
Azimido-dibromdiphenyl	$C_{12}H_7Br_2N_3$	206	Schultz	B., 17, 466	46, 903
Tetrabromdiphenylamine ...	$NH(C_6H_3Br_2)_2$	$C_{12}H_7Br_4N$	cf. A., 132, 166	182	Gnehm	B., 8, 925	29, 83
Diazoamidodibrombenzene	$C_{12}H_7Br_4N_3$	167.5	Griess	A., 121, 273	iv., 460
Bromcarbazole	$C_{12}H_8BrN$	199	Cianician & Silber	G. I., 12, 272	42, 1104
Dibromazobenzene ...	$C_6H_4Br.N_2.C_6H_4Br=(1,3)_2$	$C_{12}H_8Br_2N_2$	125.5	Gabriel	B., 9, 1407	31, 307
" " " "	" " " " = (1.4) ₂	"	205	Schultz	B., 17, 465	iv., 412; vi., 270
" " " "	" " " "	"	cf. A., 135, 179	205	Werigo	A., 165, 199	26, 384; vii., 148
" " " "	" " " "	"	205	Calm & Heumann	B., 13, 1182	38, 880
Phenanthroline dibromide	"	149	Skraup & Vortmann	M. C., 3, 582	44, 87
Tribromdiazamidobenzene	$C_6H_2Br_3.N_2.NHPh=1.3.5.6$	$C_{12}H_8Br_3N_3$	104	Silberstein	J. p. [2], 27, 121	44, 661
Tetrabrombenzidine....	$C_{12}H_8Br_4N_2$	284-286	Claus and Risler	B., 14, 86	40, 605
Phenanthroline octobromide	$\overline{CHBr.(CHBr)_2.N : C.C.}$ $\overline{C.N : CHBr.(CHBr)_2.C.}$ $\overline{CHBr.CHBr}$	$C_{12}H_8Br_8N_2$	176-178	Skraup & Vortmann	M. C., 3, 570	44, 87
Ethenylbrom- α - β -naphthalene diamine	$\overline{C_{10}H_5Br.NH.CMe : N}$	$C_{12}H_9BrN_2$	202	Meldola	47, 505	
Bromethenyl naphthalene diamine	$\overline{C.NH.CMe : N.C.CH.}$ $\overline{CBr.C_6H_4}$	"	229	Prager	B., 18, 2160	48, 1239
Phenanthroline hydrobromide	"	278-280	Skraup & Vortmann	M. C., 370	44, 87
Dibromdiphenylamine ...	$NH(C_6H_4Br)_2$	$C_{12}H_9Br_2N$	107	Lellmann	B., 15, 830	42, 1060
Dibromamidazobenzene	$C_{12}H_9Br_2N_3$	145	Griess	A., 121, 269	iv., 460
" " " "	"	cf. B., 17, 1403	152	Berju	C. C. [1884], 871	46, 1148; 48, 660
Dibromhydrazobenzene ...	$C_6H_4Br.(NH)_2.C_6H_4Br$ = (1.3) ₂ = (1.4) ₂	$C_{12}H_{10}Br_2N_2$	107-109	Gabriel	B., 9, 1406	31, 307
" " " "	" " " "	"	130	Werigo	A., 165, 192	26, 384; vii., 148
" " " "	" " " "	"	130	Calm & Heumann	B., 13, 1182	38, 880
Dibromdiamidodiphenyl	"	89	Fittig	A., 132, 207	iv., 411
" " " "	$(C_6H_3Br.NH)_2=(1,1,4)_2$	"	108 c.	Schultz	B., 17, 466	46, 903
" " " "	" " " " = (1,1,3) ₂	"	151.5-152	Gabriel	B., 9, 1407	31, 307
Benzenylbromphenylene amide	$\overline{C_6H_3Br.N : CPh.N}$	$C_{13}H_9BrN_2$	200	Johnson	B., 10, 1710	
Tetrabrommethyldiphenylamine	$NMe(C_6H_3Br_2)_2$	$C_{13}H_9Br_4N$	129	Gnehm	B., 8, 926	29, 83
Tribrommethyldiphenylamine	$C_6H_3Br_2.NMe.C_6H_4Br$	$C_{13}H_{10}Br_3N$	98	"	"	"
Oxaldipropylisoamyline bromide	$C_7H_{11}Pr^{\alpha}N_2.Pr^{\alpha}Br$	$C_{13}H_{23}BrN_2$	162-163	Radziszewski and Szul	B., 17, 1295	46, 986
Phenylbromanilidoacetic nitril	$C_6H_3Br_2(NH.CHPh.CN)$ =1.3.4	$C_{14}H_{10}Br_2N_2$	92	Tiemann and Piest	B., 15, 2032	44, 198
Benzylidene dibromtoluidine	$C_{14}H_{11}Br_2N$	160-165 d.	J. [1880], 566	
Tetrabrom-p-ditolylamine ...	$(Me.C_6H_2Br_2)_2NH$	$C_{14}H_{11}Br_4N$	162	Lehne	B., 13, 1545	40, 41
Dimethamidoazotribrombenzene	$C_6H_2Br_3.N_2.C_6H_4.NMe_2$ =1.3.5.6; 1.?	$C_{14}H_{12}Br_3N_3$	161	Silberstein	J. p. [2], 27, 124	44, 662
Bromazotoluene ...	$Me.C_6H_4.N_2.C_6H_3Br.Me$	$C_{14}H_{13}BrN_2$	136	Petrieff	B., 6, 557	26, 1027
Dibromdibenzylamine ...	$(C_6H_4Br.CH_2)_2NH=(1,2)_2$	$C_{14}H_{13}Br_2N$	36	Jackson and White	B., 13, 1219	36, 879
" " " "	" " " " = (1.4) ₂	"	cf. A., 151, 70	50	Jackson & Lowery	A. C. J., 3, 247	42, 171

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibenzylamine hydrobromide	$(C_6H_5.CH_2)_2NH + HBr$	$C_{14}H_{16}BrN$	266	Limpricht	A., 144, 304	vi., 337
Quinoline amylbromide	$C_9H_7N.C_5H_{11}Br$	$C_{14}H_{15}BrN$	140	Claus and Tosse	B., 16, 1278	44, 1009
" " "	"	"	+xH ₂ O	87	"	"	"
" ?	$C_{14}H_{18}Br_2N_2$	57.5	Werigo	Z. C. [1865], 631	vi., 285
Picoline ethylene dibromide	$(C_6H_7N)_2.C_2H_4Br_2$	"	276	Ramsay	P. M. [5], 2, 279	36, 263
β -Lutidine dibromide + HBr	$(C_7H_9NBr_2)_2 + HBr$ (?)	$C_{14}H_{19}Br_5N_2$	64	Grimaux	C. R., 95, 85	42, 1216
Bromphenylquinolinamine	$N.(NH.C_6H_4Br)=1.2$; (1.4)	$C_{16}H_{11}BrN_2$	146	Friedländer and Weinberg	B., 18, 1533	48, 990
Phenylhydrazine + Bromcin-namaldehyde	$Ph.CBr : C_2H_2 : N_2.HPh$	$C_{15}H_{13}BrN_2$	129-130	Zincké and Hagen	B., 17, 1815	48, 1344
Tetrabrom- β -naphthyl-phenylamine	fr. $C_{10}H_7.NHPh$	$C_{16}H_9Br_4N$	cf. A., 209, 158	198	Streiff	B., 13, 1853	40, 177
Tribrom- α -naphthylphenylamine	"	$C_{16}H_{10}Br_3N$	cf. A., 209, 155	137	"	B., 13, 1852	40, 176
Dibrom- β -naphthylphenylamine	"	$C_{16}H_{11}Br_2N$	cf. A., 209, 158	140	"	B., 13, 1853	40, 177
Methyldiphenylbrompyrazene	$C_3N_2.BrMePh_2$	$C_{16}H_{13}BrN_2$	75	Knorr and Blank	B., 18, 316	48, 556
Brombenzylquinoline dibromide	$C_9H_7N.C_7H_7.Br.Br_2$	$C_{16}H_{14}Br_3N$	100 u. c.	Claus	B., 18, 1306	48, 908
Dixylylamine hydrobromide	$(Me.C_6H_4.CH_2)_2NH + HBr$	$C_{16}H_{20}BrN$	195-196	Pieper	A., 151, 129	vi., 1133
Tetrabromtolyl-naphthylamine	fr. $C_{10}H_7.NH.C_6H_4.Me$ = β ; 1.4	$C_{17}H_{11}Br_4N$	168-169	Friedländer	B., 16, 2080	48, 80
" ?	$C_9H_6N.CHBr.CHBr.Ph$	$C_{17}H_{13}Br_2N$	173-174	Wallach & Wüsten	B., 16, 2009	44, 1097
Dibromdiquinoline	$(C_9NH_5Br)_2 = \alpha_1 ; \beta_2 - \alpha_1 ; \alpha_1$	$C_{18}H_{16}Br_2N_2$	u.f. 280	Fischer	M. C., 6, 546	48, 1247
Bromdiquinoline	$C_{18}H_{11}BrN_2$	150-155	Ostermeyer and Henrichsen	B., 17, 2449	48, 174
Dibromtetramethyldiamido-ditolyl	$Me_2N.MeBrC_6H_2.C_6H_2.BrMe.$ $NMe_2=1.2.(?)_2 ; (?)_2.2.1$	$C_{18}H_{22}Br_2N_2$	117	Michler and Sampaio	B., 14, 2173	42, 177
Methylphenamidoazotri-brombenzene	$C_6H_2.Br_3.N_2.C_6H_4.NMePh$ = $1.3.5.6 ; 1.?$	$C_{19}H_{14}Br_3N$	138	Silberstein	J. p. [2], 27, 98	44, 662
Pentabromazonaphthalene	$C_{20}H_9Br_5N_2$	a. 320	Klobukowski	B., 10, 576	32, 623
Tribromtribenzylamine	$(C_6H_4.Br.CH_2)_3N=(1.4)_3$	$C_{21}H_{15}Br_3N$	78-79	Jackson & Lowery	B., 10, 1211	34, 65
"	"	"	cryst. fr. ether	76-78	"	A. C. J., 3, 247	42, 171
"	"	"	cryst. fr. petroleum	92	"	"	"
"	"	"	121.5	Jackson and White	B., 13, 1219	38, 879
Tribrombenzylamine + HBr	"	$C_{21}H_{19}Br_4N$	270	Jackson & Lowery	B., 10, 1211	34, 65
Brom-deriv. of phenanthroline	$C_{24}H_{16}Br_3N_4$	176-178	Skraup & Vortmann	M. C., 3, 581	
"	$C_{24}H_{17}Br_3N$	176-178	"	M. C., 3, 581, 583	
"	$C_{12}H_8N_2Br_2 + C_{12}H_8N_2.HBr$	$C_{24}H_{17}Br_3N_4$	178	"	M. C., 3, 370	44, 87
Tetrabromtetrimidazoanthracene	$[C_6H_4.(C:NH)_2.C_6HBr_2]_2.N_2$	$C_{28}H_{14}Br_4N_6$	233	Claus & Dieruffelner	B., 14, 1336	42, 523
Tetrabromdibenzylene di-p-tolylamine	$(Ph.CH)_2(N.C_6H_2Br_2.Me)_2$	$C_{28}H_{22}Br_4N_2$	160-165 d.	Mazzara	G. I., 10, 370	38, 879
Diphenyldiisindolazotri-brombenzene	$(-CH.CPh.N.C_6H_4.N_2.C_6H_2Br_3)_2=1.2 ; 6.5.3.1$	$C_{40}H_{24}Br_6N_6$	149-150	Mohlau	B., 15, 2491	44, 342

(11.) CHBrP, CHBrAs, and CHBrSb.

Phosphenyl dibromide	Ph.PBr ₂	$C_6H_5Br_2P$	255-257	Liquid	Michaelis & Köhler	B., 9, 519	30, 420
" tetrabromide	Ph.PBr ₄	$C_6H_5Br_4P$	207	"	B., 9, 521	"
" hexabromide	Ph.PBr ₆	$C_6H_5Br_6P$	sb. a. 110	solid	"	"	"
Bromethyltriethylphosphonium bromide	PBrEt ₃ .C ₂ H ₅ Br ₂	$C_8H_{19}Br_2P$	235 d.	Hofmann	As., 1, 154	iv., 618
Bromethyldimethylphenylphosphonium bromide	PBrMe ₂ .Ph.C ₂ H ₄ Br	$C_{10}H_{15}Br_2P$	173	Gleichmann	B., 15, 199	42, 958

Name.	Constitution.	Formula	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylene tetramethyldi-phenylphosphonium dibromide	$C_2H_4(PMe_2PhBr)_2$	$C_{18}H_{26}Br_2P_2$	a. 300	Gleichmann	B., 15, 199	42, 958
Tetrabromide of above	$C_2H_4(PMe_2PhBr)_2.Br_4$	$C_{18}H_{26}Br_6P_2$	171	"	B., 15, 200	"
Triphenyl benzylphosphonium bromide	$Ph.CH_2.PPh_3Br$	$C_{28}H_{22}BrP$	274	Michaelis & Soden	A., 229, 334	48, 1135
Tetrabenzylphosphonium bromide	$(Ph.CH_2)_4PBr$	$C_{28}H_{22}BrP$	216-217	Letts and Collie	T. E., 30, 181	42, 724
Ethylene di(triphenylphosphonium bromide)	$C_2H_4(PPh_3Br)_2$	$C_{38}H_{34}Br_2P_2$	a. 300	Michaelis & Gleichmann	B., 15, 804	42, 1062
Arsenphenyl dibromide	$Ph.AsBr_2$	$C_6H_5Br_2As$	285 s.d.	Liquid	Michaelis	A., 201, 203 ; B., 10, 625	32, 452
Arsendiphenyl bromide	Ph_2AsBr	$C_{12}H_{10}BrAs$	356 in CO_2	Liquid	Coste and Michaelis	A., 201, 230 ; B., 11, 1886	36, 162
Stibtriethyl dibromide	Et_3SbBr_2	$C_6H_{15}Br_2Sb$	s.—10	Lowig & Schweitzer	J. [1850], 475	i., 342
Stibtritoyl	$(C_6H_4Me)_3SbBr_2 = (1.3)_3$	$C_{21}H_{21}Br_2Sb$	113	Michaelis and Genzken	B., 17, 925	46, 1136
"	" = (1.2) ₃	"	178 ; 210	"	"	"
"	" = (1.4) ₃	"	233-234	"	"	"

(12.) CHIO.

Triiodoacetaldehyde (Iodal)	$Cl_2.CO.H$	C_2HI_3O	25-115	iii., 280
"	"	"	110	Johnson	P. M. [3], 2, 415	"
Tetrio dimethyloxyde	$(CHI_2)_2O$	$C_3H_2I_4O$	181-182	s. — 6	Brüning	J., 10, 434	"
Acetyl iodide	$CH_3.CO.I$	C_2H_3IO	108 (757)	cf. A., 103, 335	Guthrie	P. M. [4], 14, 184	i., 35
"	"	"	104-105	cf. A., 95, 209	Cahours	J. 10, 344	"
Iodoacetic acid	$CH_2I.CO.OH$	$C_2H_3IO_2$	82	Perkin and Duppa	P. M. [4], 18, 55	iii., 279
Methyl iodide hydrate	$(CH_3I)_2.H_2O$	$C_2H_6I_2O$	— 4	Foureaud	C. R., 80, 1491	40, 32
Iodopropargylic acid	$Cl : C.CO.OH$	C_3HIO_2	140	Baeyer	B., 18, 2274	48, 1199
"	"	"	140	Homolka and Stolz	B., 18, 2282	"
Triiodoacrylic acid	$Cl_2 : Cl.CO.OH$	$C_3HI_3O_2$	207	"	B., 18, 2286	48, 1198
β -diiodoacrylic acid	$Cl_2 : CH.CO.OH$	$C_3H_2I_2O_2$	133	"	B., 18, 2284	"
α - β - " " " " " "	$CHI : Cl.CO.OH$	"	106	"	"	"
Iodoacrylic acid	$CHI : CH.CO.OH$	$C_3H_3IO_2$	139-140	Bandrowsky	B., 15, 2703	43, 510
Diiodoacetone	$CH_2I.CO.CH_2I$	$C_3H_4I_2O$	61.5-62.5	Völker	A., 192, 89	34, 781
Propionyl iodide	$CH_3.CH_2.CO.I$	C_3H_5IO	127-128	Sestini	B.S. [2], 11, 469	vi., 963
Iodallyl alcohol	$C_3H_4I.OH$	"	160	Hübner and Lellmann	B., 13, 461	38, 538
"	"	"	160	"	B., 14, 208	40, 242
Epi-iodhydrin	$O.CH_2.CH.CH_2I$	"	160-180	Liquid	Reboul	As., 1, 227	"
Methylic iodoacetate	$CH_2I.CO.O.Me$	$C_3H_5IO_2$	169-171 c.	Aronstein & Kramps	B., 14, 604	"
α -Iodopropionic acid	$CH_3CHI.CO.OH$	"	Liquid	Wichelhaus	A., 163, 1 ; 144, 352	vi., 960
β - " " " " " "	$CH_2I.CH_2.CO.OH$	"	82	Beilstein	A., 120, 231	iv., 733
β - " " " " " "	"	"	82	Melikoff	B., 13, 2154	40, 154
β - " " " " " "	"	"	82.5	"	B., 13, 906	38, 800
α -Iodolactic acid	$CH_3Cl(OH).CO.OH$	$C_3H_5IO_3$	84-85	Glinsky	B., 6, 1257	"
β - " " " " " "	$CH_2I.CH(OH).CO.OH$	"	100-101	Melikoff	B., 14, 937	40, 712
Glycerol diiodhydrin	$C_3H_5I_2.OH$	$C_3H_6I_2O$	d. 70-76	s. — 16 to — 20	Claus	A., 168, 25 ; B., 5, 355	25, 684 ; 26, 1122
Diiodopropyl alcohol	$C_2H_3I_2.CH_2OH$	"	45 d.	Hübner and Lellmann	B., 14, 207	40, 242
Propylene glycol iodhydrin	C_3H_7IO	105 (60)	Z. C. [1870], 424	"
Iodofumaric acid	$COOH.CH : Cl.CO.OH$	$C_4H_5IO_4$	182-184	Bandrowski	B. 15, 2697	44, 313

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methyl iodopropargyl oxide	$C_3H_2I.O.Me$	C_4H_5IO	s. 12	Liebermann	A., 135, 288	vi., 959
Crotonyl iodide	"	131-133	Liquid	Lieben and Liesel	W. A., 82, 960	40, 711
Butyryl iodide	$Me.CH_2.CH_2.COI$	C_4H_7IO	146-148	Cahours	J., 10, 344	i., 699
Ethyl iodacetate	$CH_2I.COEt$	$C_4H_7IO_2$	178-180	cf. A., 112, 127	Butlerow	B., 5, 479	
Methyl β -iodopropionate	$CH_2I.CH_2.COOMe$	"	188 (756)	Liquid	Henry	C. R., 100, 114	48, 372
α -iodobutyric acid	"	110	Alberti	B., 9, 1194	
β - " "	"	Liquid	"	"	
Iodoisobutyric acid	$CH_2I.CHMe.COOH$	"	37	Fittig	B., 9, 122	29, 898
" "	"	"	36	Engelhorn	A., 200, 65	38, 379
" "	"	"	36	Fittig	A., 187, 42	32, 736
Iodethyl oxide	$CH_2I.CH_2.OEt$	C_4H_9IO	154-156	Liquid	Baumstark	B., 7, 1173	28, 141
" "	"	"	154-155	Demole	B., 9, 744, 746	
Iodopyromeconic acid	$C_5H_3IO_3$	cf. A., 92, 321	a. 100	Brown	P. M. [4], 8, 201	iv., 761
Ethyl iodopropargylate	$CI : C.COEt$	$C_5H_5IO_2$	68	Baeyer	B., 18, 2274	48, 1199
Itaiodopyrotartaric acid	$C_5H_7IO_4$	135	Z. C. [1866], 722	vi., 981
Isovaleric iodide	$CHMe_2.CH_2.COI$	C_5H_9IO	168	Cahours	C. R., 44, 1252	v., 980
Propyl iodacetate	$CH_2I.COOPr^a$	$C_5H_9IO_2$	198 (756)	Liquid	Henry	C. R., 100, 114	48, 372
Ethyl β -iodopropionate	$CH_2I.CH_2.COEt$	"	202	A., 216, 128	
" "	"	"	198-200(754)	Liquid	Henry	C. R., 100, 114	48, 372
" "	"	"	s. d.	
" "	"	"	180-200	Beilstein	A., 122, 368	iv., 736
" "	"	"	160-170	J. p. [2], 20, 166	
Hydriodoangelic acid	"	46	Schmidt	B., 12, 252	38, 618
" "	"	46	"	A., 208, 254	40, 1126
β -iodisopropylacetic acid	$Me_2.CI.CH_2.COOH$	"	79-80	Schirokoff	J. p. [2], 23, 285	40, 414
Iodovalerianic acid	fr. $MeEt.CH.COOH$	"	86.5	Berendes	B., 10, 836	32, 593
Hydriodotiglic acid	$MeEtCI.COOH$	"	86.5	Schmidt	A. P. [3], 13, 213	38, 222
" "	"	"	86.5	"	B., 12, 255	38, 618
" "	"	"	86.5	"	A., 208, 254	40, 1126
Diiodoquinone	$C_6H_2I_2.O_2=??.1.4$	$C_6H_2I_2O_2$	178	Seifert	J. p. [2], 28, 437	46, 431
Triiodophenol	$OH.I_3=1.2.4.6$	$C_6H_3I_3O$	150	Schützenberger	A., 120, 307 ; 131, 232	vi., 909
" "	"	"	156	Körner	A., 137, 214	vii., 929
Triiodoresorcinol	$(OH)_2.I_3=1.3.4.6.?$	$C_6H_3I_3O_2$	s.b. 190 d.	145 u. c.	Michael & Norton	B., 9, 1752	31, 464
" "	" = 1.3.4.(?) ₂	"	154	Claassen	B., 11, 1443	34, 868
Diiodophenol	$OH.I_2=?$	$C_6H_4I_2O$	68	Schall	B., 16, 1902	
" "	"	"	abt. 110	Schützenberger and Sengenwald	C. R., 54, 197	iv., 394
" "	" = 1.2.4	"	150	Hlaswitz and Weselsky	B., 2, 525; W. A., 60, 290	vi., 910
" "	$(OH)_2.I_2=1.4.5.?$	$C_6H_4I_2O_2$	145	Seifert	J. p. [2], 28, 437	46, 431
Iodophenol	$OH.I=1.2$	C_6H_5IO	l. -23	Lobanoff	B., 6, 1251	27, 260 ; vii., 907
" "	" " "	"	Liquid	Körner	G. I., 4, 305	29, 235
" "	" " "	"	43	Nolting and Wrzesinski	B., 8, 820	vii., 929
" "	" = 1.3.(?)	"	Solid	Körner	G. I., 4, 305	29, 235
" "	" " "	"	64-66	Lobanoff	B., 6, 1251	27, 260 ; vii., 907
" "	" = 1.4.(?)	"	cf. A., 137, 213	Solid	Körner	G. I., 4, 305	29, 235
" "	" " "	"	89	Lobanoff	B., 6, 1251	27, 260 ; vii., 907
Iodoresorcinol	$(OH)_2.I=1.3.?$	$C_6H_5IO_2$	67	Stenhouse	P. R., 22, 53; A., 171, 311	27, 586
Ethyl α -iodobutyrate	$CH_3.CH_2.CHI.COEt$	$C_6H_{11}IO_2$	190-192 d.	Hell	B., 6, 30	26, 495
Triiodosalicylic acid	$COOH.OH.I_3=1.2.(?)_3$	$C_7H_3I_3O_3$	157 d.	Lautemann	A., 120, 306 ; 174, 104	v., 158
Diiodosalicylic acid	$COOH.OH.I_2=1.2.(?)_2$	$C_7H_4I_2O_3$	d.w.m. 193	Liechti	As., 7, 141	vi., 1003
" "	" " "	"	d.w.m. 212	Lautemann	A., 120, 304	v., 158
" "	" " "	"	d. 215	Birubbaum and Reinherz	B., 15, 459	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diiodosalicylic acid	COOH.OH.I ₂ =1.2.(?) ₂	C ₇ H ₄ I ₂ O ₃	220-230 d.	Demole	B., 7, 1439	
Iodobenzaldehyde	COH.I=1.4	C ₇ H ₅ IO	73	Jackson and White	B., 11, 1043	34, 729
Iodobenzoic acid	COOH.I=1.2	C ₇ H ₆ IO ₂	150-155	Mabery & Robinson	A. C. J., 4, 101	42, 1057
" "	" "	"	152	Griess	B., 4, 521	24, 702; v.i., 164
" "	" "	"	156-157	Kekulé	B., 7, 1007	28, 64
" "	" "	"	155-156; 157	Richter	B., 4, 553, 554	24, 824
" "	" =1.3	"	172-5	Körner	Z. C. [2], 4, 327	24, 825; vi., 313
" "	" "	"	185	Griess	B., 4, 522	24, 702; vii., 164
" "	" "	"	186	Birnbaum and Reinherz-	B., 15, 458	42, 970
" "	" "	"	187	Cunze and Hübner	A., 135, 108; 136, 201	vi., 313
" "	" =1.4	"	n.f. 250	Körner	Z. C. [2], 4, 327	vi., 313; vii., 164
" "	" "	"	250-251	Glassner	B., 8, 562	28, 888
" "	" "	"	256	Schmidt & Schultz	A., 207, 333	
" "	" "	"	257	Louis	B., 16, 111	
" "	" "	"	262	Pahl	B., 17, 1234	46, 1009
" "	" "	"	263	Michael & Norton	B., 18, 137	
" "	" "	"	265-266	Beran	"	48, 523
" "	" "	"	267	Richter	B., 4, 554	24, 824
Iodohydroxybenzaldehyde	COH.OH.I=1.4.?	"	198-199	Herzfeld	B., 10, 2198	34, 423
Iodohydroxybenzoic acid	COOH.OH.I=1.4.?	C ₇ H ₅ IO ₃	160	Peltzer	A., 146, 288	vi., 900
Iodosalicylic acid	" =1.2.5	"	mixture ?	184	Liechti	As., 7, 136	vi., 1003
" "	" "	"	"	184	Demole	B., 7, 1437, et seq	28, 253
" "	" "	"	193-5	Frankland	37, 749	vi., 1003
" "	" "	"	196	Lautemann	A., 120, 302	v., 158
" "	" "	"	196	Hübner	B., 12, 1347	36, 928
" "	" "	"	196	Goldberg	J. p. [2], 19, 368	36, 929
" "	" "	"	197	Miller	B., 16, 81	41, 404
" "	" =1.2.3	"	198	"	"	"
Diiodocresol	Me.OH.I ₂ =1.4.3.5	C ₇ H ₆ I ₂ O	61-61.5	Schall and Dralle	B., 17, 2534	48, 146
Iodobenzyl alcohol	(CH ₂ OH).I=1.4	C ₇ H ₇ IO	cf. A. C. J., 2, 251	71-75	Mabery & Jackson	B., 11, 56	34, 421
Iodorcinol	Me.(OH) ₂ .I=1.3.5.?	C ₇ H ₇ IO ₂	86.5	Stenhouse	P. R., 22, 53; C. N., 26, 279; A., 171, 310	vii., 879; 26, 275; 27, 585
Acetyldiiodophenol	C ₆ H ₃ I ₂ .OAc	C ₆ H ₃ I ₂ O ₂	107 u.c.	Schall	B., 16, 1902	44, 1109
Methylic iodobenzoate	COOMe.I=1.4	C ₈ H ₇ IO ₂	114	Schmidt & Schultz	A., 207, 333	
" "	" "	"	114	Louis	B., 16, 111	
" "	" "	"	115	Pahl	B., 17, 1234	46, 1010
Iodo- <i>o</i> -toluic acid	C ₆ H ₄ I.(CH ₂ .COOH)=1.2	"	95-96	Mabery & Robinson	A. C. J., 4, 101	42, 1057
" "	" =1.4	"	cf. A. C. J., 2, 253	135	Mabery & Jackson	B., 11, 56	34, 422
Iodanisic acid	COOH.OMe.I=1.4.5	C ₈ H ₇ IO ₃	234	Peltzer	B. S. [2], 9, 148	vi., 173
" "	" "	"	234-5	"	A., 146, 302	vi., 901
" "	" "	"	234-235	Schall and Dralle	B., 17, 2528	48, 146
Iodovanillin	COH.OH.OMe.I=1.4.5.?	"	174	Carles	B. S. [2], 17, 12	vii., 1201
" "	" "	"	174	Tiemann & Haarmann	B., 7, 616	27, 896
Methoxyiodotoluene	Me.OMe.I=1.4.5	C ₈ H ₉ IO	237-238	Liquid	Schall and Dralle	B., 17, 2533	48, 146
Iodo- <i>β</i> -orcinol	C ₆ HIMe ₂ (OH) ₂	C ₈ H ₉ IO ₂	93	Stenhouse & Groves	A., 203, 298	37, 404
Iodocinnamic acid	C ₆ H ₄ I.(CH:CH.COOH)=1.2	C ₉ H ₇ IO ₂	212-214	Gabriel & Herzberg	B., 16, 2036; C. C. [1884], 35	44, 1123; 48, 661
" "	" =1.3	"	181-182	"	"	"
" "	" =1.4	"	d. w. m. 255	"	"	"
Ethyllic iodobenzoate	COOEt.I=1.2	C ₉ H ₉ IO ₂	Liquid	vi., 313
" "	" =1.3	"	Liquid	A., 135, 110	
" "	" =1.4	"	Liquid	A., 207, 333	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenyliodopropionic acid	Ph.C ₂ H ₃ I.CO ₂ H	C ₉ H ₉ IO ₂	119-120 d.	Fittig and Binder	B., 9, 1195; A., 147,97; 195,133	31, 61; 36, 378
Iodohydrocinnamic acid	C ₆ H ₄ I.(CH ₂ .CH ₂ .CO ₂ H)	"	102-103	Gabriel & Herzberg	B., 16, 2036; C. C. [1884], 35	44, 123; 49, 661
"	"	"	65-66	"	"	"
"	"	"	140-141	"	"	"
Ethyl iodosalicylate	COOEt.OH.I=1.2.?	C ₉ H ₉ IO ₃	70-71	J. [1864], 385	
Acetoxydiiodotoluene	Me.OAc.I ₂ =1.4.3.5	C ₉ H ₉ I ₂ O ₂	62-62.5	Schall and Dralle	B., 17, 2534	48, 146
Iodonaphthol	OH.I=?	C ₁₀ H ₇ IO	88	Ostermeyer	C. C. [1884], 937	48, 672
"	" =β ₁ α;	"	94.5	Meldola	47, 525	
Diacetyltriiodoresorcinol	(OAc) ₂ .I ₃ =1.3.4.(?) ₂	C ₁₀ H ₇ I ₃ O ₄	170	Claesson	B., 11, 1443	34, 868
Iodomeconin	C ₁₀ H ₉ IO ₄	112	Anderson	A., 98, 49	iii., 863
HI on Cantharidin	C ₁₀ H ₁₂ I ₂ O ₃	131	Piccard	B., 12, 577	36, 655
Iodocamphor	C ₁₀ H ₁₅ IO	43-44	Haller	C. R., 87, 695	36, 329
Diiododiphenylquinol	C ₆ H ₃ I(OH).C ₆ H ₃ I(OH)	C ₁₂ H ₈ I ₂ O ₂	abt. 150	Kämmerer & Benzinger	B., 11, 557	34, 574
Benzoyldiiodophenol	C ₆ H ₃ I ₂ OBz	C ₁₃ H ₈ I ₂ O	95-96	Schall	B., 16, 1903	44, 1109
Diiododiphenic acid	(C ₆ H ₃ I.CO ₂ H) ₂ =(1.4.2) ₂	C ₁₄ H ₈ I ₂ O ₄	abt. 260	Schultz	B., 11, 217	34, 511
"	"	"	262	"	B., 12, 236	36, 653
Benzoxidiiodotoluene	Me.OBz.I ₂ =1.4.3.5	C ₁₄ H ₁₁ I ₂ O ₂	129.5-130	Schall and Dralle	B., 17, 2534	48, 146
Santonin iodide	C ₁₆ H ₁₉ IO ₃	136	Cannizzaro and Valente	G. I., 8, 309	36, 331
Benzaldide oxyiodide	C ₂₁ H ₁₃ I ₄ O	28	Geuther & Cartmell	A., 112, 22	i., 572

(13.) CHIS, CHISE, and CHITe.

Diiodothiophene	C ₄ H ₂ I ₂ S	40.5	Meyer and Kreis	B., 17, 1558	46, 1131
Iodothiophene	C ₄ H ₃ IS	182 u.c.	Liquid	"	B., 17, 1559	"
Diethylene disulphotettriiodide	(C ₂ H ₄) ₂ S ₂ I ₄	C ₄ H ₈ I ₄ S ₂	132-133 d.	Husemann	A., 126, 289	vi., 607
Iodo-β-ethylthiophene	C ₄ SH ₂ IEt	C ₆ H ₇ IS	Liquid	Bonz	B., 18, 551	48, 767
Iodothioxylene	C ₇ SHIME ₂	"	Liquid	Messinger	B., 18, 1638	48, 1052
Triethyl sulphuro-iodide	SEt ₃ I	C ₆ H ₁₅ IS	a. 100	Dehn	As., 4, 95	v., 882
Diiodophenylsulphide	S(C ₆ H ₄ I) ₂	C ₁₂ H ₈ I ₂ S	138-139	Krafts	B., 7, 1165	28, 154
Triethyl seleno-iodide	SeEt ₃ I	C ₆ H ₁₅ ISe	w. m. 80-126	Pieverling	A., 185, 333	34, 130
Benzyl dimethyl seleno-triiodide	Ph.CH ₂ .SeMe ₂ I ₃	C ₉ H ₁₃ I ₃ Se	65	Jackson	A., 179, 19	29, 581
Diethyltellurodiiodide	TeEt ₂ I ₂	C ₄ H ₁₀ I ₂ Te	50	Maleet	A., 79, 223	ii., 550
Triethyltelluroiodide	TeEt ₃ I	C ₆ H ₁₅ ITe	90-92	Becker	A., 180, 263	30, 46

(14.) CHIN.

Hydrocyanic hydriodide	HCN.HI	CH ₂ IN	v. 350-400	A., 138, 36	
Ethylguanidine hydriodide	NHEt.C:(NH).NH ₂ + III	C ₃ H ₁₀ IN ₃	149 d.	Letni	B., 8, 767	29, 911
Tetridopyrrolin	C ₄ I ₄ .NH	C ₄ HI ₄ N	d.w.m. 140-150	Ciamician & Dennstedt	B., 15, 2584	44, 351
Pyridine periodide	C ₅ H ₅ N.HI.I ₄	C ₅ H ₅ I ₅ N	89	Dafert	M. C., 4, 496	44, 980
Trimethylethylammonium triiodide	NEtMe ₃ I ₃	C ₆ H ₁₁ I ₃ N	64	Müller	A., 108, 1	iii., 1000
"	"	"	64	Dafert	M. C., 4, 496	44, 978
Trimethylethylammonium pentiodide	NEtMe ₃ I ₅	C ₆ H ₁₄ I ₅ N	68	"	"	"
"	"	"	68	Müller	A., 108, 3	iii., 1000
Triiodaniline	NH ₂ .I ₃ =1.2.4.6	C ₆ H ₄ I ₃ N	185.5	Michael & Norton	B., 11, 111	34, 406

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diiodaniline	NH ₂ I ₂ =1.2.4.	C ₆ H ₅ I ₂ N	...	95-95.5	Michael & Norton	B., 11, 111	34, 406
"	"	"	96	Rudolph	B., 11, 79	34, 422
Iodaniline	NH ₂ I=1.3	C ₆ H ₅ IN	25	Griess	J. [1866], 457	vi., 921
"	"	"	25	Körner	G. I., 4, 305	29, 233
"	" =1.4 or 1.2	"	60	Hofmann	A., 67, 65	iv., 444
"	"	"	60	Griess	J. [1866], 457	vi., 921
"	"	"	60	Körner	G. I., 4, 305	29, 233
"	"	"	60	Michael & Norton	B., 11, 108	34, 406
"	"	"	60	Gabriel	B., 11, 2261	38, 324
"	" =1.4 (?)	"	83	Hübner	B., 10, 1717	
Picoline diiodide + HI	C ₆ H ₇ NI ₂ .HI	C ₆ H ₅ I ₃ N	79	Ramsay	P. M. [5], 2, 273	38, 263
Ethylglyoxalinemethiodide....	(C ₃ H ₃ N)NEt.MeI	C ₆ H ₁₁ IN ₂	74-75	Wallach	B., 16, 535	44, 911
Methylhydropyrroline methiodide	C ₄ H ₆ MeN.MeI	C ₆ H ₁₂ IN	286 d.	Ciamician & Dennstedt	B., 16, 1542	44, 1142
Pipecoline hydriodide	NH.(CH ₂) ₃ .CHMe.CH ₂ +HI	C ₆ H ₁₄ IN	131	Hesekiel	B., 18, 912	48, 812
Triethylazonium iodide	N ₂ H ₂ Et ₂ .EtI	C ₆ H ₁₇ IN ₂	74-78	Fischer	B., 11, 2208	36, 451
Iodobenzonitril	C ₆ H ₄ I.CN=1.3	C ₇ H ₄ IN	41	Griess	B., 2, 370	vii., 427
Diiodotoluidine	Me.NH ₂ I ₂ =1.4.3.5	C ₇ H ₇ I ₂ N	124.5	Michael & Norton	B., 11, 115	34, 407
Iodobenzylamine	C ₆ H ₄ I.(CH ₂ .NH ₂)=1.2	C ₇ H ₅ IN	Liquid	A. C. J., 4, 101	
"	" =1.4	"	Liquid	A. C. J., 2, 257	
Iodotoluidine....	Me.NH ₂ .I=1.2.4	"	273 d.	48-49	Heymann	Z. C. [2], 6, 402 ; A., 158, 338	24, 681 ; vii., 1167, 1177
"	" =1.3.4	"	188-189	Glassner	B., 8, 562	28, 897
Picoline methiodide	C ₆ H ₇ N.MeI	C ₇ H ₁₀ IN	226.5-227 u.c.	Ramsay	P. M. [5], 2, 277	38, 263
Picoline methiodide diiodide	C ₆ H ₇ NI ₂ .MeI	C ₇ H ₁₀ I ₃ N	129	"	P. M. [5], 2, 278	"
Methyltriethylammonium triiodide	NEt ₃ .MeI ₃	C ₇ H ₁₈ I ₃ N	62	Müller	A., 108, 1	iii., 1000
Iod-a-toluic nitril	C ₆ H ₄ L.(CH ₂ .CN)=1.4	C ₈ H ₅ IN	50.5	Mabery & Jackson	B., 11, 56	34, 422
Dimethyliodaniline	C ₆ H ₄ LNMe ₂	C ₈ H ₁₀ IN	79	Merz and Weith	B., 10, 757, 765	32, 603
Picoline ethiodide	C ₈ H ₁₂ IN	b. 100	Anderson	A., 94, 361	
Hydro-a-isopropyl pyridine + HI	C ₈ H ₁₄ IN	242-243	Ladenburg	B., 18, 1589	48, 992
Tropidine periodide	C ₈ H ₁₄ I ₃ N	92-93	"	B., 14, 232	
Iodotrimethylpiperidine	C ₈ H ₁₆ IN	60	Fischer	B., 17, 1796	46, 1291
Trimethylpiperylum iodide	(C ₅ H ₉ Me) ⁺ Me ₂ NI	C ₈ H ₁₈ IN	200	Hofmann	B., 14, 663	40, 621
Trimethylamylammonium triiodide	NMe ₃ (C ₆ H ₁₁)I ₃	C ₈ H ₂₀ I ₃ N	80	Müller	A., 108, 1	iii., 1001
Tetretethylammonium triiodide	NEt ₄ I ₃	"	142	Dafert	M. C., 4, 496	44, 978
Iodoquinoline	N.I=α,β ₁ ;	C ₉ H ₆ IN	52-53	Friedländer and Weinberg	B., 18, 1531	48, 990
"	" = ?	"	300+	62-63	La Coste	B., 18, 782	48, 815
Quinoline diiodide	C ₉ H ₇ I ₂ N(?)	67	Dafert	M. C., 4, 496	44, 980
"	"	90	Claus and Istel	B., 15, 824	42, 111
Iodocyanethine	C ₉ H ₁₄ IN ₃	152	Riess	J. p. [2], 30, 145	48, 236
Trimethylphenylammonium triiodide	NMe ₃ PhI ₃	C ₉ H ₁₄ I ₃ N	116	Dafert	M. C., 4, 496	44, 978
Trimethylphenylammonium pentiodide	NMe ₃ PhI ₅	C ₉ H ₁₄ I ₅ N	87	"	"	"
Oxalmethylisoamylamine methiodide	C ₇ H ₁₁ MeN ₂ .MeI	C ₉ H ₁₇ IN ₂	169-170	Radziszewski and Szul	B., 17, 1294	46, 986
Iodotetramethylpiperidine	C ₉ H ₁₈ IN	90	Fischer	B., 17, 1792	46, 1290
Iod-o-methyl quinoline	C ₉ NH ₅ .MeI	C ₁₀ H ₉ IN	73-74	La Coste	B., 18, 785	48, 815
Quinoline methiodide	C ₉ NH ₇ .MeI	C ₁₀ H ₁₀ IN	72	"	B., 15, 192	
"	"	"	72	Ostermeyer	B., 18, 594	48, 672
Dimethylethylphenylammonium iodide	NPhMe ₂ EtI	C ₁₀ H ₁₆ IN	124.5	Claus & Rautenberg	B., 17, 1325	48, 1005
"	"	"	126	Claus and Howitz	"	"
Dimethylconylammonium iodide	C ₈ H ₁₆ :NMe ₂ I	C ₁₀ H ₂₂ IN	100	Hofmann	B., 14, 708	40, 745
Dimethylcopellidinium iodide	C ₈ H ₁₆ Me ₂ NI	"	267-268	Dürkopf	B., 18, 926	48, 817

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Methylquinoline methiodide	$C_{10}H_9N.MeI$	$C_{11}H_{12}IN$	221	Döbner and Miller	B., 18, 1642	
? " "	$N.Me=\alpha_1\beta_1$;	"	195	"	B., 16, 2468	46, 184
Ethyl quinazole methiodide	$C_{10}H_{12}N_2.MeI$	$C_{11}H_{15}IN_2$	192 d.	Fischer & Kuzel	A., 221, 261	46, 442
Ethylanhydracetdiamidotoluene iodide	$C_8H_5Me.N : CMe.NHEtI$	"	+H ₂ O	141.5-143.5	Hübner	A., 210, 328	42, 505
Diethylaniline methiodide ...	$NPhEt_2.MeI$	$C_{11}H_{18}IN$	102	Claus and Howitz	B., 17, 1326	46, 1006
Methylamylpiperylammonium iodide	$C_5H_{10}N(C_5H_{11}).MeI$	$C_{11}H_{24}IN$	195	Schotten	B., 15, 422	42, 982
Diiodoazobenzene	$C_6H_4I.N_2.C_6H_4I=(1.3)_2$	$C_{12}H_8I_2N_2$	150	Gabriel	B., 9, 1410	31, 307
" " " " " " " " " "	" " " " " " " " " "	" " " " " " " " " "	237	"	B., 9, 1409	"
Diiodohydrazobenzene ...	$C_6H_4I.N_2H_2.C_6H_4I=(1.3)_2$	$C_{12}H_{10}I_2N_2$	89-90	"	B., 9, 1410	"
" " " " " " " " " "	" " " " " " " " " "	" " " " " " " " " "	a. 100	"	B., 9, 1409	"
Ethyl (or dimethyl) quinoline methiodide	$C_{11}H_{11}N.MeI$	$C_{12}H_{14}IN$	203	Nölting and Weingärtner	B., 18, 1342	46, 978
Ethyltetrahydroquinoline methiodide	$C_9H_{10}EtN.MeI$	$C_{12}H_{18}IN$	179 u.c.	Claus and Stegelitz	B., 17, 1331	46, 1051
Trimethylpropylphenylammonium iodide	$C_6H_4Pr.NMe_2 + MeI=1.4$	$C_{12}H_{20}IN$	168	Claus and Howitz	B., 17, 1328	46, 1006
Triethylphenylammonium triiodide	$NEt_3PhI.I_2$	$C_{12}H_{20}I_3N$	81	Dafert	M. C., 4, 496	44, 978
Triethylphenylammonium pentiodide	$NEt_3PhI.I_4$	$C_{12}H_{20}I_5N$	68	"	"	"
Tetramethyldiamidotoluene methiodide	$Me.(NMe_2)_2=1.2.5$	$C_{12}H_{21}IN_2$	160	Würster and Riedel	B., 12, 1802	38, 109
Ethylmethylquinoline methiodide	$N.Et.Me=\alpha_1\beta_1\beta_2$;	$C_{13}H_{16}IN$	196 p.d.	Döbner and Miller	B., 17, 1715	46, 1375
Ethenyldiethyltoluyleneamidine triiodide	$C_{13}H_{19}I_3N_2$	111	A., 210, 376	
Methylbenzylpiperyl ammonium iodide	$C_5H_{10}N.C_7H_7 + MeI$	$C_{15}H_{20}IN$	145	Schotten	B., 15, 423	42, 982
Triethylbenzylamine periodide	$NEt_3(CH_2Ph)I_3$	$C_{18}H_{22}I_3N$	87	Ladenburg & Struve	B., 10, 46	
β -Naphthoquinoline methiodide	$C_{13}H_9N.MeI$	$C_{14}H_{12}IN$	200-205	Skraup & Cobenzl	M. C., 4, 436	44, 1011
Diiododibenzylamine....	$(C_6H_4I.CH_2)_2NH=(1.4)_2$	$C_{14}H_{13}I_2N$	76	Mabery & Jackson	B., 11, 58	34, 422
Dibenzylamine hydriodide	$(C_6H_5.CH_2)_2NH.HI$	$C_{14}H_{16}IN$	224	Limpriecht	A., 144, 304	vi., 337
Dimethyldiethylamidobenzene dimethiodide	$C_6H_4.NMe_2.NEt_2 + 2MeI$	$C_{14}H_{26}I_2N_2$	218	Lippmann & Fleissner	M. C., 4, 788	46, 178
Methylacridine methiodide...	$C_{13}H_8NMe.MeI$	$C_{15}H_{14}IN$	185 d.	Berthsen	A., 224, 1	46, 1356
Dimethylanhydrobenzodiamidobenzene iodide	$C_6H_4.N : CPh.NMe_2I$	$C_{15}H_{15}IN_2$	280	Hübner	A., 201, 365	42, 505
Dimethylanhydrobenzodiamidobenzene triiodide	$C_6H_4.N : CPh.NMe_2I_3$	$C_{15}H_{15}I_3N_2$	140.5	"	"	"
Azobenzenetrimethylammonium iodide	$Ph.N_2.C_6H_4.NMe_3I$	$C_{16}H_{18}IN_3$	173-174	Berju	B., 17, 1402 ; C. C. [1884], 871	46, 1148 ; 46, 660
β -Methylquinoline amyl iodide	$C_{10}H_9N.C_5H_{11}I$	$C_{15}H_{20}IN$	215	Döbner and Miller	B., 18, 1643	
Benzyldimethdiamidotoluene triiodide	$C_{16}H_{17}I_3N_2$	101	Hübner	A., 210, 368	
Flavoline methiodide	$N.Ph.Me=\alpha_1\beta_1\alpha_2$;	$C_{17}H_{16}IN$	185 d.	Berthsen and Hess	B., 18, 34	46, 559
Methyldiphenylpyrazene methiodide	$C_3HN_2Ph_2Me + MeI$	$C_{17}H_{17}IN_2$	187	Knorr and Blank	B., 18, 315	46, 556
Iso-methyldiphenylpyrazene methiodide	"	"	192	"	B., 18, 935	46, 811
Trimethylanthrammonium iodide	$C_{14}H_9Me_3NI$	$C_{17}H_{18}IN$	215 d. ; u. c.	Bollert	B., 16, 1637	44, 1139
Diethylanhydrobenzoyldiamidobenzene triiodide	$C_6H_4.NEt_2I.CPh : NI_2$	$C_{17}H_{19}I_3N_2$	154-155	Hübner and Simon	B., 12, 1342 ; A., 210, 358	36, 923
" " " " " " " " " "	"	"	154-155	Hübner & Pichler	B., 10, 1722	34, 145
Tetramethylbenzidine methiodide	$Me_2N.C_6H_4.C_6H_4.NMe_3I=(1.4)_2$	$C_{17}H_{23}IN_2$	263	Miehler and Patinsson	B., 14, 2163 ; B., 17, 117	42, 199 ; 46, 747

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzenyldiethyltoluylene-amidine triiodide	$C_{13}H_{21}I_3N_2$	128-129	A., 210, 373	
Diethylene-ethylamidodiphenyl iodide	$C_{19}H_{23}IN_2$	100	J. [1858], 353	iv., 456
?-Diquinoline methiodide	$(C_9NH_6)_2 = \beta_2; a_1 - a_1; a_1$	$C_{19}H_{15}IN_2$	126; sf. 83	Fischer	M. C., 6, 546	48, 1247
a- " "	" = ?	"	280-286 d.	Weidel	M. C., 2, 499	46, 70
Dimethylbenzoylpseudo-eumidine methiodide	$(C_6HMe_3Bz.NMe_2 + MeI = 1.3.4.2.6)$	$C_{19}H_{24}IN$	187 d.	Fröhlich	B., 17, 2675	48, 154
Diquinoline dimethiodide	$C_{18}H_{12}N_2.2MeI$	$C_{20}H_{18}I_2N_2$	a. 290	Fischer	M. C., 5, 417	48, 399
" "	$(C_9NH_6)_2 = (\beta_2; a_1)_2$	"	300 d.	Roser	B., 17, 1819	46, 1372
Cinchine methiodide....	$C_{19}H_{20}N_2.MeI$	$C_{20}H_{23}IN_2$	186	Comstock & Königs	B., 18, 1221	48, 910
Nicotine sesquiodide	$(C_{10}H_{14}N_2)_2I_3$	$C_{20}H_{28}I_3N_4$	100	Wertheim	iv., 47
Triiodotribenzylamine	$(C_6H_4I.CH_2)_3N = (1.4)_3$	$C_{21}H_{15}I_3N$	114-5	Mabery & Jackson	B., 11, 57	34, 422
Dimethylcyanine iodide	$C_9N_2H_{13}Me_3I$	$C_{21}H_{19}IN_2$	291	Hoogewerff & Dorp	R. J., 2, 317	48, 674
Phenylbenzaldehyde ethiodide	$C_6H_4(NC_7H_6)_2 + EtI = 1.2$	$C_{22}H_{21}IN_2$	211-213	Ladenburg and Engelbrecht	B., 11, 1654	36, 235
Tolubenzaldehyde methiodide	$C_6H_3Me(NC_7H_6)_2 + MeI = 1.3.4$	"	209 d.	Ladenburg	B., 11, 594	34, 572
Diquinoline diethiodide	$(C_9NH_6)_2 = (\beta_2; a_1)_2$	$C_{22}H_{22}I_2N_2$	270 d.	Roser	B., 17, 1819	46, 1372
Dimethamidotriphenylmethane methiodide	$Ph_2CH.C_6H_4.NMe_2 + MeI$	$C_{22}H_{24}IN$	184-185	Fischer and Roser	B., 13, 675; A., 206, 115, 157	38, 661; 40, 588
Benzenylisooamylphenylene-amidine triiodide	$C_{23}H_{21}I_3N_2$	111-112	A., 210, 363	
Tolubenzaldehyde ethiodide	$C_6H_3Me(NC_7H_6)_2 + EtI = 1.3.4$	$C_{23}H_{23}IN_2$	180-181	Ladenburg	B., 11, 593	34, 572
Methylamarine methiodide	"	246	Claus and Elbs	B., 13, 1419	38, 882
Diethylcyanine iodide	$C_{19}N_2H_{13}Et_2I$	"	271-273	Hoogewerff & Dorp	R. T., 2, 317	48, 674
Tolubenzaldehyde ethiodide + I ₂	$C_6H_3Me(NC_7H_6)_2 + EtI, I_2 = 1.3.4$	$C_{23}H_{23}I_3N_2$	123-125	Ladenburg	B., 11, 593	34, 572
Ethyltribenzylamine iodide	$(C_6H_5.CH_2)_3N.EtI$	$C_{23}H_{26}IN$	190	Vasca-Lanza	B., -7, 82	
Diamylanhydrobenzoylamidobenzene triiodide	$C_6H_4.N(C_9H_{11})_2I.CPh : NI_2$	$C_{23}H_{31}I_3N_2$	111-112	Hübner and Simon	B., 10, 1720; B., 12, 1344	34, 145; 36, 923
Tetramethdiamidotriphenylmethane methiodide	$Ph.CH(C_6H_4.NMe_2)_2 + MeI$	$C_{25}H_{32}I_2N_2$	218-222	Fischer	B., 12, 1686; A., 206, 127, 151	38, 40
" "	"	"	cf. A., 217, 256	231 d.	Doebner	B., 13, 2228	40, 166
Methane triquinoil + HI	$CH(C_9H_7NI)_3$	$C_{28}H_{22}I_3N_3$	65	Rhousopoulos	B., 16, 202	44, 600
Quinoline iodo-cyanine	$C_{28}H_{35}IN_2$	100 d.	Nadler and Merz	J. p., 100, 129	vi., 430
Tetramethdiamidopropyltriphenylmethane methiodide	$Pr.C_6H_4.CH(C_6H_4.NMe_2)_2 + MeI$	$C_{28}H_{33}I_2N_2$	200	Zeigler	B., 13, 787	38, 640
Benzylamarine methiodide	$C_{21}H_{17}(CH_2Ph)N_2.MeI$	$C_{29}H_{27}IN_2$	130 u. c.	Claus & Kohstock	B., 18, 1855	48, 1133
" ethiodide	$C_{21}H_{17}(CH_2Ph)N_2.EtI$	$C_{30}H_{29}IN_2$	182 u. c.	"	B., 18, 1854	"

(15.) CHIP, CHIA, and CHISb.

Tolylphosphonium iodide	$C_6H_4Me.(PH_2.HI) = 1.4$	$C_7H_{10}IP$	340 in CO ₂ (l)	Michaelis & Paneck	A., 212, 235	42, 963
Trimethylphenylphosphonium iodide	NMe_3PhI	$C_9H_{14}IP$	205	Ananoff	A., 181, 363	
Dimethylethylphenylphosphonium iodide	$C_{10}H_{16}IP$	137	"	A., 181, 362	
Trimethyltolylphosphonium iodide	$C_6H_4Me.(PMe_2I) = 1.4$	"	255	Czimatis	B., 15, 2015	44, 57
Methyldiethylphenylphosphonium iodide	$PMeEt_2PhI$	$C_{11}H_{19}IP$	95	Ananoff	B., 8, 49E; A., 181, 358	28, 1204
Triethylphenylphosphonium iodide	PEt_3PhI	$C_{12}H_{20}IP$	115	"	"	"
Methyldiethyltolylphosphonium iodide	$C_6H_4Me.(PEt_2.MeI) = 1.4$	"	137	Czimatis	B., 15, 2016	44, 58

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methyldiethylxylylphosphonium iodide	$C_6H_3Me_2.(PEt_2MeI)$	$C_{13}H_{22}IP$	90	Czimatis	B., 15, 2016	44, 58
Diphenyldimethylphosphonium iodide	PMe_2Ph_2I	$C_{14}H_{16}IP$	241	Michaelis and Link	A., 207, 210	42, 306
" " "	"	"	245	Michaelis and Coste	B., 18, 2117	
Triethylxylylphosphonium iodide	$C_6H_3Me_2.(PEt_3I)$	$C_{14}H_{24}IP$	136	Czimatis	B., 15, 2016	44, 58
Ethylene hexethyldiphosphonium iodide	$C_2H_4 : PEt_6I_2$	$C_{14}H_{34}I_2P_2$	231	As., 1, 188	iv., 622
Diphenylmethylethylphosphonium iodide	$PMeEtPh_2I$	$C_{15}H_{18}IP$	181	Michaelis and Link	A., 207, 212, 215	42, 306
Diphenyldiethylphosphonium iodide	PEt_2Ph_2I	$C_{16}H_{20}IP$	204	"	A., 207, 214	"
Naphthyltriethylphosphonium iodide	$PFt_3(C_{10}H_7)I$	$C_{16}H_{22}IP$	209	Kelbe	B., 11, 1502	36, 68
Triphenylphosphonium iodide	$PHPh_3I$	$C_{18}H_{16}IP$	cf. B., 15, 803	215 p. d.	Michaelis & Soden	A., 229, 334	48, 1134
Triphenylmethylphosphonium iodide	$PMePh_3I$	$C_{19}H_{18}IP$	165-166	Michaelis & Gleichmann	B., 15, 803	42, 1062
Triphenylethylphosphonium iodide	$PEtPh_3I$	$C_{20}H_{20}IP$	165	Michaelis & Soden	A., 229, 334	48, 1134
Triphenylpropylphosphonium iodide	PPr^3Ph_3I	$C_{21}H_{22}IP$	201.5	"	"	48, 1135
Triphenylisopropylphosphonium iodide	PPr^iPh_3I	"	+2H ₂ O	191	"	"	"
Triphenylisobutylphosphonium iodide	PBu^iPh_3I	$C_{22}H_{24}IP$	176	"	"	"
Triphenylisoamylphosphonium iodide	$P(C_5H_{11})Ph_3I$	$C_{23}H_{26}IP$	174	"	"	"
Triphenylbenzylphosphonium iodide	$P(CH_2Ph)Ph_3I$	$C_{25}H_{22}IP$	253	"	"	"
Methylenehexaphenylphosphonium iodide	$CH_2(PPh_3I)_2$	$C_{37}H_{32}I_2P_2$	230-231 d.	Michaelis & Gleichmann	B., 15, 804	42, 1062
Arsenmethyldiiodide	$AsMeI_2$	CH_3I_2As	a. 200	25	Baeyer	A., 107, 285	i., 401
Arsendimethyliodide (cacodyl iodide)	$AsMe_2I$	C_2H_6IAs	a. 100	b.—10	Bunsen	A., 37, 35 ; 92, 362	i., 407
Tetramethylarsenium iodide +AsI ₃	$AsMe_4I + AsI_3$	$C_4H_{12}I_4As_2$	170	Cahours	C. R., 49, 87	i., 410
Arsenphenyl diiodide	$AsPhI_2$	$C_6H_5I_2As$	Liquid	Michaelis & Schulte	B., 14, 913 ; 15, 1953	40, 723
Phenyltrimethylarsenium iodide	$AsMe_3PhI$	$C_9H_{14}IAs$	244	Michaelis and Link	A., 207, 205	42, 306
Diidoarsenobenzene	$C_6H_5.AsI.AsI.C_6H_5$	$C_{12}H_{10}I_2As_2$	crystalline	Michaelis & Schulte	B., 14, 913 ; 15, 1953	40, 723
Phenyltriethylarsenium iodide	$AsEt_3PhI$	$C_{12}H_{20}IAs$	cf. A., 201 213	112-113	Coste and Michaelis	B., 10, 622 ; 11, 1883	32, 453 ; 36, 162
Diphenyldimethylarsenium iodide	$AsMe_2Ph_2I$	$C_{14}H_{16}IAs$	109	Michaelis and Link	A., 207, 204	42, 305
Diphenylethylmethylarsenium iodide	$AsMeEtPh_2I$	$C_{15}H_{18}IAs$	170	"	A., 207, 196	"
Diphenyldiethylarsenium iodide	$AsEt_2Ph_2I$	$C_{16}H_{20}IAs$	184	A., 201, 236	
Stibtriethyl diiodide....	$SbEt_3I_2$	$C_6H_{15}I_2Sb$	cf. A., 97, 331	70.5	Buekton	13, 116	i., 342
" " " " " " " "	"	"	70.5	Löwig & Schweitzer	J., 75, 339	
Stibtritoyl " " " " " " " "	$(C_6H_4Me)_3SbI_2=(1.4)_3$	$C_{21}H_{21}I_2Sb$	182.5	Michaelis & Genzken	B., 17, 925	46, 1130

16. CHOS.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts Dict. & J. Ch. Soc.	
Thioformic acid	H.CO.SH	CH ₂ OS	cf. A., 91, 125	120	Limpricht	A., 97, 361	v., 778
Methylsulphonic acid	CH ₃ .SO ₃ H	CH ₃ O ₃ S	d. 130	Richter	R. K. T.	
Methylic hydrogen sulphate	MeHSO ₄	CH ₄ O ₄ S	Liquid -30	Claesson	J. p. [2], 19, 240	36, 776
Thiacetic acid	Me.CO.SH	C ₂ H ₄ OS	95	v., 771
"	"	"	"	93	Ulrich	J., 12, 355	
Sulphaetic acid	HO ₃ S.CH ₂ .COOH	C ₂ H ₄ O ₅ S	cf. A., 52, 279	62	Melsens	A. C. [3], 5, 392; 10, 370	v., 475
"	"	"	"	68-70; 72	Carl	B., 14, 65	
Ethionic anhydride	C ₂ H ₄ :(SO ₃) ₂	C ₂ H ₄ O ₆ S ₂	80	Magnus	P. A., 47, 509	ii., 523
Dimethyl sulphoxide	Me ₂ SO	C ₂ H ₆ OS	Solid	Saytzeff	A., 144, 148	vi., 827
" sulphone	Me ₂ SO ₂	C ₂ H ₆ O ₂ S ₂	238	109	"	"	vi., 827
Dimethylic sulphite	Me ₂ SO ₃	C ₂ H ₆ O ₃ S	121.5	Carius	A., 110, 219	v., 556
" sulphate	Me ₂ SO ₄	C ₂ H ₆ O ₄ S	188	Dumas and Peligot	A. C. [2], 58, 32	v., 626
Ethylene disulphonic acid	HSO ₃ .CH ₂ .CH ₂ .SO ₃ H	C ₂ H ₆ O ₆ S ₂	94	Huseman	A., 126, 272	v., 566
" trisulphonic acid	HSO ₃ .CH ₂ .CH(SO ₃ H) ₂	C ₂ H ₆ O ₉ S ₃	80-110 pd.	Monari	B., 18, 1346	48, 970
" dithiocarbonate	C ₂ H ₄ :COS ₂	C ₃ H ₄ OS ₂	31	A., 126, 269	
Mythylic thiacetate	C ₃ H ₅ OS	62-68	B. S., 25, 562	
"	"	CH ₃ .CO.SMe	"	95-96	Wallach & Bleibtreu	B., 12, 1062	36, 786
Trimethylene oxysulphide	C ₃ H ₆ OS ₂	+ ½H ₂ O	80	Bartoli & Papisogli	G. I., 13, 287	46, 170
Dimethylic dithiocarbonate	CO(SMe) ₂	"	169	Liquid	Schmitt and Glutz	B., 1, 169	
" xanthogenate	MeO.CS.SMe	"	167-168	Salomon	J. p. [2], 7, 114	27, 363
"	"	"	"	170-172	Cahours	A. C. [3], 19, 160	v., 501
Thiolactic acid	CH ₃ .CH(SH).COOH	C ₃ H ₆ O ₂ S	b. 100	Schacht	A., 129, 1	iii., 462
"	"	"	"	141	Böttinger	B., 9, 1062	30, 624
"	"	"	"	141-142	"	A., 188, 321	34, 33
Methyl ethyl sulphone	Me.SO ₂ .Et	C ₃ H ₈ O ₂ S	36	Beckmann	J. p. [2], 17, 455	36, 39
Methylic ethylic sulphite	MeEtSO ₃	C ₃ H ₈ O ₃ S	140-141.5	Carius	A., 111, 93	v., 556
" ethylsulphonate	Me ₂ .SO ₃ .Me	"	197.5-200.5	J. [1870], 728	
Isopropylsulphonic acid	Me ₂ .CH.SO ₃ H	"	b. 100	Claus	B., 5, 660	
Thiosuccinyl	CO.CH ₂ .CH ₂ .CO.S	C ₄ H ₄ O ₂ S	31	Wesilsky	B., 2, 521	vi., 1042
Thiophene sulphinic acid	C ₄ SH ₃ .SO ₂ H	C ₄ H ₄ O ₂ S ₂	67	Weitz	B., 17, 800	46, 1131
β-thiophene sulphonic acid	C ₄ SH ₃ .SO ₃ H	C ₄ H ₄ O ₃ S ₂	Cryst.	Langer	B., 18, 554	48, 765
Thioglyoxylic acid	C ₄ H ₄ O ₅ S	78-82	A., 198, 212	
β-thiophene disulphonic acid	C ₄ SH ₂ (SO ₃ H) ₂	C ₄ H ₄ O ₆ S ₃	Cryst.	Langer	B., 18, 553	"
Sulphethylic ether	C ₄ H ₆ OS ₂	120-123	Malaguti	A. C. [2], 70, 338	ii., 541
Thiacetic anhydride	(Me.CO) ₂ S	C ₄ H ₆ O ₂ S	121	Kekulé	A., 90, 311	v., 772
"	"	"	"	121	Saytzeff	Z. C. [2], 4, 642	vi., 20
Acetyl disulphide	(Me.CO) ₂ S ₂	C ₄ H ₆ O ₂ S ₂	20	Kekulé and Lin-nemann	A., 123, 278	v., 772
Thiodiglycollic acid	S(CH ₂ .COOH) ₂	C ₄ H ₆ O ₄ S	126	Wislicenus	Z. C. [1865], 621	v., 776
"	"	"	"	129	Schulze	Z. C. [1865], 77	"
"	"	"	"	129	Lovén	B., 17, 2818	
Dithiodiglycollic acid	S ₂ (CH ₂ .COOH) ₂	C ₄ H ₆ O ₄ S ₂	100	Claesson	B., 14, 409	40, 580
Sulphone diacetic acid	SO ₂ (CH ₂ .COOH) ₂	C ₄ H ₆ O ₆ S	d. 200	182	Lovén	B., 17, 2819	48, 241
Ethylic thiacetate	CH ₃ .CO.SET	C ₄ H ₈ OS	abt. 80	Kekulé	A., 90, 313	28, 259, 761; v., 772
"	"	"	"	114-116	Miehler	B., 7, 1313; A., 176, 182	28, 258, 761
"	"	"	"	115-117	Wallach and Bleibtreu	B., 12, 1062	36, 786
"	"	"	"	117	Saytzeff	Z. C. [2], 14, 642	vi., 20
Thiobutyric acid	C ₃ H ₇ .CO.SH	"	130	Ulrich	A., 109, 280	i., 694
Aldehyde + thioaldehyde	C ₂ H ₄ O + C ₂ H ₄ S	"	35 d.	-2	Pinner	B., 4, 258	24, 383; vii., 37
Ethylic methylic dithiocarbonate	C ₄ H ₈ OS ₂	179	Chancel	A. C. [3], 15, 468	v., 500
Ethylic methylic xanthogenate	MeO.CS.SET	"	184	Liquid	Salomon	J. p. [2], 7, 115	27, 362
"	"	MeS.CS.OEt	"	184	"	J. p. [2], 7, 116	"
Ethylic thioglycollate	CH ₂ (SH).COOEt	C ₄ H ₈ O ₂ S	a. 155 d.	Liquid	Claesson	A., 187, 124	32, 595

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Xanthuria	$C_4H_8O_2S$	145	Couërbe	A., 40, 297	
Ethyl sulphonacetic acid	$EtO_2S.CH_2.COOH$	$C_4H_8O_4S$	Liquid	Claesson	B. S. [2], 23, 144	29, 568
Thiodiethylene glycol	$HO.C_2H_4.S.C_2H_4.OH$	$C_4H_{10}O_2S$	60	Carius	A., 124, 263	ii., 582
Diethyl sulphone	Et_2SO_2	"	248	70	Oefele	A., 127, 370	ii., 968; vi., 598
"	"	"	70	Frankland and Laurance	B., 12, 845	35, 246
Ethyl thioethylsulphonate	$Et.SO_2.SET$	$C_4H_{10}O_2S_2$	130-140 d.	Liquid	Otto	B., 15, 122	42, 832
Diethyl sulphite	$(EtO)_2SO$	$C_4H_{10}O_3S$	150-170	Ebelmann and Bouquet	A. C. [3], 17, 67	
"	"	"	abt. 150	Ogier	C. R., 94, 446	42, 696
"	"	"	160.3	Pierre	C. R., 27, 213	v., 554
"	"	"	161.3	Carius	J. p. [2], 2, 285	
"	"	"	161	Michaelis & Wagner	B., 7, 1074	28, 139
Ethyl ethylsulphonate	$C_2H_5.SO_2.OEt$	"	207	"	"	28, 140
"	"	"	207.5 (746.9)	Carius	J. p. [2], 2, 269	
"	"	"	213-213.5 c. (761)	Nasini	B., 15, 2884	
"	"	"	213.4	Kurbatow	A., 173, 7	
Diethyl sulphate	$(EtO)_2SO_2$	$C_4H_{10}O_4S$	110-120	Wetherill	A., 66, 117	v., 625
"	"	"	120.5 (45); falls 2°-5 for each (5)	} s.-24.5	Villiers	C. R., 9, 1291	38, 797
"	"	"	208 p. d.		Claesson	J. p. [2], 19, 231; B., 12, 1720	38, 776; 38, 28
β -Thiophenic aldehyde	$CH : CH.S.CH : C.CO$	C_5H_4OS	Liquid	Peter	B., 18, 537	48, 765
α - " acid	$S.CH : CH.CH : C.COOH$	$C_6H_4O_2S$	258 c.	118	Meyer and Keis	B., 16, 2174	48, 46
"	"	"	118	Peter	B., 18, 542	48, 765
"	"	"	118	Bonz	B., 18, 2309	
β - " "	$CH : CH.S.CH : C.COOH$	"	121; a.s. 123	"	B., 18, 2305	
"	"	"	125.5	"	B., 18, 2306	
"	"	"	124.5-125	Nahusen	B., 18, 2304	
"	"	"	124.5	Peter	B., 17, 2646	48, 142
"	"	"	124.5	"	B., 18, 542	48, 765
"	"	"	126.5	"	B., 17, 2646	48, 51
"	"	"	126-127	Paul and Tafel	B., 18, 456	48, 764
"	"	"	260 c.	129 c.	Nahusen	B., 17, 2194	
Propyl thiacetate	$CH_3.CO.SPr^a$	$C_5H_{10}OS$	135-137	Wallach & Bleibtren	B., 12, 1062	36, 786
Isopropyl " "	$CH_3.CO.SPr^b$	"	124-127	"	"	"
Diethyl dithiocarbonate	$(EtS)_2CO$	$C_5H_{10}OS_2$	196	Liquid	Solomon	J. p. [2], 4, 433	26, 620
"	"	"	196-197	Schmidt and Glutz	B., 1, 167	
" xanthogenate	$EtS.CS.SET$	"	200	Liquid	Debus	A., 75, 125	v., 500
"	"	"	200	Solomon	J. p. [2], 4, 445	26, 620
"	"	"	210-212	Zeise	A., 55, 310	
" thiocarbonate	$EtS.CO.OEt$	$C_5H_{10}O_2S$	150-156	Liquid	Solomon	J. p. [2], 4, 436	26, 617
"	"	"	156-159	Liebermann	A., 207, 121	42, 298
"	$EtO.CS.OEt$	"	161	Liquid	Solomon	J. p. [2], 4, 441	26, 620
"	"	"	162	Debus	A., 75, 136	
Ethyl thiolactate	$CH_3.CH(SH).COOEt$	"	150-160	Lovén	B., 16, 790	
β -Thienylglyoxylic acid	$C_4SH_3.CO.COOH$	$C_6H_4O_3S$	86; sf. 78	Peter	B., 18, 537	48, 764
Thiophene dicarboxylic acid	$C_4SH_2(COOH)_2 = ?$	$C_6H_4O_4S$	n. f. 295	Bonz	B., 18, 2307	
"	" = 1,2,5	"	w. m. 350	Messinger	B., 18, 567	48, 767
Phenol sulphhydrate	$C_6H_4.OH.SH = 1.2$	C_6H_6OS	216-217 (750.7)	5-6	Haitinger	M. C., 4, 170	44, 989
Acetothienone	$C_4H_3S.CO.Me$	"	213.5 c.	l.-15	Peter	B., 17, 2644	48, 141
Benzene sulphinic acid	$Ph.SO_2H$	$C_6H_6O_2S$	68	Otto and Ostrop	A., 141, 365	vi., 275
"	"	"	b. 100	Kalle	A., 119, 153	v., 565
Methylthiophene carboxylic acid	$CH : CMe.S.C(COOH) : CH$	"	sb. 120	142	Paal	B., 18, 2254	48, 1206

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Thiopyroracemic acid	$C_6H_3O_6S$	87 d.	Böttinger	B., 9, 404; A., 188, 325	30, 70; 34, 33
Diethylic trithiodicarbonate	$S(CS.OEt)_2$	$C_6H_{10}O_2S_3$	55	Welde	B., 9, 1045; J. p. [2], 15, 45	30, 624; 32, 315
„ dioxytetrathiocarbonate	$O_2(CS_2Et)_2$ (?)	$C_6H_{10}O_2S_4$	28	A., 72, 5; 82, 253	
„ thioxalate	$COOEt.CO.SEt$	$C_6H_{10}O_3S$	211 u.c.; 217 c.	Morley and Saint Lovén	43, 401	
Thiodilactic acid	$S(C_2H_4.CO.OH)_2$	$C_6H_{10}O_4S$	125	„	B., 16, 790	
Sulphone dipropionic acid	$SO_2(CHMe.CO.OH)_2$	$C_6H_{10}O_6S$	155-156	„	B., 17, 2822	48, 241
Isobutylic thiacetate	$CH_3.CO.SBu^{\beta}$	$C_6H_{12}OS$	148-150	Wallach & Bleibtren	B., 12, 1062	36, 786
Isoamylic xanthogenate	$C_5H_{11}S.CO.SH$	$C_6H_{12}OS_2$	187	Liquid	Johnson	5, 142	i., 206
Duplothiacetone	„	183-188 c.	Wislicenus	Z. C. [2], 5, 534	vii., 12
?	„	43-56	J. [1866], 422	
?	„	45-60	B. S., 38, 129	
Ethylic ethylthioglycollate....	$EtS.CH_2.CO.OEt$	$C_6H_{12}O_2S$	187-189	Liquid	Claesson	B., 8, 121	29, 567
?	+ H_2O	$C_6H_{12}O_2S_4$	180-185	80-82	A. C. [5], 17, 307	
Dipropyl sulphone	$(CH_3.CH_2.CH_2)_2SO_2$	$C_6H_{14}O_2S$	29-30	Spring & Winssinger	B., 16, 329	
Di- β -isopropyl sulphone	$(Me_2CH)_2.SO_2$	„	36	Beckmann	J. p. [2], 17, 459	36, 38
Ethylene diethyl „	$C_2H_4 : SO_2Et_2$	„	136.5	„	J. p. [2], 17, 469	36, 39
„ „ sulphoxide	$C_2H_4(SOEt)_2$	$C_6H_{14}O_2S_2$	170	Ewerlof	B., 4, 717	24, 1189
Glyceric sulphaldehyde	$(C_3H_6S_2O)_2.H_2O$.	$C_6H_{14}O_3S_4$	180-185	sf. 80-82	Renard	C. R., 82, 562; A. C. [5], 16, 289	30, 64; 38, 25
α -Thiobenzoic acid	$C_6H_5.COSH$	C_7H_6OS	24	Engelhardt, Latschinoff, and Malyschreff	Z. C. [2], 4, 353	vi., 324
Hydrothiobenzoic acid	$C_6H_4.SH.CO.OH = 1.3$	$C_7H_6O_2S$	146-147	Frerichs	B., 7, 793	27, 990
Sulphobenzoic acid	$C_6H_4(SO_3H)(CO_2H) = 1.3$	$C_7H_6O_6S$	80	Kämmerer & Carius	A., 131, 156	vi., 323
„ „	„ „ = 1.4	„	abt. 200 d.	Remsen	Z. C. [2], 7, 297; A., 178, 275	24, 1053; 29, 258
„ „	„ „	„	abt. 200	Wiesinger & Vollbrecht	B., 10, 1715	
„ „	„ „ = 1.2	„	240 d.	Fahberg & Remsen	B., 12, 473	
Sulphosalicylic acid	$COOH.OH.SO_3H = 1.2?$	$C_7H_6O_6S$	120	Mendius	A., 103, 39	v., 525
Sulphohydroxybenzoic acid....	„ „ = 1.3?	„	208	Senhofer	A., 152, 102	vi., 890
Disulphobenzoic acid	$COOH.(SO_3H)_2 = 1.2.4$	$C_7H_6O_9S_2$	a. 285	Fahlberg	A. C. J., 2, 188	40, 818
Methylphenyl sulphone	$C_6H_5.SO_2.Me$	$C_7H_8O_2S$	88	Michael & Palmer	A. C. J., 6, 253	48, 536
„ „	„	„	88-89	Otto	B., 18, 156	48, 536
Toluene sulphinic acid	$C_6H_4.Me.SO_2H = 1.4$	„	84	Otto & Danköehler	J. p. [2], 30, 321	48, 538
„ „ „	„ „	„	85	Otto	B., 15, 131	
„ „ „	„ „	„	85	Otto and Rössing	B., 18, 2505	
„ „ „	„ „	„	85	Otto	Z. C. [1866], 655	v., 861
Ethylic β -thiophenate	$CH : CH.S.CH : C.CO.OEt$	„	218 c.	Liquid	Nahnsen	B., 17, 2195	48, 52
„ thiocarbacetate....	$S : C : C.Ac.CO.OEt$	$C_7H_8O_3S$	sf. 152	156-162	Norton and Oppenheim	B., 10, 703	
Toluene sulphonic acid	$C_6H_4.Me.SO_3H = 1.2$	„	91-92	Hübner and Müller	Z. C., 14, 299	24, 1055
Cresol sulphonic acid	$Me.OH.SO_3H = 1.2.4$	$C_7H_8O_4S$	80-81	„	J. [1879], 758	
„ „ „	„ „ = 1.4.6	„	anhydrous	187-188; 98.5	Jenssen	A., 172, 237; B., 7, 57	27, 480; 28, 77; vii., 932
Toluene trisulphonic acid ...	$Me.(SO_3H) = ?$	$C_7H_8O_9S_3$	145	Claesson	B., 14, 308	40, 429
?	$C_7H_{12}O_3S_2$	165	Cech and Steiner	C. R., 81, 155	28, 1255
Isobutylic ethylic xanthogenate	$EtS.CS.OBu^{\beta}$	$C_7H_{14}OS_2$	227-228	Mylius	B., 5, 975	26, 266
Ethylic isobutylic thiocarbonate	$Bu^{\beta}S.CO.OEt$	$C_7H_{14}O_2S$	190 193	„	B., 6, 313	26, 872
Isobutylic ethylic thiocarbonate	$EtS.CO.OBu^{\beta}$	„	190-195	„	„	„
Isoamylethyl sulphoxide	$Et(C_5H_{11})SO$	$C_7H_{16}OS$	s. -16	Saytzeff	A., 139, 354	vi., 123, 599
β -isoamyl ethyl sulphone	$(Me_2CH.CH_2.CH_2).SO_2.Et$	$C_7H_{16}O_2S$	270	13.5	Beckmann	J. p. [2], 17, 450	36, 38
Ethylic amyl sulphite	$Et(C_5H_{11})SO_3$	$C_7H_{16}O_3S$	210-225 p. d.	Carius	A., 106, 291	v., 555
Thiophthalic anhydride	$C_6H_4.CO.OCS = 1.2$	$C_8H_4O_2S$	284	114	Gräbe & Zschokke	B., 17, 1176	46, 1025
Isophthalosulphonic acid	$(COOH)_2.SO_3H = 1.3.4$	$C_8H_6O_7S$	235-240	Jacobsen & Tönnies	B., 13, 1556	40, 50

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isophthalosulphonic acid	(COOH) ₂ .SO ₃ H=1.3.4	C ₈ H ₆ O ₇ S	243-244	Coale and Remsen	A. C. J., 3, 204	40, 1038
"	" =1.3.5	"	257 d.	Tönnies	B., 13, 704	40, 50
Thiophenol acetate	C ₆ H ₅ .S.Ac	C ₈ H ₈ OS	218-220 u.c.; 227-229 c.	Michler	B., 7, 1312	28, 258
"	"	"	228-230 c.	Liquid	"	A., 176, 177	28, 761
Phenyl thioglycollic acid	Ph.S.CH ₂ .COOH	C ₈ H ₈ O ₂ S	43.5	Claesson	B. S. [2], 23, 441	29, 567
"	"	"	61-62	Gabriel	B., 12, 1639	"
" sulphinacetic acid	Ph.SO.CH ₂ .COOH	C ₈ H ₈ O ₃ S	74	Claesson	B. S. [2], 23, 446	29, 568
" sulphonacetic acid	Ph.SO ₂ .CH ₂ .COOH	C ₈ H ₈ O ₄ S	109	"	"	"
"	"	"	110-111	Gabriel	B., 14, 834	40, 716
Dimethylic thiophene dicarboxylate	C ₃ SH ₂ (COOMe) ₂ =1.2.5	"	142; sf. 137	Messinger	B., 18, 567	48, 767
"	"	"	145	"	B., 18, 1639	48, 1052
"	" = ?	"	145.5	Bonz	B., 18, 2307	"
Sulphotoluic acid	COOH.Me.SO ₃ H=1.4.2	C ₈ H ₈ O ₃ S	cf. A., 172, 328	190	Fittica	B., 6, 942	26, 1228
"	" =1.4.?	"	d. w. m., 185-190	Fischli	B., 12, 617	36, 639
Acetothioxylylene	C ₇ SHMe ₂ .Ac=1.2.5.3	C ₈ H ₁₀ OS	223-224 c.	Liquid	Messinger	B., 18, 2301	48, 1205
Phenyl ethyl sulphone	Ph.SO ₂ .Et	C ₈ H ₁₀ O ₂ S	41-42	Otto	B., 18, 161	48, 537
"	"	"	42	Beckmann	J. p. [2], 17, 457	38, 39
"	"	"	a. 300	41-42	Otto	B., 13, 1274	38, 810
Methyltolylsulphone	C ₆ H ₄ Me.(SO ₂ .Me)=1.4	"	86-87	"	B., 18, 161	48, 537
Xylene sulphinic acid	Me ₂ .SO ₂ H=1.3.4	"	mixture ?	42-50	Jacobsen	B., 10, 1011	"
"	" =1.2.4	"	83	"	"	32, 601
"	" =1.4.5	"	84-85	"	B., 11, 22	34, 411
" sulphonic acid	Me ₂ .SO ₃ H=1.3.4	C ₈ H ₁₀ O ₃ S	53	Limpriecht	B., 18, 2188	"
Diethylic dithiosuccinate	(.CH ₂ .COSEt) ₂	C ₈ H ₁₄ O ₂ S ₂	270-271	Liquid	Seifert	J. p. [2], 31, 462	48, 1057
Ethylene ethyl xanthate	C ₂ H ₄ (S.CS.OEt) ₂	C ₈ H ₁₄ O ₂ S ₄	42	Welde	B., 9, 1047; J. p. [2], 15, 55	30, 624; 32, 137
Diethylic thiodiglycollate	C ₈ H ₁₄ O ₃ S	240-250	Schulze	Z. C. [1865], 78	"
"	"	267-268 c.	Wislicenus	Z. C. [1865], 261	v., 777
" dithioglycollate	(.S.CH ₂ .COOEt) ₂	C ₈ H ₁₄ O ₃ S ₂	280 d.	Liquid	Claesson	B., 14, 411	40, 581
Sulphone dibutyric acid	SO ₂ (CHEt.COOH) ₂	C ₈ H ₁₄ O ₆ S	152	Levín	B., 17, 2824	48, 241
" diisobutyric acid	SO ₂ (CMe ₂ .COOH) ₂	"	188	"	B., 17, 2825	"
Dibutyl oxysulphide	(Me.CH ₂ .CH ₂ .CH ₂) ₂ SO	C ₈ H ₁₈ OS	cf. B., 7, 1650	32	Grabowsky	A., 175, 349	28, 629, 1175
Diisobutyl oxysulphide	(Me ₂ CH.CH ₂) ₂ SO	"	41	Saytzeff and Grabowsky	A., 171, 257	27, 565
"	"	"	68.5	Beckmann	J. p. [2], 17, 439	36, 37
" sulphone	(Me ₂ CH.CH ₂) ₂ SO ₂	C ₈ H ₁₈ O ₂ S	265	17	"	J. p. [2], 17, 448	36, 38
Dibutyl sulphone	(Me.CH ₂ .CH ₂ .CH ₂) ₂ SO ₂	"	cf. B., 7, 1650	43.5	Grabowsky	A., 175, 350	28, 629, 1175
Thiocinnamic acid	Ph.CH:CH.COSH	C ₉ H ₈ OS	250 p.d.	Engelhardt, Latschinoff, & Malyschreff	Z. C. [2], 4, 359	vi., 470
Sulphocinnamic acid	(SO ₃ H)(CH:CH.COOH) =1.4	C ₉ H ₉ O ₃ S	+5H ₂ O	100	Rudneu	A., 173, 12	28, 76
Ethylic thiobenzoate	Ph.CO.SEt	C ₉ H ₁₀ OS	242-243	Liquid	Engelhardt, Latschinoff, & Malyschreff	Z. C. [2], 4, 356	vi., 325
Benzylthioglycollic acid	Ph.CH ₂ .S.CH ₂ .COOH	C ₉ H ₁₀ O ₂ S	58-59	Gabriel	B., 12, 1641	38, 34
Sulphotolylene ethylene	"	75-76	Otto	A., 143, 205; Z. C. [1866], 655	vi., 861; vi., 1060
α-Hydroxy α-thiophenylpropionic acid	Ph.S.CMe(OH).COOH	C ₉ H ₁₀ O ₃ S	v. 100	87	Baumann	B., 18, 263	48, 514
Toluene sulphonacetic acid	Me.(SO ₂ .CH ₂ .COOH)=1.4	C ₉ H ₁₀ O ₄ S	117-118.5	Gabriel	B., 14, 834	40, 716
"	"	"	117-119	Otto	B., 18, 161	48, 537
Phenylpropyl sulphone	Ph.SO ₂ .Pr ^a	C ₉ H ₁₂ O ₂ S	45	Michael & Palmer	A. C. J., 7, 65	48, 986
Tolylethyl sulphone	CH ₃ .C ₆ H ₄ .SO ₂ .Et=1.4	"	55-56	Otto	B., 18, 161	48, 537
"	"	"	56	"	B., 13, 1276	38, 811
Mesitylene sulphinic acid	Me ₃ .SO ₂ H=1.3.5.6	"	98-99	Holtmayer	Z. C. [1867], 687	vi., 301
Pseudocumene sulphinic acid	" =1.3.4.6	"	98	Rudloff	B., 11, 32	34, 414
Hydroxyethylene tolyl sulphone	HO.C ₂ H ₄ .SO ₂ .C ₆ H ₄ Me=1.4	C ₉ H ₁₂ O ₃ S	54	Otto & Damköhler	J. p. [2], 30, 321	48, 538
Ethylic toluene sulphonate	C ₆ H ₄ Me.SO ₃ Et	"	32	v., 860
Mesitylene sulphonic acid	Me ₃ .SO ₃ H=1.3.5.6	"	+2H ₂ O	77	Rose	Z. C. [2], 6, 341	vii., 787

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Mesitylene sulphonic acid ...	Me ₃ .SO ₃ H=1.3.5.6	C ₉ H ₁₂ O ₃ S	abt. 100	Jacobsen	A., 145, 85	vii., 787
Sulphocamphoric acid	C ₉ H ₁₆ O ₆ S	160-165	Walter	A. C. [3], 9, 177	v., 490
Diisobutyl xanthate	Bu ^β O.CS.SBu ^β	C ₉ H ₁₈ OS ₂	247-250	Mylus	B., 5, 975	26, 266
Ethyl isoamylthioglycollate	C ₅ H ₁₁ S.CH ₂ .COOEt	C ₉ H ₁₈ O ₂ S	230	cf. B., 8, 122	Claesson	B. S., 23, 446	29, 568
α-Naphthalene sulphonic acid	C ₁₀ H ₇ .SO ₂ H	C ₁₀ H ₈ O ₂ S	High temp.	Gessner	B., 9, 1500	31, 315
β- " sulphonic acid	"	"	105	"	B., 9, 1502	31, 316
α- " " "	C ₁₀ H ₇ .SO ₃ H	C ₁₀ H ₈ O ₃ S	85-90	v., 560
α-Naphthol sulphonic acid	C ₁₀ H ₆ (OH).SO ₃ H	C ₁₀ H ₈ O ₄ S	d. 100	Schäffer	B., 2, 93	
α- " " " "	"	"	101 d.	"	A., 153, 293	vi., 860
α- " " " "	"	"	101	Clève	B. S. [2], 26, 241	31, 208
β- " " " "	"	"	122	Ebert and Merz	B., 9, 611	30, 410
β- " " " "	"	"	cf. 39, 135	125	Schäffer	A., 153, 296	vi., 860
Phenylene dithiacetic acid	C ₆ H ₄ (S.CH ₂ .COOH) ₂ =1.3	C ₁₀ H ₁₀ O ₄ S ₂	127	Gabriel	B., 12, 1639	38, 33
Trimethyl thiophentricarboxylate	C ₄ SH(COOMe) ₃ =1.2.3.?	C ₁₀ H ₁₀ O ₆ S	118	Messinger	B., 18, 2303	48, 1205
Ethyl phenylthioglycollic acid	PhS.CH ₂ .COOEt	C ₁₀ H ₁₂ O ₂ S	275-285	Claesson	B. S. [2], 23, 441	29, 567
" " "	"	"	276-278 p.d.	"	"	"
Ethyl methylthiosalicylate	C ₆ H ₄ .OMe.COSEt=1.2	"	197-198 (80)	Liquid	Seifert	J. p. [2], 31, 462	48, 1058
Phenylsulphonylic acetate	Ph.SO ₂ .C ₂ H ₄ .OAc	C ₁₀ H ₁₂ O ₄ S	l. -12	Otto & Damköhler	J. p. [2], 30, 171	48, 262
Ethyl phenylsulphonacetate	Ph.SO ₂ .CH ₂ .COOEt	"	45	Michael & Comey	A. C. J., 5, 116	46, 319
Diethyl thiophendicarboxylate	C ₄ SH ₂ (COOEt) ₂ =1.2.5	"	46	Messinger	B., 18, 1639	48, 1052
α-Cymene sulphonic acid	Me.Pr ^α .SO ₃ H=1.4.2	C ₁₀ H ₁₄ O ₃ S	50-51	Spica	B., 14, 654	40, 602
α- " " " "	" =1.4.3	"	86-87	"	B., 14, 635	"
?- " " " "	Me.Pr.SO ₃ H=1.3.?	"	86-87	"	B., 16, 792	"
β- " " " "	Me.Pr ^β .SO ₃ H=1.3.?	"	88-90	Kelbe	A., 210, 26, 31	42, 300
α- " " " "	Me.Pr ^α .SO ₃ H=1.4.3	"	130-131 u. c.	Claus	B., 14, 2143	42, 196; 44, 320
α " " " "	" =1.4.2	"	177	Fittica	B., 7, 1361	28, 266
α- " " " "	" "	"	220	Claus	B., 14, 2143	"
α- " " " "	" "	"	+2H ₂ O	78-79	"	"	"
" " " "	Me.Pr ^β .SO ₃ H=1.4.2	"	270	Fittica	40, 602
Isodurene sulphonic acid ...	Me ₄ .SO ₃ H=1.2.3.5.6	"	+xH ₂ O	100	Bielefeldt	A., 198, 381	38, 37
Thianissic acid	C ₁₀ H ₁₄ O ₄ S	+2H ₂ O	b. 200	Städler & Wächter	A., 116, 163	v., 774
Isobutyl isoamyl xanthate	Bu ^β O.CS.SC ₅ H ₁₁	C ₁₀ H ₂₀ OS ₂	265-270 p. d.	c. f. B., 5, 975	Mylus	B. S., 19, 221	26, 266
Diisoamyl sulphoxide	(C ₅ H ₁₁) ₂ SO	C ₁₀ H ₂₂ OS	37-38	Satzeff	A., 139, 355	vi., 116
" sulphone	(Me ₂ CH.CH ₂ .CH ₂) ₂ SO ₂	C ₁₀ H ₂₂ O ₂ S	295 p. d.	31	Beckmann	J. p. [2], 17, 441	36, 38
Diamyl sulphite	(C ₅ H ₁₁) ₂ SO ₃	C ₁₀ H ₂₂ O ₃ S	230-250	Carius	A., 106, 291	v., 553
Phenyl thienyl ketone	Ph.CO.C ₄ H ₉ S	C ₁₁ H ₉ OS	abt. 300	55	Comey	B., 17, 791	46, 1168
γ-Sulphonaphthoic acid	SO ₃ H.CO ₂ H=β _α ;	C ₁₁ H ₉ O ₃ S	182-185	Strumpf	A., 188, 7	34, 74
β- " " " "	" =β _α ;	"	218-222 d.	"	A., 188, 5	"
δ- " " " "	" =αβ;	"	229-230 d.	"	A., 188, 10	"
α- " " " "	" =αα;	"	230-240	Battershall	A., 168, 114;	vii., 838; 25, 699
α- " " " "	" "	"	235	Strumpf	A., 188, 3	34, 74
Ethyl thiocinnamate	Ph.CH:CH.COSEt	C ₁₁ H ₁₂ OS	250 d.	Z.C. [1868], 359	
Toluene dithiacetic acid	Me.C ₆ H ₃ (S.CH ₂ .COOH) ₂	C ₁₁ H ₁₂ O ₄ S ₂	151-151.5	Gabriel	B., 12, 1640	38, 33
Ethyl benzylthioglycollate	Ph.CH ₂ .S.CH ₂ .COOEt	C ₁₁ H ₁₄ O ₂ S	275-290	"	B., 12, 1641	38, 34
Diethyl sulphosalicylate	OH.CO ₂ Et.SO ₃ Et=1.2.?	C ₁₁ H ₁₄ O ₆ S	56	Mendus	A., 103, 62	v., 526
Isobutyltoluene sulphonic acid	Me.Bu ^β .SO ₃ H=1.3.?	C ₁₁ H ₁₆ O ₃ S	75-76	Kelbe and Baur	B., 16, 2559	46, 300
Diisoamyl dithiocarbonate	CO(S.C ₅ H ₁₁) ₂	C ₁₁ H ₂₂ OS ₂	281	Liquid	Schmidt and Glutz	B., 1, 169	
Diphenylene sulphone	C ₆ H ₄ .SO ₂ .C ₆ H ₄	C ₁₂ H ₈ O ₂ S	230	A., 156, 334; 174, 188	
Diphenylene disulphone	C ₆ H ₄ :(SO ₂) ₂ :C ₆ H ₄	C ₁₂ H ₈ O ₄ S ₂	a. 300	Græbe	A., 179, 182	29, 579
Phenyl sulphone	Ph.SO ₂ .Ph	C ₁₂ H ₁₀ O ₂ S	100	Mitscherlich	P. A., 31, 628	v., 486
" " " "	"	"	124	Beckurts and Otto	B., 11, 2067	36, 242
" " " "	"	"	126	Stenhouse	P. R. S., 14, 351	v., 489
" " " "	"	"	125-126	Knapp	Z. C. [2], 5, 41	vi., 276
" " " "	"	"	128	Freund	A., 120, 81	v., 486
" " " "	"	"	128-129	Otto	A., 135, 154	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isophenyl sulphone	$C_{12}H_{10}O_3S$	230	Stenhouse	P. R. S., 18, 543	vi., 277; vii., 941
Diphenyl sulphinic acid	$C_6H_5 \cdot C_6H_4 \cdot SO_2H$	"	d. 70	Gabriel & Deutsch	B., 13, 388	38, 477
Phenol sulphide	$S(C_6H_4 \cdot OH)_2$	"	143-144	Krafft	B., 7, 1165	28, 154
Phenylc thiobenzene sulpho- nate	$Ph \cdot SO_2 \cdot SPh$	$C_{12}H_{10}O_3S_2$	36	Otto	A., 145, 318	vi., 919
" " "	"	"	45	Pauly and Otto	B., 9, 1640	31, 463
" " "	"	"	45	Otto and Rössing	B., 18, 2500	
Diphenol disulphide ...	$S_2(C_6H_4 \cdot OH)_2 = (1.2)_2$	"	a. 200 d.	Liquid	Haitinger	M. C., 4, 166	44, 988
Phenylc phenylsulphonate...	$C_6H_5 \cdot SO_2 \cdot Ph$	$C_{12}H_{10}O_3S$	35	Schiáporelli	G. I., 11, 65	40, 602
Oxysulphobenzide	$SO_2(C_6H_4 \cdot OH)_2$	$C_{12}H_{10}O_4S$	293 or 239	Annaheim	A., 172, 28	27, 796
Diphenyl disulphonic acid	$(C_6H_4 \cdot SO_3H)_2$	$C_{12}H_{10}O_6S_2$	72.5	Fittig	A., 132, 209	v., 565
Benzyl sulphone	$(C_6H_5 \cdot CH_2)_2SO_2$	$C_{12}H_{14}O_2S$	150	Vogt & Henninger	A. C. [4], 25, 129	25, 1097
Ethylc thioisophthalate ...	$C_6H_4(COSET)_2 = 1.3$	$C_{12}H_{14}O_2S_2$	easily	Luckenbach	B., 17, 1428	46, 1158
Isoamylc thiobenzoate	$Ph \cdot COSC_5H_{11}$	$C_{12}H_{16}OS$	271 p. d.	Liquid	Engelhardt, Latschinoff, and Maly-scheff	Z. C. [2], 4, 356	vi., 325
Ethylc ethylphenylsulphon- acetate	$Ph \cdot SO_2 \cdot CH_2Et \cdot COOEt$	$C_{12}H_{16}O_4S$	62	Michael & Palmer	A. C. J., 7, 65	48, 986
Toluylene amylene disul- phone	$C_6H_{10} : (SO_2)_2 : C_6H_3Me$	$C_{12}H_{16}O_4S_2$	35-36	Otto	A., 143, 223,	vi., 1060
?	...	$C_{12}H_{16}O_5S_2$	78-79	"	A., 143, 224	"
Dipropylbenzene sulphonic acid	$Pr^3 \cdot SO_3H = 1.4.5$	$C_{12}H_{18}O_3S$	62	Körner	B., 11, 1864	38, 142
Ethylc acetoacetate sul- phide	$S(CHAc \cdot COOEt)_2$	$C_{12}H_{18}O_6S$	80-81	Buehka	B., 18, 2092	48, 1200
Diisoamylidissulphocarbonic sulphide	$(C_5H_{11}O)_2CS_4$	$C_{12}H_{22}O_2S_4$	187.	Johnson	5, 142	v., 496
Ethylene diisoamyl sulphone	$C_2H_4(S \cdot OC_5H_{11})_2$	$C_{12}H_{26}O_2S_2$	145-150	Ewerlof	B., 4, 717	24, 1189
Benzophenone sulphone	$C_6H_4 \cdot CO \cdot C_6H_4 \cdot SO_2$	$C_{13}H_8O_3S$	174-175	Beckmann	B., 8, 992	29, 583
" " "	"	"	186-187	"	B., 6, 1112	27, 157
Phenylc thiobenzoate	$C_6H_5 \cdot COSPh$	$C_{13}H_{10}OS$	56	Schiller and Otto	B., 9, 1634	31, 468
Sulphobenzid carbonic acid...	$Ph \cdot SO_2 \cdot C_6H_4 \cdot COOH = 1.4$	$C_{13}H_{10}O_4S$	a. 300	Michael and Adair	B., 11, 119	34, 415
Phenyl tolylsulphone	$C_6H_4Me \cdot (SO_2 \cdot Ph) = 1.4$	$C_{13}H_{12}O_2S$	124.5	"	B., 11, 116	"
" " "	"	"	124-125	Beckurts and Otto	E., 11, 2068	36, 243
Diphenylmethane disul- phonic acid	$C_{13}H_{10}(SO_3H)_2$	$C_{13}H_{12}O_6S_2$	59	Doer	B., 5, 796	26, 170
Ethylc allylphenylsulphon- acetate	$Ph \cdot SO_2 \cdot CH(C_3H_7) \cdot COOEt$	$C_{13}H_{16}O_4S$	64.5	Michael & Palmer	A. C. J., 7, 65	48, 986
Erythrohydroxyanthraqui- none sulphonic anhydride	$C_6H_4 : (CO)_2 : C_6H_2 \cdot SO_2 \cdot O$	$C_{14}H_6O_6S$	d. b. 100	Lifschutz	B., 17, 900	46, 1189
Thiobenzoic anhydride	$(Ph \cdot CO)_2S$	$C_{14}H_{10}O_2S$	48	Engelhardt, Latschi- noff, & Malyscheff	Z. C. [2], 4, 357	vi., 325
Benzoyl disulphide	$(Ph \cdot CO)_2S_2$	$C_{14}H_{10}O_2S_2$	120	Cloez	A., 115, 27	v., 775
" " "	"	"	128	Engelhardt, Latschi- noff, & Malyscheff	Z. C. [2], 4, 358	vi., 326
Dithiohydroxybenzoic acid....	$S_2(C_6H_4 \cdot COOH)_2 = (1.3)_2$	$C_{14}H_{10}O_4S_2$	242-244	Frerichs	B., 7, 794	27, 990
" " "	"	"	242-244	Hübner and Lipp- mann	Z. C. 1870, 294	vii., 1115, 1155
" " "	"	"	242	Griess	J. p. [2], 1, 103	vii., 168
Sulphobenzid-dicarbonic acid	$SO_2(C_6H_4 \cdot COOH)_2 = (1.4)_2$	$C_{14}H_{10}O_6S$	a. 300	Michael and Adair	B., 11, 121	34, 415
Benzylc thiobenzoate	$C_6H_5 \cdot COS \cdot CH_2Ph$	$C_{14}H_{12}OS$	39.5	Richter	R. K. T.	
Tolylic thiobenzoate....	$C_6H_5 \cdot COS \cdot C_6H_4Me = 1.4$	"	75	Schiller and Otto	B., 9, 1636	31, 469
Diphenyl sulphacetic acid	$Ph \cdot C_6H_4 \cdot S \cdot CH_2 \cdot COOH$	$C_{14}H_{12}O_2S$	169-170	Gabriel & Deutsch	B., 13, 389	38, 477
Phenylmercaptane-benzoyl- formic acid	$PhS \cdot CPh(OH) \cdot COOH$	$C_{14}H_{12}O_3S$	68.5	Baumann	B., 18, 891	48, 749
Benzyl oxysulphide	$(Ph \cdot CH_2)_2OS$	$C_{14}H_{14}OS$	130	Märcker	A., 136, 90	v., 859
" " "	"	"	133	Otto and Lüders	B., 13, 1284	38, 811
Benzyl sulphone	$(Ph \cdot CH_2)_2SO_2$	$C_{14}H_{14}O_2S$	150	"	B., 13, 1277, 1284	"
" " "	"	"	150	Vogt & Henninger	A. C. [4], 25, 129	vii., 185
Benzyltolyl sulphone	$Ph \cdot CH_2 \cdot SO_2 \cdot C_6H_4Me = 1.4$	"	144-145	Otto	B., 13, 1278	38, 811

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tolyl sulphone	$(C_6H_4Me)_2SO_2=(1.4)_2$	$C_{14}H_{14}O_2S$	155-156	Otto and Grubert	A., 154, 193 ; Z. C. [2], 6, 33	vi., 289 ; vii., 185, 1125
"	"	"	158	Beckurts and Otto	B., 11, 2068	
"	"	"	404.5-405.2 (71.4)	158	Otto	B., 12, 1177	36, 926
Phenylxyl sulphone	$Ph.SO_2.C_6H_3Me_2$	"	80	Beckurts and Otto	B., 11, 2069	36, 243
Toluene disulphoxide	$C_6H_4Me.SO_2.S.C_6H_4Me$ $=(1.4)_2$	$C_{14}H_{14}O_2S_2$	74	Märcker	A., 136, 83	v., 859
"	"	"	74-75	Otto and Rössing	B., 18, 2505	48, 1232
"	"	"	74-76	Otto	B., 15, 131	
"	"	"	76	Otto, Löwenthal and Grubert	Z. C. [2], 4, 623	vi., 289
Dimethoxyphenyl disulphide	$S_2(C_6H_4.OMe)_2=(1.2)_2$	"	119 c.	Haitinger	M. C., 4, 168	44, 988
Ethyl diphenylsulphonate	$C_6H_5.C_6H_4.SO_2Et$	$C_{14}H_{14}O_2S$	73-74	Gabriel & Deutsch	B., 13, 388	38, 477
Methyl oxysulphobenzide	$SO_2(C_6H_4.OMe)_2$	$C_{14}H_{14}O_4S$	130	Annaheim	A., 172, 45	27, 796
Ethylene diphenylsulphone	$C_2H_4(SO_2.Ph)_2$	$C_{14}H_{14}O_4S_2$	179.5-180	Otto	B., 13, 1280	38, 811
"	"	"	179.5-180	Otto and Dam- köhler	J. p. [2], 30, 171	48, 262
Benzyltoluene disulphonic acid	fr. $Ph.CH_2.C_6H_4Me=1.4$	$C_{14}H_{14}O_6S_2$	38	Zincke	B., 5, 685	25, 1005 ; vii., 183
Phenylcoumarin sulphonic acid	$C_{15}H_9O_2.SO_3H$	$C_{15}H_{10}O_5S$	$+2\frac{1}{2}H_2O$	262 d.	Curatolo	G. I., 14, 257	48, 539
Phenylcoumarin disulphonic acid	$C_{15}H_8O_2(SO_3H)_2$	$C_{15}H_{10}O_8S_2$	$+6H_2O$	18	"	"	"
α -Dithiophenyl propionic acid	$(PhS)_2CMe.COOH$	$C_{15}H_{14}O_2S_2$	113-114	Baumann	B., 18, 65	48, 514
Phenylsulphonethyl benzoate	$Ph.SO_2.C_2H_4.OBz$	$C_{15}H_{14}O_4S$	124-125	Otto & Damköhler	J. p. [2], 30, 171	48, 262
Ethylene phenyltolylsulphone	$Ph.SO_2.C_2H_4.SO_2.C_6H_4Me$ $=1.4$	$C_{15}H_{16}O_4S_2$	162	"	"	42, 263
Atrinine sulphone	$C_{16}H_{10}O_2S$	193	Fittig	A., 206, 63	40, 427
α -Naphthyl phenyl sulphone	$C_{10}H_7.SO_2.Ph$	$C_{16}H_{12}O_2S$	99.5-100.5	Michael and Adair	B., 10, 585	32, 613
β - " " "	"	"	115-116 u.c.	"	B., 10, 587	"
" " " "	"	"	121	Chrutschoff	B., 7, 1167	28, 162
Atronylene sulphonic acid	$C_{16}H_{11}.SO_3H$	$C_{16}H_{12}O_3S$	258 p.d.	Fittig	A., 206, 61 ; B., 12, 1739	38, 120 ; 40, 427
Atronol	$C_{16}H_{13}.SO_3H$	$C_{16}H_{14}O_3S$	130-131 p.d.	"	A., 206, 52	40, 427
Diphenyldisulphacetic acid	$(C_6H_4.S.CH_2.COOH)_2$	$C_{16}H_{14}O_4S_2$	252	Gabriel & Deutsch	B., 13, 390	38, 477
Tolylsulphonethylic benzoate	$BzO.C_2H_4.SO_2.C_6H_4Me=1.4$	$C_{16}H_{16}O_4S$	175	Otto & Damköhler	J. p. [2], 30, 321	48, 538
Ethyl oxysulphobenzide	$SO_2(C_6H_4.OEt)_2$	$C_{16}H_{18}O_4S$	159	Annaheim	J. p. [2], 1, 14 ; 2, 385 ; A., 172, 52	vii., 886 ; 27, 797
Ethylene ditolyl sulphone	$C_2H_4(SO_2.C_6H_4Me)_2=(1.4)_2$	$C_{16}H_{18}O_4S_2$	200	Otto & Damköhler	J. p. [2], 30, 321	48, 537
Diphenylsulphonethyl sulphide	$S(C_2H_4.SO_2.Ph)_2$	$C_{16}H_{18}O_4S_3$	123	"	"	"
" oxide	$O(C_2H_4.SO_2.Ph)_2$	$C_{16}H_{18}O_5S_2$	69-70	"	J. p. [2], 30, 171	48, 263
" " "	"	88	"	J. p. [2], 30, 321	48, 537
Sulphocetic acid	$C_{16}H_{32}O_3S$	18	Lasarenko	B., 7, 125	
Ethyl benzylphenyl sulphon acetate	$PhSO_2.CH(CH_2Ph).COOEt$	$C_{17}H_{18}O_4S$	95-96	Michael & Comey	A. C. J., 5, 116	46, 319
" ?	$Ph.SO_2.C_6H_4.O.SO_2.Ph$	$C_{18}H_{14}O_5S_2$	123	Schiaparelli	G. I., 11, 65	40, 603
Ditolylsulphonethyl sulphide	$(C_6H_4Me.SO_2.C_2H_4)_2S$ $=(1.4)_2$	$C_{18}H_{22}O_4S_3$	150-160	Otto & Damköhler	J. p. [2], 30, 321	48, 538
Ditolylsulphonethyl oxide	$(C_6H_4Me.SO_2.C_2H_4)_2O$ $=(1.4)_2$	$C_{18}H_{22}O_5S_2$	83	"	"	"
" ?	$C_{20}H_{12}O_5 + SO_2$	$C_{20}H_{12}O_8S$	140-150	Baeyer	A., 183, 1	31, 199
Dinaphthyl sulphoxide	$SO(C_{10}H_7)_2$	$C_{20}H_{14}OS$	162 u.c.	Ekstrand	B., 17, 2603	48, 171
" sulphone	$(C_{10}H_7)_2SO_2$	$C_{20}H_{14}O_2S$	70	v., 522
α - " " "	"	"	cf. B. 9, 683	123	Stenhouse & Groves	C. N., 32, 151	30, 518
β - " " "	"	"	"	177	"	"	"
" " " "	"	"	cf. B. 10, 1723	175.5	"	"	"
Phenylmercaptol of benzoyl formic acid	$(PhS)_2CPh.COOH$	$C_{20}H_{16}O_2S_2$	142	Cleve Baumann	B. S. [2], 25, 256 B., 18, 891	30, 81 ; 34, 154 48, 749
Phenylmercaptol of piperonal	$C_8H_6O_2.(SPh)_2$	"	48	"	B., 18, 886	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Galipeine sulphate	$C_{20}H_{21}O_3N + H_2SO_4$	$C_{20}H_{23}O_7S(?)$	+7H ₂ O	15	Körner & Böhringer	G. I., 13, 363	46, 341
Amyl oxysulphobenzide	$SO_2(C_6H_4OC_5H_{11})_2$	$C_{22}H_{30}O_4S$	98	Annaheim	A., 172, 55	27, 797
Methoxycymene sulphone	$SO_2(C_6H_3MePr.OMe)_2$	"	150-151	Paternò	G. I. [1875], 13	28, 639
Diphenyl sulphone	$SO_2(C_6H_4.C_6H_5)_2$	$C_{24}H_{18}O_2S$	214-216	Gabriel and Deutsch	B., 13, 387	38, 476
Ethylid dibenzylphenyl sulphacetate	$PhSO_2.C(CH_2Ph)_2.COEt$	$C_{24}H_{24}O_4S$	118	Michael and Comey	A. C. J., 5, 116	46, 319
β -Naphthalene dinaphthylsulphoxide	$C_{10}H_6 : SO(C_{10}H_7)_2$	$C_{30}H_{20}OS$	111 u.c.	Ekstrand	B., 17, 2602	48, 170
Carvol + H ₂ S	$(C_{16}H_{14}O)_2.SH_2$	$C_{32}H_{30}O_2S$	187	Beyer	A. P. [3], 21, 283	46, 331
Melinointrisulphonic acid	$C_{31}H_{17}O_3(SO_3H)_3$	$C_{34}H_{20}O_{12}S_3$	n.f. 300	Trzcinski	B., 16, 2837	46, 590
Excretin	$C_{78}H_{150}O_2S$..	96	Marcet	P. R. S., 9, 308	ii., 614
Trinkerite (fossil resin)	$C_4H_6O_6S_d$	168-180	Tscherniak	J.p. [2], 2, 258	vii., 1183
Phenol + SO ₂	"	140	25-30	Holzer	J.p., 25, 462	44, 585

(17.) CHOSE.

Methyl selenious acid	Me.SeO.OH	CH ₄ O ₂ Se	122	A., 97, 6	
Benzyl " "	Ph.CH ₂ .SeO.OH	C ₇ H ₈ O ₂ Se	85	Jackson	A., 179, 13 ; B., 7, 1278	28, 154 ; 29, 581
? " "	"	88	"	B., 8, 111	28, 553

(18.) CHON.

Nitroform ...	CH(NO ₂) ₃	CHO ₆ N ₃	15	Schischkoff	A., 103, 364	iv., 110
Methylazurolic acid ...	$\text{CH}_2\text{N.O.N}$	CH ₂ ON ₂	d. a. 100	A., 214, 336	
Methylnitrolic acid	HO.N : CH.NO ₂	CH ₂ O ₃ N ₂	67, d.	Tscherniak	B., 8, 115 ; A., 180, 168	28, 561 ; 29, 903
Formamide	H.CO.NH ₂	CH ₃ ON	192-195	Liquid	Hofmann	16, 72	ii., 681
" (cf. A., 128, 335)	"	"	150 (i. v.)	J. [1863], 319	
Methylic nitrite	Me.O.NO	CH ₃ O ₂ N	-13	Bertoni and Truffi	G. I., 14, 23	46, 1110
" " " " " "	"	"	-12	Strecker	C. R., 39, 53	iv., 75
Nitromethane (Nitrocarbol)	Me.N.O.O	"	99	Meyer	A., 171, 32	vii., 893
" " " " " "	"	"	99	Liquid	Meyer and Stuber	B., 5, 517	25, 804
" " " " " "	"	"	101	Liquid	Kolbe	J. p. [2], 5, 427	vii., 893 ; 25, 997
Methelic nitrate	Me.O.NO ₂	CH ₃ O ₃ N	66	Dumas and Peligot	A. C. [2], 58, 37	iv., 109
Isuretine	CH ₄ ON ₂	104-105 p. d.	Lossen & Schifferdecker	A., 166, 295 ; Z. C. [2], 7, 594	vii., 707 ; 25, 500
Carbamide (urea)	CO(NH ₂) ₂	"	120	v., 951
" " " " " "	"	"	n. v.	130	Michler	B., 8, 1664	29, 702
" " " " " "	"	"	132	Lubavin	G. J. C., 1870	
Hydroxyl urea	NH ₂ .CO.NH(OH)	CH ₄ O ₂ N ₂	cf. A., 182, 214	128-130	Dressler and Stein	Z. C. [2], 5, 202	vi., 725
Paracyanformic acid....	(C ₂ HO ₂ N) _n	a. 250 d.	J. p. [2], 10, 212	
Cyanformamide	NC.CO.NH ₂	C ₂ H ₂ ON ₂	60	J. R., 7, 99	
Nitracetonitril	NO ₂ .CH ₂ .CN	C ₂ H ₂ O ₂ N ₂	abt. 40	Steiner	B., 9, 781	30, 289
" " " " " "	(") _n	216 d.	"	B., 9, 783	
Methylic isocyanate	O : C : N.Me	C ₂ H ₃ ON	Liquid	Cloez	I. D., Paris, 1866	vi., 519
" " " " " "	"	"	40	Wurtz	A. C. [3], 42, 59	
" " " " " "	"	"	43-45	A., 149, 313	
Methylic cyanate	N : CO.Me	"	90	Wurtz	A. C. [3], 42, 43	ii., 196
" " " " " "	(") _n	98	Hofmann	B., 3, 766	
Glycocinimide anhydride	$\text{CH}_2\text{NH.CO}$	" or	sb. 280	280	Curtius	B., 16, 755	44, 1087
		(") ₂					

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diazoacetamide	$\text{N} : \text{N} . \text{CH} . \text{CO} . \text{NH}_2$	$\text{C}_2\text{H}_3\text{ON}_3$	97	Curtius	B., 17, 958	48, 988
"	"	"	114 d.	"	B., 18, 1287	48, 884
Amidodicyanic acid	$(\text{CN})_2(\text{OH})(\text{NH}_2)$	"	cf. B., 8, 709	d. 100	Hallwachs	A., 153, 295	vii., 406
Oxamic acid	$\text{CO}(\text{NH}_2) . \text{COOH}$	$\text{C}_2\text{H}_3\text{O}_3\text{N}$	173	Toussaint	A., 120, 237	iv., 279
Ethylazurolic acid	$\text{CH}_3 . \text{CH} . \text{N} . \text{O} . \text{N}$	$\text{C}_2\text{H}_4\text{ON}_2$	142 d.	Meyer & Constam	B., 14, 1457	
Formyl carbamide	$\text{NH}_2 . \text{CO} . \text{NH} . \text{COH}$	$\text{C}_2\text{H}_4\text{O}_2\text{N}_2$	159	Geuther, Schertz, and Maish	Z. C. [2], 4, 300	vi., 1116
Glyoxime	$\text{H} . \text{CN}(\text{OH}) . \text{CN}(\text{OH})\text{H}$	"	178	Wittenberg & Meyer	B., 16, 506	44, 804
Oxamide	$\text{CO}(\text{NH}_2) . \text{CO}(\text{NH}_2)$	"	n. f.	Henry	C. R., 100, 943	48, 886
Methazonic acid	$\text{CH}_2 . \text{NO} . \text{O} . \text{NO} . \text{CH}_2$	$\text{C}_2\text{H}_4\text{O}_3\text{N}_2$	58-60	Lecco	B., 9, 705	30, 287
Ethyl nitrolic acid	$\text{CH}_3 . \text{CO} . \text{N} : \text{O}_2 : \text{NH} (?)$	"	80-81	Meyer	B., 7, 429; A., 180, 170	27, 678; vii., 895
"	"	"	cf. A., 214, 329	81-82	"	B., 6, 1497	27, 365
"	$\text{CH}_3 . \text{C}(\text{NO}_2) : \text{NOH} (?)$	"	81-82 d.	"	A., 175, 98	28, 558
Ethylene nitrite	$\text{O}_2 . \text{N} . \text{CH}_2 . \text{CH}_2 . \text{NO}_2$	$\text{C}_2\text{H}_4\text{O}_4\text{N}_2$	37.5	Semenoff	Z. C. P. [1864], 129	vi., 605
Dinitroethane	$\text{CH}_3 . \text{CH}(\text{NO}_2)_2$	"	180-181; 185-186 c.	Liquid -17	ter Meer	B., 8, 1080; A., 181, 4	29, 67; 30, 186
Methylformamide	$\text{H} . \text{CO} . \text{NHMe}$	$\text{C}_2\text{H}_5\text{ON}$	180-185	J. [1869], 601	
"	"	"	190 (140)	Liquid	Linnemann	W. A., 60, 44	vi., 619
Acetamide	$\text{CH}_3 . \text{CO} . \text{NH}_2$	"	221	78	Bödeker	G. J. C., 1860	i., 5
"	"	"	221	Dumas & Malaguti	C. R., 25, 657	vii., 3
"	"	"	78	Wichelhaus	B., 3, 848	24, 407
"	"	"	222 c.	78	Kündig	A., 105, 277	
"	"	"	218-220	Cahours	G. J. C., 1863	
"	"	"	82	Hofmann	B., 15, 981	
"	"	"	220	82-83	"	B., 14, 2729	
Ethylaldoxime (nitrosoethane)	$\text{CHMe} : \text{N} . \text{OH}$ or $\text{CHMe} . \text{NH} . \text{O}$	"	114-115	Liquid	Petraczek	B., 15, 2784	42, 822
"	"	"	114-115	Meyer and Janny	B., 15, 1526	44, 569
Ethyl nitrite	$\text{Et} . \text{O} . \text{N} : \text{O}$	$\text{C}_2\text{H}_5\text{O}_2\text{N}$	16.4	Liebig	A., 30, 143	vii., 894
"	"	"	16	Meyer and Stüber	B., 5, 404	25, 682
"	"	"	16	Knecht	B., 10, 978	32, 569
"	"	"	16.6-17.8	Brown	J., 9, 575
"	"	"	17.5-18	Mohr	J., 7, 561
"	"	"	18	Bertoni and Truffi	G. I., 14, 23	46, 1110
"	"	"	18	Dumas and Boullay	A. C. [2], 37, 15	iv., 75
"	"	"	29-30	Liquid	Kissel	B. S., 42, 319; J. R. [1882], 226	42, 935; 48, 364
Nitroethane	$\text{Et} . \text{NO}_2$	"	111-113	"	"	"
"	"	"	111-113	Meyer	A., 171, 19	vii., 894
"	"	"	111-113	Meyer and Stüber	B., 5, 401	25, 682
"	"	"	113-114	"	A. C. [4], 28, 138	
Methyl carbamate	$\text{NH}_2 . \text{COOMe}$	"	177	52-55	A., 79, 110	i., 751
Glycollamide	$\text{CH}_2(\text{OH}) . \text{CO} . \text{NH}_2$	"	120	Heintz	A., 123, 315	ii., 908
"	"	"	120	Beckurts and Otto	B., 14, 578	
Amidoacetic acid (glycocoll)	$\text{CH}_2(\text{NH}_2) . \text{COOH}$	"	170	ii., 909
"	"	"	232-236 d.	Curtius	J. p. [2], 26, 155	44, 337
Biuret	$\text{NH}_2 . \text{CO} . \text{NH} . \text{CO} . \text{NH}_2$	$\text{C}_2\text{H}_5\text{O}_2\text{N}_3$	177	Baeyer	A., 130, 154	iii., 414
"	"	"	+2H ₂ O(?)	185	"	"	
"	"	"	190 d.	Wiedemann	A., 68, 323	
"	"	"	190	Hofmann	B., 4, 264	
"	"	"	190.	Huppert & Dogiel	B., 4, 476	24, 716
Ethyl nitrate	$\text{Et} . \text{O} . \text{NO}_2$	$\text{C}_2\text{H}_5\text{O}_3\text{N}$	85-86	Playfair & Wanklyn	iv., 108
"	"	"	85	Millon	A. C. [3], 8, 236	
"	"	"	86.3	Kopp	A., 64, 320; 98, 367	
"	"	"	87.2	Wittstein	J., 18, 470	
"	"	"	83-85	Henry	G. J. C. [1874]	
"	"	"	87	Ramsay	35, 472	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxylbiuret	$C_2H_5O_3N_3$	134	Dressler and Stein	Z. C. [2], 5, 202	vi., 725
Dimethylnitrosamine	$NMe_2.NO$	$C_2H_6ON_2$	148.5 (724)	Liquid	Renouf	B., 13, 2170	40, 152
Methyl carbamide	$NH_2.CO.NHMe$	"	100-101	Hofmann	B., 14, 2734	42, 822
"	"	"	102	Fischer	B., 14, 1913	
Ethenylamidoxime	$NH_2.CMe : N.OH$	"	135	Nordmann	B., 17, 2748	48, 239
Ethyl hydroxylamine	$NHEt.OH$	C_2H_7ON	68	Liquid	Gürke	A., 205, 274	40, 572
Ammonium aldehydate	"	100	70-80	Liebig	A., 14, 144	i., 107
Hydroxylamine acetate	$(NH_2.OH)(C_2H_4O_2)$	$C_2H_7O_3N$	87-88	Lossen	Z. C. [2] —	vi., 723
Ethylenediamine hydroxide	$C_2H_4(NH_2.OH)_2$	$C_2H_{12}O_2N_2$	117	Hofmann		
"	"	"	118	10	Rhouspolos & Meyer	A., 212, 251	42, 940
Ammonium acetate + ammonia	$AcO(NH_4) + 3NH_3$	$C_2H_{16}O_2N_4$	-18	Troost	C. R., 94, 789	42, 1162
"	$Ac.O(NH_4) + 6NH_3$	$C_2H_{25}O_2N_7$	-32	"	"	"
Acetyl cyanide	$CH_3.CO.CN$	C_3H_3ON	93	Liquid	Hübner	A., 120, 334; 124, 315	vi., 22
"	"	"	93	Fileti	G. I., 5, 391	29, 570
"	"	(") _n	120	"	"	"
Cyanacetic acid	$NC.CH_2.COOH$	$C_3H_3O_2N$	55	Richter	R. K. T., 31	
"	"	"	d. 165	80	Van t'Hoff	B., 7, 1382	28, 251
Methyl cyanocarbonate	$NC.COOMe$	"	100-101	Weddige	J. p. [2], 10, 199	28, 448
"	"	(") _n	134	"	J. p. [2], 10, 214	28, 449
Nitrosomalonic acid	$HO.N : C(COOH)_2$	$C_3H_3O_5N$	126 d.	Meyer and Müller	B., 16, 608	44, 790
"	"	"	125-129	Courad	"	"
"	"	"	d.	Conrad & Bischoff	B., 13, 599	38, 629
Cyanacetamide	$NC.CH_2.CO.NH_2$	$C_3H_4ON_2$	105	Van t'Hoff	B., 7, 1383	28, 251
Paracyanocarbomethylamide	(") _n	250	Weddige	J. p. [2], 10, 217	28, 449
Glycolylcarbamide (hydantoin)	$CH_2.CO.NH.CO.NH$	$C_3H_4O_2N_2$	206	Baeyer	A., 130, 158	vi., 702
"	"	"	216	"	B., 8, 614	
"	"	"	216	Hofmann	Zoochemie, 509	
"	"	"	216	Schnlze & Barbieri	B., 14, 1834	
Ethyl isocyanate	$CO : NEt$	C_3H_5ON	60	Wurtz	A. C. [3], 42, 43	ii., 195
"	"	"	65	Zotta	A., 179, 101	29, 570
" (polymer)	$(C_3H_5ON)_3(?)$ q.v.	"	95	Hofmann	B., 3, 766	
Ethylene cyanhydrin	$C_2H_4(OH).CN$	"	220-222	A., 191, 275	
Lactic nitril	$CH_3.CH(OH).CN$	"	182-184 d.	b. -21	Z. C. [1867], 660	vi., 75
Lactimide	$CHMe.CO.NH$	"	275	Preu	A., 134, 372	vi., 773
Allylic nitrite	$CH_2 : CH.CH_2O.NO$	$C_3H_5O_2N$	85; 93 (?)	Brackebusch	B., 7, 226, 1142	27, 573
Nitropropylene	$C_3H_5.NO_2$	"	96; 107 (?)	"	"	"
Nitrosoacetone	$CH_3.CO.CH_2.NO$	"	65	Meyer and Züblin	B., 11, 695	34, 660
"	"	"	65	Treadwell & West- enberger	B., 15, 2788	44, 572
Acetyl formimide	$NH : CH.OAc$	"	70	Pinner	B., 16, 1653	44, 1090
Acetyl formamide	$CH_3.CO.CO.NH_2$	"	124-125	Claisen & Shadwell	B., 11, 1566	36, 45
Allylic nitrate	$C_3H_5.O.N : O$	$C_3H_5O_3N$	106	Liquid	Henry	B., 5, 452	25, 686
Methyloxamic acid	$CO(NHMe).COOH$	"	140	Wallach	A., 184, 69	32, 186
"	"	"	140	Wurtz	A. C. [3], 30, 443	
"	"	"	145-146	Hantzsch	B., 17, 2920	
α-Nitrosopropionic acid	$Me.CH(NO).COOH$	"	d. w. m. 177	Meyer and Züblin	B., 11, 694	34, 659
β-Nitrosopropionic acid	$CH_2(NO_2).CH_2.COOH$	$C_3H_5O_4N$	66-67	Lewkowitsch	J. p. [2], 20, 169	38, 33
Tartronamic acid	$CH(OH).CO(NH_2).COOH$	"	160 d.	Menschutkin	A., 182, 82; J. R., 8, 177	30, 627; 32, 323
Glyceryl trinitrite	$C_3H_5O_6N_3$	150-154	cf. B., 6, 1290	Masson	43, 350	
" (nitro glycerin)	$C_3H_5(NO_3)_3$	$C_3H_5O_9N_3$	s. -4	Kern	C. N., 31, 153	
"	"	"	11	de Vrij	G. J. C. [1855], 626	
"	"	"	185	Champion	G. J. C. [1871]	
Ethylidene carbamide	$CH_3.CH.NH.CO.NH$	$C_3H_6ON_2$	154	A., 151, 204	
Propylazaurolic acid	"	127.5	Meyer and Constan	A., 214, 334	44, 41
Methyloxamide	$CONH_2.CONHMe$	$C_3H_6O_2N_2$	227-229	Wallach and West	B., 9, 265	30, 185
"	"	"	227-229	Wallach	A., 184, 70	32, 186

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Malonamide	$\text{CH}_2(\text{CO.NH}_2)_2$	$\text{C}_3\text{H}_6\text{O}_2\text{N}_2$	168-170	Henry	C. R., 100, 943	48, 886
"	"	"	170	J. [1875], 528	
Acetylcarbamide	$\text{NH}_2\text{CO.NHAc.}$	"	112	Moldenhauer	A., 92, 405	i., 753
"	"	"	200 ?	Ziinin	A., 94, 100	"
Acetoximic acid	$\text{CH}_3\text{CH}(\text{NO}).\text{CH}_2(\text{NO})$	"	153	Treadwell & West- enberger	B., 15, 2786	44, 572
" "	"	"	153	Meyer and Janny	B., 15, 1166	42, 1185
Propyl nitrolic acid	$\text{CH}_3\text{CH}_2\text{C}(\text{NO}_2):\text{N.OH}$	$\text{C}_3\text{H}_6\text{O}_3\text{N}_2$	60	Meyer and Locher	B., 7, 672	27, 983
" "	"	"	60	Meyer	A., 175, 114	28, 558
" "	"	"	60	Meyer and Lecco	B., 9, 395	30, 72
Propyl psendonitrolic acid	$\text{CH}_3\text{C}(\text{NO})(\text{NO}_2).\text{CH}_3$	"	68	Kissel	B., 16, 960	
" "	"	"	76	Meyer and Locher	B., 7, 789	27, 983
" "	"	"	76	Meyer	A., 175, 120	28, 559
" "	"	"	76	Meyer and Locher	B., 7, 1509	28, 1183
Dinitropropane	$\text{CH}_3\text{CH}_2\text{CH}(\text{NO}_2)_2$	$\text{C}_3\text{H}_6\text{O}_4\text{N}_2$	182.5 u.c. ; 189 c.	l. -17		B., 8, 1080 ; A., 181, 19	29, 68 ; 30, 186
Dinitroisopropane	$\text{CMe}_2(\text{NO}_2)_2$	"	187 u.c.	50	Bredt	B., 15, 2323	44, 176
"	"	"	181.5 u.c. ; 185.5 c.	53	Meyer and Locher	B., 7, 1617 ; A., 180, 149	28, 445 ; 29, 905
Ethyl formamide	H.CO.NHEt	$\text{C}_3\text{H}_7\text{ON}$	196-197	l. -30	Linnemann	W. A., 60, 44	vi., 619
" "	"	"	199	Wnrtz	J., 7, 567	vii., 492
" "	"	"	199	Hofmann	B., 5, 247	25, 502
Methylacetamide	$\text{CH}_3\text{CO.NHMe}$	"	207	26	"	B., 14, 2730	42, 822
"	"	"	206	28	"	"	"
Propionamide	$\text{CH}_3\text{CH}_2\text{CO.NH}_2$	"	75-76	Sestini	Z. C. [2], 7, 34 ; Cimento 4, 21	24, 234 ; vii., 1009
" "	"	"	75-76	Hofmann	B., 15, 981	
Dimethylacetoxime (acetox- ime)	$\text{CMe}_2:\text{N.OH}$	"	134.8 u.c.	59-60	Janny	B., 15, 2779	44, 58
" "	"	"	134.8 c. (728)	59-60	Meyer and Janny	B., 15, 1324	42, 1047
Propylaldoxime (nitroso- propane)	$\text{CH}_3\text{CH}_2\text{CH}_2\text{NO} (?)$	"	130-132	Liquid	Petraczek	B., 15, 2784	
Propylic nitrite	$\text{CH}_3\text{CH}_2\text{CH}_2\text{O.NO}$	$\text{C}_3\text{H}_7\text{O}_2\text{N}$	43-46	Cahours	C. R., 77, 745	27, 39
" "	"	"	44.5	G. I., 14, 23	46, 1110
" " (?)	"	"	55	Kissel	B. S., 42, 319	48, 364
" "	"	"	57	Bertoni and Truffi	G. I., 14, 23	46, 1110
Isopropylic nitrite	$(\text{CH}_3)_2\text{CH.O.NO}$	"	43-44	Kissel	J. R. [1882], 226	42, 936
" "	"	"	45 (762)	Liquid	Silva	Z. C., 12, 637	vi., 966
Nitroisopropane	$(\text{CH}_3)_2\text{CH.NO}_2$	"	112-117	Liquid	Meyer and Choj- nacki	B., 5, 1036	26, 262
"	"	"	115-118	Schiff	B., 7, 1141	
"	"	"	115-118	Kissel	J. R. [1882], 226	42, 936
"	"	"	115-118	Meyer	A., 171, 39	vii., 895
Nitropropane	$\text{CH}_3\text{CH}_2\text{CH}_2\text{NO}_2$	"	122-127	Liquid	"	A., 171, 36	"
"	"	"	122-127	Liquid	Meyer and Rilliet	B., 5, 1033	26, 261
"	"	"	125-128	Liquid	Cahours	C. R., 76, 133	26, 366
Lactamide	$\text{CH}_3\text{CH}(\text{OH}).\text{CO.NH}_2$	"	74	A., 104, 197 ; 133, 257	
Methylic methylcarbamate....	NHMe.COOMe	"	92	Schreiner	J. p. [2], 22, 353	40, 88
Ethylic carbamate (urethane)	NH_2COOEt	"	47-50	McCreath	B., 8, 384	
" "	"	"	49	Ponomareff	B., 15, 515	
" "	"	"	180	b. 100	i., 751
α -Amidopropionic acid (al- anine)	$\text{CH}_3\text{CH}(\text{NH}_2).\text{COOH}$	"	abt. 200	Strecker	A., 75, 29	i., 63
β - anine)	$\text{NH}_2\text{CH}_2\text{CH}_2\text{COOH}$	"	180 ; 190	Mulder	B., 9, 1904	32, 312
β - anine)	"	"	195	Hertz	A. P. [3], 8, 234	31, 479
Methamidacetic acid (sar- cosine)	$\text{NHMe.CH}_2\text{COOH}$	"	sb. a. 100	Liebig	A., 62, 310	v., 198
" " "	"	"	100+	Strecker	A., 123, 263	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methamidacetic acid (sarcosine)	NHMe.CH ₂ .COOH	C ₃ H ₇ O ₂ N	210-220 d.	Meylius	B., 17, 286	46, 994
Amidomalonic acid	NH ₂ .CH(CO.NH ₂) ₂	C ₃ H ₇ O ₂ N ₃	182	Conrad & Guthzeit	B., 15, 607	42, 946
Isopropyl nitrate	CHMe ₂ .O.NO ₂	C ₃ H ₇ O ₃ N	100-102 (760)	Liquid	Silva	A., 154, 256	vi., 966
Propyl nitrate	CH ₃ .CH ₂ .CH ₂ .O.NO ₂	"	110.5	Wallach & Schulze	B., 14, 422	40, 572
Ethyl carbamide	NH ₂ .CO.NHEt	C ₃ H ₈ O ₂ N ₂	92	Wurtz	R. [1862], 199	ii., 564
"	"	"	n.v.	92	Michler	B., 8, 1665	29, 702
Dimethyl carbamide	NHMe.CO.NHMe	"	97	Wurtz	C. R., 32, 414	i., 754
"	"	"	97-100	Maly & Hinteregger	B., 14, 726	40, 747
"	"	"	273-288	99.5	Wurtz	R. [1862], 199	iii., 1003
"	"	"	268-270	102.5	"	"	"
α-Amidopropionamide	CH ₃ .CH(NH ₂).CO.NH ₂	"	cf. A., 173, 344	a. 250	Baumstark	B., 6, 883	26, 1243
Ethyl semicarbazide	C ₂ H ₅ ON ₃	105-106	A., 199, 294	
Dinitropropylene	C ₄ NH ₃ (NO ₂) ₂	C ₄ H ₃ O ₄ N ₃	152	Ciamician & Silber	B., 18, 1462	48, 993
Nitropyruvureid	"	a. 200 d.	A. C. [5], 11, 378	
Methylparabanic acid	CO.NMe.CO.NH.CO	C ₄ H ₄ O ₃ N ₂	147	Maly & Andreasch	M.C., 3, 107	42, 633
"	"	"	148	Maly and Hinteregger	B., 14, 728	40, 747
"	"	"	149	Mabery and Hill	B., 13, 740	40, 39
"	"	"	149	Andreasch	B., 14, 1449	40, 897
"	"	"	149.5	Hill	B., 9, 1094	
Diisonitrosuccinic acid	COOH.(C.N.OH) ₂ .COOH	C ₄ H ₄ O ₆ N ₂	128-130 d.	Müller	B., 16, 2986	46, 584
Cyanacetone	CH ₃ .CO.CH ₂ .CN	C ₄ H ₅ ON	120-125	Matthews and Hodgkinson	B., 15, 2679	
" (polymer)	"	166	J. p. [2], 1, 141	
Allylic isocyanate	CO : N.C ₃ H ₅	"	82	Liquid	Calours and Hofmann	P. T. [1857], 555	ii., 195
Propionic cyanide	CH ₃ .CH ₂ .CO.CN	"	108-109	Claisen and Moritz	37, 692	
"	"	"	108-110	Liquid	"	B., 13, 2121	40, 154
Epicyanhydrin	O : C ₃ H ₅ .CN	"	162	Pazschke	J. p. [2], 1, 98	vii., 466
" ?	"	d. 280	A., 213, 174	
Ethyl cyanocarbonate	NC.COOEt	C ₄ H ₅ O ₂ N	115-116	Liquid	Weddige	J. p. [2], 6, 117 ; 10, 197 ; A., 184, 12	26, 381 ; 28, 448 ; vii., 415
Ethyl paraacyanocarbonate	(NC.COOEt) _n	"	165	"	J. p. [2], 10, 208	28, 449
Succinimide	CH ₂ .CO.NH.CO.CH ₂	"	287-288	Menschutkin	A., 162, 166	vii., 1102
"	"	"	125-126	Erlenmeyer	Z. C. [2], 5, 175	vi., 1042
"	"	"	210	Fehling & Teuchert	v., 461
Cyanacetyl carbamide	CN.CH ₂ .CO.NH.CO.NH ₂	C ₄ H ₅ O ₂ N ₃	200-210 d.	Mulder	B. S. [2], 29, 531 ; B., 12, 466	34, 786 ; 36, 619
Diglycollimide	C ₄ H ₅ O ₃ N	142	Wurtz	A. C. [3], 69, 342	vi., 642
Fumaramic acid	NH ₂ .CO.C ₂ H ₂ .COOH	"	217 d.	Michael and Wing	A. C. J., 6, 419	48, 968
Acetyl oxamic acid	NHAc.CO.COOH	C ₄ H ₅ O ₄ N	54	J. p. [2], 9, 299	
Amidomaleic acid	C ₂ H(NH ₂).COOH	"	180-182	Claus and Voeller	B., 14, 153	40, 254
Tartrimide	CH(OH).CO.NH.CO.CH(OH)	"	230 d.	Arppe	A., 93, 352	v., 698
Oximidosuccinic acid	COOH.C ₂ H ₂ (N.OH).COOH	C ₄ H ₅ O ₅ N	d. 126	Ebert	A., 229, 45	48, 1123
Allanic acid	C ₄ H ₅ O ₅ N ₃	+ H ₂ O	d. 210-220	A., 159, 353	
Nitrosopyrroline	C ₄ H ₆ N.NO	C ₄ H ₆ O ₂ N ₂	37-38	Ciamician and Dennstedt	B., 16, 1543	44, 1142
Diethyl dicyanate	C ₂ N ₂ O ₂ Me ₂	C ₄ H ₆ O ₂ N ₂	98	Hofmann	B., 3, 766	24, 136
Lactyl cyanamide	CH ₃ .CH(OH).CO.NH.CN	"	212	Mertens	J. p. [2], 17, 34	34, 398
Fumaramide	NH ₂ .CO.CH : CH.CO.NH ₂	"	232	Curtius and Koch	B., 18, 1298	48, 885
Glycocolimide anhydride	CH ₂ .NH.CO.CO.NH.CH ₂	"	sb. 280	Curtius	B., 16, 755	
Lactyl carbamide	CHMe.CO.NH.CO.NH	"	125	Urech	A., 165, 99 ; B., 6, 1114	vii., 724 ; 26, 380 ; 27, 148
"	"	"	140	Heintz	A., 169, 120	27, 149
"	"	"	145	Urech	B., 6, 1114	27, 148
Methyl hydantoin	CH ₂ .CO.NH.CO.NMe	"	145	Neubauer	A., 138, 291	vi., 703

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methyl hydantoin	$\text{CH}_2\text{CO.NH.CO.NHMe}$	$\text{C}_4\text{H}_6\text{O}_2\text{N}_2$	145	Hoppe-Scyler and Baumann	B., 7, 34	27, 464
"	"	"	145-146	Baumann	B., 7, 239	27, 578
"	"	"	151-152	"	"	"
"	"	"	156; 157-158	Salkowski	B., 7, 119	27, 464
"	"	"	159-160.5	Guareschi & Mosso	J. p. [2], 28, 504	46, 618
Nitroerythromannitol	$\text{C}_4\text{H}_6(\text{NO}_2)_4\text{O}_4$	$\text{C}_4\text{H}_6\text{O}_{12}\text{N}_4$	61	Stenhouse	P. T. [1849], 399	ii., 505
Isopropyl cyanate	$\text{C}_4\text{H}_7\text{ON}$	Hofmann	B., 15, 756	vii., 1016
"	CHMe_2CNO	"	74	Silva	B. S. [2], 17, 97	26, 367
Hydroxyisobutyronitril	$\text{CMe}_2(\text{OH}).\text{CN}$	"	abt. 120	Urech	A., 164, 257	26, 59
γ -hydroxybutyronitril	$\text{CH}_2(\text{OH}).\text{CH}_2.\text{CH}_2.\text{CN}$	"	240-250	M. C., 3, 699	
Ethoxyacetoneitril	$\text{CH}_2(\text{OEt}).\text{CN}$	"	132-133	Norton & Tcherniak	C. R., 87, 27	34, 972
"	"	"	134-135 (750)	Liquid	Henry	B., 6, 261	26, 879
Crotonamide	"	Liquid	Beilstein & Wiegand	B., 18, 483	46, 740
" (l)	"	149-152	Pinner	B., 17, 2008	46, 1292
"	$\text{Me.CH}:\text{CH.CO.NH}_2$	"	159	"	B., 12, 2056	38, 99
Ethylleucazone	$\text{C}_4\text{H}_7\text{ON}_3$	158-158.5	Meyer & Constan	A., 214, 341	44, 40
Nitrobutylene	$\text{Me}_2\text{C}:\text{CH.NO}_2$ or $\text{CH}_2:\text{CMe.CH}_2.\text{NO}_2$	$\text{C}_4\text{H}_7\text{O}_2\text{N}$	154-158 p. d.	Liquid	Haitinger	W. A., 77, 428	36, 701
Nitrosomethyl acetone	$\text{CH}_3.\text{CO.CH}(\text{NO}).\text{CH}_3$	"	185-186 c.	74	Meyer and Züblin	B., 11, 323	34, 487
"	"	"	74	Ceresole	B., 15, 1874	44, 41
Methylic isonitrosoacetone	$\text{CH}_3.\text{CO.CH}:\text{N.O.CH}_3$	"	115-116 u. c.	Liquid - 15	"	B., 16, 833	
Diacetamide	NHAc_2	"	215	59-60	Linneman	W. A., 60, 44	vii., 3
"	"	"	59	Gautier	C. R., 67, 1255	
"	"	"	74-75	Wichelhaus	B., 3, 847	24, 407
"	"	"	a. 210	82; s. 70	Hofmann	B., 14, 2732	42, 822
Propionyl formamide	$\text{CH}_3.\text{CH}_2.\text{CO.CO.NH}_2$	"	116-117	Claisen and Moritz	B., 13, 2121	37, 693; 40, 154
Amidomaleic diamide	$\text{C}_2\text{H}(\text{NH}_2)(\text{CO.NH}_2)_2$	$\text{C}_4\text{H}_7\text{O}_2\text{N}_3$	122	Claus and Voeller	B., 14, 152	40, 254
Ethylic oxamate (oxamethane)	$\text{NH}_2.\text{CO.COOEt}$	$\text{C}_4\text{H}_7\text{O}_3\text{N}$	220	110	iv., 280
"	"	"	112	Morley and Saint	43, 401	
"	"	"	114-115	J. p. [2], 10, 196; 12, 434	
"	"	"	116-117	Grimaux	B. S. [2], 21, 153	28, 564
Ethylloxamic acid	NHEt.CO.COOH	"	120	Wallach	A., 184, 58	32, 186
Aceturic acid (acetylglycin)	$\text{NHAc.CH}_2.\text{COOH}$	"	206	Curtius	B., 16, 757; 17, 1667	46, 1307
"	"	"	d. 130	Kraut & Hartmann	A., 133, 105	
Succinamic acid	$\text{NH}_2.\text{CO}(\text{CH}_2)_2.\text{COOH}$	"	300	A., 134, 136; 162, 175	
α -Nitrosobutyric acid	$\text{CH}_3.\text{CH}_2.\text{CH}(\text{NO}).\text{COOH}$	"	151 d.	Wleügel	B., 15, 1058	42, 944
β -isomitosobutyric acid	$\text{CH}_3.\text{C}(\text{N.OH}).\text{CH}_2.\text{COOH}$	"	140 d.	Westenberger	B., 16, 2996	46, 581
Ethylic nitro-acetate	$\text{CH}_2(\text{NO}_2).\text{COOEt}$	$\text{C}_4\text{H}_7\text{O}_4\text{N}$	150-160 d.	Liquid	Lewkowitsch	J. p. [2], 20, 159	38, 32
"	"	"	151-152	Liquid	Förstrand	J. p. [2], 19, 487	38, 33
"	"	"	151-152	Liquid	"	C. R., 88, 974	36, 621
(cf. B., 15, 1604)							
Diglycollamic acid	$\text{O}(\text{CH}_2.\text{CO.NH}_2)_2$	"	a. 125	Heintz	A., 128, 141	vi., 645
Amidodiglycollic acid	$\text{NH}(\text{CH}_2.\text{COOH})_2$	"	d. a. 210	"	A., 132, 276	vi., 644
Ethylic nitroglycollate	$\text{NO}_2.\text{CH}(\text{OH}).\text{COOEt}$	$\text{C}_4\text{H}_7\text{O}_5\text{N}$	180-182	Henry	A. C. [4], 28, 424	
Allyl carbamide	$\text{NH}_2.\text{CO.NH.C}_3\text{H}_5$	$\text{C}_4\text{H}_8\text{ON}_2$	85	Andreasch	M. C., 5, 33	46, 732
"	"	"	141	Maly	Z. C. [1869], 261	
Succinamide	$\text{NH}_2.\text{CO}(\text{CH}_2)_2.\text{CO.NH}_2$	$\text{C}_4\text{H}_8\text{O}_2\text{N}_2$	b. 200	D'Arcet	A., 16, 215	v., 461
"	"	"	242-243	Henry	C. R., 100, 943	48, 886
Ethyl oxamide	$\text{NH}_2.\text{CO.CO.NHEt}$	"	202-203	Wallach	A., 184, 65	32, 186
Dimethyl oxamide	NHMe.CO.CO.NHMe	"	208	Maly & Andreasch	M. C. [3], 107	42, 633
"	"	"	209-210	Henry	C. R., 100, 943	48, 887
"	"	"	212	Richter	R. K. T.	
"	"	"	209-210	Wallach and West	B., 9, 266	30, 185
"	"	"	210	Wallach & Schulze	B., 14, 422	40, 572
Aceturamide	$\text{NHAc.CH}_2.\text{CO.NH}_2$	"	137	Curtius	B., 17, 1674	46, 1307
Acetylmethyl carbamide	NHMe.CO.NHAc	"	180	Hofmann	B., 14, 2727	42, 822
Ethylmethylacetoximic acid	$\text{HON}:\text{CMe.CMe}:\text{NOH}$	"	sb. 215	Schramm	B., 16, 179	44, 573

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
?	$C_4H_4(NH.OH)_2$	$C_4H_8O_2N_2$	173	Ciamician and Dennstedt	G. I., 14, 156	48, 246
Amidosuccinic acid	$NH_2.CO.CH_2.CH(NH.CO.NH_2).COOH$	$C_4H_5O_2N_3$	137-138 d.	Guareschi	B., 10, 1747	34, 138
Ethylazaurolic acid	$ON.CHMe.N_2.CHMe.NO$	$C_4H_8O_2N_4$	142 d.	Meyer & Constam	B., 14, 1457	40, 896
β -nitrosocreatinine	"	195	Märcker	A., 133, 310	vi., 503
α -	"	210 d.	"	A., 133, 306	"
Butylpsendonitrol	$CH_3.CH_2.C(NO)(NO_2).CH_3$	$C_4H_5O_3N_2$	58	Meyer and Locher	B., 7, 1509; A., 180, 135	28, 1183; 29, 904
Ethylc allophanate	$NH_2.CO.NH.COEt$	"	190-191	Richter	R. K. T.	
Lacturamic acid	$NH_2.CO.NH.CHMe.COOH$	"	155 d.	Urech	A., 165, 99	vii., 723; 28, 380
Dinitrobutane	$CH_3.CH_2.CH_2.CH(NO_2)_2$	$C_4H_8O_4N_2$	190 d.	Liquid	Züblin	B., 10, 2085	34, 284
"	"	"	197 p. d.	Chancel	C. R., 96, 1466	44, 915
"	$CH_3.CH_2.C(NO_2)_2.CH_3$	"	199 c.; p. d.	Liquid	Meyer	B., 9, 701	30, 288
"	$C_4H_8(NO_2)_2$	"	95-96	Beilstein and Kurbatow	B., 14, 1621	40, 1021
Iso-dinitrobutane	$CHMe_2.CH(NO_2)_2$	"	d.	Liquid	Züblin	B., 10, 2087	34, 284
Ethylene allophanate	$NH_2.CO.NH.CO.C_2H_4.OH$	"	100	Baeyer	A., 114, 160	i., 134
Diamidosuccinic acid	$[CH(NH_2).COOH]_2$	"	151 u. c.	Claus and Helpenstein	B., 14, 627	40, 578
"	"	"	151	Claus	B., 15, 1849	
"	"	"	d. w. m. a. 200	Lehrfeld	B., 14, 1817	42, 163
Isopropylformamide	$H.CO.NHPr^s$	C_4H_9ON	220	A., 149, 158	
Ethylacetamide	$CH_3.CO.NHET$	"	200	Liquid	Wurtz	C. R., 36, 180	i., 552
"	"	"	205	"	J., 7, 566	
"	"	"	203-204	Liunemann	W. A., 60, 44	vii., 4
"	"	"	205	Wallach and Hoffmann	32, 188
Butyramide	$CH_3.CH_2.CH_2.CO.NH_2$	"	115	Chancel	C. R., 18, 849	i., 690
"	"	"	216	A., 52, 294	
Isobutyramide	$CHMe_2.CO.NH_2$	"	216-220	100-102	Letts	B., 5, 672	25, 1020
"	"	"	124-5	Münde	B., 7, 1372; A., 180, 340	28, 247; 30, 68
"	"	"	128-129	Hofmann	B., 15, 982	
Ethylacetimide	$NH : CMe.OEt$	"	97	Liquid	Piuner	B., 16, 1654	44, 1090
Isobutyl aldoxime	"	139	Liquid	Petraczek	B., 15, 2785	44, 569
Ethylmethylacetoxime	$CEtMe : N.OH$	"	152-153	Liquid f. m.	Jauny	B., 15, 2779	44, 580
Butylic nitrite	$CH_3.CH_2.CH_2.CH_2.O.NO$	$C_4H_9O_2N$	76	Bertoni and Truffi	G. I., 14, 23	48, 1110
Isobutylic nitrite	$CHMe_2.CH_2.O.NO$	"	66-70	"	"	"
"	"	"	67	Chapman & Smith	J., 22, 153	
Butylic nitrite	$CM_2.O.NO$	"	76-78	Liquid	Tscherniak	A., 180, 159	29, 902
Nitrobutane	$(CH_3)_3.C.NO_2$	"	110-130	Liquid	"	A., 180, 155	"
Nitroisobutane	$CHMe_2.CH_2.NO_2$	"	137-140	Liquid	Demole	B., 7, 710; A., 175, 142	vii., 897; 27, 984; 28, 561
Nitrobutane	$CH_3.CH_2.CH(NO_2).CH_3$	"	abt. 140	Liquid	Meyer and Locher	A., 180, 134	29, 904
"	$CH_3.CH_2.CH_2.CH_2.NO_2$	"	151-152 c.	Liquid	Züblin	B., 10, 2083	34, 284
Propylic carbamate	$NH_2.COOPr^a$	"	50	Roemer	B., 6, 1102	27, 39
"	"	"	194-196	51-53	Cahours	C. R., 76, 1383	28, 872; vii., 1014
Ethylc methylcarbamate	$NHMe.COEt$	"	170	Schreiner	J.p. [2], 21, 124	38, 312
Amidoisobutyric acid	$Me_2C(NH_2).COOH$	"	sb. 220	Tiemann and Friedländer	B., 14, 1972	
Ethylamidoacetic acid	$NH_2Et.CH_2.COOH$	"	a. 160 d.	Heintz	A., 129, 33; 132, 1	vi., 643
α -Methamidopropionic acid	$CH_3.CH(NHMe).COOH$	"	brown 180	260 d.	Lindenberg	J.p. [2], 12, 244	29, 701
Ethylglycollamide	$CH_2(OEt).CO.NH_2$	"	225	b. 100	Heintz	A., 129, 42	
Glycoethylamide	$CH_2(OH).CO.NH_2$	"	250	Liquid	"	A., 129, 29	vi., 647
Guanolin	$C_4H_9O_2N_3$	114-115	J.p. [2], 17, 238	
"	"	+H ₂ O	100	"	
Butylic nitrate	$C_4H_9.O.NO_2$	$C_4H_9O_3N$	a. 130	Wurtz	J., 7, 575	
Isobutylic nitrate	$CHMe_2.CH_2.O.NO_2$	"	123	Chapman & Smith	Z. C. [1869], 433	22, 153
Base from creatinine	$C_4H_9O_4N_2$	152	Märcker	A., 133, 314	vi., 503

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
?	$C_4H_{10}ON_2$	170-172	Linnemann	vi., 63
Diethylnitrosamine	NEt_2NO	"	176.9 c.	Geuther & Kreuzhager	A., 127, 43	iv., 114
"	"	"	177	Knecht	B., 10, 978	32, 569
Methylethylcarbamide	"	266-268	52-53	Wurtz	R. [1862], 199	iii., 1003
"	"	75	Schreiner	J.p. [2], 22, 360	40, 88
"	"	105	"	J.p. [2], 22, 359	"
Diamidosuccinamide....	$NH_2.CO.(CH.NH_2)_2.CO.NH_2$	$C_4H_{10}O_2N_4$	160	Claus and Helpenstein	B., 14, 626	40, 578
Ethylene dicarbamide ..	$C_2H_4(NH.CO.NH_2)_2$	"	cf. A., 119, 349	192	Vollhard	P. R., 11, 268	ii., 595
Ethylie methanedicarboxylamide carboxylate	$CH(CO.NH_2)_2.COOEt$	$C_4H_{10}O_4N_2$	190-191	Amato	G. I., 1, 690	vii., 9
Butaldehyde ammonia	$CH_3.CH_2.CH_2.CO.H + NH_3$	$C_4H_{11}ON$	+5H ₂ O	30-31	Lipp	A., 211, 356	42, 709
Dimethylethylalkine	"	130-134	Ladenburg	B., 14, 2408	42, 166
Acid ammonium acetate	$CH_3.COONH_4 + C_2H_4O_2$	$C_4H_{11}O_4N$	76	i., 13
Furfuronitril	$C_4H_3O.CN$	C_5H_3ON	146-148	Liquid	Wallach	B., 14, 752	40, 715
"	"	"	147 (757.8)	Ciamician & Dennstedt	B., 14, 1058	40, 801
Nitropyromucic acid	$C_4H_2O(NO_2).COOH$	$C_5H_3O_5N$	183	Kliukhardt	J.p. [2], 25, 51	42, 499
"	"	"	184	Priebs	B., 18, 1363	48, 971
Sarcine	$C_5H_4ON_4$	n. f. 150	Strecker	A.	v., 196
Succinocyanimide	$C_2H_4 : (CO)_2 : N.CN$	$C_5H_4O_2N_2$	138	Möller	J.p. [2], 22, 207	40, 259
Nitrocarbopyrrolic acid	$C_5H_4O_4N_2$	144-146	Ciamician & Danesi	G. I., 12, 28	42, 875
Hydroxypyridine (chelamide)	$C_5H_4N.OH$	C_5H_5ON	95-96	Lerch	M. C., 5, 367	48, 46
"	"	"	107	König and Geigy	"
β -	"	"	123.5	Fischer & Renouf	B., 17, 764	46, 1050
β -	"	"	124.5	"	B., 17, 1896	46, 1370
"	"	"	148	Ost	J.p. [2], 29, 57	48, 50
" (pyridone)	"	"	350	148.5	Haftinger & Lieben	M. C., 6, 279	48, 966
"	"	"	+H ₂ O	66-67	"	"	"
Allylic cyanocarbonate	$CN.COOC_3H_5$	$C_5H_5O_2N$	135	Liquid	Wagner & Tollens	B., 5, 1045	26, 381
Pyromucamide	$C_4H_3O.CO.NH_2$	"	100	A., 116, 282	iv., 764
"	"	"	130-132	Schwanert	C. R., 22, 856	iv., 764
"	"	"	140-142	Wallach	B., 14, 751	40, 714
"	"	"	142-143	Ciamician & Dennstedt	B., 14, 1058	40, 801
Citraconimide	"	cf. B., 15, 1343	109-110	"	G. I., 12, 500	44, 313
β -Pyrrolic acid	$C_4H_4N.COOH$	"	161-162 p. d.	Ciamician	M. C., 1, 626 ; B., 14, 1055	42, 212
α -	"	"	sb. 190	191.5 d.	"	"	"
Pyrocomenamic acid	$C_4H_4N.COOH$	"	d. w. m. 250	Ost	J.p. [2], 27, 270	44, 792
Furfuraldoxime	$O.CH : CH.CH : C.CH : N.OH$	"	201-208 s. d.	89	Odernheimer	B., 16, 2989	46, 585
Dihydroxypyridine	$C_5H_3N(OH)_2$	"	255 d.	Königs and Geigy	B., 17, 1836	46, 1369
Allyl alcohol dicyanide	$C_3H_3.(CN)_2.OH$	$C_5H_6ON_2$	150-151	Tollens & Wagner	B., 5, 621, 1045	25, 1093 ; vii., 48
Dipyromucamide	"	173	Schwanert	A., 116, 272	iv., 765
"	"	176.5	M. C., 1, 289	"
Pyrrolcarbamide (tetrolcarbamide)	$C_4H_4 : N.CO.NH_2$	"	165-166	Ciamician & Magnaghi	B., 18, 416	48, 809
"	"	"	cf. B., 15, 944	167	Ciamician & Dennstedt	G. I. [1882], 84	42, 606
"	"	"	167-168	"	B., 15, 2580	44, 350
Amidohydroxypyridine	$NH_2.C_5NH_3.OH + H_2O$	"	sb. a. 214	214	Krippeudorff	J.p. [2], 32, 153	48, 1243
Diacetyl cyanamide	$CN.NAc_2$	$C_5H_6O_2N_2$	d. 75	Mertens	J.p. [2], 17, 14	34, 397
Succinocyaninic acid	$COOH.C_2H_4.CO.NH.CN$	$C_5H_6O_3N_2$	128	Möller	J.p. [2], 22, 193	40, 259
Dimethyl parabanic acid (cholestrophane)	$CO.NMe.CO.CO.NMe$	"	105	Andreasch	B., 14, 1451	40, 897
"	"	"	145	Maly and Hinteregger	B., 14, 725	40, 747
"	"	"	275-277	145.5	Menschutkin	A., 178, 201	29, 379

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Fr. dimethyluric acid	cf. A. C. J., 2, 305	$C_5H_6O_3N_2$	160	Mabery and Hill	B., 13, 740	40, 39
Malyureic acid	$NH.CO.NH.CO.CH_2.CH$ COOH	$C_5H_6O_4N_2$	215-220 d.	Grimaux	C. R., 80, 828	28, 752
Isobutyryl cyanide	$CHMe_2.CO.CN$	C_5H_7ON	117-120	Moritz	39, 13	
Butyryl "	$CH_3.CH_2.CH_2.CO.CN$	"	133-137	"	39, 16	
Furfurylamine	$O.CH.CH:CH.C.CH_2.NH_2$	"	145-146(761)	Liquid	Ciamician and Dennstedt	B., 14, 1476	40, 898
Ethyl cyanacetate	$NC.CH_2.COOEt$	$C_5H_7O_2N$	207	Van t'Hoff	B., 7, 1383	28, 251
Methyl succinimide	$CO.(CH_2)_3.CO.NMe$	"	234	55-60	Menschutkin	A., 178, 201	29, 380
" "	"	"	234	66.5	"	A., 182, 92	30, 626
Pyrotartrimide	$CO.CHMe_2.CH_2.CO.NH$	"	280 d.	66	Arppe	A., 87, 231	iv., 775
Glutarimide	$CO.(CH_2)_3.CO.NH$	"	151-152	Bernheimer	G. I. [1882], 281	42, 1190
Acetyl carbamate	$CMe_2.O.CO.NH.CO$	$C_5H_7O_3N$	75.5-76 c.	Urech	B., 13, 485	38, 545
" "	"	"	73	"	B., 11, 468	34, 488
Glutimic acid	"	180	Schützenberger	B., 8, 643	
Dimethylcyanuric acid	$Me_2HC_3N_3O_3$	$C_5H_7O_3N_3$	222	Hofmann	B., 14, 2728	42, 822
Malyureid	$NH.CO.NH.CO.CH.CH_2$ COOH	"	230-235 d.	Grimaux	A. C. [5], 11, 400	
Ethylhydantoïn	$CHEt.CO.NH.CO.NH$	$C_5H_8O_2N_2$	b. 100	Heintz	A., 133, 65	vi., 702
Acetyl carbamide	$CMe_2.CO.NH.CO.NH$	"	175	Urech	A., 164, 264	vii., 17; 26, 61
Mesaconamide	$C_3H_4(CO.NH_2)_2$	"	176.5	Strecker	B., 15, 1641	42, 1281
Citraconamide	"	"	191 d.	"	B., 15, 1640	"
Itaconamide	"	"	192	"	"	"
Dimethyl amidocyanurate	$(C_3N_3)(OMe)_2.NH_2$	$C_5H_8O_2N_4$	212	Hofmann and Olshausen	B., 3, 273	vii., 409
Diacetyl carbamide	$CO(NHAc)_2$	$C_5H_8O_3N_2$	melts	Schmidt	J. p. [2], 5, 64	vii., 268
Dimethylglyoxyl carbamide	$CH(OH).CO.NMe.CO.NMe$	"	b. 100	Andreasch	M. C., 3, 436	42, 1055
Methylallantoïn	$C_5H_8O_3N_4$	225 d.	Hill	B., 9, 1091	30, 509
Ethyl oxalurate	$NH_2.CO.NH.CO.COOEt$	$C_5H_8O_4N_2$	cf. B., 4, 645	160-170 d.	Henry	C. R., 73, 195	24, 823
" "	"	"	177-178 d.	Salomou	B., 9, 374	30, 75
Succinocarbamidic acid	$NH_2.CO.NH.CO.(CH_2)_2$ COOH	"	203-204	Pike	C. N., 28, 173	27, 49
" "	"	"	203-205	"	B., 6, 1104	
Isobutylic isocyanate	$CHMe_2.CH_2.NCO$	C_5H_7ON	110	Bramer	B., 12, 1877	
Butylic cyanate	$CMe_3.NCO$	"	85.5 c.	Liquid	"	B., 12, 1875	38, 228
Hydroxyisovaleronitril	$CHMe_2.CH(OH).CN$	"	136 d.	l. -17	Lipp	A., 205, 26	40, 86
Ethyl diamidocyanurate	$C_3N(NH_2)_2.OEt$	$C_5H_9ON_5$	190-200	Hofmann and Olshausen	B., 3, 275	vii., 410
Nitroamylen	$C_5H_9.NO_2$	$C_5H_9O_2N$	160-170 d.	Haitinger	M. C., 2, 290	40, 1115
"	"	"	69-73 (14)	"	"	"
Nitrosoethyl acetone	$CH_3.CO.CH(NO)Et$	"	53-55	Meyer and Züblin	B., 11, 323	34, 488
" "	"	"	183-187 c.	53-55	"	B., 11, 695	34, 660
			(d.p.)				
Ethyl isointroso-acetone	$CH_3.CO.CH:N.OEt$	"	130	Ceresole	B., 16, 834	
Methyl isonitroso-methyl-acetone	$CH_3.CO.CMe:N.OMe$	"	125 u.c.	"	"	
Methyl diacetamide	$NMeAc_2$	"	192	Liquid	Hofmann	B., 14, 2731	42, 822.
" "	"	82-83	Brandes	Z. C. [1866], 459	vi., 829
Butyryl formamide	$CH_3.CH_2.CH_2.CO.CO.NH_2$	"	105-106	Moritz	39, 16	
Isobutyryl "	$CHMe_2.CO.CO.NH_2$	"	125-126	"	39, 13	vi., 13
Levulinamide	$C_4H_7O.CO.NH_2$	"	107	Wolf	A., 229, 249	48, 1124
Caffoline	$CH(OH).NMe.CO.N:C$ NHMe	$C_5H_9O_2N_3$	cf. B., 15, 29	194-196	Fischer	B., 14, 1907	42, 217
Ethyl acetylcarbamate	$NHAc.COOEt$	$C_5H_9O_3N$	77-78	McCreath	B., 8, 1182	
" "	"	"	77-78	Kretschmar	C. C. [1876], 233	31, 614
" "	"	"	77-78	Salomon	J. p. [2], 9, 299	27, 790

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylic aceturate	NHAc.CH ₂ .COOMe	C ₅ H ₉ O ₃ N	254 (712)	58.5	Curtius	B. 17, 1672	46, 1307
Ethylic methoxamate	NHMe.CO.COOEt	"	242-243	s. 8-10	Wallach	A., 184, 68	32, 186
" "	"	"	"	s.b. 0	Wallach and West	B., 9, 265	30, 185
" a-nitrosopropionate	CH ₃ .CH(NO).COOEt	"	233 c.; p.d.	94	Meyer and Züblin	B., 11, 693	34, 659
" a- "	"	"	"	95	Meyer and Janny	B., 15, 1528	
α-Isonitrosovaleric acid	CH ₃ .(CH ₂) ₂ .C(N.OH).COOH	"	"	143-144.5 d.	Fürth	B., 16, 2181	46, 42
γ- " "	CH ₃ .C(N.OH).(CH ₂) ₂ .COOH	"	"	95-96	Müller	B., 16, 1618	44, 1129
Dimethyloxaluramide	NH ₂ .CO.CO.NMe.CO.NHMe	C ₅ H ₉ O ₃ N ₃	"	225 d.	Menschutkin	A., 178, 203	29, 379
Nitrovaleric acid	C ₄ H ₈ (NO ₂).COOH	C ₅ H ₉ O ₄ N	m.a. 100	cryst.	Dessaigues	A., 69, 274	v., 979
Glutamic acid	C ₃ H ₅ (NH ₂)(COOH) ₂	"	"	135-140 p.d.	Ritthausen	J. p. [2]	vi., 637
" "	"	"	"	188-190	Schulz and Ulrich	Lw. 20, 193; B., 8, 86	34, 84
" "	"	"	"	188-194	Ulrich and Barbieri	B., 16, 314	
" "	"	"	"	192	Richter	R. K. T., 74	
" "	"	"	"	202-202.5	Schulze & Bosshard	B., 16, 314	
Ethyl β-nitropropionate	CH ₂ (NO ₂).CH ₂ .COOEt	"	161-165	Liquid	Lewkowitzsch	J. p. [2], 20, 167	33, 23
" nitrolactate	"	C ₅ H ₉ O ₃ N	178	"	Henry	B., 3, 532	
Nitrosopiperidine	C ₅ H ₁₀ .N.NO	C ₅ H ₁₀ ON ₂	218	Liquid	Schotten	B., 15, 425	42, 983
" "	"	"	240 pd.	Liquid	Wertheim	A., 127, 81	vi., 947
Ethylacetyl carbamide	CO(N ₂ H ₂ EtAc)	C ₅ H ₁₀ O ₂ N ₂	"	120	"	J. p. [2], 21, 31	
Butyryl carbamide	NH ₂ .CO.NH.CO.C ₃ H ₇	"	"	176	"	A., 94, 101	i., 753
Ethylmethyl oxamidic	NHMe.CO.CO.NHEt	"	"	155-157	Wallach and West	B., 9, 263	30, 184
" "	"	"	"	155-157	Wallach	A., 184, 67, 70	32, 186
Dimethyl malonamide	CH ₂ (CO.NHMe) ₂	"	"	123-125	Heury	C. R., 100, 943	48, 887
" "	"	"	"	128	Freund	B., 17, 134	46, 728
" "	CMe ₂ (CONH ₂) ₂	"	"	196-198, a.f.	Thorne	39, 545	
Pyrotartaramide	NH ₂ .CO.CHMe.CH ₂ .CO.NH ₂	"	"	175	Henry	C. R., 100, 943	43, 886
Methylpropylacetoximic acid	HO.N : CMe.CEt : N.OH	"	"	170	Schramm	B., 16, 181	44, 590
Propylic allophanate	NH ₂ .CO.NH.COOPr ^a	C ₅ H ₁₀ O ₃ N ₂	"	150-160	Calhours	C. R., 76, 1383	26, 872
Acetonyl uramic acid	NH ₂ .CO.NH.CMe ₂ .COOH	"	"	160, d.	Urech	A., 164, 274	vii., 18; 26, 62
Glyceric allophanate	C ₃ H ₅ (OH) ₂ (O.C ₂ H ₃ N ₂ O ₂)	C ₅ H ₁₀ O ₅ N ₂	"	160	Baeyer	A., 114, 160	i., 134
Diethylformamide	H.CO.NEt ₂	C ₅ H ₁₁ ON	175-178	Liquid -20	Linnemann	W. A., 60, 44	vi., 619
" "	"	"	175-178	"	Wallach	B., 14, 744	
Isobutylformamide	H.CO.NH.CH ₂ .CHMe ₂	"	"	135	Schmidt & Saelt- leben	A., 193, 102	36, 139
Isovaleramide	CHMe ₂ .CH ₂ .CO.NH ₂	"	"	100	Dessaigues and Chautard	A., 68, 323	v., 974
" "	"	"	"	126	Hofmann	B., 15, 983	
" "	"	"	230-232	126-128	Letts	B., 5, 673	vii., 1196
Methylisopropylacetoxime	CHMe ₂ .CMe : N.OH	"	157-158	"	Nägeli	B., 16, 2984	46, 611
Isoamylalldoxime	CHMe ₂ .CH ₂ .CH : N.OH	"	160-162	"	Petraczek	B., 16, 829	
Isoamyl nitrite	CHMe ₂ .CH ₂ .CH ₂ .O.NO	C ₅ H ₁₁ O ₂ N	91	"	Rieckher	J., 1, 699	iv., 75
" "	"	"	92	"	Bertoni and Truffi	G. I., 14, 23	46, 1110
Amylic nitrite	C ₅ H ₁₁ .O.NO	"	94-95	"	Hilger	G. J. C. [1874], 352	
" "	"	"	96	"	Balard	A. C. [3], 12, 318	iv., 75
" "	"	"	97-98	"	Chapman	G. J. C., 1867	
" "	"	"	98-99	"	"	"	vi., 870
" "	"	"	99	"	Guthrie	J., 11, 403	
" "	"	"	96-100	"	Maisch	C. C. [1872], 352	25, 1092
" "	CH ₃ (CH ₂) ₃ .CH ₂ .O.NO	"	97	"	Bertoni and Truffi	G. I., 14, 23	46, 1110
Nitropentane ...	C ₅ H ₁₁ .NO ₂	"	150-160	"	Meyer and Stuber	B., 5, 204; A., 171, 43	25, 474; vii., 897
Ethylic dimethyl carbamate	NMe ₂ .COOEt	"	139-140	"	Schreiner	J. p. [2], 20, 125	33, 312
" ethylcarbamate	NHEt.COOEt	"	174-175	"	Wurtz	C. R., 37, 182	i., 751
" "	"	"	175.5	"	Schreiner	J. p. [2], 20, 125	33, 312
" "	"	"	"	112.5	"	J. p. [2], 22, 353	40, 88
Isobutylic carbamate	NH ₂ .COO.CH ₂ .CHMe ₂	"	206-207	55	Mylius	B., 5, 973	26, 266
α-ethylamidopropionic acid	C ₂ H ₅ Et(NH ₂).COOH	"	"	w. m.	Duvillier	C. R., 99, 1120	43, 373
α-amidoisovaleric acid	CHMe ₂ .CH(NH ₂).COOH	"	"	w. m.	Justin	B. S. [2], 37, 3	42, 529
β- " "	(CH ₃) ₂ .C(NH ₂).CH ₂ .COOH	"	"	215	Bredt	B., 15, 2321	
β- " "	"	"	"	217	Lüdeke	A., 198, 53	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Lactoeethylamide	CH ₃ .CH(OH).CO.NHEt	C ₆ H ₁₁ O ₂ N	260	48	Wurtz and Friedel	A. C. [3], 63, 110	iii., 453
Ethyl lactamide	CH ₃ .CH(OEt).CO.NH ₂	"	219	62-63	Wurtz	A. C. [3], 69, 175	iii., 452
α-methoxybutyramide	CH ₃ .CH ₂ .CH(MeO).CONH ₂	"	77-78	Duvillier	C. R., 88, 598	36, 523
α-hydroxyisovaleramide	CHMe ₂ .CH(OH).CO.NH ₂	"	104	Lipp	A., 205, 27	40, 86
γ-hydroxyvaleramide	CH ₃ .CH(OH).(CH ₂) ₂ .CO.NH ₂	"	50	Neugebauer	A., 227, 97	48, 651
Base from putrefaction	"	156	Salkowski	B., 16, 1193	44, 925
Diethylnitrosocarbamide	NHEt.CO.NEt.NO	C ₃ H ₁₁ O ₂ N ₃	5	Fischer	B., 9, 111	29, 912
Isoamylic nitrate	CHMe ₂ .CH ₂ .CH ₂ .O.NO ₂	C ₅ H ₁₁ O ₃ N	137	Rieckher	J. p. Ph., 14, 1	iv., 108
" "	"	"	147-148	Chapman & Smith	vi., 868
" "	"	"	148	Hofmann	A. C. [3], 23, 374	iv., 108
Tetramethylcarbamide	CO.(NMe ₂) ₂	C ₅ H ₁₂ ON ₂	175-177	Liquid	Michler & Escherich	B., 12, 1164	36, 935
Diethylcarbamide	CO(NHEt) ₂	"	106	Linpricht & Habich	A., 109, 105	
" "	"	"	107	Hofmann	Z. C.—	vi., 1051
" "	"	"	107.5-110	Zotta	A., 179, 101	29, 569
" "	"	"	263 c.	112.5	Wurtz	R. [1862], 199	ii., 564
Dimethylpropylalkine	C ₅ H ₁₃ ON	124.5-126.5	Ladenburg	B., 14, 2407	42, 165
Hydroxyisoamylamine	C ₅ H ₁₀ (OH).NH ₂	"	157-159	Radziszewski and Schramm	B., 17, 839	46, 1190
" "	"	"	160	As., 7, 90	
Hydroxypropylethylamine	C ₃ H ₆ (OH).NHEt	"	160	Liebermann & Paal	B., 16, 533	44, 910
Diethylsemicarbazide	Unsymmetrical	C ₆ H ₁₃ ON ₃	149	A., 199, 312	
Dimethylpropylglycoline	CH ₂ (OH).CH(OH).CH ₂ .NMe ₂	C ₆ H ₁₃ O ₂ N	216-217	Liquid	Roth	B., 15, 1153	42, 1195
Taurobetaïn	C ₆ H ₁₃ O ₃ N	240	Z. P. C., 7, 35	
Bidimethylamidocarbamide	CO(NH.NMe ₂) ₂	C ₆ H ₁₄ ON ₄	220	Renouf	B., 13, 2172	40, 152
Ammonium glutarate ...	COO(NH ₄)(CH ₂) ₃ .COO(NH ₄)	C ₆ H ₁₄ O ₄ N ₂	150	Bernheimer	G. I. [1882], 281	42, 1190
Dinitrodihydroxyquinone (nitranilic acid)	C(OH) ₂ (NO ₂) ₂ :O ₂	C ₆ H ₂ O ₃ N ₂	d.w.m. 170	Nietzki	B., 10, 2147	34, 426
" "	"	"	+xH ₂ O	a. 100 +	"	"	"
Tetranitrodihydroxybenzene	C ₆ (OH) ₂ (NO ₂) ₄	C ₆ H ₂ O ₁₀ N ₄	166	Henriques	A., 215, 335	44, 329
Nitrophenylene oxide ...	C ₆ H ₃ (NO ₂):O	C ₆ H ₃ O ₃ N	150	A., 124, 250	v., 161
Nitroquinone	C ₆ H ₃ (NO ₂) ₂ :O ₂ =5.4.1	C ₆ H ₃ O ₄ N	232	Etard	A. C. (5), 22, 273	40, 583
Trinitrobenzene	C ₆ H ₃ (NO ₂) ₃ =?	C ₆ H ₃ O ₆ N ₃	106-108	Henriques	A., 215, 356	
" "	"	"	119	Salkowski & Rehs	B., 7, 373	27, 801
" "	" =1.3.5	"	121-122	Hepp	B., 9, 403	30, 76
" "	"	"	121-122	"	B., 13, 2346	
" "	"	"	121-122	"	A., 215, 344	44, 316
" "	" =?	" (4)	121-122 u.c.	Claus and Becker	B., 16, 1597	44, 1093
Trinitrophenol	OH.(NO ₂) ₃ =?	C ₆ H ₃ O ₇ N ₃	145	Rinne and Zincke	B., 7, 871	27, 1163
" "	" =1.3.4.6	"	90-104	Zehenter	M. C., 6, 523	48, 1235
" "	" =1.2.3.6	"	96 u.c.	Henriques	A., 215, 331	44, 328
" (picric acid)	" =1.2.4.6	"	117-118	"	A., 215, 332	"
" " "	"	"	120	Faust	B., 6, 132	26, 635
" " "	"	"	120	Henking	Z. C. [2], 8, 523	25, 483
" " "	"	"	121-121.5	Thörner	B., 12, 1632	
" " "	"	"	121-194	Mills	P. R. [1881], 205	
" " "	"	"	122.5	Körner	Z. C. [2], 2, 662	vi., 910
" " "	"	"	121-122	Hepp	G. J. C., 1880	vii., 929
" " "	"	"	122.5	Post	B., 7, 331	27, 800
" " "	" =?	"	cf. B., 10, 524	174	Bantlin	B., 8, 22	28, 640
Trinitroresorcinol (styphnic acid)	(OH) ₂ (NO ₂) ₃ =1.3.4.5.6 or 1.3.2.4.6	C ₆ H ₃ O ₈ N ₃	175.5	Stenhouse	P. R., 19, 410 ; C. N., 22, 98 ; 23, 193	24, 358 ; vii., 1043
" " "	"	"	174.5	Merz and Zetter	B., 12, 2035	38, 113
" " "	"	"	175	Griess	B., 7, 1224	
" " "	"	"	175.5	Typke	B., 16, 553	
Trinitrochloroglucinol	(OH) ₂ (NO ₂) ₃ =1.3.5.2.4.6	C ₆ H ₃ O ₉ N ₃	158	Benedikt	B., 11, 1376	36, 58
" " "	"	"	159-160	Benedikt & Hazura	M. C., 5, 667	48, 554
m-nitrodiazobenzolimide	NO ₂ .C ₆ H ₃ .N:N.NH	C ₆ H ₄ O ₂ N ₄	52	Griess	P. T. [1864], (3), 708	iv., 449, 484
p- " "	"	"	71	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Azimidonitrobenzene	$C_6H_3(NO_2)_2.N.NHN$	$C_6H_4O_2N_4$	cf. A., 115, 252	211	Hofmann	P. R., 10, 496	iv., 484
Dinitrobenzene	$C_6H_4(NO_2)_2=1.3$	$C_6H_4O_4N_2$	84	Friedburg	C. N., 47, 52	44, 535
"	"	"	297 c.	Mayer and Städler	B., 17, 2649	48, 141
"	"	"	84.5	Rommier	B. S. [2], 18, 70	25, 1002
"	"	"	85	Petrieff	B., 6, 557	28, 1028
"	"	"	87	Rudnew	B., 4, 410	vii., 908
"	"	"	87	Salkowski	A., 174, 276; B., 5, 873	vii., 80, 908; 26, 280
"	"	"	87	Petersen	B., 6, 368	26, 1133
"	"	"	87.5	Salkowski & Rehs	B., 7, 372	27, 801
"	"	"	89.1	Schiff	A., 223, 247	46, 1089
"	"	"	89.712	Mills	P. R. [1881], 205	
"	"	"	89.8	Körner	G. I., 4, 305	29, 207
"	"	"	89-90	Hübner, Babcock, and Schaumann	B., 12, 1345	36, 928
"	"	"	90	Henriques	A., 215, 379	44, 327
"	"	"	90-91	Hepp	B., 13, 2347	
"	"	"	b. 100	i., 544
"	"	"	117	Laubenheimer	B., 9, 1328	
"	"	"	117-118	Rinne and Zincké	B., 7, 1372	28, 255
"	"	"	117.9	Körner	G. I., 4, 305	29, 208
"	"	"	170	Henriques	A., 215, 379	44, 327
"	"	"	171	Hepp	B. S. [2], 30, 4	36, 51
"	"	"	171-172	Rinne and Zincké	B., 7, 870	27, 1163
"	"	"	171-172	Henriques	A., 215, 379	44, 327
"	"	"	172	Körner	G. I., 4, 305	29, 208
Nitroethylnitrofurane	$NO_2.C_4H_2O.CH:CH.NO_2$	$C_6H_4O_5N_2$	143-144	Priebs	B., 18, 1362	48, 971
Dinitrophenol	$HO.(NO_2)_2=1.2.6$	"	61-62	Schneider	Z. C. [2], 7, 452	25, 241
"	"	"	61.843	Mills	P. R. [1881], 205	
"	"	"	63	Hübner, Babcock and Schaumann	B., 12, 1346	36, 928
"	"	"	63.9	Körner	G. I., 4, 305	29, 229
"	"	"	63-64	Hübner & Schneider	A., 167, 105	vii., 909, 929
"	"	"	64	Faust	B., 6, 132	26, 634
"	"	"	64	Hübner & Schneider	Z. C. [2], 8, 523	25, 483
"	"	"	64	Post	B., 7, 331	27, 800
"	"	"	102-103	Andreae	J. p. [2], 21, 318	38, 467
"	"	"	104	Cahours	A. C. [3], 25, 22	iv., 398
"	"	"	104	Laurent	A. C. [3], 3, 212	24, 222
"	"	"	104	Bantlin	B., 8, 22	28, 640
"	"	"	104	"	B., 11, 2103	36, 238
"	"	"	105	Bolley	Z. C. [2], 7, 45	24, 222
"	"	"	110-111	Wallach & Kiepenheuer	B., 14, 2618	
"	"	"	111.621	Mills	P. R. [1881], 2005	
"	"	"	112; 113	Bohn & Heumann	B., 15, 3038	44, 584
"	"	"	113	Hemilian	B., 8, 768	29, 918
"	"	"	112-114	Guareschi and Dacomo	B., 18, 1176	vii., 929
"	"	"	113-114	Hepp	B., 13, 2347	
"	"	"	113-114	Hübner & Schneider	Z. C. [2], 8, 523	25, 483
"	"	"	113-114	Bohn & Heumann	B., 17, 272	46, 1014
"	"	"	114	Wellgerodt	B., 9, 979	
"	"	"	114	Engelhardt and Latschinoff	Z. C. [2], 6, 232	vii., 147, 908
"	"	"	114	Faust	B., 6, 132	26, 634
"	"	"	114	"	A. P. [3], 3, 103	27, 158
"	"	"	114	Post	B., 7, 331	27, 800
"	"	"	114	Salkowski	A., 174, 257	28, 367
"	"	"	114	Mertens	B., 10, 995	32, 605

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrophenol	HO(NO ₂) ₂ = 1.2.4	C ₆ H ₄ O ₅ N ₂	114	Hübner, Babcock, and Schaumann	B., 12, 1346	36, 928
"	" "	"	114	Hübner	A., 210, 393	42, 507
"	" = 1.3.4	"	134	Bantlin	B., 11, 2104	36, 238
"	" "	"	141	"	B., 8, 22	28, 640
"	" = 1.2.3	"	144	"	B., 11, 2104	36, 238
Dinitroquinol	(OH) ₂ (NO ₂) ₂ = 1.4.5.?	C ₆ H ₄ O ₆ N ₂	135-136 d.	Nietzki	B., 11, 471	34, 499
Dinitroresorcinol	" = 1.3.4.6	"	cf. B. 16, 668	142	Benedikt and Hübl	M. C., 2, 323	40, 1133
"	" "	"	cf. B. 16, 1101	142.5	Fevre	C. R., 96, 790	44, 733
"	" = 1.3.4.5	"	cf. B. 16, 668	210	Benedikt and Hübl	M. C., 2, 330	40, 1135
"	" "	"	212.5	Typke	B., 16, 552	44, 917
"	" "	"	214.5	Schiaparelli & Abelli	G. I., 13, 257 ; B., 16, 872	46, 175
Trinitraniline (picramide)	NH ₂ (NO ₂) ₃ = 1.2.4.6	C ₆ H ₄ O ₆ N ₄	179-180	Clemm	Z. C. [1870], 444	
"	" "	"	187	Salkowski	A., 174, 260	28, 366
"	" "	"	188	Pisati	A., 92, 327	
"	" "	"	188	Liebermann and Palm	B., 8, 378	
"	" "	"	188	Mertens	B., 11, 843	
? base	C ₆ H ₅ ON	156	Proskauer and Sell	B., 9, 1264	31, 68
Nitrobenzene....	C ₆ H ₅ .NO ₂	C ₆ H ₅ O ₂ N	205 (760) ; 121.2 (75) ; 116.2 (50) ; 102.5 (25) ; 98.1 (20) ; 93.0 (15) ; 87.0 (10) ; 79.1 (5) ; 68.2 (0)	Kahlbaum	B., 17, 1261	
"	"	"	205 (730)	Städeler	G. J. C. [1865], 409	
"	"	"	209.4 (745.4)	Brühl	A., 200, 188	38, 296
"	"	"	210	Konovaloff	C. R., 95, 1284	44, 553
"	"	"	3	Schiff	A., 223, 247	46, 1089
"	"	"	213	3	Mitscherlich	P. A., 31, 625	i., 543
"	"	"	219-220	3	Kopp	A., 98, 369 ; 137, 169	"
"	"	"	220	Ramsay	35, 472	
"	"	"	3	Schmidt & Schultz	B., 12, 486	36, 631
Nitrosophenol	OH.NO = 1.4	"	120-130 d.	Baeyer and Caro	A., 188, 360 ; B., 7, 811, 965	vii., 911 ; 28, 84
<i>a</i> -Pyridine carboxylic acid (picolinic acid)	N.CO.OH = 1.2	"	133.9 ; 134.5-136	Skraup	W. A., 82, 748	40, 744, 745
"	" "	"	134.5-136	Weidel	B., 12, 1992	38, 268
"	" "	"	134-135	Hantzsch	B., 18, 1748	
"	" "	"	135.7-136	Skraup & Cobenzl	M. C., 4, 436	44, 1016
<i>a</i> - "	" "	"	137	Goldschmidt and Constam	B., 16, 2979	46, 61
<i>a</i> - "	" "	"	140	Skraup	W. A., 82, 748	40, 745
<i>β</i> - "	" = 1.3	"	225	Hoozwerff & Dorp	A., 207, 226	42, 311
<i>β</i> - "	" "	"	225-226	"	B., 16, 426	
<i>β</i> - "	" "	"	225-227 u.c.	Laiblin	B., 10, 2137	34, 432
<i>β</i> - "	" "	"	228	Fischer	B., 15, 63	42, 627
<i>β</i> - "	" "	"	228-229	Weidel	B., 12, 2004	38, 268
<i>β</i> - "	" "	"	229	Pechmann & Welsh	47, 152	
<i>β</i> - "	" "	"	229-230	Coninck	C. R., 92, 413	40, 444
<i>β</i> - "	" "	"	229.5-230	Skraup	W. A., 82, 748	40, 744
<i>β</i> - "	" "	"	230-231	Coninck	C. R., 92, 413	40, 443
? "	" = ?	"	a. 250	Gerichten	B., 14, 315	40, 445
<i>γ</i> - "	" = 1.4	"	a. 287	Böttinger	B., 14, 69	
<i>γ</i> - "	" "	"	298-299	Richter	R. K. T., 97	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
γ -Pyridine carboxylic acid (isonicotinic acid)	N.COOH=1.4	C ₆ H ₅ O ₂ N	302.5	Skraup	W. A., 82, 748	40, 744
γ "	" "	" "	303	Ladenburg and Schroeder	B., 17, 1122	46, 1048
γ "	" "	" "	305	Ladenburg	B., 17, 772	46, 1196
γ "	" "	" "	B., 12, 2332	305	Skraup	A., 201, 291	38, 410
γ "	" "	" "	306	Behrmann & Hof- mann	B., 17, 2697	46, 139
γ "	" "	" "	307	Weidel and Russo	M. C., 3, 865	44, 484
γ "	" "	" "	309.5	Weidel	M. C., 1, 41	
γ "	" "	" "	310	Goldschmidt and Constam	B., 16, 2980	46, 61
Nitrophenol	OH.NO ₂ = ?	C ₆ H ₅ O ₃ N	-7 to +2	Post	B., 6, 399	26, 904
" (4th)	" "	" "	205-207	31	Fittica	J. p. [2], 24, 54	42, 51
" "	" "	" "	34-35	"	B., 13, 714	40, 47
" =1.2	" "	" "	216	42	Hofmann	A., 103, 347	iv., 394
" "	" "	" "	44.392	Mills	P. R. [1881], 205	
" "	" "	" "	44.8	Laubenheimer	B., 9, 1820	31, 594
" "	" "	" "	44.8	Fittica	G.J.C. [1876], 383	
" "	" "	" "	214	45	Fritsche	P. A. B., 16, 11	iv., 394
" "	" "	" "	45	Armstrong		25, 868
" "	" "	" "	45	Walker and Zincke	B., 5, 116	25, 418
" "	" "	" "	214	45	Faust	B., 6, 132	26, 634
" "	" "	" "	45	Petersen	B., 6, 368	26, 1133
" "	" "	" "	45	Post & Brackebusch	B., 7, 164, 165	27, 475
" "	" "	" "	45 ; 46	Körner	G. I., 4, 316	27, 476 ; 29, 234 ; vii., 929
" "	" "	" "	45	Post	B., 7, 331	27, 800
" "	" "	" "	45	Hübner	B., 7, 462 ; 8, 1221 ; A., 195, 1	27, 801 ; 29, 594 ; 36, 382
" "	" "	" "	45	Augustin and Post	B., 8, 1557	29, 386
" "	" "	" "	45	Goldstein	B. S. [2], 30, 434	36, 148
" "	" "	" "	45	Natanson	B., 13, 416	38, 463
" "	" "	" "	45	Armstrong & Pre- vost	B., 7, 922	27, 1164
" "	" "	" "	45	Armstrong & Brown	B., 7, 923	"
" "	" "	" "	45.2	Schiff	A., 223, 247	46, 1089
" "	" "	" "	46	Armstrong	28, 520	
" =1.3	" "	" "	95-96	Fittig and Bantlin	B., 7, 180	vii., 908 ; 27, 583
" "	" "	" "	95-96	Körner	G. I., 4, 305	29, 234
" "	" "	" "	194 (70)	96	Bantlin	B., 11, 2100	36, 237
" (5th)	" = ?	" "	105-106	Fittica	B., 13, 711, 1537	40, 47
" "	" "	" "	108	"	J. p. [2], 24, 13	42, 51
" =1.4	" "	" "	108	Richter	B., 4, 460	vii., 907
" "	" "	" "	abt. 110	Fritsche	J. p., 75, 257	iv., 396
" "	" "	" "	110	Walker and Zincke	B., 5, 116	25, 418
" "	" "	" "	110	Post	B., 5, 853	26, 173
" "	" "	" "	110	Faust	B., 6, 132	26, 634
" "	" "	" "	110	Petersen	B., 6, 368	26, 1133
" "	" "	" "	110	Post & Brackebusch	B., 7, 163, 331	27, 475, 800
" "	" "	" "	110	Hübner	B., 7, 462	27, 802
" "	" "	" "	110	Armstrong	B., 7, 925, 926	25, 868 ; 27, 1165
" "	" "	" "	110-111	Körner	G. I., 4, 305	29, 234
" "	" "	" "	111-455	Mills	P. R. [1881], 205	
" "	" "	" "	114	Schiff	A., 223, 247	46, 1089
" "	" "	" "	114	Wagner	B., 7, 77	vii., 925, 929
" "	" "	" "	114	Schmidt and Cook	K. L., 3, 41	vii., 907
" "	" "	" "	114	Fittig	B., 7, 280	27, 696
" "	" "	" "	114	Baeyer and Caro	B., 7, 965	28, 84
" "	" "	" "	114	Körner	G. I., 4, 305	29, 234
" "	" "	" "	114	Hasse	B., 10, 2188	34, 416

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrophenol	OH.NO ₂ =1.4	C ₆ H ₅ O ₃ N	114	Hübner	B., 8, 1221; A. 195, 1	29, 594; 33, 381
"	"	"	114	Natanson	B., 13, 416	38, 463
"	"	"	115	Post and Mehrtens	B., 8, 1552	
"	"	"	115	Augustin and Post	B., 8, 1557	29, 386
Nitrosoresorcinol	(OH) ₂ .NO=1.3.?	"	d. 112-148	Fèvre	B., 16, 1101	
Nitroethenylfurfurane	C ₄ H ₄ O.CH:CH.NO ₂	"	74-75	Priebs	B., 18, 1362	48, 971
β-Hydroxypicolinic acid	N.COOH.OH=1.2.!	"	250	Ost	J. p. [2], 27, 291	44, 795
γ-	"	"	258	Bellmann	J. p. [2], 29, 1	46, 840
α-	"	"	267	Ost	J. p. [2], 27, 289	44, 795
Hydroxynicotinic acid	" =1.3.6	"	301-302 d.	Königs and Geigy	B., 17, 589	48, 1195
"	"	"	302 d.	Feer and Königs	B., 18, 2399	
"	"	"	303	Pechmann & Welsh	47, 150	
Nitrosnitranilide	C ₆ H ₄ .NO ₂ .NH(NO)=1.2	C ₆ H ₅ O ₃ N ₃	126	Plagemann	B., 15, 486	42, 973
Nitrocatechol	(OH) ₂ .NO ₂ =1.2.3.	C ₆ H ₅ O ₄ N	86	Weselsky and Benedikt	M. C., 3, 386	42, 1200
"	" =1.2.4	"	157	Benedikt	B., 11, 362	34, 575
"	"	"	168	Weselsky and Benedikt	M. C., 3, 387	42, 1200
Nitroresorcinol	" =1.3.2	"	85	Weselsky	M. C., 1, 894	
"	"	"	88	Weselsky and Benedikt	W. A., 82, 1219	40, 726
"	" =1.3.4	"	115	Weselsky	M. C., 1, 894; A., 164, 1	25, 1007; vii., 1043
"	"	"	115	Schiaparelli & Abelli	G. I., 13, 257	46, 174
"	" =1.3.5	"	d. w. m. 148	Fèvre	C. R., 96, 790	44, 733
Citrazinic acid	N.(OH) ₂ .COOH=1.2.6.4	"	n.d. 275	d.w.m.a. 300	Behrmann and Hofmann	B., 17, 2689	48, 139
Dinitraniline	NH ₂ .(NO ₂) ₂ =1.2.6	C ₆ H ₅ O ₄ N ₃	137-8	Körner	G. I., 4, 305	29, 212
"	"	"	138	Salkowski & Rehs	B., 7, 371	27, 801
"	"	"	138	Salkowski	A., 174, 273	28, 367; vii., 909
"	" =1.2.4	"	174	Staedel	B., 14, 899; A., 217, 182	40, 724; 44, 864
"	"	"	175	Rudnew	Z. C. [2], 7, 202	24, 712
"	"	"	175	Clemm	Z. C. [2], 6, 444	vii., 145
"	"	"	175	Salkowski	A., 174, 263	vii., 908
"	"	"	176	Hübner	B., 10, 1708	34, 142
"	"	"	177	Engelhardt and Latschinoff	Z. C. [2], 6, 233	vii., 147
"	"	"	182	Schaumann	B., 12, 1345	
"	"	"	182-183	Willgerodt	B., 9, 978	30, 405
"	"	"	185	Gottlieb	A., 85, 26	iv., 448
Nitropyrogallol	(OH) ₃ .NO ₂ =1.2.3.?	C ₆ H ₅ O ₅ N	205 d.	M. C., 1, 882	
Amidodinitrophenol (picramic acid)	OH.NH ₂ .(NO ₂) ₂ =1.2.4.6	C ₆ H ₅ O ₅ N ₃	165	Girard	C. R., 36, 421	iv., 406
"	"	"	165	Dabney	A. C. J., 5, 20	46, 308
"	"	"	167	Hübner	A., 210, 392	42, 507
"	"	"	169-170	Stuckenberg	B., 10, 382	32, 474
"	" =1.4.2.6	"	170 p.d.	Dabney	A. C. J., 5, 20	48, 308
"	NH ₂ .(NO ₂) ₂ =consecutive	"	202	Henriques	A., 215, 334	44, 329
Dinitropyrryl methylketone	Me.CO.C ₄ NH ₂ (NO ₂) ₂	"	114	Ciamician & Silber	B., 18, 1464	48, 993
"	"	"	+H ₂ O	106-107	"	"	"
Apotheobromine	" (?)	185	Maly & Andreasch	M. C., 3, 108	42, 633
Dinitroamido-resorcinol	(OH) ₂ .NH ₂ .(NO ₂) ₂ =1.3.(?) ₃	C ₆ H ₅ O ₆ N ₃	190	M. C., 2, 326	
Trinitrodiamidobenzene	(NH ₂) ₂ .(NO ₂) ₃ =1.3.2.4.6	C ₆ H ₅ O ₆ N ₅	very high	Nöltling and Collin	B., 17, 260	46, 1004
Hydroxymethylpurine	C ₅ N ₄ H ₂ Me.OH	C ₆ H ₆ O ₄ N ₄	233	Fischer	B., 17, 333	46, 996
Diacetyl dicyanide	(CH ₃ CO.CN) ₂	C ₆ H ₆ O ₂ N ₂	208-209	69	Hübner	A., 120, 336	vi., 23
"	"	"	210 c.	69	Kleemann	B., 18, 257	48, 505
"	"	"	170	69	A., 124, 315	
Nitraniline	NH ₂ .NO ₂ =1.2	"	38	Petersen	B., 6, 368	26, 1133
"	"	"	64	Salkowski	A., 174, 278	vii., 908
"	"	"	65	Sandmeyer	B., 18, 1494	25, 418
"	"	"	66	Walker and Zincke	B., 5 114	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitraniline	$\text{NH}_2\text{NO}_2 = 1.2$	$\text{C}_6\text{H}_6\text{O}_2\text{N}_2$...	66	Zincke	B., 7, 1374	28, 255
"	"	"	...	67	Stöver	B., 7, 1315	28, 271
"	"	"	...	70-71	Rinne and Zincke	B., 7, 1374	28, 255
"	"	"	...	71	Hübner	B., 9, 775	30, 309
"	"	"	...	71	"	A., 208, 301	40, 1131
"	"	"	...	71	Smith	A. C. J., 6, 172	48, 524
"	"	"	...	71.5	Körner	G. I., 4, 305	29, 210
"	"	"	...	71.5	Laubenheimer	B., 11, 1156	34, 975
"	"	"	...	77.5 (?)	Mixter	A. C. J., 5, 282	48, 666
"	$= 1.3$	"	...	99 (?)	Salkowski	A., 174, 257	28, 367
"	"	"	...	107	Levinstein	D. P., 256, 471	48, 1127
"	"	"	...	108	Arppe	A., 90, 147 ; A., 93, 157	iv., 446 ; vii., 143, 944
"	"	"	...	108	Griess	18, 857	vi., 921
"	"	"	...	108	Walker and Zincke	B., 5, 116	25, 418
"	"	"	...	108	Petersen	B., 6, 368	28, 1133
"	"	"	...	108	Hübner and Mears	B., 9, 775	30, 309
"	"	"	...	109.9	Körner	G. I., 4, 305	29, 210
"	"	"	285	110	Hofmann and Muspratt	A., 57, 204	iv., 446
"	"	"	...	110	Lermontoff	B., 5, 235	vii., 658 ; 25, 503
"	"	"	...	110	Gabriel	B., 11, 2261	38, 324
"	"	"	...	111	Losanitsch	B., 15, 470	42, 955
"	"	"	...	112 ; 114	Hübner	A., 208, 278	40, 1130, 1131
"	"	"	...	116	Mixter	A. C. J., 1, 239	40, 1130
"	$= 1.4$	"	...	140	Salkowski	A., 174, 257	28, 367
"	"	"	...	141	Arppe	A., 90, 147 ; A., 93, 157	iv., 446
"	"	"	...	141	Griess	18, 857	vi., 921
"	"	"	...	141	Biedermann	B., 7, 541	27, 808
"	"	"	...	145.9	Körner	G. I., 4, 305	29, 210
"	"	"	...	146	Sandmeyer	B., 18, 1492	vii., 143
"	"	"	...	146	Walker and Zincke	B., 5, 115	25, 418 ; vii., 944
"	"	"	...	146	Petersen	B., 6, 368	28, 1133
"	"	"	...	146	Salkowski	B., 7, 42	27, 467
"	"	"	...	146	Fittig	B., 7, 280	27, 696
"	"	"	...	146	Rinne and Zincke	B., 7, 871	27, 1163
"	"	"	...	146	Stöver	B., 7, 1315	28, 271
"	"	"	...	146	Hübner	A., 208, 278	40, 1130
"	"	"	...	148	Rhalis	A., 198, 99	38, 119
"	"	"	...	155	Hübner	A., 208, 278	40, 1131
"	$= ?$	"	...	175	"	B., 10, 1708	34, 142
Urocanic acid	...	"	...	212-213 p.d.	Jaffe	B., 7, 1671 ; 8, 811	28, 479
Succinoyamide	$\text{C}_2\text{H}_4(\text{CO.NH.CN})_2$	$\text{C}_6\text{H}_6\text{O}_2\text{N}_4$...	104-105	Möller	J. p. [2], 22, 220	40, 259
Dehydromucamide	$\text{C}_4\text{H}_2\text{O}(\text{CONH}_2)_2$	$\text{C}_6\text{H}_6\text{O}_3\text{N}_2$...	n.f. 240	Klinkhardt	J. p. [2], 25, 48	42, 498
Amidenitrophenol	$\text{OH.NH}_2.\text{NO}_2 = 1.2.6$	"	cf. A, 205, 85	110-111	Stuckenbergl	B., 10, 387	32, 475
"	$= 1.2.4$	"	...	133-134	Barbaglia	B., 7, 1259	28, 273
"	"	"	...	142-143	...	A., 75, 68 ; 205, 72	
"	"	"	$+ x\text{H}_2\text{O}$	80-90	...	"	
"	$= 1.4.?$	"	...	206	Hübner	A., 210, 382	42, 506
"	"	"	$+ \text{H}_2\text{O}$	183	"	"	
β -Nitropyrryl methyl ketone	$\text{Me.CO.C}_4\text{NH}_3.\text{NO}_2$	"	...	156	Ciamician & Silber	B., 18, 1465	48, 993
"	"	"	...	196-197	"	B., 18, 413	48, 810
"	"	"	...	197	"	B., 18, 1458	48, 993
Methyluric acid	$\text{C}_5\text{H}_3\text{MeO}_3\text{N}_4$	$\text{C}_6\text{H}_6\text{O}_3\text{N}_4$...	a. 360	Hill	B., 9, 371	30, 75
Nitroamidoresorcinol	$(\text{OH})_2.\text{NO}_2.\text{NH}_2 = 1.3.(?)_2$	$\text{C}_6\text{H}_6\text{O}_4\text{N}_2$...	170	Benedikt and Hubl	M. C., 2, 324	40, 1133
Dinitrodiamidobenzene	$(\text{NO}_2)_2(\text{NH}_2)_2 = ?$	$\text{C}_6\text{H}_6\text{O}_4\text{N}_4$...	210-211	Norton and Elliott	B., 11, 327	34, 417
"	$= (?)_2.1.4$	"	...	294	Ledoux	B., 7, 1532	
Eulyte....	...	$\text{C}_6\text{H}_6\text{O}_7\text{N}_4$...	99.5 c.	Bassett	Z. C. [1871], 701	25, 99
Hydroxylamine picrate	$\text{NH}_2(\text{OH}).\text{C}_6\text{H}_2.\text{OH}(\text{NO}_2)_3$	$\text{C}_6\text{H}_6\text{O}_8\text{N}_4$...	100	Lossen	Z. C. [2]	vi., 723

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrodulcitan (cf. J., 1860, 522)	C ₆ H ₆ O ₁₂ N ₄	120-130	B. S., 22, 179	
Amidophenol.... (4th)	C ₆ H ₄ .OH.NH ₂ = ?	C ₆ H ₇ ON	150; 151	Fittica	B., 13, 713, 1536	40, 47
" " " " " " " "	" = 1.2	"	170	A., 103, 352	
" " " " " " " "	" = 1.3	"	d.	Bantlin	B., 11, 2101	
" " " " " " " "	" = 1.4	"	184 d.	Richter	R. K. T., 101	
Methoxypyridine	C ₆ H ₄ MeON	"	190.5-191	Haitinger & Lieben	M. C., 6, 279	48, 966
Methyl hydroxypyridine	"	"	89	"	"	"
Acetylpyrroline	CH : CH.CAc.NH.CH	"	177-178	Liquid	Ciamician & Dennstedt	G. I., 13, 455	46, 290
" " " " " " " "	"	181-182 c.	Liquid	Ciamician & Silber	B., 18, 881	48, 808
Pseudoacetyl pyrroline	CH : CAc.CH.NH.CH	"	220	90	Ciamician & Dennstedt	G. I., 13, 455	46, 290
" " " " " " " "	CH : CH.CH.NAc.CH	"	90	Schiff	B., 10, 1501	34, 216
Methylic α -carbopyrrolate	C ₄ H ₄ N.COOMe	C ₆ H ₇ O ₂ N	73	Ciamician & Silber	B., 17, 1152; G. I., 14, 162	46, 1044; 48, 246
" " " " " " " "	"	"	73	Ciamician & Magnaghi	B., 18, 1832	
α -Methyl carbopyrrolic acid	C ₄ H ₃ MeN.COOH	"	135	Bell	B., 10, 1866	36, 525
β - " " " " " " " "	"	"	142.4	Ciamician	B., 14, 1056	
γ - " " " " " " " "	"	"	169.5	"	"	
Nitrodiamidobenzene ...	(NH ₂) ₂ .NO ₂ = 1.2.4	C ₆ H ₇ O ₂ N ₃	137	Ladenburg	B., 17, 149	46, 738
" " " " " " " "	" = 1.3.?	"	161	Barbaglia	B., 7, 1259	28, 273
" " " " " " " "	" = 1.4.6	"	195	Ladenburg	B., 17, 148	46, 738
" " " " " " " "	" "	"	195	Ledoux	B., 7, 1533	
Hypocaffeine	COO.CH.NMe.CO.N : C.NMe	C ₆ H ₇ O ₃ N ₃	181	Fischer	B., 14, 643, 1906	40, 614
" " " " " " " "	" " " "	"	182	"	A., 215, 253	44, 356
Pyrrylmethyl acetoxime	NH : C ₄ H ₃ CMe : N.CH	C ₆ H ₈ ON ₂	145-146	Ciamician & Dennstedt	B., 17, 432, 2945	46, 1044
From Cyanomethine....	C ₆ H ₇ N ₂ .OH	"	194	Meyer	J. p. [2], 27, 154	44, 654
Anhydro-diacetyl acetamidil	"	253	Pinner	B., 17, 175	46, 723
Methyl succinylcarbamide	CO.C ₂ H ₄ .CO.NH.CO.NMe	C ₆ H ₈ O ₃ N ₂	147-148	Menschutkin	A., 178, 209	29, 380
Ethylbarbituric acid....	CO.CHEt.CO.NH.CO.NH	"	190	Conrad & Guthzeit	B., 15, 2846	44, 314
Dimethylbarbituric acid	CO.CH ₂ .CO.NMe.CO.NMe	"	123	Mulder	B., 12, 467	
" " " " " " " "	CO.CMe ₂ .CO.NH.CO.NH	"	w. m. 200	Conrad & Guthzeit	B., 14, 1643	40, 1033
" " " " " " " "	"	"	265	Thorne	39, 546	
Dimethylalloxan	CO.NMe.CO.NMe.CO.C(OH) ₂	C ₆ H ₈ O ₅ N ₂	viscous 105	d. a. 105	Maly & Andreasch	M. C., 3, 93	42, 631
Ammonium picramate	C ₆ H ₂ ONH ₄ .NH ₂ (NO ₂) ₂	C ₆ H ₃ O ₅ N ₄	165	Girard	C. R., 36, 421	iv., 407
Dulcitol hexnitrate (nitrodulcite)	C ₆ H ₃ (O.NO ₂) ₆	C ₆ H ₃ O ₁₃ N ₆	68-72	Bechamp	C. R., 51, 257	ii., 351
" " " " " " " "	"	"	85.5	B. S., 22, 179	
" " " " " " " "	"	"	108	Richter	R. K. T., 103	
Mannitol hexnitrate (nitromannite)	"	"	112-113	Sokoloff	B., 12, 698	36, 778
Isovaleryl cyanide	C ₆ H ₉ ON	145-150	A., 131, 74	
Hydroxypicoline	"	155	Liquid	Etard	C. R., 92, 460	40, 1046
Isobutylic cyanocarbonate	NC.COO.CH ₂ .CHMe ₂	C ₆ H ₉ O ₂ N	146	Weddige	J. p. [2], 10, 201	28, 448
" paracyanocarbonate	(") _n	158	"	J. p. [2], 10, 215	28, 449
Ethyl succinimide	CO.CH ₂ .CH ₂ .O.NEt	"	232-234	l. -12	Landsberg	A., 215, 172	44, 477
" " " " " " " "	"	"	234	20-24	Menschutkin	A., 178, 201	29, 380
" " " " " " " "	"	"	234	26	"	A., 182, 90	30, 626
Dimethyl succinimide	CO.CH ₂ .CMe ₂ .CO.NH	"	sb. 60	105-107	Pinner	B., 14, 1076	40, 797
Ethylic acetycyanacetate	CHAc(CN).COOEt	C ₆ H ₉ O ₃ N	26	Hallard and Held	C. R., 95, 235	42, 1280
Triacetamide	NAc ₃	"	78-79	Wichelhaus	B., 3, 848	24, 407; vii., 3

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trimethyl cyanurate	$C_6H_9O_3N_3$	160-170	132	Hofmann and Olshausen	P. R., 18, 493	vii., 409
" "	"	132	Hofmann	B., 3, 271, 765	24, 136
" "	"	274	175-176	Wurtz	A. C. [3], 42, 62	ii., 293
" "	"	175	Hofmann	B., 3, 272, 765	24, 136
" "	"	175	"	P. R. S., 18, 433	vii., 409
Ethyl diazosuccinamate	$NH_2.CO.CN_2.CH_2.COOEt$	"	110-112 d.	Curtius and Koch	B., 18, 1298	48, 886
Hydrocaffuric acid	$NHMe.C \begin{array}{c} \\ \text{---} \\ \\ CO_2H \end{array} N.CO.NMe.CH$	"	245	Fischer	B., 14, 1910	42, 217
" "	"	240-248	"	A., 215, 253	44, 356
Pseudodiazacetamide	$(C_2H_3ON_3)_3$	$C_6H_9O_3N_9$	170 d.	Curtius	B., 18, 1290	48, 884
Ethyl acetoxamate	$NHAc.CO.COOEt$	$C_6H_9O_4N$	54	Kretzschmar and Salomon	J. p. [2], 9, 299	27, 790
" "	"	54	Kretzschmar	C. C. [1876], 233	31, 614
" nitroso-aceto-acetate	$Ac.CH(NO).COOEt$	"	52-54	Meyer and Zublin	B., 11, 320	34, 487
" imidosuccinate	$COOH.CH.NH.CH.COOEt$	"	100	Lehrfeld	B., 14, 1822	42, 164
Caffuric acid	$C_6H_9O_4N_3$	210-220 d.	Fischer	B., 14, 1909	42, 217
Ethyl oximidosuccinate	$COOH.C_2H_5(N.OH).COOEt$	$C_6H_9O_5N$	110-111 d.	Ebert	A., 229, 45	46, 1122
Amidotriglycollic acid	$N(CH_2.COOH)_3$	$C_6H_9O_6N$	a. 190, d.	Heintz	A., 122, 269	vi., 646
Citramic acid	$C_3H_5O(CO.NH_2)(COOH)_2$	"	138	Behrmann and Hofmann	B., 17, 2687	48, 138
Xyloidin	$C_6H_9(NO_2)_5$	$C_6H_9O_7N$	b. 180	v., 1060
Nitrosodulcitol	$C_6H_9O_{11}N_3$	b. 100	A., 127, 364	
Mannitol pentanitrate	$(C_6H_5(OH)(O.NO_2)_5$	$C_6H_9O_{16}N_5$	77-79	J. [1864], 583	
Diethyl carbamine cyanide	$NC.CO.NEt_2$	$C_6H_{10}ON_2$	219-220	Liquid	Wallach	B., 14, 737	40, 717
Ethyl ethyl cyanamido-carbonate	$N(CN)Et.COEt$	$C_6H_{10}O_2N_2$	abt. 213	Liquid	Bässler	J. p. [2], 16, 160	34, 215
Sarcosine anhydride	$NMe.CH_2.CO.NMe.CH_2.CO$	"	350	149-150	Mylius	B., 17, 287	46, 994
Dimethyl allantoin	$C_6H_{10}O_3N$	225	Cloez	I. D., Paris, 1866	vi., 520
Ethyl amidomaleamate	$NH_2.CO.CH:C(NH_2).COOEt$	$C_6H_{10}O_3N_2$	62 u.c.	Claus and Voeller	B., 14, 152	40, 254
" imidosuccinamate	$NH_2.CO.CH.NH.CH.COOEt$	"	118	Lehrfeld	B., 14, 1821	42, 163
" α - β -diisonitrosobutyrate	$CH_3.C(N.OH).C(N.OH).COOEt$	$C_6H_{10}O_4N_2$	140 d.	Ceresole & Köckert	B., 17, 821	46, 1121
" dicarboxylamide carboxylate	$CH(CONH_2)_2COOEt$	"	190-191	Amato	G. I. 3, 690	25, 401
Citrodiamic acid	$C_3H_5O(CO.NH_2)_2.COOH$	$C_6H_{10}O_5N_2$	158	Behrmann and Hofmann	B., 17, 2685	48, 138
Dinitrohexylic acid	$CH_3.C(NO_2)_2.CMe_2.COOH$	$C_6H_{10}O_6N_2$	215	Kachler	A., 191, 144, 155	34, 513
Tetranitrodulcitol	$C_6H_{10}(NO_2)_4O_6$	$C_6H_{10}O_{14}N_4$	130-140	Bechamp	C. R., 51, 257	ii., 351
Amylic cyanate	$CH.Pr_{\beta}Me.O.CN$	$C_6H_{11}ON$	100-120	Liquid	Wurtz	C. R.,	vi., 114
Isoamylic "	$C_5H_{11}.O.CN$	"	abt. 100	"	A. C. [3], 42, 43	ii., 195
" "	"	134-135	Liquid	Custer	B., 12, 1329	36, 913
" "	"	200	Hofmann and Olshausen	B., 3, 275	
Ethoxybutyronitril	$Me.CH(OEt).CH_2.CN$	"	173	Pinner	B., 12, 2053	38, 99
" "	"	173-174	Rinne	B., 6, 389	
Allyl acetoxime	$C_6H_{10}:N.OH$	"	187.5 c.	Liquid	Nägeli	B., 16, 496	14, 723
Mesityloxime	"	"	180-190 p.d.	Liquid	"	B., 16, 495	"
Ethyl diacetamide	$NEtAc_2$	$C_6H_{11}O_2N$	185-192	Wurtz	A. C. [2], 42, 55	
Ethyl amidoaceto-acetate	cf. Z.C. 1871, 246	"	90	J. [1863], 325	
Ethyl paramido-aceto-acetate	"	212-214	20-21	Duisberg	B., 15, 1386	42, 1193
" "	"	cf. A., 213, 172	25-28	Precht	B., 11, 1194	34, 971
Ammonium ethylene dimethylcarbonate	"	a. 63	Geuther	J. [1875], 302	34, 971
Nitrosopropylacetone	$Me.CO.CH(NO).Pr^a$	"	49.5	Treadwell	B., 14, 2159	44, 572
Isonitrosoisopropylacetone	$Me.CO.C(N.OH).Pr^{\beta}$	"	75	Westenberger	B., 16, 2992	46, 581
Acecaffeine	$C_6H_{11}O_2N_3$	110-112	Fischer	A., 215, 253	41, 356
Ethyl acetamidoacetate	$NHAc.CH_2.COOEt$	$C_6H_{11}O_3N$	260 (712)	48	Curtius	B., 16, 753; 17, 1673	44, 1087; 46, 1307

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isobutylic oxamate	NH ₂ .CO.COObu ^s	C ₆ H ₁₁ O ₃ N	89-90	Wallach and Liebmann	B., 13, 507	38, 557
" "	"	"	90	Genther	J. [1863], 324	vi., 601
Ethylic ethyloxamate	NHEt.CO.COOEt	"	244-246 u.c.	Liquid	Wallach	B., 8, 762	28, 1187
" "	"	"	244-246	Liquid	Wallach and West	A., 184, 60	32, 186
" dimethyloxamate	NMe ₂ .CO.COOEt	"	240-250	A., 217, 137	
" "	"	"	242-245	Ladenburg	B., 14, 2130	
" "	"	"	250-260	Hofmann	J. [1862], 329	iv., 281
Diethyloxamic acid	NEt ₂ .CO.COOH	"	a. 80	Heintz	A., 127, 53	40, 718
" "	"	"	99-101	Wallach	B., 14, 743	"
Methyl succinuramide	NH ₂ .CO.CH ₂ .CH ₂ .CO.NH.CO.NHMe	C ₆ H ₁₁ O ₃ N ₃	205-207	Menschutkin	A., 178, 210	29, 380
Diethylic carboxylocarbamate	NH(COOEt) ₂	C ₆ H ₁₁ O ₄ N	226 (760); 144-146(20)	49-50	Wurtz & Henninger	C. R., 100, 1419	48, 969
Ethylamidodiglycollic acid	NH(CH ₂ .COOH)(CH ₂ .COOH)	"	200-220	Liquid	Heintz	A., 145, 214	vi., 646
Nitrohexylic acid	CH ₃ .C(NO ₂).CMe ₂ .COOH	"	116; af. 111.5	Kachler	A., 191, 159	34, 514
Citramide	C ₆ H ₅ O ₄ (NH ₂) ₃	C ₆ H ₁₁ O ₄ N ₃	brown a. 200	210-215	Behrmann and Hofmann	B., 17, 2685	48, 138
Diglycollamic diuramide	(NH ₂ .CO.NH.CO.CH ₂) ₂ NH	C ₆ H ₁₁ O ₄ N ₅	195-200	Mulder	B., 6, 1016	27, 48
Oximido-ether	NN : C(OEt).C(OEt) : NH	C ₆ H ₁₂ O ₂ N ₂	170	25	Pinner and Klein	B., 11, 1482	36, 47
Propionylethylcarbamide	NHEt.CO.NH.C ₃ H ₇ O	"	100	Hofmann	B., 15, 754	42, 1052
Isovaleryl carbamide	NH ₂ .CO.NH(C ₃ H ₇ O)	"	191	A., 94, 102	i., 753
Di-(acetamido)-ethylidene	CH ₃ .CH(NHAc) ₂	"	169	Tawildarow	B., 5, 477	26, 58; vii., 3, 32
Isodiethyloxamide	NEt ₂ .CO.CO.NH ₂	"	266-268 u.c.	126-127	Wallach	B., 14, 735	40, 717
Dimethylsuccinamide	NHMe.CO.(CH ₂) ₂ .CO.NHMe	"	175	Wallach & Kamenski	B., 14, 170	40, 285
" "	"	"	175	Henry	C. R., 100, 943	48, 887
" "	NH ₂ .CO.(CHMe) ₂ .CO.NH ₂	"	n.f. 260	J. p. [2], 26, 359	
Adipamide	NH ₂ .CO.(CH ₂) ₄ .CO.NH ₂	"	220	Henry	C. R., 100, 943	"
Diisonitroso-acetonyl acetone	HON : CMe.(CH ₂) ₂ .CMe : NOH	"	134-135	Paal	B., 18, 59	48, 505
Methylpropylglyoxime	Me.C(NO ₂).C(NO ₂).Pr ^a	"	168	Schramm	B., 16, 2185	46, 52
Ethylazauric acid	C ₆ H ₁₂ O ₂ N ₄ (?)	142	Meyer & Constant	A., 214, 328	44, 40
Triaceto-diamide	N ₂ H ₃ Ac ₃	C ₆ H ₁₂ O ₃ N ₂	212-217	Gautier	A., 150, 189	vi., 524
Sarcosine anhydride	(NHMe.CH ₂ .CO) ₂ O	"	143-146	Traube	B., 15, 2112	44, 192
Oxaly diethylnitrosohydrazine	C ₆ H ₁₂ O ₄ N ₆	144-145 d.	A., 199, 298	
Acetyl diethylamide	NEt ₂ Ac	C ₆ H ₁₄ ON	185-186	Wallach	A., 214, 235	44, 49
Capro-amide	CH ₃ .(CH ₂) ₄ .CO.NH ₂	"	120	Hofmann	B., 15, 983	
" "	C ₅ H ₁₁ .CO.NH ₂	"	255	Henry	B., 2, 495	
Isocaproamide	CHMe ₂ .CH ₂ .CH ₂ .CO.NH ₂	"	100	Hofmann	B., 15, 983	
Caproamide	CHMePr ^a .CO.NH ₂	"	95	Kelbe and Warth	B., 15, 311	42, 711
Methyl butylacetoxime	CMe ₂ .CMe : N.OH	"	74-75	Janny	B., 15, 2780	44, 580
Piperyl-semicarbazide	C ₅ H ₁₀ N.NH.CO.NH ₂	C ₆ H ₁₃ ON ₃	136	Knorr	A., 221, 297	46, 468
Isoamylic carbamate	NH ₂ .COO(C ₅ H ₁₁)	C ₆ H ₁₃ O ₂ N	220	66	A., 71, 106	i., 750
Ethylic propylcarbamate	NHPr ^a .COOEt	"	186	Schreiner	J. p. [2], 20, 125	38, 312
Methylamidovaleric acid	CHMe ₂ .CH(NHMe).COOH	"	w.m.a. 120	Duvillier	A. C. [5], 21, 433	40, 713
α -amidocaproic acid (Leucine)	CH ₃ .(CH ₂) ₃ .CH(NH ₂).COOH	"	170	Schwanert	A., 102, 221	iii., 581
" "	"	"	w. m. 170	Mülder	J. p., 16, 290	"
Amidocaproic acid	C ₅ H ₁₀ (NH ₂).COOH	"	210	Köhler	A., 134, 36	vi., 782
" "	"	"	w. m. 210	Nencki	J. p. [2], 15, 390	32, 596
α -ethoxybutyramide	CH ₃ .CH ₂ .CH(OEt).CO.NH ₂	"	68-70	A. C. [5], 17, 542	
β - " "	CH ₃ .CH(OEt).CH ₂ .CO.NH ₂	"	71	Pinner	B., 12, 2057	38, 99
α -hydroxycaproamide	C ₄ H ₉ .CH(OH).CO.NH ₂	"	140-142	J. R., 12, 367	
Hexylnitrous acid	C ₆ H ₁₃ .NO ₂ (?)	" (?)	212 (763) p.d.	Liquid	Chancel	C. R., 100, 601	48, 647
Trimethyl α -propiobactaine ...	NMe ₂ .CHMe.CO.O	"	begins 210	Brühl	B., 9, 40	29, 699
Diethylglyoxylamide ...	CH(OEt) ₂ .CO.NH ₂	C ₆ H ₁₃ O ₃ N	76.5	Z. C. [1870], 168	
" "	"	"	81-82	Pinner and Klein	B., 11, 1477	36, 47
Isoamylcarbamide	NH ₂ .CO.NH(CH ₂) ₂ .CHMe ₂	C ₆ H ₁₄ ON ₂	88-91	Custer	B., 12, 1330	36, 913
Amyl carbamide	NH ₂ .CO.NH.CiL ₂ .C ₄ H ₉	"	120	Wurtz	B. S. [2], 7, 141	vi., 1116

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Amyl carbamide	$\text{NH}_2\text{CO.NH.CHMe.C}_3\text{H}_7$	$\text{C}_6\text{H}_{14}\text{ON}_2$	cf. A., 139, 328	151	Wurtz	B. S. [2], 7, 141	vi., 1116
Nitrosodipropylamine	O:N.NPr_2^a	"	200-205	Siersch	A., 144, 144	vi., 965
?	$\text{C}_6\text{H}_{14}\text{O}_3\text{N}_2$	152	Ehrenberg	J. p., 32, 97	48, 1192
Aceto-ethyl-nitrate	$\text{C}_6\text{H}_{14}\text{O}_7\text{N}_2$	84-86	Nadler	A., 116, 173	
Hydroxypropylpropylamine	$\text{NHPr}^a.\text{C}_3\text{H}_6.\text{OH}$	$\text{C}_6\text{H}_{15}\text{ON}$	174-177	30	Liebermann & Paal	B., 16, 532	44, 910
Triethylalkamine	cf. B., 14, 1878	"	161	Liquid	Ladenburg	C. R. 93, 338	40, 1158
Diacetonalkamine	"	174-175	Heintz	A., 183, 293	31, 592
Ammonium pseudodiazoacetamide	$(\text{C}_2\text{H}_3\text{ON}_3)_2.2\text{NH}_3$	$\text{C}_6\text{H}_{15}\text{O}_3\text{N}_{11}$	155 d.	Curtius	B., 18, 1290	48, 884
Acid ammonium propionate	$(\text{Et.COONH}_4 + \text{Et.COOH})$	$\text{C}_6\text{H}_{15}\text{O}_4\text{N}$	45	Sestini	Z. C. [2], 7, 34	24, 235; vii., 1010
Trinitrobenzoic acid....	$\text{COOH}(\text{NO}_2)_3=1.2.4.6(?)$	$\text{C}_7\text{H}_3\text{O}_8\text{N}_3$	190	Tiemann & Judson	B., 3, 224	vii., 166
Trinitrohydroxybenzoic acid	$\text{COOH.OH}(\text{NO}_2)_3=1.3.(?)_3$	$\text{C}_7\text{H}_3\text{O}_9\text{N}_3$	+H ₂ O	105	Schardinger	B., 8, 1491	29, 584
Nitrobenzotrill	$\text{CN.NO}_2=1.2$	$\text{C}_7\text{H}_4\text{O}_2\text{N}_2$	109	Hübner	B., 10, 1713	34, 140
"	"	"	109	Sandmeyer	B., 18, 1495	
"	"	"	109	Bärthlein	B., 10, 1713	
"	"	"	109-110	Gabriel and Meyer	B., 14, 2338	
"	" =1.3	"	cf. A., 149, 297	115	Engler	Z. C. [2], 4, 613	vi., 526
"	"	"	115	Sandmeyer	B., 18, 1494	
"	"	"	115	Fricke	B., 7, 1321	
"	"	"	115-117	Gabriel	B., 16, 522	44, 916
"	"	"	117	Schöpf	B., 18, 1063	48, 896
"	"	"	117-118	A., 146, 336	
"	" =1.4	"	cf. A., 149, 298	139	Engler	Z. C. [2], 4, 613	vi., 526
"	"	"	146	Sandmeyer	B., 18, 1493	
"	"	"	147	Bruyn	R. T., 2, 238	48, 658
"	"	"	147	Fricke	B., 7, 1322	28, 272
Nitrohydroxybenzotrill	$\text{OH.CN.NO}_2=1.3.?$	$\text{C}_7\text{H}_4\text{O}_3\text{N}_2$	182-183	Smith	J. p. [2], 16, 228	34, 72
Dinitrobenzoic acid	$\text{COOH}(\text{NO}_2)_2=1.3.4$	$\text{C}_7\text{H}_4\text{O}_6\text{N}_2$	161 u. c.	Claus & Halberstadt	B., 13, 816	38, 647
"	" =1.2.5	"	177	Griess	B., 7, 1224	28, 263
"	" =1.2.4	"	179	Michler	B., 7, 422; A., 175, 150	27, 695; 28, 644
"	"	"	179	Griess	B., 7, 1225	28, 263
"	"	"	179	Tiemann and Judson	A., 173, 145, 176; B., 3, 223	28, 757; vii., 165
"	"	"	179	Hübner & Stromeyer	B., 13, 461	
"	"	"	179	Hübner	A., 222, 67	
"	"	"	181	Claus & Halberstadt	B., 13, 816	
"	" =1.2.6	"	202	Griess	B., 7, 1225	28, 263
"	" =1.3.5	"	201	Staedel	A., 217, 194	44, 865
"	"	"	202	Tiemann and Judson	B., 3, 224	vii., 165
"	"	"	202	Beilstein and Kurbatow	B., 13, 355	38, 471
"	"	"	203-204	Staedel	B., 14, 902	40, 725
"	"	"	203-204	Gattermann	B., 18, 1485	
"	"	"	204	Michler	A., 175, 152	28, 644
"	"	"	204-205	Muretow	Z. C. [2], 6, 641	vii., 165
"	"	"	204-205	Hübner	B., 10, 1703	34, 148
"	"	"	205	"	A., 222, 67	46, 314
Methylene dinitrocatechol	$\text{CH}_2:\text{O}_2:\text{C}_6\text{H}_2(\text{NO}_2)_2=1.2.(?)_2$	"	cf. A., 199, 75	101 u.c.	Jobst and Hesse	B., 11, 1034	34, 733
Dinitrosalicylic acid	$\text{COOH.OH}(\text{NO}_2)_2=1.2.(?)_2$	$\text{C}_7\text{H}_4\text{O}_7\text{N}_2$	157-158	A., 69, 230; 78, 8	
"	" =1.2.(?) ₂	"	165	Salkowski	A., 173, 43	28, 71
"	" =1.2.3.5	"	173	Hübner	A., 195, 47	36, 382
"	"	"	173	Hübner & Babcock	B., 12, 1345	
Dinitrohydroxybenzoic acid	" =1.4.3.5.(?)	"	235 d.	Salkowski	B., 4, 225	24, 556
"	"	"	235-237	"	A., 163, 36	25, 716
Phenyl isocyanate (carbanil)	Ph.N:CO	$\text{C}_7\text{H}_5\text{ON}$	163	Liquid	Hofmann	P. R., 19, 108; B., 3, 655	24, 139; vii., 407
"	"	"	163 c.	Weith	B., 9, 821	30, 639
"	"	"	160-165	Richter	R. K. T., 139	
"	"	"	166 (769)	Hofmann	B., 18, 765	48, 774
"	"	"	178-180	Liquid	"	A., 74, 9	ii., 196

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxybenzotrionitril	OH.CN=1.3	C ₇ H ₅ ON	82	Griess	B., 8, 859	28, 1261
" " " " " " " "	" " " " " " " "	" " " " " " " "	82	Smith	J. p. [2], 16, 221	34, 72
" " " " " " " "	" =1.4	" " " " " " " "	112-113	Klepl	J. p., 28, 193	48, 447
" " " " " " " "	" " " " " " " "	" " " " " " " "	113	Hartmann	J. p. [2], 16, 55	32, 896
" " " " " " " "	" =1.2	" " " " " " " "	195	B. S., 13, 26	
" " " " " " " "	" " " " " " " "	(") _n	280-285	Grimaux	B. S. [2], 13, 25	vi., 1012
Methenylamidophenol	C ₆ H ₄ .N : CH.O=1.2	" " " " " " " "	182.5	30.5	Ladenburg	B., 10, 1124	32, 752
Anthranil	C ₆ H ₄ .NH.CO or C ₆ H ₄ .N : C. OH=1.2	" " " " " " " "	210-215 d.	L. - 18	Friedländer and Henriques	B., 15, 2105	44, 188
Nitrosoindazole	C ₇ H ₅ ON ₃	73	Fischer and Fafel	A., 227, 303	48, 541
Salicylimide	C ₆ H ₄ .CO.NH.O=1.2	C ₇ H ₅ O ₂ N	n.f. 200	Limpricht	A., 98, 261	v., 167
Oxycarbanil	CO : N.C ₆ H ₄ .OH=1.2	" " " " " " " "	136-138	Grenvik	B. S. [2], 25, 177	31, 473
Diazobenzoimide	C ₆ H ₄ .N ₂ .NH.O.CO=1.2	C ₇ H ₅ O ₂ N ₃	145	Griess	Z. C. [2], 3, 165	vi., 259
" " " " " " " "	" =1.3	" " " " " " " "	160	"	Z. C. [2], 3, 164	vi., 258
" " " " " " " "	" =1.4	" " " " " " " "	185	"	"	vi., 259
Benzoyl nitrite	C ₆ H ₅ .CO.NO ₂	C ₇ H ₅ O ₃ N	Liquid	Lippmann and Hawliczek	B., 9, 1464	31, 315
Nitrobenzaldehyde	COH.NO ₂ =1.2	" " " " " " " "	43.5-44.5	Gabriel and Meyer	B., 14, 829	40, 730
" " " " " " " "	" " " " " " " "	" " " " " " " "	46	Bertagnini	A., 79, 260	i., 570
" " " " " " " "	" " " " " " " "	" " " " " " " "	46	Friedländer and Henriques	B., 14, 2803	42, 840
" " " " " " " "	" =1.3	" " " " " " " "	56-57	Gabriel	B., 15, 838	42, 1070
" " " " " " " "	" " " " " " " "	" " " " " " " "	58	Lippmann and Hawliczek	B., 9, 1463	31, 315
" " " " " " " "	" =1.4	" " " " " " " "	93	Fischer and Greiff	B., 13, 670	38, 640
" " " " " " " "	" " " " " " " "	" " " " " " " "	104	Friedländer	B., 14, 2577	
" " " " " " " "	" " " " " " " "	" " " " " " " "	106	Fischer	B., 14, 2525	40, 393
Nitrophenylene carbamide	NO ₂ .C ₆ H ₃ .NH.CO.NH	C ₇ H ₅ O ₃ N ₂	n.f. 300	Hager	B., 17, 2625	48, 150
Nitrobenzoic acid	COOH.NO ₂ =?(4th)	C ₇ H ₅ O ₄ N	125	Fittica	B., 8, 252	28, 766
" " " " " " " "	" " " " " " " "	" " " " " " " "	127	Fischer	A., 127, 140	i., 555
" " " " " " " "	" " " " " " " "	" " " " " " " "	127	Wilbrandt & Beilstein	A., 128, 257	iv., 61
" " " " " " " "	" " " " " " " "	" " " " " " " "	127	Tiemann & Judson	B., 3, 224	vii., 165
" " " " " " " "	" " " " " " " "	" " " " " " " "	127	Radziszewski	B., 5, 332	25, 1097
" " " " " " " "	" " " " " " " "	" " " " " " " "	127 ; 128.	Fittica	B., 8, 710, 741 ; 9, 788 ; 10, 481, 1630 ; J. p. [2], 13, 184	28, 1195 ; 30, 412 ; 32, 483, 34, 65 ; 36, 151
" " " " " " " "	" " " " " " " "	" " " " " " " "	127	Bodewig	B., 12, 1983	38, 251
" " " " " " " "	" " " " " " " "	" " " " " " " "	128	Mills	[2], 4, 363	vi., 314
" " " " " " " "	" " " " " " " "	" " " " " " " "	128-130	Fittica	B., 9, 794	30, 411
" " " " " " " "	" =1.3	" " " " " " " "	135	"	B., 10, 484 ; 11, 1210 ; J. p. [2], 13, 184	32, 483 ; 34, 981 ; 36, 152
" " " " " " " "	" " " " " " " "	" " " " " " " "	135-136	"	B., 9, 789	30, 412
" " " " " " " "	" " " " " " " "	" " " " " " " "	136	"	J. p. [2], 13, 184	36, 151
" " " " " " " "	" " " " " " " "	" " " " " " " "	136	Bodewig	B., 12, 1983	38, 251
" " " " " " " "	" " " " " " " "	" " " " " " " "	138	Sandmeyer	B., 18, 1494	
" " " " " " " "	" " " " " " " "	138-140	Monnet, Reverding, and Nötting	B., 12, 444	38, 625
" " " " " " " "	" " " " " " " "	" " " " " " " "	139 u.c.	Windmann	B., 8, 392	28, 893
" " " " " " " "	" " " " " " " "	" " " " " " " "	140	Plascuda & Zincké	B., 7, 985	28, 70
" " " " " " " "	" " " " " " " "	" " " " " " " "	140	Fittica	B., 8, 252 ; 710, 741	28, 766, 1195
" " " " " " " "	" " " " " " " "	" " " " " " " "	140	Griess	B., 8, 526	28, 892
" " " " " " " "	" " " " " " " "	" " " " " " " "	140	Hübner	B., 10, 1699	34, 150
" " " " " " " "	" " " " " " " "	" " " " " " " "	140 ; r.s. 117 ; af. (slow) 135 ; af. (quick) 141	Windmann	A., 193, 212	36, 154

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobenzoic acid	COOH.NO ₂ =1.3	C ₇ H ₅ O ₄ N	140 ; 142	Salkowski	B., 10, 1258	
"	"	"	140	Schiff	B., 11, 1782 ; G. I., 8, 294	36, 157, 321
"	"	"	140-141	Windmann	B., 10, 1159	32, 783
"	"	"	140-141	Monnet & Nölting	G. I. C., 1879	
"	"	"	141	Beilstein and Kuhlberg	A., 163, 134	vii., 165 ; 25, 709
"	"	"	141	Naumann	B., 8, 526	28, 892
"	"	"	141	Thompson	B., 14, 1186	
"	"	"	141	Hübner	A., 195, 1	36, 381
"	"	"	141	Bodewig	B., 12, 1983	38, 251
"	"	"	141-142	McHugh	B., 7, 1267	28, 270
"	"	"	141.5	Ladenburg	B., 8, 536	28, 887
"	"	"	141.5	Lellmann and Würthner	A., 228, 239	48, 974
"	"	"	142	Hübner	B., 10, 1697	34, 150
"	"	"	142	"	A., 222, 67	46, 314
"	"	"	142	Fittica	B., 9, 788 ; 10, 481 ; 11, 1207 ; J. p. [2], 13, 184	30, 412 ; 32, 483 ; 34, 981 ; 36, 152
"	"	"	142	Bodewig	B., 12, 1983	38, 251
"	"	"	141-142	Conrad	J. p. [2], 15, 241	32, 485
"	"	"	141-142	Naumann	A., 133, 205	vi., 314
"	"	"	140-141	Salkowski	B., 5, 722	25, 1024 ; vii., 947
"	"	"	141	Windmann	A., 195, 202	36, 154
"	"	"	141-143	Bedson	37, 93	
"	"	"	143	Windmann	B., 8, 393	28, 893
"	"	"	145	Claisen & Shadwell	G. J. C., 1879	
"	"	"	145	Griess	J. p. [2], 6, 384	26, 637
"	"	"	145	Monnet and Nölting	G. J. C., 1879	
"	"	"	145	Baeyer and Drewsen	B., 15, 2860	
"	"	"	145-147	Gabriel and Meyer	B., 10, 828	
"	"	"	146 u. c.	Engler	B., 18, 2239	
"	"	"	146	Noyes	B., 16, 53	
"	"	"	146-147	Liebermann	B., 10, 1038	
"	"	"	146.5	Claus and Mallmann	B., 11, 760	
"	"	"	147	Kumpf	B., 17, 1074	46, 1004
"	"	"	147	Windmann	A., 193, 210, 221	36, 154
"	"	"	147-148	Friedländer and Ostermeier	B., 14, 1920	
"	"	"	149	Windmann	B., 10, 1159	32, 783
"	"	"	172-174	Wilbrandt and Beilstein	A., 128, 265	
"	"	"	172-174	Hübner and Bie- dermann	A., 147, 268	
"	"	"	173-175	Faust	J. [1869], 651	
"	"	"	178-179	Fittica	B., 8, 254	28, 766
"	"	"	179	Liebermann	B., 10, 863	
"	"	"	230	Radziszewski	Z. C. [2], 5, 358	vi., 1102
"	"	"	230	Bedson	37, 91	
"	"	"	233	Griess	B., 8, 529	28, 893
"	"	"	232-235	Ladenburg	B., 8, 536	28, 887
"	"	"	234	Claus	B., 15, 2332	
"	"	"	234	Hassenpflug	B., 8, 712	28, 1188
"	"	"	233-237	Ladenburg	B., 8, 536	28, 887
"	"	"	232-240	36, 154
"	"	"	236	Monnet and Nölting	G. J. C., 1879	
"	"	"	238	Erlenmeyer	B., 8, 535	28, 887
"	"	"	238	Michael and Norton	G. J. C., 1877	
"	"	"	238	Windmann	B., 8, 393	28, 893

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobenzoic acid	COOH.NO ₂ =1.4	C ₇ H ₅ O ₄ N	238	Windmann	B., 10, 1159	32, 783
" "	" "	"	238	Rennie	41, 223	
" "	" "	"	238	Windmann	A., 193, 226	36, 154
" "	" "	"	238	Spica	G. I., 8, 406	36, 631
" "	" "	"	238	Maxwell	B., 12, 1766	36, 120
" "	" "	"	236-240	Mills	[2], 4, 363	vi., 314
" "	" "	"	240	Wilbrand&Beilstein	A., 126, 255	iv., 61
" "	" "	"	240	Fischer	B., 8, 526	26, 893
" "	" "	"	240 u. c.	Claus and Witt	B., 18, 1674	
" "	" "	"	240	Stuart	47, 158	
" "	" "	"	240	Noyes	B., 16, 53	
Nitrohydroxybenzaldehyde....	COH.OH.NO ₂ =1.2. ?	"	105-107	Mazzara	G. I., 6, 460	31, 597
" "	" =1.2. ?	"	123-125	"	"	"
" "	" =1.3. ?	"	125	Tiemann & Ludwig	B., 15, 3052	44, 586
" "	" =1.3.2. or 6	"	128	Ludwig	C. C., 1884, 35	46, 664
" "	" "	"	128	Tiemann & Ludwig	B., 15, 2053, 3052	44, 189
" "	" =1.3.4	"	138	"	"	"
" "	" "	"	138	Ludwig	C. C. [1884], 35	46, 664
" "	" =1.3.5	"	166	"	"	"
" "	" "	"	166	Tiemann & Ludwig	B., 15, 2054, 3052	44, 189, 586
" "	" =1.4. ?	"	139-140 s.	Herzfeld	B., 10, 1269	34, 65
" "	" "	"	140	Mazzara	G. I., 7, 285	32, 781
Methylene nitrocatechol	NO ₂ .C ₆ H ₃ O.CH ₂ O=?1.2	"	cf. A. 199, 73	148 u. c.	Jobst and Hesse	B., 11, 1034	34, 733
Nitrotoluquinone	C ₆ H ₃ Me.(NO ₂):O ₂	"	237	Etard	C. R., 84, 614 ; A. C. [5], 22, 275	32, 476 ; 40, 583
Pyridine dicarboxylic acid	N.(COOH) ₂ =?	"	abt. 210	Dewar	C. N., 23, 38	24, 145
" " " (quinolic acid)	" =1.2.3	"	222-225	Furth	M. C., 2, 416	42, 231
" " " "	" "	"	222-225	Hoogewerff & Dorp	B., 12, 747 ; 13, 65	36, 731
" " " "	" "	"	Browu 225	226 d.	Ladenburg & Roth	B., 18, 52	46, 558
" " " "	" "	"	d. 100=nicotinic acid; in cap. tube= brown 175	228 - 230 (slow) ; 180 d. (quick) ; a. f. 228	Hoogewerff & Dorp	R. T., 1, 1, 107 ; B., 16, 426	44, 90
Pyridine dicarboxylic acid (lutidinic acid)	" =1.2.4	"	Impure, cf. B 18, 1745	219	Waage	M. C., 4, 708	46, 173
" " " "	" "	"	"	219	Weidel and Pick	M. C., 5, 656	46, 55
" " " "	" "	"	"	219	Hantzsch	B., 18, 1745	
" " " "	" "	"	"	219.5	Weidel and Herzig	M. C., 1, 20	
" " " "	" "	"	"	220	Furth	M. C., 2, 416	42, 231
" " " "	" "	"	"	234-235.5	Böttinger	B., 14, 68	"
" " " "	" "	"	"	235	Ladenburg & Roth	B., 18, 916	46, 816
Pyridine dicarboxylic acid (isocinchomeronic acid)	" =1.2.6	"	"	236	Furth	M. C., 2, 416	42, 231
" " " "	" "	"	236-237	Epstein	B., 18, 1745	
" " " "	" "	"	237.5	Ramsay and Dobbie	B., 11, 326	33, 103
" " " "	" "	"	237.5 d.	Ramsay	P. M. [5], 4, 244	36, 267
" " " "	" "	"	241	Dewar	36, 947	
Pyridine dicarboxylic acid	" = ?	"	d. 241-245	Ramsay	P. M. [5], 6, 24	"
" " " "	" "	"	d. 244-245	"	P. M. [5], 6, 21	"
" " " (cinchomeronic acid)	" =1.3.4	"	cf. A., 173, 96	249-250 p.d.	Weidel & Schmidt	B., 12, 1148	36, 947
" " " "	" "	"	250 d.	Hoogewerff & Dorp	B., 13, 61 ; A., 204, 84	38, 405, 896
" " " "	" "	"	250 d.	"	B., 14, 646, 974	40, 611
" " " "	" "	"	249-251	Furth	M. C., 2, 416	42, 231
" " " "	" "	"	251-252	Ramsay and Dobbie	33, 103	
" " " "	" "	"	258	Furth	M. C., 2, 416	42, 231
" " " "	" "	"	258	Michael	B., 18, 2029	
" " " "	" "	"	258-259 d.	Skraup	W. A., 81, 337	40, 290
Pyridine dicarboxylic acid	" = ?	"	263	Furth	M. C., 2, 427	42, 231

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Pyridine dicarboxylic acid	N.(COOH) ₂ =?	C ₇ H ₅ O ₄ N	266-268	Gerichten	B., 13, 1637	40, 110
Acid from diquinoline	"	96 u. c.	Claus	B., 14, 1942	42, 215
Nitrosalicylic acid + H ₂ O	COOH.OH.NO ₂ =1.2.3	C ₇ H ₅ O ₅ N	123	Hasse	B., 10, 2187	
" " "	" "	"	cf. 28, 263	124	Hall	B., 7, 1320	vii., 1066
" " "	" "	"	125	Hübner and Hall	B., 8, 1216	29, 593
" " "	" "	"	125	Hübner	A., 195, 31	36, 381
" " "	" "	"	125	Schiff and Masino	G. I., 9, 318	38, 121
" " "	" "	"	131	Hübner	B., 10, 1699	34, 150
" " "	" "	"	131	Griess	B., 11, 1733	36, 247
" " "....	" "	"	143	Hasse	B., 10, 2187	
" " "....	" "	"	144	Hübner	A., 195, 31	36, 381
" " "....	" "	"	144	Schiff and Masino	G. I., 9, 318	36, 121
" " "....	" "	"	144-145	Hübner and Hall	B., 8, 1216	29, 593
" " "....	" "	"	145	Hübner	B., 10, 1698	34, 150
" " "....	" =1.2.?	"	218	Hall	B., 7, 1321	28, 263
" " "....	" =1.2.5	"	228	"	"	vii., 1066
" " "....	" "	"	228	Hübner	B., 8, 1217	29, 593
" " "....	" "	"	228	Hasse	B., 10, 2189	34, 416
" " "....	" "	"	228	Griess	B., 11, 1731	36, 246, 247
" " "....	" "	"	228	Hübner	A., 195, 9	36, 380
" " "....	" "	"	228	Mügge	B., 12, 1347	36, 928
" " "....	" "	"	228	Babcock	B., 12, 1345	"
" " "....	" "	"	228	Schiff and Masino	G. I., 9, 318	38, 121
" " "....	" "	"	228	Mandt	B., 10, 1701	
" " "....	" "	"	228	Hübner	B., 10, 1698	34, 150
Nitrohydroxybenzoic acid	" =1.3.6	"	169	Griess	B., 11, 1733	36, 247
" " "....	" =1.3.2	"	178	"	B., 11, 1734	"
" " "....	" =1.3.4	"	230	"	B., 5, 856	26, 178
" " "....	" =1.3.5	"	d.w.m.	Hübner and Grube	B., 10, 1704	
" " "....	" =1.4.5	"	178	Gruber	B., 12, 520	36, 644
" " "....	" "	"	185	Griess	B., 5, 856	26, 178
" " "....	" "	"	186-187	Hasse	B., 10, 2188	34, 416
Hydroxyquinolic acid	N.(COOH) ₂ .OH=1.2.3.6	"	d.w.m. 254	Königs & Körner	B., 16, 2159	46, 85
" " "....	" "	"	d.w.m. 250	Feer and Königs	B., 18, 2399	
Dinitrobenzamide	(CO.NH ₂). (NO ₂) ₂ =1.3.5	C ₇ H ₅ O ₅ N ₃	177	Z. C. [1870], 642	
" " "....	" "	"	183	Voit	A., 99, 105	i., 541
Trinitrotoluene	Me.(NO ₂) ₃ =?	C ₇ H ₅ O ₆ N ₃	Mixture (?)	78·85; 78·88	Mills	P. M. [4], 1, 17	29, 393
" " "....	" "	"	"	78·853	"	P. R. [1881], 205	
" " "....	" =1.3.(?) ₂	"	"	76-82	Beilstein and Kuhlberg	Z. C. [2], 5	vii., 1166
α- " "....	" =1.2.4.6	"	80·54	Mills	P. M. [4], 1, 17	29, 393
α- " "....	" "	"	80·532	"	P. R. [1881], 205	
α- " "....	" "	"	81	Städel	A., 225, 384	48, 142
α- " "....	" "	"	82	Wilbrand	A., 128, 178	v., 858
α- " "....	" "	"	82	Hepp	B. S. [2], 30, 4	36, 51
γ- " "....	" = ?	"	104	A., 215, 366	
β- " "....	" "	"	112	A., 215, 370	
Dinitroamidobenzoic acid	COOH.NH ₂ .(NO ₂) ₂ =1.2.3.5	"	256	Salkowski	A., 173, 45	28, 71
" " "....	" "	"	256	"	B., 4, 872	
" " "....	" =1.4.3.5	"	258	Städel	B., 14, 900	40, 724
(chrysanisic acid)							
" " "....	" "	"	258-259	Salkowski	B., 4, 871	
" " "....	" "	"	259	"	A., 163, 1	25, 714
" " "....	" "	"	259-260	Friederici	B., 11, 1977	vii., 336
Isonitrosomeconic acid	C ₄ HO(OH)(COOH) ₂ (C'NOH)	C ₇ H ₅ O ₇ N	+H ₂ O	d. 190	Odernheimer	B., 17, 2083	46, 1302
Trinitroanisol	OMe.(NO ₂) ₃ =1.2.4.6	C ₇ H ₅ O ₇ N ₃	58-60	Cahours	A., 69, 238	i., 306
" " "....	" "	"	64	Post and Mertens	B., 8, 1552	
Trinitrocresol....	Me.OH.(NO ₂) ₃ =1.2.3.4.5	"	102	Noling and Collin	B., 17, 271	46, 1007
" " "....	" =1.3.2.4.6	"	a. 100	Duclos	A., 109, 135	ii., 108
" " "....	" "	"	104	Liebermann & Dorp	B., 4, 655	
" " "....	" "	"	106	Nölting and Salis	B., 15, 1862	
" " "....	" "	"	106	Wurster and Riedel	B., 12, 1799	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trinitroresol	Me.OH.(NO ₂) ₃ =1.3.2.4.6	C ₇ H ₅ O ₇ N ₃	106	Emmerling and O ₁ -penheim	B., 9, 1095	30, 523
"	"	"	106	Nölting and Salis	B., 14, 988	40, 725
Trinitro-oreinol	Me.(OH) ₂ (NO ₂) ₃ =1.3.5.2.4.6	C ₇ H ₅ O ₈ N ₃	162	Stenhouse	P. R., 19, 410	24, 358
"	"	"	162.5	Stenhouse & Groves	31, 549	vii., 879
"	"	"	163.5	Merz and Zetter	B., 12, 2038	38, 113
Trinitromethyl nitraniline	C ₆ H ₂ (NO ₂) ₃ (NMe.NO ₂)	C ₇ H ₂ O ₃ N ₅	cf. 38, 108	127	Romburgh	R. T., 2, 304	48, 660
Phenylene carbamide	C ₆ H ₄ :N.CO.NH ₂ =1.2(?)	C ₇ H ₆ ON ₂	129-130	Bendix	B., 11, 2264	36, 314
"	C ₆ H ₄ :(NH) ₂ :CO=1.2	"	305	Rudolph	B., 12, 1296	36, 922
"	"=1.3	"	d.w.m. 300	Michler and Zimmermann	B., 14, 2177	42, 182
"	"=1.4	"	n.f. 320	Lellmann and Würthner	A., 228, 199	48, 978
Hydrazine benzoic anhydride	C ₆ H ₄ .CO.NH.NH=1.2	"	cf. B., 13, 681	242 d.	Fischer and Renouf	A., 212, 333	42, 1069
Nitrosoformanilide	C ₆ H ₅ .N(NO).COH	C ₇ H ₆ O ₂ N ₂	39	Fischer	B., 10, 959	32, 607
Nitrosomethyl nitrobenzene	NO ₂ .(CH ₂ .NO)=1.2	C ₇ H ₆ O ₃ N ₂	95	Gabriel	B., 15, 3060	
"	"	"	96-97	Gabriel and Meyer	B., 14, 828, 2333	40, 730
"	"=1.3	"	115-118	Gabriel	B., 15, 838	42, 1070
"	"	"	cf. B., 16, 522	118-119	"	B., 15, 3060	
Nitrobenzamide	NO ₂ .CONH ₂ =1.3	"	100	i., 541
"	"	"	140	Salkowski	B., 5, 724	25, 1024
"	"	"	140-142	Beilstein	A., 132, 147	vi., 258
"	"=1.2	"	167	A., 163, 138	
"	"	"	174	Hübner	B., 10, 1713	34, 140
"	"=1.4	"	197-198	Beilstein	A., 132, 143	vi., 258
Formonitranilide	NO ₂ .(NH.CO.H)=1.2	"	122	Hübner	A., 209, 369	42, 181
Nitrobenzaldoxime	NO ₂ .(CH:NOH)=1.4	"	128.5	Herzberg	C. C., 1884, 35	48, 662
Dinitrotoluene	Me.(NO ₂) ₂ =1.2.6	C ₇ H ₆ O ₄ N ₂	Liquid	Cunerth	A., 172, 222	
"	"	"	Liquid	Bernthsen	B., 15, 3016	
"	"	"	60	Staedel	A., 225, 384	48, 142
"	"	"	60-61	"	A., 217, 206	44, 866
"	"=1.3.4	"	60	Beilstein and Kuhlberg	A., 155, 25; Z. C. [2], 5, 280, 521	vii., 1166
"	"=1.2.4	"	69-17-69.6	Mills	P. M. [4], 50, 18; P. R. [1881], 205	29, 393
"	"	"	s. 70	Rosenstiehl	A. C. [4], 27, 433	26, 274
"	"	"	70	Neville & Winther	37, 441	
"	"	"	70	Tilden	45, 416	
"	"	"	70.5	Schiff	A., 223, 247	46, 1089
"	"	"	70.5	Limpricht	B., 18, 1400	
"	"	"	70.5	Beilstein and Kuhlberg	Z. C. [2], 5, 280, 521; A., 155, 13	vii., 1166
"	"	"	300	71	i., 575
"	"	"	71	Buckney	B., 11, 1452	34, 863
"	"	"	71	Gabriel and Meyer	B., 14, 824	40, 730
"	"=?	"	74	Heckmann	A., 220, 128	46, 178
"	"=1.3.5	"	90-91	Staedel	A., 217, 182	44, 864
"	"	"	91	"	"	44, 865
"	"	"	91-92	"	B., 14, 901	40, 725
"	"	"	92-93	"	A., 217, 189	44, 865
"	"	"	92.4	Neville & Winther	B., 15, 2985	41, 416
"	"=?	"	99	Stebbing	C. N., 41, 117	38, 715
Nitrosalicylamide	CONH ₂ .OH.NO ₂ =1.2.3	"	145-146	Hübner	A., 195, 35	36, 382
"	"=1.2.5	"	225	"	A., 195, 15	36, 381
Amidonitrobenzoic acid	COOH.NH ₂ .NO ₂ =1.3.2	"	melts d.	Griess	B., 2, 435	
"	"=1.3.4	"	w. m.	"	B., 2, 435; 5, 198	
"	"=1.3.6	"	Solid	"	B., 5, 198	
"	"=1.2.3	"	204	Hübner & Göltzsche	B., 10, 1699	34, 150
"	"	"	204	Griess	B., 11, 1732	38, 247
"	"	"	204	Hübner	A., 195, 37	36, 382
"	"	"	205	"	B., 8, 1217	29, 593

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Amidnitrobenzoic acid	COOH.NH ₂ .NO ₂ =1.3.5	C ₇ H ₆ O ₄ N ₂	208	Hübner	B., 10, 1703	34, 148
"	"	"	208	"	A., 222, 67	46, 315
"	=1.2.5	"	263	"	B., 10, 1698	34, 150
"	"	"	263 d.	"	A., 195, 21	36, 381
"	"	"	265-270 p. d.	Griess	B., 11, 1730	36, 246
"	"	"	270 d.	Hübner	B., 8, 1220	29, 594
"	"	"	270	Rhalis	A., 198, 112	38, 119
"	=1.4.5	"	284	A., 173, 54	
Dinitroso-orcinol	Me.(OH) ₂ (NO) ₂ =1.3.5.2.?	"	+H ₂ O	d.w.m. 110	Stenhouse & Groves	31, 548	
Nitrobenzyl nitrate	(CH ₂ .O.NO ₂).NO ₂ =1.4	C ₇ H ₆ O ₅ N ₂	70-71	Staedel	A., 217, 208	44, 866
"	"	"	71	"	B., 14, 903	40, 724
Dinitrobenzyl alcohol	(CH ₂ .O.NO ₂).NO ₂ =1.4.?	"	cf. B., 14, 903; 15, 1136; A., 217, 208	71	Beilstein and Kuhl- berg	Z. C. [2], 3, 467; A., 147, 351	vi., 335
Dinitranisöl	OMe.(NO ₂) ₂ =1.3.4	"	70	Bantlin	B., 11, 2105	36, 238
"	=1.2.4	"	85-86	Kekulé	K. L., 3, 77	
"	"	"	86	Cahours	A. C. [3]	i., 306
"	"	"	86-87	Salkowski & Rehs	B., 7, 371	27, 801
"	"	"	86-87	Salkowski	A., 174, 263	28, 367
"	"	"	86-87	Willgerodt	B., 12, 763	36, 717
"	"	"	88	Post and Mertens	B., 8, 1552	
"	"	"	88	Körner	A., 69, 236	
"	=1.2.5	"	96	Henriques	A., 215, 321	44, 327
"	"	"	a. 360	96	Bantlin	B., 11, 2105	36, 238
"	=1.2.6	"	115-8	Körner	G. I., 4, 305	29, 230
"	"	"	116	Salkowski & Rehs	B., 7, 371	27, 801
"	"	"	116	Salkowski	A., 174, 273	28, 367
"	"	"	118	Post and Mertens	B., 8, 1552	vii., 909
"	=1.2.3	"	118	Bantlin	B., 11, 2105	36, 238
Dinitroresol	Me.OH.(NO ₂) ₂ =1.2.3.5	"	82	Staedel	B., 14, 899	40, 723
"	"	"	82-5	Limpricht	B., 18, 2179	48, 1233
"	"	"	83	Hofmann & Miller	B., 14, 568	40, 593
"	"	"	85	Neville & Winther	B., 15, 2992	41, 422
"	"	"	85-86	Staedel	A., 217, 158	
"	"	"	85-5	Armstrong & Field	B., 6, 974	
"	"	"	85-86	Nöltling and Kohn	B., 17, 371	46, 1003
"	"	"	85-8	Neville & Winther	B., 13, 1946	37, 631
"	"	"	86	Nöltling and Salis	B., 14, 987	40, 725
"	"	"	86	"	B., 15, 1860, 1865	
"	"	"	86	Hirsch	B., 18, 1513	
"	"	"	86	Piccard	B., 8, 685	28, 1022
"	=1.4.(?) ₂	"	73	Nöltling and Salis	B., 15, 1858	44, 59
"	=1.4.3.5	"	79-80	Neville & Winther	B., 13, 1948	37, 631
"	"	"	82	Wichelhaus	B., 7, 177	27, 721
"	"	"	82	Armstrong & Field	B., 6, 974	
"	"	"	83	"	B., 7, 1024	
"	"	"	83-5	Wagner	B., 7, 536	
"	"	"	84	Martius & Wichel- haus	B., 2, 206; Z. C. [2], 5, 440	vi., 508
"	"	"	84	Pechmann	A., 173, 205	vii., 932
"	"	"	84	Limpricht	B., 7, 719	27, 991
"	"	"	84	Piccard	B., 8, 685	28, 1022
"	"	"	84	Staedel	B., 14, 899	40, 723, 724
"	"	"	84	Nöltling and Salis	B., 14, 986	
"	"	"	84	Armstrong & Field	C. N., 29, 282	vii., 932
"	"	"	85	Staedel	A., 217, 53, 167	44, 862
"	"	"	85	Beilstein & Kreisler	J. [1866], 360	vi., 508
"	= ?	"	109-110	Martius & Wichel- haus	B., 2, 206; Z. C. [2], 5, 440	"
"	= ?	"	109-110	Wichelhaus	B., 7, 177	27, 721
"	= ?	"	110	Piccard	B., 8, 686	28, 1022

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitroamidosalicylic acid	CO ₂ H.OH.NH ₂ .NO ₂ =1.2.3.5	C ₇ H ₆ O ₅ N ₂	220	Babcock	B., 12, 1345	
Methyldinitroquinol	OMe.OH.(NO ₂) ₂ =1.4.(?) ₂	C ₇ H ₆ O ₆ N ₂	102	Weselsky & Benedikt	M. C., 2, 370	40, 1139
Methyldinitrocatechol	" =1.2.3.5	"	122-123	Herzig	M. C., 3, 822-827	44, 464, 470
Dinitro-oreinol	Me.(OH) ₂ .(NO ₂) ₂ =1.3.5.2.?	"	109-110	Leeds	B., 14, 483	40, 584
"	"	"	164.5	Stenhouse & Groves	A., 188, 358	31, 549
Trinitrotoluidine	Me.NH ₂ .(NO ₂) ₃ =1.3.2.4.6	"	136	Nölting and Salis	B., 15, 1865	44, 59
Formanilide	C ₆ H ₅ .NH.CO.H	C ₇ H ₇ ON	46	Tobias	B., 15, 2444	28, 66
"	"	"	46	Wallach & Wüsten	B., 16, 145	
"	"	"	46	Gerhardt	J. P. [3], 9, 409	ii., 682
Benzamide	C ₆ H ₅ .CO.NH ₂	"	286-290	115	i., 538
"	"	"	115	Liebig and Wöhler	24, 366
"	"	"	115	G. I., 3, 398	27, 261
"	"	"	125	Hermann & Kochlin	B., 15, 1116	
"	"	"	125	Friedburg	Z. C. [2], 7, 65	24, 366
"	"	"	125	Guareschi	G. I., 3, 398	27, 261
"	"	"	128	Schiff and Tarsinari	B., 10, 1785	
"	"	"	130	Ciamician & Magnaghi	B., 18, 1829	48, 1143
Benzylaldoxime (cf. B., 16, 824)	C ₆ H ₅ .CH : N.OH	"	a. 200 p.d.	Petraczek	B., 15, 2785	44, 569
" (polymer)	"	161.5	"	"	"
Amidobenzaldehyde	NH ₂ .COH=1.2	"	abt. 37	Gabriel	B., 15, 2004	44, 62
"	"	"	39-40	Friedländer	B., 15, 2572	44, 332
"	" =1.3	"	Solid	Tiemann & Ludwig	B., 15, 2044	
?	Probably 2(C ₇ H ₇ ON)	"	230 d.	Pinner	B., 17, 2005	46, 1324
Phenylcarbamic acid	NHPh.COOH	C ₇ H ₇ O ₂ N	132	i., 752
Phenyl carbamate	NH ₂ .COOPh	"	141	Kempf	J. p. [2], 1, 405 ; B., 2, 741	vii., 252 24, 341
Phenylnitromethane	Ph.CH ₂ .NO ₂	"	225-227	Liquid	Gabriel	B., 18, 1254	48, 903
Benzhydroxamic acid	C ₆ H ₅ .C(OH) : N.OH	"	124-125	Lossen	A., 161, 347 ; B., 16, 874	25, 415 ; vii., 155
Nitrotoluene	Me.NO ₂ =1.2	"	Same as 1.3	Liquid-20	Beilstein and Kuhlberg	Z. C. [2], 7, 99	24, 563 ; vii., 1166, 1178
" (impure)	"	"	219-220	Liquid	Rosenstiehl	A. C. [4], 27, 433	26, 274
"	"	"	222-223	Liquid	Beilstein and Kuhlberg	Z. C. [2], 5, 521	vi., 285 ; 26, 272
"	" = ?	"	220-225	Wilson	vi., 486
"	"	"	223	Tollens and Fittig	A., 131, 304	"
"	"	"	225	Deville	A. C. [3], 3, 175	"
"	"	"	225-230	Liquid	i., 574
"	" =1.3	"	227	s. low temp.	Beilstein and Kuhlberg	Z. C. [2], 6, 102	vi., 1103
"	"	"	228	Monnet & Nölting	B., 12, 443	
"	"	"	230-231	16	Beilstein and Kuhlberg	Z. C. [2], 5, 521	vii., 1166
"	" =1.4	"	51.31	Mills	P. M. [4], 50, 17	29, 393
"	"	"	51.407	"	P. R. [1881], 205	
"	"	"	237-238	52	Rosentiehl	A. C. [4], 27, 433	26, 274
"	"	"	238	54	Kekulé	Z. C. [2], 3, 225	vi., 284
"	"	"	238	54	Jaworsky	J. [1865], 542	v., 858
"	"	"	54	Armstrong	25, 868	
"	"	"	235-236	54	Beilstein and Kuhlberg	Z. C. [2], 5, 521	vii., 1166
"	"	"	54	Limpricht	B., 18, 1401	
"	"	"	236	54	Pellizzari	G. I., 14, 481	48, 770
" (cf. G.I., 14, 181)	"	"	54	Schiff	A., 223, 247	46, 1089
Hydroxybenzamide	(CO.NH ₂).OH=1.2	"	270 d.	132	A., 98, 258	v., 150
"	" =1.4	"	162	Hartmann	J. p. [2], 16, 51	32, 895
"	" =1.3	"	167 u.c.	Schulerud	J. p. [2], 22, 290	40, 42
Hydroxybenzaldoxime	(CH : NOH).OH=1.2	"	57	Tiemann and Kees	B., 18, 1663	
"	"	"	d.	57 u.c.	Lach	B., 16, 1783	44, 1104

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxybenzaldoxime	(CH:NOH).OH=1.4	C ₇ H ₇ O ₂ N	65	Lach	B., 16, 1785	44, 1104
Amidobenzoic acid (Anthranilic acid)	COOH.NH ₂ =1.2	"	143-144	Grothe	J. p. [2], 18, 324	36, 378
"	"	"	143-144	Hesemann and Kochler	A., 222, 166	46, 600
"	"	"	142-145	Hübner & Mecker	Z. C. [2], 3, 564	vi., 317
"	"	"	142-145	Hübner and Petermann	A., 149, 133	"
"	"	"	143-144	Jackson	B., 14, 885	40, 735
"	"	"	144	Hübner	A., 222, 67	46, 315
"	"	"	144	Hübner and Petermann	Z. C. [2], 4, 205	vi., 319
"	"	"	144	Petersen	B., 6, 368	26, 1133
"	"	"	144	Bedson and King	37, 756	
"	"	"	145	Windmann	A., 193, 233	36, 155
"	"	"	145	Greiff	B., 13, 289	38, 648
"	"	"	145	Skraup	W. A., 82, 748	40, 744
"	"	"	150.4	Kopp	G. J. C. [1856]	
"	"	"	150	Berthelot	"	
"	" (4th ?)	" = ?	154	Fittica	B., 8, 742	26, 1195
"	" "	" "	154-156	"	B., 9, 790	30, 412
"	" "	" "	156-158	"	B., 9, 791	"
"	" "	" "	154-160	"	J. p. [2], 13, 184	36, 151
"	"	" =1.3	165	Conrad	J. p. [2], 15, 241	32, 485
"	"	"	170	Fittica	J. p. [2], 13, 184	36, 152
"	"	"	172	Salkowski	B., 5, 724	vii., 947 ; 25, 1024
"	"	"	172	Wachendorff	B., 11, 703	34, 674
"	"	"	172	Longuinie	C. R., 86, 1329	34, 768
"	"	"	172.5	Hübner	A., 222, 67	46, 315
"	"	"	172-174	Hübner & Biedermann	Z. C. [1868]	vii., 317
"	"	"	173	Petersen	B., 6, 368	26, 1133
"	"	"	173	Gabriel	B., 11, 2262	36, 324
"	"	"	173 ; 174	Hübner	B., 10, 1699 ; A., 195, 1	34, 150 ; 36, 381
"	"	"	172-174	Griess	B., 8, 529	28, 893
"	"	"	173-175	Faust	A., 150, 56	vii., 978
"	"	"	173-174	Hübner & Raveill	B., 10, 1707	34, 149
"	"	"	174	Fittica	B., 8, 741	28, 1195
"	"	"	174	Raveill	A., 222, 166	46, 600
"	"	"	174	Windmann	A., 193, 230	36, 155
"	"	"	174	Skraup	W. A., 82, 748	40, 744
"	"	" (?)	178	Fittica	J. p. [2], 13, 184	36, 152
"	" =1.4	"	184	Griess	B., 8, 529	28, 893
"	"	"	186	Ladenburg	B., 6, 130	28, 642
"	"	"	186	Skraup	W. A., 82, 748	40, 744
"	"	"	186-187	Windmann	A., 193, 233	36, 155
"	"	"	186-187	Wilbrand and Beilstein	A., 128, 264	iv., 352
"	"	"	187	Petersen	B., 6, 368	26, 1133
"	"	"	197	Fischer	A., 127, 142	iv., 352
β-Amidohydroxybenzaldehyde	COH.OH.NH ₂ =1.3.?	"	82-83	Ludwig	C. C. [1884], 35	48, 664
α-Nitrosocresol	" =1.3.?	"	107	"	"	"
"	Me.OH.NO=1.2.5	"	134-135 d.	Nölting and Kohn	B., 17, 370	46, 1003
"	"	"	130-140 d.	Goldschmidt and Schmid	B., 17, 2063	46, 1327
" (cf. B., 16, 242)	" =1.3.6	"	d. 145-150	Würster & Rideal	B., 12, 1799	38, 109
Acetyl α-pyrroline carboxyl	C ₄ H ₅ NH.CO.Ac(?)	" (?)	75 d.	Ciamician & Silber	G. I., 14, 162	48, 247
Acetoxypyridine	C ₅ H ₄ N.OAc	"	210 u.c.	Liquid	Fischer and Renouf	B., 17, 1897	46, 1370

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylpyridine carboxylic acid	N.Me.COOH=?	C ₇ H ₇ O ₂ N	194-196	Dürkopf	B., 18, 929	48, 817
" "	" "	"	211	Coninck	B. S., 42, 100	48, 273
" "	" =1.2 or 3	"	209-210	Dorp & Hoogewerff	B., 14, 646	40, 611
" "	" =?	"	269	M. C., 1, 45	
Pyridine betaine	C ₅ H ₅ N.CH ₂ .CO.O	"	150 d.	Gerichten	B., 15, 1251	42, 1110
Azonitromethylphenyl	C ₆ H ₅ .N:N.CH ₂ .NO ₂	C ₇ H ₇ O ₂ N ₃	153 d.	Friese	B., 8, 1079	29, 85
Isochinchomeramide	N.(CO.NH ₂) ₂ =1.2.6	"	295.5-297	J. [1877], 437	
Nitrobenzyl alcohol	(CH ₂ .OH).NO ₂ =1.3	C ₇ H ₇ O ₃ N	170-180 (3)	Liquid	Grimaux	B. S. [2], 8, 433	vi., 335
" "	" =1.2	"	74	Friedländer and Henriques	B., 14, 2804	42, 840
" "	" =1.4	"	91	Staedel	A., 217, 184	44, 864
" "	" "	"	91	"	B., 14, 899	40, 724
" "	" "	"	92	Basler	B., 16, 2715	46, 310
" "	" "	"	93	Beilstein and Kuhlberg	A., 147, 343 ; Z. C. [2], 3, 467	vi., 335
Nitro-methoxybenzene	OMe.NO ₂ =1.2	"	265	9	Brunck	Z. C. [2], 3, 204	vi., 910
" "	" "	"	265	Post and Mertens	B., 8, 1552	
" "	" "	"	265	9	Körner	G. I., 4, 305	29, 234
" "	" "	"	276 (734)	A., 174, 278 ; 207, 237	
" "	" "	"	276.5 c.	Mühlhäuser	B., 13, 920	36, 641
" "	" =1.3	"	258 c.	37	Salkowski	B., 12, 156	
" "	" "	"	254	38	Bantlin	B., 11, 2100	36, 238
" "	" =1.4	"	258-260	48	Brunck	Z. C. [2], 3, 205	vi., 910
" "	" "	"	48	Kekulé	K. L., 3, 76	
" "	" "	"	258-260	48	Körner	G. I., 4, 305	29, 234
" "	" "	"	51	Post and Mertens	B., 8, 1552	
" "	" "	"	52	Bantlin	B., 11, 2099	36, 238
" "	" "	"	cf. B., 15, 1004	52	Willgerodt	B., 14, 2634	42, 396
" "	" "	"	262-264	Cahours	A., 74, 299	i., 305
Nitroresol	Me.OH.NO ₂ =1.2.5.(?)	"	226-230	Liquid	Hofmann & Miller	B., 14, 571	40, 593
"	" =1.4.5	"	33	"	B., 14, 572	"
"	" "	"	33-33.5	Wagner	B., 7, 537	27, 808
"	" "	"	33	Neville & Winther	B., 15, 2983	41, 426
"	" "	"	33-33.4	"	"
"	" "	"	33.5	Nölting and Wild	B., 18, 1339	vii., 931
"	" "	"	34	Nölting and Kohn	B., 17, 357	
"	" =1.3.2	"	56	Staedel	A., 217, 52	44, 662
"	" "	"	56	Orth	B., 15, 1131	42, 1198
"	" =1.2.3	"	69.5	Hofmann & Miller	B., 14, 569	40, 593
"	" "	"	69.5	Nölting and Wild	B., 18, 1339	
"	" "	"	69-70	Hirsch	B., 18, 1512	
"	" =1.4.6	"	77-77.4	Neville & Winther	B., 15, 2980	41, 422
"	" "	"	78	Knecht	B., 15, 299	42, 728
"	" =1.3.5	"	90-91	Neville & Winther	B., 15, 2986	41, 417
"	" "	"	+H ₂ O	60-62	"	"	"
"	" =1.2.5	"	Hex. plates	79-80	Hirsch	B., 18, 1513	48, 892
"	" "	"	Needles	82-85	"	"	"
"	" "	"	94-95	Nölting and Kohn	B., 17, 371	46, 1003
"	" "	"	94.6-95	Neville & Winther	B., 15, 2978	41, 423
"	" "	"	+H ₂ O	30-34	"	"	"
"	" =1.2.4	"	106-108	Nölting & Collin	B., 17, 269	46, 1007
"	" =1.3.6	"	cf. B. 16, 242	128	Bertoni	G. I. [1882], 302	42, 1198
"	" "	"	129	Orth	B., 15, 1131	"
"	" "	"	129	Staedel	A., 217, 52	44, 662
"	" "	"	126-127	Armstrong	vii., 931
"	" =1.2.6	"	142	Bernthsen	B., 15, 3019	
"	" "	"	142-143	Ullmann	B., 17, 1962	46, 1317
Methylic pyrroline-glyoxalate	C ₄ H ₄ N.CO.COOMe	"	285 p.d.	70-72	Ciamician and Dennstedt	B., 17, 2949	46, 378

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetylic α -carbopyrrolate ...	NH:C ₂ H ₅ .COO.COMe	C ₇ H ₇ O ₃ N	d.	75	Cianicican & Silber	B., 17, 1154	48, 1044
Pseudacetyl α -carbopyrrollic acid	Me.CO.C ₄ H ₂ (COOH)NH	"	186	"	B., 17, 1157; G. I., 14, 162	46, 1045; 48, 247
Methoxynicotinic acid ...	N.OMe.COOH=1.2.5	"	237-238	Pechmann & Welsh	B., 17, 2395	47, 154; 48, 175
Nitrobenzenylamidoxime ...	NO ₂ .C ₆ H ₄ .C(NH ₂):N.OH =1.3	C ₇ H ₇ O ₃ N ₃	174	Schopf	B., 18, 1064	48, 896
Amidonitrobenzamide	(CONH ₂).NH ₂ .NO ₂ =1.2.3	"	cf. A., 195, 38	109	Hübner	B., 8, 1217	29, 593
"	" =1.2.5	"	140	"	B., 8, 1219	"
"	" =1.2.5	"	225	"	B., 10, 1698	34, 150
"	" =1.2.3 or 5	"	d. 200-210	Kolbe	J. p. [2], 30, 467	48, 666
Methylnitroquinol ...	OMe.OH.NO ₂ =1.4.?	C ₇ H ₇ O ₄ N	83	Weselsky & Benedikt	M. C., 2, 370	40, 1139
Methylnitroresorcinol	" =1.3.4	"	cf. M. C., 1, 898	95	"	W. A., 82, 1219	40, 727
"	" =1.3.6	"	144	"	"	"
β -Nitroresorcin ...	Me.(OH) ₂ .NO ₂ =1.3.5.?	"	115	Weselsky	B., 7, 442	27, 694
α - " ...	" =1.3.5.?	"	120	"	"	"
Gallamide ...	(CO.NH ₂).OH ₃ =1.3.4.5	"	d. 245	243	Schiff and Pons	B., 18, 488	48, 796
Dinitromethylaniline	NHMe.(NO ₂) ₂ =1.2.4	C ₇ H ₇ O ₄ N ₃	175	Norton and Allen	B., 18, 1996	48, 1214
"	" "	"	178	Leymann	B., 15, 1234	42, 1057
Dinitrotoluidine	Me.NH ₂ .(NO ₂) ₂ =?	"	94	Hepp	A., 215, 371	44, 317
"	" =1.4.3.5	"	166	Heynemann	A., 158, 335	24, 682
"	" "	"	166	Beilsteinaud Kuhlberg	B., 13, 242; A., 158, 341	vii., 1178; 38, 636
"	" "	"	166	Staedel	B., 14, 900	40, 724
"	" "	"	167-168	"	A., 217, 187	44, 864
"	" "	"	168	Kelbe	B., 8, 877	29, 270
"	" =1.4.2.6	"	166-5-168	Beilstein	B., 13, 244	38, 636
"	" "	"	cf. A., 217, 205	168	Tiemann	B., 3, 219	38, 635
"	" "	"	168	Staedel	A., 225, 384	48, 142
"	" =?	"	192-193	Hepp	A., 215, 368	44, 317
"	" =1.2.3.5	"	208	Kayser	B., 15, 1133	42, 1203
"	" "	"	208	Staedel	B., 14, 900	40, 724
"	" "	"	208	"	A., 217, 153	44, 861
"	" "	"	209	"	A., 217, 183	44, 864
Ethyl nitropyromnate	C ₄ H ₂ O(NO ₂).COOEt	C ₇ H ₇ O ₅ N	107	Klinkhardt	J. p. [2], 25, 52	42, 499
Dinitroamidocresol ...	Me.OH.NH ₂ .(NO ₂) ₂ =1.3.(?) ₃	C ₇ H ₇ O ₅ N ₃	156	Emmerling and Oppenheim	B., 9, 1095	30, 523
Apocaffeine ...	COO.C.COOH NMe.C:N.CO.NMe	"	147-148	Fischer	B., 14, 657; A., 215, 277	40, 614; 44, 355
"	"	"	144-145	Maly & Andreasch	M. C., 3, 100	42, 631
Phenyl carbamide	NH ₂ .CO.NHPh	C ₇ H ₉ ON ₂	144.5	Weith	B., 9, 821	30, 639
"	"	"	147	Steiner	B., 8, 519	28, 883
" ?	NH:CPh.NH.OH	"	76-77	Lossen	B., 17, 1588	46, 1324
Benzenylamidoxime ...	NH ₂ .CPh:N.OH	"	70	Tiemann	B., 17, 128	46, 734
"	"	"	79-80	Tiemann & Krüger	B., 17, 1685	46, 1325
"	"	"	d. 170	79-80	Krüger	B., 18, 1053	48, 895
"	"	"	80	Pinner	B., 17, 186	46, 739
Amidobenzaldoxime ...	NH ₂ .(CH:N.OH)=1.3	"	88	Gabriel	B., 16, 1998	44, 1105
"	" =1.4	"	124	Gabriel & Herzberg	B., 16, 2001	44, 1104
"	" "	"	124.5	Herzberg	C. C. [1884], 35	48, 662
Nitrosomethylamidobenzene	NH ₂ .(CH.NO)=1.2	"	132-133	Gabriel and Meyer	B., 14, 2339	42, 189
Amidobenzamide	NH ₂ .(CO.NH ₂)=?	"	a. 100	Chancel	A., 62, 274	iv., 294
"	" =1.2	"	300 p.d.	108	Kolbe	J. p. [2], 30, 467	48, 666
"	" =1.3	"	+H ₂ O	75	Beilstein	A., 132, 142	vi., 258
"	" =?	"	72	Chancel	A., 62, 274	iv., 294
"	" =1.4	"	178-179	Beilstein	A., 132, 142	vi., 258
Hydroxydimethylpurin	C ₅ H ₂ ON ₄ Me ₂	C ₇ H ₈ ON ₄	112	Fischer	B., 17, 334	46, 997
Nitromethylaniline ...	C ₆ H ₅ .NH.CH ₂ .NO ₂	C ₇ H ₈ O ₂ N ₂	149	Steiner	B., 7, 1245	28, 165
Hydroxyphenyl carbamide ...	HO.C ₆ H ₄ .NH.CO.NH ₂ =1.2	"	154 d.	Kalchoff	B., 16, 375	44, 735
"	" =1.4	"	168 d.	"	B., 16, 376	"
Hydrazinbenzoic acid	NH ₂ .NH.C ₆ H ₄ .COOH =1.3	"	186 d.	Griess	B., 9, 1657	31, 475

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydrazinbenzoic acid	NH ₂ .NH.C ₆ H ₄ .COOH=1.4	C ₇ H ₈ O ₂ N ₂	...	220-225 d.	Fischer and Renouf	A., 212, 337	42, 1070
Diamidobenzoic acid....	COOH.(NH ₂) ₂ =1.3.4	"	...	210 d.	Griess	B., 5, 856	
" "	" " " " " " " "	"	...	210-211 d.	A., 137, 57	
" "	" " " " " " " "	"	...	195 p.d.	Voit	A., 99, 106	iv., 294
" "	" " " " " " " "	"	...	228	Hübner	A., 222, 67	46, 315
" "	" " " " " " " "	"	...	239	Griess	A., 154, 325	
" "	" " " " " " " "	"	...	240	Merz and Weith	B., 15, 2728	
Nitrotoluidine	Me.NH ₂ .NO ₂ =1.3.6	"	...	53	Limpricht	B., 18, 1402	48, 974
" "	" " " " " " " "	"	...	77.5	Beilstein and Kuhlberg	Z. C. [2], 5, 280	vi., 1105
" "	" " " " " " " "	"	...	77.5	Buckney	B., 11, 1452	34, 863
" "	" " " " " " " "	"	...	77.5	Mixter	A. C. J., 1, 239	40, 1130
" "	" " " " " " " "	"	...	77-78	Neville & Winther	B., 15, 3016	37, 441; 41, 422
" "	" " " " " " " "	"	...	77.5	Limpricht	B., 18, 1400, 2183	48, 974
" "	" " " " " " " "	"	...	77-78	Levinstein	D. P., 256, 471	48, 1127
" "	" " " " " " " "	"	...	77.5	Cunerth	A., 172, 223	
" "	" " " " " " " "	"	...	78	Bernthsen	B., 15, 3017	44, 579
" "	" " " " " " " "	"	...	78	Nölting and Collin	B., 17, 263	46, 1012
" "	" " " " " " " "	"	...	90	Staedel	A., 225, 384	48, 142
" "	" " " " " " " "	"	...	91.5	Bernthsen	B., 15, 3017	44, 579
" "	" " " " " " " "	"	...	94.5	Cunerth	B., 7, 644; A., 172, 223	27, 903; 28, 83
" "	" " " " " " " "	"	...	95	Becker	B., 15, 1138	42, 1197
" "	" " " " " " " "	"	...	98	Staedel	A., 217, 199	44, 865
" "	" " " " " " " "	"	...	98-98.4	Neville & Winther	B., 15, 2985	41, 416
" "	" " " " " " " "	"	...	97	Lellmann & Würthner	A., 228, 239	48, 974
" "	" " " " " " " "	"	...	106	Levinstein	D. P., 256, 471	48, 1127
" "	" " " " " " " "	"	...	107	Limpricht	B., 18, 1401	48, 974
" "	" " " " " " " "	"	...	107	Nölting and Collin	B., 17, 265	46, 1012
" "	" " " " " " " "	"	...	106-108	"	B., 17, 269	46, 1007
" "	" " " " " " " "	"	...	109	Staedel	A., 225, 384	48, 142
" "	" " " " " " " "	"	...	110	Kelbe	B., 8, 876	29, 270
" "	" " " " " " " "	"	...	114	Beilstein & Kuhlberg	A., 155, 23; Z. C., [2], 6, 102	vi., 1103
" "	" " " " " " " "	"	...	114	Graeff	A., 229, 340	48, 1127
" "	" " " " " " " "	"	...	114	Limpricht	B., 18, 1404	
" "	" " " " " " " "	"	...	114	Friederici	B., 11, 1971	36, 311
" "	" " " " " " " "	"	...	114	Fourmeaux	B. S., 42, 337	48, 400
" "	" " " " " " " "	"	...	114	Hübner	A., 208, 313	40, 1131
" "	" " " " " " " "	"	...	114	Nölting and Collin	B., 17, 263	46, 1012
" "	" " " " " " " "	"	...	114-115	Neville & Winther	41, 426
" "	" " " " " " " "	"	...	116	Gattermann	B., 18, 1483	vii., 1166
" "	" " " " " " " "	"	...	127	Limpricht	B., 18, 1404	
" "	" " " " " " " "	"	...	127-128	Beilstein and Kuhlberg	A., 158, 346	24, 682
" "	" " " " " " " "	"	...	127-129	Neville & Winther	41, 423	vii., 1178
" "	" " " " " " " "	"	...	128	"	37, 432	
" "	" " " " " " " "	"	...	129.5	Lellmann & Würthner	A., 228, 239	48, 974
" "	" " " " " " " "	"	...	129-130.5	Ladenburg	B., 11, 1652	36, 233
" "	" " " " " " " "	"	...	130	Nietzki	B., 12, 2237	38, 162
" "	" " " " " " " "	"	...	133	Limpricht	B., 18, 1404	
" "	" " " " " " " "	"	...	133-134	Beilstein and Kuhlberg	Z. C. [2], 7, 99; A., 158, 335	24, 563, 683; vii., 1178
" "	" " " " " " " "	"	...	168	Wagner	B., 7, 1273	vii., 931; 28, 256
" "	" " " " " " " "	"	...	168	Cunerth	B., 7, 643	27, 902
Theobromine	$\left\{ \begin{array}{l} \text{NMe.CO.C.NH} \\ \parallel \\ \text{CO.NMe.C.N} \end{array} \right\} \text{CH}$	C ₇ H ₈ O ₂ N ₄	...	w. m. 290	Schmidt & Pressler	A., 217, 287	44, 872
" "	" " " " " " " "	"	...	w.m. 290-295	Keller	G. J. C., 1854	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitranisidine	OMe.NH ₂ .NO ₂ =1.2.3	C ₇ H ₈ O ₃ N ₂	76	Bantlin	B., 11, 2106	36, 238
"	" =1.3.4	"	129	"	"	"
Amidobenzylalcohol	(CH ₂ .OH).NH ₂ =1.2	C ₇ H ₉ ON	82	Friedländer and Henriques	B., 15, 2110	"
Anisidine	OMe.NH ₂ =1.2	"	216	Liquid 0	Brunck	Z. C. [2], 3, 205	vi., 910
"	"	"	216	Liquid	Körner	G. I., 4, 305	29, 235
"	"	"	226.5 (734)	Müllhäuser	A., 207, 239	42, 302
"	"	"	228	"	B., 13, 920	38, 641
"	" =1.3	"	251 c.	Liquid	Pfaff	B., 16, 614	"
"	" =1.4	"	245-246 c.	s. 51-52	Salkowski	B., 7, 1009	28, 64
"	"	"	52	Brunck	Z. C. [2], 3, 205	vi., 910
"	"	"	54	Körner	G. I., 4, 305	29, 235
"	"	"	55.5-56.5	Lossen	A., 175, 324	28, 770
Amidocresol	Me.OH.NH ₂ =1.2.6	"	124-128	Ullmann	B., 17, 1963	46, 1317
" cf. B., 7, 1270...	" =1.4.5	"	135	Nölting and Kohn	B., 17, 360	46, 901
"	" =1.4.6	"	138-139 ; 143-144	Wallach	B., 15, 2834	44, 329
"	" =1.3.6	"	151	Nölting and Kohn	B., 17, 367	46, 902
"	" =1.2.4	"	159-161	Wallach	B., 15, 2832	44, 329
"	"	"	159-161	Maassen	B., 17, 609	46, 1145
"	"	"	159-161	Nölting and Collin	B., 17, 270	46, 1007
"	" =1.2.5	"	172-173 ; 174-175	Nölting and Kohn	B., 17, 365	46, 902
"	"	"	174-175	"	B., 17, 370	46, 1003
"	"	"	175	Hirsch	B., 18, 1514	48, 892
Pseudacetylmethylpyrroline	C ₄ H ₃ Ac : NMe	"	200-202	Liquid	Ciamician and Dennstedt	B., 17, 2952	48, 378
Acetylmethylpyrroline	C ₄ H ₃ Me : NAc	"	4-6	Weidel and Ciamician	B., 13, 78	38, 404
β-ethoxypyridine	C ₅ H ₄ N.OEt	"	Liquid	Fischer and Renouf	B., 17, 1897	46, 1370
Pseudolutidostyryl	CMe : CH.CMe : CH.CO.NH	"	303-305	180	Hantzsch	B., 17, 2905	48, 397
Phenyl semicarbazide	C ₆ H ₅ .NH.NH.CO.NH ₂	C ₇ H ₉ ON ₃	170	Fischer	A., 190, 113	34, 307
Diamidobenzamide	(CO.NH ₂). (NH ₂) ₂ =1.3.5	"	177	Muretow	Z. C. [2], 6, 642	vii., 130
"	" = ?	"	183	Voit	i., 541
Pyromucethylamide	C ₄ H ₃ O.CO.NHET	C ₇ H ₉ O ₂ N	258 c.	Liquid	Wallach	B., 14, 752	40, 715
Ethylpyromeconamic acid	"	160	Meunel	J. p. [2], 32, 176	48, 1204
Salicylaldehyde ammonia	"	30	Herzfeld	B., 10, 1271	"
Ammonium salicylite	C ₆ H ₄ .O(NH ₄).COH=1.2	"	115	Ettling	A., 29, 310 ; 35, 244	v., 169
Tetrene urethane	C ₄ H ₄ : N.COEt	"	180 (770)	Liquid	Ciamician & Dennstedt	G. I., 12, 84 ; B., 15, 943, 2579	42, 606 ; 44, 350
Ethyl α-pyrrolate	C ₄ H ₄ N.COEt	"	230-232	39	Ciamician and Silber	G. I., 14, 162 ; B., 17, 1152	46, 1044 ; 48, 246
Ethylcarbopyrrolic acid	C ₄ H ₃ EtN.COOH	"	78	Bell	B., 10, 1864	36, 525
Dimethyl pyrroline carbonylic acid	CH : CMe.NH.CMe : C.COOH	"	210-213 d.	Knorr	B., 18, 1565	48, 995
Nitrodiamidotoluene ...	Me.(NH ₂) ₂ .NO ₂ =1.2.4.6	C ₇ H ₉ O ₂ N ₃	132	Tiemann	B., 3, 218	"
"	" =1.2.4.3 or 5	"	154	"	B., 3, 220	"
"	"	"	154	Ladenburg	B., 8, 1211	"
"	"	"	154	Ruhemann	B., 14, 2657	42, 392
Ethyl acetylanacetate	CHAc(CN).COEt	C ₇ H ₉ O ₃ N	26	C. R., 95, 235	"
Ammonium salicylate	C ₆ H ₄ .OH.CO(NH ₄)=1.2	"	126	Procter	J. Ph. [3], 3, 275	v., 155
Hypoethyltheobromine	C ₇ H ₉ O ₃ N ₃	142	Fischer	A., 215, 308	44, 357
Trihydroxydimethylpurin ...	C ₅ N ₄ Me ₂ (OH) ₃ ?	C ₇ H ₉ O ₃ N ₄ ?	Very high d.	"	B., 17, 337	46, 998
? acid	C ₇ H ₉ O ₄ N	d. 135	84-87	Pinner	B., 14, 1070	40, 797
Nitrotoluidine nitrate ...	C ₆ H ₃ Me.NO ₂ .NH ₂ + HNO ₃	C ₇ H ₉ O ₃ N ₃	185 d.	Beilstein & Kuhlberg	Z. C. [2], 5, 280	vi., 1105
Hydrazineisoil	C ₆ H ₄ .OMe.N ₂ H ₃ =1.2	C ₇ H ₁₀ ON ₂	43	Reisenegger	A., 221, 314	46, 440
Dimethylcarbopyrrolamide...	C ₄ H ₂ Me ₂ N.CO.NH ₂	"	89-90	Bell	B., 10, 1866	36, 525
Ethylsuccinylcarbamide ...	CO(CH ₂) ₂ .CO.N.CO.NHET	C ₇ H ₁₀ O ₃ N ₂	94-95	Menschutkin	A., 178, 204	29, 379

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethyl cyanamidodicyanoboxylate	$N(CN)(COOEt)_2$	$C_7H_{10}O_4N_2$	32.8	Bassler	J. p. [2], 16, 134	34, 214
Diacetylmethylglyoxime	$CMe(NOAc).CH(NOAc)$	51	Schramm	B., 16, 2187	46, 52
Nitrodehydropiperlymethylurethane	$C_5H_7(NO_2)N.COOMe$	102-103	Schotten	B., 16, 647	44, 811
Oxy-β-dimethyluric acid	$C_7H_{10}O_5N_4$	173-174	Fischer	B., 17, 1781	46, 1309
Hydroxyheptamide	$C_6H_9(OH)(CO.NH_2)$	$C_7H_{11}O_2N$	87	Demarçay	C. R., 86, 1135	34, 662
Isopropylsuccinimide	$CO.CH_2.CHPr^β.CO.NH$	60	Roser	A., 220, 271	46, 423
Tyroleucine	240 d.	Schützenberger	A. C. [5], 16, 289	36, 544
"	250	"	C. R., 84, 124	31, 725
Diethyl cyanurate	$(CN)_3(OEt)_2(OH)$	$C_7H_{11}O_3N_3$	173	Limpricht	A., 74, 208	ii., 293
Methylcaffuric acid	$C_7H_{11}O_4N_3$	167	Schmidt & Schilling	A., 228, 141	46, 995
Diethyl nitrosomalonnate	$ON : CH(COOEt)_2$	$C_7H_{11}O_5N$	d.	Liquid	Conrad and Bischoff	B., 13, 599	38, 629
" oxalcarbaminate	$EtOOC.NH.CO.COOEt$	45	Salomon	J. p. [2], 9, 292	27, 791
Ethyl nitrotartronate	$C_7H_{11}O_7N$	45-46	Henry	A. C. [4], 28, 415	
Diallyl carbamide	$CO.N_2H_2(C_2H_5)_2$	$C_7H_{12}ON_2$	100	Richter	R. K. T., 153	
Amidoheptamide	251 d.	Demarçay	C. R., 86, 1135	34, 662
Diethyl amidocyanurate	$C_3N_3(OEt)_2.NH_2$	$C_7H_{12}O_2N_4$	97	Hofmann and Olshausen	B., 3, 274; P.R.S., 18, 493	vii., 410
?	$C_7H_{12}O_3N_2$	147	Behrend	B., 16, 3027	46, 583
Ethylsuccinuric acid....	$NHEt.CO.NH.CO.(CH_2)_2.CO_2H$	$C_7H_{12}O_4N_2$	166.5-167	Menschutkin	A., 178, 206	29, 380
Dinitroheptylene	$C_7H_{12}(NO_2)_2$	182	Morris	41, 176
Methyl cyanurate formamide	$(CO)_2N_3Me_3 + NH_2.CO_2H$	$C_7H_{12}O_4N_4$	175	Gautier	A., 149, 315	vi., 529
Hexyl isocyanate	$C_6H_{13}.N : CO$	$C_7H_{13}ON$	a. 100	Pelouze & Cahours	J. [1863], 526	
Suberoxime	$C_7H_{12} : N.OH$	Liquid	Nägeli	B., 16, 497	44, 728
Acetyl piperidine	$C_5H_{10}.N.Ac$..	224	Liquid	Schotten	B., 15, 426	42, 983
"	226-227	Liquid	Wallach	A., 214, 238	
Tropigenine	$C_7H_{12}O : NH$	161	Merling	B., 15, 290	42, 739
"	cf. B., 16, 244	159-161	Pesci	G. I., 12, 285, 329	
Diacetone cyanhydrine	$CMe_2(OH).O.CMe_2.CN$	$C_7H_{13}O_2N$	135-152	Urech	A., 164, 260	vii., 15; 26, 60
Amidotrimethylbutyllactide	$Me.C.(O.C : O)CH_2.CMe_2.NH_2$	a. 180	Heintz	A., 189, 238,	32, 878
Nitrosoisobutylketone	$CH_3.CO.CH(NO).Bu^β$	42	Treadwell and Westenburger	B., 15, 2788	44, 572
Ethyl ?	$NHMe.CMe : CH.CO_2Et$ or $NMe : CMe.CH_2.CO_2Et$..	133(50); 215 (o.p.)	Liquid	Kuckert	B., 18, 618	48, 750
Piperlymethylurethane	$C_5H_{10}.N.CO_2Me$..	201	Liquid	Schotten	B., 16, 647	44, 814
Isoamylic oxamate	$NH_2.CO.CO_2(C_5H_{11})$	$C_7H_{13}O_3N$	92-93	Wallach and Liebmann	B., 13, 507	38, 557
Ethylsuccinuramide	$NH_2.CO.(CH_2)_2.CO.NH.CO.NHEt$	$C_7H_{13}O_3N_3$	195-196	Menschutkin	A., 178, 208	29, 380
Ethyl glutamate	$C_3H_5(NH_2)(COOH)(COOEt)$	$C_7H_{13}O_4N$	164-165	Habermann	A., 179, 253	29, 907
Diethyl guanidodicyanurate	$NH : C(NH.CO_2Et)_2$	$C_7H_{13}O_4N_3$	162-u.c.	Nencki	B., 7, 1588	28, 755
Nitrobornesite	No. of nitro-groups ?	$C_7H_{13}O_8N (?)$	30-35	Girard	C. R., 73, 426	24, 915
Diethylmalonamide	$CH_2(CO.NHEt)_2$	$C_7H_{14}O_2N_2$	149	Wallach and Kamenski	B., 14, 170	40, 285
Dimethylpyrotartaramide	$NHMe.CO.CHMe.CH_2.CO.NH.Me$	113-115	Henry	C. R., 100, 943	48, 887
Isoamylic allophanate	$NH_2.CO.NH.CO_2.C_5H_{11}$	$C_7H_{14}O_3N_2$	a. 100	Schlieper	A., 59, 23	i., 133
"	162	Hofmann	B., 4, 267	
Propiodiacetodiamide	$N_2H_3Ac_2(C_3H_5O)$..	220	68	Gautier	A., 150, 189	vi., 525
Ethyl β-hydroxyamidoglutamate	$NH_2.CO.CH_2.C(OH)(NH_2).CH_2.CO_2Et$	$C_7H_{14}O_4N_2$	86	Pechmann and Stokes	B., 18, 2291	48, 1202
Oxallyldiethylamine....	$NEt_2.C_3H_5O$	$C_7H_{15}ON$	160	Liquid	Reboul	C. R., 97, 1556	46, 577
Enanthaldoxime	195 c.	50	Westenberger	B., 16, 2992	48, 581
Enanthamide	$C_6H_{13}.CO.NH_2$..	250-258	95.2	Chiozza	A., 91, 102	
"	95.2	Hofmann	B., 15, 983	
"	94-95	Mehlis	A., 185, 369	34, 135
Piperethylalkamine	cf. B., 14, 1877	..	199	Liquid	Ladenburg	C. R., 93, 338	40, 1157

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxycenanthamide	$\text{CH}_2(\text{OH}).(\text{CH}_2)_5.\text{CO.NH}_2$	$\text{C}_7\text{H}_{15}\text{O}_2\text{N}$	147	Helms	B., 8, 1170	29, 375
Methamido- α -caproic acid	$\text{Me}.\text{(CH}_2)_3.\text{CH}(\text{NHMe}).\text{COOH}$	"	w.m. 110	Duvillier	C. R., 90, 822	38, 543
?	"	193-197	Beilstein and Kurbatow	B., 13, 2029	
Ethyl β -methamido- β -hydroxybutyric acid	$\text{NHMe.CMe}(\text{OH}).\text{CH}_2.\text{COOEt}$	$\text{C}_7\text{H}_{15}\text{O}_3\text{N}$	42-43	Kuckert	B., 18, 618	48, 750
Triethylcarbamide	NHEt.CO.NEt_2	$\text{C}_7\text{H}_{16}\text{ON}_2$	223 c.	63	Hofmann	P. R., 11, 273	ii., 565
"	"	"	223	63	Michler	B., 8, 1665	29, 702
"	"	"	235	Wurtz	R. [1862], 199	ii., 565
Pseudohexylcarbamide	$\text{NH}_2.\text{CO.NH.C}_6\text{H}_{13}$	"	220 p.d.	127	Chydenius	B. S. [2], 7, 481; Z. C. [1867], 382	vi., 1117
Diisopropylcarbamide	$\text{NHPr}^i.\text{CO.NH.Pr}^i$	"	192	Hofmann	B., 15, 756	
Nitrosotriacetoneamine	$\text{C}_7\text{H}_{16}\text{O}_2\text{N}_2$	72-73	Heintz	A., 185, 1	32, 428
Trimethylene diethylalkine	$\text{C}_7\text{H}_{17}\text{ON}$	189.5	Liquid	Behrend	B., 17, 512	46, 1115
Diethylpropylalkine	"	158-159	Liquid	Ladenburg	B., 14, 2407	42, 165
Diethylpropylglycoline	$\text{NEt}_2.\text{CH}_2.\text{CH}(\text{OH}).\text{CH}_2.\text{OH}$	$\text{C}_7\text{H}_{17}\text{O}_3\text{N}$	233-235	Liquid	Roth	B., 15, 1151	42, 1195
Tetramethylallylalkine	$\text{C}_3\text{H}_5(\text{OH})\text{Me}_4\text{N}_2$	$\text{C}_7\text{H}_{18}\text{ON}_2$	170-185	Liquid	Behrend	B., 17, 510	46, 1114
Hydroxyallyldiethyldiamine	$(\text{NHEt})_2.\text{C}_3\text{H}_5.\text{OH}$	"	185	Liquid	Reboul	C. R., 97, 1488	46, 579
Nitrophthalic anhydride	$\text{C}_6\text{H}_3(\text{NO}_2)_2 : (\text{CO})_2 : \text{O} = 4.2.1$	$\text{C}_8\text{H}_3\text{O}_5\text{N}$	114	Miller	A., 208, 230	42, 404
Nitrobenzoic cyanide	$\text{NO}_2.(\text{CO.CN}) = 1.2$	$\text{C}_8\text{H}_4\text{O}_3\text{N}_2$	54	Claisen and Shadwell	B., 12, 351	
Nitrobenzoyl cyanide	" = 1.3	"	230-231.5 (142-147)	L-17	Claisen and Thompson	B., 12, 1943	38, 253
Nitroisatin	$\text{C}_6\text{H}_4.\text{CO.CO.N.NO}_2 = 1.2$	$\text{C}_8\text{H}_4\text{O}_4\text{N}_2$	226-230	Baeyer	B., 12, 1313	36, 938
Nitroisatoic acid	$\text{C}_8\text{H}_4\text{O}_5\text{N}_2$	220-230 d.	Kolbe	J. p. [2], 30, 467	48, 666
Dinitrophthalic acid	$(\text{COOH})_2.(\text{NO}_2)_2 = 1.2.3.6$	$\text{C}_8\text{H}_4\text{O}_5\text{N}_2$	200	Merz and Weith	B., 15, 2727	44, 344
"	" = 1.2.3.5	"	227	"	B., 15, 2725	"
"	"	"	226	Beilstein and Kurbatow	B., 13, 354; C. C. [1881], 359	38, 478; 42, 63
"	" = 1.2.?.?	"	266	"	B. S. (2), 34, 327	40, 436
Dinitrohydroxyterephthalic acid	$(\text{COOH})_2.\text{OH}(\text{NO}_2)_2 = 1.4.(?)_2$	$\text{C}_8\text{H}_4\text{O}_9\text{N}_2$	178	Burkhardt	B., 10, 1273	34, 73
Benzoyl cyanide	$\text{C}_6\text{H}_5.\text{CO.CN}$	$\text{C}_8\text{H}_5\text{ON}$	206-208	31	Strecker	A., 90, 62	i., 568
"	"	"	32-33	Hübner & Buchka	B., 10, 480	
Nitrophenylacetylene	$\text{C}_6\text{H}_4(\text{NO}_2).\text{C} : \text{CH} = 1.2$	$\text{C}_8\text{H}_5\text{O}_2\text{N}$	80	Müller	A., 212, 140	42, 844
"	"	"	81-82	Baeyer	B., 13, 2259	40, 275
"	" = 1.4	"	149	Müller	A., 212, 133	42, 842
"	"	"	152	Drewsen	A., 212, 150	42, 847
Cyanobenzoic acid	$\text{COOH.CN} = 1.3$	"	217	Sandmeyer	B., 18, 1499	18, 981
Phthalimide	$\text{C}_6\text{H}_4 : (\text{CO})_2 : \text{NH} = 1.2$	"	226-227 u.c.	Michael	B., 10, 579	
"	"	"	227	Sandmeyer	B., 18, 1499	48, 981
"	"	"	228-229	Landsberg	A., 215, 181	44, 475
"	"	"	228-229	Biedermann	B., 10, 1166	
"	"	"	229	Piutti	G. I., 12, 169	42, 1297
"	"	"	230	Kuhara	A. C. J., 3, 28	40, 1040
Anthroxanaldehyde	$\text{C}_6\text{H}_4.\text{N.O.C.CHO} = 1.2$	"	72.5	Schillinger and Wletügel	B., 16, 2223	46, 60
Isatin	$\text{C}_6\text{H}_4.\text{CO.C}(\text{OH}) : \text{N} = 1.2$	"	200-201	Baeyer	B., 15, 2094	
?	"	192	Kuhara	A. C. J., 3, 26	40, 1040
Anthroxanic acid	$\text{C}_6\text{H}_4.\text{N.O.C.COOH} = 1.2$	$\text{C}_8\text{H}_5\text{O}_3\text{N}$	190-191	Shillinger and Wletügel	B., 16, 2224	46, 60
Anthranilcarboxylic acid (Isatoic acid)	$\text{C}_6\text{H}_4.\text{CO.N.COOH} = 1.2$	"	230 d.	Friedländer and Wletügel	B., 16, 2228	46, 61
"	"	"	230	Kolbe	J. p. [2], 30, 467	48, 665
Phthalyl hydroxylamine	$\text{N}(\text{C}_6\text{H}_4\text{O}_2).\text{OH}$	"	230 u.c.	Cohn	A., 205, 295	40, 586
Nitrophthalic aldehyde	$(\text{COH})_2.\text{NO}_2 = 1.2.3$ or 4	$\text{C}_8\text{H}_5\text{O}_4\text{N}$	cf. A., 202, 219	135	Beilstein and Kurbatow	B., 12, 688; C. C. [1881], 359	36, 722; 42, 63

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobenzoylformic acid ...	$C_6H_4(CO.COOH).NO_2=1.2$	$C_8H_5O_6N$...	122-123	Claisen & Thompson	B., 12, 1945	
" " "	" " "	"	+xH ₂ O	46-47	"	"	
" " "	" " =1.3	"	...	77-78	"	"	38, 254
Nitroterephthalaldehydic acid	$COH.COOH.NO_2=1.4.6$	"	...	160	Löw	B., 18	48, 799
Nitropiperonal	$CH_2 : O_2 : C_6H_2(NO_2)COH$ =4.3.2.1	"	...	95.5	Remsen and Fittig	Z. C. [2], 6, 97 ; A., 159, 134	vi., 948; 24, 935
Nitrophthalic acid	$(COOH)_2.NO_2=1.2.3$	$C_8H_5O_6N$...	208-210	Faust	A., 160, 57	25, 75
" "	" " "	"	...	208-210	Engelhardt and Latschinoff	Z. C. [2], 7, 262	vii., 978
" "	" " "	"	cf. B. 10, 294	208-210	Guareschi	G. I., 7, 24	31, 712
" "	" " "	"	...	212	Aguiar	B., 5, 899	26, 175
" "	" " "	"	...	212	Merz and Weith	B., 15, 2724	44, 344
" "	" " "	"	...	212	Beilstein and Kur- batow	B., 12, 688 ; C. C. [1881], 359	36, 722 ; 38, 399 ; 42, 63
" "	" " "	"	...	213	Diehl and Merz	B., 11, 1667	36, 252
" "	" " "	"	...	212-220	Graeff	B., 15, 1127	42, 1212
" "	" " "	"	d. 210	218 s.t.	Miller	A., 208, 237	42, 404
" "	" " "	"	...	219-220	Claus and May	B., 14, 1330	
" "	" " =1.2.4	"	...	135 (?)	Beilstein and Kuhl- berg	B. S. [2], 31, 200	36, 644
" "	" " "	"	d. 165	160	Miller	B., 11, 393	34, 504
" "	" " "	"	cf. B. 11, 1191	161	"	A., 208, 229	42, 404
Nitroisophthalic acid	" " =1.3 ?	"	...	233-239	Storrs and Fittig	A., 153, 283	vii., 979
" "	" " =1.3.5	"	...	248-249	"	A., 153, 285	"
" "	" " "	"	...	248-249	Beyer	J. p. [2], 22, 352	40, 96
" "	" " "	"	...	249	"	J. p. [2], 25, 470	42, 1294
" "	" " =1.3. ?	"	...	260	"	J. p. [2], 22, 351	40, 96
Nitroterephthalic acid	" " =1.4.5	"	...	259	Fittig	Lehrb., 409	
" "	" " "	"	...	270	Burkhardt	B., 10, 145	
Nitropiperonylic acid	$CH_2 : O_2 : C_6H_2(NO_2).COOH$ =4.3.2.1	"	...	172 u.c.	Jobst and Hesse	B., 11, 1033 ; A., 199, 70	34, 733
Pyridine tricarboxylic acid....	$N.(COOH)_3=1.2.3.4$	"	d. 190	n. f. 193	Michael	B., 18, 2028	
" " "	" " =1.2.4.6 or 1.3.4.5	"	...	227 d.	Voigt	A., 228, 29	48, 812
" " "	" " = ?	"	cf. B. 12, 410	243	Fürth	M. C., 2, 416	42, 230
(Berberonic acid)							
β -Pyridine tricarboxylic acid	" " "	"	...	244 u.c. ; d.	Hoogewerf & Dorp	B., 12, 158	36, 541
β - " " " "	" " "	"	...	244 d.	Böttinger	B., 13, 2049	40, 182
α - " " " "	" " "	"	...	244-250 p.d.	Richter	R. K. T., 181	
Trinitrophenylic acetate	$OAc.(NO_2)_3=1.2.4.6$	$C_8H_5O_9N_3$...	75-76	Tommasi & David	A., 169, 167 ; C. R. 77, 207	vii., 910 ; 26, 1238
Trinitrocresotic acid....	$C_6Me.OH.COOH.(NO_2)_3$	$C_8H_5O_9N_3$	A., 64, 23	170-180	Liebermann & Dorp	A., 163, 100	
Anhydroformyl amidobenzamide	$C_8H_6ON_2$...	209-210	Weddige	J. p. [2], 31, 124	48, 661
Carbimidoamidobenzoyl	$C_6H_4.CO.C(:NH).NH$	"	...	214	Griess	B., 18, 2419	48, 1227
Hydroxycinnoline	$C_6H_4.N : N.CH : C(OH)=1.2$	"	...	225	Richter	B., 16, 681	44, 1105
" ?	"	...	139	Salkowski	B., 17, 508	46, 1176
Azoxindole	"	...	w.m. 220	Baeyer and Knop	A., 140, 27	vi., 736
Benzenylazoxime carbinol	$Ph.C : N.O.C(OH) : N$	$C_8H_6O_2N_2$...	197	Falck	B., 18, 2469	48, 1217
Benzoylene carbamide	"	...	a. 350	Griess	B., 2, 416	
Nitrosoisophthalidine	$C_6H_4.C(:N.NO).O : CH_2=1.2$	"	...	156	Gräbe	B., 17, 2599	48, 166
Dihydroxyquinoxaline	$C_6H_4 : [N : C(OH)]_2 : =?$	"	...	280	Bladin	B. S., 42, 104	48, 257
" "	" " =1.2	"	...	n. f. 290	"	B., 18, 674	48, 786
Cyanamidobenzoic acid	$C_6H_4.COOH.(NH.CN)=1.3$	"	d.a. 140	200 d.	Traube	B., 15, 2114	44, 192
" "	" " =1.2.(?)	"	...	a. 350	Griess	P. R., 18, 91	vi., 320
Nitro- α -toluic nitril	$C_6H_4.NO_2.(CH_2.CN)=1.2$	" (?)	cf. B. 17, 505	45	Perkin	B., 16, 341	48, 112
" "	" " "	"	...	84	Salkowski	B., 17, 507	46, 1176
" "	" " =1.3	"	...	61	"	B., 17, 504	"
" "	" " =1.4	"	...	114	Radziszewsky	B., 3, 198	
" "	" " "	"	...	116	Gabriel	B., 15, 834	42, 1070

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitro- <i>a</i> -toluic acid	$C_6H_4.NO_2.(CH_2.CN)=1.4$	$C_8H_6O_2N_2$	116	Gabriel	B., 14, 2342	42, 188
Nitrotoluic nitril	$Me.CN.NO_2=1.3.?$	"	80	Beilstein & Kreisler	A., 144, 176	
?	Is not $C_6H_4(NO_2)CH_2.CN$ q.v.	"	cf. 43, 112	45	Salkowski	B., 17, 505	
Nitrosoindoxyl	$C_6H_4.C(OH):C(NO).NH=1.2$	"	d. w. m. 200	Baeyer	B., 15, 783	
Azodioxindol	"	s.b. 260	300	Baeyer and Knop	A., 140, 26	vi., 736
Nitroxindol	$C_6H_4.NH.CO.CH.NO_2=1.2$	$C_8H_6O_3N_2$	d. 175	Baeyer	B., 12, 1313	36, 938
Nitrosodioxindol	"	300-310	Baeyer and Knop	A., 140, 20	vi., 735
Methoxynitrobenzonitril	$OMe.CN.NO_2=1.4.?$	"	cf. B., 2, 668	149-150	Henry	Z. C. [2], 6, 209	vii., 81
"	$=1.2.3$	"	171	Bruyn	R. T., 2, 205	48, 656
Nitrophenylnitroethylene	$C_6H_4(NO_2)(CH:CH.NO_2)=1.2$	$C_8H_6O_4N_2$	106	Priebs	A., 225, 319	48, 161
"	$=1.3$	"	122	Friedländer and Lazarus	A., 229, 233	48, 1138
"	$=1.4$	"	cf. B., 16, 851	199	Friedländer and Mähly	A., 229, 210	"
Nitrobenzoylformamide	$C_6H_4(NO_2)(CO.CO.NH_2)=1.2$	"	189	Claisen & Shadwell	B., 12, 352	
"	$=1.3$	"	151-152	Claisen & Thompson	B., 12, 1944	38, 254
"	"	"	151-152	Thompson	B., 14, 1187	
Dinitrotoluic aldehyde	$Me.CO.H.(NO_2)_2=1.3.2.?$	$C_8H_6O_5N_2$	110-112	Bornemann	B., 17, 1473	46, 1163
Dinitro- <i>a</i> -tolnic acid....	$(CH_2.COOH)(NO_2)_2=1.2.4$	$C_8H_6O_6N_2$	cf. B., 2, 210	160	Radziszewsky	Z. C. [2], 5, 358	vi., 1102
"	"	"	160	Gabriel and Meyer	B., 14, 823	40, 729
"	"	"	160	Heckmann	A., 220, 128	46, 178
Dinitrotoluic acid	$Me.COOH.(NO_2)_2=1.4.2.6$	"	157-158	Brückner	B., 8, 1678	29, 925
"	$=1.2.4.6$	"	206	Jacobsen & Wierss	B., 16, 1959	44, 1121
<i>a</i> -Dinitromethoxybenzaldehyde	$COH.OMe.(NO_2)_2=1.3.(?)_2$	"	110	Tiemann & Ludwig	B., 15, 2056	44, 189
<i>a</i> -	"	"	110	Ludwig	C. C. [1884], 35	48, 664
<i>β</i> -	"	"	155	"	"	"
<i>β</i> -	"	"	155	Tiemann & Ludwig	B., 15, 2056	44, 189
Dyslyte (cf. A., 81, 103)	$C_8H_6O_6N_4$	189 c.	Bäsett	Z. C. [1871], 701	25, 100
Methylic dinitrosalicylate	$COOMe.OH.(NO_2)_2=1.2.(?)_2$	$C_8H_6O_7N_2$	124-125	Cahours	A. C. [3], 25, 6	v., 164
"	"	"	127-128	Salkowski	A., 173, 43	28, 71
Dinitranisic acid	$COOH.OMe.(NO_2)_2=1.4.(?)_2$	"	171-173	"	A., 163, 57	vii., 336; 25, 716
"	$=1.4.3.5$	"	181-182	Salkowski and Rudolph	B., 10, 1254	34, 72
Nitrosnitrobarbituric acid (violantin)	$C_8H_6O_9N_6$	+4H ₂ O	d. 120	Baeyer	A., 127, 226	
Pentanitrodimethylaniline	$C_6.NMe_2.(NO_2)_5$	$C_8H_6O_{10}N_6$	127	Michler and Meyer	B., 12, 1793	38, 108
"	"	"	127	Michler & Salathé	B., 12, 1790	"
Phenoxyacetoneitril	$PhO.CH_2.CN$	C_8H_7ON	235-238	Liquid	Fritzsche	J. p. [2], 20, 278	38, 319
Mandelic nitril	$Ph.CH(OH).CN$	"	cf. B., 14, 239	s.-10	Tiemann & Friedländer	B., 14, 1967	42, 56
"	"	"	170 d.	Vöelckel	P. A., 62, 444	i., 570
Benzyl isocyanate	$Ph.CH_2.N:CO$	"	153	Cannizzaro	G. I., 1, 33	24, 927
"	"	"	175-200	Letts	B., 5, 91	vii., 178, 180
Phenylglycocine anhydride....	$Ph.N.CH_2.CO$	"	263	Meyer	B., 10, 1967	34, 294
Tolyl isocyanate	$C_6H_4Me.N:CO=1.2$	"	186	Girard	B., 6, 445	26, 912
"	$=1.4$	"	185	Liquid	Hofmann	P. R., 19, 108; B., 3, 656	24, 139; vii., 407
Anisonitril (cf. Z. C. [2], 6, 209)	$C_6H_4.OMe.CN=1.4$	"	253-254 u.c.	56-57	Henry	B., 2, 667	vii., 81
Hydroxy- <i>a</i> -tolnic nitril	$C_6H_4(OH).(CH_2.CN)=1.3$	"	52-53	Salkowski	B., 17, 506	48, 1176
"	$=1.2(?)$	"	69	Will	Z. C. [2], 7, 89	24, 408; vii., 832
"	"	"	69	Will and Laubheimer	A., 199, 156	38, 265
"	$=1.4$	"	69-70	Salkowski	B., 17, 506	48, 1175
Ethenylamidophenol	$C_6H_4.O.CMe:N=1.2$	"	200-201	Liquid	Ladenburg	B., 9, 1524	31, 302
Phthalidine	$C_6H_4.C(:NH).O.CH_2=1.2(?)$	"	337 c. (730)	150	Græbe	B., 17, 2598	48, 166

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Oxindole	$C_6H_4.CH_2.CO.NH$ or $C_6H_4.C(OH):CH.NH=1.2$	C_8H_7ON	120	Baeyer and Knop	A., 140, 29	vi., 736
Methenylamidocresol	$C_6H_3Me.O.CH:N=1.2.3$..	200	38-39	Hofmann Miller	B., 14, 570	40, 593
"	" =1.4.3	"	45-46	"	B., 14, 572	"
"	" "	"	46	Nötling and Kohn	B., 17, 361	"
Piperpropylalkamine	"	197	Ladenburg	C. R., 93, 338	40, 1158
? (cf. B. 2, 417; 13, 977)	$C_6H_4.NH.C(NH).C(OH):N$ =1.2	$C_8H_7ON_3$	nf. 280	Bladin	B., 18, 673; B. S., 42, 104	48, 257, 785
β -Benzoyl formamide	Ph.CO.CO.NH ₂	$C_8H_7O_2N$	+H ₂ O	64-65	Claisen	B., 10, 1665	34, 151
β - " "	"	"	79-80	"	B., 12, 633	"
α - " "	"	"	90-91	"	B., 10, 1664; 12, 633	34, 151
γ - " "	"	"	130	"	B., 10, 1665	"
γ - " "	"	"	($C_8H_7O_2N$) ₂	134-135	"	B., 12, 635	36, 649
Phenylnitroethylene....	Ph.CH:CH.NO ₂	"	cf. A., 31, 269	56-57	Alexejew	B., 6, 1209	27, 261
"	"	"	cf. A., 53, 297	56-5-57	Priebs	B., 16, 2591	46, 313
"	"	"	57-58	Gabriel	B., 18, 2438	"
"	"	"	58	Erdmann	B., 17, 413	46, 906
Isophenylnitroethylene	"	172-180	Priebs	A., 225, 319	48, 161
Nitrostyrolene	$C_6H_4(NO_2)(CH:CH_2)=1.3$	"	-5	Prausnitz	B., 17, 598	46, 1175
"	" =1.2	"	12-13.5	Einhorn	B., 16, 2213	"
"	" =1.4	"	29	Basler	B., 16, 3006	46, 604
Amidophenoxyacetic anhy- dride	$C_6H_4.O.CH_2.CO.NH=1.2$	143-144	Thate	J. p. [2], 25, 266	42, 849
" "	" "	"	143-144	Fritzsche	J. p. [2], 20, 288	38, 320
" "	" =?	"	166-167	Thate	J. p. [2], 29, 145	48, 1171
Dioxindole	$C_6H_4.CH(OH).CO.NH$ or $C_6H_4.C(OH):C(OH).NH$ =1.2	"	180 p.d.	Baeyer and Knop.	A., 140, 9	vi., 735
Nitrophthalene	"	280-320	48	Dusart	A. C. [3], 44, 332	iv., 113
Nitroamido- <i>a</i> -toluic nitril	(CH ₂ .CN).NH ₂ .NO ₂ =1.4.5	$C_8H_7O_2N_3$	117-118	Gabriel	B., 15, 839	42, 1070
Phenylc oxamate	NH ₂ .CO.COOPh	$C_8H_7O_3N$	132	Wallach and Lieb- mann	B., 13, 507	38, 558
Phenyloxamic acid (oxanilic)	NHPh.CO.CO@H	"	fr. C ₆ H ₆	149-150	Klinger	A., 184, 265	31, 710
" " "	"	"	fr. ether	150-151	"	"	"
Isonitrosophenylacetic acid ...	Ph.C(NOH).COOH	"	127-128	Müller	B., 16, 1620	44, 429
Nitroacetophenone	CH ₃ .CO.C ₆ H ₄ .NO ₂ =1.2	"	cf. B., 3, 886	Liquid -20	Gevekoht	B., 15, 2084	44, 191
"	" =1.3	"	"	80-81	Hübner & Buchka	B., 10, 1714	34, 147
"	" =1.4	"	"	80-81	Drewsen	A., 212, 159	42, 847
Terephthalamic acid....	COOH.(CO.NH ₂)=1.4	"	214	Sandmeyer	B., 18, 1498	48, 981
Amidobenzoyl formic acid	NH ₂ .(CO.CO@H)=1.3	"	270-280 d.	Claisen & Thompson	B., 12, 1946	38, 254
" ?	"	261	Ost	J. p. [2], 27, 270	44, 792
Methylic nitrobenzoate	COOMe.NO ₂ =1.3	$C_8H_7O_4N$	279	70	Chancel	A., 72, 275	i., 556
" "	" =1.4	"	96	Wilbrand and Beil- stein	A., 128, 263	iv., 61
Nitrophenylacetic acid .	(CH ₂ .COOH).NO ₂ =1.2(?)	98	Radziszewsky	B., 3, 648	37, 96
" "	" =1.4(?)	..	mixture (?)	114	"	B., 2, 209; 3, 648; Z. C. [2], 5, 358	37, 96; 38, 119; vi., 1102
" "	" =1.3	"	117	Gabriel & Borgmann	B., 16, 2065	44, 1121
" "	" "	"	120	Salkowski	B., 17, 506	46, 1176
" "	" =1.4(?)	..	ortho-?	133-136	Förner	B., 17, 985	48, 1021
" "	" =1.2	"	137-138	Bedson	B., 13, 574	37, 93
" "	" "	"	141	Salkowski	B., 17, 507	48, 1176
" "	" =1.4	"	150-151	Bedson	B., 13, 574	37, 91
" "	" "	"	151	Wittenberg	B. S., 43, 111	48; 661
" "	" "	"	149-152	Gabriel	B., 14, 2342	"
" "	" "	"	151.5-152	Maxwell	B., 12, 1765	37, 96; 38, 120
Nitroacetoxybenzene	OAc.NO ₂ =1.2	"	253 p.d.	40-41	Böttcher	B., 16, 1934	44, 1113

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylic nitrosophenolcarboxylate	$C_6H_4(NO)(O.COOMe)$	$C_8H_7O_4N$	137	Walker	B., 17, 400	46, 1003
Nitrotoluic acid	$Me.CO.OH.NO_2=1.2.3$	"	103 u.c.	Claus and Mann	B., 18, 1122	48, 888
"	" =1.2.6	"	145	Fittig and Ramsay	A., 168, 202	27, 68
"	"	"	145	Jacobsen & Wierss	B., 16, 1958	44, 1121
"	"	"	145	Jacobsen	B., 17, 162-164	46, 745
"	"	"	145	Fittig and Bieber	A., 146, 245	
"	"	"	145	Weith	B., 6, 420	
"	" =1.2.5	"	152	Jacobsen	B., 17, 162-164	46, 745
"	" =1.3.5	"	167	Thöl	B., 18, 361	48, 522
"	" =1.2.4	"	179	Jacobsen & Wierss	B., 16, 1958	44, 1121
"	"	"	179	Jacobsen	B., 17, 162-164	46, 745
"	" =1.3.4	"	182	"	B., 14, 2354	42, 185
"	" =?	"	184.5	Landolph	B., 6, 939	
"	" =1.4.6	"	188-189	Fittig and Ramsay	A., 168, 251	27, 68
"	"	"	189	Fittica	A., 172, 309	28, 59
"	"	"	189-190	"	B., 6, 939	26, 1227
"	"	"	190	Ahrens	Z. C. [2], 5, 104	vi., 1101
"	"	"	190	Gerichten & Rössler	B., 11, 706	
"	" =1.4.5(?)	"	189	Fittica	A., 172, 303	28, 59
"	"	"	190	"	B., 7, 927	27, 1166; 34, 672
"	" =1.3.6	"	211	Iles and Remsen	B., 11, 1328	36, 53
"	"	"	214	Remsen & Kuhara	A. C. J., 3, 424	42, 607
"	"	"	cf. A., 144, 168	214	Kelbe and Warth	A., 221, 157	48, 46
"	" (?)	"	217-218	Ahrens	Z. C. [2], 5, 105	vi., 1101
"	" =1.3.2	"	219	Jacobsen	B., 14, 2353	42, 185
"	"	"	220	Ahrens	Z. C. [2], 5, 105	vi., 1101
Nitromethoxybenzaldehyde	$COH.OMe.NO_2=1.2.?$	"	88	Voswinckel	B., 15, 2027	44, 190
"	" =1.3.?	"	82-83	Tiemann & Ludwig	B., 15, 2055	
"	"	"	82-83	"	B., 15, 3052	
"	" =1.3.?	"	98	"	B., 15, 2055	
"	"	"	Mixture	98	"	B., 15, 3054	
"	" =1.3.?	"	104-105	"	B., 15, 3057	
"	"	"	107	"	B., 15, 2054	
Amidoisophthalic acid	$(COOH)_2.NH_2=1.3.5$	"	cf. J. p. [2], 25, 491	a. 300	Storrs and Fittig	A., 153, 289	
Amidotrephthalic "	" =1.4.5	"	d.w.m.	Burkhardt	B., 10, 145	
Aldoxime salicylic "	$COOH.OH.(CHNOH)=1.2.5$	"	179	Fürth	B., 16, 2182	46, 42
"	" =1.2.3	"	193	"	"	"
Nitrohydroxytoluic aldehyde	$COH.Me.OH.NO_2=1.3.6.5$	"	141	Schotten	B., 11, 788	34, 878
"	" =1.3.4.5	"	152	"	B., 11, 789	"
Methylquinolinic acid	$N.Me.(COOH)_2=?$; on ox. = $N.(COOH)_3=1.2.3.5$ or 6	"	d. 180-185	Hoogewerff and Dorp	B., 14, 645	
"	"	"	186 d.	Königs	B., 14, 104	
Apophyllic acid	$C_6H_3N(COOMe)(COOH)$	"	205	Anderson	A., 86, 196	5, 257; i., 350
"	"	"	241-242	Gerichten	B., 13, 1636	
Nitromandelic acid	$NO_2.C_6H_4.CH(OH).COOH$	$C_8H_7O_5N$	120	Beyer	J. p. [2], 31, 382	48, 983
"	" =1.3	"				
Nitrophenoxyacetic acid	$NO_2.C_6H_4.O.CH_2.CO.OH=?$	"	153	Fritzsche	J. p. [2], 19, 33	36, 322
"	" =1.2	"	156.5	Thate	J. p. [2], 29, 149	46, 1170
"	"	"	156.5	Fritzsche	J. p. [2], 20, 283	38, 319
"	" =1.4	"	183	"	J. p. [2], 20, 267	38, 320
Nitromethoxybenzoic acid	$COOH.OMe.NO_2=1.2.?$	"	88-89	Cahours	A. C. [3], 10, 345	v., 164
"	" =1.2.?	"	148-149	Kraut	A., 150, 6; 173, 41	vi., 1005
"	" =1.4.5	"	175-180	Cahours	A.	i., 302
"	"	"	186-187	Richter	R. K. T., 186	
"	"	"	189	Salkowski and Rudolph	B., 10, 1255	
Nitrohydroxytoluic acid	$COOH.Me.OH.NO_2=1.3.4.?$	"	85	Iles and Remsen	B., 11, 463	34, 505
"	"	"	86-87	Mahon	A. C. J., 4, 186	42, 1205
"	" =1.4.5.3	"	186-187	Gerichten & Rössler	B., 11, 706	34, 672
"	"	"	187-188	Ahrens	Z. C. [2], 5, 105	vi., 1101

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrodihydroxyacetophenone	(OH) ₂ .NO ₂ .Ac=1.3.(?) ₂	C ₈ H ₇ O ₅ N	142	Nencki and Silber	J. p. [2], 23, 151	40, 591
Methoxyquinolinic acid	N.OMe.(COOH) ₂ =1.2.5.6	"	140 d.	Feer and Königs	B., 18, 2398	48, 1235
Dinitroacetanilide	NHAc.(NO ₂) ₂ =1.2.4	"	120	Rudnew	Z. C. [2], 7, 202	24, 712
"	" =1.2.6	"	197	Salkowski	B., 10, 1696	
Nitroisovanillic acid	COOH.OH.OMe.NO ₂	C ₈ H ₇ O ₆ N	172-173	Matsmoto	B., 11, 133	34, 502
"	" =1.3.4.?	"				
Nitrovanillic acid	" =1.4.3.5	"	202	Weselsky and Benedikt	M. C., 3, 392	42, 1201
"	" =1.4.3.?	"	d.w.m. 210	Tiemann and Matsmoto	B., 9, 944	30, 525
"	" =1.4.3.?	"	d.w.m. 210	Matsmoto	B., 11, 133	
Methylic dinitroamidobenzoate	COOMe.NH ₂ (NO ₂) ₂	C ₈ H ₇ O ₆ N ₃	144	Salkowski	A., 163, 11	25, 714; vii., 336
"	" =1.4.(?) ₂	"				
"	" =1.2.(?) ₂	"	165	"	A., 173, 46; B., 4, 872	28, 71; vii., 336
Trinitroethylbenzene	Et.(NO ₂) ₃ =?	"	Liquid	v., 1058
Trinitroxylene	Me ₂ (NO ₂) ₂ =1.2.3.4.?	"	55	Fittig and Bieber	vi., 294
"	(cf. G.I., 10, 317)	"	127	Schiff	B., 13, 1408	38, 892
"	" =1.4.2.3.5	"	129.5	Fittig	A., 153, 276	24, 554
"	"	"	137	Glinzer and Fittig	A., 136, 307	v., 857, 1058
"	"	"	137	Fittig and Ahrens	A., 147, 15	vi., 294
"	" =1.3.2.4.6	"	176	Preis & Raymann	B., 12, 220	36, 623
"	"	"	176	Fittig	A., 148, 5	
"	"	"	176-177	Fittig and Ahrens	A., 147, 17	vi., 294
"	"	"	177	Luhmann	A., 144, 276	
"	"	"	176	Grevingk	B., 17, 2424	48, 144
"	"	"	177	Beilstein	A., 133, 45	v., 1058
"	" =1.3.4.(?) ₂	"	182	Tilden	45, 416
Trinitropetrol	C ₈ H ₇ (NO ₂) ₃	"	162	Bussenius and Eisenstuck.	A., 113, 151	iv., 382
Ethyl nitrocomenate	C ₅ HO ₂ (NO ₂)(OH).COOEt	C ₈ H ₇ O ₇ N	147	Reibstein	J. p. [2], 24, 279	42, 197
Trinitrophenetol	OEt.(NO ₂) ₃ =1.2.4.6	C ₈ H ₇ O ₇ N ₃	78	Willgerodt	B., 12, 1278	36, 923
"	"	"	78.5	Müller & Stenhouse	A., 141, 80	19, 236; vi., 911
Trinitroethylresorcinol	OEt.OH.(NO ₂) ₃ =1.3.2.4.6	C ₈ H ₇ O ₈ N ₃	120.5	Stenhouse	19, 238	vi., 893
Trinitrodimethylquinol	(OMe) ₂ (NO ₂) ₃ =1.4.2.3.5	"	100-101	Habermann	B., 11, 1038	
Trinitrodimethylresorcinol	" =1.3.4.(?) ₂	"	123-124 u.c.	Hönig	B., 11, 1042	34, 728
Trinitrodimethylcatechol	" =1.2.3.4.?	"	144-145 u.c.	Tiemann and Matsmoto	B., 9, 940	30, 524
"	"	"	144-145	Matsmoto	B., 11, 131	
Amidoxindole	C ₆ H ₃ (NH ₂).CH ₂ .CO.NH	C ₈ H ₃ ON ₂	200 d.	Gabriel and Meyer	B., 14, 832	40, 731
"	" =1.4.5	"				
Nitrosoacetanilide	C ₆ H ₅ .NAc.NO	C ₈ H ₅ O ₂ N ₂	40-41	Fischer	B., 9, 464	30, 205
Benzoyl carbamide	NH ₂ .CO.NHBz	"	171	Miguel	B. S. [2], 25, 104	30, 73
"	"	"	cf. A., 92, 404	200	Z. C. [1868], 305	i., 753
Phenyl oxamide	NH ₂ .CO.CO.NHPh	"	A., 73, 184	224	Klinger	A., 184, 271	
Phenylhydrazine glyoxylic acid	Ph.N ₂ H.CH.COOH	"	d. 137	Fischer	B., 17, 578	46, 1151
"	"	"	d. 137	Elbers	A., 227, 340	48, 535
Phenylglyoxime	Ph.C(:N.OH).CH:N.OH	"	152	Schramm	B., 16, 2186	46, 52
Diformyldiamidobenzene	C ₆ H ₄ (NH.CHO) ₂ =1.3	"	155	Tobias	B., 15, 2447	44, 326
"	" =1.4	"	203.5-204	Wundt	B., 11, 828	34, 668
Formamidobenzamide	NH ₂ .CO.C ₆ H ₄ .NH.CHO = 1.2	"	123	Weddige	J. p. [2], 31, 124	48, 661
Isophthalamide	C ₆ H ₄ (CO.NH ₂) ₂ =1.3	"	265	Beyer	J. p. [2], 22, 352	40, 96
Terephthalaldoxime	C ₆ H ₄ (CH:N.OH) ₂ =1.4	"	200	Westenberger	B., 16, 2995	46, 581
Nitrosophenylglycocoll	Ph.N(NO).CH ₂ .COOH	C ₈ H ₇ O ₃ N ₂	105 d.	Schwebel	B., 11, 1132	34, 795
Nitro-acetanilide	C ₆ H ₄ (NO ₂).NHAc=1.2	"	78	Hübner	B., 9, 775	30, 369
"	"	"	92-93	"	A., 209, 352	
"	" =1.3	"	141-143	Meyer and Stuber	A., 165, 183	25, 305
"	"	"	143	Levinstein	D. P., 256, 471	48, 1127
"	" =1.4	"	207	Nölting and Collin	B., 17, 262	46, 1012

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitro-acetanilide	$C_6H_4(NO_2).NHAc=1.4$	$C_8H_8O_3N_2$	207	Kelbe	B., 16, 1200	44, 916
" "	" "	"	207	Meyer and Stuber	J. [1875], 344	25, 305
" "	" "	"	207	Rudnew	Z. C. [2], 7, 202	24, 712
Uramidobenzoic acid	$C_6H_4(NH.CO.NH_2).COOH$ =1.3	"	d. 200	Traube	B., 15, 2117	44, 194
Methyl nitrosomethylnitrobenzene	$C_6H_4.NO_2.(CHMe.NO)=1.2$	"	58	Gabriel and Meyer	B., 14, 2337	42, 189
" " " "	" "	"	58	Gabriel	B., 15, 3058, 3060	
" " " "	" "	"	63-63.5	"	B., 15, 3061	44, 582
Nitrophenylmethylacetoxime	$C_6H_4.NO_2.(CMe:NOH)=1.3$	"	131-132	"	B., 15, 3063	"
Benzenylamidoxime carboxylic acid	$C_6H_4.CO_2H.[C(NH_2):NOH]$ =1.4	"	a. 330	Müller	B., 18, 2486	48, 1227
Nitro- α -toluamide	$C_6H_4.NO_2.(CH_2.CO.NH_2)$ =1.4	"	190-192	Gabriel	B., 14, 2342	
Nitrotoluamide	$(CO.NH_2).Me.NO_2=1.3.?$	"	151	Beilstein and Kreuzler	A., 144, 175	
Hydroisophthalamide	$(CO.NH_2)_2.OH=1.3.4$	"	250	Jacobsen	B., 11, 380	34, 583
Azophenylmethazonic acid	$C_6H_5.N_2.C_2H_3N_2O_3$	$C_8H_8O_3N_4$	164 d.	Kimich	B., 10, 141	32, 325
β -pyridine tricarboxylamide	$N.(CO.NH_2)_3$ =symmetrical	"	a. 280	Voigt	A., 228, 29	48, 813
Nitrophenylamidoacetic acid	$NO_2.[CH(NH_2).COOH]=1.3$	$C_8H_8O_4N_2$	172 d.	Plöchl and Loß	B., 18, 1180	48, 899
Amidonitro- α -toluic acid ...	$NH_2.NO_2.(CH_2.CO.OH)$ =1.2.4	"	143.5-144.5	Gabriel	B., 15, 836, 1992	42, 1070
" - α - " "	" "	"	184-186	Gabriel and Meyer	B., 14, 824	40, 730
Dinitroethylbenzene....	$Et.(NO_2)_2=?$	"	Liquid	v., 1058
Dinitroxylene	$Me_2.(NO_2)_2=1.3.2.4$	"	82	Grevingk	B., 17, 2423	48, 144
" " " "	" "	"	abt. 92	Rommier	B. S. [2], 19, 434	26, 887
" " " "	" "	"	92-93	"	"	26, 888
" " " "	" "	"	93	Fittig	A., 148, 5	
" " " "	" "	"	93	Fittig and Ahrens	A., 147, 17	vi., 294
" " " "	" "	"	93	Grevingk	B., 17, 2422	48, 144
" " " "	" "	"	93	Glinzer and Fittig	A., 136, 308	v., 857
" " " "	" "	"	93	Barner	B., 15, 2303	44, 179
" " " "	" "	"	93	Lellmann	A., 228, 250	48, 973
" " " "	" "	"	93	Fittig and Ahrens	A., 147, 17	vi., 294
" " " "	" "	"	93	Jannasch	A., 171, 79	27, 468
" " " "	" "	"	93	Jannasch & Stünkel	B., 14, 1146	40, 808
" " " "	" "	"	123.5	Glinzer and Fittig	A., 136, 307	v., 1058
" " " "	" "	"	123	Fittig and Ahrens	A., 147, 17	vi., 294
" " " "	" "	"	123.5	Jannasch & Stünkel	B., 14, 1147	40, 808
" " " "	" "	"	124	Lellmann	A., 228, 250	48, 973
" " " "	" "	"	125	Jannasch	A., 171, 79	27, 468
" " " "	" "	"	147-148	Lellmann	A., 228, 250	48, 973
" (double compound)	of 1.4.2.3 and 1.4.2.6	"	99.5	Barner	B., 15, 2302	44, 179
" " " "	" "	"	99-99.5	Jannasch & Stünkel	B., 14, 1146	
Ketine dicarbonic acid	$(CMe.N.:C.COOEt)_2$	"	200-201	Wleügel	B., 15, 1053	42, 949
Nitropyrrylene dimethyl diketone	$NO_2.C_4NH_2.(CO.Me)_2$	"	149	Ciamician & Silber	B., 18, 1468	48, 994
Dinitrophenetol	$OEt.(NO_2)_2=1.2.6$	$C_8H_8O_5N_2$	57-58	Salkowski & Rehs	B., 7, 371	27, 801
" " " "	" "	"	57-58	Salkowski	A., 174, 273	28, 367
" " " "	" =1.3.5	"	85	Andree	J. p. [2], 21, 335	38, 467
" " " "	" =1.2.4	"	84	Salkowski	A., 174, 263	vii., 908, 929
" " " "	" "	"	86	Willgerodt	B., 12, 764	36, 717
" " " "	" "	"	cf. A., 74, 315	86-87	Beilstein and Kuhlberg	A., 156, 214	
Dinitromethylcresol	$Me.OMe.(NO_2)_2=1.4.3.5$	"	122	Staedel	B., 14, 900	40, 724
" " " "	" "	"	122	"	A., 217, 170	44, 863
Dinitronitrosomethyltoluidine	$Me.NMe(NO).(NO_2)_2$	$C_8H_8O_5N_4$	125	Gattermann	B., 18, 1488	48, 976
Dinitro-dimethylresorcinol	$(OMe)_2.(NO_2)_2=1.3.(?)_2$	$C_8H_8O_6N_2$	67	Hönig	B., 11, 1042	34, 728
" catechol ...	" =1.2.(?) ₂	"	a. 100	Merck	A., 95, 200	v., 997

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitro-dimethylquinol	(OMe) ₂ (NO ₂) ₂ =1.4.5.?	C ₈ H ₈ O ₆ N ₂	169-170	Habermann	B., 11, 1037	34, 728
Dinitroethylquinol	OEt.OH.(NO ₂) ₂ =1.4.(?) ₂	"	71	Weselsky and Benedikt	M. C., 2, 370	40, 1139
"	" =1.3.(?) ₂	"	75	Aronheim	B., 12, 32	36, 465
Trinitrodimethylaniline	C ₆ H ₂ (NO ₂) ₃ .NMe ₂	C ₈ H ₈ O ₆ N ₄	115	Krell	B., 5, 880	26, 279
Trinitromethyltoluidine	C ₆ HMe.NHMe.(NO ₂) ₃	"	137-138	Gattermann	B., 18, 1488	48, 976
Dinitroethoxydihydroxybenzene	C ₆ H(OH) ₂ (OEt)(NO ₂) ₂	C ₈ H ₈ O ₇ N ₂	cf. A., 215, 155	143 d.	Nietzki	B., 11, 1449	34, 867
Acetanilide	C ₆ H ₅ .NHAc	C ₈ H ₉ ON	295 (755)	101	Williams	17, 106	v., 1087
"	"	"	112	Gerhardt	A., 87, 164	vi., 418
"	"	"	112	Seifert	B., 18, 1360	
"	"	"	112-113	Merz and Weith	Z. C. [2], 5, 699	vii., 4
"	"	"	293	112-113	Wallach and Hoffmann	A., 184, 86	32, 187
"	"	"	113	Wurtz	C. R., 7, 3528	24, 1056
"	"	"	113	Menschutkin	B., 15, 2503	
" (?)	" (?)	"	113	Rössing	B., 17, 3006	
"	"	"	114-115	Kelbe	B., 16, 1200	44, 916
α-toluamide	C ₆ H ₅ .CH ₂ .CO.NH ₂	"	155-156	Bernthsen	A., 184, 290	31, 619
"	"	"	181-184	154-155	Weddige	J. p. [2], 7, 100	26, 1241
"	"	"	155 u.c.	Reimer	B., 13, 741	
Methylphenylacetoxime	Ph.CMe : NOH	"	59	Jamy	B., 15, 2781	44, 580
Methylbenzaldoxime	Ph.CH : N.OMe	"	190-192 u.c.	Liquid	Petraczek	B., 16, 826	
Methylformanilide	Ph.NMe.CHO	"	243-244	Liquid	Pinner	B., 16, 1652	44, 1090
Formotoluide	C ₆ H ₄ .Me.NH(CHO)=1.4	"	45	Hübner	A., 209, 372	
"	" = ?	"	50	Rosenstiehl	Z. C. [2], 5, 189	vi., 1108
"	" = ?	"	50	Hofmann	G. I., 5, 392	29, 601
"	" =1.4	"	52 ?	Tobias	B., 15, 2446	44, 326
"	" "	"	52-53	Senier	47, 765
"	" =1.2	"	288	56.5-57.5	Ladenburg	B., 10, 1129	32, 754
"	" "	"	58	Tobias	B., 15, 2446	44, 326
"	" "	"	211	Ladenburg	B., 10, 1129	32, 754
Toluamide	Me.(CO.NH ₂)=1.2	"	135-136	Spica	G. I., 5, 392	29, 601
"	" "	"	138	"	"	"
"	" "	"	138	Weith	B., 6, 421	
"	" =1.4	"	151	Fischli	B., 12, 615	36, 638
Amidoacetophenone	C ₆ H ₄ .NH ₂ .(COMe)=1.2	"	Liquid	Gevekoht	B., 15, 2085	
"	" "	"	242-252	Liquid	Baeyer and Blöm	B., 15, 2154	44, 197
"	" "	"	92-93	Engler	B., 11, 933	
"	" =1.4	"	106	Drewsen	A., 212, 163	
Dihydroxindole	"	sf. 67-70	Bischoff	B., 16, 1041	
?	C ₄ H ₃ O.C : N.CMe ₂	"	300-310	142	Tonnies and Staub	B., 17, 857	46, 1130
Tetrene urethane	C ₈ H ₉ O ₂ N	180 (770)	G. I., 12, 84	
Benzyl carbamate	NH ₂ .COO.CH ₂ Ph	"	86	Cannizzaro	B., 3, 518	vii., 179
"	"	"	86	"	G. I., 1, 33	24, 927
Phenylamidacetic acid	Ph.CH(NH ₂).COOH	"	255-256	Müller	B., 16, 1621	44, 1130
"	"	"	256	Tiemann and Friedländer	B., 13, 383	38, 473
"	"	"	256	Tiemann	B., 14, 1969	
Phenylglycocine	NHPh.CH ₂ .COOH	"	110	Michaelson and Lippmann	Z. C. [1866], 16	vi., 644
"	"	"	126-127	P. J. Meyer	B., 8, 1156	29, 372
"	"	"	126-127	Schwebel	B., 10, 2046	
Glycolphenylamine	C ₆ H ₅ .NH.CO.CH ₂ .OH	"	fr. hot H ₂ O	108	Norton and Teherniak	C. R., 86, 1332	34, 775
"	"	"	fr. cold H ₂ O	98	"	B. S., 30, 104	"
Phenylhydroxyacetamide	CH ₂ (OH).CO.NHPh	"	65-115	Tommasi	B. S., 22, 6	26, 627
Isonitrosophenylethyl alcohol	Ph.C(NOH).CH ₂ .OH	"	70	Meyer and Nägeli	B., 16, 1624	44, 1076
Phenoxyacetamide	Ph.O.CH ₂ .CO.NH ₂	"	101.5	Fritzsche	J. p. [2], 20, 277	38, 319
Phenylglycollamide	Ph.CH(OH).CO.NH ₂	"	131	Zinin	Z. C. [2], 4, 710	vi., 802

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts Dict. & J. Ch. Soc.
Phenylglycollamide	Ph.CH(OH).CO.NH ₂	C ₈ H ₉ O ₂ N	190	Tiemann and Friedländer	B., 14, 1967	42, 56
Methylic benzhydroxamate	Ph.C(OH):N.OMe	"	225	Liquid	Tiemann & Krüger	B., 17, 1690	46, 1325
Methylbenzhydroxamic acid	Ph.C(OMe):N.OH	"	64-65	Lossen and Zanni	A., 182, 226	
Cresylic carbamate	NH ₂ .COO.C ₆ H ₄ .Me (?)	"	125	Kempf	J. p. [2], 1, 410	24, 342
Amidophenylacetic acid	NH ₂ .(CH ₂ .COOH) =1.3	"	148-149	Gabriel & Borgmann	B., 16, 2065	44, 1121
" "	" =1.4	"	199-200 d.	Bedson	37, 92
" "	" =1.4	"	199-200	Gabriel	B., 14, 2342	
Amidoacetoxycyclohexane	OAc.NH ₂ =1.2	"	150	vii., 903
" "	" =1.4	"	183	"
Acetamidophenol	OH.NHAc =1.4	"	179	Morse	B., 11, 232	34, 416
" "	" =1.2	"	cf. B. 11, 232	201	Ladenburg	B., 9, 1524	31, 303
Nitroethyl benzene	C ₆ H ₄ Et.NO ₂ =1.2	"	227-228	Liquid	Beilstein and Kuhlberg	Z. C. [2], 5, 524; A., 156, 206	vi., 292
" "	" = ?	"	233	Liquid	Tollens and Fittig	A., 131, 310	iv., 485; v., 1058
" "	" =1.4	"	245-246	Liquid	Beilstein and Kuhlberg	Z. C. [2], 5, 524; A., 156, 206	vi., 292
Methoxybenzamide	OMe.(CO.NH ₂) =1.2	"	128-129	Grimaux	B. S. [2], 13, 26	vi., 1002
" " (anisamide)	" =1.4	"	Solid	Cahours	A. C. [3], 22, 353	i., 297
" " (B. 2, 666)	" "	"	295	137-138	Henry	Z. C. [2], 6, 209	vii., 81
Anisaldoxime	"	45	Westenberger	B., 16, 2994	46, 581
Amidotoluic acid	Me.COOH.NH ₂ =1.3?	"	b. 100	Kelbe and Warth	A., 221, 157	46, 47
" "	" =1.3.4	"	132	Jacobsen	B., 14, 2354	42, 185
" "	" =1.3?	"	167	Beilstein and Krensler	A., 144, 178	
" "	" =1.3.2	"	172	Jacobsen	B., 14, 2354	42, 185
" "	" =1.4.6	"	164-165	Ahrens	Z. C. [2], 5, 104	vi., 1101
" "	" =1.2.5	"	165	Jacobsen	B., 17, 164	48, 745
" "	" =1.2.6	"	191	"	"	"
" "	" "	"	196	"	B., 16, 1959	44, 1121
" "	" =1.2.4	"	196	"	B., 17, 164	46, 745
" "	" "	"	191	"	B., 16, 1959	44, 1121
Nitroxylene	Me ₂ .NO ₂ =1.2.3	"	250	Liquid	Nölting and Forel	B. S., 42, 332	48, 382
" "	" =1.2.4	"	256	29	"	"	"
" "	" "	"	248 (580)	Jacobsen	B., 17, 160	46, 737
" "	" "	"	258 (760) s.d.	29	"	"	"
" "	" =1.2.1	"	52-55	"	B., 10, 1013	32, 601
" "	" =1.3.2	"	225	Nölting and Forel	B. S., 42, 332	48, 382
" "	" "	"	225 (774)	Grevingk	B., 17, 2430	48, 145
" "	" =1.3.4	"	227-228	Beilstein and Kuhlberg	J., 22, 415	
" "	" "	"	237-239	2	Tawildarow	Z. C., 13, 418	
" "	" "	"	235-245	Wroblewsky	A., 207, 91	40, 433
" "	" "	"	243-244 c.	L. -20	Harmsen	B., 13, 1558	40, 49
" "	" "	"	245.5 (744)	Grevingk	B., 17, 2429	48, 145
" "	" =1.3.5	"	255 c.	67	Wroblewsky	A., 207, 94; B., 10, 1248	34, 55; 40, 433
" "	" =1.4.5.(?)	" (?)	70-71	Jannasch and Diekmann	A., 171, 83	27, 477
" "	" "	"	234-237	cf. A., 176, 56	Schaumann	B., 11, 1537	38, 51
" "	" " (?)	"	240	Liquid	Deumelandt	Z. C. [1866], 21	v., 1058
" "	" "	"	245-246	Beilstein and Kuhlberg	J., 22, 415	
Nitrosoxylenol	Me ₂ .OH.NO =1.4.3.6	"	160-165	Oliveri	G. I. [1882], 161	42, 837
" "	" "	"	163	Goldschmidt and Schmid	B., 18, 569	48, 775
Dipseudo-acetopyrrolone	C ₄ H ₂ Ac ₂ NH	"	161-162	Ciamician and Dennstedt	B., 17, 432, 2953	46, 1044; 48, 379
Hipparin	"	45.7	Maier	A., 127, 163	iii., 155
Azonoethylbenzene	C ₆ H ₅ .N:N.C ₂ H ₄ .NO ₂	C ₈ H ₉ O ₂ N ₃	136-137 d.	Meyer and Ambühl	B., 8, 751, 1073	28, 1202

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dehydracetamide	$\text{CH}_2\text{Ac.C}:\text{CH.C}(\text{CO.NH}_2):\text{C}$ (OH)	$\text{C}_3\text{H}_9\text{O}_3\text{N}$	208.5	Oppenheim and Precht	B., 9, 1100	30, 506
Anisidhydroxamic acid	$\text{OMe}(\text{CO.NH.OH})=1.4$	"	156-157	Lossen	A., 175, 271	28, 636
Ethyl nitrophenol	$\text{OEt.NO}_2=1.2$	"	267-268 (757)	Förster	J. p. [2], 21, 343	
"	"	"	abt. 258	Liquid	Groll	J. p. [2], 14, 207	29, 247
"	$=1.3$	"	264 p.d.(760); 169 (70)	34	Bantlin	B., 11, 2101	33, 238
"	$=1.4$	"	57-58	Fritzsche	J. p., 75, 257	iv., 397
"	"	"	58	Hallock	B., 14, 37	40, 595
"	"	"	283	57-58	Richter	R. K. T., 190	
"	"	"	59	Willgerodt	B., 14, 2637	42, 396
"	"	"	85-87	G. I., 11, 396	
Nitro-ethylphenol	"	212-215	Suida and Plohn	M. C., 1, 178	
Methyl nitrocresol	$\text{Me.OMe.NO}_2=1.4.6$	"	266-267 u.c.	Liquid	Knecht	B., 15, 300	42, 728
"	$=1.4.5$	"	274 p.d.	Liquid	Wagner	B., 7, 1273	vii., 931; 28, 256
Ethyl nitrosoresorcinol	$\text{OH.OEt.NO}=1.3.4$	"	d. w. m., 180	Aronheim	B., 12, 31	36, 465
Amidoanistic acid	$\text{COOH.OMe.NH}_2=1.4.5(?)$	"	180	Zinin	A., 92, 327	i., 296
"	$=1.4.6$	"	204	Balbiano	G. I., 14, 234	48, 530
Vanillin aldoxime	$(\text{CH}:\text{NOH}).\text{OMe.OH}=1.3.4$	"	117	Lach	B., 16, 1786	44, 1104
"	"	"	121-122	Tiemann and Kees	B., 18, 1664	48, 1072
Nitroxyleneol	$\text{Me}_2.\text{OH.NO}_2=1.3.(?)_2$	"	68.5	Lako	A., 182, 33	30, 634
"	"	"	95	Pfaff	B., 16, 616	44, 802
"	β	"	236 d.	Liquid	Oliveri	G. I. [1882], 161	42, 837
"	γ	"	89	"	"	"
"	α	"	115	"	"	"
"	α	"	122	Goldschmidt and Schmid	B., 18, 570	48, 775
Methylic pseudacetyl- α -carboxypyrrolate	$\text{C}_4\text{H}_2\text{AcNH.COOME}$	"	113	Ciamician & Silber	B., 17, 1156; G. I., 14, 162	46, 1045; 48, 247
Hydroxylutidine carboxylic acid	"	$+\text{H}_2\text{O}$	246	Collie	A., 226, 294	48, 374
Nitro-acetdiamidobenzene	$\text{NH}_2.\text{NHAc.NO}_2=1.4.?$	$\text{C}_6\text{H}_9\text{O}_3\text{N}_3$	184	Biedermann and Ledoux	B., 7, 1531	
"	"	"	186	Ladenburg	B., 17, 148	46, 738
Nitrodimethylquinol	$(\text{OMe})_2.\text{NO}_2=1.4.5$	$\text{C}_8\text{H}_9\text{O}_4\text{N}$	70-71	Habermann	B., 11, 1037	34, 728
"	"	"	71.5	Mühlhäuser	A., 207, 253	
Nitrodimethylcatechol	$=1.2.3$ or 4	"	cf. A., 108, 61	95-96	Tiemann and Matsumoto	B., 9, 939	30, 52
"	"	"	95-96	Matsumoto	B., 11, 131	
Nitroethylquinol	$\text{OEt.OH.NO}_2=1.4.?$	"	83	Weselsky and Benedikt	M. C., 2, 370	40, 1139
Nitroethyl resorcinol	$=1.3.4$	"	79	"	W. A., 82, 1219; M. C., 1, 895	40, 727
"	$=1.3.6$	"	131	"	"	"
Ethyl dicarboxypyrrolic acid	$\text{C}_4\text{H}_2\text{EtN.CO.OH}$	"	w. m. 250	Bell	B., 10, 1865	36, 525
Dimethylpyrroline dicarboxylic acid	$\text{CO}_2\text{H.C}:\text{CMe.NH.CMe}:\text{C}.$ CO_2H	"	197 d.	Knorr	B., 17, 1639	46, 1368
"	"	"	250-251 d.	"	B., 18, 1564	48, 994
Ethylic comenamate...	$\text{C}_5\text{H}(\text{NH}_2)\text{O.OH.CO.OEt}$	"	$+2\text{H}_2\text{O}$	205	Reibstein	J. p. [2], 24, 284	
Ethyl comenamic acid	$\text{C}_5\text{H}(\text{NH}_2)\text{O.OEt.CO.OH}$	"	210 d.	Mennel	J. p. [2], 32, 176	48, 1203
Dinitrodimethylaniline	$\text{NMe}_2(\text{NH}_2)_2=?$	$\text{C}_8\text{H}_9\text{O}_4\text{N}_3$	73.5	Schraube	B., 8, 621	
"	$=1.3.4$	"	77	Merz and Weith	B., 10, 763	32, 603
"	"	"	78	Leymann	B., 15, 1234	
"	$=1.2.4$	"	87 u. c.	Mertens	B., 10, 995	32, 605
"	"	"	87	Wurster & Sendtner	B., 12, 1803	38, 111
"	$=?$	"	240-260 d.	Mertens	B., 10, 995	32, 606
Dinitroethylaniline	$\text{NHEt}(\text{NO}_2)_2=1.2.4$	"	114	Norton and Allen	B., 18, 1997	
Dinitromethyltoluidine	$\text{Me.NHMe}(\text{NO}_2)_2=1.4.(?)_2$	"	129	Thomsen	B., 10, 1584	34, 218
"	"	"	129	Gattermann	B., 18, 1487	48, 976
Dinitroamidoethylbenzene	$\text{Et.NH}_2(\text{NO}_2)_2=1.4.(?)_2$	"	134-135	Paucksch	B., 17, 769	46, 1143

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitroxyldine	$\text{Me}_2\text{NH}_2(\text{NO}_2)_2=?$	$\text{C}_8\text{H}_9\text{O}_4\text{N}_3$	105	Krell	B., 5, 879	26, 279
"	" =?	"	191-192	Beilstein	A., 133, 45	v., 1059
Ethyl-nitropyrogallol	$(\text{OH})_2\text{OEt}\cdot\text{NO}_2=?$	$\text{C}_8\text{H}_9\text{O}_5\text{N}$	139	Weselsky & Benedikt	M. C., 2, 215	42, 53
Allocaffeine	$\text{C}_8\text{H}_9\text{O}_5\text{N}_3$	198	Fischer	A., 215, 275	44, 355
Ethylpicrazide	$\text{C}_2\text{H}_5\cdot\text{N}_2\text{H}_2\cdot\text{C}_6\text{H}_2(\text{NO}_2)_3$	$\text{C}_8\text{H}_9\text{O}_6\text{N}_5$	200 d.	"	A., 199, 299	
Phenylethylenamidoxime	$\text{Ph}\cdot\text{CH}_2\cdot\text{C}(\text{NH}_2):\text{NOH}$	$\text{C}_8\text{H}_{10}\text{ON}_2$	67	Knudsen	B., 18, 1068	48, 897
Methylbenzenylamidoxime....	$\text{NH}_2\cdot\text{CPh}:\text{NOMe}$	"	a. 230	57	Tiemann & Krüger	B., 17, 1689	46, 1325
"	"	"	230 u. c.	57	Krüger	B., 18, 1056	48, 896
Phenylhydroxyacetamidine....	$\text{Ph}\cdot\text{CH}(\text{OH})\cdot\text{C}(\text{NH}_2):\text{NH}$	"	100	Beyer	J. p. [2], 31, 382	48, 983
"	"	"	110	"	J. p. [2], 28, 190	46, 65
Ethylenamidoxime	$\text{Ph}\cdot\text{NH}\cdot\text{CMe}:\text{NOH}$	"	121	Nordmann	B., 17, 2753	46, 239
Acetylphenylhydrazine	$\text{Ph}\cdot\text{N}_2\text{H}_2\cdot\text{CO}\cdot\text{CH}_3$	"	128.5	Fischer	A., 190, 129	34, 309
Phenylglycocinamide	$\text{Ph}\cdot\text{NH}\cdot\text{CH}_2\cdot\text{CO}\cdot\text{NH}_2$	"	133	Meyer	B., 8, 1157	29, 373
Methylphenylcarbamide	$\text{NH}_2\cdot\text{CO}\cdot\text{NMePh}$	"	82	Gebhardt	B., 17, 2095	48, 1321
Benzylcarbamide	$\text{NH}_2\cdot\text{CO}\cdot\text{NH}\cdot\text{CH}_2\text{Ph}$	"	141	Letts	B., 5, 91	25, 448; vii., 181
"	"	"	147-147.5	Cannizzaro	B., 4, 412; G. I., 1, 41	vii., 181; 24, 928
Tolylcarbamide	$\text{Me}\cdot(\text{NH}\cdot\text{CO}\cdot\text{NH}_2)=1.3$	"	142	Cosack	B., 13, 1089	38, 713
"	" "	"	142	"	B., 12, 1450	38, 245
"	" =1.4	"	172	"	"	"
"	" "	"	cf. A., 126, 157	180	Steiner	B., 8, 519	28, 883
"	" =1.2	"	185	Cosack	B., 13, 1089	38, 713
Nitroso-methyltoluidine	$\text{Me}\cdot\text{NMe}(\text{NO})=1.2$	"	Liquid	Monnet & Nölting	B., 11, 2278	
"	" =1.4	"	54	Thomsen	B., 10, 1584	34, 218
Nitroso-dimethylaniline	$\text{NO}\cdot\text{NMe}_2=1.4$	"	85.5	Wurster and Roser	B., 12, 1823	
"	" "	"	92	Baeyer and Caro	B., 7, 810, 963	28, 84
Amidoacetanilide	$\text{NH}_2\cdot\text{NHAc}=1.4$	"	161	Nietzki	B., 17, 344	46, 1016
Amidophenylacetamide	$\text{NH}_2(\text{CH}_2\cdot\text{CO}\cdot\text{NH}_2)=1.4$	"	169-170	Einhorn	B., 17, 2014	
p-Amidotoluamide	$(\text{CO}\cdot\text{NH}_2)\cdot\text{Me}\cdot\text{NH}_2=?$	"	115	Beilstein & Kreisler	A., 144, 181	
?	"	90	"	A., 144, 177	
Dipropionyl dicyanide	$\text{C}_8\text{H}_{10}\text{O}_2\text{N}_2$	208	Liquid -15	Claisen and Moritz	37, 695	
"	"	210-213	Liquid	"	B., 13, 2121	40, 154
"	"	210-212	59	Bruyn	C. C. [1885], 356	48, 963
Phenylhydroxyethenylamidoxime	$\text{Ph}\cdot\text{CH}(\text{OH})\cdot\text{C}(\text{NH}_2):\text{NOH}$	"	140	Tiemann	B., 17, 126	46, 734
"	"	"	158-159	Gross	B., 18, 1075	48, 898
?	$\text{Ph}\cdot\text{C}(:\text{N}\cdot\text{OH})\cdot\text{CH}_2\cdot\text{NH}\cdot\text{OH}$	"	162-163	Schramm	B., 16, 2183	46, 51
Phenylhydrazido-acetic acid	$\text{Ph}\cdot\text{N}_2\text{H}_2\cdot\text{CH}_2\cdot\text{COOH}$	"	157 d.	Elbers	A., 227, 340	48, 535
Methoxybenzene carbamide	$\text{OMe}\cdot(\text{NH}\cdot\text{CO}\cdot\text{NH}_2)=1.2$	"	146.5	Mülhäuser	B., 13, 923; A., 207, 244	38, 642; 42, 302
Phenylene dicarbamide	$(\text{NH}\cdot\text{CO}\cdot\text{NH}_2)_2=1.2$	"	290	Lellmann	B., 16, 593	44, 798
"	" =1.4	"	d. w. m.	"	"	"
Ethylnitrosoamidophenol	$\text{OH}\cdot\text{NEt}(\text{NO})=1.2$	"	121.5	Fürster	J. p. [2], 21, 361	38, 465
Nitroethylaniline	$\text{NO}_2\cdot\text{NHEt}=1.4$	"	95-95.5	Weller	B., 16, 31	44, 579
"	" "	"	96	Nölting and Collin	B., 17, 267	46, 1613
Nitrodimethylaniline	$\text{NO}_2\cdot\text{NMe}_2=1.4$	"	cf. B., 12, 529	160	Schraube	I. D. Strassburg, 1875	
"	" "	"	162	Leymann	B., 15, 1234	
"	" "	"	161-163	Wurster & Scheibe	B., 12, 1816, 1818	38, 107
"	" "	"	162	Wurster	B., 12, 529	36, 626
"	" "	"	162-163	Weber	B., 8, 714	28, 1200
"	" "	"	163	Michler & Walder	B., 14, 2176	
"	" "	"	163	Merz and Weith	B., 10, 761	32, 603
"	" "	"	169	Schraube	B., 8, 621	
Amidophenylamido-acetic acid	$\text{NH}_2[\text{CH}(\text{NH}_2)\cdot\text{COOH}]=1.3$	"	214	Plöchl and Loë	B., 18, 1181	48, 899
Nitro-amidoethylbenzene	$\text{Et}\cdot\text{NH}_2\cdot\text{NO}_2=?$	"	45-47	Paucksch	B., 17, 770	46, 1143
Nitromethyltoluidine	$\text{Me}\cdot\text{NHMe}\cdot\text{NO}_2=1.4.5$	"	84-85	Gattermann	B., 18, 1487	48, 976
Nitroxyldine	$\text{Me}_2\cdot\text{NO}_2\cdot\text{NH}_2=1.3.5.?$	"	69	Hofmann	B., 9, 1297	31, 93
"	" =1.3.5.6	"	76	Wroblewsky	B., 10, 1248	34, 55

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitroxylidide	Me ₂ .NO ₂ .NH ₂ =1.3.5.6	C ₈ H ₁₀ O ₂ N ₂	76	Wroblewsky	A., 207, 94	40, 433
"	" =1.3.4.2	"	78	Grevingk	B., 17, 2422	48, 145
"	" =1.4.(1) ₂	"	96	Fittig and Ahrens	A., 147, 22	vi., 1131
"	" =1.3.4.6	"	123	Grevingk	B., 17, 2422	48, 145
"	" "	"	123	Nötting and Collin	B., 17, 265	46, 1012
"	" "	"	123	Fittig and Ahrens	A., 147, 18	vi., 1131
"	" =?	"	130	Luhmann	A., 144, 274	"
Nitrosomethylphenyl semi-carbazide	NMePh.N(NO).CO.NH ₂	C ₈ H ₁₀ O ₂ N ₄	77 d.	Fischer	A., 190, 165	34, 311
Phenylene dicarbamide	C ₆ H ₄ (NH.CO.NH ₂) ₂ =1.2	"	290	Lellmann	B., 16, 593	
"	" =1.3	"	a. 300	Warder	B., 8, 1180	29, 400
"	" =1.4	"	d. w. m.	Lellmann	B., 16, 593	
Caffeine (Thein, Methyltheobromine)	NMe.CO.NMc.CH : C.C : N. CO.NMe	"	cf. B., 15, 29, 453	177.8	Mulder	P. A., 43, 175	i., 707
"	"	"	230.5	Biedermann	A. P. [3], 21, 175	46, 185
"	"	"	234-235	Strecker	A., 118, 172	
Amidoethylene nitrophenol	C ₈ H ₄ .NO ₂ .(O.C ₂ H ₄ .NH ₂)=1.2	C ₈ H ₁₀ O ₃ N ₂	72-73	Widdige	J. p. [2], 24, 247	40, 1137
"	" =1.4	"	108-109	"	J. p. [2], 24, 254	40, 1139
Nitroamidoethoxybenzene	OEt.NH ₂ .NO ₂ =1.2.4	"	96-97	Andreae	J. p. [2], 21, 327	38, 466
Hydroxycaffeine	C ₈ H ₉ N ₄ O ₂ .OH	C ₈ H ₁₀ O ₃ N ₄	a. 345	Fischer	A., 215, 268	44, 355
"	"	"	abt. 350.	"	B., 14, 640	40, 614
Trimethyluric acid	see B. 17, 1786	"	345	"	B., 17, 1783	46, 1309
"	C ₄ H ₃ O.CH.N ₂ O ₃ .CMe ₂	C ₈ H ₁₀ O ₄ N ₂	d. 145-150	94	Tonnies and Staub	B., 17, 853	46, 1129
Hydrodinitroazobenzene	C ₆ H ₁₀ N ₂ (NO ₂) ₂	C ₈ H ₁₀ O ₄ N ₄	220	Lermontoff	B., 5, 234	25, 503
Dinitrodiamidoethoxybenzene	OEt.(NH ₂) ₂ .(NO ₂) ₂ =1.4 (1) ₃	C ₈ H ₁₀ O ₅ N ₄	cf. A., 215, 154	245 u. c.	Nietzki	B., 11, 1448	34, 867
α-β-diisonitrozobutyric anhydride	external anhydride	C ₈ H ₁₀ O ₇ N ₄	132-133 d.	Ceresole & Köckert	B., 17, 823	46, 1121
Hydroxyethylene aniline	Ph.NH.C ₂ H ₄ .OH	C ₈ H ₁₁ ON	280	Liquid	Demole	B., 6, 1025	27, 77
Dimethamidophenol	OH.NMe ₂ =1.2	"	45	Griess	B., 13, 249	38, 637
Ethamidophenol	OH.NHEt=1.2	"	167.5	Föster	J. p. [2], 21, 356	38, 464
Amidophenetol	OEt.NH ₂ =1.2	"	228	Liquid	Groll	J. p. [2], 14, 207	29, 247
"	" "	"	229 (756)	L. -21	Föster	J. p. [2], 21, 344	38, 464
"	" =1.3	"	180-205(100)	Liquid	Wagner	J. p. [2], 32, 70	48, 1212
"	" =1.4	"	253	Hallock	B., 14, 37	40, 595
Hydroxyethyleneamidobenzene	NH ₂ .(C ₂ H ₄ .OH)=1.2	"	89-90	Weddige	J. p. [2], 24, 241	40, 1138
Anisamine	OMe.(CH ₂ .NH ₂)=1.4	"	cf. A., 117, 240	a. 100	Cannizzaro	C. R., 50, 1100	i., 297
Methylanisidine	OMe.NHMe=1.2	"	218-220	Müllhäuser	A., 207, 247	42, 302
Methoxytoluidine	Me.OMe.NH ₂ =1.2.3	"	223	Liquid	Hofmann & Miller	B., 14, 570	40, 593
"	" =1.4.5	"	36-38	"	B., 14, 573	"
"	" =1.4.6	"	cf. A., 215, 89	47	Knecht	B., 15, 1072	42, 969
"	" =1.2.5	"	52-53	Hofmann & Miller	B., 14, 571	40, 593
Amidoxylenol	Me ₂ .OH.NH ₂ =1.3.(?) ₂	"	161	Pfaff	B., 16, 1137	44, 918
"	" =1.4.2.5	"	d. 180	scales	Goldschmidt and Schmid	B., 18, 570	48, 775
Methylpseudoluidostyryl	CMe.CH.CMe.NMe.CO.CH	"	292	abt. 70.	Hantzsch	B., 17, 1028	46, 1045
"	"	"	292	90-92	"	B., 17, 2906, 2907	48, 398
Acetyldimethylpyrrolone	C ₄ H ₂ Me ₂ : NAc	"	L. -20	Weidel & Ciamician	B., 13, 79	38, 404
Anhydrodiacetylacetylamidil...	CMe : N.CMe : CH.CO.NH. CMe : N	C ₈ H ₁₁ ON ₃	185	Pinner	B., 17, 174	46, 723
Methylphenyl semicarbazide	NMePh.NH.CO.NH ₂	"	133	Fischer	A., 190, 164	34, 311
Hydroxyethylene amidophenol	NH ₂ .(O.C ₂ H ₄ .OH)=1.2	C ₈ H ₁₁ O ₂ N	89-90	Wagner	J. p. [2], 28, 199	46, 436
Amidodimethyl quinol	(OMe) ₂ .NH ₂ =1.4.5	"	270 p.d.	74-75	Magatti	B., 14, 71	40, 595
"	"	"	80	"	G. I. [1881], 353	42, 175
"	"	"	81	Müllhäuser	A., 207, 254	42, 303
"	"	"	81-82	Bässler	B., 17, 2120	46, 1329

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
?	$C_4H_3O.C(NH_2).CMe_2O$	$C_8H_{11}O_2N$	215-220 d.	Liquid	Tonnies and Staub	B., 17, 857	46, 1130
Nitrodiamidoxylene ...	$Me_2(NH_2)_2.NO_2=1.3.(?)_3$	$C_8H_{11}O_2N_3$	212-213 215	Fittig and Velguth Busenius and Eisenstuck	A., 148, 7 A., 113, 160	iv., 382
"	"	"	"	"	"
Amidocaffeine	$C_8H_9N_4O_2.NH_2$	$C_8H_{11}O_2N_5$	a. 360	Fischer	A., 215, 265	44, 355
Ethyl methylacetocyanate	$CMeAc(CN).COOEt$	$C_8H_{11}O_3N$	90-95(15-20)	Liquid	Held	C. R., 98, 522	46, 728
Triacetylformidil	$C_8H_{11}O_3N_3$	224	Pinner	B., 17, 172	46, 723
Diethyl cyanomalonate	$CN.CH(COOEt)_2$	$C_8H_{11}O_4N$	120-130 (25)	Liquid	Haller	C. R., 95, 142	42, 1189
Urethane furfural	$C_4H_3O.CH(NH.COOEt)_2$	"	169	Bischoff	B., 7, 1081	28, 146
Diethyl oxalamate	$NH(CO.COOEt)_2$	$C_8H_{11}O_6N$	67	Salomon	J. p. [2], 9, 295	27, 791
?	$C_8H_{11}N_2.OH$	$C_8H_{12}ON_2$	150	Riess and Meyer	J. p. [2], 31, 112	48, 646
Diallyloxamide	$(CH_2:CH.CH_2.NH.CO)_2$	$C_8H_{12}O_2N_2$	274 d.	154	Wallach & Stricker	B., 13, 513	38, 547
Amidophenylurethane	$NH_2.(NH.COOEt)=1.2$	"	86	Rudolph	B., 12, 1295	"
Diethylbarbituric acid	$NH.CO.NH.CO.CEt_2.CO$	$C_8H_{12}O_3N_2$	182	Courad & Guthzeit	B., 15, 2849	44, 314
Phenylguanylguanidine ni- trate	$NH:C(NHPh).NH.C(NH_2):NH$	$C_8H_{12}O_3N_6$	+HNO ₃	208-209	Bamberger	B., 13, 1583	40, 44
Nitrodehydroperylurethane	$C_8H_7(NO_2)N.COOEt$	$C_8H_{12}O_4N_2$	51.5	Schotten	B., 16, 644	44, 814
Trimethyl cyanurate difor- manide	$C_3O_3N_3Me_3 + NH(CHO)_2$	$C_8H_{12}O_6N_4$	168 (24)	163	Gautier	C. R., 67, 804	vi., 529
Ethyl nitrotartrate	$CO_2Et.(CH.O.NO_2)_2.CO_2Et$	$C_8H_{12}O_{10}N_2$	45-46	Henry	Z. C., 13, 692; B., 3, 533	"
?	basic	$C_8H_{13}ON$	175-180	Liquid	Canzoneri and Spica	G. I., 14, 341	48, 747
From aldol ammonia	"	"	160 (20)	Wurtz	C. R., 88, 940	36, 704
Ethyl acetyl-β-imidobutyrate	$NAc.CMe.CH_2.COOEt$	$C_8H_{13}O_2N$	225	64-65	Canzoneri and Spica	G. I., 14, 491	48, 750
Mesityloxidehydrocyanic acid	$C_8H_{13}O_3N$	171	Simpson	A., 148, 354	"
"	"	174	Pinner	B., 14, 1074	40, 796
Ethyl acetamido-α-crotonate	$NHAc.CMe:CH.COOEt$	"	231	63	Collie	A., 226, 294	48, 374
Acetylcaffeine	$C_8H_{13}O_3N_3$	106-107	Fischer	A., 215, 299	44, 356
Diethyl amidomaleate	$CO_2Et.CH:C(NH_2).CO_2Et$	$C_8H_{13}O_4N$	100	Claus and Voeller	B., 14, 151	40, 254
Tropic acid	$C_8H_{11}N(COOH)_2$	"	220 d.	Merling	A., 216, 351	"
"	"	"	d. 220-240	Merling	B., 15, 292	"
Diethylfumaramide	$C_2H_2:(CO.NH_2)_2$	$C_8H_{14}O_2N_2$	182-183	Wallach and Kamenski	B., 14, 170	40, 285
Mesitylamide	"	222	Pinner	B., 15, 577	42, 941
Hydroxycaprylonitril	$C_8H_{13}.CH(OH).CN$	$C_8H_{15}ON$	L. -16	Erlenmeyer and Sigel	A., 177, 106	28, 1011
Vinyl diacetaminine	"	199-200	Liquid	Heintz	A., 189, 214; 178, 326; 191, 122	32, 878
Diallyethylalkamine	cf. B. 14, 1879	"	197	Liquid	Ladenburg	C. R., 93, 338	40, 1158
Pelletierine	"	180	Liquid	Tanret	C. R., 86, 1270	34, 740
"	"	195	Liquid	"	C. R., 90, 697; B. S., 32, 464, 466; 36, 256	38, 481
Pseudopelletierine	cf. $C_9H_{15}ON$	"	246	Liquid	"	"	"
Oxyconiceine	"	210-220	Liquid	Hofmann	B., 18, 125	48, 563
Metatropine	"	238	L. -30	Ladenburg	A., 217, 127	"
"	"	237-239	L. -30	Ladenburg	B., 14, 229	40, 263
Tropine	"	229	"	B., 13, 1552	40, 57
"	"	229	"	A., 206, 294	40, 447
"	"	229	"	B., 13, 608	38, 674
"	"	60-61	Pesci	G. I., 1881, 538	42, 740
"	"	61.2	Kraut	A., 133, 87	v., 896
"	"	62	Ladenburg & Roth	B., 17, 151	46, 761
"	"	63	Schmidt	B., 13, 372	38, 482
Pseudotropine	"	241-243	Ladenburg	B., 13, 1552	40, 57
"	"	241-243	106	Ladenburg & Roth	A., 17, 151	48, 761
"	"	241	Ladenburg	B., 206, 304	40, 447
Ethyl imidoethylidimethyl- acetate	$NH:CH.CH_2.CHEt.COOEt$	$C_8H_{15}O_2N$	59.5	Geuther	J. [1863], 324; Z. C. [1871], 247	vi., 601

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diisobutyramide	NH(CO.CHMe ₂) ₂	C ₈ H ₁₅ O ₂ N	174	Hofmann	B., 15, 982	42, 950
Piperyl urethane	C ₅ H ₁₀ N.CO.OEt	"	211	Liquid	Schotten	B., 15, 425	42, 983
Triethoxyacetoneitril....	(EtO) ₃ C.CN	C ₃ H ₁₆ O ₃ N	159-161.5	Bauer	A., 229, 163	48, 1121
Ethylic diethyloxamate	CO(NEt ₂).COOEt	"	250-254	cf. B., 3, 776	Hofmann	Z. C. [2], 7, 38	24, 263
" " " " " " " "	"	"	253-254	Wallach	B., 14, 741	40, 717
" " " " " " " "	"	"	260	Liquid	Hofmann	C. R., 52, 902	iv., 281
Diethylic oxytetramate	C ₄ H ₃ O(OEt) ₂ .NH ₂	"	68-69	Demarçay	B. S. [2], 33, 575	40, 255
Suberamic acid	"	170	Z. C. [1865], 300	
Base fr. crotonaldehyde	C ₃ H ₁₆ ON ₂	200 (i. v.)	Combes	C. R., 96, 1862	44, 1079
Nitrosoconiin....	"	150-160	Wertheim	A., 123, 157; 130, 269	
Triethyloxamide	NHEt.CO.CO.NEt ₂	C ₃ H ₁₆ O ₂ O ₂	257-259	Liquid	Wallach	B., 14, 741	40, 718
Dipropyloxamide	C ₂ O ₂ :N ₂ H ₃ Pr ₂	"	110	Duvillier & Bensine	C. R., 89, 48	36, 912
" " " " " " " "	"	"	162	Wallach & Schulze	B., 13, 516; 14, 422	40, 572
Dimethyladipamide	NHMe.CO.(CH ₂) ₄ .CO.NHMe	"	151-153	Henry	C. R., 100, 943	48, 887
Isopropyl isobutyryl carbamide	NHPr ^β .CO.NH.CHMe ₂	"	86	Hofmann	B., 15, 756	42, 1053
Propylbutyryl carbamide	NHPr ^α .CO.NH.CO.CH ₂ Et	"	99	"	B., 15, 757	
Diethylic diamidosuccinate	COOEt.(CH.NH ₂) ₂ .COOEt	C ₃ H ₁₆ O ₄ N ₂	122 u. c.	Claus & Helpenstein	B., 14, 624	40, 578
" " " " " " " "	"	"	122	Claus	B., 15, 1849	
Ethylidene urethane	CH ₃ .CH(NH.CO.OEt) ₂	"	125 u. c.	Schmid	J. p. [2], 24, 124	
" " " " " " " "	"	"	182 d.	126	Nencki	B., 7, 160	27, 458
Caprylamide	C ₇ H ₁₅ .CO.NH ₂	C ₃ H ₁₇ ON	94	Hofmann	B., 15, 983	42, 950
" " " " " " " "	"	"	a. 200 d.	110	Felletar	Z. C. [2], 4, 665	vi., 395
Capronimido-ether	C ₃ H ₁₁ .C(OEt):NH	"	168	Liquid	Pinner	B., 17, 178	46, 723
Vinyldiacetonalkamine	CMe ₂ .CH ₂ .CH(OH).CH ₂ .Me.	"	123	Fischer	B., 17, 1794	46, 1291
	NH └						
Piperpropylalkine	C ₅ H ₁₀ :N.C ₃ H ₆ .OH	"	194	Liquid	Ladenburg	B., 14, 1880, 2406	
" " " " " " " "	"	"	194	Laun	B., 17, 680	46, 1054
Conhydrin	C ₈ H ₁₆ O:NH	"	b. 100 (?)	Wertheim	W. A., 22, 113	ii., 1
" " " " " " " "	"	"	255.5 (720)	120	"	W. A., 46, 299	vi., 488
" " " " " " " "	"	"	226	120	Hofmann	B., 15, 2315	
" " " " " " " "	"	"	224.5 (719.8)	120.6	Wertheim	A., 100, 328	
Ethylic diethamidoacetate	NEt ₂ .CH ₂ .COOEt	C ₅ H ₁₇ O ₂ N	177 c.	Liquid -10	Kraut	A., 182, 176	30, 625
Ethylic isoamylcarbamate	C ₅ H ₁₁ .NH.CO.OEt	"	218	Liquid	Custer	B., 12, 1329	
Triethylglycocine (cf. J. [1862], 333)	NEt ₃ .CH ₂ .CO.O	"	210-230 d.	A., 182, 175	Brühl	A., 177, 215	
Octylic nitrite	CH ₃ .(CH ₂) ₇ .O.NO	"	175-177	Liquid	Eichler	B., 12, 1887	38, 229
Nitrooctane	C ₈ H ₁₇ .NO ₂	"	205-212	Liquid	"	B., 12, 1883	"
Hydroxycaprylamide	C ₆ H ₁₃ .CH(OH).CO.NH ₂	"	150	Erlenmeyer & Sigel	B., 7, 1108	28, 144
" " " " " " " "	"	"	150	"	A., 177, 108	28, 1012
Diethamido-α-butyric acid	CH ₂ Me.CH(NEt ₂).COOH	"	135	Duvillier	C. R., 100, 860	48, 750
Piperpropylglycoline	HO.CH ₂ .CH(OH).CH ₂ .N: C ₅ H ₁₀	"	223-227(195)	Cryst.	Roth	B., 15, 1150	42, 1195
Nitrosodibutylamine	N(C ₄ H ₉) ₂ .NO	C ₈ H ₁₈ ON ₂	234-237 c.	Meyer and Forster	B., 10, 132	
Nitrosodiisobutylamine	"	"	213-216	b. 0	Ladenburg	B., 12, 949	36, 704
α-ethylene diethyldicarbamide	C ₈ H ₁₈ O ₂ N ₄	cf. A., 119, 356	124 p. d.	Volhard	P. R., 11, 268	ii., 595
β- " " " " " " " "	"	"	201	"	"	"
Guanoline	C ₈ H ₁₃ O ₄ N ₆	114-115	Nencki	B., 7, 1590	28, 755
" + H ₂ O	"	100	"	"	"
Hydroxypropylamylamine	C ₅ H ₁₁ .NH.C ₃ H ₆ .OH	C ₃ H ₉ ON	200	0+	Liebermann & Paal	B., 16, 533	44, 910
Trinitro-umbelliferone	HO.C ₆ (NO ₂) ₃ .CH:CH.CO.O	C ₉ H ₃ O ₉ N ₃	216	Posen	B., 14, 2747	42, 839
Quinoline quinone	N; O ₂ =1; 1.4	C ₉ H ₅ O ₂ N	d. 110-120	Fischer and Renouf	B., 17, 1644	46, 1371
Quinisatin	v. B., 16, 2221	C ₉ H ₅ O ₃ N	255-260	Baeyer & Homolka	B., 16, 2221	46, 79
Nitrophenylpropionic acid	NO ₂ .C(C:COOH)=1.2	C ₉ H ₅ O ₄ N	155-156 d.	Baeyer	B., 13, 2258	40, 275
" " " " " " " "	"	"	157 d.	Müller	A., 212, 142	42, 844
" " " " " " " "	"	"	181 d.	Müller	A., 212, 139	42, 843
" " " " " " " "	"	"	198 d.	Drewsen	A., 212, 155	42, 846

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrocoumarin	$C_9H_5O_4N$	170	Bleibtreu	A., 59, 190	ii., 94
β -dinitroquinoline	$C_9H_5O_4N_2$	133-134 u. c.	Claus and Kramer	B., 18, 1248	48, 908
?- " "	N; $(NO_2)_2 = a_1; a_1\beta_2$	"	149-150	Coste	B., 15, 561	42, 979
α - " "	"	182-183 u. c.	Claus and Kramer	B., 18, 1246	48, 908
Pyridine tetracarboxylic acid	$N.(COOH)_4 = 1.2.3.4.6$	$C_9H_3O_8N$	227 d.	Fischer and Täuber	B., 17, 2927	48, 400
" " "	" " "	"	+2H ₂ O	187	"	"	"
" " "	" " "	"	"	188 d.	Michael	A., 225, 142; B., 17, 491	48, 62
m-Toluylene isocyanate	$C_6H_3Me(N:CO)_2$	$C_9H_6O_2N_2$	95	Lussy	B., 8, 291	28, 770
Nitroquinoline	$N.NO_2 = a_1\beta_2;$	"	72	Claus and Kramer	B., 18, 1246	48, 908
" " "	" = $a_1; a_1$	"	88.5 c.	Schultz	B., 17, 478	
" " "	" " "	"	88; sf. 68	Königs	B., 12, 450	
" " "	" " "	"	88-89	"	B., 14, 99	
" " "	" " "	"	89	Coste	B., 16, 674	
" " "	" = $a_1; \beta_1$ or a_2	"	120-123	Coste and Bodewig	B., 17, 928	46, 1197
" " "	" = $a_1; \beta_2$	"	149 u. c.	Claus and Kramer	B., 18, 1250	48, 908
" " "	" " "	"	149-150	Coste	B., 16, 669	44, 811
" " "	" = $a_1; a_2$ or β_1	"	185-186	Coste and Bodewig	B., 17, 928	46, 1197
Phenylparabanic acid	$CO.NPh.CO.NH.CO$	$C_9H_6O_3N_2$	208	Stojentin	J. p., 32, 1	48, 1196
Phthalureide	$C_6H_4:(CO.NH)_2:CO = 1.2$	"	d. 185-190	Piutti	A., 214, 23	
Hydroxycinnoline carboxylic acid	$N:N.C_6H_4.C(OH):C.COOH = 1.2$	"	260-265	Richter	B., 16, 680	44, 1105
β -nitro-carbostyryl	"	260	Friedländer and Lazarus	A., 229, 233	48, 1139
γ - " " "	"	280	"	"	"
α - " " "	"	nf. 320	"	"	"
Nitroso- γ -hydroxycarbostyryl	$C_6H_4.CO.C(N.OH)C(OH):N = 1.2$	"	208 d.	Baeyer & Homolka	B., 16, 2217	46, 78
" " "	" " "	"	208	"	B., 17, 985	46, 1029
Nitrohydroxyquinoline	N; $OH = a_1; \beta_2$	"	139-140	Skraup	M. C., 3, 552	44, 94
" " "	" " "	"	140-141	"	M. C., 4, 695	48, 87
" " "	" = $a_1; \beta_1$ or a_2	"	255 u. c.; p. d.	"	M. C., 3, 564	44, 94
" " (l) " "	"	m.a. 300	Weidel & Hazura	M. C., 3, 774	
Nitropolyporic acid	$C_9H_6O_4N$ (?)	230	Stahlschmidt	A., 195, 365	36, 383
p-Nitrophenyl nitroacrylic acid	$C_9H_6O_6N_2$	cf. B., 16, 850	196-197	Friedländer and Mähly	B., 14, 2577; A., 229, 210	42, 402
Acetoxycyanobenzene	$C_6H_4.CN.OAc = 1.4$	C_9H_7ON	265-266	57	Lach	B., 17, 1572	46, 1154
Hydroxyquinoline	N; $OH = a_1; a_1$	"	257-260 (748)	69-70 u. c.	Weidel and Cobenzl	W. A., 82, 986	40, 743
" " "	" " "	"	258.2 (752)	73-74	Skraup	M. C., 3, 536	44, 92
" " "	" " "	"	75	Wurtz	C. R., 96, 1269	44, 923
" " "	" " "	"	258	75	Skraup	B., 15, 893	42, 1111
" " "	" " "	"	cf. B., 15, 683	75	Bedall and Fischer	B., 14, 443, 1366	40, 613
" " "	" " "	"	75-76	Fischer	B., 15, 1979	44, 91
" " "	" " "	"	75-76	"	B., 16, 712	44, 1146
" " "	" = $a_1; \beta_2$	"	190	Skraup	B., 15, 893	42, 1111
" " "	" " "	"	310-320	191-192	Weidel	M. C., 2, 575	42, 227
" " "	" " "	"	193	Happ	B., 17, 193	46, 758
" " "	" " "	"	a. 360	193	Skraup	M. C., 3, 545	44, 913
" " "	" " "	"	194	"	M. C., 4, 695	46, 87
" " "	" = $a_1; \beta_1$ or a_2	"	224-228	Riemerschmid	B., 16, 722	44, 1147
" " "	" " "	"	230	Fischer	B., 15, 1979	44, 91
" " "	" " "	"	235-238 p. d.	Skraup	M. C., 3, 559	44, 95
" " "	" " "	"	238	"	B., 15, 893	42, 1111
" (carbostyryl)	N.OH; = $a_1\beta_1;$	"	196	Tiemann and Oppermann	B., 13, 2070	40, 171
" " "	" " "	"	198-199	Friedländer and Ostermeier	B., 14, 1916	42, 201
" " "	" " "	"	198-199	Einhorn	B., 17, 2012	46, 1338
Kynurine	"	a. 300 d.	201	Kretschy	M. C., 2, 68	40, 828
" +3H ₂ O	"	52	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzylcyanide carboxylic acid	(COOH).(CH ₂ .CN)=1.2	C ₉ H ₇ O ₂ N	...	116	Wislicenus	B., 18, 172	48, 532
Amidophenylpropionic acid...	NH ₂ .(C : C.COOH)=1.2	"	cf. B., 16, 679	128-130 d.	Baeyer and Bloem	B., 15, 2148	
Methylphthalimide	C ₆ H ₄ .COO.C : NMe=1.2	"	abt. 277	132	Gräbe and Pictet	B., 17, 1174	48, 1019
Phenylmethylacetoxime carboxylic anhydride	C ₆ H ₄ .COO.N : CMe=1.2	"	...	157-159	Gabriel	B., 16, 1995	44, 1128
Methylisatin	C ₆ H ₄ .CO.C(OMe) : N=1.2	"	...	100-102	Baeyer and Econi- mides	B., 15, 2094	44, 201
"	" =1.4	"	...	187	Meyer	B., 16, 2266	48, 48
Methylpseudisatin	"	"	...	134	Fischer and Hess	B., 17, 565	48, 1181
Amidocoumarin	C ₆ H ₃ (NH ₂).CH : CH.COO =1.2	"	...	168-170	Chiozza & Frapolli	A., 95, 253	ii, 93
Dihydroxyquinoline (hydroxycarbostryl)	N.(OH) ₂ =a ₁ .? ; ?	"	...	189	Friedländer and Weinberg	B., 15, 2684	44, 351
"	"	"	...	190.5	Friedländer and Ostermeier	B., 14, 1918	44, 201
"	" =1.2.3 ;	"	...	a. 300	Friedländer and Weinberg	B., 15, 2681	44, 351
"	" =1.2.4 ;	"	cf. B., 15, 2683	w. m. 320	Baeyer and Bloem	B., 15, 2151	44, 197
Nitrocinnamic aldehyde	NO ₂ .(CH : CH.COH)=1.3	C ₉ H ₇ O ₃ N	...	116	Kinkelin	B., 18, 484	48, 791
"	" =1.2	"	...	127	Baeyer & Drewsen	B., 16, 2207	48, 59
"	"	"	...	127-127.5	Diehl and Einhorn	B., 18, 2336	
"	" =1.4	"	...	135	Göhring	B., 18, 372	48, 527
"	"	"	...	141-142	Diehl and Einhorn	B., 18, 2337	48, 1222
Indoxylic acid	N.C ₆ H ₄ .C(OH).CH.COOH =1.2	"	...	122-123 d.	Baeyer	B., 14, 1743	42, 198
Methylisatoic acid	"	"	...	d. 245	Panastovic	J. p. [2], 31, 122	48, 667
?	"	"	...	108	Rössing	B., 17, 3002	
Nitrobenzenylazoximethenyl	NO ₂ .(C : N.O.CMe : N)=1.3	C ₉ H ₇ O ₃ N ₃	...	109	Schopf	B., 18, 1067	48, 897
Nitrosoindazolacetic acid	cryst. fr. ethylic acetate	"	...	123 d.	Fischer and Tafel	A., 227, 303	48, 542
"	" other solvents	"	...	96	"	"	"
Nitrocinnamic acid	(CH : CH.COOH).NO ₂ =1.3	C ₉ H ₇ O ₄ N	...	196	Stuart	47, 157
"	"	"	cf. B., 11, 1782	196-197	Schiff	G. L., 8, 294	36, 157, 321
"	"	"	...	196-197	Tiemann and Op- permann	B., 13, 2060	40, 169
"	" =1.2	"	...	232	Beilstein and Kuhl- berg	A., 163, 129	25, 709
"	"	"	...	232	Müller	A., 212, 122	42, 841, 845
"	"	"	...	237	Tiemann and Op- permann	B., 13, 2059	40, 169
"	"	"	...	240	Baeyer	B., 13, 2257	40, 274
"	"	"	...	240.5-241.5	Gabriel and Meyer	B., 14, 830	
"	" =1.4	"	...	265	Beilstein and Kuhl- berg	Z. C. [2], 7, 489 ; A., 163, 127	vii., 300, 348 ; 40, 169
"	"	"	d. a. 270	270	Mitscherlich	A. C. [3], 4, 73	i., 987
"	"	"	...	274 ; 276	Müller	A., 212, 122	42, 841, 845
"	"	"	...	285-286	Tiemann and Op- permann	B., 13, 2059	40, 169
"	"	"	...	286	Stuart	48, 407
"	"	"	...	288	Drewsen	A., 212, 151	48, 408
β-lactone of nitrophenyllactic acid	NO ₂ .(CH.CH ₂ .CO.O)=1.4	"	...	91.9	Basler	B., 16, 3004	46, 604
β- " " "	" =1.3	"	...	98	Prausnitz	B., 17, 597	48, 1175
o-nitrophenylhydroxyacrylic acid	"	C ₉ H ₇ O ₅ N	...	110 d.	Baeyer	B., 13, 2262	40, 276
Acetylic nitrobenzoate	COOAc.NO ₂ =1.3	"	...	130-132	Liebermann	B., 10, 863	32, 617
Nitrobenzoylacetic acid	NO ₂ .(CO.CH ₂ .COOH)=1.4	"	...	135 d.	Perkin & Bellenot	B., 17, 326	46, 1024
Carbostyrylic acid	CO ₂ H.(NH.CO.CO ₂ H)=1.2	"	+H ₂ O	200 d.	Friedländer and Ostermeier	B., 15, 332	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Carbostyrylic acid	$\text{CO}_2\text{H}(\text{NH}.\text{CO}.\text{CO}_2\text{H})=1.2$	$\text{C}_9\text{H}_7\text{O}_5\text{N}$	200 d.	Hofmann & Königs	B., 16, 734	
Kynuric acid	"	+ H_2O	187	Kretschy	M. C., 4, 157	
Nitrobenzmalonic acid	$\text{NO}_2[\text{CH}:\text{C}(\text{COOH})_2]=1.4$	$\text{C}_9\text{H}_7\text{O}_6\text{N}$	227	Stuart	43, 407
α -Nitro-uvitic acid	$(\text{COOH})_2.\text{Me}.\text{NO}_2=1.3.5.2$	"	cf. A., 189, 171	226-227	Böttiger	B., 9, 806	30, 414
β - " " "	$=1.3.5.4$	"	cf. A., 189, 180	249-250	"	B., 9, 807	"
Picolinetricarboxylic acid	$\text{N}.\text{Me}(\text{COOH})_3=1.4.2.3.6$	"	230-232 d.	Besthorn & Fischer	B., 16, 71	
" " "	" "	"	d. 236	232	Fischer and Täuber	B. 17, 2926	43, 400
" " "	" "	"	...	238 d.	Michael	A., 225, 121	43, 62
Acetylchrysanissic acid	$\text{COOH}.\text{NHAc}(\text{NO}_2)_2=1.4.3.5$	$\text{C}_9\text{H}_7\text{O}_7\text{N}_3$	270 d.	Salkowski	B., 10, 1696	
Benzenylazoximethenyl	$\text{N}:\text{CPh}.\text{N}:\text{CMe}.\text{O}$	$\text{C}_9\text{H}_8\text{ON}_2$	41	Tiemann & Krüger	B., 17, 1697	46, 1326
Ethenylazoximebenzenyl	$\text{N}:\text{CMe}.\text{N}:\text{CPh}.\text{O}$	"	57	Nordmann	B., 17, 2754	43, 239
Anhydro-acetylamidobenzamide	"	228	Weddige	J. p. [2], 31, 124	43, 661
Carbonyl pyrroline	$\text{CO}(\text{NC}_4\text{H}_4)_2$	"	abt. 238	62-63	Ciamician and Magnaghi	B., 18, 415	43, 809
Pyrrolyl pyrroline	"	"	62-63	"	B., 18, 1838	43, 1143
Dipyrrolylketone (pyrrone)	$\text{CO}(\text{C}_4\text{H}_3.\text{NH})_2$	"	160	"	B., 18, 419	43, 809
" " "	"	"	160	"	B., 18, 1830	
Hydroxytoluquinoxaline	$\text{C}_6\text{H}_3\text{Me}.\text{N}:\text{CH}.\text{C}(\text{OH}):\text{N}$	"	241-242; 247	Hinsberg	B., 18, 1232	43, 910
Hydrazine cinnamic anhydride	$\text{C}_6\text{H}_4.\text{CH}:\text{CH}.\text{CO}.\text{N}(\text{NH}_2)_2=1.2$	"	127	Fischer	B., 14, 480	40, 598
Amidocarbostyryl	$\text{N}.\text{OH}.\text{NH}_2; =\alpha_1.\beta_1.\alpha_2;$	"	nf. 320	Friedländer and Lazarus	A., 229, 233	43, 1139
?	$\text{CHO}.\text{NH}.\text{NPh}.\text{C}(\text{NH})_2.\text{CN}$	$\text{C}_9\text{H}_8\text{ON}_4$	192.5-193.5	Bladin	B., 18, 1549	43, 980
Phenylhydantoin	$\text{CO}.\text{NH}.\text{CO}.\text{CH}_2.\text{NMe}$	$\text{C}_9\text{H}_8\text{O}_2\text{N}_2$	191-192	Schwebel	B., 10, 2048	34, 301
Benzylidene oxamide	$\text{Ph}.\text{CH}.\text{NH}.\text{CO}.\text{CO}.\text{NH}$	"	a. 200 d.	Medicus	A., 157, 51	24, 152
Cyanamidophenylacetic acid	$(\text{NH}.\text{CN}).(\text{CH}_2.\text{COOH})=1.4$	"	134	Traube	B., 15, 2121	44, 193
p-Methylnitroso-oxindole	"	225-226	Meyer	B., 16, 2268	46, 48
Indazolacetic acid	$\text{NH}.\text{N}.\text{C}_6\text{H}_4.\text{C}.\text{CH}_2.\text{CO}_2\text{H}$ $=1.2$	"	168-170 d.	Fischer and Tafel	A., 227, 303	43, 542
Anhydroamidooxalytoluidic acid	$\text{C}_6\text{H}_3\text{Me}.\text{NH}.\text{CO}.\text{C}(\text{OH}):\text{N}$	"	a. 300 s. d.	Hinsberg	B., 15, 2692	44, 323
Dihydroxytoluquinoxaline	$\text{C}_6\text{H}_3\text{Me}:[\text{N}:\text{C}(\text{OH})]_2:$	"	nf. 295	Bladin	B., 18, 671	43, 785
o-nitrophenyl β -alanine lactam	$\text{NO}_2.\text{C}_6\text{H}_4.\text{CH}.\text{CH}_2.\text{CO}.\text{NH}$	$\text{C}_9\text{H}_8\text{O}_3\text{N}_2$	impure	80	Einhorn	B., 16, 2649	43, 305
Nitro-cinnanide	$\text{NO}_2(\text{CH}:\text{CH}.\text{CO}.\text{NH}_2)=1.4$	"	155-156	Cahours	A. C. [3], 27, 452	i., 989
Ethoxynitrobenzotrill	$\text{CN}.\text{NO}_2.\text{OEt}=1.2.6$	"	137	Bruyn	R. T., 2, 205	43, 656
Phenylhydrazinesesoxalic acid	$\text{N}_2\text{HPh}:\text{C}(\text{COOH})_2$	$\text{C}_9\text{H}_8\text{O}_4\text{N}_2$	158-164	Elbers	A., 227, 340	43, 535
" " "	"	"	163-164	Fischer	B., 17, 578	46, 1151
Nitrophenylnitropropylene	$\text{NO}_2(\text{CH}:\text{CMe}.\text{NO}_2)=1.2$	"	76	Priebs	A., 225, 319	43, 162
" " "	$=1.4$	"	114	"	"	"
Phthaluric acid	"	d.a. 150	Piutti	A., 214, 20	
Nitroamidocinnamic acid	$(\text{CH}:\text{CH}.\text{COOH}).\text{NO}_2.\text{NH}_2$ $=1.3.4$	"	224.5	Herzberg	C. C. [1884], 35	43, 662
" " "	" "	"	224.5	Gabriel and Herzberg	B., 16, 2042	44, 1123
" " "	$=1.3.2$	"	240	Friedländer and Lazarus	A., 229, 233	43, 1139
" " "	$=1.3.2$	"	254	"	"	"
?	"	310 p.d.	111	Bruyn	R. T., 2, 205	43, 657
Nitrohippuric acid	$\text{NO}_2(\text{CO}.\text{NH}.\text{CH}_2.\text{CO}_2\text{H})$ $=1.4$	$\text{C}_9\text{H}_8\text{O}_5\text{N}_2$	129	Jaffe	B., 7, 1678	23, 478
" " "	$=1.3$	"	abt. 150	Bertagnini	A., 78, 103	iii., 161
" " "	"	"	162	Conrad	J. p. [2], 15, 254	32, 485
Allyloxydinitrobenzene	$(\text{O}.\text{C}_3\text{H}_5)(\text{NO}_2)_2=1.2.4$	"	46-47	Willgerodt	B., 12, 765	33, 717

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitro-oxalytoluidic acid	Me.NO ₂ .(NH.CO.CO ₂ H) =1.3.4	C ₉ H ₅ O ₅ N ₂	...	d. w. m. 150	Hinsberg	B., 15, 2691	
Ethylid dinitrobenzoate	COOEt.(NO ₂) ₂ =1.3.5	C ₉ H ₅ O ₅ N ₂	...	90	Staedel	B., 14, 902	40, 725
" "	" "	"	...	91	Beilstein and Kürbatow	A., 202, 223; B., 13, 355	38, 471
" "	" "	"	...	94	Gattermann	B., 18, 1485	
Dinitrohydrocinnamic acid	(NO ₂) ₂ .(CH : CH.CO ₂ H) =1.2.4	"	cf. B., 13, 1680	126.5	Gabriel and Zimmermann	B., 12, 600	36, 640
Methylic dinitromethylsalicylate	CO ₂ Me.OMe.(NO ₂) ₂ =1.2.(?) ₂	C ₉ H ₅ O ₇ N ₂	...	69	Salkowski	A., 173, 47	28, 71
Ethylid dinitrosalicylate	CO ₂ Et.OH.(NO ₂) ₂ =1.2.(?) ₂	"	...	98-99	"	A., 173, 49	"
" "	" =1.2.3.5	"	...	99-100	Hübner	B., 10, 1701	34, 151
Ethylid dinitrohydroxybenzoate	" =1.4.3.5	"	...	84	Salkowski	B., 4, 225	24, 556
" "	" "	"	...	87	"	B., 4, 653	24, 920
" "	" "	"	...	87	"	A., 163, 44	25, 716
" "	" =1.4.(?) ₂	"	...	b. 100	Barth	J. p., 100, 366	vi., 901
Dinitrohydro-p-coumaric acid	(CH ₂ .CH ₂ .CO ₂ H) ₂ .OH.(NO ₂) ₂ =1.4.3.5	"	...	137.5	Stöhr	A., 225, 57	48, 1350
Dinitrohydrocoumaric acid	" =1.2.(?) ₂	"	...	155	Zwenger	As., 5, 118	vi., 716
Cinnamide	C ₆ H ₅ .CH : CH.CO.NH ₂	C ₉ H ₉ ON	...	141.5	Rossum	Z. C. [2], 2, 362	vi., 471
Phenylactimide	Ph.CH ₂ .CH.NH.CO(?)	"	...	146-147	Posen	A., 200, 97	38, 322
"	Ph.CH.NH.CO.CH ₂ (?)	"	...	280	Schulze & Barbieri	J. p. [2], 27, 337	44, 1122
"	"	"	...	290	Erlenmeyer & Lipp	A., 219, 179	44, 993
Phenyl α-hydroxypropionitril	Ph.CH ₂ .CH(OH).CN	"	...	57	"	"	44, 992
Hydrocarbostyryl	C ₆ H ₄ .N : C(OH).CH ₂ .CH ₂ =1.2	"	...	160	Buchanan & Glaser	Z. C. [2], 5, 194	vi., 715
"	" "	"	...	160	Gabriel and Zimmermann	B., 13, 1682	40, 274
"	" "	"	...	163	Friedländer and Weinberg	B., 15, 1424	
Atroxindole	C ₆ H ₄ .CHMe.CO.NH=1.2	"	sb. 100	119	Trinius	A., 227, 262	48, 529
Xylylisocyanate	Me ₂ .(N : CO)=?	"	abt. 200	Liquid	Hofmann	P. R., 19, 108; B., 3, 657	24, 139; vii., 407
Ethenylamidocresol	C ₆ H ₃ Me.O.CMe : N=1.4.5	"	218-219 u.c. (748)	Liquid	Nölting and Kohn	B., 17, 361	46, 901
Fr. Methylphthalimide	...	"	300	120	Græbe and Pictet	B., 17, 1174	46, 1019
? (cf. B., 18, 669)	C ₇ H ₆ .NH.C(NH).C(OH) : N	C ₉ H ₉ ON ₃	...	nf. 290	Bladin	B. S., 42, 104	48, 257, 785
?	"	"	d. 230-240	nf. 290	"	B., 18, 670	48, 785
Phenylnitropropylene	Ph.CH : CMe.NO ₂	C ₉ H ₉ O ₂ N	...	64	Priebs	B., 16, 2591; A., 225, 319	46, 313; 48, 161
α-Amidocinnamic acid	Ph.CH : C(NH ₂).COOH	"	...	d. 240-250	Plöchl	B., 17, 1621	46, 1349
Benzimidoacetate	C ₆ H ₅ .C(:NH).OAc	"	...	116	Pinner and Klein	B., 11, 9	34, 492
Anilido-pyruvic acid	C ₆ H ₅ .N : CMe.COOH	"	...	122 d.	Böttiger	A., 188, 336	34, 33
" "	"	"	...	122	"	B., 10, 818	32, 596
Cinnamhydroxamic acid	Ph.CH : CH.CO.NH.OH	"	...	110	Rostoski	A., 178, 214	29, 273
Amidocinnamic acid	(C ₂ H ₂ .COOH).NH ₂ =1.2	"	...	158-159 d.	Tiemann and Oppermann	B., 13, 2061	40, 169
" "	" =1.4	"	...	175-176 d.	"	B., 13, 2066	40, 170
" "	" =1.3	"	...	180-181	"	B., 13, 2064	"
Acetamidobenzaldehyde	COH.NHAc=1.2	"	...	70-71	Friedländer and Göhring	B., 17, 457	46, 1020
"	" "	"	...	70-71	Friedländer	B., 15, 2575	44, 332
"	" =1.4	"	...	154.5-155	Gabriel and Herzberg	B., 16, 2004	44, 1104
Ethoxycarbamil	C ₆ H ₄ .OEt.CON=1.4	"	...	219	Köhler	J. p. [2], 29, 257	46, 1159
Methoxymandelic nitril	OMe.[CH(OH).CN]=1.2	"	...	71	Voswinkel	B., 15, 2025	44, 190

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methoxymandelic nitril	OMe.[CH(OH).CN]=1.4	C ₉ H ₉ O ₂ N	...	63	Tiemann and Köhler	B., 14, 1976	
Hydroxydihydro-carbostyryl	C ₆ H ₄ .CH(OH).CH ₂ .C(OH).N =1.2	"	...	149	Einhorn	B., 17, 2011, 2013	46, 1338
"	"	"	+2 H ₂ O	95-97	"	"	"
"	C ₆ H ₄ .CH ₂ .CH(OH).CO.NH =1.4	"	...	197-198	Erlenmeyer and Lipp	A., 219, 179	44, 993
?	"	310	118	Bruyn	R. T., 2, 205	48, 657
?	"	124	Nemirowsky	J. p. [2], 31, 173	48, 741
Methylic isonitrosophenyl-acetate	Ph.C(:NOH).COOMe	C ₉ H ₉ O ₃ N	138-139	Müller	B., 16, 2987	48, 584
Benzylic oxamate	NH ₂ .CO.CO.CH ₂ Ph	"	134-135	Wallach and Liebmann	B., 13, 507	38, 557
Hippuric acid	NHBz.CH ₂ .COOH	"	240	A., 88, 133	Gossmann	A., 100, 69	iii., 157
"	"	"	186.5	Curtius	J. p. [2], 24, 239	40, 1144
"	"	"	187.5	Conrad	J. p. [2], 15, 246	34, 674
"	"	"	187.5	Baum	Z. P. C., 9, 465	48, 982
"	"	"	188.5	Campani	G. I., 8, 57	34, 674
Malonanilic acid	Ph.NH.CO.CH ₂ .COOH	"	132 d.	Freund	B., 17, 136	46, 729
"	"	"	132 d.	Rügheimer	B., 17, 235	"
"	"	"	132	Seifert	B., 18, 1360	"
Nitrophenylethylketone	C ₆ H ₄ (NO ₂).CO.Et=?	"	Liquid	Barry	B., 6, 1007	27, 74
"	" =?	"	100	Morley and Green	47, 138
"	" =?	"	100	Barry	B., 6, 1007	27, 74
Tolyloxamic acid	Me.(NH.CO.COOH)=1.4	"	168-170	Klinger	A., 184, 285	31, 712
Acetamidobenzoic acid	COOH.NHAc=1.2	"	179	Friedländer and Henriques	B., 15, 2108	
"	"	"	179-180	Bedson and King	37, 754
"	"	"	179-180	Jackson	B., 14, 885	40, 735
"	"	"	184; 185	Döbner and Müller	B., 15, 3077, 3078	
"	" =1.3	"	begins 260	220-230	Forster	A., 117, 165	13, 235; iv., 291
"	"	"	238-240	Aschau	B., 17, 429	
"	" =1.4	"	250 p. d.	Hofmann	B., 9, 1302	31, 90
Nitrosoacetoxyltoluene	Me.OAc.NO=1.3.?	"	92	Wurster and Riedel	B., 12, 1799	38, 109
Quinolinic acid	C ₆ H ₄ .NH ₂ .(CH ₂ .CO.COOH)	"	143	Dewar	P. R., 30, 164	40, 1043
Leucolinic acid	"	"	163	"	"	"
Acid fr. lepidine	"	"	179-180	Drewsen	B., 16, 1955	44, 1149
Nitrophenylazoacetone	NO ₂ .(N ₂ .CH ₂ .COMe)=1.2	C ₉ H ₉ O ₃ N ₃	123-124	Bamberger	B., 17, 2418	48, 157
Nitro-nitrosotetrahydro-quinoline	C ₉ H ₉ N(NO)(NO ₂)	"	137-138	Hoffmann and Königs	B., 16, 730	44, 1143
Methylic nitrophenyl acetate	NO ₂ .(CH ₂ .COOMe)=1.4	C ₉ H ₉ O ₄ N	54	Maxwell	B., 12, 1765	38, 120
"	"	"	54-55	Bedson	37, 91
Nitrobenzylic acetate	"	"	78	Beilstein and Kuhlberg	A., 147, 341; Z. C. [2], 3, 467	v., 336
"	"	"	85	Grimaux	B. S. [2], 8, 433	vi., 285
Nitrohydrocinnamic acid	(CH ₂ .CH ₂ .CO ₂ H).NO ₂ =1.2	"	113	Gabriel and Zimmermann	B., 13, 1681	40, 274
"	"	"	113	Gabriel and Steudemann	B., 15, 847	42, 1073
"	" =1.3	"	117-118	"	B., 15, 846	"
"	" =1.4	"	163-164	"	B., 15, 843	"
"	"	"	163-164	Beilstein and Kuhlberg	Z. C. [2], 7, 487	vii., 348; 25, 300
"	"	"	163-164	"	A., 163, 132	vi., 961
Nitrohydratropic acid	(CHMe.CO ₂ H).NO ₂ =1.4	"	87	Trinius	A., 227, 262	48, 529
"	" =1.2	"	110	"	"	"
Ethyl nitrobenzoate	COOEt.NO ₂ =1.2	"	30	Beilstein and Kuhlberg	A., 163, 137; Z. C., 7, 616	vii., 165; 25, 711
"	" =?	"	mixture	37	Fittica	B., 10, 483	32, 483
"	" =?	"	"	37-38	"	J. p. [2], 13, 184	36, 151
"	" =?	"	"	38-39	"	"	36, 152

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyllic nitrobenzoate	COOEt.NO ₂ =1.3	C ₉ H ₉ O ₄ N	40-41	Salkowski	B., 5, 724	vii., 947; 25, 1024
"	"	"	cf. B., 10, 482	41	Fittica	J. p. [2], 13, 184	36, 152, 153
"	"	"	298	42	Chancel	J., 2, 327	i., 556
"	"	"	43	Schiaparelli and Abelli	G. I., 13, 257	46, 174
"	"	"	296	47	Richter	R. K. T., 220	
"	(J. [1877], 736) =1.4	"	...	57	Wilbrand and Beilstein	A., 128, 262	iv., 61
"	"	"	57.5	Staedel	A., 217, 211, 212	
Ethyllic nitrosophenolcarboxylate	C ₆ H ₄ (NO).(O.CO ₂ Et)=?	"	109	Walker	B., 17, 400	46, 1003
Nitrophenyllactic aldehyde	NO ₂ [CH(OH).CH ₂ .COH]=1.3	"	d. 100	Göhring	B., 18, 720	46, 792
Salicylic acid	HO.C ₂ H ₂ O.O.C ₇ H ₄ O.NH ₂	"	160	Bertagnini	A., 97, 251	v., 172
p-hydroxybenzoic acid	"	228 d.	Z. P. C., 7, 29	1
Methylene dioxyphenylamid-acetic acid	CH ₂ :O ₂ :C ₆ H ₃ .CH(NH ₂).CO ₂ H	"	210	Lorenz	B., 14, 794	40, 729
Nitroethylbenzoic acid	COOH.Et.NO ₂ =1.4?	"	cf. A., 216, 220	155-156	Aschenbrandt	B., 12, 1304	36, 920
Nitroxilylic acid	(CH ₂ .CO ₂ H).Me.NO ₂ =1.4?	"	195	Z. C. [1867], 13	
Acetamidosalicylic acid	COOH.OH.NHAc=1.2.5	"	218	Hübner	B., 8, 1215	29, 594
"	"	"	218	"	A., 195, 191	38, 381
α-Nitromesitylenic acid	COOH.Me ₂ .NO ₂ =1.3.5.6	"	210-212	Schmitz	A., 193, 166	36, 155
"	" =1.3.5.?	"	218	Fittig	vi., 823
β-	" =1.3.5.4	"	ppd. fr. Ba. salt	179	Jacobsen	B., 11, 2054	36, 248
β-	"	"	cryst. fr. C ₂ H ₆ O	223	"	"	"
β-	"	"	ppd. fr. Ba. salt	175	Schmitz	A., 193, 168	36, 156
β-	"	"	cryst. fr. C ₂ H ₆ O	214-220; rs. 162; and remelts 168	"	"	"
α-Amido-uvitic acid	Me.(CO ₂ H) ₂ .NH ₂ =1.3.5.6	"	cf. A., 189, 176	240 d.	Böttinger	B., 9, 807	30, 415
β-	" =1.3.5.4	"	cf. A., 189, 181	255 d.	"	B., 9, 808	"
Lutidinedicarboxylic acid	C ₅ HNMMe ₂ (COOH) ₂	"	245	Michael	A., 225, 121	48, 62
Nitrophenyl β-lactic acid	NO ₂ [CH(OH).CH ₂ .CO ₂ H]=1.3	C ₉ H ₉ O ₅ N	105	Prausnitz	B., 17, 598	46, 1175
"	" =1.2	"	126	Baeyer & Drewsen	B., 16, 2206	46, 58
"	"	"	126	Einhorn	B., 16, 2214	46, 66
"	"	"	127	Baeyer & Drewsen	B., 15, 2861	44, 341
"	" =1.4	"	129-131	Basler	B., 16, 3005	46, 604
"	"	"	130-132	"	B., 16, 3006	"
"	"	"	132	Göhring	B., 18, 373	48, 527
Methylic nitranisate	CO ₂ Me.OMe.NO ₂ =1.4.6	"	abt. 100	Cahours-Hübner	A., 56, 315	i., 302
Ethyllic nitrohydroxybenzoate	CO ₂ Et.OH.NO ₂ =1.2.3	"	44	"	B., 8, 1216	29, 593
"	" =1.2.5	"	92-93	"	"	"
"	"	"	93	"	A., 195, 14	36, 381
"	" =1.4?	"	b. 100	Barth	J. p., 100, 366	vi., 901
Nitroethoxybenzoic acid	CO ₂ H.OEt.NO ₂ =1.2.5	"	161.5	Kraut & Prinzhorn	A., 150, 4	vi., 1006
"	"	"	163	Perkin	A., 145, 312	20, 429; v., 1009
Nitrohydro-p-coumaric acid	(CH ₂ .CH ₂ .CO ₂ H).OH.NO ₂	"	90.5	Stöhr	A., 225, 57	46, 1350
Methoxynitrotoluic acid	CO ₂ H.OMe.Me.NO ₂ =1.2.4.?	"	172-174	Canzoneri	G. I., 10, 516	40, 269
"	"	"	173-175	Paternò & Canzoneri	G. I., 9, 455	38, 247
"	"	"	175	"	G. I., 10, 233	38, 884
Diacetylpyromecazonic acid	C ₅ H ₃ NO(OAc) ₂	"	153-155	Ost	J.p., 27, 259	44, 791
Dinitro-acetoluide	Me.NHAc.(NO ₂) ₂ =1.4.3.5	C ₉ H ₉ O ₅ N ₃	189.5	Staedel	A., 217, 187	
"	"	"	190.5	Beilstein & Kuhlberg	A., 158, 341	vii., 1178; 24, 682
"	"	"	195	Friederici	B., 11, 1976	

Name.	Constitution.	Formula.	Bolling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Fr. o-nitro-cinnamic acid	$C_9H_9O_6N$	94	Morgan	B., 17, 220	46, 747
Nitroveratric acid $COOH.(OMe)_2.NO_2=1.3.4?$	"	cf. B., 9, 938	100 d.	Merck	A., 108, 59	v., 995
" " " " " " " " " " " " " " " "	"	200-202	Matmoto	B., 11, 134	34, 502
Ethyl dinitrobenzoate $CO_2Et.(NO_2)_2=1.3.5$	$C_9H_9O_6N_2$	90	Staedel	A., 217, 182	44, 865
Dinitrophenylurethane $(NH.COEt).(NO_2)_2=1.2.4$	$C_9H_9O_6N_3$	110-111	Hager	B., 17, 2629	48, 150
" " " " " " " " " " " " " " " "	"	210	Losanitsch	B., 10, 691	
Trinitroisopropylbenzene $Pr^{\beta}.(NO_2)_3=?$	"	109	Fittig and others	A., 149, 329	
Dinitroacetanide $OMe.NHAc.(NO_2)_2=1.2.(?)_2$	"	147	Mühlhäuser	B., 13, 922	38, 641
" " " " " " " " " " " " " " " "	"	157	"	A., 207, 243	42, 302
Ethyl dinitroamidobenzoate $COOEt.NH_2.(NO_2)_2=1.4.3.5$	"	abt. 100	Cahours	A. C. [3], 27, 454	i., 957
" " " " " " " " " " " " " " " "	"	cf. B. 4, 871	114	Salkowski	A., 163, 11	vii., 336
" " " " " " " " " " " " " " " "	"	135	"	A., 173, 47; B., 4, 872	28, 71; vii., 336
Dinitro-amidohydrocinnamic acid $(CH_2.CH_2.CO_2H).NH_2.(NO_2)_2=1.4.3.5$	"	190	Stöhr	A., 225, 57	48, 1350
Trinitroethyltoluene $Me.Et.(NO_2)_3=?$	"	92	Glinzer and Fittig	A., 136, 314	v., 857
" " " " " " " " " " " " " " " "	"	92	Jannasch & Dieckmann	B., 7, 1515	28, 1189
Trinitropseudocumene $Me_3.(NO_2)_3=1.3.4.2.5.6$	"	cf. A., 151, 261	185	Fittig	Z. C. [2], 4, 577	vi., 296
" " " " " " " " " " " " " " " "	"	185	Fittig & Laubinger	"	vi., 297
" " " " " " " " " " " " " " " "	"	185	Engler	B., 18, 2235	
Trinitromesitylene " " " " " " " "	"	230-232	Fittig	A., 141, 134	vi., 299
" " " " " " " " " " " " " " " "	"	232	"	Z. C. [2], 4, 577	vi., 296
" " " " " " " " " " " " " " " "	"	232	Kurbatow	B., 16, 966	
" " " " " " " " " " " " " " " "	"	232	Engler	B., 18, 2235-7	
Trinitroethoxytoluene $Me.OEt.(NO_2)_3=1.3.2.4.6$	$C_9H_9O_7N_3$	72	Nölting and Salis	B., 15, 1864	44, 59
Dinitrotyrosine $C_9H_9(NO_2)_2NO_2$	"	115	Städeler	J. [1860], 576	v., 934
Dimethyltrinitro-orcinol $Me.(OMe)_2.(NO_2)_3=1.3.5.2.4.6$	$C_9H_9O_5N_3$	69.5	Stenhouse	P. R., 19, 410	vii., 880
Benzene azoacetone $Ph.N_2.CH_2.CO.Me$	$C_9H_{10}ON_2$	148-149	Richter & Münzer	B., 17, 1928	46, 1342
Isonitrosoanil acetone $Ph.N:CMc.CH:NOH$	"	180	Knorr	B., 17, 1637	46, 1368
Ethoxyphenylecyanamide $EtO.(NH.CN)=1.2$	"	94	Berlinerblau	J. p., 30, 97	48, 148
" " " " " " " " " " " " " " " "	"	78	"	"	"
Nitrosohydromethyl ketole $C_6H_4.CH_2.CHMe.N.NO=1.2$	"	54-55	Jackson	B., 14, 884	40, 735
Amidohydrocarbostyryl $C_6H_4.CH_2:CH_2.CO.N.NH_2$	"	143	Fischer and Kuzel	A., 221, 261	46, 441
" " " " " " " " $C_6H_3(NH_2).C_2H_4.CO.NH$	"	211	Gabriel and Zimmermann	B., 12, 602	36, 640
Phenylmethyl oxamide $NHMe.CO.CO.NHPh$	$C_9H_{10}O_2N_2$	171-173	Wallach and West	B., 9, 266	30, 185
" " " " " " " " " " " " " " " "	"	179-181	Wallach	A., 184, 70	32, 187
Phenylmalonamide $NH_2.CO.CH_2.CO.NHPh$	"	163	Freund	B., 17, 135	46, 728
Hippuramide $Ph.CO.NH.CH_2.CO.NH_2$	"	183	Curtius	J. p. [2], 26, 145	44, 339
" " " " " " " " " " " " " " " "	"	183	Conrad	J. p. [2], 15, 248	32, 484
Acetylphenylcarbamide $NHPh.CO.NHAc$	"	183	Kühn	B., 17, 2882	48, 260
" " " " " " " " " " " " " " " "	"	183	McCreath	B., 8, 1181	29, 401
Acetylbenzenyl amidoxime $NH_2.CPh:NOAc$	"	96	Schulz	B., 18, 1083	48, 897
Phenylhydrazinepyrrolic acid $Ph.N_2H:CMc.COOH$	"	misprint	169 p.d. (?)	Fischer & Jourdan	B., 16, 2242	46, 52
" " " " " " " " " " " " " " " "	"	192	Fischer	B., 17, 578	48, 1151
Nitrosoacetoluide $Me.NAc(NO)=1.4$	"	80 d.	"	B., 10, 959	32, 607
Tolyloxamide $Me.(NH.CO.CO.NH_2)=1.3$	"	131	Bladin	B. S., 41, 125	46, 1142
" " " " " " " " " " " " " " " "	"	236-237	"	"	46, 1141
Acetamidobenzamide $NHAc.(CO.NH_2)=1.2$	"	170-171	Weddige	J. p. [2], 31, 124	48, 661
Acetamidobenzaldoxime $NHAc.(CH:NOH)=1.4$	"	205-206	Herzberg	C. C. [1884], 35	48, 662
Diamidocinnamic acid $(CH:CH.CO_2H).(NH_2)_2$	"	167	Gabriel & Herzberg	B., 16, 2043	44, 1123
" " " " " " " " " " " " " " " "	"	167-168	Herzberg	C. C. [1884], 35	48, 662
Tetrahydronitroso-hydroxyquinoline $N.OH=\alpha_1; \beta_1$ or α_2	"	solid	Riemerschmied	B., 16, 723	
" " " " " " " " " " " " " " " "	"	67-68	Bedall and Fischer	B., 14, 1369	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitropropionanilide ...	NO ₂ .(NH.CO.Et.)=1.2	C ₉ H ₁₀ O ₃ N ₂	...	63	Smith	A. C. J., 6, 172	48, 524
Nitrophenyl dimethyl acetoxime	NO ₂ .(CMe.NOMe)=1.3	"	...	63-64	Gabriel	B., 15, 3063	44, 582
Salicyloxyacetic diamide ...	(CO.NH ₂). (O.CH ₂ .CO.NH ₂) =1.2	"	...	158	Rössing	B., 17, 2997	48, 388
Uramidophenylacetic acid ...	(NH.CO.NH ₂)(CH ₂ .CO ₂ H) =1.4	"	...	174 d.	Traube	B., 15, 2122	44, 193
Amidhippuric acid ...	NH ₂ .(CO.NH.CH ₂ .CO ₂ H) =1.3	"	A., 78, 112	192	Schwanert	A., 112, 70.	
" " ...	" " "	"	...	194	Conrad	J. p. [2], 15, 257.	32, 485
Nitroacetoluide ...	Me.NHAc.NO ₂ =1.4.5	"	...	92	Beilstein and Kuhlberg	A., 155, 23; Z. C. [2], 5, —	vii., 1166
" ...	" "	"	...	92	Nölting and Collin	B., 17, 264	46, 1012
" ...	" "	"	...	94-95	Gattermann	B., 18, 1483.	
" ...	" =1.3.2	"	...	101-102	Beilstein and Kuhlberg	Z. C. [2], 7, 99; A., 158, 348	24, 563, 683; vii., 1178
" ...	" =1.3.6	"	...	136	Limpricht	B., 18, 1402	48, 974
" ...	" =1.2.4	"	...	150-151	Nölting and Collin	B., 17, 268	46, 1007
" ...	" =1.2.6	"	...	155-5	Cunerth	B., 7, 643; A., 172, 226	27, 903; 28, 83
" ...	" "	"	...	157-5-158	Ullmann	B., 17, 1959.	46, 1316
" ...	" =1.2.3	"	...	158	Lellmann and Wurthner	A., 228, 239	48, 974
" ...	" =1.4.6	"	...	160	Cunerth	A., 172, 229	
" ...	" =1.2.5	"	...	196-197	Beilstein and Kuhlberg	A., 158, 345	24, 682; vii., 1178
Azotolymethazonic acid ...	C ₆ H ₄ Me.(N ₂ C ₂ H ₂ N ₂ O ₃)=1.4	C ₉ H ₁₀ O ₃ N ₄	...	154	Kimich	B., 10, 143	32, 326
Nitrophenylurethane ...	NO ₂ .(NH.COEt)=1.2	C ₉ H ₁₀ O ₄ N ₂	...	58	Rudolph	B., 12, 1295	36, 921
" ...	" =1.4	"	...	129	Hager	B., 17, 2625	48, 149
Nitrophenyl β-anilidopropionic acid	NO ₂ [CH(NH ₂).CH ₂ .CO ₂ H] =1.4	"	...	120-122	Basler	B., 17, 1501	46, 1173
Nitrophenyl β-alanine ...	NO ₂ [CH(OH).CH ₂ .CO.NH ₂] =1.4	"	...	166-167	"	B., 17, 1494	46, 1172
" " ...	NO ₂ .CH.CH ₂ .CO.O.NH ₃ =1.4	"	...	197.	Einhorn	B., 16, 2646	46, 304
" " ...	NO ₂ [CH ₂ .CH(NH ₂).CO ₂ H] =1.4	"	...	220	Erlenmeyer and Lipp	A., 219, 179	44, 993
Nitroacetanilide ...	OMe.NHAc.NO ₂ =1.2.?	"	...	143	Mülhäuser	A., 207, 242	42, 302
Ethyl nitroamidobenzoate	CO ₂ Et.NH ₂ .NO ₂ =1.2.3	"	...	104	Hübner	A., 195, 40	36, 382
Methyl nitroamido- <i>o</i> -toluate	(CH ₂ .CO ₂ Me).NO ₂ .NH ₂ =1.2.4	"	...	94	Gabriel and Meyer	B., 14, 825	40, 730
Nitro-amidohydrocinnamic acid	(CH ₂ .CH ₂ .CO ₂ H).NO ₂ .NH ₂ =1.2.4	"	...	137-139	Gabriel and Zimmermann	B., 12, 601	36, 640
" " ...	" =1.3.4	"	...	145	Gabriel and Steudemann	B., 15, 845	42, 1073
" " ...	" "	"	...	145	Gabriel	B., 15, 845	44, 195
Nitroethamidobenzoic acid ...	CO ₂ H.NHEt.NO ₂ =1.3.5	"	...	208	Rollwage	B., 10, 1704	34, 148
Dinitroethyltoluene ...	Me.Et.(NO ₂) ₂ =1.4.(?) ₂	"	...	Liquid	Jannasch and Dieckmann	B., 7, 1514	
" ...	" "	"	...	52	"	"	
Dinitropseudocumene ...	Me ₃ .(NO ₂) ₂ =1.3.4.(?) ₂	"	isomeric	86	Rommier	B. S. [2], 19, 434	26, 888; vii., 402
" ...	" "	"	"	86	"	"	"
Dinitromesitylene ...	" =1.3.5.2.4	"	...	86	Fittig	A., 141, 133	vi., 299
Dinitroethoxytoluene ...	Me.OEt.(NO ₂) ₂ =1.2.3.5	C ₉ H ₁₀ O ₅ N ₂	...	46	Nölting and Salis	B., 15, 987, 1860	44, 59
" ...	" "	"	...	51	Kayser	B., 15, 1133	42, 1203
" ...	" "	"	cf.A., 217, 154	51	Staedel	B., 14, 899	40, 723
" ...	" =1.4.3.5	"	...	73	Nölting and Salis	B., 15, 1858	
" ...	" "	"	cf.A., 217, 164	75	Staedel	B., 14, 899	"
" ...	" "	"	...	75	Kayser	B., 15, 1136	42, 1203

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitropseudocumylic nitrate	Me ₂ .NO ₂ .NO ₃ =1.3.4.2.6	C ₉ H ₁₆ O ₅ N ₂	84 d.	Auwers	B., 17, 2979	48, 380
Dinitropseudocumenol	Me ₂ .OH.(NO ₂) ₂ =1.3.4.6.2.5	"	110	"	B., 17, 2981	48, 381
Dinitronitrosoethyltoluidine	Me.NEt(NO).(NO ₂) ₂ =1.4.3.5	C ₉ H ₁₀ O ₅ N ₄	77-78	Gattermann	B., 18, 1486	48, 975
Trinitroethyltoluidine	Me.NHEt.(NO ₂) ₃ =1.4.2.3.5	"	115-116	"	"	"
Dinitrophenylglycerol	[O.C ₆ H ₅ (OH) ₂].(NO ₂) ₂ =1.2.4	C ₉ H ₁₀ O ₇ N ₂	83	Willgerodt	B., 12, 766	38, 717
Trinitronitrosotrimethyl diamidobenzene	NMe ₂ .NMe(NO).(NO ₂) ₃ =1.3.(?) ₃	C ₉ H ₁₀ O ₇ N ₆	132	Wurster & Morley	B., 12, 1815	38, 111
Propionanilide	C ₆ H ₅ .NH.CO.CH ₂ .CH ₃	C ₉ H ₁₁ ON	92	Sestini	Z. C. [2], 7, 35; C., 4, 21	24, 234; vii., 1009
"	"	"	105	Kelbe	B., 16, 1200	44, 916
Methylacetanilide	C ₆ H ₅ .NMeAc	"	99.5	Norton and Allen	B., 18, 1995	
"	"	"	245	99.5	Hofmann	B., 10, 599	
"	"	"	101	Reinhardt and Staedel	B., 16, 29	44, 578
"	"	"	101-102	Hepp	B., 10, 329	
"	"	"	240-250	104	Hofmann	B., 7, 525	27, 807
Benzylacetamide	C ₆ H ₅ .CH ₂ .NHAc	"	a. 250	30	Strakosch	B., 5, 697	vii., 182; 25, 1027
"	C ₆ H ₅ .CH ₂ .NH ₂ Ac	"	300	57	Rudolph	B., 12, 1297	38, 921
Dimethylbenzamide	C ₆ H ₅ .CO.NMe ₂	"	255-257 u.c.	41-42	Hallmann	B., 9, 846	30, 418
Ethylbenzaldoxime	C ₆ H ₅ .CH:N.OEt	"	207.5-209 u.c.	Petraczek	B., 16, 828	
Amidophenylethylketone	C ₆ H ₄ (NH ₂).CO.Et	"	Liquid	Barry	B., 6, 1007	27, 74
Acetoluide	Me.NHAc=1.3	"	303	65.5	Beilstein and Kuhl- berg	A., 156, 83	vii., 1176
"	"	"	65.5	Wroblewsky	B., 8, 574	28, 886
"	" =1.2	"	98	"	Z. C. [2], 7, 135	24, 564
"	"	"	102	"	B., 9, 1055	30, 510
"	"	"	102	Klingel	B., 17, 1613	48, 1343
"	"	"	105	Wroblewsky	Z. C. [2], 7, 135	24, 564
"	"	"	105-106	Hübner and Wal- lach	J. [1869], 678	37, 438
"	"	"	296	107	Beilstein and Kuhl- berg	A., 156, 77	vii., 1176
"	"	"	107	Thomsen	B., 10, 1586	34, 218
"	"	"	107	Grete	A., 177, 231	29, 74
"	"	"	107-109	Bedson and King	37, 753
"	"	"	108-109	Kelbe	B., 16, 1200	44, 916
"	" =1.4	"	a. 140	Merz and Weith	Z. C. [2], 5, 699	vii., 4
"	"	"	310-350	145-145.5	v., 871
"	"	"	306	145	Beilstein and Kuhl- berg	A., 156, 74	vii., 1176
"	"	"	146	Grete	A., 177, 231	29, 72
"	"	"	147	Kelbe	B., 16, 1200	44, 916
"	"	"	307	147	Richter	R. K. T., 222	
"	"	"	148	Claus	B., 15, 317	
Dimethamidobenzaldehyde	COH.NMe ₂ =?	"	73	Bössneck	B., 18, 1520	48, 976
Tolylacetamide	Me.(CH ₂ .CO.NH ₂)=1.3	"	141	Radiszewsky and Wispek	B., 18, 1282	48, 889
"	" =1.2	"	161	"	B., 18, 1281	"
"	" =1.4	"	184	"	"	"
Xylylformamide	Me ₂ .(NH.CHO)=1.3.4	"	113-114	Gasiorowski and Merz	B., 18, 1011	48, 773
Mesitylenamide	Me ₂ .(CO.NH ₂)=1.3.5	"	133	Fittig	A., 147, 47	vi., 824
Xylylamide	" =1.3.6	"	181, a.s. 179	Ador and Meier	B., 12, 1970	38, 252
Isoxylamide	" =1.4.5	"	186	Jacobsen	B., 14, 2112	42, 187
Tetrahydroxyquinoline	N.OH=α ₁ ; β ₁ or α ₂	"	116-117	Riemerschmied	B., 16, 723	44, 1148
"	" =α ₁ ; α ₁	"	121-122	Bedall and Fischer	B., 14, 1368	
Ethyl benzhydroxamate	HO.CPh:N.OEt (?)	C ₉ H ₁₁ O ₂ N	cf. B., 16, 874; 18, 727	Liquid	Tiemann & Krüger	B., 18, 736, 1053	48, 790, 896
"	Bz.NH.OEt (?)	"	"	64-65	Waldstein	A., 181, 385	30, 526
"	"	"	"	67	Pieper	A., 217, 11	44, 461

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Ethylbenzhydroxamic acid	Bz.NEt.OH(?)	$C_9H_{11}O_2N$	cf. B., 16, 874; 18, 727	53°5-54°5	Lossen and Zanni	A., 182, 221	31, 188
α "	"	"	Liquid	Eiseler	A., 175, 329	
α "	"	"	54	Pieper	A., 217, 4	44, 461
α "	"	"	53°5	Gurke	A., 205, 285	40, 585
β "	"	"	67	Pieper	A., 217, 5	44, 461
β "	"	"	67°5-68	Gurke	A., 205, 286	40, 585
Ethylc phenylcarbamate	NHPh.COEt	"	184-186	Liquid	Schiff	B., 3, 649	
" "	"	"	237	51	Hofmann	B., 3, 654	
" "	"	"	237-238 d.	51°5-52	Wilm and Wischin	A., 147, 159	vii., 252
Methylc phenamidoacetate	NHPh.CH ₂ .COOMe	"	48	Meyer	B., 8, 1157	29, 373
α -Phenamidopropionic acid	NHPh.CHMe.COOH	"	162	Tiemann & Stephan	B., 15, 2036	44, 199
Phenylmethamidoacetic acid	NHMe.CHPh.COOH	"	w.m. 274	Tiemann & Priest	B., 14, 1982	42, 50
Phenyl α -amidopropionic acid	Ph.CH ₂ .CH(NH ₂).COOH	"	a. 260 d.	Plöchl	B., 17, 1624	46, 1349
" α "	"	"	250 d.	Schulze & Barbieri	B., 14, 1788	42, 189
" α "	"	"	cf. B., 15, 1006	sb.w.m.	Erlenmeyer & Lipp	A., 219, 200	42, 972
" β "	Ph.CH(NH ₂).CH ₂ .COOH	"	cf. B., 15, 1006	120-121	Posen	A., 195, 143	36, 378
α -Amidohydratropic acid	CH ₃ .CPh(NH ₂).COOH	"	w.m. 260	Tieuann	B., 14, 1981	42, 57
β "	CH ₂ (NH ₂).CHPh.COOH	"	169-170	Merling	A., 209, 11	40, 1143
β "	"	"	169°5	Fittig and Wurster	A., 195, 158	36, 379
α -Phenoxypropionamide	CH ₃ .CH(OPh).CO.NH ₂	"	130	Saarbach	J. p. [2], 21, 152	38, 393
Ethoxyformanilide	OEt.NH(CHO)=1.2	"	292	62	Groll	J. p. [2], 12, 208	29, 247
Methoxyacetanilide	OMe.NHAc=1.2	"	303-305	79	Mülhäuser	B., 13, 921	38, 641
" "	" "	"	303-305	78	"	A., 207, 242	42, 302
" "	" "	"	84	Herold	B., 15, 1685	
Ethoxybenzamide	OEt.(CO.NH ₂)=1.2	"	110	Limpricht	A., 98, 264	v., 151
Melilotamide	OH.(CH ₂ .CH ₂ .CO.NH ₂)=1.2	"	70	Zwenger	As., 5, 120	vi., 716
Phloretamide....	OH.(CHMe.CO.NH ₂)	"	110-111	Hlasiwetz	A., 102, 162	iv., 489
Ethylc amidobenzoate	NH ₂ .COOEt=1.2	"	260	Kolbe	J. p. [2], 30, 467	48, 665
" "	" =1.4	"	95	Müller	B., 18, 2485	
Dimethamidobenzoic acid	NMc ₂ .COOH=1.3	"	151	Griess	B., 6, 587	26, 1146
" "	" =1.4	"	235	Michler	B., 9, 401	30, 68
Ethamidobenzoic acid	NHEt.COOH=1.3	"	112	Griess	B., 5, 1038	26, 281; viii., 167
β -Amidophenyl propionic acid	NH ₂ .(CH ₂ .CH ₂ .COOH)=1.2	"	d.	Gabriel and Steude- mann	B., 15, 847	42, 1073
β "	" =1.3	"	84-85	"	B., 15, 846	"
β "	" =1.4	"	131	"	B., 15, 847	"
β "	" "	"	131	Z. C. [1869], 195	vi., 961
α "	NH ₂ .(CHMe.COOH)=1.4	"	128	Trinius	A., 227, 262	48, 529
Tolylglycocine	Me.(NH.CH ₂ .COOH)=1.2	"	143	Cosack	B., 13, 1091	38, 713
"	" "	"	d. 170	145	Meyer	B., 8, 1159	29, 401
"	" "	"	149-150	Staats	B., 13, 137	38, 387
"	" "	"	150	Ehrlich	B., 16, 204	
"	" =1.3	"	?	"	B., 15, 2011	
"	" =1.4	"	166-168	Schwebel	B., 10, 2047	34, 302
"	" "	"	166-168	Staats	B., 13, 137	
" (misprint in orig.)	" "	"	168-169	Meyer	B., 14, 1324	
Tolylhydroxyacetamide	Me.(NH.CO.CH ₂ .OH)	"	+ 1½H ₂ O	70-130	Tommasi	27, 628
Tolylamidoacetic acid	Me.[CH(NH ₂).COOH]=1.3	"	sb. 230	d.	Bornemann	B., 17, 1472	46, 1163
Acetamidocresol	Me.OH.NHAc=1.4.5	"	159-160	Nötling and Kohn	B., 17, 361	46, 901
"	" = ?	"	178	Maassen	B., 17, 609	46, 1145
"	" =1.2.4	"	224-225	Wallach	B., 15, 2831	44, 329
"	" "	"	224-225	Maassen	B., 17, 609	
Nitromesitylene	Me ₃ .NO ₂ =1.3.5.6	"	240-250	41	Fittig and Storrer	A., 147, 1	vi., 299
" (cf. A., 179, 169)	" "	"	255	42	Ladenburg	B., 7, 1135	28, 64
"	" "	"	44	Biedermann and Ledoux	B., 8, 57	28, 569
Nitropseudocumene	" =1.3.4.5	"	20	Edler	B., 18, 629	48, 771
"	" =1.3.4.6 (?)	"	265	71	Z. C. [1867], 12	vi., 297

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Amidomesitylenic acid ...	Me ₂ .COOH.NH ₂ =1.3.5.6	C ₉ H ₁₁ O ₂ N	...	186-187	Schmitz	A., 193, 171	36, 156
" " ...	" " "	"	...	190	Jacobsen	B., 11, 2055	
" " ...	" =1.3.5.2	"	...	235	Fittig	A., 147, 50	vi., 823
" " ...	" "	"	...	235	Schmitz	A., 193, 171	36, 156
Collidine carboxylic acid ...	C ₃ NHMe ₃ .COOH	"	...	155	Michael	A., 225, 121	48, 62
" " " ...	"	"	+ 2H ₂ O	110	"	"	"
Nitrosoethylphenyl carb- amide	...	C ₉ H ₁₁ O ₂ N ₃	...	59.5	Fischer	A., 199, 286	
Glycolphenylguanidine ...	NHPh.C(NH).NH.CH ₂ . CO ₂ H	"	...	260 d.	Berger	B., 13, 993	38, 802
Nitropropylazobenzene ...	CH ₃ .CH ₂ .CH(NO ₂).N : NPh	"	...	98-99	Meyer	B., 9, 386	30, 93
Nitroethylazotoluene ...	C ₆ H ₄ Me.N ₂ .C ₂ H ₄ .NO ₂ =1.2	"	...	87-88	Barbieri	B., 9, 388	30, 94
" " ...	" =1.4	"	...	133	"	B., 9, 387	"
Phenylamidolactic acid ...	Ph.C ₂ H ₂ (OH)(NH ₂).CO ₂ H	C ₉ H ₁₁ O ₃ N	...	189-190	Plöchl	B., 16, 2822	46, 606
Ethoxamidobenzoic acid ...	NH(OEt).COOH=1.4	"	...	187	Ladenburg	B., 6, 130	26, 642
Amidophenylactic acid ...	NH ₂ [CH ₂ .CH(OH).COOH] =1.4	"	...	188	Erlenmeyer & Lipp	A., 219, 179	44, 994
Ethyl hydroxyphenylcar- bamate	OH.(NH.COEt)=1.2	"	...	85	Grenvik	B. S. [2], 25, 177	31, 473
" " ...	" =1.4	"	...	120	"	B. S. [2], 25, 179	"
Tyrosine ...	OH[CH ₂ .CH(NH ₂).CO ₂ H] =1.4	"	cf. B., 16, 854	167-168	Blendermann	Z. P. C., 6, 234	44, 878
Methoxymandelamide ...	OMe.[CH(OH).CO.NH ₂] =1.4	"	...	159	Tiemann	B., 14, 1977	42, 57
Methoxyphenylamidoacetic acid	OMe.[CH(NH ₂).CO ₂ H]=1.4	"	...	w. m. 225	"	B., 14, 1979	
Methoxyphenylglycocine ...	OMe.(NH.CH ₂ .CO ₂ H)=1.2 =1.4	"	...	141.5 d. w. m. 200	Vater	J. p. [2], 29, 286	46, 1144
" " ...	"	"	...	"	"	"	"
Methamidanic acid	OMe.NHMe.COOH=?	"	...	a. 200	Griess	B., 5, 1042	vii., 79; 26, 282
Nitroethoxytoluene ...	Me.OEt.NO ₂ =1.2.3	"	...	Liquid	Staedel	A., 217, 50, 153	44, 865
" " ...	" =1.4.5	"	275-285	Liquid	"	A., 217, 54, 162	44, 662, 862
" " ...	" "	"	...	Liquid	Kayser	B., 15, 1134	42, 1203
" " ...	" =1.3.?	"	...	54	"	"	"
" " ...	" "	"	...	54	Staedel	A., 217, 161	44, 862
" " ...	" =1.2.5	"	...	71	"	B., 14, 899	40, 723
" " ...	" "	"	...	71	"	A., 217, 155	44, 862
" " ...	" "	"	...	71	Kayser	B., 15, 1133	42, 1203
" " ...	" =?	"	285	72-73	Ladenburg	B., 8, 1212	
Nitromethoxyxylene ...	Me ₂ .OMe.NO ₂ =1.3(?) ₂	"	...	56-57	Pfaff	B., 16, 1136	44, 918
Nitromesitol ...	Me ₃ .OH.NO ₂ =1.3.5.2.4	"	cf. A., 215, 98	64	Knecht	B., 15, 1376	42, 1200
Acetyethylpyromeconamic acid	...	"	...	140	Mennel	J. p. [2], 32, 176	48, 1204
Phenylhydroxyethenylur- amidoxime	HO.CHPh C(NOH).NH. CO.NH ₂	C ₉ H ₁₁ O ₃ N ₃	...	127	Gross	B., 18, 2478	48, 1218
Ethylnitrobenzenylamid- oxime	NO ₂ [C(NH ₂):NOEt]=1.3	"	...	b. 15(?)	Schopf	B., 18, 1065	48, 896
Nitro β-phenylpropylene glycol	NO ₂ [CH(OH).CH ₂ .CH ₂ .OH] =1.2	C ₉ H ₁₁ O ₄ N	...	108-109	Baeyer & Drewsen	B., 15, 2861	44, 341
Amidophenylglyceric acid ...	NH ₂ [CH(OH).CH(OH). CO ₂ H]=1.2	"	...	218	Morgan	J. [1877], 788 ; C. N. 36, 269	
α-ethylnitro-orcinol ...	Me.OEt.OH.NO ₂ =1.3.5.?	"	...	54	Weselsky and Bene- dikt	M. C., 2, 371	40, 1140
β- " ...	" " "	"	...	103	"	"	"
Trimethylpyrrolidine dicar- boxylic acid	NMe.Me ₂ (CO ₂ H) ₂ =1.2.5.3.4	"	...	d. 240-245	Knorr	B., 18, 307	48, 555
Ethyl amidonitrophenyl- carbamate	(NH.CO ₂ Et).NH ₂ .NO ₂ =1.2.4	C ₉ H ₁₁ O ₄ N ₃	...	162	Hager	B., 17, 2631	48, 150
Dinitroethyltoluidine ...	Me.NHEt.(NO ₂) ₂ =1.4.3.5	"	...	126-126.5	Gattermann	B., 18, 1485	48, 975
Dinitrodimethyltoluidine ...	Me.NMe ₂ (NO ₂) ₂ =1.3(?) ₂	"	...	107	Wurster and Riedel	B., 12, 1800	38, 109
" " ...	" "	"	...	168	"	"	"
Dinitrocumidine ...	Me ₃ .NH ₂ (NO ₂) ₂ =1.3.4(?) ₃	"	...	78	Engel	B., 18, 2232	48, 1216
Dinitromesidine ...	" =1.3.5.2.4.6	"	...	193-195	Ladenburg	A., 179, 168	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrosesidine	$\text{Me}_2\text{NH}_2(\text{NO}_2)_2=1.3.5.2.4.6$	$\text{C}_9\text{H}_{11}\text{O}_4\text{N}_3$	193-195	Fittig	A., 141, 138	vi., 300
Nitrobenzylidenediureide	$\text{NO}_2\text{C}_6\text{H}_4\text{CH}(\text{NH.CO.NH}_2)_2$	$\text{C}_9\text{H}_{11}\text{O}_4\text{N}_5$	200 d.	Schiff	A., 151, 194	
Menispermine	$\text{C}_9\text{H}_{12}\text{ON}(\text{?})$	120	Pelletier & Couerbe	A. C. [2], 54, 178	iii., 880
Ethylphenylcarbamide	$\text{NH}_2\text{CO.NEtPh}$	$\text{C}_9\text{H}_{12}\text{ON}_2$	62	Gebhardt	B., 17, 2095	46, 1321
"	"	99	B. S., 4, 203	
Phenylethylcarbamide	$\text{NH}_2\text{CO.NH.CH}_2\text{CH}_2\text{Ph}$	"	112	Spica	G. I., 9, 555	38, 242
α -phenamidopropionamide	NHPh.CHMe.CO.NH_2	"	140-141	Tiemann and Stephan	B., 15, 2035	44, 199
Phenylmethamidoacetamide	$\text{Ph.CH}(\text{NHMe}).\text{CO.NH}_2$	"	155	Tiemann and Piest	B., 14, 1983	
Methylphenamidoacetamide	$\text{NPhMe.CH}_2\text{CO.NH}_2$	"	163	Silberstein	B., 17, 2662	48, 160
Benzyl ethenylamidoxime	$\text{NH}_2\text{CMe}:\text{NO.CH}_2\text{Ph}$	"	d. 200	Liquid	Nordmann	B., 17, 2752	48, 239
Ethyl benzenylamidoxime	$\text{NH}_2\text{CPh}:\text{NOEt}$	"	65-66	Lossen	B., 18, 1194	
"	"	"	67	Tiemann & Krüger	B., 18, 732	48, 790
"	"	"	67	Krüger	B., 18, 1056	48, 896
Ethyltolylnitrosamine	$\text{C}_6\text{H}_4\text{Et.NEt}(\text{NO})=1.4$	"	?	Gastiger	B. S., 42, 338	48, 381
Tolylamidoacetamide	$\text{Me}(\text{NH.CH}_2\text{CO.NH}_2)=1.4$	"	162-163 d.	Meyer	B., 8, 1160	29, 402
Nitrosodimethyltoluidine	$\text{Me.NMe}_2\text{NO}=1.3.?$	"	92	Wurster and Riedel	B., 12, 1797	38, 109
Acetdiamidotoluene	$\text{Me.NH}_2\text{NHAc}=1.2.4$	"	158-159	Tiemann	B., 3, 221	
"	"	"	159-160	Wallach	B., 15, 2826	
"	"	"	159-161	"	B., 15, 2835	
Xylol carbamide	$\text{Me}_2(\text{NH.CO.NH}_2)=1.3.4$	"	186	Genz	B., 3, 226	vii., 1210
Phenylhydrazinepropionic acid	NHPh.NH.CHMe.COOH	$\text{C}_9\text{H}_{12}\text{O}_2\text{N}_2$	152-153	Fischer and Jordan	B., 16, 2244	46, 53
"	$\text{NH}_2\text{NPh.CHMe.COOH}$	"	187	Reisert	B., 17, 1455	46, 1152
Ethyl amidophenylcarbamide	$\text{NH}_2(\text{NH.COEt})=1.4$	"	71-72	Hager	B., 17, 2626	48, 149
"	" =1.2	"	86	Rudolph	B., 12, 1295	36, 921
Hydrazine hydrocinnamic acid	$(\text{NH.NH}_2)(\text{C}_2\text{H}_4\text{CO}_2\text{H})=?$	"	146	Fischer and Kuzel	A., 221, 261	46, 441
Acetylhydrazine anisole	$\text{MeO}(\text{N}_2\text{H}_2\text{Ac})=1.2$	"	125	Reisenegger	A., 221, 314	46, 440
Ethoxyphenylcarbamide	$\text{EtO}(\text{NH.CO.NH}_2)=1.4$	"	160	Berlinerblau	J. p., 30, 97	48, 148
Nitrocumidine	$\text{Pr.NH}_2\text{NO}_2=?$	"	b. 100	Cahours	C. R., 26, 316	ii., 176
Nitroethyltoluidine	$\text{Me.NHEt.NO}_2=1.4.5$	"	58-59	Gattermann	B., 18, 1483	46, 975
Nitrodimethyltoluidine	$\text{Me.NMe}_2\text{NO}_2=1.3.?$	"	84	Wurster and Riedel	B., 12, 1800	38, 109
Diamidocinnamic acid	$(\text{CH}_2\text{CH}_2\text{CO}_2\text{H})(\text{NH}_2)_2$	"	142-144	Gabriel	B., 15, 2291	44, 195
Nitrosesidine	$\text{Me}_2\text{NH}_2\text{NO}_2=1.3.5.2.4$	"	74	Biedermann and Ledoux	B., 8, 58	28, 569
"	"	"	75	Hübner and Schack	B., 10, 1711	34, 144
"	"	"	73-74	Ladenburg	A., 179, 165	
"	"	"	72-73	"	B., 7, 1134	
"	"	"	b. 100	Maule	A., 71, 137	2, 116; iii., 930
Nitropseudocumidine	" =1.3.4.6.5	"	46-47	Elder	B., 18, 629	48, 771
"	" =1.3.4.(?) ₂	"	cf. A., 151, 266	137	Fittig and Laubheimer	Z. C. [2], 4, 577	vi., 297
Benzylidenediureide	$\text{Ph.CH}(\text{NH.CO.NH}_2)_2$	$\text{C}_9\text{H}_{12}\text{O}_2\text{N}_4$	195	Schiff	A., 151, 192	
Nitrosoethylphenylsemicarbazide	$\text{Ph.N}(\text{NO}).\text{NH.CO.NHEt}$	"	86.5 d.	Fischer	A., 190, 111	34, 307
Tolylene dicarbamide	$\text{Me}(\text{NH.CO.NH}_2)_2=?1.3$	"	220	Strauss	A., 148, 157	vi., 1117
"	"	"	220	Lussy	B., 8, 292	
Ethyltheobromine	cf. B., 15, 33	"	a. 270	Philips	B., 9, 1309	31, 93
Diamidoethoxytoluene	$\text{Me.OEt}(\text{NH}_2)_2=1.4.3.5$	$\text{C}_9\text{H}_{12}\text{O}_3\text{N}_2$	Liquid	Kayser	B., 15, 1136	42, 1203
Nitro-nitrosotrimethdiamidobenzene	$\text{NMe}_2\text{NMe}(\text{NO}).\text{NO}_2=1.4.?$	$\text{C}_9\text{H}_{12}\text{O}_3\text{N}_4$	87	Wurster & Schobig	B., 12, 1811	38, 111
Tetramethyluric acid	NMe.CO.C.NMe.CO CO.NMe.C.NMe	"	distils	218	Fischer	B., 17, 1784	46, 1310
Methylphenylethylalkine	$\text{NPhMe.C}_2\text{H}_4\text{OH}$	$\text{C}_9\text{H}_{13}\text{ON}$	218-219(110)	Liquid	Laun	B., 17, 676	46, 1011
Dimethamidomethoxybenzene	$\text{OMe.NMe}_2=1.2$	"	210-212	Liquid	Mülhäuser	A., 207, 248	42, 302
"	" =1.4	"	48	Griess	B., 13, 249	38, 637

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc
Hydroxyethyltoluidine	Me.(NH.C ₂ H ₄ .OH)=1.4	C ₉ H ₁₃ ON	286-288	37	Demole	B., 7, 636; A., 173, 129	27, 903
Ethoxytoluidine	Me.OEt.NH ₂ =1.2.5	"	Liquid	Staedel	A., 217, 217	44, 866
"	"	"	Liquid	Kayser	B., 15, 1135	42, 1203
"	"=1.3.?	"	Liquid	"	"	"
"	"	"	Liquid	Staedel	A., 217, 219	44, 866
"	"=1.4.5	"	40-41	"	A., 217, 220	"
"	"	"	40-41	Kayser	B., 15, 1135	42, 1203
Amidomesitol	Me ₃ .OH.NH ₂ =1.3.5.2.4	"	cf. A., 215, 99	cryst.	Knecht	B., 15, 1376	
Amidopseudocumenol	"=1.3.4.6.2	"	164-165	Auwers	B., 17, 2980	
"	"	"	166-167	Liebermann and Kostanecki	B., 17, 886	46, 1147
Phenyldimethamidocarba- -mide	NHPh.CO.NH.NMe ₂	C ₉ H ₁₃ ON ₃	108	Renouf	B., 13, 2172	40, 152
α-phenylhydrazinepropion- -amide	NH ₂ .NPh.CHMe.CO.NH ₂	"	124	Reissert	B., 17, 1454	46, 1152
Ethylphenylsemicarbazide	Ph.NH.CO.N ₂ H ₂ Et	"	111-112	Fischer	A., 199, 295	
"	Ph.N ₂ H ₂ .CO.NHET	"	151	Fischer	A., 190, 109	34, 307
Nitrosotrimethamidoben- -zene	NMe ₂ .NMe(NO)=1.4	"	98-99	Wurster & Schobig	B., 12, 1809	38, 111
Dimethamidophenylcarba- -mide	NMe ₂ .(NH.CO.NH ₂)=1.4	"	179	Binder	B., 12, 536	36, 628
Ethyl dimethylpyrroline -carboxylate	C ₄ NH ₂ Me ₂ .COOEt	C ₉ H ₁₈ O ₂ N	290 (731)	117-118	Knorr	B., 18, 1564	48, 995
Nitrodiamidomesitylene	Me ₃ .NO ₂ .(NH ₂) ₂ =1.3.5.2.4.6	C ₉ H ₁₃ O ₂ N ₃	184	Fittig	A., 141, 139	vi., 300
Ethyl ethylacetocyanace- -tate	CEtAc(CN).COOEt	C ₉ H ₁₃ O ₃ N	105-110 (2-15)	Liquid	Held	C. R., 98, 522	46, 727
Camphoronamic acid	C ₉ H ₁₃ O ₄ N	212	Hjelt	B., 13, 798	36, 670
Diamidoethoxytoluene	Me.OEt.(NH ₂) ₂ =1.4.3.5	C ₉ H ₁₄ ON ₂	75	Staedel	A., 217, 221	44, 866
? -amidine	C ₄ H ₃ O.C(NHET):NEt	"	a. 200	Wallach	B., 14, 753	40, 715
"	"	"	240	"	A., 214, 232	44, 88
Diethylcarboxypyrrolamide	NEt.(CO.NHET)=1.2	"	269-270	43-44	Bell	B., 10, 1863; 11, 1813	36, 525
Hydroxycyanconine	"	156-157	Meyer	J. p. [2], 22, 267	40, 54
Dihydroxycyanconine	C ₉ H ₁₂ N ₂ (OH) ₂	C ₉ H ₁₄ O ₂ N ₂	151	Riess	J. p. [2], 30, 145	48, 235
Caffeine methhydroxide	C ₈ H ₁₀ O ₂ N ₄ .MeOH	C ₉ H ₁₄ O ₃ N ₄	137-138	Schmidt	B., 16, 2588	46, 339
Ethyl cyanurate	EtO.C:N.C(OEt):N	C ₉ H ₁₅ ON	29	Mulder	R. T., 1, 191	44, 304
	.C(OEt):N						
Phoronoxime	C ₉ H ₁₄ :N.OH	"	218 c.	48	Nageli	B., 16, 496	44, 728
Pseudopelletierine +2H ₂ O	cf. C. R., 88, 716	"	246	46	Tauret	B. S., 36, 256	36, 658
Ecgonin	C ₉ H ₁₅ O ₃ N	+H ₂ O	198	Lossen	A., 133, 365	
Triethyl cyanurate	C ₉ H ₁₅ O ₃ N ₃	195	Liquid	Cloez	A., 137, 127	vi., 520
" (normal)	(CN.OEt) ₃	"	28	Ponomareff	B., 15, 514	
"	"	"	250 (40-50)	29	Mulder	B., 15, 71; 16, 390	42, 590
"	"	"	235	95	Hofmann	13, 322	ii., 292
"	"	"	95	Mulder	B., 16, 390	
"	"	"	95	Hofmann	B., 3, 766	24, 136
"	"	"	253	95	Wurtz	J., 7, 567	
"	"	"	276	95	Richter	R. K. T., 227	
Amidocamphoronic acid	C ₉ H ₁₅ O ₅ N	212	Hjelt	B., 13, 799	36, 670
Ammonium anhydrocam- -phoronate	C ₉ H ₁₈ O ₅ N ₂ (?)	" (?)	125	Kachler & Spitzer	M. C., 6, 173	48, 807
Triglycollamic triuramide	(NH.CONH.CO.CH ₂) ₃ N	C ₉ H ₁₅ O ₆ N ₇	cf. B., 5, 1013	nf. 230	Mulder	B., 6, 1016	27, 48
Nitrosotriacetanamine	C ₉ H ₁₆ O ₂ N ₂	72-73	Heintz	A., 185, 6; 187, 233	
Amidocamphoronamide	C ₉ H ₁₅ O ₄ N ₂	160	Hjelt	B., 13, 797	36, 670
Triacetanamine	CO:(CH ₂ .CMe ₂) ₂ :NH	C ₉ H ₁₇ ON	34-6	Heintz	A., 178, 305	29, 382
"	"	"	39-6	"	A., 174, 144	28, 351
"	"	"	+H ₂ O	58	"	A., 178, 305	29, 382
Methylpelletierine	"	215	Liquid	Tauret	C. R., 90, 695	36, 481
-methyltopine	"	243	Ladenburg	B., 14 2127, 2404	42, 216

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -methyltropine	$C_9H_{17}ON$	240-245	Merling	B., 14, 1830	42, 216
β - " " " " " " " "	$C_7H_{10}.OH.NMe_2$	"	198-205 d.	Ladenburg	B., 14, 2404	"
Isonitrosoisobutylketone	$C_9H_{17}O_2N$	42	Lang	B., 18, 1364	
Ethylc hydroxypentamate	$C_9H_{17}O_3N$	77-77.5	Demarçay	A. C. [5], 20, 488	
Ammonium hydroxycamphorate	$C_9H_{13}(NH_4)O_6$	$C_9H_{17}O_6N$	178.	Kachler	A., 191, 143	34, 513
Isononylamide	$CMe_2.(CH_2)_3.CHMe.CO.NH_2$	$C_9H_{19}ON$	80-81	Kuhlhem	A., 173, 319	28, 354, 884
" " " " " " " "	"	"	81	"	A., 176, 308	vii., 898
Pelargonamide	$CH_3.(CH_2)_7.CO.NH_2$	"	92-93	Schalfejeff	B., 6, 1252	27, 255
" " " " " " " "	"	"	99	Hofmann	B., 15, 984	42, 950
" " " " " " " "	$C_8H_{17}.CO.NH_2$	"	105	Kuhlhem	A., 176, 308	28, 884
Ethyl α anthaldoxime	"	185-187	Liquid	Westenberger	B., 16, 2993	46, 581
Triacetonealkamine	"	128.5	Heintz	A., 183, 309	31, 592
Pseudotriacetonealkamine	"	180	"	A., 183, 304	"
Tetraethylcarbamide	$NEt_2.CO.NEt_2$	$C_9H_{20}ON_2$	205	Liquid	Michler	B., 8, 1664	29, 702
" " " " " " " "	"	"	210-215	Liquid	Wallach	B., 14, 747	
Isobutylbutylcarbamide	$CMe_3.NH.CO.NHBu^{\beta}$	"	163	Brauner	B., 12, 1875	38, 228
Dibutylcarbamide	$CMe_3.NH.CO.NH.CMe_3$	"	242	"	"	"
α Enanthodiureide	$C_6H_{13}.CH(NH.CO.NH_2)_2$	$C_9H_{20}O_2N_4$	166 d.	Schiff	A., 151, 186	
Oxalyldiethylhydrazine	$CO(NH.NEt_2)_2$	$C_9H_{22}ON_4$	204	Fischer	A., 199, 297	
From ethylcarbamine	cf. B. S., 11, 221	$C_9H_{22}O_2N_4$	112	Gautier	C. R., 67, 804	vi., 529
β -Tetranitronaphthalene	$C_{10}H_4(NO_2)_4$	$C_{10}H_4O_8N_4$	200	Lautemann and Aguiar	Z. C. [2], 1, 564	vi., 849
β - " " " " " " " "	"	"	200	Aguiar	B., 5, 376, 904 ; A., 169, 100	25, 700 ; 26, 175 ; vii., 835
α - " " " " " " " "	"	"	259	"	"	"
Tetranitro- α -naphthol	$C_{10}H_3.OH.(NO_2)_4$	$C_{10}H_4O_9N_4$	180	Merz and Weith	B., 15, 2715	44, 344
Jambosin	$C_{10}H_5O_3N$	77	Gerard	P. J. [3], 14, 717	48, 396
Nitro- β -naphthoquinone	$O.O.NO_2 = \alpha_1\beta_2\alpha_2 ; (?)$	$C_{10}H_5O_4N$	158	Stenhouse & Groves	A., 194, 203	33, 417
" " " " " " " "	$= \alpha_1\beta_1 ? ; (?)$	"	158	Liebermann	B., 14, 1313	
Nitrohydroxynaphthoquinone	$C_{10}H_4(NO_2)(OH) : O_2$	$C_{10}H_5O_5N$	157 d.	Diehl and Merz	B., 11, 1318	34, 888
?-Trinitronaphthalene	$C_{10}H_5(NO_2)_3$	$C_{10}H_5O_6N_3$	b. 100	Marignac	iv., 15
?- " " " " " " " "	"	"	101-103	Beilstein and Kuhlberg	A., 169, 81	27, 160
α - " " " " " " " "	"	"	122	Aguiar	B., 5, 372, 898	25, 700 ; 26, 174 ; vii., 834
γ - " " " " " " " "	"	"	147	Beilstein and Kuhlberg	A., 169, 97 ; B., 5, 480 ; 6, 648	26, 69, 1138 ; 27, 160 ; vii., 835
γ - " " " " " " " "	"	"	154	Aguiar	B., 5, 903	26, 175
?- " " " " " " " "	"	"	181	Staedel	A., 217, 153	44, 863
β - " " " " " " " "	"	"	208	Beilstein and Kuhlberg	B., 5, 480	26, 69 ; vii., 835
β - " " " " " " " "	"	"	210	Laurent	A., 41, 98	iv., 15
β - " " " " " " " "	"	"	210	Staedel	B., 14, 901	40, 724
β - " " " " " " " "	"	"	210	"	A., 217, 174	44, 863
β - " " " " " " " "	"	"	213	Beilstein and Kuhlberg	A., 169, 96 ; B., 6, 648	26, 1138 ; 27, 160
β - " " " " " " " "	"	"	214	Lautemann and Aguiar	Z. C. [2], 1, 564	vi., 848
β - " " " " " " " "	"	"	215	Laurent	Gm. vii. [1], 87	iv., 15
β - " " " " " " " "	"	"	218	Aguiar	B., 5, 375, 905	25, 700 ; 26, 175
Trinitro- α -naphthol	$C_{10}H_4.OH.(NO_2)_3$	$C_{10}H_5O_7N_3$	176	Ekstrand	B., 11, 162	34, 508
" - α - " " " " " " " "	"	"	176	Merz and Weith	B., 10, 1232	32, 899
" - α - " " " " " " " "	"	"	177	Diehl and Merz	B., 11, 1662	
" - α - " " " " " " " "	"	177	Bourcart	B., 12, 679	
α -Tetranitronaphthylamine....	$C_{10}H_3(NO_2)_4.NH_2$	$C_{10}H_5O_8N_5$	194	Merz and Weith	B., 15, 2718	44, 344
β - " " " " " " " "	"	"	202	"	B., 15, 2720	"
Pyridine pentacarboxylic acid	$C_5N(COOH)_5$	$C_{10}H_5O_{10}N$	d.w.m. 220	Hantzsch	A., 215, 62	44, 85
α -isonitroso- β -naphthone	$C_6H_4.CH : CH.C \overbrace{C.N.O.N} = 1.2$	$C_{10}H_6ON_2$	77 ; 78	Goldschmidt	B., 17, 216, 803	46, 735, 1137

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Pyrocoll	$C_4H_3N.CO.C_4H_3N.CO$	$C_{10}H_6O_2N_2$	267	Ciamician and Silber	B., 17, 106; G. I., 13, 563	46, 586, 726
"	"	"	268-269	Weidel and Ciamician	M. C., 1, 281	40, 295
γ -Dinitronaphthalene	$(NO_2)_2 = \alpha\beta$;	$C_{10}H_6O_4N_2$	144	Liebermann	A., 183, 274	31, 609
γ -	"	"	144	Liebermann and Hammerschlag	B., 9, 334	30, 81
δ -	" = ?	"	155-160	Ekstrand	B., 17, 1602	46, 1361
δ -	" = β_1 ; ?	"	161.5	Græbe and Drews	B., 17, 1172	46, 1036
β -	" = $(\delta)_2$;	"	167	Beilstein and Kuhlberg	A., 169, 86	27, 159
β -	" "	"	169	Ekstrand	B., 18, 77	46, 548
β -	" "	"	170	Beilstein and Kurbatow	A., 202, 224	
β -	" "	"	170	Ekstrand	B., 17, 1602	46, 1361
β -	" "	"	170	Darmstädter and Wichelhaus	Z. C. [2], 1, 555	vi., 848
β -	" "	"	170	Aguiar	B., 5, 372, 904	25, 700; 26, 175; vii., 834
β -	" "	"	170	Liebermann and Hammerschlag	A., 183, 225; B., 9, 334	30, 81; 31, 609
β -	" "	"	170	Ladenburg	B., 11, 1650	36, 232
β -	" "	"	170	Atterberg	B., 9, 1188	
δ -	" "	"	185	iv., 15
α -	" = α_1 ; α_2	"	210	Lautemann and Aguiar	Z. C. [2], 1, 564	vi., 848
α -	" "	"	210	Liebermann	A., 183, 225	31, 609
α -	" "	"	211; 212	Beilstein and Kuhlberg	A., 133, 225; 169, 86; Z. C. [2], 7, 211; B., 5, 480	24, 694; 26, 69; 27, 159; 31, 600; vii., 835
α -	" "	"	214	Aguiar and Bayer	B., 4, 251	24, 356
α -	" "	"	214	Liebermann and Hammerschlag	B., 9, 334	30, 81
α -	" "	"	215	Ladenburg	B., 11, 1651	36, 232
α -	" "	"	216	Aguiar	B., 5, 372, 897	25, 700; 26, 174
α -	" "	"	217	Atterberg	B., 9, 1188	
Nitroquinoline carboxylic acid	$N.CO.OH = \alpha_1\beta_1$;	"	219-220	Döbner and Miller	B., 15, 3076	
Dinitro- α -naphthol (Martius yellow)	$OH.(NO_2)_2 = \alpha_1\alpha_2\beta_1$;	$C_{10}H_6O_3N_2$	130	Cleve	B. S. [2], 26, 241	31, 208
" - α - "	" "	"	137-138	Fuchs	B., 8, 629	
" - α - "	" "	"	137-138	Neville & Winther	37, 632
" - α - "	" "	"	138	Darmstädter and Wichelhaus	A., 152, 299	vi., 856
" - α - "	" "	"	138	Liebermann	A., 183, 249; B., 8, 689	28, 1023; 31, 603
" - α - "	" "	"	138	Ebell	B., 8, 564	28, 900
" - α - "	" "	"	138	Martius	Z. C. [1868], 80	
" - β - "	$OH.NO_2$; $NO_2 = \beta_1$; β_1	"	194	Græbe and Drews	B., 17, 1171	46, 1036
" "	" "	"	195	Wallach and Wichelhaus	B., 3, 846	24, 355; vii., 841
" "	" "	"	197	Armstrong	B., 15, 203	
Trinitro- α -naphthylamine	$C_{10}H_4(NH_2)(NO_2)_3$	$C_{10}H_6O_6N_4$	264 d.	Staedel	B., 14, 901	40, 724
" - α - "	"	"	240-266	"	A., 217, 173	44, 863
" - β - "	"	"	cf. A., 217, 174	d. 266	"	B., 14, 901	40, 724
Dinitro- β -methylumbelliferone	$(NO_2)_2.(HO).C_6H.CMe:CH.$ $COO = (\delta)_2.1.4.5$	$C_{10}H_6O_7N_2$	220	Pechmann and Cohen	B., 17, 2137	46, 1332
Cinnanyl cyanide	$C_6H_5.CH:CH.CO.CN$	$C_{10}H_7ON$	114-115	Claisen and Antweiler	B., 13, 2124	40, 169

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrosonaphthalene	$C_{10}H_7NO$	$C_{10}H_7ON$	d. 134	84	Baeyer	B., 7, 1640	28, 452
"	"	"	89	"	B., 8, 616	
Hydroxycumazone	$C_{10}H_7ON_3$	340-360	Krippendorff	J. p. [2], 32, 153	48, 1243
Phenylmaleinimide	$CO.CH : CPh.CO.NH$	$C_{10}H_7O_2N$	210-211	Perkin	B., 14, 2547	
α -Nitronaphthalene	$C_{10}H_7NO_2$	"	43	Laurent	A., 78, 31	iv., 14; vii., 834
α - "	"	"	56-261	Mills	P. R. [1881], 205	
α - "	"	"	58	Liebermann	A., 183, 234	31, 600
α - "	"	"	58	Liebermann and Dittler	B., 7, 245	27, 692
α - "	"	"	304	Koninck and Marquart	B., 5, 12	25, 303
α - "	"	"	303-304	58	Jacobson	B., 14, 1793	
α - "	"	"	58.5	Beilstein and Kuhlberg	A., 169, 81; Z. C. [2], 7, 211	24, 695; 27, 159
α - "	"	"	58.5-59	Guareschi	G. I., 7, 24	31, 712
α - "	"	"	59	"	A., 222, 262	46, 842
α - "	"	"	61	Aguian	B., 5, 371	25, 699; vii., 834
α - " (cf. G. I., 14, 181)	"	"	61.5	Schiff	A., 223, 247	46, 1089
Nitrosonaphthol	$OH.NO_2 = \beta_1\alpha_1;$	"	cf. B., 15, 1817	109.5	Stenhouse & Groves	A., 189, 146	32, 50
"	"	"	cf. B., 17, 801	110	Fuchs	B., 8, 1026	29, 248
"	$=\alpha_1\beta_1;$	"	cf. B., 8, 689	145-150 d.	"	B., 8, 626	28, 1023
"	"	"	147-148	Worms	B., 15, 1816	
"	"	"	150-152	Ilinski	B., 17, 392	
"	"	"	152	Goldschmidt	B., 17, 215, 801	
"	$=\alpha_1\alpha_2;$	"	175-185	Cleve	B. S. [2], 26, 241	31, 208
"	"	"	cf. B., 8, 689	175-185	Fuchs	B., 8, 627	28, 1023
"	"	"	190 d.	Goldschmidt and Schmidt	B., 17, 2065	46, 168
"	"	"	190	Ilinski	B., 17, 2590	
Quinoline carboxylic acid	$N.CO.OH = \alpha_1\beta_1;$	"	156	Döbner and Miller	B., 16, 2473	46, 185
"	"	"	157	Jacobson & Reimer	B., 16, 2605	46, 336
"	$=\alpha_1\alpha_2;$	"	253-254	Forst & Böhringer	B., 15, 520	42, 982
" (cinchon)	"	"	250 u.c.	Claus and Weller	B., 14, 1922	
"	"	"	256 u.c.	Skraup	B., 12, 233	36, 656
"	$=\alpha_1\beta_2;$	"	271-272	Riedel	B., 16, 1613	44, 1152
"	"	"	273	Döbner and Miller	B., 18, 1644	
"	"	"	275	Græbe and Caro	B., 13, 101	38, 398
"	$=\alpha_1; \alpha_1$	"	186-187.5	Schlosser & Skraup	M. C., 2, 530	42, 72
"	"	"	185-186	Coste	B., 15, 196	
"	"	"	187	Skraup	B., 15, 893	42, 1111
"	$=\alpha_1; \beta_1$	"	255-257	Fischer and Loo	B., 17, 1901	46, 1372
"	$=\alpha_1; \beta_2$	"	291	Skraup	B., 15, 893	42, 1111
"	"	"	brown 280	291-292	Schlosser & Skraup	M. C., 2, 526	42, 72
"	$=\alpha_1; \alpha_2$	"	a. 350	Skraup	B., 15, 893	42, 1111
"	"	"	a. 360	Schlosser & Skraup	M. C., 2, 519	42, 71
"	"	"	a. 360	Bedall and Fischer	B., 14, 2574	
Acetylisatin	$C_6H_4.CO.CO.NAc = 1.2$	$C_{10}H_7O_3N$	141	Suida	B., 11, 585	34, 586
Phthalylacetamide	$C_6H_4(CO)_2.CH.CO.NH_2 = 1.2$	"	200 d.	Gabriel & Michael	B., 10, 1556	34, 230
Nitronaphthol	$OH.NO_2 = \beta_1\alpha_1;$	"	96	Stenhouse & Groves	A., 189, 153	32, 51; 40, 736
"	"	"	100	Dusart	C. R., 52, 1183	iv., 117
"	"	"	102-103	Jacobsen	B., 14, 1792	
"	$=\beta_1\beta_2; (l)$	"	103	"	B., 14, 806	40, 736
"	$= (l)_2;$	"	116	Lellmann	B., 17, 112	46, 752
"	$=\alpha_1\beta_1;$	"	127	Fuchs	B., 8, 629	
"	"	"	128	Liebermann and Dittler	B., 7, 243; A., 183, 246	27, 692; 31, 599
"	"	"	128	Nölting and Wild	B., 18, 1339	
"	"	"	128	Worms	B., 15, 1815	44, 69

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitronaphthol	OH.NO ₂ =α ₁ β ₁ ;	C ₁₀ H ₇ O ₂ N	128	Liebermann	B., 8, 689	28, 1023
"	" =α ₁ ?	"	151-152	Darmstädter and Nathan	B., 3, 944	vii., 841
"	" =α ₁ α ₂ ;	"	164	Cleve	B. S. [2], 26, 241	31, 208
"	" "	"	cf. B., 8, 689	164	Liebermann and Dittler	B., 7, 243; A., 183, 246	27, 692; 31, 599
"	" "	"	164	Lellmann	B., 17, 113	
"	" "	"	164	Andreoni and Biedermann	B., 6, 343	28, 1023
"	" "	"	164	Worms	B., 15, 1814	
"	" "	"	164	Ebell	B., 8, 563	28, 900
α-Hydroxycinchonic acid	N.OH.CO ₂ H=?	"	254-256 u.c.	Weidel & Cobenzl	M. C., 1, 857	40, 743
β- " (Kynuric acid)	" "	"	257-258 p.d.	Kretschy	M. C., 2, 58	40, 827
β-Hydroxycinchonic acid	" "	"	320	Weidel	M. C., 2, 571	42, 226
Xanthoquinic acid	" "	"	a. 30.1 p.d.	Skraup	M. C., 2, 587	42, 223
β-Carbostrylcarboxylic acid	" =α ₁ β ₁ β ₂ ;	"	a. 320	Friedländer and Gohring	B., 17, 460	46, 1020
Jugloxime	HO.C ₁₀ H ₅ O:NOH	"	187-187.5	Bernthsen and Semper	B., 18, 208	46, 547
Phthalylglycocine	C ₆ H ₄ :(CO) ₂ :N.CH ₂ .CO ₂ H =1.2	C ₁₀ H ₇ O ₄ N	191-192	Drechsel	J. p., 27, 418	44, 1126
Dinitronaphthylamine	NH ₂ .(NO ₂) ₂ =α ₁ α ₂ β ₁ ;	C ₁₀ H ₇ O ₄ N ₃	233	Ebell	B., 8, 564	28, 900; 40, 1132
"	" "	"	235	Liebermann and Hammerschlag	A., 183, 274; B., 9, 333	30, 81; 31, 608
"	" =β ₁ ; β ₁	"	238	Græbe and Drews	B., 17, 1172	46, 1036
Nitrocinnamylformic acid	NO ₂ :(CH:CH.CO.CO ₂ H) =1.2	C ₁₀ H ₇ O ₃ N	135-136	Baeyer & Drewsen	B., 15, 2862	44, 341
Nitrobenzmalonic acid	NO ₂ :[CH:C(CO ₂ H) ₂]=1.2	C ₁₀ H ₇ O ₆ N	161 d.	Stuart	47, 156
"	" =1.3	"	205 d.	"	47, 157
"	" =1.4	"	227 d.	"	47, 158
Nitrocarboxyleinnamic acid	(CH:CH.CO ₂ H).NO ₂ .CO ₂ H =1.2.4	"	287 d.	Löw	B., 18, 949	48, 799
Picoline tetracarboxylic acid	C ₅ NMe(CO ₂ H) ₄	C ₁₀ H ₇ O ₈ N	199 d.	Hantzsch	A., 215, 57	44, 85
Nitroso-β-amidonaphthalene	C ₁₀ H ₆ .NO.NH ₂	C ₁₀ H ₅ ON ₂	150-152	Ilinski	B., 17, 392	46, 1035
Nitronaphthylamine....	NH ₂ .NO ₂ =α ₁ ; α ₂	C ₁₀ H ₇ O ₂ N ₂	118-119	Beilstein and Kuhlberg	A., 169, 87; Z. C. [2], 7, 211	24, 695; 27, 160
"	" =α ₁ β ₁ ;	"	123-124	Meldola	47, 520
"	" =β ₁ α ₁ ;	"	cf. A., 211, 64	126-127	Jacobsen	B., 14, 1793	
"	" "	"	126-127	Wittkampff	B., 17, 395	46, 1036
"	" =α ₁ ?	"	144	Lellmann	B., 17, 112	46, 751
"	" =α ₁ β ₁ ;	"	158-159	Liebermann and Dittler	A., 183, 233; B., 7, 242	27, 692; 31, 600
"	" =α ₁ α ₂ ;	"	190	Lellmann	B., 17, 110-113	46, 751
"	" "	"	191	Liebermann and Dittler	A., 183, 233; B., 6, 947; 7, 242	26, 1232; 27, 692; 31, 599
"	" "	"	191	Cleve	B. S. [2], 26, 241	31, 208
"	" =?	"	198	Lellmann	B., 17, 111	46, 751
Diisonitronaphthalene dihydride	C ₁₀ H ₆ (NOH) ₂ =α ₁ β ₁ ;	"	p.d. 140	149	Goldsdmidt and Schmid	B., 17, 2067	46, 1359
Nitrosomethoxyquinoline	N.OMe.NO=?	"	80	Bedall and Fischer	B., 14, 2572	42, 413
Nitroquinaldine	N.Me; NO ₂ =α ₁ β ₁ ; α ₂ or β ₁	"	82	Döbner and Miller	B., 17, 1702	46, 1373
"	" =α ₁ β ₁ ; α ₁	"	137	"	B., 17, 1700	"
Nitro-p-toluquinoline	" =?	"	116-116.5	Fourneauux	B. S., 42, 337	48, 400
Methylcinnoline carboxylic acid	CMe:CH.N ₂ .C ₆ H ₃ .COOH	"	230 p.d.	Widmann	B., 17, 724	46, 1022
Nitro-amido-α-naphthol	OH.NH ₂ .NO ₂ =α(?) ₂	C ₁₀ H ₅ O ₃ N ₂	130	Ebell	B., 8, 564	28, 900
Nitromethylcarbostryl	"	181	Feer and Königs	B., 18, 2397	48, 1235
Nitrophenylsuccinimide	NO ₂ .C ₆ H ₄ .N.CO.(CH ₂) ₂ .CO =1.2	C ₁₀ H ₈ O ₄ N ₂	137	Taylor	A., 209, 374	42, 181

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrophenylsuccinimide	$\text{NO}_2\text{C}_6\text{H}_4\text{N}(\text{CO}(\text{CH}_2)_2\text{CO})$ =1.2	$\text{C}_{10}\text{H}_8\text{O}_4\text{N}_2$	156	Taylor	B., 8, 1225	29, 602
"	" =1.4	"	208	"	B., 8, 1225; A., 209, 375	29, 602; 42, 181
Nitroso-amido-β-methyl umbelliferone	fr. $\text{C}_6\text{H}_2(\text{OH})(\text{NH}_2)\text{CMe}:$ $\text{CH.COO}=\text{1.2.4.5}$	"	140	Pechmann & Cohen	B., 17, 2138	46, 1332
Harninic acid	"	darkens 300	345 d.	Fischer & Täuber	B., 18, 403	46, 820
Methylic dinitrocinnamate	$\text{NO}_2[\text{CH}:\text{C}(\text{NO}_2)\text{CO}_2\text{Me}]$ =1.4	$\text{C}_{10}\text{H}_8\text{O}_6\text{N}_2$	127	Friedländer and Mähly	A., 229, 210; B., 16, 850	46, 1137
"	"	104	Friedländer	B., 14, 2577	42, 402
Methoxydinitrocinnamic acid	$(\text{CH}:\text{CH}.\text{CO}_2\text{H}).\text{OMe}(\text{NO}_2)$ =1.2.(?) ₂	$\text{C}_{10}\text{H}_8\text{O}_7\text{N}_2$	192-193	Perkin	39, 417
Dinitrodiacetylhydroquinone	$(\text{OAc})_2(\text{NO}_2)_2=\text{1.4.}(\text{?})_2$	$\text{C}_{10}\text{H}_8\text{O}_8\text{N}_2$	94	Hesse	A., 200, 246	38, 317
"	"	"	cf. A., 215, 143	96	Nietzki	B., 11, 470	
Ethyl dinitrophthalate	$\text{CO}_2\text{Et}.\text{CO}_2\text{H}(\text{NO}_2)_2=\text{1.2.3.5}$ or =1.2.4.6	"	cf. A., 202, 227	186-187	Beilstein and Kurbatow	B., 13, 354; B. S. [2], 34, 327	38, 478; 40, 436
Phenyl α-hydroxycrotononitril	$\text{Ph}.\text{CH}:\text{CH}.\text{CH}(\text{OH}).\text{CN}$	$\text{C}_{10}\text{H}_9\text{ON}$	75	Peine	B., 17, 2113	46, 1344
"	"	"	80-81	Pinner	B., 17, 2010	46, 1292
Acetamidophenylacetylene	$\text{C}_6\text{H}_4(\text{NHAc}).\text{C}:\text{CH}=\text{1.2}$	"	75	Baeyer & Landsberg	B., 15, 60	42, 623
Acetylindole	$\text{C}_6\text{H}_4.\text{CH}_2.\text{CAc}:\text{N}=\text{1.2}$	"	182-183	Baeyer	B., 12, 1314	36, 938
Methoxyquinoline (methylcarbostyryl)	$\text{N.OMe}=\alpha_1\beta_1;$	"	246-247 u.c.	Friedländer and Ostermeier	B., 15, 336	42, 733
"	" = $\alpha_1; \alpha_1$	"	265-268 u.c.	Liquid	Skraup	M. C., 3, 544	44, 91
"	" "	"	Liquid	Bedall and Fischer	B., 14, 2570	42, 412
"	" = $\alpha_1; \beta_1$ or α_2	"	275(720).p.d.	Liquid	Fischer	B., 15, 1980	44, 91
"	" = $\alpha_1; \beta_2$	"	Liquid	Skraup	M. C., 3, 557	"
Hydroxymethylquinoline	$\text{N.Me.OH}=\alpha_1\beta_1\alpha_2;$	"	distils	222	Knorr	B., 16, 2596	46, 334
"	" "	"	222	D. P., 250, 533	46, 757
" (Hydroxymethylquinaldine)	" = $\alpha_1\beta_1; \alpha_1$	"	266-267	74	Döbner and Miller	B., 17, 1706; D. P., 256, 134	46, 1374; 48, 945
"	" = $\alpha_1\beta_1; \beta_2$	"	213	"	"	"
"	" = $\alpha_1\beta_1; \beta_1$ or $\alpha_2(\text{?})$	"	230	"	D. P., 256, 134	48, 945
"	" "	"	cf. 220	232-234	"	B., 17, 1709	46, 1375
Hydroxymethylquinoline	" = $\alpha_1; \alpha_1\beta_1(\text{?})$	"	92-93	Herzfeld	B., 17, 906	46, 1199
"	" = $\alpha_1; \beta_2\alpha_1$	"	94-96	"	B., 17, 905	"
"	" "	"	95-96	Fischer & Willmack	B., 17, 441	46, 1051
"	" "	"	95-96	Herzfeld	B., 17, 1552	46, 1199
"	" = $\alpha_1; \alpha_1\beta_2$	"	220	"	B., 17, 903	"
"	" = $\alpha_1; \alpha_1\alpha_2$	"	245-248 p.d.	"	B., 17, 1551	"
"	" "	"	a. 260	"	B., 17, 903	"
? (base)	"	280 d.	J. R., 11, 322	
Cinnamylformamide	$\text{Ph}.\text{CH}:\text{CH}.\text{CO}.\text{CO}.\text{NH}_2$	$\text{C}_{10}\text{H}_9\text{O}_2\text{N}$	129-130	Claisen & Antweiler	B., 13, 2124	40, 169
Phenyl succinimide (cf. A., 68, 27; 162, 166)	$\text{Ph}.\text{N}(\text{CO}(\text{CH}_2)_2\text{CO})$	"	abt. 400	150	Taylor	A., 209, 373	
Ethyl cyanbenzoate	$\text{CN}.\text{COOEt}=\text{1.4}$	"	54	Müller	B., 18, 2485	48, 1227
Ethylphthalimide	$\text{C}_6\text{H}_4.\text{CO}.\text{NEt}.\text{CO}=\text{1.2}$	"	276-278	78.5	Wallach and Kemenski	B., 14, 171	40, 285
"	"	"	cf. A., 215, 194	78-79	Michael	B., 10, 1644	34, 70
Acetyl oxindole	$\text{C}_6\text{H}_4.\text{CHAc}.\text{CO}.\text{NH}=\text{1.2}$	"	126	Suida	B., 12, 1327	36, 937
"	"	"	130	"	B., 11, 587	34, 587
Ethylpseudisatine	$\text{C}_6\text{H}_4.\text{CO}.\text{CO}.\text{NEt}=\text{1.2}$	"	95	Baeyer	B., 16, 2194	46, 75
Ethylisatine	$\text{C}_6\text{H}_4.\text{CO}.\text{C}(\text{OEt}):\text{N}=\text{1.2}$	"	137	Paucksch	B., 17, 2806	48, 256
Skatole carboxylic acid	$\text{C}_9\text{H}_8\text{N}.\text{COOH}$	"	161 d.	Salkowski	B., 13, 193	
"	"	"	164	"	B., 13, 2218; Z. P. C., 9, 8	40, 175; 48, 569
?	"	206	Fischer & Jourdan	B., 16, 2245	46, 53
?-acid	$\text{Ph}.\text{N}:\text{N}:\text{CMe}:\text{N}:\text{C}.\text{CO}_2\text{H}$	$\text{C}_{10}\text{H}_9\text{O}_2\text{N}_3$	176-177	Bladin	B., 18, 1547	48, 980

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isonitrosomethoxyquinizine	$C_6H_4.N.NH.CMe.C(N.OH).$ CO=1.2	$C_{10}H_9O_2N_3$	sb. b. 100	157	Knorr	B., 17, 2042	46, 1378
Phenylmalimide	Ph.N.CO.CH ₂ .CH(OH).CO	$C_{10}H_9O_3N$...	170	Arppe	A., 96, 109	iii., 798
Isonitrosobenzoylacetone	Ph.CO.C(NOH).CO.Me	"	...	123.5-124	Ceresole	B., 17, 815	46, 1168
Nitrocinnamyl methylketone	$NO_2.(CH : CH.COMe)=1.2$	"	...	58-59	Baeyer & Drewsen	B., 15, 2858	44, 341
"	"	"	...	60	Fischer and Kuzel	B., 16, 36	
"	"	"	...	110	Baeyer and Becker	B., 16, 1969	44, 1120
Ethylphthalylhydroxylamine	$C_6H_4.CO.N(OEt).CO=1.2$	"	270 p.d.	103-104 u.c.	Cohn	A., 205, 295	40, 586
Acetyldioxindole	fr. $C_6H_4.CH(OH).CO.NH$ =1.2	"	...	127.	Suida	B., 12, 1327	36, 937
Amido-β-methylumbelliferone	$C_6H_2(NH_2)(OH).CMe : CH.$ COO=?1.4.5	"	...	247	Pechmann & Cohen	B., 17, 2138	46, 1332
Nitroacetamido-α-toluic nitril	$NHAc.NO_2.(CH_2.CN)=1.2.4$	$C_{10}H_9O_3N_3$...	112-113	Gabriel	B., 15, 836	42, 1070
Isonitrosomethyldioxyquinizine	$C_6H_4.N.N(OH).CMe.$ C(NOH).CO=1.2	"	...	135	Knorr	B., 17, 2042	46, 1379
Phenyltartarimide	Ph.N.CO.(CH.OH) ₂ .CO	$C_{10}H_9O_4N$...	230 d.	Arppe	A., 93, 354	
Nitrobenzoylacetone	$NO_2.(CO.CH_2.COMe)=1.2$	"	...	55	Gevekoht	A., 221, 323	46, 445
Methylic nitrocinnamate	$NO_2.(CH : CH.CO_2Me)=1.2$	"	...	72-73	Beilstein and Kuhlberg	A., 163, 131 ; Z. C., 7, 616	25, 710
"	"	"	200	161	Kopp	C. R., 53, 636	i., 988
"	"	"	281-286	161	"	J. [1861], 420	
Acetylisatic acid	$NHAc.(CO.CO_2H)=1.2$	"	...	160	Suida	B., 11, 586	34, 586
Nitropropenylbenzoic acid	$CO_2H.NO_2.(CMe : CH_2)$ =1.3.4	"	...	154-155	Widmann	B., 15, 2552	44, 330
Nitrosobenzylmalonic acid	Ph.CH ₂ .ON : C(CO ₂ H) ₂	$C_{10}H_9O_5N$	cf. B., 16, 609	120 d.	Conrad and Bischoff	A., 209, 217	42, 39
Nitromethoxycinnamic acid	$(CH : CH.CO_2H).OMe.NO_2$ =1.2.5	"	...	238	Schnell	B., 17, 1383	48, 1165
Acetamidoisophthalic acid	$(CO_2H).NHAc. = 1.3.?$	"	...	270-280 d.	Hofmann	B., 9, 1301	31, 90
Nitrophenylazo-acetoacetic acid	$NO_2.(N_2.CHAc.CO_2H)=1.2$	$C_{10}H_9O_5N_3$	black 183	185	Bamberger	B., 17, 2417	48, 557
Nitroacetamidonitrocinnamene	$(CH : CH.NO_2).NHAc.NO_2$ =1.4.?	"	...	250-252	Friedländer and Lazarus	A., 229, 233	48, 1139
Dinitroacetamidocinnamene	$(CH : CH_2).NHAc.(NO_2)_2$ =1.4.(?) ₂	"	...	211-212	Gabriel & Herzberg	B., 16, 2041	44, 1123
"	"	"	...	211-212	Herzberg	C. C. [1884], 35	48, 662
Dimethylic nitroisophthalate	$(CO_2Me)_2.NO_2=1.3.5$	$C_{10}H_9O_6N$...	121.5	Beyer	J. p. [2], 25, 490	42, 1294
Ethylic nitrophthalate	$(CO_2Et).(CO_2H).NO_2$ =1.2.3 or 6	"	A., 160, 60	110.5	Miller	A., 208, 244	
"	"	"	...	127-128	"	A., 208, 234	
Lutidine tricarboxylic acid	$C_7H_6N.(CO_2H)_3$	"	...	212 d.	Hantzsch	A., 215, 52	44, 85
Nitromeconin	"	...	159-160	Anderson	A., 98, 47	iii., 863
Methoxycinnamic acid diazonitrate	$(CH : CH.CO_2H).OMe.$ (N : N.NO ₂)=1.2.5	$C_{10}H_9O_6N_3$...	d. 151-152	Schnell	B., 17, 1385	46, 1165
Nitroacetisovanillic acid	$CO_2H.OAc.OMe.NO_2$ =1.3.4.6	$C_{10}H_9O_7N$...	168-169	Matsmoto	B., 11, 133	34, 501
Nitroacetovanillic acid	"	"	...	181-182 p.d.	Tiemann and Matsmoto	B., 9, 943	30, 525
"	"	"	...	181-182 d.	Matsmoto	B., 11, 133	
Nitro-opianic acid	$CO_2H.(OMe)_2.CO_2H.NO_2=?$	"	...	166	Prinz	J. p. [2], 24, 357	42, 402
"	"	"	...	248-249	Wegscheider	M. C., 4, 262	44, 998
Nitrohempinic acid	$(CO_2H)_2.(OMe)_2.NO_2$ =1.2.3.4.?	$C_{10}H_9O_8N$...	155	Prinz	J. p. [2], 24, 359	42, 402
Benzenylazoximpropenyl	Ph.C : N.O.CEt : N	$C_{10}H_{10}ON_2$	255	L. 10	Schulz	B., 18, 1085	48, 897

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylethenylazoxime-ethenyl	$\text{Ph.CH}_2\text{C} : \text{N.O.CMe} : \text{N}$	$\text{C}_{10}\text{H}_{10}\text{ON}_2$	262	Liquid	Knudsen	B., 18, 1071	48, 898
Acetamido- α -toluic nitril ...	$\text{NHAc.}(\text{CH}_2\text{CN})=1.4$	"	...	95-97	Gabriel	B., 15, 835	42, 1070
Acetamido- α - (or β -) phenyl-amphinitril	$\text{NHAc.C}_6\text{H}_4\text{.C}_2\text{H}_2\text{N}=1.4$	"	...	97	Friedländer and Mähly	B., 16, 1024	
Amidomethylcarbostyryl	$\text{N.OH}=\alpha_1 \beta_1 ;$	"	...	103	Feer and Königs	B., 18, 2397	48, 1235
Methylhydroxytoluquin-oxaline	$\text{C}_6\text{H}_3\text{Me.N} : \text{CMe.C(OH)} : \text{N}$ =1.3.4	"	...	220 p.d.	Hinsberg	B., 17, 322	46, 1053
Fr. phenylhydrazine....	"	...	127	Knorr	B., 16, 2597	46, 302
?	"	...	195-197	G. I., 12, 31	
Phenylhydroxyethenylazoximethenyl	$\text{HO.CHPh.C} : \text{N.O.CMe.N}$	$\text{C}_{10}\text{H}_{10}\text{O}_2\text{N}_2$	65	Gross	B., 18, 1076	46, 898
Tolyldantoin	$\text{Me.(N.CO.NH.CO.CH}_2)=1.2$ =1.4	"	176	Ehrlich	B., 16, 743	44, 1106
"	"	"	210	Schwebel	B., 11, 1128	34, 798
Ethylindoxynitrosamine	$\text{C}_6\text{H}_4\text{C(OEt)} : \text{CH.N.NO}$ =1.2	"	84-85	Baeyer	B., 15, 781	42, 1102
Ethylnitrosoindoxyl	$\text{C}_6\text{H}_4\text{C(OEt)} : \text{C(NO).NH}$ =1.2	"	135	"	B., 15, 784	
Ethylisatoxime	$\text{C}_6\text{H}_4\text{C(NOEt).C(OH)} : \text{N}$ =1.2	"	138	Baeyer and Comstock	B., 16, 1707	44, 1131
Ethylpseudoisatin- β -oxime	$\text{C}_6\text{H}_4\text{C(NO.H).CO.NEt}=1.2$	"	160-162	Baeyer	B., 16, 2196	46, 75
Ethoxycyanamidobenzoyl	$\text{C}_7\text{H}_5(\text{CN})\text{NO.OEt}$	"	173	Griess	B., 2, 416	
m-nitrocuminonitril	$\text{CN.Pr.NO}_2=?$	"	71	Czumpelik	B., 2, 183	
Azobenzene acetacetic acid	$\text{Ph.N}_2\text{.CHAc.CO}_2\text{H}$	$\text{C}_{10}\text{H}_{10}\text{O}_3\text{N}_2$	154-155	Meyer	B., 10, 2076	34, 396
" " " "	"	"	154-155	Züblin	B., 11, 1419	34, 880
Phenyl di-isonitrosopropyl ketone	$\text{Ph.CO.(C.NOH)}_2\text{.CH}_3 (?)$	"	115 d.	Ceresole	B., 17, 816	46, 1168
Phenyl di-isonitrosoethylmethyl ketone	$\text{Me.CO.(C.NOH)}_2\text{.Ph} (?)$	"	178-179 d.	"	"	"
Nitrosotetrahydrocinchoninic acid	"	137	Weidel	M. C., 3, 73	42, 533
Hydantoin of tyrosine	"	275-280 d.	Z. P. C., 6, 254	
Ethylie oxalnitranilate	$\text{NO}_2\text{.(NH.CO.CO}_2\text{Et)}=1.2$	$\text{C}_{10}\text{H}_{10}\text{O}_6\text{N}_2$	112	Hübner	A., 209, 368	42, 180
Ethylie nitrophenylisonitrosoacetate	$\text{NO}_2\text{.[C(NO.H).CO}_2\text{Et]}=1.2$	"	163	Gabriel and Meyer	B., 14, 826	40, 730
" " " "	"	"	163-163.5	Gabriel	B., 16, 519	44, 920
Ethylie dinitro- α -toluate	$(\text{CH}_2\text{.CO}_2\text{Et).}(\text{NO}_2)_2=1.2.4$	$\text{C}_{10}\text{H}_{10}\text{O}_6\text{N}_2$	35	Gabriel and Meyer	B., 14, 824	
Dinitrocuminic acid	$\text{CO}_2\text{H.Pr.}(\text{NO}_2)_2$	"	cf. A., 69, 244	220	Lippmann and Strecker	B., 12, 79	
Dinitrodurylic acid	$\text{Me}_3\text{.NO}_2\text{.CO}_2\text{H}=1.2.4.3.6.5$	"	205	Gissmann	A., 216, 207	44, 334
Diacetdiamidodinitrobenzene	$\text{N}_2\text{H}_2\text{Ac}_2\text{.(NO}_2)_2=?$	$\text{C}_{10}\text{H}_{10}\text{O}_6\text{N}_4$	245-246	Norton and Elliot	B., 11, 328	34, 417
"	$(\text{NHAc}_2\text{).}(\text{NO}_2)_2=1.4.(?)_2$	"	258	Biedermann and Ledoux	B., 7, 1532	
Ethylie dinitromethoxybenzoate	$\text{CO}_2\text{Et.OMe.}(\text{NO}_2)_2=1.2.(?)_2$ =1.4.(?) ₂	$\text{C}_{10}\text{H}_{10}\text{O}_7\text{N}_2$	47	Salkowski	A., 173, 50	28, 72
" " " "	"	"	79	"	A., 163, 59	
Methylie dinitroethoxybenzoate	$\text{CO}_2\text{Me.OEt.}(\text{NO}_2)_2=1.2.(?)_2$	"	80	"	A., 173, 43 ; B., 4, 872	vii., 336 28, 71
Methylie dinitrohydroxyphenylpropionate	$\text{OH.(NO}_2)_2\text{(CH}_2\text{.CH}_2\text{.CO}_2\text{Me)}=1.2.6.4$	"	87	Stöhr	A., 225, 57	46, 1350
Dinitromethoxyphenylpropionic acid	$\text{OMe.(NO}_2)_2\text{(CH}_2\text{.CH}_2\text{.CO}_2\text{H)}=1.2.6.4$	"	124	"	"	"
Benzoyltrimethyleneoxime	$\text{Ph.C(NO.H).CH.CH}_2\text{.CH}_2$	$\text{C}_{10}\text{H}_{11}\text{ON}$	86-87	Perkin	B., 17, 1442	44, 1155 ; 47, 845
Benzoylacetanamide	"	143	Fischer and Bülow	B., 18, 2134	46, 1237
Mesitylcarbinide	$\text{Me}_3\text{(N : CO)}=1.3.5.6$	"	218-220	Liquid	Eisenberg	B., 15, 1016	42, 956
Carbomesyl	$\text{C}_6\text{H}_2\text{Me.CH}_2\text{.CO.NH}=1.3.5.6$	"	231-232	Wispek	B., 16, 1580	44, 1096

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diacetanilide	Ph.NAc ₂	C ₁₀ H ₁₁ O ₂ N	111	Hofmann	B., 3, 771	24, 140; vii., 946
Benzoylacetoxime	Ph.CO.ON : CMe ₂	"	41-42	Janny	B., 16, 172	44, 581
Benzyliso-nitrosoacetone	CH ₂ .CO.CH : N.O.CH ₂ .Ph	"	45-46	Meyer and Cresole	B., 15, 3072	44, 572
" "	"	"	244 u. c.	Ceresole	B., 16, 835	
Phenylisnitroethylmethyl ketone	CH ₃ .CO.CH ₂ .C(NO ₂).Ph (?)	"	65.5-66	"	B., 17, 813	46, 1167
Benzylisnitrosoacetone	Ph.CH ₂ .C(NO ₂).CO.CH ₃	"	80-81	"	B., 15, 1876	44, 41
" "	"	"	81	Meyer and Cresole	B., 15, 3072	44, 572
Anilacetacetic acid	Ph.N : CMe.CH ₂ .CO ₂ H	"	81	Knorr	B., 16, 2595	48, 334
Phenylacetimido-acetate	Ph.CH ₂ .C(OAc.) : NH	"	129	Luckenbach	B., 17, 1423	46, 1134
Acetamido-acetophenone	NHAc.(CO.Me)=1.2	"	76-77	Gevekoht	B., 15, 2086	
" "	"	"	76	Baeyer and Bloem	B., 15, 2155	44, 198
Methoxycinnamide	OMe.(CH : CH.CO.NH ₂)=1.4	"	186	Perkin	J. [1877], 792	31, 411
" "	" =1.2	"	191-192	"	J. [1877], 793	31, 415, 421
Amidopropenylbenzoic acid	COOH.C ₃ H ₅ .NH ₂ =1.4.5	"	93-94	Widmann	B., 16, 2573	46, 317
Tetrahydroquinoline carboxylic acid	N.COOH=α ₁ ; β ₁ or α ₂	"	146-147	Fischer and Körner	B., 17, 766	46, 1197
" ?	"	310 p. d.	66	Bruyn	R. T., 2, 205	46, 657
Dimethyl phenylisnitrosoacetate	Ph.C(NOMe).CO ₂ Me	C ₁₀ H ₁₁ O ₃ N	55-56	Müller	B., 16, 2987	46, 584
Ethyl phenylisnitrosoacetate	Ph.C(NO ₂).CO ₂ Et	"	112-113	Gabriel	B., 16, 519	44, 920
Ethyl phenyloxamate	NHPh.CO.CO ₂ Et	"	cf. B., 4, 600	64.5-65	Klinger	B., 8, 310	28, 1025
" "	"	"	260-300 p.d.	66-67	"	A., 184, 263	31, 710
Methyl hippurate	Ph.CO.NH.CH ₂ .CO ₂ Me	"	60	Jacquemin and Schlagdenhauffen	C. R., 45, 1011	iii., 162
" "	"	"	d.	80.5	Conrad	J. p. [2], 15, 247	32, 484
" "	"	"	80.5	Campani & Bizzarri	G. I., 10, 257	38, 870
Benzylethylcarbamic acid	Ph.CO.NEt.CO ₂ H	"	110	Lössner	J. p. [2], 10, 254	28, 641
Benzoylactamide	CH ₃ .CH(OBz).CO.NH ₂	"	124	Wislicenus	A., 133, 281	vi., 772
Phenaceturic acid	Ph.CH ₂ .CO.NH.CH ₂ .CO ₂ H	"	143	Salkowski	B., 12, 654	36, 662
Acetylphenamido-acetic acid	Ph.NAc.CH ₂ .CO ₂ H	"	185-186	Giacosa	Z. P. C., 8, 95	46, 1061
Phenylsuccinamic acid	NHPh.CO.(CH ₂) ₂ .CO ₂ H	"	148.5	Menschutkin	A., 162, 176	25, 496
Acetoxyacetanilide	OAc.NHAc=1.4	"	150-151	Ladenburg	B., 9, 1529	31, 305
Acetamido- <i>a</i> -toluic acid	NHAc.(CH ₂ .CO ₂ H)=1.2	"	142 d.	Suida	B., 12, 1328	
" " " "	" =1.4	"	168-170	Gabriel	B., 15, 841	
Malontoluidic acid	Me.(NH.CO.CH ₂ .CO ₂ H)=1.4	"	156 d.	Rugheimer and Hoffmann	B., 17, 740	46, 1023
Dimethamidobenzoylformic acid	NMe ₂ .(CO.CO ₂ H)=1.4	"	187	Michler and Hanhardt	B., 10, 2081	34, 421
<i>p</i> -toluric acid	(C ₂ H ₅ O).NH.C ₇ H ₇ .CO ₂ H	"	160-165	Kraut	A., 98, 360	v., 869
Nitro-cuminic aldehyde	COH.Pr ^β .NO ₂ =1.4.6	"	Liquid	Einhorn and Hess	B., 17, 2019	46, 1352
" "	COH.Pr.NO ₂ =1.4.5	"	54	Lippmann and Strecker	B., 12, 76	36, 464 ; 38, 251
" "	"	"	54	Widmann	B., 15, 167	42, 727
Amidomethoxycinnamic acid	(CH : CH.CO ₂ H).OMe.NH ₂	"	189	Schnell	B., 17, 1384	46, 1165
" " " "	" =1.2.5	"	189	Schnell	B., 17, 1384	46, 1165
Hippuryl carbamide....	NHBz.CH ₂ .CO.NH.CO.NH ₂	C ₁₀ H ₁₁ O ₃ N ₃	216 d.	Curtius	B., 16, 757	44, 1088
Amidophenylazoacetacetic acid	NH ₂ .(N ₂ .CHAc.CO ₂ H)=1.2	"	157 d.	Bamberger	B., 17, 2420	48, 157
Nitrotolylazoacetone	Me.NO ₂ .(N ₂ .CH ₂ .CO.Me)	"	134-134.5	"	B., 17, 2421	48, 158
" " " "	" =1.3.4	"	134-134.5	"	B., 17, 2421	48, 158
Phenylmalamic acid....	NHPh.CO.CH(OH).CH ₂ .CO ₂ H	C ₁₀ H ₁₁ O ₄ N	145	Arppe	A., 96, 106	iii., 798
Nitro-β-phenyl lactylmethyl ketone	NO ₂ [CH(OH).CH ₂ .COMe]	"	58	Baeyer and Becker	B., 16, 1969	44, 1120
" " " "	" =1.4	"	58	Baeyer and Becker	B., 16, 1969	44, 1120
" " " "	" =1.2	"	68-69	Baeyer & Drewsen	B., 15, 2857	44, 341
Ethyl nitro- <i>a</i> -toluate	NO ₂ .(CH ₂ .CO ₂ Et)=1.4	"	62-64	Bedson	37, 92
" " " "	"	"	cf. B., 2, 209	64	Radziszewski	Z. C. [2], 5, 358	vi., 1102
" " " "	"	"	65.5-66	Maxwell	B., 12, 1767	38, 120
Acetylhydrindic acid	NHAc.[CH(OH).CO ₂ H]=1.2	"	142	Suida	B., 11, 586	34, 586

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Urethanebenzoic acid	$\text{CO}_2\text{H}(\text{NH}.\text{CO}_2\text{Et})=1.3$	$\text{C}_{10}\text{H}_{11}\text{O}_4\text{N}$	cf. B., 11, 701	189	Griess-	B., 9, 796	30, 413
Dimethylc amidoisophthalate	$(\text{CO}_2\text{Me})_2.\text{NH}_2=1.3.5$	"	176	Beyer	J. p. [2], 25, 504	42, 1296
Ethylc p-nitrotoluate	$(\text{CO}_2\text{Et}).\text{Me}.\text{NO}_2=?$	"	55	Beilstein & Kreuzler	A., 144, 174	
Nitrotolylpropionic acid	$\text{Me}.\text{NO}_2[(\text{CH}_2)_2.\text{CO}_2\text{H}]$ =1.2.5	"	130-136	Effront	B., 17, 2328	48, 152
Propylnitrobenzoic	$\text{CO}_2\text{H}.\text{Pr}^n.\text{NO}_2=1.4.?$	"	113	Körner	A., 216, 230	
Isopropylnitrobenzoic acid	$\text{CO}_2\text{H}.\text{Pr}^i.\text{NO}_2=1.4.5$	"	157	Paterno and Fileti	G. I., 5, 383	29, 595
"	"	"	157-158	Widmann	B., 15, 2548	
"	"	"	158 u. c.	Lippmann and Strecker	B., 12, 78 ; W. A., 78, 570	38, 464 ; 38, 251
"	"	"	158	Lippmann & Lange	B., 13, 1661	40, 276
Nitro Eugenol	$\text{C}_3\text{H}_5.\text{OMe}.\text{OH}.\text{NO}_2=1.3.4.5$	"	43-44	Weselsky & Benedikt	M. C., 3, 388	42, 1201
Nitroxylacetic acid	$\text{Me}_2.\text{NO}_2(\text{CH}_2.\text{CO}_2\text{H})$ =1.3.4.5	"	139	Wispek	B., 16, 1579	44, 1096
Nitrodiaacetdiamidobenzene	$(\text{NHAc})_2.\text{NO}_2=1.4.5$	$\text{C}_{10}\text{H}_{11}\text{O}_4\text{N}_3$	184	Biedermann and Ledoux	B., 7, 1533	
"	"	"	186	Ladenburg	B., 17, 148	46, 738
"	"	"	246	Barbaglia	B., 7, 1258	28, 273
Dinitromethylhydroquinoline	$\text{C}_9\text{H}_8\text{NMe}(\text{NO}_2)_2$	"	148	Feer and Königs.	B., 18, 2390	48, 1245
Phenyltartaramic acid	$\text{NHPh}.\text{CO}(\text{CH}.\text{OH})_2.\text{CO}_2\text{H}$	$\text{C}_{10}\text{H}_{11}\text{O}_5\text{N}$	180 d.	Arppe	A., 93, 355	
Ethylc nitromandelate	$\text{NO}_2[\text{CH}(\text{OH}).\text{CO}_2\text{Et}]=1.3$	"	63	Beyer	J. p. [2], 31, 382	48, 983
Methylc nitrophenyl β -lactate	$\text{NO}_2[\text{CH}(\text{OH}).\text{CH}_2.\text{CO}_2\text{Me}]$ =1.2	"	50-51	Einhorn and Prausnitz	B., 17, 1660	46, 1351
"	"	"	51	Einhorn	B., 16, 2214	46, 66
"	"	"	72-74	Basler	B., 16, 3007	46, 604
"	"	"	73-74	Einhorn and Prausnitz	B., 17, 1661	46, 1351
Ethylc nitranisate	$\text{NO}_2.\text{OMe}.\text{CO}_2\text{Et}=?.1.4$	"	98-100	Cahours	A. C. [3], 14, 492	i., 302
Methylc nitrohydro-p-coumarate	$\text{NO}_2.\text{OH}(\text{CH}_2.\text{CH}_2.\text{CO}_2\text{Me})$ =?.1.4	"	64	Stöhr	A., 225, 57	46, 1350
Nitrohydroxyisopropylbenzoic acid	$\text{NO}_2(\text{CMe}_2.\text{OH}).\text{CO}_2\text{H}=5.4.1$	"	190-191	Widmann.	B., 15, 2549	44, 330
Ethoxynitrotoluic acid	$\text{CO}_2\text{Et}.\text{Me}.\text{OEt}.\text{NO}_2=1.4.2.?$	"	161-162	Paterno & Canzoneri	G. I., 9, 455	38, 247
Ethylc acetylcomenamate	$\text{C}_3\text{H}_5\text{N}.\text{OH}.\text{OAc}.\text{CO}_2\text{Et}$	"	fr. pyridine	152	Ost	J. p. [2], 29, 57	48, 49
"	$\text{NO}_2[\text{C}(\text{NH}_2) : \text{N}.\text{O}.\text{CO}_2\text{Et}]$ =1.3	$\text{C}_{10}\text{H}_{11}\text{O}_5\text{N}_3$	152-153	Schöppf	B., 18, 1066	48, 896
Methylc nitro-dimethylprotocatechuate	$\text{CO}_2\text{Me}(\text{OMe})_2.\text{NO}_2=1.3.4.?$	$\text{C}_{10}\text{H}_{11}\text{O}_6\text{N}$	127-128	Matsmoto	B., 11, 134	34, 502
Methylc nitroveratrate	"	"	143-144	"	B., 11, 132	34, 501
" dinitro-amidohydrocinnamate	$\text{NH}_2(\text{NO}_2)_2(\text{CH}_2.\text{CH}_2.\text{CO}_2\text{Me})=1.2.6.4$	$\text{C}_{10}\text{H}_{11}\text{O}_6\text{N}_3$	102	Stöhr	A., 225, 57	46, 1350
Trinitroisocymene	$\text{Pr}^i.\text{Me}(\text{NO}_2)_3=1.3.(?)_3$	"	72-73	Kelbe	A., 210, 54	42, 301
Trinitrocymene	$\text{Pr}^n.\text{Me}(\text{NO}_2)_3=1.4.(?)_3$	"	119	Fittig and others	A., 145, 142	
Trinitroethylxylene	$\text{Me}_2.\text{Et}(\text{NO}_2)_3=?$	"	119	Fittig and Ernst	A., 139, 194	v., 1058
"	"	"	119	Rommier	B. S. [2], 19, 434	26, 888
"	"	"	238	Jacobsen	B., 7, 1430	28, 259
Trinitrothymol	$\text{Pr}^n.\text{Me}.\text{OH}(\text{NO}_2)_3=1.4$	$\text{C}_{10}\text{H}_{11}\text{O}_7\text{N}_3$	111	Lallemand	A. C. [3], 49, 153	v., 795
Trinitrodiethoxybenzene	$(\text{OEt})_2(\text{NO}_2)_3=1.3.(?)_3$	$\text{C}_{10}\text{H}_{11}\text{O}_8\text{N}_3$	120-5	Stenhouse	A., 141, 227	
"	"	"	130	Nietzki	A., 215, 153	44, 466
"	"	"	133	"	B., 11, 1448	34, 867
Phenylalylcarbamide	$\text{CO}.\text{N}_2\text{H}_2\text{Ph}(\text{C}_3\text{H}_5)$	$\text{C}_{10}\text{H}_{12}\text{ON}_2$	96-97	Maly	Z. C. [2], 5, 263	vi., 1089
α -phenylhydrazidoisobutyric anhydride	$\text{Ph}.\text{N}.\text{CMe}_2.\text{CO}.\text{NH}$	"	175	Reissert	B., 17, 1459	46, 1153
Toluene azoacetone	$\text{Me}(\text{N}_2.\text{CH}_2.\text{COMe})=1.4$	"	114-115	Richter & Münzer	B., 17, 1928	46, 1342
Tetrahydroquinoline carbamide	$\text{C}_9\text{H}_{10}\text{N}.\text{CO}.\text{NH}_2$	"	146-5	Hoffmann and Königs	B., 16, 733	44, 1144
Methylphenylhydrazinepyrro-racemic acid	$\text{Ph}.\text{NMe}.\text{N} : \text{CMe}.\text{CO}_2\text{H}$	$\text{C}_{10}\text{H}_{12}\text{O}_2\text{N}_2$	78 ; sf. 70	Fisher and Jourdan	B., 16, 2245	46, 53
Propionylbenzenylamidoxime	$\text{NH}_2.\text{CPh} : \text{NO}.\text{CO}.\text{Et}$	"	93	Schulz	B., 18, 1084	48, 897
Ethylphenylhydrazineglyoxylic acid	$\text{N}_2\text{EtPh} : \text{CH}.\text{CO}_2\text{H}$	"	121 d.	Elbers	A., 227, 340	48, 535

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetylphenylethenylamidoxime	Ph.CH ₂ .C(NH ₂):NOAc	C ₁₀ H ₁₂ O ₂ N ₂	124	Knudsen	B., 18, 1070	48, 897
Phenylpropionylcarbamide	NHPh.CO.NH.C ₃ H ₅ O	"	137	Kühn	B., 17, 2882	48, 260
Ethylbenzoylcarbamide	NHEt.CO.NHBz	"	168	Leuckart	J. p. [2], 21, 33	
"	"	"	192	Miquel	A. C. [5], 11, 318	32, 870
Ethylphenyloxamide	NHEt.CO.CO.NHPh	"	169	Wallach and West	B., 9, 263	30, 184
"	"	"	cf. B., 14, 740	169-170	Wallach	A., 184, 66	32, 186
Phenylsuccinamide	NH ₂ .CO.(CH ₂) ₂ .CO.NHPh	"	181	Menschutkin	A., 162, 182	25, 497; vii., 1103
Methylbenzylacetoximic acid	HON:CMc.C(CH ₂ Ph):NOH	"	180-181	Schramm	B., 16, 181	44, 590
Isophthalimido methyl ether	C ₆ H ₄ [C(OMe):NH] ₂ =1.3	"	59-62	Luckenbach	B., 17, 1432	46, 1158
Methylnitrosomethylacetamidobenzene	NHAc.(CHMe.NO)=1.2	"	109	Gabriel and Meyer	B., 14, 2340	42, 189
Diacetdiamidobenzene	(NHAc) ₂ =1.3	"	189	Kelbe	B., 16, 1200	44, 916
"	" "	"	191	Barbaglia	B., 7, 1257	28, 273,
"	" =1.4	"	a. 295	Ledoux	B., 7, 1531	
Xylenedicarboxylamide	(CH ₂ .CO.NH ₂) ₂ =1.4	"	a. 290	Klippert	B., 9, 1768	31, 468
Nitrosotetrahydromethoxyquinoline	N.OH=a ₁ ; a ₁	"	80	Bedall and Fischer	B., 14, 2572	
Nitromethylhydroquinoline	C ₉ H ₉ NMe.NO ₂	"	93-94	Feer and Königs	B., 18, 2390	48, 1245
Ethyl phenylallophanate	NHPh.CO.NH.CO ₂ Et	C ₁₀ H ₁₂ O ₃ N ₂	120	Stojentin	J. p., 32, 1	48, 1196
" benzenylamidoxime carbonate	NH ₂ .CPh:N.O.CO ₂ Et	"	127	Falck	B., 18, 2467	48, 1217
Acetylphenylhydroxyethenylamidoxime	HO.CHPh.C(NH ₂):NOAc	"	140 d.	Gross	B., 18, 1076	
Phenylmethylhydantoic acid	NHPh.CO.NH.CHMe.CO ₂ H	"	170 d.	Kühn	B., 17, 2884	48, 261
Ethylacetoneitroanilide	NO ₂ .NEtAc=1.4	"	117.5	Weller	B., 16, 31	44, 579
"	" "	"	118	Nöltzing and Collin	B., 17, 267	46, 1013
Ethyl benzenylamidoxime-carboxylate	CO ₂ Et.[C(NH ₂):N.OH]=1.4	"	135	Müller	B., 18, 2486	48, 1227
Urethane benzamide ...	(CO.NH ₂).(NH.CO ₂ Et)=1.3	"	157-158	Wachendorff	B., 11, 704	34, 675
Ethyl uramidobenzoate ...	CO ₂ Et.(NH.CO.NH ₂)=1.3	"	176	Griess	J. p. [2], 4, 293	25, 81; vii., 166
Dimethamidophenylloxamic acid	NMe ₂ .(NH.CO.CO ₂ H)=1.4	"	192 d.	Sendtner	B., 12, 531	38, 627
Tolyhydantoic acid	Me.[N(CO.NH ₂)(CH ₂ .CO ₂ H)] =1.4	"	d. w. m. 200	Schwebel	B., 11, 1129	34, 798
Acetamidonitroethylbenzene	Et.NHAc.NO ₂ =1.4.?	"	45-47	Paucksch	B., 17, 770	46, 1143
Nitroacetoxylidine	Me ₂ .NHAc.NO ₂ =1.3.2.4	"	149	Grevingk	B., 17, 2426	48, 145
"	" =1.3.4.6	"	159-160	"	B., 17, 2425	"
"	" =1.3.4.?	"	172-173	Hofmann	B., 9, 1297	31, 92
"	" =1.3.5.?(?)	"	180	Wroblewsky	B., 10, 1248 ; A., 207, 93	34, 55; 40, 433
"	" =1.4.(?) ₂	"	192	Schaumann	B., 11, 1538	36, 52
Nitrophenylhydroxyacetimidooether	NO ₂ .[CH(OH).C(OEt):NH] =1.3	C ₁₀ H ₁₂ O ₄ N ₂	84	Beyer	J. p. [2], 31, 382	48, 983
Ethyl nitramido- α -toluate....	(CH ₂ .CO ₂ Et).NO ₂ .NH ₂ =1.2.4	"	100	Gabriel and Meyer	B., 14, 825	40, 730
Dinitrocymene	Pr.Me.(NO ₂) ₂ =?	"	54	Kraut	A., 92, 71	ii., 297
"	" "	"	cf. J. [1873], 368	205 or 250 (?)	Rommier	B. S. [2], 19, 434	26, 888
Dinitroisodurene	Me ₄ .(NO ₂) ₂ =1.2.3.5.4.6	"	156	Jacobsen	B., 15, 1853	44, 52
"	" =1.3.4.6.2.5	"	199; 205	Jannasch and Fittig	Z. C. [2], 6, 162	vi., 828
?-acid	"	"	240+d.	Curtius	J. p. [2], 24, 239; 26, 197; B., 16, 756	40, 1144; 44, 340
Dinitroisobutylphenol	Bu β .OH.(NO ₂) ₂ =?	C ₁₀ H ₁₂ O ₆ N ₂	93	Studer	B., 14, 1474	40, 898
"	" "	"	cf. A., 211, 244	93	Liebmann	B., 14, 1843	
Nitroacetamidodimethylquinol	(OMe) ₂ .NHAc.NO ₂ =1.4.(?) ₂	"	164	Baessler	B., 17, 2121	46, 1329
Dinitrothymol	Pr ^o .Me.OH.(NO ₂) ₂ =1.4.6.(?) ₂	"	cf. B., 10, 611	55	Lallemand	A. C. [3], 49, 152	v., 795
α -dinitrodiethoxybenzene	(OEt) ₂ .(NO ₂) ₂ =1.4.2.?	C ₁₀ H ₁₂ O ₆ N ₂	130	Nietzki	B., 12, 41; A., 215, 150	36, 464; 44, 466
β -	"	"	176	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -dinitrodiethoxybenzene ...	$(\text{OEt})_2(\text{NO}_2)_2=1.4.2?$	$\text{C}_{10}\text{H}_{12}\text{O}_6\text{N}_2$	172	Nietzki	B., 11, 1448	34, 867
Dinitrodiethoxyphenol ...	$(\text{OEt})_2\text{OH}(\text{NO}_2)_2=1.4.2.(?)_2$	$\text{C}_{10}\text{H}_{12}\text{O}_7\text{N}_2$	152	"	A., 215, 157	44, 466
Benzylidimethylacetoxime ...	$\text{CMe}_2:\text{NO}:\text{CH}_2\text{Ph}$	$\text{C}_{10}\text{H}_{13}\text{ON}$	190 d.	Liquid	Janny	B., 16, 175	44, 581
Propylbenzaldoxime ...	$\text{Ph}:\text{CH}:\text{NOPr}$	"	225-226 n.c.	Petraczek	B., 16, 828	
Ethylacetanilide ...	$\text{Ph}:\text{NEt}:\text{Ac}$	"	51-53	Elsbach	B., 15, 691	
"	"	"	248-250	54-5	Reinhardt & Städel	B., 16, 30	44, 578
Methylpropionanilide ...	$\text{Ph}:\text{NMe}:\text{C}_3\text{H}_5\text{O}$	"	58-5	Norton and Allen	B., 18, 1998	
Butyranilide ...	$\text{Ph}:\text{NH}:\text{OC}(\text{CH}_2)_2\text{CH}_3$	"	cf. A., 87, 166	90	Gerhardt	A. C. [3], 37, 329	iv., 480
"	"	"	92	Kelbe	B., 16, 1200	44, 916
Acetamidoethylbenzene ...	$\text{Et}:\text{NHAc}=1.2$	"	110-112	Paucksch	B., 17, 768	46, 1143
"	"	"	304-305	Beilstein and Kuhlberg	A., 156, 208; Z. C. [2], 5, 524	46, 1143; vi., 292, 1131
"	" =1.4	"	315-317	94	"	"	"
"	"	"	94	Paucksch	B., 17, 768	46, 1143
"	"	"	94-5	Benz	B., 15, 1649	
Acetylmethyltoluide ...	$\text{Me}:\text{NMeAc}=1.2$	"	250-251	Reinhardt & Städel	B., 16, 30	44, 578
"	"	"	260	55-56	Monnet & Nölting	B., 11, 2279	36, 310
"	" =1.3	"	66	"	"	
"	" =1.4	"	81	Claus and Steinberg	B., 16, 914	
"	"	"	283	83	Thomsen	B., 10, 1583	34, 218
Cuminaldoxime ...	$\text{Pr}:\text{CH}:\text{NOH}=?$	"	52	Westenberger	B., 16, 2994	46, 581
Acetoxylide ...	$\text{Me}_2:\text{NHAc}=1.2.4$	"	99	Jacobsen	B., 17, 161	46, 737
"	" =?	"	cf. A., 208, 322	112-113	Genz	Z. C. [2], 6, 216	vi., 1131
"	" =1.3.4	"	123	Tawildarow	B., 2, 553	vii., 1209
"	"	"	127	Wroblewsky	B., 10, 1248	34, 54
"	"	"	127	Schmitz	A., 193, 179	36, 157
"	"	"	a. 320	127	Wroblewsky	A., 207, 92	40, 433
"	"	"	127	Kelbe	B., 16, 1200	44, 916
"	"	"	127-128	Hofmann	B., 9, 1295, 1300	31, 90, 92
"	"	"	128	Grevingk	B., 17, 2431	48, 145
"	" =1.2.3 (?)	"	129-130	Staedel	B., 16, 28	
"	"	"	131-132	Wroblewsky	B., 12, 1228; A., 207, 100	36, 920; 40, 433
"	"	"	134	Nölting and Forel	B. S., 42, 332	48, 382
"	" =1.3?	"	134; 135	"	"	"
"	" =1.4.5	"	138-139	Schaumann	B., 11, 1538	36, 52
"	"	"	138-139	Wroblewsky	A., 207, 91	40, 433
"	" =1.3.5	"	144-5	"	A., 207, 96; B., 10, 1249	34, 55; 40, 433
"	" =1.3.2	"	174	Grevingk	B., 17, 2431	48, 145
"	"	"	175	Nölting and Forel	B. S., 42, 332	48, 382
Formocumidide ...	$\text{Me}_3:\text{NH}:\text{CHO}=?$	"	121	Senier	47, 768
Tetrahydromethoxyquinoline (thalline)	$\text{N}:\text{OMe}=\alpha_1; \beta_2$	"	282-283	42-43	"	D. P., 256, 192	48, 1023
Tetrahydrohydroxymethylquinoline	$(\text{NMe}):\text{OH}=\alpha_1; \alpha_1$	"	114	Fischer	B., 16, 715	44, 1146
Tetrahydroxyquinaldine ...	$\text{N}:\text{Me}:\text{OH}=\alpha_1\beta_1; \alpha_1$	"	278-282	Liquid	Döbner and Miller	B., 17, 1707	46, 1374
Acetylenyltriamidobenzene	$\text{NHAc}:\text{NHC}_2\text{H}_3:\text{NH}_2=?$	$\text{C}_{10}\text{H}_{13}\text{ON}_3$	85-90	Salkowski	B., 10, 1693	34, 140
?	"	+5H ₂ O	Feer and Königs	B., 18, 2392	48, 1245
Ethylphenylhydroxyacetamide	$\text{Ph}:\text{CH}(\text{OH})\text{C}(\text{OEt}):\text{NH}$	$\text{C}_{10}\text{H}_{13}\text{O}_2\text{N}$	71-72	Beyer	J. p. [2], 28, 190	46, 65
"	"	"	72	"	J. p. [2], 31, 382	48, 982
Phenyl amidobutyric acid (?)	$\text{NH}_2:\text{CHPh}(\text{CH}_2)_2\text{CO}_2\text{H}(?)$	"	d. 170	85-86	Fittig	B., 17, 202	46, 744
Propylic phenylcarbamate ...	$\text{NHPh}:\text{CO}_2\text{Pr}^\alpha$	"	57-59	Roemer	B., 6, 1113	27, 39
Isopropylic phenylcarbamate	$\text{NHPh}:\text{CO}_2\text{Pr}^\beta$	"	90	Gumpert	J. p. [2], 31, 119	48, 656
Ethylic phenylmethylcarbamate	$\text{NMePh}:\text{CO}_2\text{Et}$	"	243-244	Liquid	Gebhardt	B., 17, 3042	48, 384
Ethylic phenamidoacetate ...	$\text{NHPh}:\text{CH}_2\text{CO}_2\text{Et}$	"	57-58	Meyer	B., 8, 1156	29, 373
β -phenamidobutyric acid ...	$\text{CH}_3:\text{CH}(\text{NHPh})\text{CH}_2\text{CO}_2\text{H}$	"	cf. B., 13, 313	127-128	Balbiano	G. I., 10, 137	38, 462, 542
α -phenamidoisobutyric acid	$\text{NHPh}:\text{CMe}_2\text{CO}_2\text{H}$	"	184-185	Tiemann	B., 15, 2042	44, 199

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetamidoethoxybenzene	OEt.NHAc=1.3	C ₁₀ H ₁₃ O ₂ N	96.7 u. c.	Wagner	J. p. [2], 32, 70	48, 1212
Methylic dimethamidobenzoate	NMe ₂ .CO ₂ Me=1.3	"	270 u.c.	Liquid	Griess	B., 6, 587	26, 1146; vii., 187
Ethylic tolylcarbamate	Me.(NH.CO ₂ Et)=1.3	"	L.—47	Cosack	B., 13, 1090	38, 713
" "	" =1.2	"	32	Hofmann	P. R., 19, 108	24, 139
" "	" "	"	42	Cosack	B., 12, 1450	38, 245
" "	" "	"	45-46	Neville and Winther	B., 12, 2324	vii., 253
" "	" "	"	45-46	Lachmann	B., 12, 1349	56, 935
" "	" =1.4	"	cf. B., 3, 656	52	Hofmann	P. R., 19, 108	vii., 1180
α-tolylamidopropionic acid	Me.(NH.CHMe.CO ₂ H)=1.2	"	cryst.	Tiemann & Stephan	B., 15, 2039	44, 199
α- " "	" =1.4	"	152	"	B., 15, 2037	"
α-Nitrocymene	Pr ^α .Me.NO ₂ =1.4.5 or 6	"	Liquid	Landolph	B., 6, 937	26, 1227
" "	" "	"	Liquid	Fittica	A., 172, 314	28, 59
β- " "	" =1.4.6 or 5	"	124	Gerichten	B., 11, 1092	34, 787
" "	" "	"	124.5	Landolph	B., 6, 937	26, 1227
" "	" "	"	124.5	Gerichten	B., 10, 1251	34, 49
" "	" "	"	125	Fittica	A., 172, 315	28, 59, 60
α-Amidocumic acid	Pr.CO ₂ H.NH ₂ =1.4.5 or 6	"	104	Fileti	G. I., 10, 12	40, 424
" "	" "	"	104	Lippmann & Lange	B., 13, 1661; 1876	40, 276
" "	" "	"	cf. B., 7, 81	104.4	Paterno and Fileti	G. I., 5, 383	29, 595
β- " "	" =1.4.6 or 5	"	129	"	"	"
" "	" "	"	129	Fileti	G. I., 10, 12	40, 424
" "	" "	"	129	Lippmann & Lange	B., 13, 1661, 1876	40, 276
Xylamidooacetic acid	Me ₂ (NH.CH ₂ .CO ₂ H)=1.3.?	"	132-134	Ehrlich	B., 16, 206	44, 594
Nitrosopropylcresol	Pr ^α .Me.OH.NO ₂ =?1.3.?	"	cf. B., 16, 243	140 d.	Mazzara	G. I. [1882], 333	42, 1200
Nitrosocarvacrol	" =1.4.5.?	"	cf. B., 12, 383	153	Paterno & Canzoneri	G. I., 11, 124	40, 595
Nitrosothymol	" =1.4.6.?	"	155-156	"	"	"
" "	" "	"	155-156	Schiff	B., 8, 1500	29, 583
" "	" "	"	slow Ht.	155-156	Liebermann	B., 10, 78	"
" "	" "	"	quick Ht.	162-166	"	"	"
" "	" "	"	160-162	Widmann	B., 15, 170	42, 728
Nitrosoisopropylcresol ...	Pr ^β .Me.OH.NO=?1.3.?	"	cf. B., 16, 793	165-167 d.	Mazzara	G. I., 12, 505	44, 463
Nitrodurene	Me ₄ .NO ₂ =1.2.3.5.6	"	165	Ador and Rilliet	B., 12, 332	36, 527
Ethylic lutidine carboxylate	N.Me ₂ .CO ₂ Et=1.2.4.3	"	246-247 u.c.	Liquid	Michael	B., 18, 2022	48, 1244
" " " "	" =?	"	270-300 (?)	Liquid	Canzoneri and Spica	G. I., 14, 448	48, 751
Methylcarbocollidylum dehydride	C ₅ HMe ₃ NMe.CO	"	abt. 340	102-103	Hantzsch	B., 17, 1025	46, 1045
Dimethamidophenyl oxamide	NMe ₂ (NH.CO.CO.NH ₂)=1.4	C ₁₀ H ₁₃ O ₂ N ₃	257-259	Sendtner	B., 12, 532	36, 627
Reduction of dinitrodiethyl quinol	"	233	Nietzki	B., 12, 42; A., 215, 151	36, 464; 44, 466
Isobutoxynitrobenzene	OBu ^β .NO ₂ =1.2	C ₁₀ H ₁₃ O ₃ N	285-290 d.	L.—20	Riess	Z. C. [2], 7, 39; B., 3, 780	24, 221
" "	" =1.4	"	275-280	L.—20	"	"	"
Ethylanishydroxamic acid	OMe.(CO.NH.OEt)=1.4	"	32	Eiseler	A., 175, 338	28, 767
Ethylic anishydroxamate	OMe.(CO.NEt.OH)	"	84	Pieper	A., 217, 17	44, 462
Ethoxyphenylamidoacetic acid	OEt.(NH.CH ₂ .CO ₂ H)=1.2	"	120	Vater	J. p. [2], 29, 286	46, 1144
Acetamidodimethoxybenzene	(OMe) ₂ .NHAc=1.4.5	"	91	Baessler	B., 17, 2121	46, 1329
Hydroxypropylamidobenzoic acid	CO ₂ H.NH ₂ (CMe ₂ .OH)=1.3.4	"	nf. 270	Widmann	B., 16, 2571	46, 317
Nitrocarvacrol ...	Pr ^α .Me.OH.NO ₂ =1.4.5.?	"	77-78	Paterno & Canzoneri	B., 12, 383	"
" "	" "	"	79	"	G. I., 11, 124	40, 595
Nitrothymol ...	" =1.4.6.?	"	abt. 119	Paterno	G. I. [1875], 13	28, 640
" "	" "	"	137	Schiff	B., 8, 1501	29, 583
" "	" "	"	137	Paterno & Canzoneri	G. I., 11, 124	40, 595
" "	" "	"	138-139	"	G. I., 10, 233	38, 883
" "	" "	"	140	Liebermann	B., 10, 612	32, 477
Ethylic hydroxylutidine carboxylate	N.Me ₂ .OH.CO ₂ Et=?	"	140	Collie	A., 226, 294	48, 374
Nitrodiethoxybenzene	(OEt) ₂ .NO ₂ =1.4.5	C ₁₀ H ₁₃ O ₄ N	49	Nietzki	B., 12, 39; A., 215, 146	36, 464; 44, 466
Fr. phthalimide	"	90-94	Landsberg	A., 215, 195	44, 476

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrocerculignol	Pr.OMe.OH.NO ₂ =?1.2.?	C ₁₀ H ₁₃ O ₄ N	124	Pastronich	M. C., 4, 191	44, 1006
Ethylic ethylcomenamate	C ₅ H ₃ EtNO ₂ .CO ₂ Et	"	114-115	Mennel	J. p. [2], 32, 176	48, 1204
Ethylic dimethylpyrroline dicarboxylate	N.Me ₂ .CO ₂ H.CO ₂ Et =1.2.5.3.4	"	a. 200 d.	Knorr	B., 17, 1639	46, 1368
"	"	"	227 d.	"	B., 18, 1563	48, 994
Dinitrodiethylaniline	NEt ₂ .(NO ₂) ₂ =1.2.4	C ₁₀ H ₁₃ O ₄ N ₃	180	Lippmann and Fleissner	M. C., 4, 788	46, 179
Diethylnitropyrogallol	(OEt) ₂ .OH.NO ₂ =?	C ₁₀ H ₁₃ O ₃ N	123	Weselsky and Benedikt	M. C., 2, 217	42, 54
Ethylic phenylethenylamid-oxime	Ph.CH ₂ .C(NH ₂):NOEt	C ₁₀ H ₁₄ ON ₂	58	Knudsen	B., 18, 1072	48, 897
α-Phenamidoisobutyramide....	NHPh.CMe ₂ .CO.NH ₂	"	137	Tiemann	B., 15, 2042	44, 199
Nitrosodiethylaniline	C ₆ H ₄ .NO.NEt ₂ =1.4	"	84	Kopp	B., 8, 622	
"	"	"	84	Lippmann and Fleissner	B., 16, 1422	
Acetyldimethdiamidobenzene	NMe ₂ .NHAc=1.4	"	335 d.	130	Wurster	B., 12, 525	36, 627
"	"	"	131	Witt	35, 360
Propylphenyl carbamide	NH ₂ .CO.NH.C ₆ H ₄ Pr=1.4	"	143	Francksen	B., 17, 1225	46, 1008
Toluidopropionamide	Me.(NH.CHMe.CO.NH ₂) =1.2	"	125	Tiemann & Stephan	B., 15, 2038	44, 199
"	"	"	145	"	B., 15, 2037	"
Pseudocumylcarbamide	Me ₃ .(NH.CO.NH ₂)=? =1.4	"	d.w.m. 227	Engel	B., 18, 2233	48, 1216
Diazocamphor	C ₈ H ₁₄ .C : C.N : N.O	"	73-74	Schiff	B., 14, 1375	42, 527
Diisobutyryl dicyanide	C ₁₀ H ₁₄ O ₂ N ₂	226-228	L. -15	Moritz	39, 14
Dibutyryl dicyanide....	"	232-235	"	39, 17
Ethylic phenylhydroxy-ethenylamidoxime	HO.CHPh.C(NH ₂):NOEt	"	89	Gross	B., 18, 1079	48, 898
Nitrodiethylaniline	NO ₂ .NEt ₂ =1.4	"	76	Lippmann and Fleissner	B., 16, 1422 ; M. C., 4, 284	44, 868, 1100
Diamidocuminic acid	CO ₂ H.Pr ^β .(NH ₂) ₂ =?	"	192	Lippmann	B., 15, 2144	44, 194
Phenylacediamine acetate	Ph.CH ₂ .C(NH).NH ₂ +HAc	"	192-193	Berthsen	B., 8, 1320	29, 607
Fr. juglone	C ₆ H ₂ O ₂ (NMe ₂) ₂	"	173-174	Mylius	B., 18, 467	48, 804
Ethoxycaffeine	C ₈ H ₉ N ₄ O ₂ .OEt	C ₁₀ H ₁₄ O ₃ N ₄	140	Fischer	B., 14, 640 ; A., 215, 253	40, 614 ; 44, 355
Methylphenylpropylalkine	NPhMe.C ₃ H ₆ .OH	C ₁₀ H ₁₅ ON	262	Laun	B., 17, 678	46, 1011
Ethylphenylethylalkine	NPhEt.C ₂ H ₄ .OH	"	267-268.5	"	B., 17, 677	"
Diethamidophenol	OH.NEt ₂ =1.2	"	218-220	Liquid	Föster	J. p. [2], 21, 367	38, 465
Ethamidoethoxybenzene	OEt.NHEt=1.2	"	234-235 (751)	Liquid	"	J. p. [2], 21, 346	38, 464
Dimethamidoethoxybenzene	OEt.NMe ₂ =1.3	"	247 u.c.	Liquid	Wagner	J. p. [2], 32, 70	48, 1212
"	"	"	Liquid	Baur and Staedel	B., 16, 33	
Hydroxypropyltoluidine	Me.(NH.C ₃ H ₆ .OH)=1.4	"	290	74	Morley	B., 15, 179	42, 723
"	"	"	293 c. ; s.d.	74	"	B., 16, 82	41, 388
Hydroxyethylmethyltoluidine	Me.(NMe.C ₂ H ₄ .OH)=1.4	"	290-300	Liquid	Demole	B., 7, 637 ; A., 173, 133	27, 903
Carvoxime	C ₁₀ H ₁₄ : N.OH	"	v. C ₁₀ H ₁₇ ON	66.5	Goldschmidt	B., 17, 1578	46, 1138
"	"	"	240 d.	71	Goldschmidt and Zürrer	B., 18, 1730	48, 1058
Amidocarvacrol	Pr ^α .Me.OH.NH ₂ =1.4.5.2	"	304	Paterno and Canonzeri	B., 12, 384	
Nitrosohesperidene	"	70.1 ; 71 c.	Tilden & Shenstone	J. [1877], 428	31, 559
Isonitrosoterpene	from caraway	"	71	"	"	31, 560
"	" bergamot	"	71	"	J. [1879], 396	"
Nitrosoterpene	" oil of juniper	"	128.5	"	"	31, 558
"	" sage	"	129	"	J. [1877], 958	31, 557
"	"	129	Goldschmidt and Zürrer	B., 18, 2223	48, 1210
"	"	129-130	Tilden	J. [1875], 391	28, 516
Nitrosoterebenthenene....	"	128.8 c.	Tilden & Shenstone	31, 557
"	from camphor oil	"	130	Yoshida	47, 786
Nitroso-australene	"	129 c.	Tilden & Shenstone	31, 556

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetyldimethylamidoben- zene	NMe.NHAc.NH ₂ =1.3.4 or 1.4.3	C ₁₀ H ₁₀ ON	153	Würster & Sendtner	B., 12, 1807	38, 110
"	"	"	+H ₂ O	82	"	"	"
Campherimide	C ₁₀ H ₁₅ O ₂ N	A., 60, 329	180 s. t.	Ballo	A., 197, 332	
Hydrazineanisole carbamide	MeO.(N ₂ H ₂ .CO.NHEt)=1.2	C ₁₀ H ₁₅ O ₂ N ₃	110	Reisenegger	A., 221, 314	46, 440
Nitrocamphor	C ₁₀ H ₁₄ .OH.NO ₂	C ₁₀ H ₁₅ O ₃ N	83	Schiff	B., 13, 1403	38, 891
Amidocamphoric anhydride	C ₈ H ₁₃ (NH ₂):(CO) ₂ :O	"	sb. 150	208	Wreden	A., 163, 339	25, 896; vii., 237
Diethyl γ-amidoisophtha- late	(CO ₂ Et) ₂ .NH ₂ =1.3.?	C ₁₀ H ₁₅ O ₄ N	118	Beyer	J. p. [2], 25, 465	42, 1296
Nitro-oxycamphor	"	163-164	Zürcher	B., 18, 2228	
"	"	169-170	Kachler & Spitzer	B., 15, 2337	44, 215
"	"	175	Swarts	B., 15, 2136	
?	C ₄ H ₃ O.C(NH ₃ .C ₂ H ₃ O ₂). <u> </u> CMe ₂ .O	"	305-310	153	Tönnies and Staub	B., 17, 856	46, 1130
Ethyl diethylcyanurcar- boxylate	C ₃ Et ₂ O ₃ N ₃ .CO ₂ Et	C ₁₀ H ₁₅ O ₅ N ₃	107	Wurtz and Henn- inger	C. R., 100, 1419	48, 969
Methoxycyanoniine	C ₉ H ₁₃ N(:NH).OMe	C ₁₀ H ₁₆ ON ₂	225	Meyer	J. p. [2], 126, 353	44, 353
Methylhydroxycyanoniine	C ₉ H ₁₃ N(:NMe).OH	"	275-276	76.5	"	J. p. [2], 126, 348	"
Dimethoxyhydroxycaffeine	C ₈ H ₈ O ₃ N ₄ .OH.(OMe) ₂	C ₁₀ H ₁₆ O ₅ N ₄	178-179	Fischer	B., 14, 642	40, 614
Amidocamphor	C ₁₀ H ₁₄ .OH.NH ₂	C ₁₀ H ₁₇ ON	246.4	solid	Schiff	B., 13, 1404	38, 892
Carvoxime	C ₁₀ H ₁₆ :NOH	"	v. C ₁₀ H ₁₅ ON	70-71	Goldschmidt and Zürcher	B., 18, 2220	48, 1210
Camphoroxime	"	"	249-254	115	Nageli	B., 16, 498	44, 728
Isocamphoroxime	HO.C ₉ H ₁₅ :C:NH(?)	"	125	"	B., 17, 806	46, 1190
Acetyl γ-coniceine	C ₈ H ₁₄ AcN	"	252-255	Liquid	Hofmann	B., 18, 116	48, 563
Methoxycyanethine	C ₉ H ₁₄ N ₃ .OMe	C ₁₀ H ₁₇ ON ₃	130	Riess	J. p. [2], 30, 145	48, 235
Ethyl mesitylate	C ₇ H ₁₂ O.CO ₂ Et	C ₁₀ H ₁₇ O ₃ N	290	85	Pinner	B., 15, 578	42, 941
"	"	"	90	"	B., 14, 1074	40, 796
Amidocamphoric acid	C ₈ H ₁₃ .NH ₂ .(CO ₂ H) ₂	C ₁₀ H ₁₇ O ₄ N	160	Wreden	A., 163, 340	25, 896
Ethylimidodiethyldioxamide	NEt(CO.CO.NHEt) ₂	C ₁₀ H ₁₇ O ₄ N ₃	135-138 d.	Schiff	B., 17, 403	46, 907
Campholenic nitril + hy- droxylamine	C ₉ H ₁₆ .CN+NH ₂ .OH	C ₁₀ H ₁₉ ON ₂	101	Goldschmidt and Zürcher	B., 17, 2070	46, 1364
Acetyl copellidine	C ₈ H ₁₆ AcN	C ₁₀ H ₁₉ ON	254	Dürkopf	B., 18, 924	48, 817
Ethyl diethylamidocrotonic acid	NEt ₂ .CMe:CH.CO ₂ Et	C ₁₀ H ₁₉ O ₂ N	160-163 (20)	Liquid	Kuckert	B., 18, 619	48, 750
Ethyl oxyhexinamate	C ₆ H ₇ O(OEt) ₂ .NH ₂	C ₁₀ H ₁₉ O ₃ N	78-79	Demarçay	A. C. [5], 20, 490	
" isooxyhexinamate	"	"	94-95	"	A. C. [5], 20, 492	
" ethyldiglycollamidate	C ₁₀ H ₁₉ O ₄ N	200-220	Liquid	Heintz	A., 145, 230	
Isobutylvaleryl carbamide	NHBU ^β .CO.NH.C ₅ H ₉ O	C ₁₀ H ₂₀ O ₂ N ₂	102	Hofmann	B., 15, 758	42, 1053
Ethylidenepropylurethane	CH ₃ .CH(NH.CO ₂ Pr) ₂	C ₁₀ H ₂₀ O ₄ N ₂	115-116	Bischoff	B., 7, 1082	28, 146
Caprinamide	C ₉ H ₁₉ .CO.NH ₂	C ₁₀ H ₂₁ ON	98	Hofmann	B., 15, 984	
"	"	"	b. 100	Rowney	A., 79, 243	
Triacetone methylalkamine	C ₉ H ₁₈ .NOMe	"	74	Fischer	B., 16, 1606	44, 1153
Dimethoxyconine	C ₈ H ₁₅ Me ₂ ON	"	225-226	Liquid	Hofmann	B., 18, 119	48, 563
Ethylconine	C ₈ H ₁₆ EtON	"	240-242	Ladenburg	B., 14, 2409	42, 166
Alkaloid fr. Lupinus luteus	C ₁₀ H ₂₁ O ₂ N	269-270	62.5	Schulz	B. S. [1879], 874	38, 416
Tripropoxyacetoneitril (?)	(PrO) ₃ .CN (?)	C ₁₀ H ₂₁ O ₃ N(?)	216-219	Bauer	A., 229, 163	48, 1121
Diisobutylglyoxylamide	(Bu ^β O) ₂ .CH.CO.NH ₂	"	42-45	Pinner and Klein	B., 11, 1479	36, 47
Dipiperallylalkamine	C ₁₀ H ₂₃ ON ₂ (?)	280-290 p. d.	Liquid	Ladenburg	C. R., 93, 338	40, 1158
Dioxyisoamylamine	(C ₅ H ₁₁ O) ₂ NH	C ₁₀ H ₂₈ O ₂ N	249-251	L. -20	Radziszewski and Schramm	B., 17, 839	46, 1190
Allyl cyanide + ethylalcohol	C ₄ H ₅ N.3C ₃ H ₇ O	C ₁₀ H ₂₈ O ₃ N	173-174	Liquid	Rinne	B., 6, 389	26, 880; vii., 49
Nitro-α-naphthonitril	C ₁₀ H ₆ .NO ₂ .CN	C ₁₁ H ₆ O ₂ N ₂	81	Welkov	B., 2, 408	vi., 848
" -α- "	"	"	100-130	Graeff	B., 16, 2248	46, 80
" -α- "	"	"	152-153	"	B., 16, 2247	"
" -α- "	"	"	205	"	B., 14, 1065	40, 822
" -α- "	"	"	205	"	B., 15, 1126	
" -α- "	"	"	205	"	B., 16, 2247	46, 80
" -β- "	"	"	(impure)	95-120	"	B., 16, 2248	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitro- β -naphthonitril	$C_{10}H_6NO_2CN$	$C_{11}H_6O_2N_2$	172-173	Graeff	B., 16, 2248	46, 80
" - β - "	"	"	100	"	B., 14, 1063	40, 822
" - β - "	"	"	148-149	"	"	"
Dinitro- α -naphthoic acid	$C_{10}H_5(NO_2)_2.CO_2H$	$C_{11}H_6O_6N_2$	263-265	Ekstrand	B., 17, 1601	46, 1361
" - β - " "	"	"	226	"	B., 17, 1603	"
" - β - " "	"	"	248	"	"	"
α -Naphthylisocyanate	$C_{10}H_7.N : CO$	$C_{11}H_7ON$	269-270	Hofmann	P. R., 19, 108 ; B., 3, 658	24, 139 ; vii., 407, 844
Cuprefne	$C_{22}H_{14}O_6N_2(?)$	$C_{11}H_7O_3N(?)$	cf. A., 210, 89	191	Hesse	A., 226, 241	48, 276
Nitro- α -naphthoic acid	$CO_2H.NO_2=\alpha_1?$	$C_{11}H_7O_4N$	194	Küchenmeister	B., 3, 740	vii., 838
" - α - " "	" "	"	195-196	Ekstrand	B., 12, 1394	38, 261
" - α - " "	" = $\alpha_1?$;	"	215 u.c.	"	B., 18, 73	48, 548
" - α - " "	" = α_1 ; α_1 or α_2	"	233	"	B., 12, 1395	38, 261
" - α - " "	" "	"	235	Graeff	B., 15, 1126	42, 1212
" - α - " "	" "	"	238	"	B., 14, 1066	40, 822
" - α - " "	" "	"	239 u.c.	Ekstrand	B., 18, 77	48, 548
" - α - " "	" "	"	241-242	Graeff	B., 16, 2250	46, 81
" - α - " "	" = $\alpha_1?$	"	255	"	B., 16, 2252	"
" - β - " "	" = $\beta_1?$	"	200	"	B., 14, 1064	40, 822
" - β - " "	" = $\beta_1?$	"	220	Ekstrand	B., 12, 1395	38, 261
" - β - " "	" "	"	228	Küchenmeister	B., 3, 741	vii., 838
" - β - " "	" = $\beta_1?$	"	269 u.c.	Ekstrand	B., 18, 1205	48, 905
" - β - " "	" = $\beta_1?$	"	280	"	B., 12, 1395	38, 261
" - β - " "	" = $\beta_1?$	"	288-289 u.c.	"	B., 18, 1206	48, 905
" - β - " "	" = $\beta_1?$	"	293 u.c.	"	B., 18, 1207	"
" - β - " "	" "	"	295	Graeff	B., 16, 2252	48, 81
Nitromethyldihydroxynaphthaquinone	$C_{10}H_2Me(NO_2)(OH)_2 : O_2$	$C_{11}H_7O_6N$	255-260	Thörner	B., 12, 1633	38, 47
Dinitrocitraconanil	$C_{11}H_7O_6N_3$	cf. A., 85, 21	120	Rudnew	Z. C. [2], 7, 203	24, 712
Trinitro- α -methoxynaphthalene	$C_{16}H_4.OMe.(NO_2)_3$	$C_{11}H_7O_7N_3$	128	Staedel	B., 14, 900 ; A., 217, 172	40, 724 ; 44, 863
" - β - "	"	"	213	"	"	"
Dipyridilcarboxylic acid	$C_{10}H_7ON_2.CO_2H$	$C_{11}H_8O_2N_2$	179	Skraup	B., 15, 896	42, 1112
" "	"	"	182.5-184	Skraup & Vortmann	M. C., 3, 370, 597	44, 88
Tolquinoxalinedicarboxylic acid	$C_6H_3Me : (N : C.CO_2H)_2 :$	$C_{11}H_8O_4N_2$	d. 145	Hinsberg	B., 18, 1233	48, 910
Dinitro- β -methylnaphthalene	$C_{10}H_5Me(NO_2)_2$	"	206	Schulze	B., 17, 844	46, 1184
α -naphthylformamide	$C_{10}H_7.NH(CHO)$	$C_{11}H_9ON$	102 (?)	Zinnin	A., 108, 229	ii., 682
α - " "	"	"	137	Liebermann	A., 211, 42	"
α - " "	"	"	138.5	Tobias	B., 15, 2447	44, 326
β - " "	"	"	120	Cosiner	B., 14, 58	40, 606
β - " "	"	"	123	Tobias	B., 15, 2447	44, 326
β - " "	"	"	129	Liebermann	A., 211, 42	"
α -naphthoamide	$C_{10}H_7.CO.NH_2$	"	128 ?	Rakowski	B., 5, 319	"
α - " "	"	"	202	Leone	G. I., 14, 120	46, 1362
α - " "	"	"	204	Liebermann	A., 183, 225	31, 608
α - " "	"	"	204	Bössneck	B., 15, 3065	"
α - " (misprint in orig.)	"	"	cf. A., 142, 121	204	Hofmann	B., 1, 39	vi., 851
α - " "	"	"	207	"	C. R., 66, 476	"
β - " "	"	"	192	Leone	G. I., 14, 120	46, 1362
β - " "	"	"	192	Liebermann	A., 183, 225	31, 608
β - " "	"	"	192	Vieth	A., 180, 320	30, 87
Pseudobenzopyrrolone	$Ph.CO.C_4H_3 : NH$	"	77-78	Ciamician & Dennstedt	B., 17, 433, 2956	46, 1044 ; 48, 379
Phenylcitraconimide	$Ph.N : C_6H_4O_2$	$C_{11}H_9O_2N$	96	Strecker	B., 15, 1641	42, 1281
" "	"	"	v.a. 100	96	Gottlieb	A., 77, 278	i., 993
Fr. Anilidopyrotartaric acid	"	98	Wechsler	B., 18, 1052	48, 901
Allyl phthalimide	$C_6H_4 : (CO)_2 : NC_3H_5=1.2$	"	70-71	Wallach & Kamensk	B., 14, 171	"
Hydroxylfurfuraniline	$C_6H_4(OH).NC_5H_4O=1.4$	"	180-182 d.	Schiff	A., 201, 358	38, 391
Aniluvitonic acid	"	241-242	Böttinger	A., 191, 321	"
Nitro- α -methylnaphthalene	$Me.NO_2=\alpha?$	"	Liquid -15	Schulze	B., 17, 845	46, 1184
" - β - "	" = $\beta\alpha$	"	81	"	B., 17, 844	" 3 u 2

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitroso-methoxynaphthalene	$C_{10}H_6.OMe.NO=\beta_1a_1 ; (?)$	$C_{10}H_9O_2N$	75	Ilinski	B., 17, 2588	48, 168
" "	" " $=a_1a_2 ; (?)$	"	98-100	"	B., 17, 2591	"
Methyl β -nitroso- α -naphthol	$O : C_{10}H_6 : NOMe(?)$	"	93	Goldschmidt and Schmid	B., 18, 2225	
" β - " α - "	"	"	95	Fuchs	B., 8, 630	
" α - " α - "	"	98-100	Goldschmidt and Schmid	B., 18, 2226	
?	$C_{10}H_6 : O_2 : NMe$	"	225	Zincké	B., 12, 1646	38, 49
Methamido- α -naphthaquinone	$C_{10}H_5(NHMe) : O_2$	"	232 u.c.	Plimpton	37, 640
Amido- α -naphthoic acid	$C_{10}H_6(NH_2).CO_2H$	"	fr. C_2H_6O	<i>211-212 u.c.</i>	Ekstrand	B., 18, 78	48, 548
" α - " " "	"	"	fr. H_2O	198-199	"	"	"
" α - " " "	"	"	sb. a. 212	a.s. 196	"	"	"
" β - " " "	"	"	isomeric	211 u.c.	"	B., 18, 1206	48, 905
" β - " " "	"	"	"	219 u.c.	"	B., 18, 1207	"
" β - " " "	"	"	"	232 u.c.	"	B., 18, 1208	"
Acetoxyquinoline	$N.OAc=a_1 ; a_1$	"	abt. 280 u.c.	Liquid -20	Skraup	M. C., 3, 541	44, 93
" " " " " " "	" $=a_1 ; \beta_2$	"	298 u.c.	36-38	"	M. C., 3, 555	"
Quinoline betaïne	"	cf. B., 15, 1254	171 d ; u.c.	Rhoussopoulos	B., 15, 2007	44, 96
Hydroxyquinoline methylketone	$N.OH.Ac=a_1\beta_1\beta_2 ;$	"	232	Friedländer and Göhring	B., 16, 1838	44, 1149
Methylquinoline carboxylic acid	$N.Me.CO_2H=a_1\beta_2\beta_1 ;$	"	140	Döbne and Miller	B., 17, 1715	46, 1376
" " " " " " "	" " "	"	<i>143-144</i>	"	B., 18, 1641	48, 1079
Lepidine carboxylic acid	" $=a_1a_2\beta_1 ;$	"	182 d.	Besthorn & Fischer	B., 16, 70	44, 600
" " " " " " "	" $=a_1\beta_1\beta_2 ;$	"	234	Friedländer and Göhring	B., 16, 1857	44, 1149
Quinaldine carboxylic acid	" $=a_1\beta_1 ; a_1$	"	151	Döbner and Miller	B., 17, 943	46, 1200
" " " " " " "	" $=a_1\beta_1 ; \beta_2$	"	brown 240	259 d.	"	B., 17, 939	
" " " " " " "	" $=a_1\beta_1 ; \beta_1$ or a_2	"	brown 275	285 d.	"	B., 17, 941	
Nitrocinnamylacetaldehyde	$NO_2.(CH : CH.CH : CH. CHO)=1.2$	$C_{11}H_9O_3N$	153	Einhorn	B., 17, 2027	46, 1345
Acetyl- p -methylpseudisatin	"	172	Duisberg	B., 18, 197	48, 544
Phthalylpropionamide	$C_6H_4 : (CO)_2 : C_2H_5.CO.NH_2$ $=1.2$	"	193-195	Gabriel and Michael	B., 11, 1014	34, 735
Indogenide of pyrrocemic acid	$NH.C_6H_4.CO.C : CMe.CO_2H$ $=1.2$	"	197	Baeyer	B., 16, 2199	48, 76
Phthalamethimidylacetic acid	$NMe.CO.C_6H_4.C : CH.CO_2H$ $=1.2$	"	212 d.	Gabriel	B., 18, 2453	48, 1228
Quininic acid	$C_9H_5N(OMe).CO_2H$	"	280 d.	Skraup	M. C., 2, 592	42, 221
" " " " " " "	"	"	280	Forst & Böhringer	B., 15, 521	42, 982
Ethyl nitrophenylpropionate	$NO_2.(C : C.CO_2Et)=1.2$	$C_{11}H_9O_4N$	60-61	Baeyer	B., 13, 2259	40, 275
" " " " " " "	" $=1.4$	"	126	Drewsen	A., 212, 156	42, 847
Ethyl isatogenate	$CO.C_6H_4.N.O.C.CO_2Et$	"	cf. B., 15, 780	115	Baeyer	B., 14, 1741	42, 198
Nitrocinnamylacrylic acid	$NO_2.(CH : CH.CH : CH. CO_2H)=1.2$	"	217.5	Diehl and Einhorn	B., 18, 2331	48, 1223
Succinylamidobenzoic acid	$C_6H_4 : (CO)_2 : N.C_6H_4.CO_2H$ $=1.3$	"	235	Pellizzari	B., 18, 215	48, 534
" " " " " " "	" " "	"	235	Muretow	B., 5, 330 ; J. R., 4, 295	25, 1097 ; vii., 1103
Benzylpurpuric acid	$Ph.CH_2C(NO) : (CO.NH) : CO$	$C_{11}H_9O_4N_3$	226	Conrad & Guthzeit	B., 15, 2849	44, 315
Nitrobenzoyltrimethylene-carboxylic acid	$CH_2.CH_2.C(CO_2H).CO.C_6H_4$ $NO_2=1.4$	$C_{11}H_9O_5N$	176	Perkin & Bellenot	B., 18, 960	48, 795
Nitrophenylparaconic acid	$NO_2.(CH : CH.CH_2.CO_2H)$ $=1.3$	$C_{11}H_9O_6N$	171	Solomonson	B., 18, 2155	48, 1224
" " " " " " "	" $=1.4$	"	163	"	"	"
Phenylfurfurazide	$Ph.N_2H : C_5H_4O$	$C_{11}H_{10}ON_2$	96	Fischer	B., 10, 1332 ; A., 190, 137	32, 887 ; 34, 31
" " " " " " "	"	"	97-98	"	B., 17, 572	46, 1150
?	$Ph.C : N.C(OH).CH.CMe : N$	"	215.5-216	Pinner	B., 17, 2519	48, 159

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dic. & J. Ch. Soc.
<i>α</i> -naphthyl carbamide	$C_{10}H_7.NH.CO.NH_2$	$C_{11}H_{10}ON_2$	cf. A., 101, 90	d. w. m. 250	Pagliani.	B., 12, 386	
<i>β</i> - " "	" "	" "	...	287	Cosiner	B., 14, 62	40, 606
Benzenylazoximepropenyl carboxylic acid	$O.N : CPh.N : C.(CH_2)_2.CO_2H$	$C_{11}H_{10}O_3N_2$...	120	Schulz	B., 18, 2459	48, 1219
Benzenyl barbituric acid	$Ph.CH_2.CH : (CO.NH)_2 : CO$	" "	...	206	Conrad & Guthzeit	B., 15, 2846	44, 314
Diacetylhydrazine benzoic anhydride	$C_6H_4.CO.NAc.NAc=1.2$	" "	...	112	Fischer and Renouf	A., 212, 336	42, 1069
Hydroxycarboxytoluquin- oxaline ureide	$HO.C : N.C_7H_6.N : C.CO.NH.CO.NH_2$	$C_{11}H_{10}O_3N_4$	brown 250	258	Hinsberg.	B., 18, 1231	48, 909
Nitraniline furfuroil	$NO_2.(NH.C_5H_5O_2)=1.3$	$C_{11}H_{10}O_4N_2$...	100-120 d.	Schiff	A., 201, 357	
Pyrotartaronitranyl	$NO_2.(N : C_6H_6O_2)=1:4$	" "	...	155	Arppe	A., 87, 228; 90, 144	iv., 775
Nitrophenyl <i>β</i> -acetylalanine lactam	$NO_2.(CH.CH_2.CO.NAc)=1.2$	" "	...	172	Einhorn	B., 16, 2648	46, 305
Ethyl nitrosoindoxylate (?)	" "	...	121	Baeyer	B., 15, 781	
Nitrosoethylindoxylate (?)	" "	...	200 d.	"	B., 14, 1743	
Toluquinioxaline oxalate	$C_6H_5Me.N : CH.CH : N$ $=1.3.4 + C_2H_2O_4$	" "	...	135-136	Hinsberg	B., 17, 321	46, 1053
Nitrotolylsuccinimide	$Me.NO_2.(N : C_2O_2 : C_2H_4)$ $=1.2.4$	" "	...	140	Taylor	B., 8, 1225 ; A., 209, 379	29, 602; 42, 181
Ethyl nitrosoindoxanthi- nate	$NH.C_6H_4.CO.C(OH).CO_2Et$	$C_{11}H_{10}O_5N_2$...	113 d.	Baeyer	B., 15, 777	42, 1101
Ethyl dinitrocinnamate	$NO_2.[CH : C(NO_2).CO_2Et]$ $=1.3$	$C_{11}H_{10}O_6N_2$...	?	Friedländer and Lazarus	A., 229, 233	48, 1138
" "	" " " $=1.4$	" "	...	109-110	Friedländer & Mähly	A., 229, 210 ; B., 16, 850	48, 1137
" "	" " " $=1.4$	" "	...	109-110	Friedländer	B., 14, 2576	42, 402
Ethyl nitroso-nitrobenzoyl- acetate	$NO_2.[CO.CH(NO).CO_2Et]$ $=1.4$	" "	...	220	Perkin & Bellenot	B., 17, 328	48, 1024
Acetylmethylketole	$C_6H_4.CH : CMe.NAc=1.2$	$C_{11}H_{11}ON$...	195-196	Jackson	B., 14, 880	40, 734
Ethylcarbostyryl	$C_6H_4.NEt.CO.CH : CH=1:2$	" "	250 s. d.	Liquid	Friedländer & Ostermeier	B., 14, 1917	42, 201
" "	" " "	" "	255-256	Liquid	"	B., 15, 335	42, 732
Ethylpseudocarbostyryl	" " "	" "	...	53-55	Friedländer and Weinberg	B., 18, 1530	48, 989
Ethylcarbostyryl	$C_6H_4.NH.CO.CEt : CH=1.2$	" "	...	168	Baeyer & Jackson	B., 13, 121	38, 407
Dimethylpseudoquinoyl	$C_6H_4.NMe.CMe : CH.CO=1.2$	" "	...	132	Knorr and Antrick	B., 17, 2877	48, 274
Ethoxyquinoline	$N.OEt=a_1 ; a_1$	" "	285-287 (718)	s. in Winter	Fischer	B., 16, 717	44, 1146
Methoxytoluquinoline ...	$N.Me.OMe=a_1 ; a_1 a_2$	" "	225-230	Liquid	Herzfeld	B., 17, 1551	46, 1199
Methoxyquinoline	" " $=a_1 \beta_1 ; a_1$	" "	282	125	Döbner and Miller	B., 17, 1707	48, 1374
Toluene hydroxyquinoline	$N.Me.OH.Me=a_1 \beta_1 a_2 ; a_1$	" "	...	185	Knorr	B., 17, 542	46, 1198
Pyrotataranil	$CO.CHMe.CH_2.CO.NPh$	$C_{11}H_{11}O_2N$	300 p. d.	98	Arppe	A., 90, 139	iv., 774
" "	" "	" "	...	104	Chiozza	A., 91, 105	
Ethylindolecarboxylic acid....	$Ph.NMe.N : CMe.CO_2H$	" "	...	183	Fischer and Hess	B., 17, 566	46, 1181
Tolylsuccinimide	$Me.(N.CO.C_2H_4.CO)=1.2$	" "	345	75	Becchi	B., 12, 25	36, 462
" "	" "	" "	338-340 (733)	75	"	B., 12, 321	36, 527
" "	" "	" "	...	75	Michael	B., 10, 579	
" "	" " $=1.4$	" "	...	150	Taylor	B., 8, 1225 ; A., 209, 378	29, 602; 42, 181
" "	" "	" "	...	150	Sell	A., 126, 164	
" "	" "	" "	344-345 (733)	51	Becchi	B., 12, 321	36, 527
Ethyl amidophenylpropio- late	$NH_2.(C : C.CO_2Et)=1.2$	" "	...	55	Baeyer and Bloem	B., 15, 2148	44, 196
Amidocinnamylacrylic acid....	$NH_2.(CH : CH.CH : CH.CO_2H)=1.2$	" "	...	176.5	Diehl and Einhorn	B., 18, 2333	46, 1223
Ethyl- <i>p</i> -methyl pseudisatin....	" "	...	109-110	Duisberg	B., 18, 199	48, 545
Ethylloxycarbostyryl	" "	...	73	Friedländer & Ostermeier	B., 14, 1919	42, 202

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Kairocoll (quinoline compound)	$C_{11}H_{11}O_2N$	66	Fischer	B., 16, 719	44, 1147
Benzenylazoxime propenyl carboxylamide	$O.N : CPh.N : C.(CH_2)_2.CO.$ NH ₂	$C_{11}H_{11}O_2N_3$	168	Schulz	B., 18, 2463	48, 1219
Isonitrosantipyrene...	$C_6H_4.N.NMe.CMe.CH$ (NO).CO=1.2	..	explodes	200 cryst.	Knorr	B., 17, 2039	46, 1378
Ethyl nitrosobenzoylacetate	HO.N : CBz.CO ₂ Et	$C_{11}H_{11}O_3N$	120-121	Perkin	47, 244
Itaconanilic acid	189 d.	Gottlieb	A., 77, 284	
Acetamidocinnamic acid	NHAc.(CH : CH.CO ₂ H)=1.4	259-263	Gabriel & Herzberg	B., 16, 2041	44, 1123
" "	" "	259-260	Herzberg	C. C. [1884], 35	48, 662
Ethyl indoxylate	$N.C_6H_4.C(OH).CH.CO_2Et$ =1.2	120-121	Baeyer	B., 14, 1742	42, 198
Ethylindoxylic acid	$N.C_6H_4.C(OEt).CH.CO_2H$ =1.2	160	"	B., 14, 1743	"
Nitrosoanilidopyrotartarimide	NPh(NO).CMe.CO.NH. CO.CH ₂	$C_{11}H_{11}O_3N_3$	173	Wechsler	B., 18, 1044	48, 900
Nitroantipyrene	$C_6H_4.N.NMe.CMe.CH$ (NO ₂).CO=1.2	270-280	Knorr	B., 17, 2040	46, 1378
Ethyl nitrosobenzoylacetate	HO.N : CBz.CO ₂ Et	$C_{11}H_{11}O_4N$	121-122	Baeyer and Perkin	B., 16, 2133	46, 64
Ethyl nitrocinnamate	NO ₂ .(CH : CH.CO ₂ Et)=1.2	42	Beilstein and Kuhlberg	A., 163, 131	25, 709
" "	" "	42	Müller	A., 212, 127	42, 841
" "	" "	44	Baeyer	B., 13, 2257	40, 274
" "	" =1.3	..	cf. B. 11, 1783	78-79	Schiff	G. I., 8, 294	36, 321
" "	" =1.4	136	Mitscherlich	i., 988
" "	" "	137	Müller	A., 212, 127	42, 841
" "	" "	138-5	Beilstein and Kuhlberg	A., 163, 128 ; Z. C. [2], 7, 489	vii., 348
Diactamidobenzoic acid	NAc ₂ .CO ₂ H=1.2	220	Bedson and King	37, 757
" ?	NHMe.CO.C ₆ H ₄ .CO.CH ₂ . CO ₂ H	145 p.d.	Gabriel	B., 18, 2452	48, 1228
Ethyl indoxanthinate	$NH.C_6H_4.CO.C(OH).CO_2Et$ =1.2	107	Baeyer	B., 15, 775	42, 1101
Acetyl-p-methylisatic acid	172 d.	Duisberg	B., 18, 198	48, 544
Ethyl nitrobenzoylacetate	NO ₂ .(CO.CH ₂ .CO ₂ Et)=1.4	$C_{11}H_{11}O_5N$	49-50	Perkin & Bellenot	B., 17, 327	46, 1024
Ethyl benzamoxalate	CO ₂ H.(NH.CO.CO ₂ Et)=1.2	180-181	Baeyer	B., 15, 777	42, 1101
" "	" =1.3	225	Schiff	B., 17, 402	46, 906
Benzamsuccinic acid....	CO ₂ H.(NH.CO.C ₂ H ₄ .CO ₂ H) =1.3	222-223	Pellizzari	B., 18, 215	48, 534
" "	" "	230	J. R., 4, 295	
" "	" =1.4	225-226	Michael	B., 10, 578	32, 616
Nitrotolylazoacetoacetic acid	Me.NO ₂ .(N ₂ .CHAc.CO ₂ H) =1.3.4	$C_{11}H_{11}O_5N_3$	176	Bamberger	B., 17, 2421	48, 157
-nitro-oreyldiglycollic acid....	$C_{11}H_{11}O_5N$	140	Saarbach	J. p. [2], 21, 170	
Benzenylazoximebutenyl	Ph.C : N.O.CPr ^a : N	$C_{11}H_{12}ON_2$	265	Liquid	Schulz	B., 18, 1085	48, 897
Dimethoxyquinizine	113	Knorr	B., 17, 549	46, 1153
"	$C_6H_4.N.NH.CMe.CHMe.CO$ =1.2	127-132	Knorr and Blank	B., 17, 2050	46, 1380
Tolomethoxyquinizine	$C_6H_3Me.N.NH.CMe.$ CHMe.CO=1.2.3	183	Knorr	B., 17, 550	46, 1153
"	" =1.4.5	140	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Anilidopyrotartarimide ...	CO.NH.CO.CH ₂ .CMe.NHPh	C ₁₁ H ₁₂ O ₂ N ₂	150	Wechsler	B., 18, 1040	48, 900
Ethylquinazol carboxylic acid	C ₅ H ₆ N(:NEt).CO ₂ H	"	126	Fischer and Kuzel	A., 221, 261	46, 442
" " "	v. B., 16, 653	"	131	" "	B., 16, 654	44, 812
Nitrosomethyldiacetamidobenzene	NAc ₂ .(CH ₂ .NO)=1.2	C ₁₁ H ₁₂ O ₃ N ₂	127.5-128.5	Gabriel and Meyer	B., 14, 2340	42, 189
Nitrosoethylamidocinnamic acid	NEt(NO).(CH:CH.CO ₂ H)=1.2	"	149 d.	Fischer	B., 14, 482	40, 599
" " "	" " "	"	cf. B., 16, 654	150 d.	Fischer and Kuzel	A., 221, 261	46, 440
Azotoluene acetacetic acid	Me.(N ₂ .CHAc.CO ₂ H)=1.4	"	180-190 d.	Zublin	B., 11, 1419	34, 880
Quinoline ethylic nitrate	C ₉ H ₇ N+Et.O.NO ₂	"	89 u. c.	Claus and Tosse	B., 16, 1278	44, 1009
Ethylic benzoylallophanate...	NHBz.CO.NH.CO ₂ Et	C ₁₁ H ₁₂ O ₄ N ₂	163	Kretschmar	B., 8, 104; C. C. [1876], 233	28, 563; 31, 615
Hippuramidoacetic acid ...	NHBz.CH ₂ .CO.NH.CH ₂ CO ₂ H	"	206.5	Curtius	J. p. [2], 24, 239; 26, 175	40, 1144; 44, 338
Ethylic amidobenzamoxalate	(CO.NH ₂).(NH.CO.CO ₂ Et)=1.3	"	191.5	Schiff	B., 17, 402	46, 906
Benzamsuccinamide	CO ₂ H.(NH.CO.C ₂ H ₄ .CO.NH ₂)=1.3	"	228-229	Pellizzari	B., 18, 214	48, 533
Ethylic α-nitramidocinnamate	NO ₂ .NH ₂ .(CH:CH.CO ₂ Et)=1.2.1	"	158-160	Friedländer and Lazarus	A., 229, 233	48, 1139
Nitrophenyl-β-acetylalanine	NO ₂ .(CH.CH ₂ .CO.O.NH ₂ Ac)=1.4	C ₁₁ H ₁₂ O ₃ N ₂	141-142	Einhorn	B., 16, 2647	46, 305
" " "	" " "	"	146-150	Basler	B., 17, 1496	46, 1173
Pyrotartaronitrilic acid	NO ₂ .(NH.C ₅ H ₆ O ₂ .OH)=1.4	"	150+	Arppe	A., 87, 228; 90, 145	iv., 775
Ethylic nitrotoloxamate	Me.NO ₂ .(NH.CO.CO ₂ Et)=1.3.4	"	127-128	Hinsberg	B., 15, 2691	44, 323
Nitroacetamidohydrocinnamic acid	NHAc.NO ₂ .(CH ₂ .CH ₂ .CO ₂ H)=1.2.4	"	174	Gabriel and Steudemann.	B., 15, 844	42, 1073
Ethylic dinitrohydrocinnamic acid	(NO ₂) ₂ .(CH:CH.CO ₂ Et)=1.2.4 (?)	C ₁₁ H ₁₂ O ₆ N ₂	32	Gabriel and Zimmermann	B., 12, 601	36, 640
Methylic nitrophenylmethoxynitropropionate	NO ₂ .[CH(OMe).CH(NO ₂).CO ₂ Me]=1.4	C ₁₁ H ₁₂ O ₇ N ₂	117 118	Friedländer and Mähly	A., 229, 210; B., 16, 852	48, 1138
Ethylic dinitroethoxybenzoate	CO ₂ Et.OEt.(NO ₂) ₂ =1.2.(?) ₂	"	49	Salkowski	A., 173, 51	
" " "	" " " =1.4.(?) ₂	"	59	"	B., 4, 653; A., 163, 48	24, 920; 25, 716
Methylic methoxydinitrohydrocinnamic acid	OMe.(NO ₂) ₂ .(CH ₂ .CH ₂ .CO ₂ Me)=1.2.6.4	"	53	Stöhr	A., 225, 57	46, 1350
Ethoxydinitrohydrocinnamic acid	OEt.(NO ₂) ₂ .(CH ₂ .CH ₂ .CO ₂ H)=1.2.6.4	"	126	"	"	"
Trinitroethoxyphenylurethane	OEt.(NO ₂) ₃ .(NH.CO ₂ Et)=1.(?) ₃ .4	C ₁₁ H ₁₂ O ₉ N ₄	211-212 d.	Köhler	J. p. [2], 29, 257	46, 1161
Phenylangelamide	Ph.C ₄ H ₆ .CO.NH ₂	C ₁₁ H ₁₃ ON	128	Perkin	J. [1877], 790	
Acetylhydromethylketole	C ₆ H ₄ .CH ₂ .CHMe.NAc=1.2	"	55-56	Jackson	B., 14, 883	40, 735
Ethoxytetrahydroquinoline...	NH.H ₃ .OH=α ₁ β ₁ β ₂ α ₂ ; α ₁	"	275-276(716)	Liquid	Fischer	B., 16, 718	44, 1146
Acetyltetrahydroquinoline	"	295	Liquid	Wischnegradsky	B., 13, 2400; B.S. [2], 34, 339	40, 444
" " "	"	295	Liquid	Hoffmann & Königs	B., 16, 734	44, 1144
Ethylidihydrocarbostyryl	C ₆ H ₄ CH ₂ .CHAc.CO.NH=1.2	"	87-88; a.f. 76	Baeyer and Jackson	B., 13, 120	38, 407
" " "	v. B., 15, 377, 2104	"	199	Friedländer and Ostermeier	B., 15, 336, 2103	42, 732
Isonitrosoacetophenone acetone	Ph.CO.(CH ₂) ₂ .CMe:NOH or Me.CO.(CH ₂) ₂ .CPh:NOH	C ₁₁ H ₁₃ O ₂ N	122-123	Paal	B., 16, 2868	46, 599
Ethylic amidocinnamate	NH ₂ .(CH:CH.CO ₂ Et)=1.2	"	77-78	Friedländer and Weinberg	B., 15, 1422	42, 1209
Ethamidocinnamic acid	NHEt.(CH:CH.CO ₂ H)=1.2	"	125	"	B., 15, 1423	
" " "	" " "	"	125	Fischer and Kuzel	A., 221, 261	46, 440

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isobutylene-m-amidobenzoic acid	C ₁₁ H ₁₃ O ₂ N	d. 190	145-150	Schiff	A., 210, 118	42, 304
Isopropylnitrostyrene (CH:CH ₂).NO ₂ .Pr ^β =1.2.4	"	L.f.m.	Einhorn and Hess	B., 17, 2025	46, 1353
Methyltetrahydrocinchoninic acid	"	125	Weidel and Hazura	M. C., 5, 643	48, 562
"	"	169-170.d.	Weidel	M. C., 3, 66	42, 532
Methyltetrahydroquinoline carboxylic acid	N.CO ₂ H=a ₁ ; β ₁ or a ₂	"	164	Fischer and Körner	B., 17, 766	48, 1197
Ethyl malonanilidate NHPH.CO.CH ₂ .CO ₂ Et	C ₁₁ H ₁₃ O ₃ N	310 p.d.	122	Bruyn	R. T., 2, 205	48, 657
Ethyl hippurate NHBz.CH ₂ .CO ₂ Et	"	38-30	Rugheimer and Hoffmann	B., 17, 740	48, 1023
"	"	44	Stenhouse	A., 31, 148	iii., 162
"	"	60	Curtius	B., 17, 1663	48, 1348
"	"	60.5	"	J. p. [2], 26, 145	44, 339
"	"	60.5	Campani & Bizzarri	G. I., 10, 257	38, 870
"	"	60.5	Conrad	J. p. [2], 15, 246	32, 484
Pyrotartronic acid	"	a. 180 p.d.	60.5	Arppe	A., 90, 141; 91, 106	
Ethyl tolyloxamate Me.(NH.CO.CO ₂ Et)=1.4	"	147	Klinger	A., 184, 285	31, 712
Tolylsuccinamic acid Me.[NH.CO.(CH ₂) ₂ .CO ₂ H]	"	66-67	Bechi	B., 12, 322	38, 528
"	"	91	"	"	"
"	"	157	"	"	"
Acetamidohydrocinnamic acid	NHAc.(CH ₂ .CH ₂ .CO ₂ H)=1.4	"	143	Gabriel and Steudemann	B., 15, 844	42, 1073
Hippurylamidoacetamide NHBz.CH ₂ .CO.NH.CH ₂ .CO.NH ₂	C ₁₁ H ₁₃ O ₃ N ₃	202	Curtius	J. p. [2], 26, 194	44, 339
Diazoimidoethoxyphenylurethane	N : N.C ₆ H ₅ (OEt).N.CO ₂ Et	"	b. 100	Köhler	J. p. [2], 29, 257	46, 1160
Amidotolylazo-acetacetic acid	Me.NH ₂ (N ₂ .CHAc.CO ₂ H)	"	162	Bamberger	B., 17, 2421	48, 158
"	=1.3.4	"	"	"	"	"
Diacetdiamidobenzamide (NHAc) ₂ .(CO.NH ₂)=1.3.5	"	a. 265	Muretow	Z. C. [2], 6, 642	vii., 130
Anilidopyrotartaric acid CO ₂ H.CMe(NHPH).CH ₂ .CO ₂ H	C ₁₁ H ₁₃ O ₄ N	101-102	Wechsler	B., 18, 1048	48, 900
Ethyl nitrohydrocinnamate	NO ₂ .(CH ₂ .CH ₂ .CO ₂ Et)=1.2	"	Liquid	Gabriel and Zimmermann	B., 13, 1681	
"	"	33-34	Beilstein and Kuhlberg	A., 163, 133; Z. C. [2], 7, 487	25, 300; vii., 348
Nitrotolylisobutyric acid Me.NO ₂ .(CH ₂ .CHMe.CO ₂ H)	"	139	Effront	B., 17, 2326	48, 152
"	=1.2.5	"	"	"	"	"
Ethyl nitromesitylenate CO ₂ Et.Me ₂ .NO ₂ =1.3.5.2	"	64-65	Schmitz	A., 193, 167	38, 156
"	=1.3.5.4	"	72	Fittig	A., 147, 50	vi., 823
Methyldicarbocollidylum dehydride	v. B., 17, 1024	"	a. 360	81-82	Hantzsch	B., 17, 1023	46, 1045
"	"	"	92	"	"	"
Nitrodiacetdiamidotoluene Me.NO ₂ .(NHAc)=(1) ₂ .1.3	"	n.f. 240	Tiemann	B., 3, 9	"
"	"	"	253	Ladenburg	B., 8, 1211	29, 401
Diethyl chelidammate C(OH):N.C(CO ₂ Et).CH: C: CH.CO ₂ Et	C ₁₁ H ₁₃ O ₅ N	+ H ₂ O	80-81	Lerch	M. C., 5, 367	48, 46
Ethyl nitrophenyl-β-lactate	NO ₂ .[CH(OH).CH ₂ .CO ₂ Et]	"	56	Einhorn & Pransnitz	B., 17, 1661	46, 1351
"	=1.3	"	45-46	"	"	"
"	=1.4	"	45-46	Basler	B., 16, 3007	46, 604
o-Nitrophenyllactic aldehyde + acetic aldehyde	C ₆ H ₄ (NO ₂)[C ₂ H ₃ (OH).CHO] + CH ₃ .CHO	"	125 p. d.	Baeyer & Drewsen	B., 16, 2205	48, 58
Ethyl ethoxynitrobenzoic acid	CO ₂ Et.OEt.NO ₂ =1.2.3	"	cf. A., 195, 35	Liquid	Hübner	B., 8, 1216	29, 593
"	=1.2.5	"	cf. A., 195, 15	98-99	"	B., 8, 1219	"
Ethyl nitrohydrocoumarate	OH.NO ₂ [(CH ₂) ₂ .CO ₂ Et]	"	30	Stöhr	A., 225, 57	46, 1350
"	=1.2.4	"	"	"	"	"
Nitrodiethoxybenzaldehyde	(OEt) ₂ .NO ₂ .CHO=1.4.5	"	129-130	Hantzsch	J. p. [2], 22, 472	40, 167
Methoxyisopropylnitrobenzoic acid	Pr ^β .OMe.NO ₂ .CO ₂ H=?	"	145-146	Paterno & Canzoneri	G. I., 10, 233	38, 884
Dinitroacetpseudocumidide Me ₂ .NHAc.(NO ₂) ₂ =1.3.4.(1) ₃	C ₁₁ H ₁₃ O ₆ N ₃	204	Engel	B., 18, 2232	48, 1215

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitroacetmesidide	Me ₃ .NHAc.(NO ₂) ₂ =1.3.5.2.4.6	C ₁₁ H ₁₃ O ₆ N ₃	cf. A., 179, 167	275	Ladenburg	B., 7, 1134	28, 63
"	"	"	276	Ledoux	I. D. Gött., 1875	
Ethylie nitroveratrate	CO ₂ Et.(OMe) ₂ .NO ₂ =1.3.4.?	C ₁₁ H ₁₃ O ₆ N	99-100	Tiemann and Matsmoto	B., 9, 941; 11, 132	30, 524
Trinitrolanrol (?)	C ₁₁ H ₁₃ O ₆ N ₃	84	Fittig and others	A., 145, 150	
Ethylie dinitroamidohydrocinnamate	NH ₂ .(NO ₂) ₂ .(CH ₂ .CH ₂ .CO ₂ Et)=1.2.6.4	"	95	Stöhr	A., 225, 57	46, 1350
Dinitroethoxyphenylurethane	OEt.(NO ₂) ₂ .(NH.CO ₂ Et)=1.(?) ₂ .4	C ₁₁ H ₁₃ O ₇ N ₃	141	Köhler	J. p. [2], 29, 257	46, 1161
Methyltrinitrothymol	Me.Pr ^α .OMe.(NO ₂) ₃ =1.4.5.2.3.6	"	92	Z. C. [1871], 415	
Diethyltrinitro-orsinol	Me.(OEt) ₂ .(NO ₂) ₃ =1.3.5.2.4.6	C ₁₁ H ₁₃ O ₈ N ₃	61.5	Stenhouse	P. R., 19, 410; Z. C. [1871], 229	24, 358; vii., 880
Ethylamidohydrocarbostyryl	C ₆ H ₄ .N(NH ₂ Et).CO.(CH ₂) ₂ =1.2	C ₁₁ H ₁₄ ON ₂	74	Fischer and Kuzel	A., 221, 261	46, 442
Ethylhydrocarbostyryl	C ₆ H ₄ .(CH ₂) ₂ .CO.NH.NEt =1.2	"	165.5	"	B., 16, 1452	44, 1132
Butyrylbenzenylamidoxime	NH ₂ .CPh : NO.CO.Pr ^α	C ₁₁ H ₁₄ O ₂ N ₂	94	Schulz	B., 18, 1084	48, 897
Ethylie phenylhydrazinepyrrolacemate	Ph.N ₂ H : CMe.CO ₂ Et	"	114-115	Fischer & Jourdan	B., 16, 2243	46, 53
Tolylsuccinamide	Me.(NH.CO.C ₂ H ₄ .CO.NH ₂) =1.4	"	148	Bechi	B., 12, 321	36, 527
"	"	"	160	"	"	"
Diacetdiamidotoluene	Me.(NHAc) ₂ =1.2.5	"	219-220	Witt	35, 360
"	"	"	cf. B., 10, 1157	220	Nietzki	B., 12, 2237	
"	"	"	221	Tiemann	B., 3, 8	
"	"	"	222	Koch	A., 153, 132	
"	"	"	223	Kelbe	B., 16, 1200	44, 916
"	"	"	223	Hell and Schoop	B., 12, 724	36, 715
"	"	"	224	Ladenburg	B., 8, 1211	29, 401
Nitroso-ethoxyhydroquinoline	N.OEt=α ₁ ; α ₁	"	113	Fischer and Renouf	B., 17, 759	46, 1049
Nitrosoethamidohydrocinnamic acid	(NEt.NO).(CH ₂ .CH ₂ .CO ₂ H) =1.2	C ₁₁ H ₁₄ O ₃ N ₂	78	Fischer and Kuzel	A., 221, 261; B., 16, 1451	44, 1132; 46, 440
Ethylie amidotolylloxamate....	Me.NH ₂ .(NH.CO.CO ₂ Et) =1.2.4	"	168	Tiemann	B., 3, 222	
Nitracetopseudocumidide	Me ₃ .NHAc.NO ₂ =1.3.4.(?) ₂	"	131	Engel	B., 18, 2231	48, 1215
"	"	"	193-194	Edler	B., 18, 629	48, 771
Nitracetomesidide	"	"	182	Ledoux	B., 8, 58	28, 569
"	"	"	188	Ladenburg	B., 7, 1134	28, 63
Ethylie phenylhydroxyethenylamidoxime carbonate	HO.CHPh.C(NH ₂):N.O.CO ₂ Et	C ₁₁ H ₁₄ O ₄ N ₂	106-107	Gross	B., 18, 2480	48, 1218
Nitroethoxyphenylurethane	OEt.NO ₂ .(NH.CO ₂ Et)=1.?.4	C ₁₁ H ₁₄ O ₆ N ₂	71	Köhler	J. p. [2], 29, 257	46, 1159
Diethylbenzamide	C ₆ H ₅ .CO.NEt ₂	C ₁₁ H ₁₆ ON	280-282 c.	Liquid	Hallmann	B., 9, 846	30, 418
Acetylpropylanilide	C ₆ H ₅ .NPr ^α Ac	"	254 u. c.	56 u. c.	Claus and Roques	B., 16, 913	
Isovaleranilde	C ₆ H ₅ .NH.(CH ₂) ₂ .CHMe ₂	"	300	100	Schmidt and Sachtleben	A., 193, 102	36, 139
" (cf. A., 84, 109)	"	"	a. 220	115	Chiozza	A. C. [3], 39, 201	v., 975
"	"	"	115	Kelbe	B., 16, 1200	44, 916
Isobutylbenzaldoxime	C ₆ H ₅ .CH:NOBu ^β	"	237-239 s.d.; u.c.	Petracek	B., 16, 828	
Acetylethyltoluidide	Me.NEtAc=1.2	"	254-256	Reinhardt & Staedel	B., 16, 31	44, 578
Formamidoisobutylbenzene	Bu ^β .(NH.CHO)=?	"	310-316	59	Gasiorowski & Merz	B., 18, 1009	48, 773
Acetamidopropylbenzene	Pr ^α .NHAc=1.4	"	87	Louis	B., 16, 108	
Acetamidoethyltoluene ...	Me.Et.NHAc=1.?.2	"	313-315	105-105.5	Benz	B., 15, 1651	42, 1284
Cymene carboxylamide	Me.Pr ^α .(CO.NH ₂)=1.4	"	cf. B., 8, 442	138-139	Paterno and Spica	G. I., 9, 400	38, 163
Cyanocamphor	C ₁₀ H ₁₄ .CN.OH	"	250 p.d.	127-128	Haller	C. R., 87, 843	36, 329
Acetopseudocumidide	Me ₃ .NHAc=1.3.4.2 or 5	"	112	Engel	B., 18, 2230	48, 1215
"	"	"	161	Edler	B., 18, 629	48, 771
"	"	"	161	Nölting and Baumann	B., 18, 1146	48, 893

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetomesidide	Me ₃ .NHAc=1.3.5.6	C ₁₁ H ₁₅ ON	210	Nölting & Baumann	B., 18, 1146	48, 893
"	" "	"	213-214	Ladenburg	B., 7, 1136	28, 64
"	" "	"	216	Biedermann and Ledoux	B., 8, 58	28, 569
"	" "	"	216-217	Ladenburg	A., 179, 173	
Tetrahydro-ethoxyquinoline	N.OEt=a ₁ ; a ₁	"	275-276 (716)	Liquid	Fischer	B., 16, 718	
Tetrahydrohydroxyethyl quinoline	N.OH=a ₁ ; β ₁ or a ₂	"	73	Riemerschmied	B., 16, 724	44, 1148
"	NEt.OH=a ₁ ; a ₁	"	76	Fischer	B., 16, 717	
"	" "	"	76	Fischer and Renouf	B., 17, 756	46, 1049
Tetrahydromethoxyquinoline	N.Me.OMe=a ₁ β ₁ ; a ₁	"	270	Liquid	Döbner and Miller	B., 17, 1707	46, 1374
Benzenylethoximidoethyl ether	EtO.CPh : N.OEt	C ₁₁ H ₁₅ O ₂ N	238, u.c.; (o.p.) 128 (40)	Liquid	Tiemann & Krüger	B., 18, 742	48, 790
Ethylic ethylbenzoylhydroxamate	NEtBz.OEt	"	244 c. (755) p.d.	Gurke	A., 205, 273	40, 571
Ethylic ethylphenylcarbamate	NEtPh.CO ₂ Et	"	245-250	"	"	"
Isobutylic phenylcarbamate	NHPh.CO ₂ Bu ^β	"	216	80	Mylius	B., 5, 973	26, 266; vii., 946
α-phenamidovaleric acid	CHMe ₂ .CH(NHPh).CO ₂ H	"	a. 110	Duvillier	A. C. (5), 21, 433	40, 713
Cumylic carbamate	NH ₂ .CO ₂ .CH ₂ .C ₆ H ₄ Pr	"	v. a. 200	88-89	Spica	G. I., 5, 394	29, 582
Ethylic tolylamidoacetate	Me.(NH.CH ₂ .CO ₂ Et)=1.2	"	272-278	Liquid -10	Ehrlich	B., 16, 204	44, 594
"	" =1.3	"	68	"	B., 15, 2012	44, 54
"	" =1.4	"	48-49	Meyer	B., 8, 1159	29, 402
Diethamidobenzoic acid	NEt ₂ .CO ₂ H=1.3	"	90	Griess	B., 5, 1040	26, 281; vii., 167
"	" =1.4	"	188	Michler and Gradmann	B., 9, 1912	32, 334, 335
Cuminamidoacetic acid	C ₆ H ₄ Pr.CH(NH ₂).CO ₂ H(?)	"	197 d.	Plöschl	B., 14, 1317	42, 515
Ethylic xyllylcarbamate	NH(C ₈ H ₉).CO ₂ Et	"	58	Hofmann	B., 3, 657; P. R., 19, 108	24, 139; vii., 253
Acetamidoethoxytoluene	Me.OEt.NHAc=1.4.5	"	106.5	Kayser	B., 15, 1135	42, 1203
"	" "	"	106.5	Staedel	A., 217, 221	44, 866
"	" =1.2.5	"	108	"	A., 217, 218	"
"	" "	"	108	Kayser	B., 15, 1135	42, 1203
"	" =1.3.?	"	114	"	"	"
"	" "	"	114	Staedel	A., 217, 220, 222	44, 866
Methamidothymoquinone	Me.Pr ^α .NHMe.O ₂ =1.4.(?) ₃	"	74	Zincke	B., 14, 97	40, 596
Ethylic collidine carboxylate	C ₅ HNMMe ₃ .CO ₂ Et	"	256	Liquid	Michael	A., 225, 121	48, 61
Toluidine diacetamide	C ₆ H ₄ Me.N(CH ₂ .CO.NH ₂) ₂ =1.4	C ₁₁ H ₁₅ O ₂ N ₃	250	Meyer	B., 8, 1163	29, 402
Ethylic ethoxyphenylcarbamate	OEt.(NH.CO ₂ Et)=1.4	C ₁₁ H ₁₅ O ₃ N	250-270 p.d.	94	Köhler	J. p. [2], 29, 257	46, 1159
Methylic dimethamidoanisate	CO ₂ Me.OMe.NMe ₂ =1.4.?	"	288	Liquid	Griess	B., 6, 588	26, 1146; vii., 188
Ethylanhydracetdiamidotoluene nitrate	C ₆ H ₃ Me.N : CMe.NHEt.NO ₃	C ₁₁ H ₁₅ O ₃ N ₃	93	Hübner	A., 210, 328	42, 505
Ethylic amidoveratrate	CO ₂ Et.(OMe) ₂ =1.3.4.	C ₁₁ H ₁₅ O ₄ N	88-89	Matsmoto	B., 11, 135	34, 502
Diethylic ethylecyanuridicarboxylate	C ₃ EtO ₃ N ₃ (CO ₂ Et) ₂	C ₁₁ H ₁₅ O ₇ N ₃	123	Wurtz and Henninger	C. R., 100, 1419	48, 969
Diethylphenylcarbamide	NHPh.CO.NEt ₂	C ₁₁ H ₁₆ ON ₂	85	Gebhardt	B., 17, 3039	48, 383
Cuminylylcarbamide	C ₆ H ₄ Pr.(CH ₂ .NH.CO.NH ₂) =?	"	133	Raab	B., 8, 1151	29, 398
Acetyltrimethdiamidobenzene	NMe ₂ .NMeAc=1.4	"	95	Wurster & Schobig	B., 12, 1811	38, 111
"	" "	"	+xH ₂ O	78	"	"	"
Acetyldimethdiamidotoluene	Me.NMe ₂ .NHAc=1.3.4	"	158	Wurster and Riedel	B., 12, 1801	38, 109
Isocymyl carbamide	Me.Pr ^β .(NH.CO.NH ₂)=1.3.?	"	176	Kelbe and Warth	A., 221, 157	46, 47
Ethylanhydracetdiamidotoluene hydrate	C ₆ H ₃ Me.N : CMe.NHEt(OH)	"	93	Hübner	A., 210, 328	42, 505
"	" "	"	+2H ₂ O	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl α -phenylhydrazidopropionate	$\text{NH}_2\text{NPh.CHMe.CO}_2\text{Et}$	$\text{C}_{11}\text{H}_{16}\text{O}_2\text{N}_2$	116	Reissert	B., 17, 1456	46, 1152
Pilocarpin	"	159	Blyth	33, 317
Ethyl amidoeoxyphenyl carbamate	$\text{OEt.NH}_2\text{.(NH.CO}_2\text{Et)}=1.?.4$	$\text{C}_{11}\text{H}_{16}\text{O}_3\text{N}$	88	Köhler	J. p. [2], 29, 257	46, 1160
"	" =1.?.4	"	121	"	"	46, 1161
Diethoxy-oxydimethylpurin	$\text{C}_5\text{N}_4\text{Me}_2\text{O(OEt)}_2$	$\text{C}_{11}\text{H}_{16}\text{O}_5\text{N}_4$	126-127	Fischer	B., 17, 337	46, 997
Ethoxyethyltheobromin	$\text{C}_7\text{H}_6\text{EtN}_2\text{O}_4\text{.OEt}$	$\text{C}_{11}\text{H}_{16}\text{O}_6\text{N}_2$	155	"	A., 215, 306	44, 357
Furfuroldiurethane	$\text{C}_4\text{H}_3\text{O.CH(NH.CO}_2\text{Et)}_2$	"	169	Bischoff	B., 7, 1081	
Ethylphenylpropylalkine	$\text{NPhEt.C}_3\text{H}_6\text{.OH}$	$\text{C}_{11}\text{H}_{17}\text{ON}$	261-263	Laun	B., 17, 678	46, 1011
Acetylcyanethine	$\text{C}_9\text{H}_{13}\text{N}_2\text{.NHAc}$	$\text{C}_{11}\text{H}_{17}\text{ON}_3$	59	Meyer	J. p. [2], 30, 115	48, 140
Dioxyethene toluidine	$\text{C}_8\text{H}_4\text{Me.N(C}_2\text{H}_4\text{.OH)}_2=1.4$	$\text{C}_{11}\text{H}_{17}\text{O}_2\text{N}$	338-340	Liquid	Demole	A., 173, 137; B., 7, 638	27, 904
Phoronimide	$\text{O.CMeBu}^\beta\text{.CH}_2\text{.CMe.CO.}$ NH.CO	$\text{C}_{11}\text{H}_{17}\text{O}_3\text{N}$	205	Pinner	B., 14, 1080	40, 797
Ethoxycyanoniine	$\text{C}_9\text{H}_{12}\text{N(NH).OEt}$	$\text{C}_{11}\text{H}_{19}\text{ON}_2$	229-231	Liquid	Meyer	J. p. [2], 22, 277	40, 55
Ethylhydroxycyanoniine	$\text{C}_9\text{H}_{17}\text{N(NEt).OH}$	"	267-268	43	"	J. p. [2], 26, 350	44, 353
Ethoxyhydroxycyanoniine	$\text{C}_9\text{H}_{12}\text{(OEt)N}_2\text{.OH}$	$\text{C}_{11}\text{H}_{15}\text{O}_2\text{N}_2$	51	Riess	J. p. [2], 30, 145	48, 235
"	"	a. 320	Pinner	B., 14, 1077	40, 797
Ethoxycyanethine	$\text{C}_9\text{H}_{14}\text{N}_3\text{.OEt}$	$\text{C}_{11}\text{H}_{19}\text{ON}_3$	300	115	Riess	J. p. [2], 30, 145	48, 235
Borneol urethane	cf. C. R., 94, 869	$\text{C}_{11}\text{H}_{19}\text{O}_2\text{N}$	115	Haller	C. R., 93, 1511	42, 625
Gelsemine	$\text{C}_{24}\text{H}_{28}\text{O}_4\text{N}_2(?)$	(") ₂ (?)	b. 100	Sonnenschein	B., 9, 1185	31, 97
"	"	b. 100	Wormley	A. J., 1870, 42	vii., 552
"	cf. P.J.T. (3), 521, 561, 601	"	b. 100	Holmes	P. J. T. [3], 481	29, 942
"	$\text{C}_{12}\text{H}_{14}\text{O}_2\text{N}(?)$	"	45; sf. 38	Gerrard	B., 16, 798	
Phoronamide	$\text{NH}_2\text{.CO.CMe.CH}_2\text{.CMe(O).}$ $\text{CH}_2\text{.CMe}_2\text{.CO.NH}_2$	$\text{C}_{11}\text{H}_{20}\text{O}_3\text{N}_2$	a. 300	Pinner	B., 14, 1079	40, 797
Valerodiacetonamine	$\text{Bu}^\beta\text{.CH.CH}_2\text{.CO.CH}_2\text{.}$ $\text{CMe}_2\text{.NH}$	$\text{C}_{11}\text{H}_{21}\text{ON}$	21; sf. 15	Antrick	A., 227, 365	48, 502
Menthol urethane	$\text{C}_{11}\text{H}_{21}\text{O}_2\text{N}$	d. 200	165	Arth	C. R., 94, 872	42, 1213
Conylurethane	$\text{C}_8\text{H}_{16}\text{N.CO}_2\text{Et}$	"	245	Schotten	B., 15, 1947	44, 220
Ethyl oxyheptinamate	$\text{C}_7\text{H}_9\text{O(OEt)}_2\text{.NH}_2$	$\text{C}_{11}\text{H}_{21}\text{O}_3\text{N}$	87	Demarçay	A. C. [5], 20, 494	
Isovaleraldiurethane	$\text{C}_8\text{H}_{10}\text{(NH.CO}_2\text{Et)}_2$	$\text{C}_{11}\text{H}_{22}\text{O}_2\text{N}_2$	126	Bischoff	B., 7, 633, 634	27, 891
Amidocamphoramide	$\text{C}_{11}\text{H}_{22}\text{O}_5\text{N}_2$	144-145	Hjelt	B., 13, 797	38, 670
Methylnonylacetoxyime	$\text{C}_9\text{H}_{19}\text{.CMe:NOH}$	$\text{C}_{11}\text{H}_{23}\text{ON}$	cf. B., 17, 1575	42	Spiegler	M. C., 5, 241	46, 1115
Diisoamylcarbamide	$\text{CO(NH.CH.CH}_2\text{.CHMe}_2)_2$	$\text{C}_{11}\text{H}_{24}\text{ON}_2$	270	37-39	Custer	B., 12, 1331	36, 913
Tetraethylallylalkine	$\text{(NEt)}_2\text{.C}_3\text{H}_5\text{.OH}$	$\text{C}_{11}\text{H}_{26}\text{ON}_2$	234-5	Liquid	Berend	B., 17, 511	46, 1114
"	"	236-238	Liquid	Reboul	C. R., 97, 1488	46, 578
Euchroic acid (cf. P. A., 52, 610)	$\text{C}_{12}\text{H}_4\text{O}_8\text{N}_2$	+2H ₂ O	a. 280 d.	Wöhler	A., 37, 273; 66, 49	ii., 602
Hexanitrodiorescinol	$\text{C}_{12}\text{(NO}_2)_6\text{(OH)}_4$	$\text{C}_{12}\text{H}_4\text{O}_{16}\text{N}_6$	d. w. m. 230	Benedikt & Julius	M. C., 5, 177	46, 1140
α -Tetranitrocarbazole	$\text{C}_{12}\text{H}_5\text{(NO}_2)_4\text{N}$	$\text{C}_{12}\text{H}_5\text{O}_8\text{N}_6$	cf. B., 15, 1760	308 d.	Ciamician & Silber	G. I. [1882], 272	42, 1104
β -	"	"	cf. B., 15, 1760	nf. 320	"	"	"
γ -	"	"	cf. B., 15, 1760	285 d.	"	"	"
Dipicrylamine (aurantia)	$\text{NH[C}_6\text{H}_2\text{(NO}_2)_3]_2$ =1.2.4.6; 1.4.(?) ₂	$\text{C}_{12}\text{H}_6\text{O}_{12}\text{N}_7$	230 d.	Austen	A. J. S. [3], 13, 279	32, 759
"	"	"	233	Gnehm	B., 7, 1401	
"	"	"	233-234 d.	"	B., 7, 1400	
"	"	"	234 d.	Mertens	B., 11, 845	34, 725
"	"	"	238 d.	Gnehm	B., 9, 1245	
"	"	"	238 d.	Austen	B., 7, 1250	28, 165; 32, 761
"	" =1.2.4.6; 1.3.(?) ₂	"	cf. B., 7, 1249	261	"	A. J. S., 13, 279	28, 165; 32, 758
Dinitroazophenylene	$\text{C}_{12}\text{H}_6\text{O}_4\text{N}_4$	d.a. 131	131	Claus	B., 8, 40	28, 647
Dinitrodiphenylene oxide	$\text{C}_{12}\text{H}_6\text{O}_6\text{N}_2$	200	Hoffmeister	A., 159, 214	
Tetranitrodiphenyl	fr. (C ₆ H ₄ .NO ₂) ₂ =1.4) ₂	$\text{C}_{12}\text{H}_6\text{O}_8\text{N}_4$	140	Losanitsch	B., 4, 405	24, 509; vii., 938
Tetranitrophenyl oxide	$\text{O[C}_6\text{H}_3\text{(NO}_2)_2]_2=1.2.4)_2$	$\text{C}_{12}\text{H}_6\text{O}_9\text{N}_4$	195	Willgerodt	B., 13, 887	36, 643
"	$\text{C}_6\text{H}_4\text{(NO}_2)_2\text{.O.C}_6\text{H}_2\text{(NO}_2)_3$ =1.2; 1.2.4.6	"	172-173	Willgerodt and Huetlin	B., 17, 1766	46, 1328

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tetranitrophenyl oxide	$C_6H_4(NO)_2.O.C_6H_2(NO_2)_3$ =1.4; 1.2.4.6	$C_{12}H_6O_9N_4$...	153	Willgerodt and Huetlin	B., 17, 1766	46, 1328
Tetranitro-diorescinol	$[C_6H(OH)_2(NO_2)_2]_2$ =[1.3.(?) ₂] ₂	$C_{12}H_6O_{12}N_4$...	268	Benedikt and Hübl	M. C., 2, 330	40, 1134
α -naphthoyl cyanide	$C_{10}H_7(CO.CN)=\alpha$	$C_{12}H_7ON$...	101	Boessneck	B., 15, 3065	44, 595
α -phenylpyridine ketone	$C_6H_4.CO.C_5NH_3=1.3$; 1.2.6	"	315	140-142	Skraup & Cobenzl	M. C., 4, 436	44, 1015
Ketone from acridine	$C_6H_3.N:CH.CH:C.CH:CH.CO$ =1.2.3	"	...	nf. 320	Græbe and Caro	B., 13, 103	38, 399
Naphthalimide	$C_{10}H_6.CO.NH.CO$	$C_{12}H_7O_2N$...	a. 280	Behr and Dorp	A., 172, 270	27, 1168
Pyrroline phthalimide	$C_4H_3N:C.C_6H_4.CO.O$	"	...	240-241	Ciamician and Dennstedt	B., 17, 2958	48, 379
Nitroazophenylene	...	$C_{12}H_7O_2N_3$...	209-210	Claus	B., 8, 40	28, 647
Trinitroazobenzene	...	$C_{12}H_7O_6N_5$...	112	Petrieff	Z. C. [2], 6, 564	vii., 1183
"	$Ph.N_2.C_6H_2(NO_2)_3$	"	...	142	Fischer	A., 190, 133	34, 309
"	$C_6H_4(NO_2).N_2.C_6H_3(NO_2)_2$ =4.1; 1.4.2 or 3	"	...	169	Janovsky and Erb	B., 18, 1135	48, 894
"	" =4.1; 1.4.3 or 2	"	...	180	"	"	"
Trinitrophenyl oxide	$Ph.O.C_6H_2(NO_2)_3=1.2.4.6$	$C_{12}H_7O_7N_3$...	?	Willgerodt	B., 12, 1278	
"	$C_6H_4(NO_2).O.C_6H_3(NO_2)_2$ =1.4; 1.2.4	"	...	114	Willgerodt and Huetlin	B., 17, 1765	46, 1328
"	" =1.2; 1.2.4	"	...	119	"	"	"
Trinitroazoxybenzene	...	$C_{12}H_7O_7N_5$	cf. B., 6, 557	152	Schmidt	Z. C. [2], 5, 421	vi., 272
Trinitrodioxyazobenzene	...	$C_{12}H_7O_8N_5$...	102	Petrieff	B., 6, 558	26, 1028
Tetranitrodiphenylamine	$NH[C_6H_3(NO_2)_2]_2=(1.2.4)_2$ =?	"	...	180	Hager	B., 17, 2630	48, 150
"	" =?	"	...	192	Guehm and Wyss	B., 10, 1320	34, 52
"	$C_6H_4(NO_2).NH.C_6H_2(NO_2)_3$ =1.3; 1.2.4.6	"	...	205	Austen	B., 7, 1248; A. J. S. [3], 13, 279	28, 165; 32, 757
"	" =1.4; 1.2.4.6	"	...	216	"	"	"
Trinitrotrioxazobenzene	...	$C_{12}H_7O_9N_5$...	52	Petrieff	B., 6, 558	26, 1028
Nitrosocarbazole	$C_6H_4.C_6H_4.N.NO$	$C_{12}H_9ON_2$...	82	Zeidler	A., 191, 306	
Hydroxyphenanthroline	$N:CH.CH:CH.C_6H_2.CH:$ $CH.C(OH):N=1.2.6.5$	"	...	159-160	Coste	B., 16, 675	44, 811
β -nitroacridine	...	$C_{12}H_9O_2N_2$...	154	Græbe and Caro	A., 158, 275	vii., 26
α -	...	"	...	214	"	"	vii., 25
Dinitrodiphenyl	$(C_6H_4.NO_2)_2=1.2$; 1.4	$C_{12}H_8O_4N_2$...	93.5	Fittig	A., 124, 275	iv., 411
"	" "	"	...	93.5	Schultz	A., 174, 201	28, 150
"	" "	"	cf. B., 14, 612	93.5	Schultz & Strasser	A., 207, 350	40, 604, 911
"	" = (1.4) ₂	"	...	213	Fittig	A., 124, 276	iv., 410
"	" "	"	...	229-230	Lüddens	B., 8, 871	
"	" "	"	...	233	Schultz	A., 174, 221	28, 150
" (cf. A., 207, 350)	" "	"	...	233	Schultz & Strasser	B., 14, 612	40, 604, 911
Dipyridyl dicarboxylic acid	$(C_5NH_3.COOH)_2=(1.2.6)_2$	"	...	214-215	Skraup	M. C., 3, 590	
"	" "	"	+2H ₂ O	217 d.	"	B., 15, 896	42, 1112
"	" "	"	...	217 d.	Skraup & Vortmann	M. C., 3, 370	44, 88
Dinitroazobenzene	$(:N.C_6H_4.NO_2)_2=(1.3)_2$	$C_{12}H_8O_4N_4$	cf. A., 75, 73	s. 15	Janovsky and Erb	B., 18, 1134	48, 894
"	" = (1.4) ₂	"	cf. A., 75, 73	206	"	"	"
"	" "	"	...	206	Janovsky	M. C., 6, 157	48, 789
Dinitrophenyl oxide	$Ph.O.C_6H_3(NO_2)_2=?$	$C_{12}H_8O_5N_2$...	65	Maikopar	B., 6, 564	26, 1026
"	" =1.2.4	"	...	71	Willgerodt	B., 12, 767	36, 717
"	"	"	...	135	Hoffmeister	A., 159, 208	vii., 941
Dinitrohydroxydiphenyl	fr. $C_6H_4Ph.OH=1.4$	"	...	154	Latschinoff and Engelhardt	B., 6, 195; J. R., 5, 52	28, 750; vii., 938
Dinitrodihydroxydiphenyl	$[C_6H_3(OH).NO_2]_2=(1.1.2)_2$	$C_{12}H_8O_6N_2$...	w. m. 150	Goldstein	B., 7, 735	27, 1093
"	"	"	...	184	"	J. R., 6, 193	
Trinitrodiphenylamine	...	$C_{12}H_9O_6N_4$...	135	Norton and Allen	B., 18, 1997	48, 1214
"	$Ph.NH.C_6H_2(NO_2)_3=?$	"	...	175	Austen	A. J. S. [3], 13, 279	32, 760
"	" "	"	...	175	Clemm	B., 3, 126	
"	$C_6H_4(NO_2).C_6H_3(NO_2)_2$ =1.4; 1.2.4	"	...	181	Austen	A. J. S. [3], 13, 279; B., 7, 1250	28, 165; 32, 758

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trinitrodiphenylamine	$C_6H_4(NO_2).C_6H_3(NO_2)_2$ =1.3; 1.2.4	$C_{12}H_9O_6N_4$	189	Austen	A. J. S. [3], 13, 279; B., 7, 1250	28, 165; 32, 758
"	" =1.3; 1.(?) ₂	"	194-195	Willgerodt	B., 9, 1179	32, 758
Dinitrodiorescinol	$C_{12}H_4(NO_2)_2(OH)_4$	$C_{12}H_8O_8N_2$	d.w.m. 170	Hazura	M. C., 4, 610	44, 1114
Ethenyl amidonaphthol	$C_{10}H_6.N : CMe.O$	$C_{12}H_9ON$	Liquid	Böttcher	C. C. [1884], 898	48, 659
Azoazoxybenzene	$C_{12}H_9ON_3$	85	Zinin	A., 114, 225	i., 480
Nitrodiphenyl	$Ph.C_6H_4.NO_2=1.2$	$C_{12}H_9O_2N$	37	Lüddens	B., 8, 871	28, 1258
"	"	"	37	Schultz & Strasser	B., 14, 613	40, 604
"	"	"	37	Schultz and others	A., 207, 352	40, 912
"	"	"	320 d.	37	Hübner	A., 209, 341	
"	" =1.3	"	86	Pfankuch	J. p. [2], 6, 107	
"	"	"	157 (?)	Schultz	A., 174, 212	
"	" =1.4	"	113	Osten	B., 7, 171	27, 580
"	"	"	340 c.	113	Schultz	B., 7, 53; A., 174, 210	27, 468; 28, 149; vii., 937
"	"	"	113	Hübner	A., 209, 340	
"	"	"	113	Schultz & Strasser	B., 14, 613	40, 604
"	"	"	113	Lüddens	B., 8, 871	
α -Naphthylglyoxylamide	$C_{10}H_7.CO.CO.NH_2$	"	151	Boessneck	B., 15, 3066	44, 595
Nitroazobenzene	$Ph.N_2.C_6H_4.NO_2=1.4$	$C_{12}H_9O_2N_3$	cf. A., 75, 73	137	Janovsky	M. C., 6, 157	48, 789
"	"	"	138	Janovsky and Erb	B., 18, 1133	48, 894
Anilidohydroxyquinone	$O_2.OH.NHPh=1.4.5.?$	$C_{12}H_9O_3N$	d.w.m. 200	Zincke	B., 18, 789	48, 787
Nitrohydroxydiphenyl	$fr.Ph.C_6H_4.OH=1.4$	"	67	Latschinoff	B., 6, 195; J.R., 5, 52	26, 750; vii., 938
"	$C_6H_4(OH).C_6H_4.NO_2$ =1.4; 1.2	"	138	Schultz & Strasser	B., 14, 614	40, 605
"	"	"	138	Schultz and others	A., 207, 351	
"	" =(1.4) ₂	"	170	"	A., 207, 347	40, 911
"	"	"	170	Schultz & Strasser	B., 14, 614	40, 605
α -Naphthylloxamic acid	$C_{10}H_7.NH.CO.COOH$	"	180 d.	Ballo	B., 6, 247	26, 913; vii., 848
Pyrroline methylbenzoic acid	$C_4H_3N : CH.C_6H_4.CO_2H=1.2$	"	174-184	Ciamician and Dennstedt	B., 17, 2958	48, 379
Phenoxy nicotinic acid	$C_6H_3N(OPh).CO_2.H=?1.4$	"	275-280	Pechmann & Welsh	B., 17, 2394	47, 153; 48, 175
o-Nitroazoxybenzene	$C_{12}H_9O_3N_3$	49	Zinin	A., 114, 220	i., 480
p-	"	153	"	A., 114, 221	
Nitrobenzeneazophenol	$C_6H_4(OH).N_2.C_6H_4.NO_2$ =(1.4) ₂	"	183-184	Meldola	47, 659	
Nitroso-nitrodiphenylamine	$Ph.N(NO).C_6H_4.NO_2=?$	"	133.5	Witt	B., 11, 757	33, 205
Nitro-acetonaphthol	$C_{10}H_6.NO_2.OAc=\alpha\beta$	$C_{12}H_9O_4N$	61	Böttcher	B., 16, 1938	44, 1113
Methylic nitro- α -naphthoate	$C_{10}H_6.NO_2.CO_2Me=?\alpha$	"	109-110	Graeff	B., 16, 2252	46, 81
" " β - " "	" =? β	"	112	"	B., 16, 2254	"
Dinitro-diphenylamine	$Ph.NH.C_6H_3(NO_2)_2=1.2.4$	$C_{12}H_9O_4N_3$	153	Hepp	B. S. [2], 305; A., 215, 363	38, 51; 44, 317
"	"	"	cf. B., 3, 128	153	Clemm	A. J. S. [3], 13, 279; J. p., 108, 320; 109, 175	32, 760
"	"	"	156-157	Willgerodt	B., 9, 978	30, 405
"	$NH(C_6H_4.NO_2)_2=(1.2)_2$	"	211.5	Witt	B., 11, 759	33, 208
"	"	"	219-220	Lellmann	B., 15, 829	42, 1060
"	" =(1.4) ₂	"	214	Witt	B., 11, 759	33, 208
"	"	"	216	Lellmann	B., 15, 828	42, 1060
Nitrobenzeneazoresorcinol	$C_6H_4(NO_2).N_2.C_6H_3(OH)_2$ =1.4; 4.3.1	"	powder	Meldola	47, 660	
Dinitroamidoazobenzene (m-)	$C_6H_4(NO_2).N_2.C_6H_3(NO_2).NH_2$	$C_{12}H_9O_4N_5$	175-176	Hallmann	B., 9, 390	30, 93
" (m-)	"	"	A., 121, 272	195.5	Griess	P. T., 3, 678	iv., 461
" (p-)	"	"	A., 121, 271	224.5	"	"	"
Dinitroacetophthalide	$NHAc.(NO_2)_2$ = $\alpha_1\beta_1\alpha_2$; or α_1 ; $\alpha_1\beta_2$	$C_{12}H_9O_6N_3$	cf. B., 4, 850	247	Liebermann and Hammerschlag	B., 9, 333	30, 81
"	"	"	247	Liebermann	A., 183, 273	31, 608
"	"	"	247	Lellmann	B., 17, 114	46, 752
"	"	"	250.5	Hübner	A., 208, 330	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitroacetophthalide	NHAc.(NO ₂) ₂ =α ₁ β ₁ α ₂ ; or α ₁ ; α ₁ β ₂	C ₁₂ H ₉ O ₆ N ₃	251	Ebell	B., 8, 564	28, 900
Phthalylaspartic acid	C ₆ H ₄ :(CO) ₂ :N.CH(CO ₂ H). CH ₂ .CO ₂ H	C ₁₂ H ₉ O ₆ N	233	Piutti	G. I., 14, 473	48, 796
Trinitrohydrazobenzene	Ph.NH.NH.C ₆ H ₃ (NO ₂) ₃	C ₁₂ H ₉ O ₆ N ₅	181 d.	Fischer	A., 190, 132	34, 309
Picric acid + benzene	C ₆ H ₆ +C ₆ H ₂ (OH)(NO ₂) ₃	C ₁₂ H ₉ O ₇ N ₃	A., 109, 247	85-90	Fritzsche	J. p., 73, 212; B. S., 7, 30	iv., 405
Trinitro-α-ethoxynaphthalene	C ₁₀ H ₄ .OEt.(NO ₂) ₃	"	148	Staedel	B., 14, 900; A., 217, 170	40, 724; 44, 863
" -β- "	"	"	186	"	"	"
Diphenylnitrosamine	Ph ₂ N.NO	C ₁₂ H ₁₀ ON ₂	cf. B., 10, 1309	66.5	Witt	B., 8, 855; A., 190, 174	29, 267; 33, 203
Azoxybenzene	Ph.N.O.N.Ph	"	cf. B., 6, 557	36	Zinin	J. p., 36, 93	i., 479
" (cf. B., 16, 81)	"	"	cf. B., 13, 525	36	Spring	B., 17, 1217	46, 949
" (cf. B., 14, 2617)	"	"	36	Mitscherlich	A., 9	
" (cf. B., 15, 865)	"	"	36	Glaser	G. J. C., 1867	
"	"	"	37	Schmidt & Schultz	B., 12, 486	36, 631
Hydroxyazobenzene	Ph.N ₂ .C ₆ H ₄ .OH	"	148	Griess	A., 137, 84	vii., 151
"	"	"	148	Kimich	B., 8, 1027	
"	"	"	150	Tschorvinsky	B., 6, 560	26, 1027
"	"	"	148-154	Mazzara	G. I., 9, 424	38, 163
"	"	"	148-154	Kekulé	B., 8, 1027	
"	"	"	152	Wallach and Kiepenheuer	B., 14, 2617	
"	"	"	152-153	Wallach and Belli	B., 13, 526	
"	"	"	152-154	"	B., 13, 525	
"	Ph.N ₂ .OPh(?)	"	154	Scichilone	G. I. [1882], 108	42, 726
Phenylazonitric acid	Ph.N ₂ .C ₆ H ₄ .NOH	C ₁₂ H ₁₀ ON ₃	134	Janovsky	M. C., 6, 157	48, 789
Hydroxydiphenylnitrosamine	C ₆ H ₄ .OH.(NPh.NO)=1.4	C ₁₂ H ₁₀ O ₂ N ₂	95	Philip and Calm	B., 17, 2433	48, 155
Nitrodiphenylamine	Ph.NH.C ₆ H ₄ .NO ₂ =1.4	"	A., 132, 167	132	Witt	B., 11, 757	33, 205
"	"	"	133	Lellmann	B., 15, 827	42, 1059
Hydroxyazoxybenzene	Ph.N.O.N.C ₆ H ₄ .OH	"	cf. B., 3, 235	145	Wallach and Kiepenheuer	B., 14, 2618	42, 394
α-Resorcinolazobenzene	Ph.N ₂ .C ₆ H ₃ (OH) ₂ =1.3	"	161	Typke	B., 10, 1577	34, 219
α- "	"	"	165	Meyer and Kreis	B., 16, 1330	44, 982
α- "	"	"	166	Baeyer and Jäger	B., 8, 151	
α- "	"	"	167-168	Wallach & Fischer	B., 15, 2816	
β- "	" =1.3	"	215 u.c.	Typke	B., 10, 1577	34, 219
β- "	"	"	215	Wallach & Fischer	B., 15, 2819	
Azophenol	(:N.C ₆ H ₄ .OH) ₂ =(1.2) ₂	"	171	Weselsky & Benedikt	A., 196, 344; B., 11, 399	34, 498; 36, 718
"	"	"	171	Bohn & Heumann	B., 17, 273	46, 1014
"	" =(1.4) ₂	"	204 d.	"	B., 15, 3037	
"	"	"	204 d.	Weselsky & Benedikt	A., 196, 340	36, 718
"	"	"	d.	214	Jäger	B., 8, 1499	29, 580
Nitroamido-diphenyl	NO ₂ .C ₆ H ₄ .C ₆ H ₄ .NH ₂ =1.2; 1.4	"	92-93	Schultz	B., 7, 55; A., 207, 350	27, 468; vii., 938
"	"	"	97-98	"	A., 174, 225	28, 150
"	" =1.4; 1.2	"	138	Schultz and others	A., 207, 348	40, 911
"	" =(1.4) ₂	"	160	Fittig	A., 124, 278	iv., 411
"	"	"	198	Schultz	A., 174, 222	28, 150
β-naphthoic carbamide	C ₁₀ H ₇ .CO.NH.CO.NH ₂	"	215	Vieth	A., 180, 322	30, 87
Nitroamidoazobenzene	C ₁₂ H ₁₀ O ₂ N ₄	195	Griess	[2], 5, 857	vi., 921
"	NO ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₄ .NH ₂ =1.4; 1.?	"	203-205	Nötting and Binder	B. S., 42, 340	48, 385
"	" =1.3; 1.4	"	210	Meldola	45, 113	
"	"	"	245	Griess	[2], 5, 857	vi., 921
Oxalylphenylallylcarbamide	CO.NPh.CO.CO.N.C ₆ H ₅	C ₁₂ H ₁₀ O ₃ N ₂	107-108	Maly	Z. C. [2], 5, 258	vi., 1089

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitroacetophthalide	NHAc.NO ₂ =α ₁ β ₁ ; (?)	C ₁₂ H ₁₀ O ₃ N ₂	115	Lellmann	B., 17, 111	46, 751
"	" =ββ(?)	"	A., 211, 41	123.5	Jacobsen	B., 14, 805	40, 736
"	" =α?	"	"	142	Lellmann	B., 17, 110	46, 751
"	" =α?	"	"	171	Anderoni & Biedermann	B., 6, 342	
"	" =α?	"	"	171	Lellmann	B., 17, 109	46, 751
" (cf. B., 7, 242)	" =α?	"	isomeric	171	Liebermann	A., 183, 229	31, 599
"	" =αβ	"	"	171	"	A., 183, 230	"
"	" =α?	"	"	187	Lellmann	B., 17, 110	46, 751
"	" =α ₁ α ₂ ;	"	"	189	Liebermann and Dittler	B., 7, 245	27, 692
"	" =α?	"	"	190	Liebermann	A., 183, 253	46, 752
"	" =α?	"	"	194	Lellmann	B., 17, 112	46, 751
Benzoquinone + o-nitraniline	C ₆ H ₄ :O ₂ +C ₆ H ₄ .NO ₂ .NH ₂	C ₁₂ H ₁₀ O ₄ N ₂	94-97	Hebebrand	B., 15, 1976	
" + p- "	"	"	115-120	"	"	
Dinitrohydrazobenzene	NO ₂ .C ₆ H ₄ .NH.NH.C ₆ H ₄ .NO ₂	C ₁₂ H ₁₀ O ₄ N ₄	220	Lermontoff	B., 5, 234	
Dinitroamidodiphenylamine	NH ₂ .C ₆ H ₄ .NH.C ₆ H ₃ (NO ₂) ₂ =1.3; (?) ₃	"	172	Leymann	B., 15, 1237	42, 1057
Dinitro-α-ethoxynaphthalene	OEt.(NO ₂) ₂ =α ₁	C ₁₂ H ₁₀ O ₅ N ₂	88	Martius	Z. C. [2], 4, 82	vi., 857
" -β-	" =β ₁ ?; β ₁	"	138	Græbe and Drews	B., 17, 1172	46, 1036
Trinitroaniline + benzene	C ₆ H ₆ +C ₆ H ₂ .NH ₂ .(NO ₂) ₃ =1.2.4.6	C ₁₂ H ₁₀ O ₆ N ₄	108.5	Mertens	B., 11, 843	
Trinitrobenzene + aniline	C ₆ H ₃ (NO ₂) ₃ +NH ₂ Ph	"	123-124	Hepp	A., 215, 356 ; B. S. [2], 30, 4	36, 51; 44, 316
Pyridine methopicate	C ₅ NH ₅ +C ₆ H ₂ .OMe.(NO ₂) ₃	C ₁₂ H ₁₀ O ₇ N ₄	+½H ₂ O	34	Ostermayer	B., 18, 592, 599	48, 813
Hydroxydiphenylamine	Ph.NH.C ₆ H ₄ .OH=1.3	C ₁₂ H ₁₁ ON	81.5-82	Merz and Weith	B., 14, 2345	42, 179
"	" " "	"	340	81.5-82	Calm	B., 16, 2788	46, 591
"	" =1.4	"	330	70	"	B., 16, 2801	46, 591
β-acetonaphthalide	C ₁₀ N ₇ .NHAc=β	"	132	Liebermann	A., 183, 225	31, 607
"	" "	"	132	Liebermann and Scheiding	B., 8, 1110	29, 403
" (cf. A., 211, 42)	" "	"	132	Cosiner	B., 14, 59	40, 606
" (cf. B., 14, 2343)	" "	"	132	Calm	B., 15, 611	42, 972
"	" "	"	132	Benz	B., 16, 9	
α- " (cf. B. S., 20, 20)	" =α	"	152	Tommasi	C. R., 76, 1267	26, 1040
"	" "	"	156	Jacobson	B., 14, 1793	
"	" "	"	157-158	Kelbe	B., 16, 1200	44, 916
"	" "	"	159	Rother	B., 4, 850	25, 81
"	" "	"	159	Anderoni & Biedermann	B., 6, 342	vii., 845
"	" "	"	159	Liebermann	A., 183, 229	31, 599
"	" "	"	160	Calm	B., 15, 615	42, 972
α-naphthylacetamide	C ₁₀ H ₇ .CH ₂ .CO.NH ₂	"	180-181	Boessneck	B., 16, 641	44, 808
Acetylquinoline	N.(CH ₂ .CO.Me)=α ₁ β ₁ ;	"	76	Fischer and Kuzel	B., 16, 164	44, 588
Amidobenzeneazophenol	NH ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₄ .OH =1.4; 1.?	C ₁₂ H ₁₁ ON ₃	138.5	Schmidt	Z. C. [1869], 419; A., 122, 174	vi., 272
"	" =1.3; 1.?	"	168	Wallach & Schulze	B., 15, 3021	44, 583
"	" =(1.4) ₂	"	181	Meldola	47, 659	
Nitroso-ethoxynaphthalene	OEt.NO=αβ	C ₁₂ H ₁₁ O ₂ N	101	Fuchs	B., 8, 630	
Acetamidonaphthol	OH.NHAc=βα	"	225	Böttcher	B., 16, 1938 ; C. C. [1884], 898	44, 1113 ; 48, 659
Dimethamido-α-naphthoquinone	C ₁₀ H ₆ (NMe ₂):O ₂ (?)	"	118	Plimpton	37, 642	
Ethamido-α-naphthoquinone	C ₁₀ H ₆ (NEt):O ₂ (?)	"	139-140	"	37, 641	
" " "	C ₁₀ H ₆ .O.NEt.O	"	140	Zincke	B., 12, 1646	36, 49
Amidobenzene azoresorcinol	NH ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₃ (OH) ₂ =1.4; 4.3.1	C ₁₂ H ₁₁ O ₂ N ₃	too high to determine	Meldola	47, 661	
Nitrocinnamylvinylmethylketone	NO ₂ .C ₆ H ₄ .CH:CH.CH:CH. COMe=1.2	C ₁₂ H ₁₁ O ₃ N	73.5	Diehl and Einhorn	B., 18, 2327	48, 1222
Nitroethoxynaphthalene	OEt.NO ₂ =β?	"	103-104	Wittkamp	B., 17, 394	46, 1036

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dimethamidogljone	$C_{10}H_4(OH)(NMe_2) : O_2 = \beta_1 ;$ $\beta_1 \alpha_1 \alpha_2$	$C_{12}H_{11}O_3N$	149-150	Mylius	B., 18, 465	48, 803
Ethoxyquinoline carboxylic acid	$N.OEt.CO_2H = \alpha_1 \beta_1 \beta_2 ;$	"	133	Friedländer and Göhring	B., 17, 460	46, 1020
" " "	" $= \alpha_1 \beta_1 \alpha_2 ;$	"	145-146	Königs and Körner	B., 16, 2154	46, 84
Ethyl hydroxyquinoline carboxylate	$N.OH.CO_2Et = \alpha_1 \beta_1 \alpha_2 ;$	"	206-207	"	B., 16, 2155	"
?-acid	"	148-149	Weltner	B., 18, 794	48, 794
Nitrocinnamylacetone	$NO_2.(CH : CH.CO.CH_2Ac)$ $= 1.2$	$C_{12}H_{11}O_4N$	112-113	Fischer and Kuzel	B., 16, 36	44, 587
Nitrobenzoyltetramethylene carboxylic acid	$(CH_2)_3.C(CO_2H).CO.C_6H_4.$ $NO_2 = 1.4$	$C_{12}H_{11}O_5N$	172	Perkin and Bellinot	B., 18, 957	48, 795
Nitropeucedanin (cf. A., 176, 78)	"	100 d.	Bothe	J. p., 46, 371	iv., 386
Anilinetrimitrailine....	$C_6H_2(NO_2)_3.NH_2 + Ph.NH_2$	$C_{12}H_{11}O_6N_5$	123-125	Hepp	A., 215, 359	
Diamidophenyl oxide	$C_{12}H_{12}ON_2$	185	Hoffmeister	A., 159, 209	vii., 941
Ethyl naphthyl nitrosamine	$C_{10}H_7.NEt(NO) = \beta$	"	49	Henriques	B., 17, 2669	48, 168
Harmalol	" (?)	darkens 180	212 d.	Fischer and Täuber	B., 18, 405	48, 821
?	"	125	Fittica	B., 8, 711	28, 1195
Azoxyaniline....	$O : N_2(C_6H_4.NH_2)_2 = (1.4)_2$	$C_{12}H_{12}ON_4$	182-184	Mixter	A. J. C., 5, 1	46, 301
Diacetamido- α -toluic nitril	$NAc_2.(CH_2CN) = 1.4$	$C_{12}H_{12}O_2N_2$	152-153	Gabriel	B., 15, 835	42, 1070
?-amide	$C_{11}H_{10}ON.(CO.NH_2)$	"	264	Weltner	B., 18, 794	48, 794
Acetoxyphenylethylazoximethenyl	$AcO.CHPh.C : N.O.CMe : N$	$C_{12}H_{12}O_3N_2$	52	Gross	B., 18, 1077	46, 898
Phenylethylazoximpropenylcarboxylic acid	$O.N : C(CH_2Ph).N : C.(CH_2)_2.$ CO_2H	"	59-60	Knudsen	B., 18, 2484	48, 1218
Diacetylterephthalaldoxime	$(CH : NAc).(CH : NOAc) = 1.4$	"	155	Westenberger	B., 16, 2995	46, 581
Methoxyquiniziacetic acid	$C_6H_4.N.NH.CMe.CH(CH_2.$ $CO_2H).CO = 1.2$	"	178	Knorr and Blank	B., 17, 2052	46, 1380
?	$C_{12}H_{12}O_3N_3$	brown 150	172 d.	Paal	B., 17, 2762	48, 250
Urocanic acid	$C_{12}H_{12}O_4N_4$	+4H ₂ O	212-213	Jaffe	B., 7, 1671	
Trisuccinamide	$(C_4H_4O_2)_3N_2$	$C_{12}H_{12}O_6N_2$	83	Chiozza and Gerhardt	A., 90, 108	v., 462
β -hydroxypyridine oxalate	$(C_5H_5NO)_2 + H_2C_2O_4$	" (?)	175	Fischer and Renouf	B., 17, 1896	46, 1370
Ethyl dinitrophenylacetate	$C_6H_3(NO_2)_2.(CHAc.CO_2Et)$ $= 4.2.1$	$C_{12}H_{12}O_7N_2$	94	Heckmann	A., 220, 128	46, 178
Diethyl dinitrophthalate	$(CO_2Et)_2.(NO_2)_2 = 1.2.(?)_2$	$C_{12}H_{12}O_8N_2$	91	Beilstein and Kurbatow	B. S. [2], 34, 327	40, 436
Aniline phenate	$Ph.NH_2 + C_6H_5.OH$	$C_{12}H_{13}ON$	184.5 u.c.	29.5	Dale and Schorlemmer	A., 217, 388	43, 186
" " " "	"	"	181	30.8	Dyson	43, 466	
" " " "	"	"	32	Hübner	A., 210, 342	
Cumostyryl	$C_9H_6Pr\theta ON$	"	167-168	Widmann	B., 17, 2283	
Acetamidopropenylbenzoic acid	$NHAc.C_3H_5.CO_2H = 1.2.5$	$C_{12}H_{13}O_3N$	210-212	"	B., 16, 2575	46, 318
Acetyltetrahydrocinchoninic acid	fr. $C_6H_5(CO_2H).CH_2.CH :$ $CH.NH = 1.2$	"	164.5	Weidel	M. C., 3, 64	42, 531
Methyleumazonic acid	$C_6H_3(CO_2H).CMe_2.O.CMe : N$ $= 1.2$	"	218	Widmann	B., 16, 2576	46, 303
Cotarnine	"	+H ₂ O	100	ii., 89
" " " "	"	not b. 120	Beckett & Wright	28, 576	
Nitrosomethylanilidopyrotarimide	$CO.NMe.CO.CH_2.CMe.NPh.$ NO	$C_{12}H_{13}O_3N_3$	147	Wechsler	B., 18, 1044	48, 900
Ethyl acetylphenyloxamate	$NAcPh.CO.CO_2Et$	$C_{12}H_{13}O_4N$	64-65	Klinger	A., 184, 268	31, 711
" " " "	"	"	66-67	"	B., 8, 311	28, 1025
Ethyl nitropropenylbenzoate	$NO_2.C_3H_5.CO_2Et = 1.2.5$	"	Liquid	Widmann	B., 15, 2552	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Lactone of isopropylnitrophenylacetic acid	$\text{Pr}^\beta \cdot \text{NO}_2 \cdot (\text{CH} \cdot \text{CH}_2 \cdot \text{CO} \cdot \text{O})$ =1.3.4	$\text{C}_{12}\text{H}_{13}\text{O}_4\text{N}$	73	Einhorn and Hess	B., 17, 2022	46, 1352
Nitrocumenylacrylic acid	$\text{Pr}^\beta \cdot \text{NO}_2 \cdot (\text{CH} : \text{CH} \cdot \text{CO}_2\text{H})$ =?3.1	"	141	Widmann	B., 17, 2283	48, 56
" " " "	" " " " =4.2.1	"	pure ordinary	156-157	Einhorn and Hess	B., 17, 2018	46, 1351
" " " "	" " " "	"	ordinary	152-153	"	B., 17, 2017	"
Ethyl benzamalonate	$\text{CO}_2\text{H} \cdot (\text{NH} \cdot \text{CO} \cdot \text{CH}_2 \cdot \text{CO}_2\text{Et})$ =1.3	"	172-173	Schiff	B., 17, 403	46, 906
Nitro-aceteugenol	$\text{C}_3\text{H}_5 \cdot \text{OMe} \cdot \text{OAc} \cdot \text{NO}_2 = 1.4.3.?$	"	61	Weselsky and Benedikt	M. C., 3, 391	42, 1201
Ethyl nitrophenylazoacetate	$\text{NO}_2 \cdot (\text{N}_2 \cdot \text{CHAc} \cdot \text{CO}_2\text{Et}) = 1.2$	$\text{C}_{12}\text{H}_{13}\text{O}_5\text{N}_3$	92-93	Bamberger	B., 17, 2416	48, 157
Nitroquinol dipropionate	$(\text{O} \cdot \text{C}_3\text{H}_5\text{O})_2 \cdot \text{NO}_2 = 1.4.5$	$\text{C}_{12}\text{H}_{13}\text{O}_6\text{N}$	86	Hesse	A., 200, 247	38, 317
Diethyl nitrophthalate	$(\text{COEt})_2 \cdot \text{NO}_2 = 1.2.?$	"	a. 300	Liquid	Faust	A., 160, 57	25, 76; vii., 978
" " " "	" " " " =1.2.4	"	33-34	A., 208, 234	"
" " " "	" " " " =1.2.3	"	43	Miller	B., 11, 1191	34, 982
" " " "	" " " "	"	45	A., 208, 243	"
" nitroisophthalate	" " " " =1.3.5	"	83-5	Beyer	J. p. [2], 25, 489	42, 1294
" " " "	" " " "	"	83-5	Storrs and Fittig	A., 153, 288	vii., 979
Nitroacetoxypyrrolbenzoic acid	$\text{CO}_2\text{H} \cdot (\text{CMe}_2 \cdot \text{OAc}) \cdot \text{NO}_2$ =1.4.5	"	131-133	Widmann	B., 16, 2569	46, 317
Ethyl diacetylcomenamate	$\text{C}_5\text{H}_2\text{N}(\text{OAc})_2 \cdot \text{CO}_2\text{Et}$	"	fr. pyridine	38	Ost	J. p. [2], 29, 57	48, 49
" nitro-opianate	$\text{COH} \cdot \text{NO}_2 \cdot (\text{OMe})_2 \cdot \text{CO}_2\text{Et}$ =6.1.3.2.1	$\text{C}_{12}\text{H}_{13}\text{O}_7\text{N}$	96	Prinz	J. p. [2], 24, 358	42, 402
Methylethyloxyquinizine	$\text{C}_6\text{H}_4 \cdot \text{N} \cdot \text{NH} \cdot \text{CMe} \cdot \text{CHEt} \cdot \text{CO}$ =1.2	$\text{C}_{12}\text{H}_{14}\text{ON}_2$	108	Knorr and Blank	B., 17, 2051	46, 1380
Toludimethyloxyquinizine	$\text{C}_6\text{H}_3\text{Me} \cdot \text{N} \cdot \text{NH} \cdot \text{CMe} \cdot \text{CHMe}$ CO=1.2.3	"	96-97	Knorr	B., 17, 550	46, 1153
" " " "	" " " " =1.4.5	"	137	"	"	"
Phenyl acetamidine diacetate	$\text{Ph} \cdot \text{CH}_2 \cdot \text{C}(\text{NHAc}) : \text{NAc}$	$\text{C}_{12}\text{H}_{14}\text{O}_2\text{N}_2$	172-173	Luckenbach	B., 17, 1425	46, 1134
Methylanilidopyrotartarimide	$\text{CO} \cdot \text{NMe} \cdot \text{CO} \cdot \text{CH}_2 \cdot \text{CMe} \cdot \text{NH}$ Ph	"	103	Wechsler	B., 18, 1043	48, 900
Toluidopyrotartarimide	$\text{CO} \cdot \text{NH} \cdot \text{CO} \cdot \text{CH}_2 \cdot \text{CMe} \cdot \text{NH}$ $\text{C}_6\text{H}_4\text{Me} = 1.2$	"	181	"	B., 18, 1051	48, 901
Ethylpsendoisatin- α -ethyl-oxime	$\text{C}_6\text{H}_4 \cdot \text{CO} \cdot \text{C}(\text{NOEt}) \cdot \text{NEt} = 1.2$	"	99	Baeyer	B., 16, 2193	46, 74
Ethyl azobenzene acetate	$\text{Ph} \cdot \text{N}_2 \cdot \text{CHAc} \cdot \text{CO}_2\text{Et}$	$\text{C}_{12}\text{H}_{14}\text{O}_3\text{N}_2$	59-5	Züblin	B., 11, 1418	34, 880
Diacetylphenyloxethenyl amidoxime	$\text{AcO} \cdot \text{CHPh} \cdot \text{C}(\text{NH}_2) : \text{NOAc}$	$\text{C}_{12}\text{H}_{14}\text{O}_4\text{N}_2$	113	Gross	B., 18, 1077	48, 898
Diacetylphenyloxethenyl oxamidine	$\text{AcO} \cdot \text{CHPh} \cdot \text{C}(\text{NH}) \cdot \text{NH} \cdot \text{OAc}$	"	149	Tiemann	B., 17, 127	46, 734
Ethyl dinitrocuminate	$\text{Pr} \cdot (\text{NO}_2)_2 \cdot \text{CO}_2\text{Et} = ?$	$\text{C}_{12}\text{H}_{14}\text{O}_6\text{N}_2$	77-5	J. [1858], 271	"
Deoxyamalic acid	$\text{C}_{12}\text{H}_{14}\text{O}_6\text{N}_4$	260	Fischer and Reese	A., 221, 336	46, 467
Ethyl nitrophenylnitromethoxypropionate	$\text{NO}_2 \cdot [\text{CH}(\text{OMe}) \cdot \text{CH}(\text{NO}_2) \cdot \text{CO}_2\text{Et}] = 1.4$	$\text{C}_{12}\text{H}_{14}\text{O}_7\text{N}_2$	77	Friedlander and Mähly	B., 16, 852; A., 229, 210	48, 1138
Methyl nitrophenylnitroethoxypropionate	$\text{NO}_2 \cdot [\text{CH}(\text{OEt}) \cdot \text{CH}(\text{NO}_2) \cdot \text{CO}_2\text{Me}] = 1.4$	"	110	"	"	"
Methyl ethyldinitrohydro-p-coumarate	$\text{OEt} \cdot (\text{NO}_2)_2 \cdot (\text{CH}_2 \cdot \text{CH}_2 \cdot \text{CO}_2\text{Me}) = 1.2.6.4$	"	36	Stöhr	A., 225, 57	46, 1350
Ethyl methyl dinitrohydro-p-coumarate	$\text{OMe} \cdot (\text{NO}_2)_2 \cdot (\text{CH}_2 \cdot \text{CH}_2 \cdot \text{CO}_2\text{Et}) = 1.2.6.4$	"	71	"	"	"
Diethyl dinitrosuccinocinate	$\text{C}_{12}\text{H}_{14}\text{O}_8\text{N}_2$	brown 100	113-114 d.	Ebert	A., 229, 45	48, 1122
Cumenylacrylamide	$\text{Pr}^\beta \cdot (\text{C}_2\text{H}_5 \cdot \text{CO} \cdot \text{NH}_2) = ?$	$\text{C}_{12}\text{H}_{15}\text{ON}$	185-186	Perkin	J. [1877], 790	31, 399
α -ethoxyhydromethylquinoline	$\text{NMe} \cdot \text{H}_3 \cdot \text{OEt} = \alpha_1\beta_1\beta_2\alpha_2; \alpha_1$	"	269-270 (716)	Liquid	Fischer	B., 16, 718	44, 1147
Hydrocumostyryl	$\text{C}_9\text{H}_5\text{Pr}^\beta\text{ON}$	"	135	Widmann	B., 17, 2283	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
?	C ₁₂ H ₁₅ O ₂ N	a. 300	78-80	Canzoneri & Spica	G. I., 14, 448	48, 751
Cumenylamidoacrylic acid ...	C ₉ H ₁₁ .C ₂ H(NH ₂).CO ₂ H	"	154-155	Widmann	B., 17, 2283	48, 56
o-amidocumenylacrylic acid	C ₉ H ₁₀ (NH ₂).C ₂ H ₃ .CO ₂ H	"	165	"	"	"
m- " "	"	"	165	"	"	"
Isoamylidene-m-amidobenzoic acid	"	130; sf. 100	Schiff	A., 210, 119	42, 304
Ethylc dimethamidobenzoyl formate	NMe ₂ .(CO.CO ₂ Et)=1.4	C ₁₂ H ₁₅ O ₃ N	...	95	Miehler and Hanhardt	B., 10, 2082	34, 421
Anhydro-amidophenoethyl acetate	O.C ₆ H ₄ .NH.CMe.CH ₂ .CO ₂ Et [.....] =1.2	"	107-108	Hantzsch	B., 16, 1950	44, 1111
Acetamidocumic acid ...	Pr ^β .NHAc.CO ₂ H=1.2.4	"	246	Widmann	B., 16, 2579	46, 303
" " "	" " "	"	248-250	Fileti	G. I., 10, 12	40, 425
Benzoyl homopiperidic acid	Ph.CO.C ₅ H ₁₀ O ₂ N	"	94	Schotten	B., 17, 2545	48, 176
Cuminuric acid	"	A., 109, 31	168	Jacobsen	B., 12, 1514	38, 38
Hydrocotarnine	"	+ ½H ₂ O	50	Hesse	B., 4, 696; As., 8, 261, 326	24, 1065; 25, 724; vii., 877
" " "	"	54	Beckett & Wright	29, 466	28, 577
Ethylc urethane benzoate ...	CO ₂ Et.(NH.CO ₂ Et)=1.3	C ₁₂ H ₁₅ O ₄ N	100-101	Wachendorff	B., 11, 702	34, 674
Diethylc amidophthalate ...	(CO ₂ Et) ₂ .NH ₂ =1.2.3	"	Liquid	Miller	A., 208, 246	42, 405
" " "	" =1.2.4	"	95	"	A., 208, 237; B., 11, 1192	34, 983
" " "	" " "	"	crystalline	Baeyer	B., 10, 125, 1079	
" amidisophthalate	" =1.3.5	"	118	Beyer	J. p. [2], 25, 503	
" amidoterephthalate	" =1.4.5	"	?	A., 121, 92	
Acetate of amidopropenylbenzoic acid	CO ₂ H.(NH ₂ +HAc).C ₃ H ₅ =1.3.4	"	160	Widmann	B., 16, 2574	46, 318
Acetamidohydroxypropylbenzoic acid	CO ₂ H.(NHAc).(CMe ₂ .OH) =1.3.4	"	nf. 280	"	B., 16, 2572	46, 317
Dimethylc collidine dicarboxylate	N.Me ₃ .(CO ₂ Me) ₂ =1.2.4.6.3.5	"	285-287	82	Hantzsch	B., 16, 1947	44, 1082
Monethylc collidine dicarboxylate	N.Me ₃ .CO ₂ H.CO ₂ Et =1.2.4.6.3.5	"	157	Michael	A., 225, 121	48, 61
Triacetamidophenol ...	OII.(NHAc) ₃ =1.2.4.6	C ₁₂ H ₁₅ O ₄ N ₃	263 d.	Bamberger	B., 16, 2401	46, 309
Ethylc hydroxyisopropyl nitrobenzoate	CO ₂ Et.(CMe ₂ .OH).NO ₂ =1.4.5	C ₁₂ H ₁₅ O ₅ N	96	Widmann	B., 15, 2550	44, 330
Isopropyl nitrophenyllactic acid	[CH(OH).CH ₂ .CO ₂ H].NO ₂ Pr ^β =1.2.4	"	119-120	Einhorn and Hess	B., 17, 2024	46, 1353
Ethylc nitrodimehamidophenylloxamate	(NH.CO.CO ₂ Et).NMe ₂ .NO ₂ =1.4.6	C ₁₂ H ₁₅ O ₅ N ₃	152	Wurster and Sendtner	B., 12, 1805	38, 110
β-butyranilbetaïne oxalate ...	NH ₂ Ph.CHMe.CH ₂ .COO [.....] +C ₂ H ₂ O ₄	C ₁₂ H ₁₅ O ₆ N	137-139	Balbiano	B., 13, 313; G. I., 10, 137	38, 462, 542
Aniline citrate ...	C ₆ H ₅ .NH.O.C ₆ H ₄ O ₄ (OH) ₂	C ₁₂ H ₁₅ O ₇ N	b. 100	Pebal	A., 82, 91	iv., 427
Ethylc cyanuro-carboxylate	(NCO.CO ₂ Et) ₃	C ₁₂ H ₁₅ O ₉ N ₃	118-119	Wurtz & Henninger	C. R., 100, 1419	48, 969
Triethoxytrinitrobenzene ...	(OEt) ₃ .(NO ₂) ₃ =1.2.3.4.5.6	"	93	Weselsky and Benedikt	M. C., 2, 218	42, 54
Piperidylphenylcarbamide ...	PhHN.CO.N:C ₅ H ₁₀	C ₁₂ H ₁₆ ON ₂	168	Gebhardt	B., 17, 3041	48, 384
Benzoylpiperylhydrazine ...	C ₅ H ₁₀ N.NHBz	"	195	Knorr	A., 221, 297	46, 467
Picramide + aniline ...	C ₆ H ₂ .OH.(NH ₂) ₃ +NH ₂ Ph	C ₁₂ H ₁₆ ON ₄	123-125	Hepp	A., 215, 344	44, 316
Diethyl terephthalalldoxime	C ₆ H ₄ [CH:NOEt] ₂ =1.4	C ₁₂ H ₁₆ O ₂ N ₂	55	Westenberger	B., 16, 2995	46, 581
Isophthalimidethyl ether ...	C ₆ H ₄ [C(OEt):NH] ₂ =1.3	"	d. 120	66; a. f. 157	Luckenbach	B., 17, 1432	46, 1158
Benzamide + anisaldehyde	"	180	Schuster	A., 154, 80	vii., 80
Ethylc dimethamidophenyl oxamate	(NH.CO.CO ₂ Et).NMe ₂ =1.4	C ₁₂ H ₁₆ O ₃ N ₂	117	Sendtner	B., 12, 531	36, 627
Acetamide + anisaldehyde ...	v. C ₁₂ H ₁₆ O ₂ N ₂	"	A., 154, 80	180	Schuster	Z. C. [2], 6, 681	vii., 3
Nitroisovaleryl toluide ...	Me.NO ₂ .NH(C ₅ H ₉ O)=1.3.4	"	88-89	Friederici	B., 11, 1973	36, 312
" " "	" " "	"	88-89	Hübner	A., 209, 364	42, 180
Benzoylornithin ...	C ₆ H ₅ O ₂ .NH ₂ .NH.C ₇ H ₅ O	"	225-230	Jaffe	B., 11, 408	34, 585
Diethylc ketindicarboxylate	(CMe ₂ .N:C.CO ₂ Et) ₂	C ₁₂ H ₁₆ O ₄ N ₂	315-317 c.	85.5	Wleügel	B., 15, 1052, 1054	42, 949
Isopropyl nitrophenylacetamide	[CH(OH).CH ₂ .CO.NH ₂]. NO ₂ .Pr ^β =1.2.4	"	150	Einhorn and Hess	B., 17, 2023	46, 1353

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dipropyl dinitrobenzene	Pr ^α ₂ (NO ₂) ₂ =1.4.(?) ₂	C ₁₂ H ₁₆ O ₄ N ₂	65	Körner	B., 11, 1865; A., 216, 226	36, 142; 44, 322
Ethyl dinitrothymol...	Pr ^α ₂ Me.OEt=1.4.6	C ₁₂ H ₁₆ O ₅ N ₂	52-53	Ladenburg and Engelbrecht	B., 10, 1219	34, 60
Triethoxydinitrobenzene	(OEt) ₃ .NO ₂ =1.2.3.4.?	C ₁₂ H ₁₆ O ₇ N ₂	73	Weselsky and Benedikt	M. C., 2, 217	42, 54
Pipecoline picrate	C ₆ H ₁₃ N + C ₆ H ₂ .OH.(NO ₂) ₃	C ₁₂ H ₁₆ O ₇ N ₄	136-138	Hesekiel	B., 18, 913	48, 812
Tetramethylic azinsuccinate	[N : C(CO ₂ Me).CH ₂ .CO ₂ Me] ₂	C ₁₂ H ₁₆ O ₈ N ₂	149-150	Curtius and Koch	B., 18, 1301	48, 886
Capronanilide	C ₆ H ₅ .NH(C ₆ H ₁₁ O)	C ₁₂ H ₁₇ ON	95	Kelbe	B., 16, 1200	44, 916
Acetamidoisobutylbenzene	Bu ^β .NHAc=?	"	A., 211, 238	170	Studer	B., 14, 1473	40, 898
"	"	"	170	Louis	B., 16, 115	
Isobutylformotoluide	Me.Bu ^β (NH.CHO)=1.3.2	"	103-105	Effront	B., 17, 2343	48, 154
"	" =1.5.2	"	105-106	"	B., 17, 2332	48, 152
Acetylcymidine	Me.Pr ^α .NHAc=1.4.5	"	112	Widmann	B., 15, 169	
Acetylisocymidine	Me.Pr ^β .NHAc=1.3.?	"	118	Kelbe and Warth	A., 221, 157	46, 47
Acetamidotetramethylbenzene	Me ₄ .NHAc=1.2.3.5.6	"	210-211	Nölting and Baumann	B., 18, 1149; B.S., 42, 335	48, 384, 893
Methyltetrahydromethoxyquinaldin	NMe.Me.OMe=a ₁ β ₁ ; a ₁	"	260-262	Liquid	Döbner and Miller	B., 17, 1708	46, 1374
Tetrahydroethoxymethylquinoline	NMe.OEt=a ₁ ; β ₁	"	269-270 (716)	Liquid	Fischer	B., 16, 718	
Isobutylic tolylcarbamate	C ₆ H ₅ Me.(NH.CO ₂ Bu ^β)=1.2	C ₁₂ H ₁₇ O ₂ N	275-280 p.d.	L. -10	Hofmann & Mylius	B., 5, 974; P. R., 19, 108	vii., 1180; 26, 266
Ethylic α-xylylglycocine	Me ₂ (NH.CH ₂ .CO ₂ Et)=1.3.?	"	Liquid	Ehrlich	B., 16, 206	44, 594
Carvacrol glycollamide	Me.Pr ^α (O.CH ₂ .CO ₂ H)=1.4.6	"	67-68	Spica	G. I., 10, 340	38, 889
Thymol	" =1.4.5	"	96-97	"	"	"
Amido-cumenylpropionic acid	Pr.NH ₂ (C ₂ H ₄ .CO ₂ H)=1.3.?	"	103-105	Widmann	B., 17, 2283	48, 56
Mesitylurethane	Me ₃ (NH.CO ₂ Et)=1.3.5.6	"	61-62	Eisenberg	B., 15, 1016	42, 956
Isobutylethoxynitrobenzene	Bu ^β .OEt.NO ₂ =?	C ₁₂ H ₁₇ O ₃ N	300 d.	Liquid	Liebmann	B., 15, 1991	44, 59
Diethylic dimethylpyrrolidine dicarboxylate	N.Me ₂ (CO ₂ Et) ₂ =1.2.5.3.4	C ₁₂ H ₁₇ O ₄ N	90-91	Knorr	B., 18, 302	48, 555
"	"	"	99	"	B., 18, 1560	48, 994
"	" =1.2.4.3.5	"	130	"	B., 17, 1638	48, 1368
Dimethylic dihydrocollidine dicarboxylate	N.Me ₃ (CO ₂ Me) ₂ .H ₂ =1.2.4.6.3.5.5.6	"	156	Hantzsch	B., 16, 1947	44, 1082
Oxypropyltoluidine oxalate...	NH(C ₃ H ₇ O)(C ₇ H ₇)+C ₂ H ₂ O ₄	C ₁₂ H ₁₇ O ₅ N	151	Morley	41, 388	
Helicinaldoxime	C ₆ H ₁₁ O ₃ .O.C ₆ H ₄ .CH : NOH =1.2	C ₁₂ H ₁₇ O ₇ N	190	Tiemann and Kees	B., 18, 1663	48, 1072
Pentanitrolactose	C ₁₂ H ₁₇ (NO ₂) ₅ O ₁₁	C ₁₂ H ₁₇ O ₂₁ N ₅	139.2 p.d.	Ge	J. R. [1882], 253	42, 1043
Dimethamidothymoquinone ?	Me.Pr ^α (NHMe) ₂ : O ₂ =?	C ₁₂ H ₁₈ O ₂ N ₂	203	Zineke	B., 14, 95	40, 596
	C ₁₂ H ₁₈ O ₆ N ₂	81	Ehrenberg	J. p., 32, 97	48, 1192
Diethyldimethylammonium picrate	(O.NMe ₂ Et ₂).(NO ₂) ₃ =1.2.4.6	C ₁₂ H ₁₈ O ₇ N ₄	285	Meyer and Lecco	B., 8, 241; 10, 315	28, 633
"	"	"	285-287	Lossen	A., 181, 374	32, 191
Tetranitrolactose	C ₁₂ H ₁₈ (NO ₂) ₄ O ₁₁	C ₁₂ H ₁₈ O ₁₉ N ₄	80-81	Ge	J. R. [1882], 253	42, 1043
Diethamidoethoxybenzene	OEt.NEt ₂ =1.2	C ₁₂ H ₁₉ ON	227-228 (754.3)	Liquid	Föster	J. p. [2], 21, 364	38, 465
Camphorethylimide	C ₉ H ₁₁ : (CO) ₂ : NEt	C ₁₂ H ₁₉ O ₂ N	274-275	43-44	Wallach and Kamenski	B., 14, 164; A., 214, 249	40, 285
"	"	"	275-276	49-50	"	"	"
Cymidine acetate	C ₆ H ₃ Me.Pr.NH ₂ +HAc	"	112	Widmann	B., 15, 169	42, 728
Ethyleyanethine carboxylate	C ₉ H ₁₃ N ₂ .NH.CO ₂ Et	C ₁₂ H ₁₉ O ₂ N ₃	247	easily	Meyer	J. p., 30, 115	48, 140
Triethyldicarbopyrrolamide	C ₄ H ₂ EtN(CO.NHET) ₂	"	229-230	Bell	B., 10, 1864	36, 525
Oxytetrolamide	C ₁₂ H ₁₉ O ₅ (NH ₂) ₅	C ₁₂ H ₁₉ O ₅ N ₅	B. S., 33, 575	177-177.5	Demarçay	A. C. [5], 20, 479	40, 255
Trinitrolactose	C ₁₂ H ₁₉ (NO ₂) ₃ O ₁₁	C ₁₂ H ₁₉ O ₁₇ N ₃	36.86	Ge	J. R. [1882], 253	42, 1043
Oxalylpiperidine	(C ₅ H ₁₀ N.CO) ₂	C ₁₂ H ₂₀ O ₂ N ₂	a. 350	88-89	Wallach	A., 214, 278	
"	"	"	a. 360	90	Schotten	B., 15, 426	42, 983
Acrolein-ammonia	C ₁₂ H ₂₀ O ₃ N ₂	d. 100	Redtenbacher	A., 47, 114	i., 57
Diethoxyhydroxycaffeine	C ₈ H ₉ N ₄ O ₂ (OEt) ₂ .OH	C ₁₂ H ₂₀ O ₅ N ₄	A., 215, 274	195-205 d.	Fischer	B., 14, 641	40, 614
Diethylic oxaldiamidopropionate	(.CO.NH.CHMe.CO ₂ Et) ₂	C ₁₂ H ₂₀ O ₆ N ₂	sic	125-127	Schiff	B., 18, 490	48, 760
"	"	"	"	152-154	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dextro-campho-urethane ...	C ₉ H ₁₅ .NH.CO ₂ Et	C ₁₂ H ₂₁ O ₂ N(?)	115	Haller	C. R., 98, 578	46, 755
Levo- "	" "	" "	126-127	"	"	"
Triethyl amidotriglycollate	N(CH ₂ .CO ₂ Et) ₃	C ₁₂ H ₂₁ O ₆ N	280-290 p. d.	Heintz	A., 140, 264	vi., 647
Diacetonamine anhydride	C ₁₂ H ₂₄ ON ₂	83	Antrick	A., 227, 365	48, 503
Amylisocaproylcarbamide	Me.(CH ₂) ₄ .NH.CO.NH.CO. (CH ₂) ₂ .Pr ^β	C ₁₂ H ₂₄ O ₂ N ₂	94	Hofmann	B., 15, 758	42, 1053
Amylcaproylcarbamide ...	Me.(CH ₂) ₄ .NH.CO.NH.CO. (CH ₂) ₄ .Me	"	97	"	"	"
Diisocamphloxamide	"	B., 13, 516	128-129	Wallach	A., 214, 316	44, 49
Diamyloxamide	(.CO.NH.C ₆ H ₁₁) ₂	"	139	Wurtz	A. C. [3], 30, 490	iv., 285
Iauramide	C ₁₁ H ₂₃ .CO.NH ₂	C ₁₂ H ₂₅ ON	102	Krafft and Stauffer	B., 15, 1729	42, 1273
Dinitrodiphenylene ketone....	fr.(C ₆ H ₄) ₂ :CO=(1.2) ₂	C ₁₃ H ₆ O ₅ N ₂	290	Schultz	A., 203, 104	38, 814
α-Dinitrodiphenylene ketone	fr.CO:(C ₆ H ₄) ₂ :O	C ₁₃ H ₆ O ₆ N ₂	145-150	Richter	J. p. [2], 28, 273	46, 325
oxide							
β- " " "	"	"	260	"	"	"
β- " " "	"	"	260	Salzmann and Wichelhaus	B., 10, 1401; 16, 862	34, 80
β- " " "	"	"	262	Perkin	43, 190	
Tetranitrobenzophenone	CO:C ₁₂ H ₆ (NO ₂) ₄	C ₁₃ H ₆ O ₉ N ₄	225	Staedel	A., 218, 339	44, 991
Tetranitrodiphenylic car- bonate	[C ₆ H ₃ (NO ₂) ₂] ₂ CO ₃	C ₁₃ H ₆ O ₁₁ N ₄	125.5	Kempf	J. p. [2], 1, 407	24, 342
Quinone	fr.α-naphthoquinoline	C ₁₃ H ₇ O ₂ N	205-207 d.	Skraup and Cobenzl	M. C., 4, 436	44, 1014
Nitrodiphenylene ketone	C ₆ H ₄ .CO.C ₆ H ₃ .NO ₂ =1.2; 1.2.4	C ₁₃ H ₇ O ₃ N	217-218	Strasburger	B., 17, 108	46, 754
" " " "	" " "	"	220	Schultz	A., 203, 103	38, 814
Anhydrobenzamidodinitro- phenol	C ₆ H ₃ (NO ₂) ₂ .O.CPh:N =(?) ₂ .1.2	C ₁₃ H ₇ O ₅ N ₃	218	Hübner	A., 210, 394	42, 507
Dinitrophenylic m-nitroben- zoate	C ₆ H ₄ (NO ₂).CO ₂ .C ₆ H ₃ (NO ₂) ₂	C ₁₃ H ₇ O ₅ N ₃	150	List and Limpricht	A., 90, 201	i., 556
Phenanthroline carboxylic acid	C ₅ NH ₃ .CH:C(CO ₂ H).C ₅ NH ₃ =1.2.3.4.5.6; 5.6.1.2.3.4	C ₁₃ H ₅ O ₂ N ₂	277	Skraup and Fischer	M. C., 5, 253	48, 393
Dinitrofluorene	C ₁₂ H ₆ (NO ₂) ₂ :CH ₂	C ₁₃ H ₈ O ₄ N ₂	199-201	Fittig and Schmitz	A., 193, 140	36, 164
" " " "	"	"	brown, 200	255-260 d.	Barth and Gold- schmidt	B., 11, 849	34, 734; vii., 673
" " " "	"	"	a. 260 d.	Barbier	A. C. [5], 7, 472	37, 718
?-Dinitrobenzophenone	CO:C ₁₂ H ₈ (NO ₂) ₂	C ₁₃ H ₈ O ₅ N ₂	B., 10, 1836	118 (?)	Doer	B., 5, 797	26, 171; vii., 939
" " " "	"	"	129	Linnemann	A., 133, 10	iv., 478
" " " "	"	"	129.5	Doer	B., 5, 797	26, 171
β- " " "	"	"	148-149	Staedel and Saur	B., 13, 836	38, 646
" " " "	"	"	148-149	Prätorius	B., 10, 1836; A., 194, 349	34, 420; 36, 319
" " " "	"	"	148-149	Staedel	A., 218, 339	44, 991
" " " "	"	"	189	Staedel and Saur	B., 11, 1747	
" " " "	"	"	189-190	Staedel	A., 218, 339	44, 991
" " " "	"	"	189-190	Prätorius	B., 10, 1836; 11, 745; A., 194, 349	34, 420; 36, 242, 319
γ- " " "	"	"	189-190	Staedel	A., 218; 339	44, 991
" " " "	"	"	195-196	Prätorius	A., 194, 371	36, 319
" " " "	"	"	a. 196	Staedel	B., 11, 745	34, 671
Dinitrodiphenyl carboxylic acid	C ₆ H ₄ (NO ₂).C ₆ H ₃ (NO ₂).CO ₂ H =1.4; 1.2.4	C ₁₃ H ₈ O ₆ N ₂	252	Strasser & Schultz	A., 210, 192	42, 521
Trinitrobenzanilide	C ₆ H ₃ (NO ₂) ₂ .NH.CO.C ₆ H ₄ NO ₂ =1.3.4; 1.3	C ₁₃ H ₅ O ₇ N ₄	165	Hübner	B., 10, 1708	34, 142
" " " "	" =1.1.3; 1.2	"	178	"	"	"
" " " "	" =1.1.3; 1.1	"	202	"	"	"
" " " "	"	"	212	"	"	"
Tetranitrodiphenylmethane	CH ₂ :C ₁₂ H ₆ (NO ₂) ₄	C ₁₃ H ₈ O ₈ N ₄	172	Doer	B., 5, 795	26, 170; vii., 948
" " " "	"	"	172	Staedel	A., 218, 339	44, 991
Nitrobenzyl picrate	NO ₂ .C ₆ H ₄ .CH ₂ .O.C ₆ H ₂ (NO ₂) ₃ =1.4; 1.2.4.6	C ₁₃ H ₈ O ₉ N ₄	108	Kumpf	B., 17, 1077	46, 1005

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tetranitrocarbanilide	CO[NH.C ₆ H ₃ (NO ₂) ₂] ₂	C ₁₃ H ₃ O ₉ N ₆	a. 200	Losanitch	B., 10, 690, 1296	
"	"	"	204	"	B., 11, 1541	
Benzenylamidophenol	C ₆ H ₄ .O.CPh : N=1.2	C ₁₃ H ₉ ON	314-317	103	Ladenburg	B., 9, 1526	31, 304
"	"	"	103	Morse	B., 7, 1319	
"	"	"	103	Hübner & Stünkel	A., 210, 384	42, 506
"	"	"	103	Böttcher	B., 16, 630	
"	"	"	103	Kalckhoff	B., 16, 1828	44, 1110
Diphenyleneacetoxime	C ₆ H ₄ .C ₆ H ₄ .C:NOH	"	B., 17, 807	192	Spiegler	M. C., 5, 195	46, 1182
β-hydroxynaphthoquinoline	HO.C ₁₀ H ₅ :C ₃ NH ₃	"	w.m. 250 p.d.	Gentil	B., 18, 202	48, 561
Nitrofluorene (A. C. [5], 7, 497)	C ₆ H ₄ .CH ₂ .C ₆ H ₃ .NO ₂ =1.2 ; 1.2.4	C ₁₃ H ₉ O ₂ N	154	Strasburger	B., 17, 108	46, 754
Carbazolic acid	C ₁₂ H ₈ N.CO ₂ H	"	271-272	Ciamician & Silber	G. I. [1882], 272	42, 1103
Nitroanhydrobenzoyldiamidobenzene	C ₆ H ₃ (NO ₂).NH.CPh : N =?.1.2	C ₁₃ H ₃ O ₂ N ₃	196	Stöver	B., 7, 1317	28, 271
"	"	"	196	Hübner	A., 208, 308	40, 1131
Nitrobenzophenone	C ₆ H ₄ (NO ₂).COPh =1.3	C ₁₃ H ₉ O ₃ N	92	Becker	B., 15, 2092	44, 203
"	"	"	94-95	Geigy and Königs	B., 18, 2401	48, 1236
"	" =1.2	"	105	"	B., 18, 2403	"
"	" =1.4	"	138	Basler	B., 16, 2718	46, 310
Benzoxynitrosobenzene	C ₆ H ₄ (NO).OBz=1.4	"	168-175 d.	Walker	B., 17, 400	46, 1003
Benzoxynitrobenzene	C ₆ H ₄ (NO ₂).OBz=1.2	C ₁₃ H ₉ O ₄ N	55	Schiaparelli	G. I., 11, 65	40, 603
"	"	"	58	Hübner	A., 210, 386	42, 506
"	" =1.4	"	142	"	A., 210, 377	"
"	"	"	142	Schiaparelli	G. I., 11, 65	40, 603
Nitro-o-diphenylcarboxylic acid	C ₁₂ H ₈ (NO ₂).CO ₂ H	"	221-222	Schmitz	A., 193, 123	36, 164
" -P-	"	"	252	Schmidt & Schultz	A., 203, 118	40, 435
" -P-	"	"	290	"	"	"
Ethyl nitro-β-naphthoate	C ₁₀ H ₆ .NO ₂ .CO ₂ Et	"	93 u.c.	Ekstrand	B., 18, 1206	48, 905
" " -β-	"	"	110-111 u.c.	"	B., 18, 1208	"
" " -β-	"	"	122 u.c.	"	B., 18, 1207	"
Acid fr. β-naphthoquinoline	"	+H ₂ O	206	Skraup	B., 15, 896	
α-phenylpyridinedicarboxylic acid	N.CO ₂ H.(C ₆ H ₄ .CO ₂ H)=1.3.2	"	230-235 d.	Skraup & Cobenzl	M. C., 4, 436	44, 1014
m-nitrobenzylidenetriani-line	C ₁₃ H ₃ O ₄ N ₃	114	J. [1870], 760	
Dinitrobenzanilide	C ₆ H ₄ (NO ₂).NH.CO.C ₆ H ₄ . NO ₂ =(1.3) ₂	C ₁₃ H ₃ O ₅ N ₃	187	McHugh	B., 7, 1268 ; 8, 36	28, 271
Nitrobenzeneazosalicylic acid	C ₆ H ₄ (NO ₂).N ₂ .C ₆ H ₃ (OH). CO ₂ H=1.4 ; 4.1.2	"	225 d. (?)	Meldola	47, 666	
Dinitrobenzamidophenol	fr. C ₆ H ₄ (OH).NHBz=1.2	C ₁₃ H ₉ O ₆ N ₃	173	Morse	B., 7, 1320	28, 272; vii., 903
Benzamidodinitrophenol	OH.NHBz.(NO ₂) ₂ =1.2.4.6	"	218-219	Stuckenber	B., 10, 383	32, 474
"	"	"	220	Dabney	A. C. J., 5, 20	46, 309
"	"	"	220	Hübner	A., 210, 388	42, 506
"	"	"	222-223 d.	Böttcher	B., 16, 632	
"	" =1.4.2.6	"	250	Dabney	A. C. J., 5, 20	46, 309
"	" =1.4. (?) ₂	"	250	"	"	46, 308
Nitrobenzamidodinitrophenol	OH.NO ₂ .NH(CO.C ₆ H ₄ .NO ₂) =1.4 ; (1.3)	"	225	Hübner	A., 210, 380	42, 506
Benzoxydinitroamidobenzene	OBz.NH ₂ (NO ₂) ₂ =1.2.(?) ₂	"	218-219	"	A., 205, 74 ; 210, 395	42, 507
Dinitrophenamidobenzoic acid	C ₆ H ₃ (NO ₂) ₂ .NH.C ₆ H ₄ .CO ₂ H =4.2.1 ; 1.2	"	262-264	Jourdan	B., 18, 1449	46, 988
Benzyl picrate	(O.CH ₂ Ph).(NO ₂) ₃ =1.2.4.6	C ₁₃ H ₉ O ₇ N ₃	149	Kumpf	B., 17, 1076	46, 1005
Trinitrobenzylphenol	C ₆ H ₄ (NO ₂).CH ₂ .C ₆ H ₂ (OH) (NO ₂) ₂ =1.4 ; 1.4.3.5	"	148	Rennie	41, 36	
β-Dinitrophenylnitrobenzyl oxide	C ₆ H ₄ (NO ₂).CH ₂ .O.C ₆ H ₃ (NO ₂) ₂ =1.4 ; 1.2.6	"	137	Kumpf	B., 17, 1077	46, 1005
α-	" =1.4 ; 1.2.4	"	198	Staedel	B., 14, 899	40, 723
α-	"	"	201	Kumpf	B., 17, 1077	46, 1005

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Dinitrophenylnitrobenzyl oxide	$C_6H_4(NO_2)_2.CH_2.O.C_6H_5$ (NO_2) ₂ =1.4; 1.2.4	$C_{13}H_9O_7N_3$...	198	Finkentscher	A., 217, 177-182	
Anilidocarbamidophenol	$O.C_6H_4.N : C.NHPh=1.2$	$C_{13}H_{10}ON_2$...	173	Kalckhoff	B., 16, 1826	44, 1110
Hydroxybenzylphenylene-amidine	$NH.C_6H_4.N : C.C_6H_4.OH$ =(1.2) ₂	"	...	222.5	Hübner and Mensching	B., 13, 463; A., 210, 345	38, 556
Diamidodiphenylene ketone	fr. $(C_6H_4)_2 : CO=(1.2)_2$	"	...	286	Schultz	A., 203, 95	38, 814
Benzylidenenitraniline	$Ph.CH : N.C_6H_4.NO_2=1.?$	$C_{13}H_{10}O_2N_2$...	66	Lazorenco	J. [1870], 760	
Nitrobenzylideneaniline	$C_6H_4(NO_2).CH : NPh=1.3$	"	...	61	"	"	
"	" =1.4	"	...	93	Fischer	B., 14, 2526	42, 393
Nitrobenzanilide	$C_6H_4(NO_2).CO.NHPh=1.3$	$C_{13}H_{10}O_3N_2$...	144	Engler and Volkhausen	B., 8, 35	28, 643
"	"	"	...	144	Mears	B., 9, 774	30, 309
Benzamidonitrobenzene	$C_6H_4(NO_2).NHBz=1.2$	"	...	94	Hübner & Schwartz	B., 10, 1708	34, 142
"	"	"	...	94	Hübner	A., 208, 301	40, 1131
"	"	"	...	94-95	Stöver	B., 7, 463, 1315	27, 806
"	" =1.3	"	...	152	Bell	B., 7, 498	27, 900
"	"	"	...	154	Hübner & Schwartz	B., 10, 1708	34, 142
" (cf. A., 208, 297)	"	"	...	155.5	Hübner	B., 10, 1716	
"	" =1.4	"	...	199	Stöver	B., 7, 463, 1315	28, 271
" (cf. A., 208, 294)	"	"	...	199	Hübner & Schwartz	B., 10, 1708	34, 142
Phenolazobenzoic acid	$C_6H_4(OH).N_2.C_6H_4.CO_2H$ =1.2; 1.3	"	...	220	Griess	B., 14, 2033	42, 48
Benzoylnitroamidophenol	$OH.NHBz.NO_2=1.2.4$ or 1.4.2	$C_{13}H_{10}O_4N_2$...	200 d.	Post	A., 205, 73	
Nitrosalicylanilide	$OH.NO_2.(CO.NHPh)=1.3.4$	"	...	224	Mensching & Hübner	B., 13, 462; A., 210, 343	38, 556
Nitrobenzamidophenol	$HO.C_6H_4.NH.CO.C_6H_4.NO_2$	"	...	139 d.	Morse	B., 7, 1320	28, 272
Salicylnitranilide	$HO.C_6H_4.CO.NH.C_6H_4$ $NO_2=1.2; 1.2$	"	...	154	Hübner	A., 210, 345	
"	" =1.2; 1.3	"	...	217-218	Wanstrat	B., 6, 337	26, 907
"	"	"	...	218-219	Bell	C. N., 31, 244	28, 1201
"	" =1.2; 1.4	"	...	229-230	"	"	"
"	$HO.C_6H_4.CO.C_6H_3(NH_2).NO_2$ =1.2; ?1.4	"	...	115	Haarmann	B., 6, 339	26, 907
Dinitrodiphenylmethane	fr. $Ph.CH_2.C_6H_4.NO_2=1.3$	"	...	94	Becker	B., 15, 2092	44, 203
"	$CH_2 : C_{12}H_8(NO_2)_2$	"	...	118	Prätorius	A., 194, 366	36, 319
"	"	"	...	118	Staedel	B., 11, 745	34, 671
"	fr. $Ph.CH_2.C_6H_4.NO_2=1.4$	"	...	172	Doer	B., 5, 795	vii., 948; 26, 170
"	"	"	...	175	Basler	B., 16, 2719	46, 310
"	$CH_2 : C_{12}H_8(NO_2)_2$	"	...	183	Doer	B., 5, 795	28, 170
"	"	"	...	183	Prätorius	A., 194, 369	36, 319
Resorcinolazobenzoic acid	$C_6H_3(OH)_2.N_2.C_6H_4.CO_2H$ =1.3.1; 1.3	"	...	d.	Griess	B., 14, 2034	42, 49
Dinitrotolylphenyl	fr. $Ph.C_6H_4.Me=1.4$	"	...	153-157	Carnelley	J. [1876], 420	29, 23
β -dinitrophenylbenzyloxide	$Ph.CH_2.O.C_6H_3(NO_2)_2=1.2.6$	$C_{13}H_{10}O_5N_2$...	76	Kumpf	B., 17, 1076	48, 1005
"	" =1.2.4	"	...	149	"	"	"
Nitrophenylnitrobenzyloxide	$C_6H_4(NO_2).CH_2.O.C_6H_4(NO_2)$ =1.4; 1.2	"	...	129	"	B., 17, 1077	"
"	" =1.4) ₂	"	...	183	"	"	"
Benzylidinitrophenol	$Ph.CH_2.C_6H_2(OH)(NO_2)_2$	"	...	87-88	Rennie	41, 222	
Dinitrodiphenylcarbamide	$CO(NH.C_6H_4.NO_2)_2=(1.3)_2$	$C_{13}H_{10}O_6N_4$...	233	Losanitsch	B., 16, 50	44, 583
"	" =?	"	...	a. 100	Brückner	B., 7, 1235	
Benzylidinitroquinol	$(O.CH_2Ph).OH.(NO_2)_2$ =1.4.(?) ₂	$C_{13}H_{10}O_6N_2$...	137	Pellezzari	G. I., 13, 501	48, 437
Ethylid dinitro- α -naphthoate	$C_{10}H_5(NO_2)_2.CO_2Et$	"	...	143 u.c.	Ekstrand	B., 17, 1601	48, 1361
" β -	"	"	...	141 u.c.	"	B., 17, 1603	"
" β -	"	"	...	165 u.c.	"	"	"
Formodiphenylamine	$H.CO.NPh_2$	$C_{13}H_{11}ON$	210-220 (i.v.)	73-74	Girard and Willm	B. S., 24, 99; B., 8, 1195	30, 99

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Formodiphenylamine	H.CO.NPh ₂	C ₁₃ H ₁₁ ON	?	Tobias	B., 15, 2866	
Diphenylacetoxime	Ph ₂ C:NOH	"	B., 16, 823	139.5-140	Janny	B., 15, 2782	44, 580
Benzanilide	C ₆ H ₅ .CO.NHPh	"	A., 60, 311	160-161	Wallach	A., 184, 79	
"	"	"	159	Leuckart	B., 18, 873	48, 773
"	"	"	159	Frankland & Louis	37, 745	
"	"	"	159	Pieschel	A., 175, 310	
"	"	"	163	Hübner	A., 208, 291	40, 1130
Amidobenzophenone	Ph.CO.C ₆ H ₄ .NH ₂ =1.3	"	87	Geigy and Königs	B., 18, 2401	48, 1236
"	" =1.2	"	103	Higgin	41, 134	
"	" =1.4	"	105-106	Geigy and Königs	B., 18, 2404	48, 1236
"	"	"	123	Higgin	41, 133	
"	"	"	124	Geigy and Königs	B., 18, 2404	48, 1236
"	"	"	124	Doebner	B., 13, 1013 ; A., 210, 268	38, 804
"	"	"	124	Doebner and Weiss	B., 14, 1836	
Formamidodiphenyl	Ph.C ₆ H ₄ .NH.CO=1.4	"	172	Zimmermann	B., 13, 1967	40, 176
Hydroxybenzaldehydeanilide	HO.C ₆ H ₄ .CH:NPh=1.4	"	190-191	Herzfeld	B., 10, 1272	34, 66
Pseudocinnamylpyrroline	C ₄ H ₄ N.CO.CH:CHPh	"	141-142	Ciamician & Dennstedt	B., 17, 2947	48, 378
Diamidohydracridine ketone	CO.C ₆ H ₄ .NH.C ₆ H ₂ (NH ₂) ₂ =2.1 ; 1.1.2.4	C ₁₃ H ₁₁ ON ₃	222-223	Jourdan	B., 18, 1452	48, 988
Phenylic phenylcarbamate	NHPh.CO ₂ Ph	C ₁₃ H ₁₁ O ₂ N	122	Hofmann	B., 4, 249	24, 395
"	"	"	122 u. c.	Eckenroth	B., 18, 517	48, 786
"	"	"	124	Leuckart & Schmidt	B., 18, 2339	vii., 408
"	"	"	125	Gumpert	J. p. [2], 31, 119	48, 656
Benzylnitrobenzene	Ph.CH ₂ .C ₆ H ₄ .NO ₂ =1.3	"	Liquid	Becker	B., 15, 2091	
"	" =1.4	"	31	Basler	B., 16, 2717	46, 310
Benzoxamidobenzene	C ₆ H ₄ (OBz).NH ₂ =1.2	"	unstable	Böttcher	B., 16, 630	
"	" =1.4	"	153-154	Hübner	A., 210, 379	42, 505
Formylhydroxydiphenylamine	C ₆ H ₄ .OH.(NPh.CO=1.4	"	178	Philip and Calm	B., 17, 2436	48, 156
Hydroxybenzanilide	HO.C ₆ H ₄ .CO.NHPh=1.2	"	132	Kupferberg	J. p. [2], 16, 443	34, 320
"	"	"	134-135	Wanstrat	B., 6, 336	26, 906
"	"	"	Hübner	A., 210, 342	
"	" =1.3	"	154-155	Kupferberg	J. p. [2], 16, 445	34, 320
"	" =1.4	"	196-197	"	J. p. [2], 16, 444	"
Benzamidophenol (?)	C ₆ H ₄ .OH.NHBz=1.2(?)	"	B., 16, 632	103	Morse	B., 7, 1319	28, 272
"	" =1.2	"	165 ; 167	Böttcher	B., 16, 631 ; C. C. [1884], 898	44, 800 ; 48, 658
"	"	"	167	Hübner	A., 210, 387	42, 506
"	" =1.4	"	227.5	"	A., 210, 378	42, 505
β-nitrotolylphenyl	fr. Ph.C ₆ H ₄ .Me=1.4	"	305-325	Liquid	Carnelley	J. [1876], 419	29, 22
α-	"	"	141	"	"	"
Dihydroxybenzaldehydeanilide	(CH:NPh).(OH) ₂ =1.2.5	"	needles	Tiemann and Müller	B., 14, 1987	
β-naphthimidoacetate	C ₁₀ H ₇ .C(OAc):NH	"	150-152	Pinner and Klein	B., 11, 1487	36, 48
Nitrobenzylidenephenylhydrazine	NHPh.N:CH.C ₆ H ₄ .NO ₂ =1.3	C ₁₃ H ₁₁ O ₂ N ₃	121	Schroeder	B., 17, 2097	46, 1323
Nitrobenzylphenyl oxide	Ph.O.CH ₂ .C ₆ H ₄ .NO ₂ =1.4	C ₁₃ H ₁₁ O ₃ N	91	Kumpf	B., 17, 1077	48, 1005
Nitrophenylbenzyl oxide	Ph.CH ₂ .O.C ₆ H ₄ .NO ₂ =1.2	"	29	"	B., 17, 1076	"
"	" =1.4	"	106	"	B., 17, 1075	"
Benzylnitrophenol	OH.NO ₂ .CH ₂ Ph=1.2.4	"	71 ; 74-75	Rennie	41, 221	
Methylc pyrrolinemethylbenzoate	C ₄ H ₃ N:CH.C ₆ H ₄ .CO ₂ Me	"	104-105	Ciamician & Dennstedt	B., 17, 2959	48, 379
Nitrocarbanilide	NHPh.CO.NH.C ₆ H ₄ .NO ₂	C ₁₃ H ₁₁ O ₃ N ₃	187	Brückner	B., 7, 1236	28, 166
Amidobenzeneazosalicylic acid	NH ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₃ (OH).CO ₂ H	"	219-220 d.	Meldola	47, 667	
Benzylnitroquinol	OH.(O.CH ₂ Ph).NO ₂ =1.4.5	C ₁₃ H ₁₁ O ₄ N	137	Schiff	G. I., 13, 538	46, 433
"	" =1.4.6	"	156-158 d.	"	"	"
Ethylc nitro-α-naphthoate	C ₁₀ H ₆ .NO ₂ .CO ₂ Et=α	"	acid m.p. 196	63	Ekstrand	B., 12, 1394	38, 261
"	" =α ;	"	"	215	"	B., 18, 74	48, 548

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl nitro- <i>a</i> -naphthoate	$C_{10}H_6NO_2.CO_2Et=?a$	$C_{13}H_{11}O_4N$	acid m.p. 233	92	Ekstrand	B., 12, 1395	38, 261
" " - <i>a</i> - "	" "	" "	" 238	93	Graeff	B., 14, 1066	
" " - <i>a</i> - "	" "	" "	" 241	93	"	B., 16, 2252	46, 81
" " - <i>β</i> - "	" =? <i>β</i>	" "	" 220	82	Ekstrand	B., 12, 1395	38, 261
" " - <i>β</i> - "	" "	" "	" 280	107	"	B., 12, 1396	"
" " - <i>β</i> - "	" "	" "	" 295	109	Graeff	B., 16, 2254	46, 81
Dinitromethyldiphenylamine	$C_6H_3.NMePh.(NO_2)_2$	$C_{13}H_{11}O_4N_3$...	167 u. c.	Leymann	B., 15, 1235	42, 1057
<i>γ</i> -dinitrotolylphenylamine	$C_6H_2.Me.(NO_2)_2.NHPh$	"	...	142	Hepp	A., 215, 369	44, 317
Dinitrophenyltoluidine	$C_6H_4.Me.NH.C_6H_3(NO_2)_2$	"	...	101-102	Leymann	B., 15, 1236	42, 1057
"	" =1.2; (?) ₃	"	Engelhardt and Latschinoff	Z. C. [2], 6, 225	vii., 147
"	" =1.4; 1.2.4	"	...	135	Willgerodt	B., 9, 980	30, 405
"	" "	"	...	136	"	B., 9, 980	30, 405
"	" "	"	...	137	"	Z. C. [1870], 233	"
Dinitrodiphenylguanidine	$NH:C(NH.C_6H_4.NO_2)_2$	$C_{13}H_{11}O_4N_5$...	190	Brückner	B., 7, 1235	26, 166
Benzylphenylnitrosamine	$Ph.CH_2.NPh.NO$	$C_{13}H_{12}ON_2$...	58	Antrick	A., 227, 360	46, 543
Benzoylphenylhydrazine	$Ph.NH.NH.CO.Ph$	"	...	168	Fischer	A., 190, 125	34, 308
Diphenylcarbamide	$NH_2.CO.NPh_2$	"	B., 8, 1666	189 u. c.	Michler	B., 9, 397, 715	30, 91
"	$CO(CNHPh)_2$	"	...	200-203	Schiff	B., 3, 651	vii., 253
"	"	"	...	205	Hofmann	A., 57, 266; 70, 138	i., 756
"	"	"	...	225	Willm & Wischen	[2], 6, 192	vii., 253
"	"	"	...	220-235	Rottermund	A., 175, 257	28, 768
"	"	"	...	232-233	"	"	"
"	"	"	...	233-235	Kühn	B., 18, 1478	"
"	"	"	...	235	"	B., 18, 1477	"
"	"	"	...	235	Steiner	B., 8, 519	28, 883
"	"	"	...	235	Michler	B., 9, 716	"
"	"	"	...	235	Buff	B., 2, 499	vii., 583
"	"	"	...	235	Weith	B., 9, 821	30, 639
"	"	"	260	...	Hentschel	J. p., 27, 498	44, 1108
" (cf. B., 14, 2444)	"	"	...	235	Bender	B., 13, 699	"
"	"	"	...	235	Hofmann	B., 14, 2735	"
"	"	"	...	234-235	"	A.	"
"	"	"	...	238	"	A.	"
Amidobenzanilide	$Ph.NH.CO.C_6H_4.NH_2=1.3$	"	...	114	Engler and Volkhausen	B., 8, 35	28, 643
"	" =1.2	"	...	129	Piutti	B., 16, 1321	44, 999
"	" "	"	...	130	Kolbe	J. p. [2], 30, 467	46, 666
Benzdiamidobenzene	$C_6H_4.NH_2.NHBz=1.3$	"	...	125	Bell	B., 7, 498	27, 900
"	" =1.4	"	...	125	Stöver	B., 7, 463	27, 806
"	" "	"	...	128	Hübner	A., 208, 295	40, 1130
"	" =1.2	"	...	140	Mixter	A. C. J., 6, 26	46, 1327
" (?)	" =1.3	" (?)	$C_6H_4(NH_2)_2?$	260	Hübner	A., 208, 298	"
Hydroxybenzylidenephenylhydrazine	$HO.C_6H_4.CH:N_2HPh=1.2$	"	...	142-143	Rössing	B., 17, 3004	"
"	" "	"	...	142-143	Tiemann and Kees	B., 18, 1660	"
Methoxyazobenzene	$Ph.N_2.O.C_6H_4Me$	"	...	53.5-54	Scichilone	G. I. [1882], 108	42, 726
Phenylazocresol (J., 1879, 465)	$Ph.N_2.C_6H_3Me.OH=?1.3$	"	...	109	Nölting and Kohn	B., 17, 366	46, 902
"	" =?1.4	"	...	108-109	Mazzara	G. I., 9, 424	38, 163
"	" "	"	...	108-109	Nölting and Kohn	B., 17, 352	46, 901
"	" "	"	...	108	Liebermann and Kostanecki	B., 17, 131	46, 736
"	" =?1.2	"	...	128-130	"	"	"
"	" "	"	...	129-130	Nölting and Kohn	B., 17, 363	46, 902
Phenolazotoluene	$HO.C_6H_4.N_2.C_6H_4Me$	"	...	151	Kimich	B., 8, 1030	29, 268
<i>γ</i> -Diamidobenzophenone	$CO:C_{12}H_8(NO_2)_2$	"	...	131	Staedel	A., 218, 339	44, 991
<i>β</i> -	"	"	J. p., 46, 509	165	Doer	B., 5, 797	26, 171; vii., 939
<i>β</i> -	"	"	...	165	Städel	B., 11, 744	34, 671
<i>β</i> -	"	"	...	165	Prätorius	A., 194, 356	36, 319
<i>α</i> -	"	"	...	172	"	A., 194, 338	36, 242

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Diamidobenzophenone	CO : C ₁₂ H ₃ (NO ₂) ₂	C ₁₃ H ₁₂ ON ₂	172	Staedel	A., 218, 339	44, 991
"	"	"	172	Staedel and Saur	B., 11, 1748	
Harmin (cf. J., 1854, 525)	see B., 18, 405	"	A., 64, 365	256-257 d.	Fischer and Täuber	B., 18, 400	48, 820
Nitrobenzylphenylamine	Ph.NH.CH ₂ .C ₆ H ₄ .NO ₂	C ₁₃ H ₁₂ O ₂ N ₂	68	Strakosch	B., 6, 1062	27, 80
Salicyl- α -amidoanilide	NH ₂ .C ₆ H ₄ .NH.CO.C ₆ H ₄ .OH =1.3; 1.2	"	143	Bell	C. N., 31, 244; J. [1875], 746	28, 1201
" - β - "	" =1.4; 1.2	"	158	"	"	"
Resorcinolazotoluene	C ₆ H ₄ Me.N ₂ .C ₆ H ₃ (OH) ₂ =1.2; ?1.3	"	175-176	Wallach & Fischer	B., 15, 2825	
"	" =1.4; ?1.3	"	183-184	"	B., 15, 2821	
"	"	"	187	Wallach	B., 15, 26	42, 610
Orcinol azobenzene	Ph.N ₂ .C ₆ H ₂ Me(OH) ₂ =?1.3.5	"	183	Typke	B., 10, 1579	34, 219
Phenylmethylacetoxypyrimidine	C ₄ N ₂ HPh.Me.OAc	"	B., 18, 760	40-41	Pinner	B., 18, 762	48, 752
Nitrodiphenylguanidine	NH : C(NHPh).NH.C ₆ H ₄ .NO ₂	C ₁₃ H ₁₂ O ₂ N ₄	131-132	Brückner	B., 7, 1236	28, 166
Toluidineazobenzene	NO ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₃ Me.NH ₂ =4.1; 5.1.2	"	198	Nöltling and Binder	B. S., 42, 340	48, 385
Toluquinone + o-nitraniline	C ₁₃ H ₁₂ O ₄ N ₂	37	Hebebrand	B., 15, 1976	
Dinitrophenyldiamidotoluene	NH ₂ .C ₆ H ₃ Me.NH.C ₆ H ₃ (NO ₂) ₂ =4.1.2; (?) ₃	C ₁₃ H ₁₂ O ₄ N ₄	184	Leymann	B., 15, 1237	42, 1057
α -Trinitrotolueneaniline	C ₆ H ₂ Me(NO ₂) ₃ .NH ₂ Ph	C ₁₃ H ₁₂ O ₆ N ₄	83-84	Hepp	A., 215, 365	44, 317
Lutidine picrate	(C ₅ NH ₃ Me ₂).C ₆ H ₂ (NO ₂) ₃ .OH	C ₁₃ H ₁₂ O ₇ N ₄	161	Epstein	B., 18, 883	48, 815
"	"	"	176-179	Hantzsch	B., 17, 2909	48, 397
α - γ "	"	"	177	Michael	B., 18, 2026	
"	"	"	179	Ladenburg & Roth	B., 18, 1593	
"	"	"	179	Ladenburg	B., 18, 914	
"	"	"	181	Voges	A., 215, 56	
"	"	"	181	Hantzsch	B., 17, 2903	
Methylacet- α -naphthalide	C ₁₀ H ₇ .NMeAc	C ₁₃ H ₁₃ ON	90-91	Landshoff	B., 11, 643	34, 587
Methylpseudostyryl of phenylpicoline	CPh : CH.CO.NMe.CMe : CH	"	112	Hantzsch	B., 17, 2916	48, 398
?	CO.CH : CMe.NPh.CMe : CH	"	197	Perkin	B., 18, 684	48, 762
Diphenylsemicarbazide	NHPh.CO.NH.NHPh	C ₁₃ H ₁₃ ON ₃	170	Kühn	B., 17, 2885	48, 261
Amidobenzdianidobenzene	NH ₂ .C ₆ H ₄ .NH.CO.C ₆ H ₄ .NH ₂ =1.3) ₂	"	129	McHugh	B., 7, 1268	
p-Toluidineazophenol	NH ₂ .C ₆ H ₃ Me.N ₂ .C ₆ H ₄ .OH	"	172	Wallach	B., 15, 2827	44, 584
β -naphthylurethane	C ₁₀ H ₇ .NH.CO ₂ Et	C ₁₃ H ₁₃ O ₂ N	73	Cosiner	B., 14, 60	40, 606
α - " "	"	"	79	Hofmann	P. R., 19, 108; B., 3, 658	24, 139; vii., 253
Ethyl methylquinoline carboxylate	CMe : N.C ₆ H ₄ .CH : C.CO ₂ Et	"	71	Friedländer and Gohring	B., 16, 1837	44, 1149
Aniline salicylate	HO.C ₆ H ₄ .CO ₂ H + NH ₂ Ph =1.2	C ₁₃ H ₁₃ O ₃ N	150	Guthrie	P. M. [5], 18, 27	
Acetamidocinnamylacrylic acid	NHAc.C ₆ H ₄ .CH : CH.CH : CH.CO ₂ H=1.2	"	253 d.	Diehl and Einhorn	B., 18, 2333	48, 1223
Nitroharmalin	C ₁₃ H ₁₃ (NO ₂)N ₂ O	C ₁₃ H ₁₃ O ₃ N ₃	120	Fritzsche	A., 68, 355; 72, 306	iii., 9
Methyl coumalanilidic acid	C ₄ N ₃ (NHPh).CO ₂ Me.CO ₂ H	C ₁₃ H ₁₃ O ₄ N	140 d.	Pechmann & Welsh	B., 17, 2393	47, 152; 48, 175
Ethyl acetindoxylate	N.C ₆ H ₄ .C(OAc).CH.CO ₂ Et	"	138	Baeyer	B., 14, 1742	42, 198
Ethyl nitrobenzoyltrimethylene carboxylate	CH ₂ .CH ₂ .C(CO ₂ Et).CO.C ₆ H ₄ .NO ₂ =1.4	C ₁₃ H ₁₃ O ₃ N	84	Perkin & Bellenot	B., 18, 959	48, 795
Aniline pyrogallate	C ₆ H ₂ (OH) ₃ .CO ₂ H + C ₆ H ₃ .NH ₂	"	126-128	Guthrie	P. M. [5], 18, 109	
Triacetyl gallamide	(OAc) ₃ .CONH ₂ =1.2.3.5	C ₁₃ H ₁₃ O ₇ N	150	Schiff and Pous	B., 18, 489	48, 796
β -diamidobenzhydrol	HO.CH : C ₁₂ H ₃ (NH ₂) ₂	C ₁₃ H ₁₄ ON ₂	128-129	Staedel	A., 218, 339	44, 991
Harmaline (A., 38, 363; 64, 360)	"	238 d.	Fischer and Täuber	B., 18, 400	48, 820
Carbanilidocyanmethine	Ph.NH.CO.NH.C ₆ H ₂ .N ₂	C ₁₃ H ₁₄ ON ₄	225	Keller	J. p. [2], 31, 363	48, 961
Ethyl benzenylazoximepropenyl-carboxylate	O.N : CPh.N : C(CH ₂) ₂ .CO ₂ Et	C ₁₃ H ₁₄ O ₃ N ₂	255 p.d.	Liquid	Schulz	B., 18, 2462	48, 1219

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetylanilidopyrotartarimide	fr. Ph.NH.CMe.CO.NH.CO. CH ₂	C ₁₃ H ₁₄ O ₃ N ₂	235	Wechsler	B., 18, 1041	48, 900
?	C ₁₃ H ₁₁ O ₆ N ₅	235	Stojentin	J. p., 32, 1	48, 1195
Toluidine phenate	C ₆ H ₄ Me.NH ₂ +Ph.OH=1.4	C ₁₃ H ₁₅ ON	31.1	Dyson	43, 468	
Diallylamidobenzoic acid	N(C ₂ H ₅) ₂ .CO ₂ H=1.3	C ₁₃ H ₁₅ O ₂ N	90	Griess	B., 5, 1041	26, 281; vii., 168
Mesitylsuccinimide	C ₆ H ₂ Me ₃ .N:(CO) ₂ :C ₃ H ₄ =1.3.5.6	"	137	Eisenberg	B., 15, 1018	42, 956
Isonitrosotetramethoxyquinizine	fr. C ₆ HMe ₃ .N.NH.CMe.CH ₂ . CO=1.2.4.5.6	C ₁₃ H ₁₅ O ₂ N ₃	156	Haller	B., 18, 708	48, 818
Ethyl ethylindoxylate	N.C ₆ H ₄ .C(OEt).CH.CO ₂ Et =1.2	C ₁₃ H ₁₅ O ₃ N	98	Baeyer	B., 14, 1742	42, 198
Ethyl acetamidocinnamate	NHAc.(CH:CH.CO ₂ Et) =1.2	"	137	Friedländer and Weiberg	B., 15, 1423	42, 1209
Ethylcumazonic acid	N:CEt.O.CMe ₂ .C ₆ H ₃ .CO ₂ H =1.2.5	"	202	Widmann	B., 16, 2585	48, 304
?-acid	" (?)	128-129	Weltner	B., 18, 795	48, 794
Ethyl acetyl-p-methylsacetate	C ₁₃ H ₁₅ O ₄ N	78-79	Duisberg	B., 18, 198	48, 544
" ethylnitrobenzoylacetate	NO ₂ .C ₆ H ₄ .CO.CHEt.CO ₂ Et =1.4	C ₁₃ H ₁₅ O ₅ N	39-40	Perkin & Bellemot	B., 18, 953	48, 794
" benzamsuccinate	CO ₂ H.C ₆ H ₄ .NH.CO.C ₂ H ₅ . CO ₂ Et=1.3	"	174	Pellizzari	B., 18, 214	48, 533
Benzdiamidoacetamidocetic acid	NHBz.CH ₂ .CO.NH.CH ₂ .CO. NH.CH ₂ .CO ₂ H	C ₁₃ H ₁₅ O ₅ N ₃	172	Curtius	B., 16, 756	44, 1087
Tetramethoxyquinizine	C ₆ HMe ₃ .N.NH.CMe.CH ₂ .CO =1.2.4.5.6	C ₁₃ H ₁₅ ON ₂	154-155	Haller	B., 18, 707	48, 818
Ethyl azotolueneacetate	Me.(N ₃ .CHAc.CO ₂ Et)=1.4	C ₁₃ H ₁₆ O ₃ N ₂	74	Züblin	B., 11, 1420	
Nitrobenzaldiacetonamine	NO ₂ .C ₆ H ₄ .CH.CH ₂ .CO.CH ₂ . CMe ₂ .NH=1.2	"	Liquid	Antrick	A., 227, 365	48, 503
"	" " =1.3	"	Liquid	"	"	"
"	" " =1.4	"	142.5	"	"	"
Ethyl β-hippuramidacetic acid	NHBz.CH ₂ .CO.NH.CH ₂ .CO ₂ . Et	C ₁₃ H ₁₆ O ₄ N ₂	117	Curtius	J. p. [2], 26, 194	44, 339
" nitrophenylethoxy-nitropropionate	NO ₂ .C ₆ H ₄ .CH(OEt).CH(NO ₂). CO ₂ Et=1.4	C ₁₃ H ₁₆ O ₇ N ₂	52	Friedländer and Mähly	A., 229, 210; B., 16, 852	48, 1138
" ethyldinitrohydro-p-coumarate	OMe.(NO ₂) ₂ .(CH ₂ .CH ₂ .CO ₂ . Et)=1.2.6.4	"	49	Stöhr	A., 225, 57	46, 1350
Benzaldiacetonamine	Ph.CH.NH.CMe ₂ :(CH) ₂ :CO	C ₁₃ H ₁₇ ON	230 d.	61.2	Heintz	A., 193, 62	38, 54
"	"	62-63	Fischer	B., 16, 2237	46, 54
Diethylamidocinnamic acid	N.Et ₂ .(CH:CH.CO ₂ H)=1.2	C ₁₃ H ₁₇ O ₂ N	B., 16, 653	124	Fischer and Kuzel	A., 221, 261	46, 440
Acetyloxyhydroquinoline	N.OEt=a ₁ ; a ₁	"	307	Liquid	Fischer and Renouf	B., 17, 759	46, 1049
Butylic hippurate	NHBz.CH ₂ .CO ₂ Bu ^a	C ₁₃ H ₁₇ O ₃ N	40-41	Campani & Bizzarri	G. I., 10, 257	38, 870
Isobutylic " (B. S., 34, 527)	NHBz.CH ₂ .CO ₂ Bu ^β	"	45-46	"	"	"
Hydroxypropylcarboxylphenylurethane	C ₆ H ₃ .CO ₂ H.(CMe ₂ .OH). (NH.CO ₂ Et)	C ₁₃ H ₁₇ O ₅ N	167 d.	Widmann	B., 17, 1305	46, 1023
Quinanilide	C ₆ H ₃ .NH(C ₇ H ₁₁ O ₅)	"	d. a. 240	174 c.	Hesse	A., 110, 342	v., 9
Ethyl acetoacetate + o-diamidotoluene	C ₆ H ₃ Me:(NH) ₂ :CMe.CH ₂ . CO ₂ Et	C ₁₃ H ₁₅ O ₂ N ₂	82	Ladenburg and Rügheimer	B., 12, 953	36, 716
Ethyl p-tolylhydrazine-acetoacetate	"	91-93	Knorr	B., 17, 550	46, 1154
Diacetamidomesitylene	Me ₃ .(NHAc) ₂ =1.3.5.2.4	"	a. 300	Ladenburg	A., 179, 177; B., 8, 677	28, 1036; 20, 386
Ethyl anilidopyrotartaramate	NH ₂ .CO.CMe(NHPh).CH ₂ . CO ₂ Et	C ₁₃ H ₁₅ O ₃ N ₂	125	Wechsler	B., 10, 1039	48, 900
Benzylidene urethane	Ph.CH(NH.CO ₂ Et) ₂	C ₁₃ H ₁₅ O ₄ N ₂	171	Bischoff	B., 7, 634-635	27, 891

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
m-toluylene urethane	$C_6H_3Me(NH.CO_2Et)_2$	$C_{13}H_{13}O_4N_2$	137	Lussy	B., 7, 1264	28, 274
Isobutylacetamidotoluene	$Me.Bu^{\beta}.NHAc=1.5.2$	$C_{13}H_{19}ON$	162	Effront	B., 17, 2322	48, 152
Pentamethylacetanilide	$C_6Me_5.NHAc$	"	213	Hofmann	B., 18, 1824	48, 1129
Ethoxyhydroethylquinoline (ethylkairine)	$N.OEt=a_1; a_1$	"	266-268(716)	33	Fischer and Renouf	B., 17, 760	46, 1049
Isocyminyurethane	$Me.Pr.(NH.CO_2Et)=1.3.?$	$C_{13}H_{19}O_2N$	229	Kelbe and Warth	A., 221, 157	46, 47
Diacetyltrimethtriamidobenzene	$NMe_2.NMeAc.NHAc=1.4.?$	$C_{13}H_{19}O_2N_3$	184	Wurster & Schobig	B., 12, 1813	38, 111
Nitroisoamylethoxybenzene	$OEt.C_6H_{11}.NO_2=?$	$C_{13}H_{19}O_3N$	a. 300 d.	Liquid	Liebmann	B., 15, 1991	
Diethyl trimethylpyrroline dicarboxylate	$CO_2Et.C:CMc.NMc.CMc:C.CO_2Et$	$C_{13}H_{19}O_4N$	72	Knorr	B., 18, 303	48, 555
Diethyl-m-toluylenecarbamide	$C_6H_3Me(NH.CO.NHEt)_2$	$C_{13}H_{20}O_2N_4$	175	Lussy	B., 8, 292	28, 770
Diethoxyhydroxyethyltheobromine	$C_{13}H_{20}O_7N_2$	152	Fischer	A., 215, 307	44, 357
Cyanallyl-allyl alcoholate	$C_{13}H_{21}ON$	95-96	Z. C. [1870], 401	
Allyl alcohol + allyl cyanide	$C_3H_5.CN + 3C_3H_5.OH$	$C_{13}H_{23}O_3N$	95-96	Rinne	B., 6, 389	vii., 49
Valerodiacetonamine oxalate	$C_{11}H_{21}ON + C_2H_2O_4$	$C_{13}H_{23}O_6N$	190 d.	Antrick	A., 227, 365	48, 502
(Enanthodiacetonamine	$C_6H_{13}.CH.CH_2.CO.CH_2.CMe_2.NH$	$C_{13}H_{23}ON$	29.5	"	"	48, 503
Fr. ethylcarbamine	$C_{13}H_{23}O_3N_5$	a. 200	Gautier	C. R., 67, 804	vi., 529
Oxalyldipiperidine	not $C_{10}H_{23}ON_2$ as in orig.	$C_{13}H_{26}ON_2$	280-290 d.	Ladenburg	B., 14, 1879	
Ethyl diisoamylcarbamate	$N(C_5H_{11})_2.CO_2Et$	$C_{13}H_{27}O_2N$	246-247	L. -20	Custer	B., 12, 1334	36, 914
Tetranitroanthraflavic acid	$C_{14}H_4(NO_2)_4O_4$	$C_{14}H_4O_{12}N_4$	d.w.m.307.6c.	Schardinger	B., 8, 1488	29, 584
Tetranitroisoanthraflavic acid	"	"	a. 300	Römer & Schwarzer	B., 15, 1046	42, 975
a-dinitrophenanthraquinone	$C_{14}H_6(NO_2)_2.O_2$	$C_{14}H_6O_6N_2$	B., 9, 548	280	Græbe	A., 167, 144	
"	"	"	290	Kleemann & Wense	B., 18, 2168	
"	"	"	290	Schultz	A., 203, 108	
a-dinitroanthraquinone	cf. A., 160, 145; 166, 154	"	B., 16, 54	256-260	Schmidt	J. p. [2], 9, 261; 19, 211	
β -	"	"	?	Fritzsche	Z. C. [1869], 114	
β -	"	"	B., 7, 203	280	Schmidt	J. p. [2], 9, 261	27, 581, 987
β -	"	"	?	Anderson	A., 122, 302	
γ -	"	"	a. 300	Römer	B., 16, 364	44, 737
Dinitrohydroxyanthraquinone	$C_6H_4:(CO)_2:C_6H(NO_2)_2.OH =2.1; 1.2.4.6.5$	$C_{14}H_6O_7N_2$	268-270	Simon	B., 14, 465; 15, 692	40, 608
Dinitroxanthopurpurin	$C_{14}H_4O_2(NO_2)_2(OH)_2$	$C_{14}H_6O_8N_2$	isomeric	249	Plath	B., 9, 1206	31, 87
"	"	"	"	249-250	"	B., 9, 1205	"
Dinitromunjistin	"	"	251	Schunck & Römer	33, 425	
a-nitrophenanthraquinone	$C_{14}H_7(NO_2):O_2$	$C_{14}H_7O_4N$	215-220	Schmidt	B., 12, 1156	36, 941
?	"	"	257	Anschütz & Schultz	B., 9, 1404	31, 210
β -	"	"	260-266	Schmidt	B., 12, 1157	36, 941
γ -	"	"	263 d.	"	B., 12, 1158	"
?	"	"	281-282	Lachowicz	J. p. [2], 28, 168	46, 82
β -nitroanthraquinone	"	220	Römer	B., 15, 1786	44, 71
a- (B12, 1570)	"	A., 166, 148	230	Böttger & Petersen	J. p. [2], 6, 367	26, 389
a-	"	230	Claus and Hertel	B., 14, 978	40, 737
Nitrodiphenyleneketone carboxylic acid	fr. $C_6H_4.CO_2C_6H_3.CO_2H =1.2; 1.2.3.$	$C_{14}H_7O_5N$	245-246	Fittig & Liepmann	A., 208, 8	38, 401
a-Nitroalazarin (A., 201, 353)	fr. $C_6H_4:(CO)_2:C_6H_2(OH)_2 =2.1; 1.2.3.4$	$C_{14}H_7O_6N$	194-196	Schunck & Römer	B., 12, 587	36, 654
l- (B.S., 26, 67)	"	"	230	Rosenstiehl	A. C. [5], 12, 519	34, 231
β - (B., 10, 1760)	$C_6H_4:(CO)_2:C_6H(OH)_2.NO_2 =2.1; 1.2.3.4.5$	"	244	Simon	B., 15, 692	42, 863
β -	"	"	244	Schunck & Römer	B., 12, 585	36, 654
l-	"	"	282	"	B., 12, 587	"
Phenanthraquinone dioximide	$C_6H_4.C_6H_4.C:N.O.N:C$	$C_{14}H_8ON_2$	181	Goldschmidt	B., 16, 2179	46, 62

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzidine tetracarboxylic anhydrimide	$(\text{C}_6\text{H}_3\text{.NH.CO})_2$	$\text{C}_{14}\text{H}_9\text{O}_2\text{N}_2$...	283 u.c.	Claus & Hemmann	B., 16, 1762	44, 1127
Nitrophenylphthalimide	$\text{C}_6\text{H}_4\text{.}(\text{CO})_2\text{.N.C}_6\text{H}_4\text{.NO}_2$ =1.2; 1.3	$\text{C}_{14}\text{H}_9\text{O}_4\text{N}_2$...	242-243	Gabriel	B., 11, 2261	38, 324
Dinitrophenanthrene	...	"	...	150-160	Græbe	A., 167, 156	28, 896; vii., 85
Nitrosanitroanthrone	see original paper	"	...	263	Liebermann and Landshoff	B., 14, 470	40, 607
Dinitroanthrone	"	$\text{C}_{14}\text{H}_9\text{O}_3\text{N}_2$...	116 d.	"	B., 14, 472	"
Nitroamidoxanthraquinone	240	Bourcart	B., 12, 1419	38, 263
Dinitrobenzil	...	$\text{C}_{14}\text{H}_9\text{O}_6\text{N}_2$	octohedra plates	131	Sagumenny	B., 5, 1100	28, 502
"	...	"	J. R., 13, 29	147	"	J. R., 4, 278	vii., 157
Isodinitrobenzil	...	"	...	205-206 d.	Soloubeff	B. S. [2], 34, 345	40, 422
Nitrobenzoic anhydride	$(\text{NO}_2\text{.C}_6\text{H}_4\text{.CO})_2\text{O}=(1.2)_2$	$\text{C}_{14}\text{H}_9\text{O}_7\text{N}_2$...	135	Bischoff and Rach	B., 17, 2789	48, 263
β -Dinitro-p-benzoylbenzoic acid	...	"	...	211-212	Plasuda & Zincké	B., 7, 985	28, 70
α - " " "	...	"	...	240	Plasuda	B., 7, 988	28, 75
α -Dinitrodiphenic acid	$(\text{C}_6\text{H}_3\text{.NO}_2\text{.CO}_2\text{H})_2=(1.4.2)_2$	$\text{C}_{14}\text{H}_8\text{O}_8\text{N}_2$...	248-249	Hummel	A., 193, 131	38, 165
α - " (B., 16, 2346)	"	"	...	250-251	Struve	B., 10, 76	46, 329
α - " (B., 12, 236)	"	"	...	253	Schultz	A., 196, 29	"
β - " " " "	fr. $(\text{C}_6\text{H}_4\text{.CO}_2\text{H})_2=(1.2)_2$	297	"	A., 203, 105	38, 814
Tetranitrobenzyltoluene	"	$\text{C}_{14}\text{H}_8\text{O}_8\text{N}_4$...	160-161	Zincké	B., 5, 685	vii., 183; 25, 1005
Benzoylphenylisonitril	$\text{C}_6\text{H}_4\text{.Bz.NC}=1.4$	$\text{C}_{14}\text{H}_9\text{ON}$...	118-119	Döbner and Weiss	B., 14, 1838	42, 177
" " " "	"	"	...	118-119	Döbner	A., 210, 271	42, 508
Phenanthrenequinonimide	$\text{C}_6\text{H}_4\text{.C}_6\text{H}_4\text{.CO.C:NH}=(1.2)_2$	"	...	147	Anschütz & Schultz	B., 10, 23	32, 492
" " " "	"	"	...	158-159	Zincké	B., 12, 1642	38, 48
" " " "	"	"	...	167	Anschütz & Schultz	A., 196, 51	38, 539
Benzoylsalicyl nitril	$\text{C}_6\text{H}_4(\text{OBz}).\text{CN}=1.2$	$\text{C}_{14}\text{H}_9\text{O}_2\text{N}$	A., 99, 250	148-149	Henry	Z. C. [2], 6, 53; B., 2, 491	vi., 1012
Phenylphthalimide	$\text{C}_6\text{H}_4\text{.}(\text{CO})_2\text{.NPh}$	"	...	205	Döbner	A., 210, 267	"
" " " "	"	"	...	205	Laurent & Gerhardt	J., 1847, 605	"
Benzoylanthranil	$\text{C}_6\text{H}_4\text{.CO.NBz}=1.2$	"	a. 360	122-123	Friedländer and Wleügel	B., 16, 2229	46, 61
α -Nitrophenanthrene	...	"	...	73-75	Schmidt	B., 12, 1155	38, 941
α - " " " "	...	"	...	70-80	Græbe	A., 167, 155	28, 896; vii., 85
β - " " " "	...	"	...	126-127	Schmidt	B., 12, 1156	38, 941
γ - " " " "	...	"	...	170-171	"	B., 12, 1157	"
Isonitrosophenanthrone	...	"	...	158	Goldschmidt	B., 16, 2178	46, 62
Isonitrosoanthrone	...	"	...	w. m. 200	"	B., 16, 2180	"
Nitrosoanthrone	$\text{C}_6\text{H}_4\text{.CO.C}_6\text{H}_4\text{.CH(NO)}$	"	...	146	Liebermann and Lindemann	B., 13, 1586	40, 99
Amidophenanthraquinone	$\text{CO.C}_6\text{H}_4\text{.C}_6\text{H}_3(\text{NH}_2).\text{CO}$ =2.1; 1.4.2	"	...	200 d.	Anschütz & Meyer	B., 18, 1943	48, 1068
Amidoanthraquinone	$\text{C}_6\text{H}_4\text{.}(\text{CO})_2\text{.C}_6\text{H}_3\text{.NH}_2$ =2.1; 1.2.3	"	...	241	Roemer	B., 15, 1790	44, 72
" " " "	" =2.1; 1.2.?	"	...	250	Claus	B., 15, 1518	"
" " " "	" " "	"	...	254 u. c.	Claus and Diernfellner	B., 14, 1334, 1335	42, 523
" " " "	" " "	"	...	254 u. c.	Claus and Hertel	B., 14, 979	40, 738
" " " "	" " "	"	A., 166, 149	256	Böttger & Petersen	B., 12, 1566; J. p. [2], 6, 367	26, 389
" " " "	" =2.1; 1.2.4	"	...	301	Bourcart	B., 12, 1418	"
" " " "	" " "	"	...	302	Perger	B., 12, 1568	38, 49
" " " "	" " "	"	...	302	Liebermann	A., 212, 61	42, 860
" (B. S., 33, 264)	" " "	"	...	302	Liebermann and Bollert	B., 15, 229	"
Pyrophthalone	...	"	...	a. 260, p. d.	Jacobsen & Reimer	B., 16, 2604	46, 335
" " " "	...	"	...	b. 200	"	"	"
Diazobenzimide	$\text{N}_2\text{.}(\text{C}_6\text{H}_4\text{.CO})_2\text{.NH}=(1.2)_2$	$\text{C}_{14}\text{H}_9\text{O}_2\text{N}_3$...	141-145	Fischer	B., 13, 680	38, 647

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxyphenylphthalimide	$C_6H_4:(CO)_2:N.C_6H_4.OH$ =(1.2) ₂	$C_{14}H_9O_3N$	220	Ladenburg	B., 9, 1528	31, 305
β -Amidohydroxyanthraquinone (alizarinamide)	$C_6H_4:(CO)_2:C_6H_2(OH).NH_2$ =2.1; 1.2.3.4	"	cf. B., 15, 1805	sb. 150-153	Perger	J. p. [2], 18, 139	36, 253.
"	" =2.1; 1.2.4.3	"	A., 183, 205	250	Liebermann and Hagen	B., 15, 1799	
"	" "	"	250-260	Liebermann and Troschke	B., 8, 380	28, 890
"	" ?	"	301	Bourcart	B., 12, 1418	38, 49, 263
Nitrobenzylazoximebenzenyl	$NO_2.(C:N.O.CPh:N)=1.3$	$C_{14}H_9O_3N_3$	160	Schöpf	B., 18, 1067	48, 897
Nitrobenzil	$C_6H_4(NO_2).COBz=1.?$	$C_{14}H_9O_4N$	110	Zinin	As., 3, 153	vi., 306.
α -Amidoalzarin	"	?	Perkin	J. [1877], 586	
β -	"	a. 300	Schunck & Römer	B., 12, 588	36, 655.
Nitrodiphenic acid	$CO_2H.C_6H_4.C_6H_3(NO_2).CO_2H$ =2.1; 1.4.2	$C_{14}H_9O_6N$	217	Strasburger	B., 16, 2347	48, 329
Dinitro- α -naphthylsuccinimide	$C_{10}H_5(NO_2)_2.N:(CO)_2:C_2H_4$	$C_{14}H_9O_6N_3$	250	Hübner	A., 209, 382	42, 181.
"	" "	"	250	Hanemann	B., 10, 1713	
Fr. papaveric acid	$C_{14}H_9O_7N$	245-246	Goldschmidt	M. C., 6, 372	48, 1081
Trinitrotolylphenylketone	$C_6H_3(NO_2)_2.CO.C_6H_3Me.NO_2$	$C_{14}H_9O_7N_3$	165	Plascuda & Zincké	B., 7, 983	28, 69
Hexanitro-p-ditolylamine	$NH:C_{12}H_2Me_2(NO_2)_6$	$C_{14}H_9O_{12}N_7$	258	Lehne	B., 13, 1545	40, 41
Dibenzylazoxime	$N:CPh.N:CPh.O$	$C_{14}H_{10}ON_2$	290	108	Tiemann & Krüger	B., 17, 1695	48, 1326
Anthroxanaldehyde anilide	$O.N.C_6H_4.C.CH:NPh$	"	40	Schillinger and Wletigel	B., 16, 2224	46, 60
Diphenyldicyanate	$Ph_2C_2O_2N_2$	$C_{14}H_{10}O_2N_2$	175	Hofmann	B., 3, 765; 4, 246; As., 1, 57	24, 136; vii., 407
Hydroxybenzylazoximebenzenyl	$N:CPh.O.N:C.C_6H_4.OH$ =1.3	"	163	Schöff	B., 18, 2475	48, 1217
Phthalyldiamidobenzene	$C_6H_4:(NH.CO)_2:C_6H_4$ =1.3; 1.2	"	178	Biedermann	B., 10, 1165	32, 784
"	" =1.4; 1.2	"	182	"	B., 10, 1164	"
Amidobenzoid	$NH.C_6H_4.CO.NH.C_6H_4.CO$	"	225	Piutti	B., 16, 1321	44, 999
Phenylamidinetoluic acid	$NH.C_6H_4.N:C.C_6H_4.CO_2H$ =1.2; 1.4	"	abt. 300	Stoddard	B., 11, 294; A., 210, 337	34, 504
"	" "	"	a. 300	Brückner	A., 205, 118	40, 93.
Diamidophenanthraquinone	$[C_6H_3(NH_2).CO.]_2=(1.4.2)_2$	"	nf. 310	Anschütz & Meyer	B., 18, 1942	48, 1068
α -Diamidoanthraquinone	"	236	Böttger & Petersen	B., 4, 231, 779; A., 160, 148	24, 532; vii., 92
α -	"	236	Claus & Diernfellner	B., 14, 1337	42, 523
α -	"	236	Claus and Hertel	B., 14, 981	
β -	"	nf. 300	Schmidt	J. p. [2], 9, 266	27, 988
l-	$NH_2.NH_2=1.2$	"	a. 130 d.	Perger	J. P. [2], 18, 138	
l-	$NH_2.C_6H_3:(CO)_2:C_6H_3.NH_2$ =3.2.1; 1.2.6	"	sb.	a. 300	Römer	B., 16, 366	44, 737
Phenyldiazonitrobenzylcyanide	$NO_2.C_6H_4.[CH(N:NPh).CN]$ =1.4	$C_{14}H_{10}O_2N_4$	201-202	Perkin	B., 16, 341	43, 111
"	$C_{14}H_{10}O_3N_2$	188	Friedländer & Mähly	A., 229, 210; B., 16, 850	48, 1137
Azobenzoic acid	$(N.C_6H_4.CO_2H)=(1.2)_2$	$C_{14}H_{10}O_4N_2$	B., 11, 760	237 d.	Griess	B., 10, 1868	34, 149
"	" "	"	237-238	Homolka	B., 17, 1904	
"	" = (1.3) ₂	"	B., 8, 41	a. 170	Strecker	A., 129, 133	vi., 321
"	" = (1.4) ₂	"	a. 130	Bilfinger	A., 135, 154	vi., 321
"	" "	"	d. w. m.	Claus	B., 15, 2332	
Dinitrostilbene	"	180	Marecker	A., 140, 90	vi., 1107
"	$(C.CH.C_6H_4.NO_2)_2$	"	a. 280	Strakosch	B., 6, 329	26, 890
Hydro-anthracene dinitrite	$C_6H_4.CH_2.C_6H_4.C(O.NO)_2$	"	125 d.	Liebermann and Landshoff	B., 14, 468	40, 607

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
? (cf. B., 14, 484)	$C_{14}H_{10} + N_2O_4$	$C_{14}H_{10}O_4N_2$...	194	Liebermann and Lindemann	B., 13, 1586	40, 99
<i>a</i> -dinitrodeoxybenzoin	$C_{14}H_{10}O_5N_2$	112-114	J. R., 13, 23	
<i>a</i> - " (B., 13, 2403)	"	114-116	Golubeff	B. S. [2], 34, 345	40, 422
<i>β</i> - "	"	120	"	B., 11, 1939	38, 150
<i>β</i> - "	"	124-125	J. R., 13, 23	
<i>β</i> - " (B., 13, 2403)	"	125-126	Golubeff	B. S. [2], 34, 345	40, 422
<i>γ</i> - " (J. R., 13, 23)	"	154-155	Borodin	B. S. [2], 35, 560	40, 813
Dinitrotolylphenylketone	$NO_2.C_6H_4.CO.C_6H_3Me.NO_2$ =1.4; 1.4.3	"	126-127	Plascuda & Zincké	B., 7, 983	28, 69
"	fr. Ph.CO.C ₆ H ₄ Me=1.3	"	145	Senff	A., 220, 225	46, 427
Methylic dinitrodiphenylcarboxylate	$NO_2.C_6H_4.C_6H_3(NO_2).CO_2Me$ =1.4; 1.2.4	$C_{14}H_{10}O_6N_2$	156	Strasser & Schultz	A., 210, 192	42, 521
Dinitro-oxanilide	$(CO.NH.C_6H_4.NO_2)_2=(1.4)_2$	$C_{14}H_{10}O_6N_4$	A., 209, 366	260	Hübner & Rudolph	B., 8, 473	42, 180
"	" = (1.2) ₂	"	a. 300	Hübner	A., 209, 369	42, 181
Pyridinedicarboxylic acid	Polymer	$C_{14}H_{10}O_8N_2$	96 u. c.	Clans	B., 14, 1942	
Tetranitrobenzyltoluene	fr. Ph.CH ₂ .C ₆ H ₄ Me=1.4	$C_{14}H_{10}O_8N_4$	160-161	Zincké	B., 5, 685	
Acetylcarbazole	$C_6H_4.NAc.C_6H_4$	$C_{14}H_{11}ON$	a. 360 d.	69	Græbe and Glaser	A., 163, 352	
Benzilimide	"	$C_{12}H_{12}O_4N_2$	130	Laurent	J. p., 35, 461	
Imabenzil	$C_6H_5.C(:NH).CO.C_6H_5$	"	"	140	"	J. p., 27, 312; 35, 461	iii., 245
Phthalidanil	Ph.N : CH.C ₆ H ₄ .COH=1.2	"	160	Hessert	B., 10, 1450	34, 67
"	Ph.N.CH ₂ .C ₆ H ₄ .CO=1.2	"	160	"	B., 11, 239	
<i>β</i> -naphtho- <i>γ</i> -oxyquinoline....	see original paper	"	286	Knorr	B., 17, 543	46, 1198
<i>α</i> - " - <i>γ</i> - "	"	"	292	"	B., 17, 545	"
Amidobenzoylazoximebenzenyl	$N : CPh.O.N : C.C_6H_4.NH_2$ =1.3	$C_{14}H_{11}ON_3$	143	Schöff	B., 18, 2473	48, 1217
Phenylhydrazine + isatine	"	210-211	Fischer	B., 17, 577	48, 1151
Fr. Benzil	Ph.C(:NOH).COPh	$C_{14}H_{11}O_2N$	130-131	Wittenberg and Meyer	B., 16, 503	44, 804
Dibenzamide	NHBz ₂	"	138	Beilstein & Landolt	A., 111, 6	vi., 259
"	"	"	144	Barth and Senhofer	B., 9, 975	30, 418
"	"	"	148	Fischer & Troschke	B., 13, 708	
"	"	"	148	Gumpert	J. p., 30, 87	48, 53
"	(?) " + 2H ₂ O	"	99	Schäffer	A., 169, 111	27, 165
Benzimidobenzoate	NH : CPh.O.CPh : O	"	148.5	Pinner and Klein	B., 11, 766	34, 864
Nitrodiphenylethylene	CH ₂ : CPh.C ₆ H ₄ .NO ₂	"	86	Anschütz & Römig	B., 18, 664	48, 768
Piperonalanilide	CH ₂ : O ₂ : C ₆ H ₃ .CH : NPh =4.3.1	"	65	Lorenz	B., 14, 792	40, 729
Naphthylsuccinimide	C ₂ H ₄ : (CO) ₂ : N.C ₁₀ H ₇	"	152	Hübner and Hane- mann	B., 10, 1713; A., 209, 382	42, 181
? (B., 8, 1050)	$C_{14}H_{11}O_2N_3$	220 d.	Lorenz	B., 7, 1097	
Dibenzhydroxamic acid	NBz ₂ .OH	(?) $C_{14}H_{11}O_3N$	140	vii., 155
"	"	"	145-146	Lossen	A., 162, 357	25, 415
"	"	"	153	Müller	B., 16, 1621	44, 1130
"	"	"	153	Steiner	A., 178, 226	29, 271
"	"	"	156-158 d.	Heintz	Z. C. [2], 5, 733	vi., 725
"	HO.CPh : NO.CO.Ph	(?)	?	Eiseler	A., 175, 324	
Nitrodeoxybenzoin	"	J. R., 11, 99	140-142	Golubeff	B., 12, 693	36, 790
Benzamidobenzoic acid	NHBz.CO ₂ H=1.2	"	180-181	Friedländer and Wleügel	B., 16, 2229	46, 62
"	"	"	182	Brückner	A., 205, 130	40, 94
"	" = 1.4	"	278	"	A., 205, 128	"
Phenylphthalamic acid	CO ₂ H.(CO.NHPh)=1.2	"	192	Gerhardt & Laurent	J. [1847], 606	
Benzoylsalicylamide....	"	A., 99, 249	200	Gerhardt & Chiozza	J. [1856], 502	
Phenylazoindoxyl	$C_6H_4.C(OH) : CH.N_2.Ph$	"	236 d.	Baeyer	B., 16, 2190	48, 74
Nitrophenyltolylketone	$C_6H_4Me.CO.C_6H_4.NO_2$ =1.4; 1.?	"	126-127	Plascuda & Zincké	B., 7, 983	vii., 183, 861
"	"	"	127	Zincké	B., 5, 685	25, 1005

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxybenzylideneamido-benzoic acid	HO.C ₆ H ₄ .CH:N.C ₆ H ₄ .CO ₂ H =1.2; 1.3	C ₁₄ H ₁₁ O ₃ N	190	Schiff	A., 210, 116	42, 303
Anthracene nitrate	C ₁₄ H ₁₀ +HNO ₃	"	125 d.	Liebermann and Lindemann	B., 13, 1585	40, 99
Dyestuff	(M.C., 1, 894)	"	228	Weselsky and Benedikt	W.A. [2], 82, 1219	40, 726
Nitroso-oxanilide	NHPh.(CO) ₂ .NPh.NO	C ₁₄ H ₁₁ O ₃ N ₃	86	Fischer	B., 10, 960	32, 607
Acetophenone nitrophenyl-oxide	Bz.CH ₂ .O.C ₆ H ₄ .NO ₂ =1.4	C ₁₄ H ₁₁ O ₄ N	144	Möhlau	B., 15, 2498	44, 332
Benzoylamidosalicic acid	CO ₂ H.OH.NHBz=1.2.3 or 5	"	189	Hübner	A., 195, 37	
"	"	"	252	Dabney	A. C. J., 5, 20	46, 308
Disalicylamide	(HO.C ₆ H ₄ .CO) ₂ NH=(1.2) ₂	"	197-199 d.	Schulerud	J. p. [2], 22, 289	40, 42
Hydroxyphthalanic acid	HO.C ₆ H ₄ .NH.CO.C ₆ H ₄ .CO ₂ H =(1.2) ₂	"	223	Ladenburg	B., 9, 1528	31, 305
Hydroxybenzylideneamido-salicic acid	HO.C ₆ H ₄ .CH:N.C ₆ H ₃ (OH). CO ₂ H=1.2; 5.2.1	"	245 d.	Schiff	A., 210, 117	42, 303
Nitrosoacetophenone nitroanilide	Bz.CH ₂ .N(NO).C ₆ H ₄ .NO ₂ =1.4	C ₁₄ H ₁₁ O ₄ N ₃	135-145	Möhlau	B., 15, 2474	
"	"	254	Salkowski	B., 17, 509.	46, 1176
Dinitrobenzylmethylamine	fr. NMePhBz	C ₁₄ H ₁₁ O ₃ N ₃	136	Hess	B., 18, 687	48, 783
Acetophenonedinitranilide	CH ₂ Bz.NH.C ₆ H ₃ (NO ₂) ₂ =1.2.4	"	171-172	Möhlau	B., 15, 2479	44, 333
Dinitrobenzamidotoluene	Me.NHBz.(NO ₂) ₂ =1.4.3.5	"	186	Kolbe	A., 208, 312; B., 8, 877	29, 270; 40, 1131
"	"	"	203	Cunerth	A., 172, 229	28, 83
Nitrobenzamidonitrotoluene	C ₆ H ₃ Me(NO ₂).NH.CO.C ₆ H ₄ . NO ₂ =1.2.4; 1.3	"	188.5	Hübner	B., 10, 1712; A., 210, 336	34, 144
Benzoic + nitrobenzoic acids...	Ph.CO ₂ H + C ₆ H ₄ (NO ₂).CO ₂ H	C ₁₄ H ₁₁ O ₆ N	136-137	Fittica	B., 9, 795; J. p. [2], 13, 184	30, 411; 36, 153
Trinitrobenzyltolyl oxide	C ₆ H ₂ Me(NO ₂) ₂ .O.CH ₂ .C ₆ H ₄ . NO ₂ =1.3.5.6; 1.4	C ₁₄ H ₁₁ O ₇ N ₃	145	Staedel	B., 14, 899; A., 217, 178, 181	40, 724
"	"	"	186.5	Fritzsche	A., 224, 137	46, 1337
Trinitro-p-azoxytoluene	C ₁₄ H ₁₁ O ₇ N ₅	201	Petrieff	Z. C. [2], 6, 264; B., 6, 557	vi., 286; 26, 1027
Dibenzimide oxide	NH:CPh.O.CPh:NH	C ₁₄ H ₁₂ ON ₂	106	Pinner and Klein	B., 11, 765	34, 864
Methylanilidocarbamidophenol	O.C ₆ H ₄ .N:C.NMePh=1.2	"	a. 360	Liquid	Kalkhoff	B., 16, 1827	44, 1110
Amidobenzylideneamido-benzaldehyde	NH ₂ .C ₆ H ₄ .CH:N.C ₆ H ₄ .COH =(1.2) ₂	"	188-189	Friedländer and Göhring	B., 17, 459	46, 1020
α-naphtho-oxyethylquini-zine	"	190	Knorr	B., 17, 551	46, 1154
β-	"	190	"	B., 17, 550	"
Acetophenonenitrosoanilide	Ph.CO.CH ₂ .N(NO)Ph(l)	C ₁₄ H ₁₂ O ₂ N ₂	73	Möhlau	B., 15, 2472	44, 333
Benzoylbenzenylamidoxime	NH ₂ .CPh:N.OBz	"	140	Tiemann & Krüger	B., 17, 1694	46, 1326
Phenylhydrazinephenylglyoxylic acid	N ₂ HPh:CPh.CO ₂ H	"	153 d.	Elbers	A., 227, 340	48, 534
"	"	"	153 d.	Fischer	B., 17, 578	46, 1151
Phenylbenzoylcarbamide	NHPh:CO.NHBz	"	199	Kühn	B., 17, 2881	48, 260
β-diphenylglyoxime	Ph.(C:N.OH) ₂ .Ph	"	206	Goldschmidt	B., 16, 2177	46, 62
"	"	"	237	Goldschmidt and Meyer	B., 16, 1617	44, 1120
Diphenyloxamide (oxanilide)	(CO.NHPh) ₂	"	320	245	Gerhardt	A., 60, 308	iv., 285
"	"	"	B., 14, 740	245	Klinger	A., 184, 261	31, 710
Acetyloxazobenzene	Ph.N ₂ .O.C ₆ H ₄ Ac(?)	"	84.5	Scichilone	G. I. [1882], 108	42, 726
Acetoxyazobenzene	Ph.N ₂ .C ₆ H ₄ OAc	"	a. 360 p. d.	84-85	Wallach and Kiepenhauer	B., 14, 2617	
Dinitrobenzyltoluene	"	137	Zincké	B., 5, 684	vii., 183
Hydroxybenzylideneamido-benzamide	HO.C ₆ H ₄ .CH:N.C ₆ H ₄ .CO. NH ₂ =1.2; 1.3	"	186	Schiff	A., 218, 185	46, 455
Nitroamidostilbene	NH ₂ .C ₆ H ₄ .CH:CH.C ₆ H ₄ .NO ₂	"	229-230	Strakosch	B., 6, 330	26, 890
Tolylazophenylcarboxylic acid	C ₆ H ₄ Me.N ₂ .C ₆ H ₄ .CO ₂ H	"	sb.	237	Klinger	B., 16, 946	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobenzylmethylaniline ...	fr. NMePhBz	$C_{14}H_{12}O_3N_2$	111	Hess	B., 18, 687	48, 783
Acetophenonenitrilide	$CH_2Bz.NH.C_6H_4.NO_2=1.4$	"	167	Möhlau	B., 15, 2475	44, 333
Phenyluramidobenzoic acid....	$NHPh.CO.NH.C_6H_4.CO_2H$ =1.3	"	270 d.	Kühn	B., 17, 2883	48, 261
Benzamidonitrotoluene ...	Me.NHBz. $NO_2=1.4.5$	"	143	Kolbe	A., 208, 311 ; B., 8, 875	29, 270 ; 40, 1131
"	" =1.2.6	"	145-146	Cunerth	A., 172, 224	27, 903
"	" "	"	145-146	Limpricht	B., 7, 643	28, 83
"	" "	"	167-167.5	Bernthsen	B., 15, 3017	44, 579
"	" =1.4.2	"	168	Cunerth	A., 172, 228	28, 83
"	" "	"	171-172	Bernthsen	B., 15, 3017	44, 579
" (B., 7, 1504)	" "	"	172	Bell	C. N., 30, 212	28, 371
" (A., 217, 200)	" =1.3.5	"	177	Becker	B., 15, 1138	42, 1197
Toluylnitrilide	$NO_2.C_6H_4.NH.CO.C_6H_4Me$ =1.2 ; 1.4	"	A., 205, 118	110	Hühner	A., 210, 328	42, 504
Nitrobenzamidotoluene	$C_6H_4Me.NH.CO.C_6H_4.NO_2$ =1.4 ; 1.3	162	"	A., 210, 335 ; B., 10, 1712	34, 144
Acetamidonitrodiphenyl ...	$NO_2.C_6H_4.C_6H_4.NHAc$ =(1.4) ₂	246 or 264	Schmidt & Schultz	A., 207, 351	40, 911
Diphenyldinitroethane	$C_2H_5Ph_2(NO_2)_2$	$C_{14}H_{12}O_4N_2$	300 d.	Gabriel	B., 18, 2438	48, 1229
Dinitrodibenzyl	$(CH_2.C_6H_4.NO_2)_2=1.2 ; 1.4$	"	74-75	Stelling and Fittig	A., 137, 262	v., 871
"	" "	"	75	Leppert	B., 9, 15	29, 704
"	" =1.4) ₂	"	166-167	Stelling and Fittig	A., 137, 260	v., 871
"	" "	"	178	Leppert	B., 9, 15	29, 704
Dinitrodiphenylethane ...	$CH_3.CH(C_6H_4.NO_2)_2$	"	149	Anschütz & Römig	B., 18, 664	48, 768
Dinitrobenzyltoluene	fr. Ph. $CH_2.C_6H_4Me=1.2$	"	100	Plascuda & Zineké	B., 7, 986	28, 70
"	" =1.4	"	137	Zineké	B., 5, 684	25, 1004
"	" =1.3	"	141	Senff	A., 220, 225	46, 427
Hydrazobenzoic acid	$(NH.C_6H_4.CO_2H)_2=(1.2)_2$	"	B., 7, 1612	205	Homolka	B., 17, 1904	46, 1342
Disuccinylamidobenzene ...	$C_6H_4[N:(CO)_2:C_2H_4]_2$	"	a. 360	Biedermann	B., 9, 1668	31, 474
Diamidodiphenic acid	$(C_6H_3.NH_2.CO_2H)_2=(?1.2)_2$	"	crystalline	Griess	B., 7, 1612	
"	" =1.4.2) ₂	"	170	"	B., 7, 1610	28, 460
"	" "	"	B., 12, 236	170 d.	Schultz	A., 196, 25	38, 538, 653
"	" "	"	170-270	"	B., 12, 236	36, 653
"	" (?)	"	v., B., 12, 236	250	Hummel	A., 193, 128	36, 165
"	" (?)	"	"	250-251	Struve	B., 10, 75	32, 902
Dinitroazotoluene	$C_{14}H_{12}O_4N_4$	110	Petrieff	B., 6, 556	26, 1027
Dinitroresylbenzyl oxide ...	$(O.CH_2Ph).Me.(NO_2)_2$ =1.4.2.6	$C_{14}H_{12}O_5N_2$	109	Fritzsche	A., 224, 137	46, 1337
Nitroresylnitrobenzyl oxide	$NO_2.C_6H_4Me.O.CH_2.C_6H_4$ $NO_2=2.4.1 ; 1.4$	"	163	"	"	"
Dinitro-p-azoxytoluene	$C_{14}H_{12}O_5N_4$	145	Petrieff	B., 16, 557	26, 1027
Formyldinitrophenyltoluyl- enediamine	$C_6H_5(NO_2)_2.NH.C_7H_6.NH$ COH	"	157	Leymann	B., 15, 1237	42, 1057
Ethylene nitrophenylether ...	$C_2H_4(O.C_6H_4.NO_2)_2=(1.3)_2$	$C_{14}H_{12}O_6N_2$	139	Wagner	J. p. [2], 27, 201	46, 431
"	" =1.4) ₂	"	142-143	Weddige	J. p. [2], 20, 127	38, 316
"	" "	"	143	Wagner	J. p. [2], 27, 201	46, 434
"	" "	"	162-163	Weddige	J. p. [2], 20, 127	38, 316
"	" "	"	163	Wagner	J. p. [2], 27, 201	46, 434
4th Nitrobenzoic + 4th Amido- benzoic acid	"	156-158 ; 158-160	Fittica	J. p. [2], 13, 184	38, 153
Benzoylmethylanilide	Ph.NMeBz	$C_{14}H_{13}ON$	59	Hepp	B., 10, 329	
"	"	"	63	Hess	B., 18, 686	48, 783
Methylic diphenylacetoxime	$CPh_2:NO.Me$	"	92	Spiegler	M. C., 5, 203	46, 1156
Acetophenone anilide	Ph.CO.CH ₂ .NHPh	"	93	Möhlau	B., 14, 172	40, 262
Amidodeoxybenzoïn....	"	94	Golubeff	B., 6, 1252	27, 273
"	"	J. R., 11, 101	95-96	"	B., 11, 1239	38, 150
Acetyldiphenylamine	NAcPh ₂	"	99.5	Merz and Weith	B., 5, 284 ; 6, 1511	27, 375
"	"	"	101	Wallach	A., 214, 193	44, 49
"	"	"	103 u. c.	Claus	B., 14, 2366	
"	"	"	175	Willm and Girard	B., 8, 1196	
Phenylacetanilide	Ph.NH.CO.CH ₂ .Ph	"	117	Hofmann	B., 13, 1225	38, 885

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Toluanilide	(CO.NHPh).Me=1.4	C ₁₄ H ₁₃ ON	139	Fischli	B., 12, 616	96, 638
"	"	"	140-141	Brückner	A., 205, 132	40, 94
Benzotoluide	NHBz.Me=1.2	"	142-143	"	A., 205, 130	"
"	" =1.4	"	155	Kelbe	B., 8, 875; A., 208, 310	29, 270; 40, 1131
"	"	"	232	158	Wallach	A., 214, 217	"
Acetamidodiphenyl	Ph.C ₆ H ₄ .NHAc=1.4	"	167	Osten	A., 209, 344; B., 7, 173	vii., 937; 27, 581
Tolylsalicylamide	HO.C ₆ H ₄ .CH : N.C ₆ H ₄ Me =1.2; 1.?	"	v. 232	100	Jaillard	C. R., 60, 1096; Z. C. [1865], 440	v., 872, 874
Hydroxybenzylidenetoluide	" = (1.4) ₂	"	213	Herzfeld	B., 10, 2196	34, 423
Acetamidoazobenzene	Ph.N ₂ .C ₆ H ₄ .NHAc=1.4	C ₁₄ H ₁₃ ON ₃	141	Schultz	B., 17, 463	"
"	"	"	143	Berjn	B., 17, 1400; C. C. [1884], 871	46, 1148; 46, 660
Phenoxyacetanilide	PhO.CH ₂ .CO.NHPh	C ₁₄ H ₁₃ O ₂ N	99	Fritzsche	J. p. [2], 20, 280	38, 319
?	Ph.CN(OH).CHPh.OH	"	151-152	Wittenberg and Meyer	B., 16, 504	44, 804
Phenamidophenylacetic acid	NHPh.CHPh.CO ₂ H	"	164-168	Stöckenius	J. [1878], 779	"
"	"	"	173-175	Tiemann and Piest	B., 15, 2030	44, 198
Nitrodiphenylethane	Ph.CHMe.C ₆ H ₄ .NO ₂	"	79-80	Anschütz & Römig	B., 18, 664	48, 768
Benzamidomethoxybenzene....	C ₆ H ₄ .OMe.NHBz =1.2	"	59-5	Mülhäuser	A., 207, 244	42, 302
"	" =1.4	"	153-154	Lossen	A., 175, 299	28, 636
Methoxybenzanilide....	C ₆ H ₄ .OMe.(CO.NHPh)=1.4	"	168-169	Leuckart & Schmidt	B., 18, 2339	"
" (A. C. [3], 23, 353)	"	"	168-169	Lossen	A., 175, 292	"
Benzylamidobenzoic acid	(NH.CH ₂ .Ph).CO ₂ H=1.2	"	176 u. c.	Claus & Glyckherr	B., 16, 1285	44, 1009
Phenmethamidobenzoic acid	NMePh.CO ₂ H=1.?	"	184	Michler & Sarauw	B., 14, 2180	42, 183
Salicyltoluide....	HO.C ₆ H ₄ .CO.NH.C ₆ H ₄ Me =1.2; 1.4	"	155-156	Wanstrat	B., 6, 337	26, 907
Methoxyhydroxybenzylidene anilide	(CH : NPh).OH.OMe=1.2.5	"	59	Tiemann & Müller	B., 14, 1992	42, 53
Orcylanilide	Me.(OH) ₂ .(CH : NPh)=?	"	125-126	Tiemann & Helkenberg	B., 12, 1002	36, 720
β-naphthyl-β-amidobutyric acid	CH ₃ .CH(NHC ₁₀ H ₇).CH ₂ .CO ₂ H	"	92	Knorr	B., 17, 543	46, 1198
Phenylglutidine carboxylic acid	C ₆ NHPhMe ₂ .CO ₂ H	"	189-190	Hantzsch	B., 17, 2913	48, 397
Benzenylphenyluramidoxime	NHPh.CO.NH.CPh : NOH	C ₁₄ H ₁₃ O ₂ N ₃	115	Krüger	B., 18, 1659	48, 896
β-diphenylbiuret	"	165	Hofmann	B., 4, 250	24, 395
α- "	"	210	"	B., 4, 265	vii., 193
α- "	"	210	Peitzsch & Solomon	J. p. [2], 7, 479	27, 365
Phenylbenzocreatine	CO ₂ H.(NH.CNH.NHPh) =1.3	"	165 d.	Traube	B., 15, 2120	44, 193
Nitrazotoluene	C ₆ H ₄ Me.N ₂ .C ₆ H ₃ Me.NO ₂	C ₁₄ H ₁₃ O ₂ N ₃	63	Petrieff	Z. C. [2], 6, 264	vi., 286
"	"	"	67	"	"	"
"	" =1.4; 1.4.?	"	76	"	B., 6, 556	26, 1027
Phenolazoacetamidobenzene	HO.C ₆ H ₄ .N ₂ .C ₆ H ₄ .NHAc =?; 1.3	"	208	Wallach & Schulze	B., 15, 3021	44, 583
Dehydracetanilide	C ₈ H ₇ O ₃ .NHPh	C ₁₄ H ₁₃ O ₂ N	115	Oppenheim & Precht	B., 9, 1100	30, 506
Nitrodiphenylmethylcarbinol	HO.CMePh.C ₆ H ₄ .NO ₂	"	106-107	Anschütz & Römig	B., 18, 664	48, 768
Nitrobenzyltolylloxide	C ₆ H ₄ Me.O.CH ₂ .C ₆ H ₄ .NO ₂ =(1.4) ₂	"	91	Fritzsche	A., 224, 137	46, 1337
"	" =1.4; 1.?	"	181	Staedel	A., 217, 153	44, 864
Nitrotolylbenzylloxide	Ph.CH ₂ .O.C ₆ H ₃ Me.NO ₂ =1.4.2	"	54	Fritzsche	A., 224, 137	46, 1337
Ethyl α-naphthylloxamate....	C ₁₀ H ₇ .NH.CO.CO ₂ Et	"	106	Ballo	B., 6, 249	vii., 848; 26, 913
Benzylnitrobenzenylamidoxime	Ph.CH ₂ .O.N : C(NH ₂).C ₆ H ₄ .NO ₂ =1.3	C ₁₄ H ₁₃ O ₃ N ₃	58	Schöpf	B., 18, 1065	48, 896
Nitroazoxytoluene	C ₆ H ₄ Me.N ₂ O.C ₆ H ₃ Me.NO ₂ =1.4; 1.4.?	"	84	Petrieff	B., 6, 557	26, 1027
Benzdiamidonitrotoluene	Me.NHBz.NH ₂ .NO ₂ =1.4.5.3	"	137-139	Kelbe	B., 8, 877	29, 270
"	"	"	138	Hübner	A., 208, 317	40, 1132

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylenephénylnitrophenyl-ether	$\text{PhO.C}_2\text{H}_4.\text{O.C}_6\text{H}_4.\text{NO}_2=1.2$	$\text{C}_{14}\text{H}_{13}\text{O}_4\text{N}$...	86	Weddige	J. p. [2], 24, 245	40, 1137
Isopropyl nitro- β -naphthoate	$\text{C}_{10}\text{H}_6(\text{NO}_2).\text{CO}_2\text{Pr}^{\beta}$	"	...	75-76	Graeff	B., 16, 2254	48, 81
Isopropyl nitro- α -naphthoate	"	"	...	101.5	"	B., 16, 2252	"
Phenyldimethylpyrrolidine dicarboxylic acid	$\text{CO}_2\text{H.C}:\text{CMe.NPh.CMe}:\text{C}.$ CO_2H	"	...	d. 224	Knorr	B., 18, 307	48, 555
Dinitrodibenzylamine	$\text{NH}(\text{CH}_2.\text{C}_6\text{H}_4.\text{NO}_2)_2$	$\text{C}_{14}\text{H}_{13}\text{O}_4\text{N}_3$...	93	Strakosch	B., 6, 1058	27, 78
"	"	"	...	a. 100	"	B., 6, 1059	
Dinitroditolylamine	$\text{NH}(\text{C}_6\text{H}_3\text{Me}.\text{NO}_2)_2=(1.4)_2$	"	...	191	Lellmann	B., 15, 832	42, 1060
Ethylenedinitrodiamidodiphenyl nitrate	$\text{C}_{14}\text{H}_{12}(\text{NO}_2)_2\text{N}_2+\text{HNO}_3$	$\text{C}_{14}\text{H}_{13}\text{O}_7\text{N}_5$...	d.w.m. 182	Biedermann	B., 7, 540	27, 808
Nitrosodibenzylamine	$(\text{Ph}.\text{CH}_2)_2\text{N}.\text{NO}$	$\text{C}_{14}\text{H}_{14}\text{ON}_2$...	52	Rohde	A., 151, 369	
Benzylbenzylamidoxime	$\text{NH}_2.\text{CPh}:\text{N}.\text{O}.\text{CH}_2\text{Ph}$	"	...	90.5	Krüger	B., 18, 1056	48, 896
Methyldiphenylcarbamide	$\text{NHPh}.\text{CO}.\text{NMePh}$	"	203-205	104	Gebhardt	B., 17, 2093	46, 1321
Phenamidoacetanilide	$\text{NHPh}.\text{CH}_2.\text{CO}.\text{NHPh}$	"	...	110-111	Meyer	B., 8, 1156	29, 372
Phenylbenzylcarbamide	$\text{CO}:\text{N}_2\text{H}_2\text{Ph}.\text{CH}_2\text{Ph}$	"	...	168	Letts	B., 5, 93	25, 449; vii., 181
Methylbenzoylphenylhydrazine	$\text{Ph}.\text{NMe}.\text{NHBz}$	"	...	153	Tafel	B., 18, 1743	48, 1061
Acetohydrazobenzene	$\text{Ph}.\text{NH}.\text{N}.\text{AcPh}$	"	...	159	Stern	B., 17, 380	48, 1015
Acetamidodiphenylamine	$\text{NHPh}.\text{C}_6\text{H}_4.\text{NHAc}=1.4$	"	...	158	Nietzki and Witt	B., 12, 1402	
Azoxytoluene	"	...	57	Petrieff	Z. C. [2], 6, 30	vi., 286
"	"	...	59	"	B., 6, 557	28, 1027
"	"	...	70	Melms	B., 3, 551	vii., 1163
"	"	...	219	Barsilowsky	A., 207, 117	
Nitrosoditolylamine	$\text{N}(\text{C}_6\text{H}_4\text{Me})_2.\text{NO}=(1.4)_2$	"	...	100-101	Lehne	B., 13, 1544	
"	"	"	...	103	Cosack	B., 13, 1092	38, 714
Acetdiamidodiphenyl	$\text{NH}_2.\text{C}_6\text{H}_4.\text{C}_6\text{H}_4.\text{NHAc}$ $=1.4)_2$	"	...	199	Schultz	A., 207, 332	
Benzdiamidotoluene	$\text{C}_6\text{H}_3\text{Me}.\text{NHBz}.\text{NH}_2=1.4.6$	"	...	142	Bell	B., 7, 1505	
"	" $=1.4.5$	"	...	193-194	Hübner	A., 208, 314	40, 1131
Anhydrodiamidobenzotoluene	"	...	232-233	Kelbe	B., 8, 876	29, 270
Tolylazocresol	$\text{C}_6\text{H}_4\text{Me}.\text{N}_2.\text{C}_6\text{H}_3\text{Me}.\text{OH}$ $=1.4; ?1.4$	"	...	112-113	Nölting and Kohn	B., 17, 354	48, 901
Diamidomethylbenzophenone	$\text{NH}_2.\text{C}_6\text{H}_4.\text{CO}.\text{C}_6\text{H}_3\text{Me}.\text{NH}_2$	"	...	a. 220 d.	Liebermann	B., 16, 1929	44, 1097
Acetdiamidoazobenzene	$\text{NHAc}.\text{C}_6\text{H}_4.\text{N}_2.\text{C}_6\text{H}_4.\text{NH}_2$ $=1.4; 1.?$	$\text{C}_{14}\text{H}_{14}\text{ON}_4$...	212	Nietzki	B., 17, 345	48, 1016
Benzylphenylhydroxyethenylamidoxime	$\text{HO}.\text{CHPh}.\text{C}(\text{NH}_2):\text{N}.\text{O}.$ CH_2Ph	$\text{C}_{14}\text{H}_{14}\text{O}_2\text{N}_2$...	102-103	Gross	B., 18, 1080	48, 898
Phenylhydrazidophenylacetic acid	$\text{N}_2\text{H}_2\text{Ph}.\text{CHPh}.\text{CO}_2\text{H}$	"	...	158 d.	Elbers	A., 227, 340	48, 534
Phenylhydrazine vanillin	$(\text{CH}:\text{N}_2\text{HPh}).\text{OMe}.\text{OH}$ $=1.3.4$	"	...	105	Tiemann and Kees	B., 18, 1662	48, 1072
Nitroditolylamine	$\text{C}_6\text{H}_4\text{Me}.\text{NH}.\text{C}_6\text{H}_3\text{Me}.\text{NO}_2$ $=1.4; 1.4.?$	"	...	85	Lellmann	B., 15, 831	42, 1060
Orcinoldiazotoluene	$\text{C}_6\text{H}_4\text{Me}.\text{N}_2.\text{C}_6\text{H}_2\text{Me}(\text{OH})_2$	"	...	203-206	Scichlone	G. I., 12, 223	42, 1285
Diacetdiamidonaphthalene	$\text{C}_{10}\text{H}_6(\text{NHAc})_2=\beta$	"	...	234	Lawson	B., 18, 801, 2423	48, 803
Oxalyldiphenylhydrazine	$\text{Ph}.\text{N}_2\text{H}_2.\text{CO}.\text{CO}.\text{N}_2\text{H}_2\text{Ph}$	$\text{C}_{14}\text{H}_{14}\text{O}_2\text{N}_4$...	277-278	Fischer	A., 190, 131	34, 309
Ethylenediphenyldinitrosamine	"	...	157	Morley	B., 12, 1794	38, 112
Nitrobenzeneazodimethaniline	$\text{NO}_2.\text{C}_6\text{H}_4.\text{N}_2.\text{C}_6\text{H}_4.\text{NMe}_2$ $=1.3; 4.1$	"	...	157-158	Meldola	45, 120
"	" $=1.4)_2$	"	...	229-230	"	45, 107
Nitrobenzeneazoamidoxylene	$\text{NO}_2.\text{C}_6\text{H}_4.\text{N}_2.\text{C}_6\text{H}_2\text{Me}_2.\text{NH}_2$ $=1.4; 1.3.5.4 \text{ and } 1.4; 1.2.6.4$	"	Mixture (?)	141	"	43, 428
Dehydracetophenylhydrazine	$\text{C}_3\text{H}_3\text{O}_3\text{N}.\text{NHPh}$	$\text{C}_{14}\text{H}_{14}\text{O}_3\text{N}_2$...	207 d.; sf. 200	Perkin & Bernhardt	B., 17, 1523	46, 1121
Phenyldimethylpyridazindicarboxylic acid	$\text{C}_{14}\text{H}_{14}\text{O}_4\text{N}_2$...	d. 220	Knorr	B., 18, 308	48, 555

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylenediphenylnitramine	$C_2H_4(NH.C_6H_4.NO_2)_2=(1.3)_2$	$C_{14}H_{14}O_4N_4$	206 u. c.	Gattermann and Hager	B., 17, 778	46, 1142
Dinitrodiethoxynaphthalene	OEt.OEt=? ; ?	$C_{14}H_{14}O_6N_2$	228-229	Alen	B. S. [2], 36, 433	42, 410
Trinitrobenzene dimethyl-aniline	$C_6H_3(NO_2)_3 + NMe_2Ph$ =1.3.5	$C_{14}H_{14}O_6N_4$	B. S., 30, 5	106-108	Hepp	A., 215, 344	36, 51 ; 44, 316
Dibenzylhydroxylamine	(Ph.CH ₂) ₂ N.OH	$C_{14}H_{15}ON$	123	Schramm	B., 16, 2185	46, 51
Methylmethoxydiphenylamine	$C_6H_4.OMe.NPhMe=1.4$	"	313	Liquid	Philip and Calm	B., 17, 2431	48, 155
Benztriamidotoluene	Me.(NH ₂) ₂ .NHBz=1.3.5.4	$C_{14}H_{15}ON_3$	182-183	Kelbe	B., 8, 877	29, 270
"	"	"	183-185	Hübner	A., 208, 318	40, 1132
Diazooreen-o-toluidine	$C_{14}H_{15}O_2N_3$	203-206	G. I. [1882], 223	
Ethylie ethoxycinchonate	N.OH.CO ₂ H=1.2.4 ;	$C_{14}H_{15}O_3N$	86	Königs & Körner	B., 16, 2156	46, 85
Diacetamidopropenylbenzoic acid	NAc ₂ .C ₃ H ₅ .CO ₂ H=1.2.5	$C_{14}H_{15}O_4N$	215-216	Widmann	B., 16, 2575	46, 318
Ethylie allylnitrobenzoylacetate	NO ₂ .C ₆ H ₄ .CO.CH(C ₃ H ₅).CO ₂ Et=1.4	$C_{14}H_{15}O_6N$	45-46	Perkin & Bellenot	B., 18, 958	48, 795
Ethylie nitrobenzoyltetramethylenecarboxylate	$CH_2(CH_2)_2C(CO_2Et).CO.$ C ₆ H ₄ .NO ₂ =1.4	"	62-63	"	B., 18, 954	"
Diethylie nitrobenzalmalonic acid	NO ₂ .C ₆ H ₄ .CH : C(CO ₂ Et) ₂ =1.2	$C_{14}H_{15}O_6N$	53	Stuart	47, 158
"	" =1.4	"	93	"	"
Trinitranilinedimethylaniline	C ₆ H ₂ .NH ₂ (NO ₂) ₃ + Ph.NMe ₂	$C_{14}H_{15}O_6N_5$	139-141	Hepp	A., 215, 359	
Diethylie nitrobenzoylmalonate	NO ₂ .C ₆ H ₄ .CO.CH(CO ₂ Et) ₂ =1.2	$C_{14}H_{15}O_7N$	54 u. c.	Bischoff and Rach	B., 17, 2792	48, 264
"	"	"	d. 100	92	Bischoff	B., 16, 1045	44, 912
Aniline on pyrotartaric acid	$C_{14}H_{16}ON_2$	194-195	Böttinger	B., 17, 997	46, 1006
Nitrosodiethylnaphthylamine	C ₁₀ H ₆ .NO.NEt ₂	"	165	Smith	41, 182
Azoxytoluidine	(NH ₂ .C ₆ H ₃ Me) ₂ : N ₂ O	$C_{14}H_{16}ON_4$	148	Buckney	B., 11, 1453	34, 863
"	" = (1.3.4, or 1.4.3) ₂	"	168	Graeff	A., 229, 340	48, 1128
"	"	"	168	Limpricht	B., 18, 1405	48, 974
Hydroxyazotoluidine	NH ₂ .C ₆ H ₂ Me(OH).N ₂ .C ₆ H ₃ . Me.NH ₂	"	212 d.	"	"	48, 975
"	"	"	212 d.	Graeff	A., 229, 340	48, 1128
Ethylenediamidophenol	C ₂ H ₄ (O.C ₆ H ₄ .NH ₂) ₂ =(1.2) ₂	$C_{14}H_{16}O_2N_2$	127	Weddige	J. p. [2], 20, 127	38, 316
"	" = (1.3) ₂	"	128	Wagner	J. p. [2], 27, 201	46, 434
"	" = (1.4) ₂	"	135	"	J. p. [2], 27, 209	"
"	"	"	168-172	"	J. p. [2], 27, 206	"
Dihydroxystilbene diamine	(HO.C ₆ H ₄ .CH(NH ₂) ₂) ₂	"	180.5	Japp and Hooker	45, 675
Dibenzylamine nitrate	(Ph.CH ₂) ₂ NH + HNO ₃	$C_{14}H_{16}O_3N_2$	186	Limpricht	A., 144, 304	vi., 337
Ethylie methoxyquinizinate	C ₆ H ₄ .N.NH.CMe.CH(CH ₂). CO ₂ Et.CO=1.2	"	138	Knorr and Blank	B., 17, 2052	46, 1380
Diphenylguanilguanidine nitrate	NPh : C(NHPh).NH.C(NH ₂) ₂ . NH + HNO ₃	$C_{14}H_{16}O_3N_6$	231	Bamberger	B., 13, 1584	40, 44
Diacetylmethylbenzylglyoxime	Me.(C : NOAc) ₂ .CH ₂ Ph	$C_{14}H_{16}O_4N_2$	80	Schramm	B., 16, 2188	46, 52
Aniline oxalate	(.COONH ₃ Ph) ₂	"	nf. 180	Piria	C., 2, 305	iv., 427
o-Phenylenediimidobutyric acid	"	176	Knorr	B., 17, 545	46, 1198
Acetylcarbazolin	C ₁₂ H ₁₄ NAc	$C_{14}H_{17}ON$	98	Græbe and Adlerskron	A., 202, 25	38, 660
o-acetamido-cumenylacrylic acid	C ₉ H ₁₀ (NHAc).C ₂ H ₂ .CO ₂ H	$C_{14}H_{17}O_3N$	220	Widmann	B., 17, 2283	48, 56
m-	"	"	240	"	"	"
Ethylie o-nitrocumenylacrylate	C ₉ H ₁₀ (NO ₂).C ₂ H ₂ .CO ₂ Et	$C_{14}H_{17}O_4N$	Liquid	"	"	"
" m-	"	"	58-59	"	"	"
Triethylie β-pyridinetricarboxylate	N.(CO ₂ Et) ₃ =1.2.4.6	$C_{14}H_{17}O_6N$	cf., 35, 189	127.5	Voigt	A., 228, 29	48, 813

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Pentamethoxyquinizine	$C_6HMe_3.N.NMe.CMe.CH_2$ CO=1.3.4.6.5	$C_{14}H_{18}ON_2$	105-106	Haller	B., 18, 708	48, 818
<i>α</i> -conicefne picrate	$C_8H_{16}N.C_6H_2(NO_2)_3.OH$	$C_{14}H_{18}O_7N_4$	225	Hofmann	B., 18, 8, 11	48, 401
Isoamylic hippurate....	$NHBz.CH_2.CO_2.(CH_2)_2.Pr^β$	$C_{14}H_{19}O_3N$	B., 11, 1247	27-28	Campani and Bizzarri	G. I., 10, 257	38, 870
" "	"	"	28	Campani	G. I., 8, 57	34, 674
Suberanic acid	$Ph.NH.C_8H_{12}O_2.OH$	"	A., 68, 31	128	Laurent & Gerhardt	A. C. [3], 24, 185	v., 448
<i>m</i> -acetamido-cumenylpropionic acid	$C_9H_{10}(NHAc).C_2H_4.CO_2H$	"	168	Widmann	B., 17, 2283	48, 56
Diethylic collidine-dicarboxylate	$N.Me_3.(CO_2Et)_2=?$	$C_{14}H_{19}O_4N$	308-310	Liquid	Hantzsch	A., 215, 21	44, 83
" "	"	"	310	Liquid	"	B., 14, 1638	40, 1029
Glucovanillin aldoxime	$C_6H_3(CH:NOH).OMe.(O.C_6H_{11}O_3)=1.3.4$	$C_{14}H_{19}O_8N$	152	Tiemann and Kees	B., 18, 1664	48, 1072
Glucoseacetoneose	$C_6H_7O(OAc)_4.NO_3$	$C_{14}H_{19}O_{12}N$	145	Colley	C. R., 76, 436	26, 612
Picramide + dimethylaniline	$NMe_2.Ph + C_6H_3(OH)(NH_2)_3$	$C_{14}H_{20}ON_4$	139-141	Hepp	A., 215, 344	44, 316
Cuminyldiacetamide....	$C_6H_4.Pr.CH(NHAc)_2$	$C_{14}H_{20}O_2N_2$	212	Raab	B., 8, 1150	29, 398
Diethylic phenylenediglycollate	$C_6H_4(NH:CH_2.CO_2Et)_2=1.3$	$C_{14}H_{20}O_4N_2$	73	Zimmermann	B., 15, 518	42, 957
" "	" =1.4	"	83	"	B., 16, 515	44, 797
" "	" =1.2	"	135	"	"	"
Dinitrotetraethylbenzene	$Et_4.(NO_2)_2=1.2.3.5.4.6$	"	115	Galle	B., 16, 1745	44, 1092
Anisaldehyde + urethane	$MeO.C_6H_4.CH(NH.CO_2Et)_2=1.4$	$C_{14}H_{20}O_5N_2$	171-172	Bischoff	B., 7, 1080	28, 146
Diethylic collidinedicarboxylate nitrate	$C_5NMe_3(CO_2Et)_2 + HNO_3$	$C_{14}H_{20}O_7N_2$	92	Hantzsch	A., 215, 21	44, 83
" hydrocollidinecarboxylate	$C_5NH_2Me_3(CO_2Et)_3$	$C_{14}H_{21}O_4N$	310 d; 315	131	"	B., 14, 1637; A., 215, 8	40, 1028; 44, 82
Camphorethylimidethylimidine	$C_8H_{14}.CO.NEt.C:NEt$	$C_{14}H_{24}ON_2$	284-286	Liquid	Wallach and Kamenski	B., 13, 520; 14, 162; A., 214, 245	38, 548; 40, 285
Azoxybenzotoluide	$O:N_2:(C_6H_4.CO.NH.C_6H_4Me)_2$	$C_{14}H_{24}O_3N_4$	290	Mixter	A. C. J., 5, 282	46, 666
<i>n</i> -Hexyl- <i>n</i> -cannanthylcarbamide	$C_6H_{13}.NH.CO.NH.C_7H_{13}O$	$C_{14}H_{28}O_2N_2$	97	Hofmann	B., 15, 759	42, 1053
Myristamide	$C_{13}H_{27}.CO.NH_2$	$C_{14}H_{29}ON$	102	Reimer and Will	B., 18, 2016	
" "	"	"	A., 202, 174	102	Masino	G. I., 10, 72	38, 460
" "	"	"	104-105	Krafft and Stauffer	B., 15, 1730	42, 1274
Pseudoveratine	$C_{14}H_{36}O_3N_2?$	185	Couerbe	A. C. [2], 52, 352	iv., 745
Trinitrofluoranthene....	$C_{15}H_7O_6N_3$	nf. 300	Fittig and Gebhard	36, 166
Nitrobenzylidene phthalide	$O.CO.C_6H_4.C:CPh.NO_2=1.2$	$C_{15}H_9O_4N$	195; sf. 180	Gabriel	B., 18, 1255	48, 903
Phthalamidobenzoic acid	$C_6H_4:(CO)_2:N.C_6H_4.CO_2H$ =(1.2) ₂	"	217	"	B., 11, 2261	36, 324
" "	" =1.2; 1.3	"	276	"	B., 11, 2262	"
" "	"	"	282	Pellizzari	B., 18, 216	48, 534
Nitromethylantraquinone....	$C_6H_4:(CO)_2:C_6H_2Me.OH$ =2.1; 1.2.4.5	"	269-270	Römer and Link	B., 16, 697	44, 1139
Phenylpyridinetetracarboxylic acid	$N.Ph.(CO_2H)_4=1.4.2.3.5.6$	$C_{15}H_9O_8N$	205-207	Hantzsch	B., 17, 1517	46, 1194
Nitrophenylquinoline	$C_9H_6N.C_6H_4.NO_2=α,β$; 1.3	$C_{15}H_{10}O_2N_2$	124	Miller & Kinkel	B., 18, 1903	48, 1144
Quinidinequinoline anilide	fr. N; O ₂ =α ₁ ; α ₁ α ₂	"	190+	Fischer and Renouf	B., 17, 1644	46, 1371
Diphenylparabanic acid	$CO.NPh.CO.NPh.CO$	$C_{15}H_{10}O_3N_2$	204	Hofmann	B., 2, 688	
" "	"	"	204	Stojentin	J. p., 32, 1	48, 1196
Benzenylazoximebenzenylcarboxylic acid	$O.N:CPh.N:C.C_6H_4.CO_2H$ =1.2	"	151	Schulz	B., 18, 2464	48, 1219
Phenylcyanate + isatin	$PhCNO + C_8H_5O_2N$	"	180 d.	Gumpert	J. p. [2], 31, 119	48, 656
Phthalimidylnitrobenzyl	$C_6H_4.CO.N:C.CHPh.NO_2$	"	199	Gabriel	B., 18, 1261	48, 903
Isatamidobenzoic acid	$CO.NH.C_6H_4.C:N.OBz$	"	251-253	Schiff	A., 210, 121	42, 304
Nitrobenzaldehyde indogenide	$CO.C_6H_4.NH.C:CH.C_6H_4.NO_2=1.?$; 1.4	"	273	Baeyer	B., 16, 2199	46, 76

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrobenzylidenephthalide	$O.CO.C_6H_4.C(NO_2).CHPh.$ $NO_2=1.2$	$C_{15}H_{10}O_6N_2$	110-113	Gabriel	B., 18, 1251.	48, 902
Quinoline picrate	$C_{15}H_{10}O_7N_4$	203	Goldschmidt and Schidt	W. A., 83, 7.	40, 824
Hydroxyquinoline picrate	$N.OH=a_1; a_1$	$C_{15}H_{10}O_8N_4$	203-204	Skraup	M. C., 3, 536	44, 92
"	$" =a_1; \beta_2$	"	235-235.5	"	M. C., 4, 695	46, 87
"	"	"	235-236	"	M. C., 2, 575; 3, 545	
Benzaldehyde indogenide	$CO.C_6H_4.NH.C : CHPh$	"	175-176	Baeyer	B., 16, 2197	46, 75
Benzalphthimidine	$NH.CO.C_6H_4.C : CHPh=1.2$	"	182-183	Gabriel	B., 18, 2435	48, 1229
Imidodeoxybenzoincarboxylic anhydride	$C_6H_4.CO.N : C.CH_2Ph=1.2$	"	182-183	Gabriel & Michael	B., 11, 1682	36, 246
Isobenzalphthalimidine	$C_6H_4.CO.NH.CPh : CH$	"	197	Gabriel	B., 18, 2449	48, 1231
Formanthramine	$C_{14}H_9.NH.CHO$	"	242	Bollert	B., 16, 1640	44, 1140
Anthracenecarboxylamide	$C_{14}H_9.(CO.NH_2)$	"	293-295	Börnstein	B., 16, 2611	46, 330
Phenylcarbostyryl	$N.OPh=a; \beta_1;$	$C_{15}H_{11}ON$	68-69	Friedländer	B., 15, 336	42, 733
Hydroxyphenylquinoline	$C_9H_6N.C_6H_4.OH=a; \beta_1; 1.3$	"	156	Miller & Kinkelin	B., 18, 1908	48, 1145
Lactone of α -benzylphenylacetoxime carboxylic acid.	$C_6H_4.CO_2.N : CPh.CH_2=1.2$	$C_{15}H_{11}O_2N$	116-117	Gabriel	B., 18, 1259; 2448	48, 903, 1231
Lactone of β -benzylphenylacetoxime carboxylic acid	"	"	137-139	"	B., 18, 2448	48, 1231
Benzylpsendisatin	" ?	131	Antrick	A., 227, 360	48, 543
Phenylindolecarboxylic acid	"	173-176	Fischer and Hess	B., 17, 568	46, 1181
Tolylphthalimide	$C_6H_4 : (CO)_2 : N.C_6H_4Me$ $=1.2; 1.3$	"	153	Fröhlich	B., 17, 2679	48, 155
"	" $=(1.2)_2$	"	179	Piutti	G. I., 13, 542	46, 453
"	" "	"	182	Fröhlich	B., 17, 2679	48, 155
"	" $=1.2; 1.4$	"	200 n.c.	Michael	B., 10, 579	32, 616
"	" "	"	204	Fröhlich	B., 17, 2679	48, 155
Amidomethylanthraquinone	$C_6H_4 : (CO)_2 : C_6H_2MeNH_2$ $=2.1 : 1.2.4.5$	"	202	Römer and Link	B., 16, 698	44, 1139
Benzenylazoximebenzenylcarboxylamide	$O.N : CPh.N : C.C_6H_4.CO.$ NH_2	$C_{15}H_{11}O_2N_3$	160	Schulz	B., 18, 2467	48, 1219
Isatamidobenzamide....	$C_6H_4.NH.CO.C : N.C_6H_4.$ $CO.NH_2=1.2; 1.3$	"	280 d.	Schiff	A., 218, 185	46, 455
Nitrosofurfurin (B., 11, 1250)	$C_{15}H_{11}O_4N_3$	112	"	G. I., 8, 76	34, 657
Phthalylamidobenzoic acid	$CO_2H.C_6H_4.CO.NH.C_6H_4$ $CO_2H=1.2; 1.4$	$C_{15}H_{11}O_6N$	275-277	Michael	B., 10, 579	32, 616
Phenylethenylazoximebenzenyl	$Ph.CH_2.C : N.O.CPh : N$	$C_{15}H_{12}ON_2$	82	Knudsen	B., 18, 1071	48, 897
Acetophenonecarboxylic phenylhydrazide	"	102	Roser	B., 18, 804	44, 797
p-Methylisatinphenylimide	$C_6H_4MeNO : NPh$	"	239-240	Meyer	B., 16, 2267	46, 48
β -naphtho-dimethoxyquinizine	"	129	Knorr	B., 17, 551	46, 1154
Hydroxyphenyltoluinoxaline	$C_7H_6N : CPh.C(OH) : N$	"	196-197	Hinsberg	B., 18, 1229	48, 909
Benzylnitrosophthalidine	$C_6H_4.CO.N(NO).CH.CH_2Ph$	$C_{15}H_{12}O_2N_2$	92-93	Gabriel	B., 18, 1263	48, 903
Phthalaldiamidotoluene	$C_6H_4 : (CO.NH)_2 : C_6H_3Me$ $=1.2; 1.2?$	"	104	Biedermann	B., 10, 1165	
"	" $=1.2; 1.3?$	"	192	"	B., 10, 1161	32, 783
" ?	"	$+\frac{1}{2}H_2O$	200	Stojentin	J. p., 32, 1	48, 1196
Furfurine (A., 54, 59)	$C_{15}H_{12}O_3N_2$	m. b., 100	Stenhouse	A., 74, 283	ii., 747
" (A., 88, 127)	"	100	Fownes	P. T. [1845], 253	34, 46
"	See orig. paper	"	116	Schiff	B., 10, 1188	"
Furfuramide (A., 54, 56)	"	"	117	"	"	"
Dibenzoylcarbamide	$CO(NHBz)_2$	"	Solid	Schmidt	J. p. [2], 5, 60	vii., 268
"	"	"	210	McCreath	B., 7, 1739	28, 465
Nitrobenzalphthalimidinic acid	$NO_2.CPh : C(NH_2).C_6H_4.$ $CO_2H=1.2$	$C_{15}H_{12}O_4N_2$	147-150	Gabriel	B., 18, 2440	48, 1230

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isatamidobenzoic acid ...	$C_6H_4.NH.CO.C : N.C_6H_4$ $CO_2H=1.2 ; 1.3$	$C_{15}H_{12}O_4N_2$	+H ₂ O	251-253 d.	Schiff	A., 210, 121	
Diethyl carboxamidobenzoate	$CO(NH.C_6H_4.CO_2Et)_2=(1.3)_2$	$C_{15}H_{12}O_6N_2$	160	Wachendorff	B., 11, 701	34, 674
Methylindole picrate	$C_9H_9N.C_6H_2(NO_2)_3.OH$	$C_{15}H_{12}O_7N_3$	150	Fischer and Hess	B., 17, 563	46, 1181
Benzylphthalidine	$C_6H_4.CO.NH.CH.CH_2Ph$	$C_{15}H_{13}ON$	135-137	Gabriel	B., 18, 1262	48, 903
Amidomethylantranol	$CH.C_6H_4.C(OH).C_6H_2Me.$ NH ₂	"	183	Römer and Link	B., 16, 704	44, 1138
Acetamidofluorene	$C_6H_4.C_6H_3(NHAc).CH_2$ $=1.2 ; 1.4.2$	"	187-188	Strasburger	B., 17, 108	46, 754
Acetyldiphenylacetoxime ...	Ph ₂ C : N.OAc	$C_{15}H_{13}O_2N$	55	Spiegler	M. C., 5, 203	46, 1156
Dibenzoylhydrocyanide ...	HN : CBz ₂	"	195	Zinin	Z. C. [2], 4, 710	vi., 329
Acetamidobenzophenone ...	Ph.CO.C ₆ H ₄ .NHAc	"	A., 210, 270	153	Döbner and Weiss	B., 14, 1838	42, 176, 508
Deoxybenzoiccarboxylamide	$NH_2.CO.C_6H_4.CO.CH_2Ph$ $=1.2$	"	165-166	Gabriel	B., 18, 2434	48, 1229
Nitrocinnamaldehydephenylhydrazine	$NO_2.(CH : CH.CH : N_2HPh)$ $=1.2$	$C_{15}H_{13}O_2N_3$	157.5	Diehl and Einhorn	B., 18, 2338	48, 1222
" "	" " $=1.3$	"	160	Kinkelin	B., 18, 484	48, 791
" "	" " $=1.4$	"	180-181	Diehl and Einhorn	B., 18, 2337	48, 1222
Formylbenzylamidobenzoic acid	$CO_2H.N(COH)(CH_2Ph)=1.2$	$C_{15}H_{13}O_3N$	196 u.c.	Claus & Glyckherr	B., 16, 1285	44, 1009
Acetylnitrobenzylidene-phenylhydrazine	$NPhAc.N : CH.C_6H_4.NO_2$ $=1.3$	$C_{15}H_{13}O_3N_3$	170	Schröder	B., 17, 2098	46, 1323
Benzanishydroxamic acid ...	$NBz(CO.C_6H_4.OMe).OH$ $=1.4$	$C_{15}H_{13}O_4N$	131-132	Lossen	A., 175, 288	28, 635, 636
Anisbenzhydroxamic acid ...	$N(CO.C_6H_4.OMe)Bz.OH$ $=1.4$	"	147-148	"	A., 175, 294	"
Methylic salicylatephenylcarbamate	$NHPh.CO_2.C_6H_4.CO_2Me$ $=1.2$	"	238	Snape	47, 775
Nitrophenoxyethylene benzoate	$NO_2.C_6H_4.O.C_2H_4.O.Bz=1.2$	$C_{15}H_{13}O_6N$	76-77	Weddige	J. p. [2], 24, 252	
Pyropapaveric acid	"	230	Goldschmidt	M. C., 6, 372	48, 1081
Dinitro- <i>a</i> -dimethamidobenzophenone	fr. Ph.CO.C ₆ H ₄ .NMe ₂	$C_{15}H_{13}O_5N_3$	142	Fischer	A., 206, 90	40, 587
Salicylethylenenitrophenol ether	$HO.C_6H_4.CO_2.C_2H_4.O.C_6H_4.$ NO ₂ =(1.2) ₂	$C_{15}H_{13}O_6N$	106	Wagner	J. p. [2], 28, 215	46, 436
" "	" " $=1.2 ; 1.4$	"	131	"	J. p. [2], 28, 221	"
Ethylenenitrophenolxybenzoic acid	$NO_2.C_6H_4.O.C_2H_4.O.C_6H_4.$ CO ₂ H=1.4 ; 1.2	"	130	Weddige	J. p. [2], 24, 241	40, 1139
" "	" " $=1.2$	"	132	Wagner	J. p. [2], 28, 220	46, 435
" "	" " $=(1.2)_2$	"	143	Weddige	J. p. [2], 24, 241	40, 1139
" "	" " $=1.2 ; 1.4$	"	142-148	Wagner	J. p. [2], 28, 214	46, 435
" "	" " $=1.2 ; 1.4$	"	205-207	"	J. p. [2], 28, 222	"
" "	" " $=(1.4)_2$	"	218	"	J. [2], 28, 225	"
Acetobenzylidenephenylhydrazine	Ph.CH : N.NPhAc	$C_{15}H_{14}ON_2$	{ fr. alcohol fr. hot wtr.	115-117 119-120	Schröder	B., 17, 2097	46, 1323
CNCl on benzylalcohol	"	143	Cannizzaro	G. I., 1, 33	vii., 178 ; 24, 927
Anhydride of acid C ₁₅ H ₁₆ O ₂ N ₂	See orig. paper	"	164	Plöchl	B., 14, 1141	40, 820
Ethylenediphenylcarbamide	$CH_2.NPh.CO.NPh.CH_2$	"	209	Michler and Keller	B., 14, 2183	42, 182
Methoxyphenylphenamidoacetonitril	$C_6H_4.OMe.[CH(NHPh).CN]$ $=1.2$	"	61	Voswinckel	B., 15, 2026	44, 190
Anhydrobenzoylamidoethyleno- <i>o</i> -amidophenyl ether	See orig. paper	"	149-151	Weddige	J. p. [2], 24, 250	40, 1138
Acetylphenylcarbamide	NHPh.CO.NPhAc	$C_{15}H_{14}O_2N_2$	115	McCreath	B., 8, 1182	29, 401
Methylphenylhydrazine phenylglyoxylic acid	$N_2MePh : CPh.CO_2H$	"	116 d.	Elbers	A., 227, 340	48, 535
Benzoylphenylethylenylamidoxime	$CH_2Ph.C(NH_2) : NOBz$	"	144	Knudsen	B., 18, 1069	48, 897

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diphenylhydrazinepyrroacetic acid	$NPh_2.N : CMe.CO_2H$	$C_{15}H_{14}O_2N_2$	145	Fischer and Hess	B., 17, 567	48, 1181
Methylene dibenzamide	$CH_2(NH.CO.Ph)_2$	"	212	Hepp and Spiess	B., 9, 1427	31, 314
Malonanilide	$CH_2(CO.NHPh)_2$	"	220	Seifert	B., 18, 1361	48, 984
"	"	"	222-223	Rügheimer	B., 17, 235	48, 729
"	"	"	223	Freund	B., 17, 134	48, 728
Nitrosobenzylamidoacetophenone	$Ph.CH_2.N(NO).C_6H_4.Ac$ =1.2	"	54-55	Baeyer	B., 17, 972	48, 1021
Phenylazoacetocresol	$Ph.N_2.C_6H_3.Me.OAc$ =1.4	"	67-68	Nölting and Kohn	B., 17, 353	48, 901
"	"	"	81-82	"	B., 17, 364	48, 902
Nitrophenylhydroquinoline	$C_9H_{10}N.C_6H_4.NO_2$ =1.2,3;1.3	"	100-101	Miller & Kinkelin	B., 18, 1906	48, 1145
Benzoylphenylhydroxyethenylamidoxime	$HO.CHPh.C(NH_2):NOBz$	$C_{15}H_{14}O_3N_2$	148-149	Gross	B., 18, 1078	48, 898
?	See B., 17, 129	"	137	Tiemann	B., 17, 127	48, 734
Methylic diphenylallophanate	"	231	Hofmann	B., 4, 248	24, 394; vii., 408
?	$N_2HPh : CH.C_6H_4.O.CH_2.CO_2H$ =1.2	"	105; sf. 60	Rössing	B., 17, 2995	48, 388
Toluylnitrotolide	$C_6H_3.Me.NO_2.NH(CO.C_6H_4.Me)$ =1.3,4;1.4	"	165-166	Hübner	A., 210, 331	42, 504
β -benzoylnitroxylidide	$Me_2.NO_2.NHBz$ =?	"	A., 208, 323	178	"	B., 10, 1711	34, 143
α -	"	"	A., 208, 320	184.5	"	"	"
Carbonyldibenzylamidoxime	$CO(O.N : CPh.NH_2)_2$	$C_{15}H_{14}O_3N_4$	128-129	Falck	B., 18, 2471	48, 1217
Benzamidoethylenitrophenyl ether	$NHBz.C_2H_4.O.C_6H_4.NO_2$ =1.2	$C_{15}H_{14}O_4N_2$	94-95	Weddige	J. p. [2], 24, 249	40, 1138
Nitrophenyl- β -lactanilide	$C_6H_4.NO_2.[CH(OH).CH_2.CO.NHPh]$ =1.4	"	176-178	Basler	B., 17, 1502	48, 1173
Dinitroditolylmethane	fr. $CH_2(C_6H_4.Me)_2$	"	164 u.c.	Weiler	B., 7, 1183	28, 151
Dinitrodibenzylmethane	$CH_2(CH_2.C_6H_4.NO_2)_2$	"	186	Sesemann	I. D. Zürich	28, 74
Dinitrophenylacetdiamidotoluene	$C_6H_3(NO_2)_2.NH.C_6H_3.Me.NHAc$ =(?); 2.1.4 or 4.1.2	$C_{15}H_{14}O_3N_4$	163-164	Leymann	B., 15, 1237	42, 1057
Dinitroditolylcarbamide	$CO(NH.C_6H_3.Me.NO_2)_2$ =(1.4?) ₂	"	233 d.	Perkin	37, 699
Tetrahydroquinoline picrate	$C_9NH_{11} + C_6H_2(NO_2)_3.OH$	$C_{15}H_{14}O_7N_4$	125	Ostermeyer	C. C., 1884, 970	48, 672
Ethyl diphenylacetoxime	$CPh_2 : NOEt$	$C_{15}H_{15}ON$	276-279 p.d.	Liquid	Spiegler	M. C., 5, 203	48, 1156
Benzylethylaniline	$Ph.NEtBz$	"	260 (620)	60	Hesse	B., 18, 687	48, 784
Dimethamidobenzophenone	$C_6H_4.Bz.NMe_2$ =?	"	330-335	38	Fischer	B., 10, 958	32, 606
"	"	"	38-39	"	B., 12, 797	38, 787
"	"	"	330-340	38-39	"	A., 206, 88	40, 587
"	"	"	A., 217, 257	90	Doebner and Weiss	B., 14, 1837	42, 176
"	"	"	A., 210, 270	90	Doebner	B., 13, 2225	40, 165
Benzylamidoacetophenone	$Ph.CH_2.NH.C_6H_4.Ac$ =1.2	"	79-81	Baeyer	B., 17, 971	48, 1021
Acetamidodiphenylmethane	$Ph.CH_2.C_6H_4.NHAc$ =1.3	"	91	Becker	B., 15, 2092	
Acetophenonemethanilide	$Bz.CH_2.NMePh$	"	B., 16, 23	119-120	Staedel and Siepermann	B., 14, 984	38, 639
"	"	"	120 d.	"	B., 13, 843	
Benzamidoethylbenzene	$C_6H_4.Et.NHBz$ =1.2	"	147	Paucksch	B., 17, 2802	48, 256
"	"	"	151	"	"	"
Tolylphenylacetamide	$C_6H_4.Me.CHPh.CO.NH_2$ =1.4	"	151	Tanisch	B., 10, 997	32, 618
Acetamidotolylphenyl	$Ph.C_6H_3.Me.NHAc$ (?)	"	114.25	Jackson	A. J. S., 13, 449	32, 762
"	"	"	114.2	"	B., 8, 970	29, 269
Xylic anilide	$Me_2.(CO.NHPh)$ =1.3,4	"	138.5	Ador and Meier	B., 12, 1971	38, 252
Benzamidoxylylene	$Me_2.NHBz$ =1.3,?	"	A., 208, 322	140	Hübner	B., 10, 1711	34, 143
"	"	"	A., 208, 319	192	"	B., 10, 1710	"
Acetmethamidoazobenzene	$Ph.N_2.C_6H_4.NMeAc$	$C_{15}H_{15}ON_3$	139	Berju	B., 17, 1402; C. C., 1884, 871	48, 1148; 48, 660
Diphenylurethane	$NPh_2.CO_2Et$	$C_{15}H_{15}O_2N$	B., 5, 284	72; af. 66	Merz and Weith	B., 6, 1512	27, 375
"	$Ph.C_6H_4.NH.CO_2Et$	"	110	Zimmermann	B., 13, 1965	40, 176
Tolylphenamidoacetic acid	$Me.[CH(NHPh).CO_2H]$ =1.3	"	137-139	Bornemann	B., 17, 1471	48, 1163
Phenyltoluidioacetic acid	$C_6H_4.Me.NH.CHPh.CO_2H$ =1.2	"	142-144 d.	Stockenius	J., 1878, 781	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenyltoluidoacetic acid ...	$C_6H_4Me.NH.CHPh.CO_2H$ =1.4	$C_{15}H_{15}O_2N$	167-170	Stockenius	J., 1878, 780	
Ethoxybenzanilide	$C_6H_4.OEt.(CO.NHPh)=1.4$	"	170	Leuckart and Schmidt	B., 18, 2340	48, 1224
Methylcarbophenyllutidylumdehydride	$C_6(NMe)HPh.OMe.COMe$	"	160-161	Hantzsch	B., 17, 2915	48, 398
Phenylethenylphenyluramidoxime	$Ph.CH_2.C(NH.CO.NHPh):NOH$	$C_{15}H_{15}O_2N_3$	123	Knudsen	B., 18, 1074	48, 898
p-acetamidotolylazophenol	$NHAc.C_6H_3Me.N_2.C_6H_4.OH$	"	252-253	Wallach	B., 15, 2827	44, 584
Amidophenoxyethylenebenzoate	$NH_2.C_6H_4.O.C_2H_4.OBz=1.2$	$C_{15}H_{15}O_3N$	98-100	Weddige	J. p. [2], 24, 253	
?	$CO.CH : CMe.NPh.CMe : C.$ CO ₂ Me	"	152	Perkin	B., 18, 683	48, 761
Phenylhydroxyethenylphenyluramidoxime	$HO.CHPh.C(NOH).NH.CO.NHPh$	$C_{15}H_{15}O_3N_3$	155	Gross	B., 18, 2478	48, 1218
Ethyleneamidophenylbenzoic acid	$NH_2.C_6H_4.O.C_2H_4.O.C_6H_4.CO_2H=(1.2)_2$	$C_{15}H_{15}O_4N$	110	Wagner	J. p. [2], 28, 218	48, 436
"	" =1.2 ; 1.4	"	185	"	J. p. [2], 28, 223	"
p-Tolyl dimethylpyrrolinedicarboxylic acid	$CO_2H.C : CMe.N(C_6H_4Me).$ CMe : C.CO ₂ H	"	d. 250	Kuorr	B., 18, 308	48, 555
Dinitroditolylguanidine	$CN_3H_3(C_6H_3Me.NO_2)_2$ =(1.4) ₂	$C_{16}H_{15}O_4N_6$	197 d.	Perkiu	37, 698
Ethyl nitrocinnamylacetate	$C_6H_4(NO_2)(CH : CH.CO.CHAc.CO_2Et)=1.2$	$C_{15}H_{15}O_6N$	120.5	Fischer and Kuzel	B., 16, 35, 163	44, 587
Benzylphenylethenylamidoxime	$CH_2Ph.C(NH_2) : NO.CH_2Ph$	$C_{15}H_{16}ON_2$	55	Knudsen	B., 18, 1072	48, 897
Ethyl diphenylcarbamide	$NHPh.CO.NEtPh$	"	91	Gebhardt	B., 17, 2093	46, 1321
Dimethyl diphenylcarbamide	$CO(NMePh)_2$	"	350	120-121	Michler & Zimmermann	B., 12, 1166	36, 935
Dibenzylcarbamide	$NH_2.CO.N(CH_2Ph)_2$	"	B., 9, 81	124-125	Paterno and Spica	G. I., 5, 388	29, 602
"	$CO(NH.CH_2Ph)_2$	"	B., 4, 412	166-167	Cannizzaro	G. I., 1, 41	24, 928
"	"	"	167	Letts	B., 5, 93	25, 449 ; vii., 181
"	"	"	167	Paterno and Spica	G. I., 5, 388	29, 602
p-tolylglycollanilide	$C_6H_4Me.NH.CH_2.CO.NHPh$	"	82-83	Meyer	B., 8, 1161	29, 402
Tolylanilidoacetamide	$Me.[CH(NHPh).CONH_2]$ =1.3	"	127-128	Bornemann	B., 17, 1471	46, 1163
Benzyldimethylphenylamidine	$C_6H_4.N : CPh.NMe_2.OH$	"	152	Hübner	A., 210, 357	42, 505
Phenylglycocintoluide	$NHPh.CH_2.CO.NH.C_6H_4Me$ =1.4	"	171-172	Meyer	B., 8, 1158	29, 372
Hydroxybenzylideneamidodimethanilide	$HO.C_6H_4.CH : N.C_6H_4.NMe_2$ =1.2 ; 1.4	"	134	Nuth	B., 18, 573	48, 784
Ditolylcarbamide	$CO(NH.C_6H_4Me)_2=(1.3)_2$	"	B., 13, 1090	217	Cosack	B., 12, 1450	38, 245, 713
"	" = (1.2) ₂	"	B., 6, 444	243	Nevile and Winther	B., 12, 2325	
"	"	"	250	Lachmann	B., 12, 1350	36, 935
"	"	"	252 u.c.	Berger	B., 12, 1859	38, 245
"	" = (1.4) ₂	"	255	Weith	B., 9, 821	30, 639
"	"	"	256	Michler	B., 9, 714	
"	"	"	256	Sarauw	B., 14, 2446	42, 507
"	"	"	257	Will & Bielschowski	B., 15, 1310	
"	"	"	263	Sell	A., 126, 161 (?)	
"	" = ?	"	250-260	Landgrebe	B., 10, 1591	34, 217
Phenylazopseudocumol	$Ph.N_2.C_6HMe_3.OH=?5.4.2.1$	"	93	Nölting and Baumann	B., 18, 1149	
"	"	"	93-94	Liebermann and Kostanecki	B., 17, 886	46, 1147
β-diamidobenzhydrol acetate	$CH(OAc) : C_{12}H_8(NH_2)_2$	$C_{15}H_{16}O_2N_2$	220	Staedel	A., 218, 339	44, 991
Ethoxybenzeneazocresol	$EtO.C_6H_4.N_2.C_6H_3Me.OH$ =1.4 ; 1.4	"	103-104	Liebermann and Kostanecki	B., 17, 883	46, 1147

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Cumylazoresorcinol	$C_6H_2Me_3.N_2.C_6H_3(OH)_2$ =1.3.4.6; 1.1.3	$C_{15}H_{16}O_2N_2$	199	Liebermann and Kostanecki	B., 17, 882	46, 1147
"	"	"	200+d.	"	B., 17, 132	46, 736
?-acid	120 d.	Plöchl	B., 14, 1141	
Nitro-compound	fr. $Ph.N_2.NEt.C_6H_4Me$	$C_{15}H_{16}O_2N_4$	55	Nölting and Binder	B. S., 42, 340	48, 386
"	"	"	104-105	"	"	"
Dianisyl carbamide	$CO(NH.C_6H_4.OMe)_2=(1.2)_2$	$C_{15}H_{16}O_3N_2$	174	Mülhåuser	B., 13, 922; A., 207, 245	38, 642; 42, 302
"	" =?	"	232-234 d.	Lossen	A., 175, 295	
"	" =?	"	234	Pieschel	A., 175, 312	
Parvoline picrate	$C_9H_{13}N + C_6H_2(NO_2)_3.OH$	$C_{16}H_{16}O_7N_4$	149	Waage	M. C., 4, 708	46, 172
β-naphthimidoisobutyl ether	$C_{10}H_7.C(OBu^β).NH$	$C_{15}H_{17}ON$	38	Pinner and Klein	B., 11, 1486	36, 48
Ammonium nitrophenyl-β-anilidopropionate	$C_6H_4.NO_2.[CH(NHPh).CH_2.CO_2.NH_4]=1.4$	$C_{15}H_{17}O_4N_3$	150-156	Basler	B., 17, 1502	46, 1173
Paraxanthine	$C_{15}H_{17}O_4N_9$	a. 250	Solomon	B., 16, 197	44, 601
Diamidotolyl carbamide	$CO(NH.C_6H_3Me.NH_2)_2$ =(1.4.7) ₂	$C_{15}H_{18}ON_4$	d.w.m.	Perkin	37, 700
Benzylammonium benzylcarbamate	$CH_2Ph.NH.CO_2.(NH_3.CH_2Ph)$	$C_{15}H_{18}O_2N_2$	99	Tiemann and Fridländer	B., 14, 1970	42, 56
Cinnamodiacetanamine	$CHPh : CH.CH.CH_2.CO.$ $CH_2.CMe_2.NH$	$C_{15}H_{19}ON$	$+\frac{1}{2}H_2O$	49	Antrick	A., 227, 365	48, 503
Benzoyltropeine	$C_{15}H_{19}O_2N$	$+\frac{1}{3}H_2O$	37	Ladenburg	B., 13, 1083	38, 715
" (A., 217, 96)	"	$+2H_2O$	58	"	"	"
o-Hydroxybenzoyltropeine	$C_{15}H_{19}O_3N$	57-60	"	B., 13, 106	38, 410
" (A., 217, 89)	"	58	"	B., 13, 1083	
m- " (A., 217, 91)	"	226	"	B., 13, 1081	38, 714
p- " (A., 217, 93)	"	227	"	B., 13, 1082	"
p-Hydroxybenzaldiacetaminine oxalate	$HO.C_6H_4.CH.CH_2.CO.CH_2.CMe_2.NH + C_2H_2O_4$	$C_{15}H_{19}O_6N$	193 d.	Antrick	A., 227, 365	48, 503
Gluco-coumaraldoxime	$C_6H_4(O.C_6H_{11}O_5)(CH : CH.CH : NOH)=1.2$	$C_{15}H_{19}O_7N$	230	Tiemann and Kees	B., 18, 1961	48, 1073
Lithuric acid	$C_{15}H_{19}O_9N (?)$	204.5-205	Roster	A., 165, 107	
Cinnamylurethane	$Ph.CH : CH.CH(NH.CO_2Et)_2$	$C_{15}H_{20}O_4N_2$	135-143	Bischoff	B., 7, 1079	28, 146
Dinitrolaserpetin	$C_{15}H_{20}(NO_2)_2O_4$	$C_{15}H_{20}O_8N_2$	$+H_2O$	115	Kulz	A. P. [3], 21, 161	46, 183
Eserin (Physostigmin)	$C_{15}H_{21}O_2N_3$	45	Jobst and Hesse	A., 129, 115	
"	"	d. 150	69	Vee	J. [1865], 457	
Benzoylhomocoumaric acid	$Ph.CO.C_6H_{16}O_2N$	$C_{15}H_{21}O_3N$	142-143	Schotten and Baum	B., 17, 2550	48, 176
Perezonoxime	see B., 18, 946	"	153-154	Mylius	B., 18, 938	48, 777
Ethylie pseudocumylzinacetate	$C_6H_3Me_3.N.NH.CMe.CH_2.CO_2Et=1.2.4.5$	$C_{15}H_{22}O_2N$	77-78	Haller	B., 18, 707	48, 818
Benzylidenedipropylurethane	$Ph.CH(NH.CO_2Pr^α)_2$	$C_{15}H_{22}O_4N_2$	143	Bischoff	B., 7, 1082	28, 146
Ethylie toluylene diglycocine	$C_6H_3Me(NH.CH_2.CO_2Et)_2$	"	70	Zimmermann and Knyriu	B., 16, 516	44, 798
Methylcopellidine picrate	$C_8H_{16}MeN + C_6N_2(NO_2)_3.OH$	$C_{15}H_{22}O_7N_4$	112	Dürkopf	B., 18, 926	
n-Octylformanilide	$C_8H_{17}.C_6H_4.NH(CHO)=1.4$	$C_{15}H_{23}ON$	56	Beran	B., 18, 135	48, 523
Alantamide	$C_{14}H_{20}(OH).CO.NH_2$	$C_{15}H_{23}O_2N$	210 d.	Kallen	B., 9, 156	29, 918
Hydrosantonamide	$C_{15}H_{23}O_3N$	J. [1876], 620	190 d.	Cannizzaro	G. I., 6, 341	31, 471
"	$C_{15}H_{23}O_4N$	86	Kuckert	B., 18, 620	48, 750
Oxamethane cyanurate	$C_3O_3N_3H_3(NH_2.CO.CO_2Et)_3$	$C_{15}H_{24}O_{12}N_6$	155-160	Grimaux	B. S. [2], 21, 154	28, 564
Oxypentinamide	$C_{15}H_{15}O_5(NH_2)_5$	$C_{15}H_{25}O_5N_5$	203-204	Demarçay	A. C. [5], 20, 487	
Diisoamylcarbopyrrolamide	$C_4H_3(C_5H_{11})N.CO.NH(C_5H_{11})$	$C_{15}H_{26}ON_2$	77	Bell	B., 10, 1866	36, 525
Isocetamide	$C_{14}H_{29}.CO.NH_2$	$C_{15}H_{31}ON$	67	Bonis	C. R., 39, 923	iii., 414
Tetranitropyrene	$C_{16}H_6O_8N_4$	a. 300	Græbe	A., 158, 293	24, 691; vii., 1028
Dinitrodiphenylidiacetylene....	$(C : C.C_6H_4.NO_2)_2=(1.2)_2$	$C_{16}H_6O_4N_2$	212 d.	Baeyer	B., 15, 52	42, 619
Dinitropyrene	"	A., 158, 292	a. 240	Goldschmidt	M. C., 2, 581	42, 206
Dinitro-α-naphthylene-phenylene oxide	fr. $C_{10}H_6.O.C_6H_4$	$C_{16}H_8O_5N_2$	235	Arx	B., 13, 1727; A., 209, 145	40, 282

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrostilbenedicarbonic anhydride	$C_{16}H_9O_7N_2$	sf. 73	Reimer	B., 14, 1801	
?	$(C_{16}H_9ON_2)_n$	217	Zincké	B., 15, 286	
Nitrodiphenyldiacetylene	Ph.(C:C) ₂ .C ₆ H ₄ .NO ₂ =1.2	$C_{16}H_9O_2N$	154-155	Baeyer and Landsberg	B., 15, 58	42, 622
Cyanbenzylidenephthalide	O.CO.C ₆ H ₄ .C:CPh.CN=1.2	164-165.5	Gabriel	B., 18, 1264	48, 902
Nitropyrene	140-142	Græbe	A., 158, 292	24, 690; vii., 1027
..	148-149	Goldschmidt	M. C., 2, 580	42, 206
..	149-150.5	Fittig and Gebhard	B., 10, 2143	34, 432
Phenyl-naphthylcarbazole-quinone	$C_6H_4.NH.C_{10}H_4:O_2$	307	Græbe and Knecht	A., 202, 13	38, 664
α -tetranitronaphthylphenyl-amine	$C_{10}H_5(NO_2)_4.NHPh$	$C_{16}H_9O_8N_5$	162.5	Merz and Weith	B., 15, 2717	44, 344
β -	253	..	B., 15, 2720	..
Nitrosophenyl-naphthylcarbazole	$C_6H_4.C_{10}H_6.N.NO$	$C_{16}H_{10}ON_2$..	240	Græbe and Knecht	A., 202, 8	..
Nitroso- β -naphthoquinone-anilide	$C_{16}H_{10}O_2N_2$	275	Zincké	B., 15, 285	..
..	$C_{16}H_{10}O_3N_2$	245	..	B., 15, 284	42, 735
Nitro- α -naphthoquinone-anilide	$NO_2.C_6H_4.NH.C_{10}H_5:O_2$	$C_{16}H_{10}O_4N_2$	a. 270	Baltzer	B., 14, 1905	42, 205
.. - α -	nf. 270	..	B., 14, 1904	..
.. - β -	$C_{10}H_4(OH)(NO_2).O.NPh$	246-248	Brauns	B., 17, 1134	46, 1038
.. - β -	253	Korn	B., 17, 908	46, 1186
Azophenylglyoxylic acid	$N_2(C_6H_4.CO.CO_2H)_2=(1.3)_2$	$C_{16}H_{10}O_6N_2$	abt. 151	Thompson	B., 16, 1309	44, 998
..	+2H ₂ O
Dinitroethoxyanthraquinone	fr. $C_6H_4:(CO)_2:C_6H_3.OEt$	$C_{16}H_{10}O_7N_2$	158	Simon	B., 15, 694	42, 863
..	=2.1; 1.2.4
Azophthalic acid	$N_2[C_6H_3.(CO_2H)_2]_2=(?.2.1)_2$	$C_{16}H_{10}O_8N_2$	brown 220	230-250 d.	Claus and May	B., 14, 1331	42, 516
Picrate of β -benzoquinoline carboxylic acid	$N.CO_2H=a_1\beta_2$;	$C_{16}H_{10}O_9N_4$	216 d.	Riedel	B., 16, 1614	44, 1152
Fr. Phenanthraquinone +HCN	$C_{16}H_{11}ON$	241	Japp and Miller	B., 16, 2418	46, 329
Diphenylfumarimide	$CPh:CPh.CO.NH.CO$	$C_{16}H_{11}O_2N$	213	Reimer	B., 13, 746	40, 48
Fr. Benzylecyanide	$C_{14}H_{10}(CN).CO_2H$	222	..	B., 14, 1801	42, 170
Oxyquinonimide	see orig. paper	173.5-174	Breuer and Zincké	B., 11, 1997	36, 328
α -naphthaquinoneanilide	190-191	Plimpton	37, 635
α -	$C_{10}H_6:(O_2):NPh$	190-191	Zincké	B., 12, 1645	38, 49
α -	Ph.NH.C ₁₀ H ₅ :O ₂	..	A., 211, 82	191	Liebermann	B., 14, 1666	..
β -	$C_{10}H_5(OH).O.NPh=a_1\beta_1, a_2$;	..	B., 15, 279	240-250	Zincké	B., 14, 1494	40, 915
β -	B., 15, 690	nf. 240	Liebermann and Jacobsen	A., 211, 75	42, 522
β -	sb.p.d.	a. 240	Liebermann	B., 14, 1314, 1665	..
Bezoxyquinoline	N.OBz= a_1 ; a_1	118-120	Bedall and Fischer	B., 14, 1367	..
..	.. = a_1 ; β_1	86-88	Skraup	M. C., 3, 567	44, 94
..	88-89 s.d.
..	.. = a_1 ; β_2	230-231	..	M. C., 3, 556	..
Benzoylhydroxyquinoline	N.OH.Bz= $a_1\beta_1\beta_2$;	a. 270	Friedländer and Göhring	B., 16, 1839	44, 1149
Deoxyimidoisatin	$C_{16}H_{11}O_2N_3$	A., 194, 86	209-210 d.	Sommaruga	A., 190, 379	34, 507
Benzoylimidocoumarin	$C_6H_4.CH.NBz.CH.CO.O=1.2$	$C_{16}H_{11}O_3N$	170-171	Plöchl & Wolfrum	B., 18, 1185	48, 898
Hydroxy- α -naphthaquinone-anilide	$C_{10}H_4(OH)(NHPh):O_2$	210	Plagemann	B., 16, 896	..
Anilidojuglone	.. = β_1 ; $\beta_1a_1a_2$	230	Mylius	B., 18, 473	48, 804
Acetamidoanthraquinone	$C_6H_4:(CO)_2:C_6H_3.NHAc$	202	Roemer	B., 15, 1791	44, 72
..	=2.1; 1.2.3
..	=2.1; 1.2.4	257	Perger	B., 12, 1569	38, 49

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetamidoanthraquinone	$C_6H_4:(CO)_2:C_6H_3.NHAc$ =2.1; 1.2.4	$C_{16}H_{11}O_3N$	263	Liebermann and Bollert	B., 15, 229; A., 212, 61	
Amidoisatin	$C_{16}H_{11}O_3N_3$	250-252	Sommaruga	M. C., 1, 579	
Nitrobenzeneazo- α -naphthol	$NO_2.C_6H_4.N_2.C_{10}H_6.OH$ =1.4; $\alpha\alpha$	"	a. Hg. therm.	Meldola	47, 662
" - β - "	" =1.3; $\alpha\beta$	"	191-192	"	47, 668
" - β - "	" =1.4; $\alpha\beta$	"	249	"	47, 662
Acetamido-m-hydroxyanthraquinone	see orig. paper	$C_{16}H_{11}O_4N$	170	Perger	J. p. [2], 18, 143	36, 254
" -o- "	"	"	242	"	J. p. [2], 18, 145	"
Dinitrophenyl- α -naphthylamine	fr. $C_{10}H_7.NHPh$	$C_{16}H_{11}O_4N_3$	B., 13, 1853	77	Streiff	A., 209, 155	40, 176
" - β - "	"	192-195	"	A., 209, 160	
Nitroethoxyanthraquinone	$C_6H_4:(CO)_2:C_6H_2.OEt.NO_2$ =2.1; 1.2.5.6	$C_{16}H_{11}O_5N$	243	Liebermann and Hagen	B., 15, 1796	44, 73
Trinitrobenzene naphthalene	$C_6H_3(NO_2)_3+C_{10}H_8$	$C_{16}H_{11}O_6N_3$	152	Hepp	A., 215, 377	44, 318
" "	"	"	152-153	"	B. S. [2], 30, 6	36, 51
Naphthalene trinitrophenol	$C_{10}H_8+C_6H_2.OH.(NO_2)_3$ =1.3.4.6	$C_{16}H_{11}O_7N_3$	72-73	Henriques	A., 215, 321	44, 328
" "	" =1.2.3.6	"	100	"	"	"
" "	" =?	"	138	Zehenter	M. C., 6, 523	48, 1235
" (picrate)	" =1.2.4.6	"	149	"	"	"
" " "	" "	"	J. [1857], 456	149	Fritzsche	J. p. [1], 73, 212	iv., 405
" " "	" "	"	149	Schultz	B., 9, 549	30, 197
" " "	" "	"	J. [1879], 376	149	Goldschmidt and Schidt	W. A., 83, 7	40, 824
Dipyridyl picrate	$C_{10}H_8N_2.C_6H_2.OH.(NO_2)_2$	$C_{16}H_{11}O_7N_5$	149.5	Skraup and Vortmann	M. C., 3, 370	44, 88
Trinitroquinol + naphthalene	$C_6H(OH)_2(NO_2)_3+C_{10}H_8$	$C_{16}H_{11}O_8N_3$	159	Jacobsen	B., 15, 1863	
β -naphthol picrate	"	B., 16, 796	155	Marchetti	G. I., 12, 502	44, 345
α - " " " " " " " " " " " "	"	"	189-190	"	"	"
HNO_3 on strychnine....	$C_{16}H_{11}O_{15}N_4?$	a. 300 d.	Schiff	G. I., 8, 82	34, 679
Isoindileucine	$Ph.CO.C:N.CPh.CH:NH$	$C_{16}H_{12}ON_2$	191-192	Engler and Hassenkamp	B., 18, 2241	48, 1223
Nitrosophenyl- β -naphthylamine	$C_{10}H_7.N(NO).C_6H_6$	"	93	Streiff	A., 209, 159	
β -naphthaquinonephenylhydrazine	$C_{10}H_6.O.NPh.NH=\beta_1\alpha_1;$	"	138	Zincké	B., 16, 1564	44, 1135
β - " " " " " " " " " " " "	"	"	138	Zincké & Bindewald	B., 17, 3030	48, 392
α -naphtholazobenzene	$Ph.N_2.C_{10}H_6.OH=?\alpha$	"	166	Typke	B., 10, 1581	
α - " " " " " " " " " " " "	"	"	175	"	"	"
α - " " " " " " " " " " " "	" =? α ;	"	193	Liebermann	B., 16, 2858	46, 610
α - " " " " " " " " " " " "	" = $\alpha_2\alpha_1$;	"	206 d.	Zincké & Bindewald	B., 17, 3027	
β - " " " " " " " " " " " "	" = $\alpha_1\beta_1$;	"	134	Liebermann	B., 16, 2860	46, 610
β - " " " " " " " " " " " "	" "	"	134	Zincké & Bindewald	B., 17, 3032	
Fr. Benzil hydrocyanide	"	196	Japp and Miller	B., 16, 2417	46, 329
Phenylfurfuraldehydine	$C_6H_4(N:C_6H_4O)_2$	$C_{16}H_{12}O_2N_2$	95-96	Ladenburg and Engelbrecht	B., 11, 1655	36, 235
Nitrophenyl- β -naphthylamine	"	85	Streiff	A., 209, 160	
Hydroxynaphthaquinonehydrazine	$C_{10}H_5(OH)O.N_2HPh$	"	230 d.	Zincké and Thelen	B., 17, 1810	46, 1360
Naphthaquinoneamidoanilide	$NH_2.C_6H_4.NH.C_{10}H_5O_2=1.4$	"	175-177	Baltzer	B., 14, 1905	42, 205
Naphthaleneazoresorcinol	$C_{10}H_7.N_2.C_6H_3(OH)_2=?; 1.3$	"	200	Wallach	B., 15, 28	42, 611
Isatindiamide	$(.NH.C_6H_4.CO.CNH)_2$	$C_{16}H_{12}O_2N_4$	111 d.	Sommaruga	A., 190, 374	34, 507
" " " " " " " " " " " "	"	"	A., 194, 86	a. 300 d.	"	M. C., 1, 578	
$NH.C_{10}H_6.NH.N.C_6H_4.NO_2$	$C_{10}H_6:(NH)_2:N.C_6H_4.NO_2$ = $\alpha_1\beta_1$; 1.3	"	177	Meldola	45, 116
" " " " " " " " " " " "	" = $\alpha_1\beta_1$; 1.4	"	180	"	"
Nitrobenzeneazoamido- α -naphthalene	$NO_2.C_6H_4.N_2.C_{10}H_6.NH_2$ =1.4; $\alpha_1\beta_1$;	"	180	"	43, 430

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobenzeneazoamido- <i>a</i> -naphthalene	$\text{NO}_2 \cdot \text{C}_6\text{H}_4 \cdot \text{N}_2 \cdot \text{C}_{10}\text{H}_6 \cdot \text{NH}_2$ =1.3; $a_1 a_2$;	$\text{C}_{16}\text{H}_{12}\text{O}_2\text{N}_4$	202-203	Meldola	45, 114
" " " " " " "	" " " " " " " =1.4; $a_1 a_2$;	"	252	"	43, 430
? " " " " " " "	$\text{C}_6\text{H}_4 \cdot \text{CO} \cdot \text{N}_2 \cdot \text{Ph} : \text{C} \cdot \text{CH}_2 \cdot \text{CO}_2 \cdot \text{H}$ =1.2	"	160 d.	Roser	B., 18, 803	48, 797
Dinitrobenzene-naphthalene	$\text{C}_{10}\text{H}_6 + \text{C}_6\text{H}_4(\text{NO}_2)_2 = 1.3$	$\text{C}_{16}\text{H}_{12}\text{O}_4\text{N}_2$	52-53	Hepp	A., 215, 379	44, 318
" " " " " " "	" " " " " " " =1.4	"	110-115	"	B. S. [2], 30, 6	36, 51
" " " " " " "	" " " " " " " =1.2, 4.6	"	118-119	"	A., 215, 379	44, 318
Trinitroaniline-naphthalene	$\text{C}_{10}\text{H}_6 + \text{C}_6\text{H}_2 \cdot \text{NH}(\text{NO}_2)_3$ =1.2, 4.6	$\text{C}_{16}\text{H}_{12}\text{O}_6\text{N}_4$	168-169	Liebermann and Palm	B., 8, 378	
β -naphthylamine picrate	$\text{C}_{10}\text{H}_7 \cdot \text{NH}_2 + \text{C}_6\text{H}_2 \cdot \text{OH}(\text{NO}_2)_3$	$\text{C}_{16}\text{H}_{12}\text{O}_7\text{N}_4$	195	Liebermann	A., 183, 264	31, 607
β - " " " " " " "	" " " " " " "	"	195	Scheiding	B., 8, 1652	29, 713
Quinoline methopicate	$\text{C}_9\text{H}_7\text{N} + \text{C}_6\text{H}_2 \cdot \text{OMe}(\text{NO}_2)_3$	"	164	Ostermeyer	B., 18, 594, 599 ; C. C. [1884], 970	48, 672
" " " " " " "	" " " " " " "	"	164-165	Coste	B., 15, 193	
β -methylquinoline picrate	$\text{C}_{10}\text{H}_9\text{N} + \text{C}_6\text{H}_2 \cdot \text{OH}(\text{NO}_2)_3$	"	187	Döbner and Miller	B., 18, 1642	
<i>m</i> -toluquinoline picrate	" " " " " " "	"	206-207	Skraup	M. C., 8, 381	42, 1216
Methylic β -dinitrodiphenate	fr. $(\text{C}_6\text{H}_4 \cdot \text{CO}_2 \cdot \text{Me})_2 = (1.2)_2$	$\text{C}_{16}\text{H}_{12}\text{O}_8\text{N}_2$	131-132	Schultz	A., 203, 111	38, 814
" " " " " " "	see orig. paper	"	177-178	"	"	"
Dinitro- <i>a</i> -dibenzylidicarboxylic acid	fr. $(\text{CH}_2 \cdot \text{C}_6\text{H}_4 \cdot \text{CO}_2 \cdot \text{H})_2$	"	226	Reimer	B., 14, 1804	42, 200
" " " " " " "	" " " " " " "	"	242	"	"	"
Nitropapaveric acid	$\text{C}_{16}\text{H}_{12}\text{O}_9\text{N}_2$	215	Goldschmidt	M. C., 6, 372	48, 1031
Flavenol	$\text{C}_{16}\text{H}_{13}\text{ON}$	B., 16, 69	238	Fischer & Rudolph	B., 15, 1502	42, 1067
Acetylanthramine	$\text{C}_6\text{H}_4 : (\text{CH})_2 : \text{C}_6\text{H}_3 \cdot \text{NHAc}$	"	240	Liebermann	A., 212, 61	42, 860
" " " " " " "	" " " " " " "	"	240	Liebermann and Bollert	B., 15, 228	
Azophenol- <i>a</i> -naphthylamine	$\text{HO} \cdot \text{C}_6\text{H}_4 \cdot \text{N}_2 \cdot \text{C}_{10}\text{H}_6 \cdot \text{NH}_2$ =1.4	$\text{C}_{16}\text{H}_{13}\text{ON}_3$	+3 H ₂ O	170	Weselsky and Benedikt	B., 12, 229	
<i>a</i> -naphtholazoamidobenzene	$\text{NH}_2 \cdot \text{C}_6\text{H}_4 \cdot \text{N}_2 \cdot \text{C}_{10}\text{H}_6 \cdot \text{OH}$ =1.4; aa	"	Solid	Meldola	47, 662
β - " " " " " " "	" " " " " " " =1.4; $a\beta$	"	Powder	"	47, 663
Benzylindolecarboxylic acid	$\text{C}_{16}\text{H}_{13}\text{O}_2\text{N}$	195	Antrick	A., 227, 360	48, 543
? " " " " " " "	$\text{C}_6\text{H}_4 \cdot \text{C}_6\text{H}_4 \cdot \text{C}(\text{CO}_2\text{H}) : \text{C}$ CH ₂ · NH ₂	"	183	Japp and Miller	B., 16, 2418	48, 329
Ethylnitrosoanthrone	$\text{C}_6\text{H}_4 \cdot \text{CO} \cdot \text{C}_6\text{H}_4 \cdot \text{Cet} \cdot \text{NO}$	"	135	Liebermann and Landshoff	B., 14, 475	40, 607
Nitrodiphenylpyrazene	$\text{NO}_2 \cdot \text{C}_6\text{H}_4 \cdot \text{C}_3\text{N}_2 \cdot \text{HMePh} = 1.4$ =1.2	$\text{C}_{16}\text{H}_{13}\text{O}_2\text{N}_3$	Liquid 285 (70) 95 ; 105	Knorr and Jödicke	B., 18, 2259 B., 18, 2261	48, 1247 48, 1248
" " " " " " "	" " " " " " "	"	131	Plöchl	B., 17, 1618	46, 1348
<i>a</i> -benzamidocinnamic acid	$\text{Ph} \cdot \text{CH} : \text{C}(\text{NHbz}) \cdot \text{CO}_2 \cdot \text{H}$	$\text{C}_{16}\text{H}_{13}\text{O}_3\text{N}$	225	"	B., 16, 2816	46, 605
Benzimidocinnamic acid	$\text{Ph} \cdot \text{CH} \cdot \text{NBz} \cdot \text{CH} \cdot \text{CO}_2 \cdot \text{H}$	"	102	Liebermann and Landshoff	B., 14, 474	40, 607
Ethylnitroanthrone	$\text{C}_6\text{H}_4 \cdot \text{CO} \cdot \text{C}_6\text{H}_4 \cdot \text{Cet} : \text{NO}_2$	"	182	Liebermann and Hagen	B., 15, 1796	44, 73
Amidoethoxyanthraquinone	$\text{C}_6\text{H}_4 : (\text{CO})_2 : \text{C}_6\text{H}_2 \cdot \text{OEt} \cdot \text{NH}_2$ =2.1 ; 1.2, 5.6	"	d.w.m. 187-190	Sommaruga	A., 194, 100	
Oxyamidohydroisatin	$\text{C}(\text{OH}) : \text{N} \cdot \text{C}_6\text{H}_4 \cdot \text{C}(\text{NH}_2) : \text{C}$ (OH) · C ₆ H ₄ N : C · OH	$\text{C}_{16}\text{H}_{13}\text{O}_3\text{N}_3$	213	"	A., 194, 88	36, 63
Dihydroisatinamide	M. C., 1, 582	"	130 d.	Liebermann and Landshoff	B., 14, 473 ; A., 212, 1	40, 607 ; 42, 862
Ethylanthracenehydride nitrite	$\text{C}_6\text{H}_4 \cdot \text{C}(\text{O} \cdot \text{NO})_2 \cdot \text{C}_6\text{H}_4 \cdot \text{Cet} \cdot \text{O} \cdot \text{NO}$	$\text{C}_{16}\text{H}_{13}\text{O}_6\text{N}_3$	233	Goldschmidt	M. C., 6, 372	48, 1080
Papaveric acid	$\text{C}_{16}\text{H}_{13}\text{O}_7\text{N}$	210	Hager	B., 17, 2628	48, 150
Tri-nitrobenzamidophenylurethane	$\text{NO}_2 \cdot \text{C}_6\text{H}_4 \cdot \text{CO} \cdot \text{NH} \cdot \text{C}_6\text{H}_2$ (NO ₂) ₂ · NH · CO ₂ · Et =1. ? ; 1. (?) ₂ · 4	$\text{C}_{16}\text{H}_{13}\text{O}_9\text{N}_5$	160	Engler and Hassenkamp	B., 18, 2243	46, 48
Hydroisoindeucine	$\text{Ph} \cdot \text{CH}(\text{OH}) \cdot \text{C} : \text{N} \cdot \text{CPh}$ CH : NH	$\text{C}_{16}\text{H}_{14}\text{ON}_2$	191	Meyer	B., 16, 2268	"
Methylisatintolylimide	$\text{C}_6\text{H}_4 \cdot \text{MeNO} : \text{N} \cdot \text{C}_6\text{H}_4 \cdot \text{Me}$ =1.4 ; 1.2	"				

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylisatintolylimide	$C_9H_4MeNO : N.C_6H_4Me$ =1.4 ; 1.4	$C_{16}H_{14}ON_2$	259	Meyer	B., 16, 2264	46, 48
Lactimide of benzdiamido-hydrocinnamic acid	$Ph.CH.CH(NHBz).CO.NH$	$C_{16}H_{14}O N_2$	187	Plöchl	B., 17, 1617	46, 1348
Phenylaspartic phenylimide	$NHPh.C_2H_3 : (CO)_2 : NPh(?)$	263	Piutti	G. I., 14, 473	48, 796
Ethoxybenzylazoximebenzenyl	$N : CPh.O.N : C.C_6H_4.OEt$ =1.3	71	Schöff	B., 18, 2476	48, 1217
Oxindole	see C_8H_7ON	120	Bedson	37, 93
Ethyl phenylenamidinetoluate	$NH.C_6H_4.N : C.C_6H_4.CO_2Et$ =1.2 ; 1.4	242-243	Brückner	A., 205, 121	40, 93
"	"	"	A., 210, 340	242-243	Stoddard	B., 11, 296	34, 504
NH ₃ on isatin	$C_{16}H_{14}O_3N_6$	295-300	Sommaruga	A., 190, 367	34, 507
Benzoylform-γ-amide	$O_2 : (CPh.CO.NH_2)_2$	$C_{16}H_{14}O_4N_2$	130	Claisen	B., 10, 1665	34, 151
"	"	"	134-135	"	B., 12, 634, 635	36, 649
Acetbenzamidonitrotoluene	$Me.NO_2.NBzAc=1.2.4$	160	Cunerth	A., 172, 221	28, 83
Azophenylacetic acid	$N_2(C_6H_4.CH_2.CO_2H)_2=Mix.$..	B., 2, 210	138	Radziszewski	Z. C. [2], 5, 358	vi., 1102
"	"	"	d. w. m. 300	Wittenberg	B. S., 43, 111	48, 661
β-Azotoluic acid	$N_2(C_6H_3Me.CO_2H)_2=(?1.4)_2$	182-184	Fittica	B., 7, 1358	28, 265
γ- " "	"	"	w. m.	"	"	"
" ?	"	186	Brauns.	B., 17, 1134	46, 1038
Azophenoxyacetic acid	$N_2(C_6H_4.O.CH_2.CO_2H)_2=?$	$C_{16}H_{14}O_6N_2$	151-152	Thate	J. p. [2], 25, 267	42, 849
"	"	"	162	"	J. p. [2], 29, 145	46, 1171
Succindinitranilide	$(CH_2.CO.NH.C_6H_4.NO_2)_2$ =(1.4) ₂	$C_{16}H_{14}O_6N_4$	260	Hübner	A., 209, 377	
Dinitrodiacetbenzidine	$(.C_6H_3.NHAc.NO_2)_2=(1.4.?)_2$	a. 300	Strakosch	B., 5, 237	
Azoxyphenoxyacetic acid	$ON_2(C_6H_4.O.CH_2.CO_2H)_2$ =(1.2) ₂	$C_{16}H_{14}O_7N_2$	186-187	Thate	J. p. [2], 29, 145	46, 1170
Trinitrobenzmesidine	fr. $C_6H_2Me_3.NHBz$	$C_{16}H_{14}O_7N_4$	300	Schack	B., 10, 1711	
"	$Me_3(NO_2)_2.(NH.CO.C_6H_4.NO_2)=1.3.5.2.4.6 ; 1.3$	"	307	"	"	34, 144
Dibenzylglycollic nitril	$(Ph.CH_2)_2C(OH).CN$	$C_{16}H_{15}ON$	113 ; sf. 110	Spiegel	B., 13, 2221	40, 174
α-naphthylamine phenate	$C_{10}H_7.NH_2 + Ph.OH$	"	30.1	Dyson	43, 468
Aniline-β-naphthate....	$Ph.NH_2 + C_{10}H_7.OH$	"	82.4	"	"
Benzoyltetrahydroquinoline	"	B., 13, 2400	75	Hoffmann & Königs	B., 16, 734	44, 1144
Acetophenoneacetanilide	$Ph.CO.CH_2.NAcPh$	$C_{16}H_{15}O_2N$	126-127	Möhlau.	B., 15, 2470	44, 333
Phenyl-α-anilidocrotonic acid	$Ph.CH : CH.CH(NHPh).$ CO_2H	"	154	Peine	B., 17, 2116	46, 1345
Nitroso-p-tolylamido-p-methyloxindole	$C_{16}H_{15}O_2N_3$	a. 220 d.	Duisberg	B., 18, 193	48, 544
Benzethylbenzhydroxylamine	$Ph.CO.O.CPh.NO.Et$	$C_{16}H_{15}O_3N$	B., 16, 874	48-49	Pieper	A., 217, 8	44, 461
α-Ethylidibenzhydroxamate	"	58	Eiseler	A., 175, 326	28, 766
α- " "	"	58	Gürke	A., 205, 280	40, 585
β- " "	"	63	"	A., 205, 281	"
Benzyl hippurate	$NHBz.CH_2.CO_2.CH_2Ph$	"	289.9	85.5-86	Zanna & Guareschi	B., 14, 2242	
Diphenylsuccinamic acid	$NPh_2.CO.C_2H_4.CO_2H$	"	119	Piutti	G. I., 14, 351	48, 783
Acetylacetyldiphenylamine	$C_6H_4.OAc.NPhAc=1.4$	"	120	Philip and Calm	B., 17, 2437	48, 156
Benzophenoneurethane	$C_6H_4Bz.(NH.CO_2Et)=1.4$	"	189	Döbner and Weiss	B., 14, 1839	42, 177
"	"	"	189	Döbner	A., 210, 273	42, 508
Methylic m-diazoamidobenzoic acid	$C_6H_4(CO_2Me).N_2.C_6H_3(NH_2).$ CO_2Me	$C_{16}H_{15}O_4N_3$	160	Griess	A., 117, 12	iv., 294
Dianishydroxamic acid	$N(CO.C_6H_4.OMe)_2.OH=(1.4)_2$	$C_{16}H_{15}O_5N$	142-143	Lossen	A., 175, 287	28, 636
Nitrobenzonitromesidide	$Me_3.NO_2.(NH.CO.C_6H_4.NO_2)$ =1.3.5.2.4 ; 1.3	$C_{16}H_{15}O_5N_3$	207	Hübner	B., 10, 1711	34, 144
α-trinitroazoxyphenetol	$C_{16}H_{15}O_9N_5$	168	Andreae	J. p. [2], 21, 334	38, 467
β- " "	"	187	"	"	"
Phenyl-α-anilidocrotonamide	$Ph.CH : CH.CH(NHPh).$ $CONH_2$	$C_{16}H_{16}ON_2$	171	Peine	B., 17, 2116	46, 1345
p-tolylamido-p-methyloxindole	"	166-167	Duisberg	B., 18, 191	48, 544
Diacetylhydrazobenzene	$Ph.NAc.NAc.Ph$	$C_{16}H_{16}O_2N_2$	103	Schmidt & Schultz	B., 12, 485	36, 630
"	"	"	105	"	A., 207, 327	40, 909

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylphenylhydrazine-phenylglyoxylic acid	$N_2EtPh : CPh.CO_2H$	$C_{16}H_{16}O_2N_2$	109 d.	Elbers	A., 227, 340	48, 534
Ethidine dibenzamide (Hipparaffin)	$CH_3.CH(NHBz)_2$	"	185	Schwartz	W. A., 77, 62	36, 650
" " "	"	"	188	Nencki	B., 7, 159	27, 458
" " "	"	"	200	Schwarz	A., 75, 201	iii., 155
" " "	"	"	204	Hepp and Spiess	B., 9, 1425	31, 314
" " "	"	"	210	Maier	A., 127, 162	iii., 155
" " "	"	"	215	Schwarz	W. A., 77, 62	36, 650
Dibenzylloxamide	$(CO.NH.CH_2Ph)_2$	"	216	Strakosch	B., 5, 694	vii., 182; 25, 1026
Succinamide	$(CH_2.CO.NHPh)_2$	"	A., 68, 27	226.5-227	Menschutkin	A., 162, 187	25, 497; vii., 1183
Diacetdiamidodiphenyl	$(C_6H_4.NHAc)_2=1.2; 1.4$	"	202	Schmidt & Schultz	B., 11, 1754	36, 252
" " "	" " "	"	202	"	B., 12, 489	36, 652
" " "	" " "	"	202	Schultz and others	A., 207, 356	40, 912
" " "	" " "	"	a. 300	Strakosch	B., 5, 237	
" " "	" $= (1.4)_2$	"	317	Schmidt & Schultz	B., 12, 489	36, 652
" " "	" " "	"	317	Schultz and others	A., 207, 332	
Ditolyloxamide	$(CO.NH.C_6H_4Me)_2=(1.4)_2$	"	263	Hübner	A., 209, 371	42, 181
" " "	" " "	"	267-268	Bladin	B. S., 41, 125	46, 1141
" " "	" " "	"	300 (60)	269	Willm and Girard	B., 8, 1196	
Tolyazo-acetocresol	$C_6H_4Me.N_2.C_6H_3Me.OAc$ $=1.4; ?1.4$	"	91	Nötling and Kohn	B., 17, 354	46, 901
Piperonylidene amidodimethaniline	$CH_2 : O_2 : C_6H_3.CH : N.C_6H_4$ $NMe_2=4.3.1; 1.4$	"	110	Nuth	B., 18, 575	48, 784
Betistenequinoxime	$HO.N : C.C_{14}H_{14}.C : N.OH$	"	128.5-129	Bamberger	B., 18, 82	48, 549
"	"	"	187	Gumpert	J. p. [2], 31, 119	48, 656
Diamidohydrindic acid	$C_{16}H_{10}N_2(OH)_2(NH_2)_2$	$C_{16}H_{16}O_2N_4$	v. $C_{16}H_{16}O_3N_4$	215-217	Sommaruga	A., 194, 96	36, 63
Ethylidiphenylallophanate	"	$C_{16}H_{16}O_3N_2$	98	Hofmann	B., 4, 247	24, 393; vii., 408
Diphenylmalamide	$NHPh.CO.CH_2.CH(OH).CO.NHPh$	"	175 p.d.	Arppe	A., 96, 107	iii., 797
Benzamidophenylurethane	$NHBz.C_6H_4.NH.CO_2Et=1.4$	"	230	Hager	B., 17, 2628	48, 150
p-Toluylnitroxylide	$NO_2.C_6H_3Me_2.NH.CO.C_6H_4Me$	"	187	Hübner	A., 210, 333	42, 504
p- " " "	" " "	"	187	Brückner	A., 205, 125	40, 94
Benznitromesidine	$Me_3.NHBz.NO_2=1.3.5.2.4$	"	168.5	Hübner & Schack	B., 10, 1711	34, 144
Nitrobenzmesidine	$Me_3.(NH.CO.C_6H_4.NO_2)$ $=1.3.5.6; 1.3$	"	205	"	"	"
Diamidohydrindic acid	$C_{16}H_{16}N_2(OH)_2(NH_2)_2$	$C_{16}H_{16}O_3N_4$	v. $C_{16}H_{16}O_2N_4$	215-217 d.	Sommaruga	A., 194, 96	36, 63
Azoxyacetanilide	$O : N_2(C_6H_4.NHAc)_2=(1.4)_2$	"	275-278	Mixer	A. C. J., 5, 1	46, 301
Glycolphenylcarbamate	$C_2H_4(O.CO.NHPh)_2$	$C_{16}H_{16}O_4N_2$	157.5	Snappe	47, 773
Tataranilide	$[CH(OH).CO.NHPh]_2$	"	a. 225	Arppe	A., 96, 106	iii., 798
" " "	" " "	"	250 d.	"	A., 93, 353	
Diphenyltartaramide	$[CPh(OH).CO.NH_2]_2$	"	brown 150	230 sf. b. 230	Burton	B., 16, 2232	46, 63
Ethylenedibenzamic acid	$C_2H_4(NH.C_6H_4.CO_2H)_2$ $= (1.3)_2$	"	222-225	Schiff and Parenti	A., 226, 243	48, 266
Diamido-β-dibenzylcarboxylic acid	"	"	280	Reimer	B., 14, 1802	42, 170
Dinitroazophenetoil	$N_2(C_6H_3.OEt.NO_2)_2=(1.2.?)_2$	$C_{16}H_{16}O_6N_4$	190	Andreae	J. p. [2], 21, 322	38, 466
p- " " "	" $= ?$	"	284-285	"	J. p. [2], 21, 323	"
Tetrahydroquinoline methopicate	$C_9H_{11}N + C_6H_2.OMe.(NO_2)_3$	$C_{16}H_{16}O_7N_4$	125	Ostermeyer	B., 18, 596	
α-+β-dinitro-p-xylene	$2[C_6H_2Me_2(NO_2)_2]$	$C_{16}H_{16}O_8N_4$	99-99.5	Jannasch and Stünkel	B., 14, 1146	40, 808
Acetophenoneethylanilide	$Ph.NEt.CH_2.CO.Ph$	$C_{16}H_{17}ON$	94-95	Waller	B., 16, 26	44, 582
Benzamidopropylbenzene	$C_6H_4.Pr^α.NHBz=1.4$	"	115	Louis	B., 16, 108	
Benzamidoisopropylbenzene	$C_6H_4.Pr^β.NHBz=1.4$	"	114-115	"	B., 16, 113	
Acetylditolyamine	$NAc(C_6H_4Me)_2=(1.3)_2$	"	324 (300)	43	Cosack	B., 13, 1092	38, 714
" " "	" $= (1.4)_2$	"	85	Gerber	B., 6, 446	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzoyldimethamidotoluene	Me.NMe ₂ .Bz=1.2.?	C ₁₆ H ₁₇ ON	350-360	67	Fischer	A., 206, 91	40, 587
p-toluyloxyde	C ₆ H ₃ Me ₂ .NH.CO.C ₆ H ₄ Me	"	139	Hübner	A., 210, 332	42, 504
P- " "	"	"	139	Brückner	A., 205, 124	
Benzomesidide	Me ₃ .NHBz=1.3.5.6	"	204	Hübner and Schack	B., 10, 1711	
Benzoylpseudocumidine	Me ₃ .Bz.NH ₂ =1.3.4.6	"	130	Fröhlich	B., 17, 1805	48, 1319
o-Hydroxyhydranthranol-ethylamide	C ₁₄ H ₁₀ (OH).NH ₂ Et	"	162	Liebermann & Giesel	B., 10, 610	
"	"	"	172	Liebermann	A., 212, 18	42, 856
Acetamidoazotoluene	C ₆ H ₄ Me.N ₂ .C ₆ H ₃ Me.NHAc =1.3; 1.3.6	C ₁₆ H ₁₇ ON ₃	157	Nölting and Witt	B., 17, 80	48, 742
"	" =1.2; 1.3.4	"	185	Schultz	B., 17, 470	
Ethyl phenylanilidoacetate	Ph.CH(NHPh).CO ₂ Et	C ₁₆ H ₁₇ O ₂ N	83-84	Stöckenius	J. [1878], 780	
Dibenzylglycollamide	(Ph.CH ₂) ₂ .C(OH).CO.NH ₂	"	192-193	Spiegel	B., 14, 1688	40, 1036
Ethyl diphenylglycocine	Ph.C ₆ H ₄ .NH.CH ₂ .CO ₂ Et =1.4	"	95	Zimmermann	B., 13, 1967	40, 176
Ethyl phenyllutidinecarboxylate	C ₃ NHPhMe ₂ .CO ₂ Et	"	316-320	Liquid	Hantzsch	B., 17, 2912	48, 397
Diglycollanilide	NH(CH ₂ .CO.NHPh) ₂	C ₁₆ H ₁₇ O ₂ N ₃	140.5	Meyer	B., 8, 1155	29, 372
Diacetdiamidodiphenylamine	NH(C ₆ H ₄ .NHAc) ₂ =?	"	203 u.c.	Nietzki and Witt	B., 12, 1403	
"	" = (1.4) ₂	"	239	Nietzki	B., 11, 1099	34, 792
Hydroxythymoquinoneanilide	Me.Pr ^o .OH.NHPh : O ₂ =1.4.(?) ₄	C ₁₆ H ₁₇ O ₃ N	134-135	Schulz	B., 16, 902	
Nitrobenzylidenedimethyltoluylenamidine	C ₁₆ H ₁₇ O ₃ N ₃	165	Hübner	A., 210, 371	
Imidodiethylenenitrophenyl ether	NH(C ₂ H ₄ .O.C ₆ H ₄ .NO ₂) ₂ =(1.2) ₂	C ₁₆ H ₁₇ O ₆ N ₃	191-192	Weddige	J. p. [2], 24, 248	
Diethoxydinitrodiphenylamine	(OEt) ₂ .(NO ₂) ₂ .NHPh =1.4.(?) ₃	"	133	Nietzki	A., 215, 157	44, 466
Benzylidenedimethyltoluylenamidine	C ₁₆ H ₁₈ ON ₂	144	Hübner	A., 210, 370	
Tolylglycocinetoluidide	C ₆ H ₄ Me.NH.CH ₂ .CO.NH. C ₆ H ₄ Me=(1.2) ₂	"	91-92	Ehrlich	B., 16, 205	44, 594
"	" = (1.4) ₂	"	136	Meyer	B., 8, 1161	29, 402
Methoxybenzylideneamidodimethaniline	MeO.C ₆ H ₄ .CH : N.C ₆ H ₄ . NMe ₂ = (1.4) ₂	"	139	Nuth	B., 18, 574	48, 784
Acetyltolidine	NH ₂ .C ₆ H ₃ Me.C ₆ H ₃ Me. NHAc=1.2.3; ?2.1	"	306; 315 c.	Schultz	B., 17, 468	
Phenylazocarvacrol	Ph.N ₂ .C ₆ H ₂ Me.Pr.OH =5.1.4.2	"	80-85	Mazzara	G. I., 15, 214	48, 1132
Phenylazothymol	" = ? 1.4.3	"	85-90	Mazzara & Possetti	G. I., 15, 52	48, 894
Paricine	J. [1852], 536; [1879], 793	"	116	Hesse	A., 166, 263	vii., 347
Acetamidobenzeneazodimethaniline	NHAc.C ₆ H ₄ .N ₂ .C ₆ H ₄ .NMe ₂ = (1.4) ₂	C ₁₆ H ₁₈ ON ₄	217	Meldola	45, 108
Azophenetoil	N ₂ (C ₆ H ₄ .OEt) ₂ = (1.3) ₂	C ₁₆ H ₁₈ O ₂ N ₂	91	Buchstab	J. p. [2], 29, 299	48, 1148
" (B., 10, 1653)	" = (1.2) ₂	"	240	131	Schmitt & Möhlau	J. p. [2], 18, 200	
"	" = (1.4) ₂	"	157	Hepp	B., 10, 1653	34, 59
" (J. p. [2], 19, 313; 21, 320, 333)	"	"	160	Schmitt & Möhlau	J. p. [2], 18, 199	
Ditoluidoacetic acid	(C ₆ H ₄ Me.NH) ₂ .CH.CO ₂ H = (1.2) ₂	"	239-240	Meyer	B., 16, 925	
Azoxyphenetoil	O : N ₂ (C ₆ H ₄ .OEt) ₂	C ₁₆ H ₁₈ O ₃ N ₂	102	Schmitt & Möhlau	J. p. [2], 18, 200	36, 317
Phenylammonium phenylamidodiglycollate	CO ₂ H.CH ₂ .NPh.CH ₂ .CO ₂ . NH ₃ Ph	C ₁₆ H ₁₈ O ₄ N ₂	99	Meyer	B., 14, 1326	42, 519
Azodimethylquinol	N ₂ [C ₆ H ₃ (OMe) ₂]= (1.1.4) ₂	"	140	Baessler	B., 17, 2124	46, 1330
From Brucine	"	B., 17, 2849	263-264 (?)	Hanssen	B., 18, 778	48, 819
Oxidation of brucine and strychnine	"	d. 290-291	285	"	B., 18, 1917	
Dinitrotetramethylbenzidine	fr. (C ₆ H ₄ .NMe ₂) ₂ = (1.4) ₂	C ₁₆ H ₁₈ O ₄ N ₄	188	Michler & Pattinson	B., 14, 2164	
Ethyleneditoluylenenitramine	(NO ₂ .C ₆ H ₃ Me.NH) ₂ .C ₂ H ₄ = (1.3.6) ₂	"	195	Guttermann and Hager	B., 17, 779	46, 1142

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Imidodiethylene-o-nitrophenyl ether	$C_{16}H_{19}O_6N_4$	191-192	Weddige	J. p. [2], 24, 241	40, 1138
Dinitrohydrazophenetoil ...	$(.NH.C_6H_3.OEt.NO_2)_2$ =(1.1.2) ₂	"	201-202	Andreae	J. p. [2], 21, 325	38, 466
Ethylethoxydiphenylamine	$C_6H_4.OEt.NPhEt=1.4$	$C_{16}H_{19}ON$	318-320	Liquid	Philip and Calm	B., 17, 2434	48, 155
Isobutoxydiphenylamine ...	$C_6H_4.OBu^{\beta}.NHPh=1.4$	"	68	"	B., 17, 2435	48, 156
Dianisamine	$NH(CH_2.C_6H_4.OMe)_2$	$C_{16}H_{19}O_2N$	A., 117, 240	32-33	Cannizzaro	C. R., 50, 1100	i., 297
Camphoranil	"	116	Laurent & Gerhardt	A., 68, 36	
?-acid	$C_{16}H_{19}O_4N$	70-75	A., 134, 324	
Benzoyleggonine	$C_9H_{14}.BzO_3N$	"	188.5-189	Merck	B., 18, 1594	48, 997
"	"	"	192 (?)	Skraup	M. C., 6, 556	48, 1249
"	"	"	+4H ₂ O	90-92	"	"	"
Cyanethine carbanilide	$C_9H_{13}.N_2.NH.CO.NHPh$	$C_{16}H_{20}ON_4$	184	Meyer	J. p. [2], 30, 115	48, 140
Dioxydimethaniline	$(.O.C_6H_4.NMe_2)_2$	$C_{16}H_{20}O_2N_2$	90.4	Hanimann and Hanhart	B., 12, 681	36, 714
Hydrazophenetoil	$(.NH.C_6H_4.OEt)_2=(1.2)_2$	"	89	Schmitt & Möhlau	J. p. [2], 118, 203	
"	"=(1.3) ₂	"	91	Buchstab	J. p. [2], 29, 299	46, 1148
Diamidodiphenetoil	$(.C_6H_3.OEt.NH_2)_2=?1.2$	"	117	Möhlau	J. p. [2], 19, 383	
Imidodiethylenphenyl ether nitrate	$C_{16}H_{20}O_4N_2$	197	Weddige	J. p. [2], 24, 241	40, 1137
Tetramethoxydiamidodiphenyl	$[.C_6H_2(OMe)_2.NH_2]_2=(1.4.?)_2$	"	210	Baessler	B., 17, 2127	48, 1330
Homatropine (Oxytoluytropin)	$C_{16}H_{21}O_3N$	A., 217, 82	95.5-98.5	Ladenburg	B., 13, 107, 1086, 1340	38, 815
Conilinephthamic acid ...	$C_8H_{16}.N.CO.C_6H_4.CO_2H=1.2$	"	115	Pintti	G. I., 13, 542	46, 453
Hydroxybenzyluric acid	$C_{16}H_{21}O_5N$	60-70	Otto	A., 134, 324	vi., 722
Glucocoumarylmethylketoxime	$C_6H_4(O.C_6H_{11}O_5)(CH:CH.CMe:NOH)=1.2$	$C_{16}H_{21}O_7N$	173	Tiemann and Kees	B., 18, 1966	48, 1074
Diethoxybenzidine	$(.C_6H_3.NH_2.OEt)_2=(1.4.2)_2$	$C_{16}H_{22}O_2N_2$	117	Möhlau	J. p. [2], 19, 381	38, 939
Ethyl phenylzincacetosuccinate	$C_{16}H_{22}O_4N_2$	80	Knorr and Blank	B., 17, 2051	48, 1380
Methamidoperezone	$C_9H_{17}.C_6H(OH)(NHMe):O_2$	$C_{16}H_{23}O_3N$	112-114	Mylius	B., 18, 940	48, 778
Oxyacanthine	B. J., 17, 267	$C_{16}H_{23}O_6N$	B., 15, 2745	139	Wacker	J. [1861], 545	
Base	$C_{16}H_{24}O_2N_2$	165-170	Bell	B., 11, 1812	
Acetylidiisobntylaniline ...	$C_6H_4Bu^{\beta}.NAcBu^{\beta}$	$C_{16}H_{25}ON$	a. 300	73-74	Studer	B., 14, 1473, 2187; A., 211, 241	40, 898
Acetamido-n-octylbenzene ...	$C_8H_{17}.C_6H_4.NHAc=1.4$	"	93	Beran	B., 18, 135	48, 523
Imidocaprylamide	$C_6H_{13}.CH.NH.CH(C_6H_{13}).CO.NH.CO$	$C_{16}H_{30}O_2N_2$	79.5	Eylenmeyer and Sigel	A., 177, 111	28, 1018
Imidocaprylic acid	$NH[CH(C_6H_{13}).CO_2H]_2$	$C_{16}H_{31}O_4N$	210-215 d.	"	A., 177, 136	28, 1017
Heptyl-n-octoyl carbamide ...	$C_7H_{15}.NH.CO.NH.C_8H_{16}O$	$C_{16}H_{32}O_2N_2$	86	Hofmann	B., 15, 760	42, 1053
Palmitamide	$C_{15}H_{31}.CO.NH_2$	$C_{16}H_{33}ON$	101.5	Carlet	B. S. [1], 1, 175	iv., 330
"	"	"	106-107	Krafft and Stauffer	B., 15, 1730	42, 1274
Cetylic nitrate (nitroethyl)	$C_{16}H_{33}O_3N$	s. 10-12	Champion	C. R., 73, 571	24, 1036; vii., 861
Triisoamylcarbamide	$C_5H_{11}.NH.CO.N(C_5H_{11})_2$	$C_{16}H_{34}ON_2$	260	Liquid	Custer	B., 12, 1331	36, 913
Anthraquinolinequinone ...	$C_6H_4:(CO)_2:C_6H_2.CH:CH.$ CH:N	$C_{17}H_9O_2N$	185	Græbe	A., 201, 350	
Quinophthalone	"	subl.	235 u.c.	Traube	B., 15, 298	44, 668
Alizarin blue (B., 11, 1371; 15, 1783)	$C_6H_4:(CO)_2:C_6H(OH)_2.N:CH.CH:CH_2=2.1; 1.2.3.4.6$	$C_{17}H_9O_4N$	270	Græbe	A., 201, 336	
" " (amide)	B. S., 28, 62; J. [1878], 1192	"	268-270	Auerbach	35, 801
Benzenyl-β-amido-α-naphthol	$C_{10}H_6.O.CPh:N=\alpha_1 \beta_1;$	$C_{17}H_{10}O_3N_2$	255	Græbe	A., 201, 343	
" -α- -β- "	" =β ₁ α ₁ ;	"	122	Worms	B., 15, 1816	44, 69
" -α- -β- "	" "	"	120	"	B., 15, 1817	"
" -α- -β- "	" "	"	136	Böttcher	B., 16, 1936; C. C. [1884], 898	44, 1113; 48, 659
α-nitroso-β-benzoxynaphthalene	$C_{10}H_6(NO).OBz=\alpha_1 \beta_1;$	$C_{17}H_{11}O_3N$	114	Worms	B., 15, 1817	44, 69

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -nitroso- α -benzoxynaphthalene	$C_{10}H_6(NO).OBz=\beta_1\alpha_1$;	$C_{17}H_{11}O_3N$	d. 140-150	Fuchs	B., 8, 1022	29, 247
β - " - α - "	" "	" "	162	Worms	B., 15, 1816	44, 69
α -nitro- β -benzoxynaphthalene	$C_{10}H_6(NO_2).OBz=\alpha\beta$	$C_{17}H_{11}O_4N$	142	Böttcher	B., 16, 1935 ; C. C. [1884], 898	44, 1113 ; 48, 659
Benzamidodinitronaphthalene	$C_{10}H_5(NO_2)_2.NHBz=(?)_2\alpha$	$C_{17}H_{11}O_5N_3$	252	Ebell	A., 208, 329 ; B., 8, 564	28, 900 ; 40, 1132
Fr. β -naphthaquinone-p-toluide	$C_{17}H_{11}(NH)NO_2$	$C_{17}H_{12}O_2N_2$	260-265	Zincké	B., 15, 287	42, 735
β -benzamidonitronaphthalene	$C_{10}H_6(NO_2).NHBz=\beta_1\alpha_1$;	$C_{17}H_{12}O_3N_2$	174-176	Ebell and Hübner	B., 7, 1318 ; 8, 562 ; A., 208, 327	28, 272, 900 ; 40, 1132
β - " "	" "	" "	174	Worms	B., 15, 1815	44, 69
β - " "	" "	" "	175	Lellmann	B., 17, 109	46, 751
α - " "	" $=\alpha_1\alpha_2$;	" "	224	Ebell and Hübner	B., 7, 1318 ; 8, 563 ; A., 208, 325	28, 272, 900 ; 40, 1132
α - " "	" "	" "	224	Worms	B., 15, 1814	
α - " "	" "	" "	224	Lellmann	B., 17, 110	46, 751
β -naphthol-m-azobenzoic acid	$HO.C_{10}H_6.N_2.C_6H_4.CO_2H$	" "	235	Griess	B., 14, 2035	42, 49
Fr. β -naphthaquinone-p-toluide	$C_{17}H_{12}(NO)NO_2$	" "	240-245	Zincké	B., 15, 287	42, 735
Methylisatoid	v. B., 15, 2100	$C_{17}H_{12}O_4N_2$	219 d.	Baeyer and Econimides	B., 15, 2094	44, 201
Nitro- β -naphthaquinone-o-toluide	$C_{10}H_4(NO_2)(OH).O.NC_6H_4Me$	" "	240	Brauns	B., 17, 1136	46, 1038
" " -p- "	" "	" "	241	"	B., 17, 1136	"
Nitrocinnylketone	$CO(CH : CH.C_6H_4.NO_2)_2$ $= (1.4)_2$	$C_{17}H_{12}O_5N_2$	254	Baeyer and Becker	B., 16, 1970	44, 1120
m-Phenylpyridine picrate	$C_6H_4PhN + C_6H_3(NO_2)_3.OH$	$C_{17}H_{12}O_7N_4$	161-163.5	Skraup & Cobenzl	M. C., 4, 436	44, 1013
o- " " "	" "	" "	169-172	"	"	44, 1015
p- " " "	" "	" "	d. a. 220	195-196	Hantzsch	B., 17, 1519	46, 1194
Benzamidonaphthalene	$C_{10}H_7.NHBz=\alpha$	$C_{17}H_{13}ON$	156	Ebell and Hübner	A., 208, 324 ; B., 7, 1318	28, 272
" " "	" "	" "	?	Church	C. N., 5, 324	
" " "	" "	" "	156	Worms	B., 15, 1814	
" " "	" "	" "	161-162	Kühn	B., 18, 1477	
" " "	" $=\beta$	" "	141-143	Cosiner	B., 14, 59	40, 606
" " "	" "	" "	157	Klopsch	B., 18, 1585	48, 990
α -naphthoic anilide	$C_{10}H_7(CO.NHPh)=\alpha$	" "	160	Hofmann	B., 1, 42	
" " "	" "	" "	160	Bössneck	B., 15, 3065	
β - " " "	" $=\beta$	" "	170 or 190	Vieth	A., 180, 323	30, 87
β -naphtholaldehydeanilide	$HO.C_{10}H_6.CH : NPh$	" "	90	Rousseau	A. C. [5], 28, 145	46, 180
Phenylquinaldylketone	$N.Me.Bz=\alpha_1\beta_1 ; \alpha_1$	" "	107-108	Geigy and Königs	B., 18, 2406	48, 1236
o-amidodiphenylmethylpyrazonocarboxylic anhydride	$C_{17}H_{13}ON_3$	261	Knorr and Blank	B., 18, 2262	48, 1248
Oxyquinonemethylimide	$C_{16}H_9(OH).O.NMe$	$C_{17}H_{13}O_2N$	170	Breuer and Zincké	B., 13, 631	38, 665
α -naphthyl phenylcarbamate	$NHPh.CO_2.C_{10}H_7$	" "	177	Leuckart & Schmidt	B., 18, 2340	48, 1224
α - " " "	" "	" "	178.5	Snape	47, 776
β - " " "	" "	" "	155	"	"
β - " " "	" "	" "	230	Leuckart & Schmidt	B., 18, 2340	48, 1224
Benzoxynitrosophthalene	$C_{10}H_6.NO.OBz=\alpha\beta$	" "	98	Böttcher	B., 16, 634	
Benzamidonaphthol	$C_{10}H_6.OH.NHBz=\alpha\beta(?)$	" "	158	Ebell	A., 208, 332	
" " "	" $=\beta\alpha$	" "	245	Böttcher	B., 16, 1936 ; C. C. [1884], 898	44, 1113 ; 48, 659
Methylnaphthaquinoneanilide	$Ph.NMe.C_{10}H_5 : O_2$	" "	150-151	Zincké	B., 15, 282	42, 735
α -Naphthaquinone toluidide	$C_6H_4.Me.NH.C_{10}H_5 : O_2=1.2$	" "	140-142	Elsbach	B., 15, 689	42, 853
α - " " "	" "	" "	190-195(?)	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
<i>a</i> -naphthaquinone toluide	$C_6H_4Me.NH.C_{10}H_5 : O_2 = 1.4$	$C_{17}H_{13}O_2N$	200	Plimpton	37, 639
<i>a</i> - " "	" "	"	200	Zincké	B., 12, 1646	38, 49
<i>a</i> - " "	" "	"	202-203	Elsbach	B., 15, 687, 688	
<i>β</i> - " "	" " =1.2	"	240	"	B., 15, 287, 689	
<i>β</i> - " "	" " =1.4	"	B., 15, 1969	246	"	B., 15, 287, 686	
Quinolinebenzylbetaine	$C_6H_4.CH_2.C : CH.N(CH_2Ph).$ O.CO=1.2	"	83-84 ; r.s. 110 ; af. 190 d.	Claus and Muchall	B., 18, 364	48, 561
Benzylquinolinecarboxylic acid	$N(CH_2Ph).CO_2H = \alpha_1\beta_2 ;$	"	218	Claus	B., 18, 1310	48, 908
Acetamidomethylanthraquinone	$C_6H_4 : (CO)_2 : C_6H_2Me.NHAc$ =2.1 ; 1.2.4.5	$C_{17}H_{13}O_3N$	176-177	Römer and Link	B., 16, 699	44, 1139
Ethyl phthalamidobenzoate	$C_6H_4 : (CO)_2 : N.C_6H_4.CO_2Et$ =1.2 ; 1.3	$C_{17}H_{13}O_4N$	152	Pellizzari	B., 18, 216	48, 534
Nitrodiphenylmethylpyrazene carboxylic acid	$NO_2.C_6H_4.C_3N_2MePh.CO_2H$ =1.4	$C_{17}H_{13}O_4N_3$	202	Knorr and Jödicke	B., 18, 2258	48, 1247
" " " " " " " "	" " " " " " " "	"	218	"	B., 18, 2260	"
Dinitromesitylphthalimide	$C_6H_4 : (CO)_2 : N.C_6Me_3(NO_2)_2$ =1.2 ; 2.1.3.5.4.6	$C_{17}H_{13}O_6N_3$	242	Eisenberg	B., 15, 1018	42, 956
<i>γ</i> -trinitrotoluene naphthalene	$C_{10}H_8.C_6H_2Me(NO_2)_3$	"	88-89	Hepp	A., 215, 378	44, 318
<i>a</i> - " " " " " " " "	" " " " " " " "	"	97-98	"	"	"
<i>β</i> - " " " " " " " "	" " " " " " " "	"	100	"	"	"
Trinitrocresol naphthalene	$C_{10}H_8 + C_6HMe.OH.(NO_2)_3$ =1.2.4.(?) ₂	$C_{17}H_{13}O_7N_3$	106	Nölting and Collin	B., 17, 271	46, 1007
" " " " " " " "	" " " " " " " "	"	126-127	Kostanecki and Niemetowski	B., 18, 252	48, 531
" " " " " " " "	" " " " " " " "	"	126-127	Nölting and Salis	B., 15, 1862	44, 59
<i>β</i> -methyl naphthalene picrate	$C_{10}H_7Me + C_6H_2.OH.(NO_2)_3$	"	115	Schulze	B., 17, 844	46, 1184
<i>a</i> - " " " " " " " "	" " " " " " " "	"	116	"	B., 17, 845	"
?- " " " " " " " "	" " " " " " " "	"	116-117	Ciamician	B., 11, 272	34, 439 ; 40, 824
?- " " " " " " " "	" " " " " " " "	"	118-2 c.	"	W. A., 82, 346	40, 247
?- " " " " " " " "	" " " " " " " "	"	119	Goldschmidt and Schidt	W. A., 83, 7	40, 824
Trinitrooreinolnaphthalene	$C_{10}H_8.C_6Me(OH)_2(NO_2)_3$	$C_{17}H_{13}O_8N_3$	120	Nölting and Salis	B., 15, 1863	
Phenylmethylhydroxypyrimidine picrate	$C_{11}H_{10}ON_2.C_6H_2.OH.(NO_2)_3$	$C_{17}H_{13}O_8N_6$	189	Pinner	B., 18, 761	48, 752
Methylisoidindoleucine	$C_{16}H_{11}MeON_2$	$C_{17}H_{14}ON_2$	115	Engler and Hassenkamp	B., 18, 2243	48, 1223
Benzeneazomethoxynaphthalene	$Ph.N_2.C_{10}H_6.OMe = \alpha_2\alpha_1 ;$	"	83	Zincké and Binde-wald	B., 17, 3028	
Benzdiamidonaphthalene	$C_{10}H_6.NH_2.NHBz = \alpha_1\alpha_2 ;$	"	B., 7, 245	186	Ebell and Hübner	B., 7, 1318 ; A., 208, 326	28, 272 ; 40, 1132
" " " " " " " "	" " " " " " " "	"	186	Lellmann	B., 17, 110	
Tolufurfuraldehydine	$C_{17}H_{14}O_2N_2$	115-116	Ladenburg	B., 11, 595	34, 572
" " " " " " " "	"	128-5	"	B., 11, 1658	36, 234
Difurfuro- <i>m</i> -diamidotoluene	$C_6H_2Me(N : C_6H_4O)_2$	"	d.w.m. 120	Schiff	A., 201, 360	38, 392
Methoxynaphthaquinone-hydrazine	$C_{10}H_5(OMe)O : N_2HPh$	"	174-175	Zincké and Thelen	B., 17, 1812	46, 1360
Isomethyldiphenylpyrazene carboxylic acid	"	194 d.	Knorr and Blank	B., 18, 933	48, 810
Methyldiphenylpyrazene carboxylic acid	$C_3N_2MePh_2.CO_2H$	"	205	"	B., 18, 313	48, 556
Ditolylparabanic acid	$CO[N(C_6H_4Me).CO.]_2 = (1.4)_2$	$C_{17}H_{14}O_3N_2$	144	Landgrebe	B., 10, 1590	34, 217
" " " " " " " "	" " " " " " " "	"	202-5-203-5	Berger	B., 12, 1856	38, 244
Phenylhydrazine- <i>β</i> -benzoylpropionic acid	$C_6H_4.CO.N_2Ph : C.(CH_2)_2$ CO ₂ H=1.2	"	210	Roser	B., 18, 804	48, 797
Acetylfurarine	$C_{17}H_{14}O_4N_2$	chars. 240	250 d.	Schiff	B., 10, 1189	34, 46
Dinitrotoluene naphthalene	$C_{10}H_8 + C_6H_2Me(NO_2)_2$	"	60-61	Hepp	A., 215, 380	44, 318
Nitromesitylphthalimide	$C_6H_4 : (CO)_2 : N.C_6HMe_3.NO_2$ =1.2 ; 4.1.3.5.6	"	210	Eisenberg	B., 15, 1018	42, 956

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
l-picrate	(C ₁₁ H ₁₁ N) + C ₆ H ₂ .OH.(NO ₂) ₃	C ₁₇ H ₁₄ O ₇ N ₄ (?)	...	170	Beyer	J. p. [2], 31, 47	48, 672
Tetranitro- <i>a</i> -ditolylpropionic acid	...	C ₁₇ H ₁₄ O ₁₀ N ₄	...	223-225 d.	Haiss	B., 15, 1478	42, 1071
Benzalphthalimidine	NEt.CO.C ₆ H ₄ .C : CHPh=1.2	C ₁₇ H ₁₅ ON	...	75-77; sf. 70	Gabriel	B., 18, 2435	48, 1229
Pseudocumylphthalimide	C ₆ H ₄ : (CO) ₂ : N.C ₆ H ₃ Me ₃ =1.2; 6.4.3.1	C ₁₇ H ₁₅ O ₂ N	a. Hg.	148	Fröhlich	B., 17, 1803	46, 1318
Mesitylphthalimide	„ =1.2; 6.5.3.1	„	...	171	Eisenberg	B., 15, 1017	42, 956
Phenanthrenequinimidace- tone	see orig. paper	„	...	130	Japp & Streatfield	B., 16, 282	41, 271, 274
Acetamidomethylantranol	„	„	...	170	Römer and Link	B., 16, 706	
Oxalyliditolylguanidine	NH : C[N(C ₆ H ₄ Me).CO.] ₂ =(1.4) ₂	C ₁₇ H ₁₅ O ₂ N ₃	...	188.5	Landgrebe	B., 10, 1589	34, 216
„	„ =1.2) ₂	„	...	206-207.5 u.c.	Berger	B., 12, 1856	38, 244
Amidodiphenylmethylpyra- zene carboxylic acid	NH ₂ .C ₆ H ₄ .C ₃ N ₂ MePh.CO ₂ H =1.4	„	...	251	Knorr and Jödicke	B., 18, 2259	48, 1247
Phenylcumazonic acid	N : CPh.O.CMe ₂ .C ₆ H ₃ .CO ₂ H =1.2.5	C ₁₇ H ₁₅ O ₃ N	...	219-220	Widmann	B., 16, 2586	46, 304
Chelerythrin (Sanguinarin)...	...	C ₁₇ H ₁₅ O ₄ N	...	160	Richter	R. K. T., 382	
Acetylnitrolapachic acid	C ₁₅ H ₁₂ O ₂ .NO ₂ .OAc	C ₁₇ H ₁₅ O ₆ N	B., 16, 802	166-168	Paterno	G. I., 12, 337	44, 211
Acetylsalicylethylene nitro- phenyl ether	NO ₂ .C ₆ H ₄ .O.C ₂ H ₄ .O.CO. C ₆ H ₄ .OAc=(1.2) ₂	C ₁₇ H ₁₅ O ₇ N	...	80	Wagner	J. p. [2], 27, 218	
Dimethamidoquinoline pi- crate	C ₆ H ₆ N.NMe ₂ + C ₆ H ₂ .OH. (NO ₂) ₃ = α_1 ; β_2 ; 1.2.4.6	C ₁₇ H ₁₅ O ₇ N ₅	...	215	Coste	B., 16, 673	44, 811
Citraconanilide	C ₃ H ₄ O ₂ (NHPh) ₂	C ₁₇ H ₁₆ O ₂ N ₂	B., 14, 2789	175.5	Strecker	B., 15, 1641	42, 1281
Itaconanilide	„	„	A., 77, 282	185	„	„	„
Mesaconanilide	„	„	...	185.7	„	„	„
Diacetamidofluorene	C ₁₃ H ₈ (NHAc) ₂ ...	„	...	d. 250	Schultz	A., 203, 101	38, 814
Diacetyloxybenzylidine phenylhydrazine	AcO.C ₆ H ₄ .CH : N ₂ AcPh=1.2	C ₁₇ H ₁₆ O ₃ N ₂	...	133	Rössing	B., 17, 3006	48, 389
Diacetdiamidobenzophenone	...	„	...	226.5	Staedel & Prätorius	B., 11, 744; A., 194, 360	34, 671; 36, 319
Benzoylacetylphenylethenyl- amidoxime	AcO.CHPh.C(NH ₂) : NOBz	C ₁₇ H ₁₆ O ₄ N ₂	...	165	Gross	B., 18, 1079	
Dibenzdiamidopyrrolic acid	...	„	...	172 d.	Böttinger	B., 14, 1599	40, 1032
Ethyl nitrobenzalphthalimi- dinate	NO ₂ .CPh : C(NH ₂).C ₆ H ₄ .CO ₂ Et=1.2	„	...	154-155	Gabriel	B., 18, 2441	48, 1230
?	(ortho) ...	„	...	144	Brauns	B., 17, 1136	46, 1038
?	(para) ...	„	...	222	„	„	„
Benzamsuccinanilide	NHPh.CO.C ₂ H ₄ .CO.NH. C ₆ H ₄ .CO ₂ H=1.3	„	...	252	Pelizzari	B., 18, 214	48, 533
Diacetylresorcinolazotolene	C ₆ H ₄ Me.N ₂ .C ₆ H ₃ (OAc) ₂ =1.2; ?1.3	„	...	74-75	Wallach & Fischer	B., 15, 2825	
„	„ =1.4; ?1.3	„	...	98	„	B., 15, 2821	
Dinitro- <i>a</i> -ditolylpropionic acid	...	C ₁₇ H ₁₆ O ₆ N ₂	...	129 d.	Haiss	B., 15, 1476	42, 1071
Ethoxyquinoline picrate	N.OEt= α_1 ; α_1	C ₁₇ H ₁₆ O ₈ N ₄	...	180-181	Fischer and Renouf	B., 17, 759	46, 1049
Toluidine- β -naphthol	C ₆ H ₄ Me.NH ₂ + C ₁₀ H ₇ .OH	C ₁₇ H ₁₇ ON	...	80.5	Dyson	...	43, 468
Acetamidomethylantracene dihydride	C ₁₄ H ₁₆ Me.NHAc	„	...	198	Roemer	B., 16, 1634	44, 1137
Deoxybenzoiccarboxyletha- mide	Ph.CH ₂ .CO.C ₆ H ₄ .CO.NHEt =1.2	C ₁₇ H ₁₇ O ₂ N	...	139-140	Gabriel	B., 18, 1258, 2435	48, 903
Acetonebenzilimide	...	„	176	...	Japp and Miller	...	47, 24
Hydroxylamine on acetone- benzil	...	C ₁₇ H ₁₇ O ₃ N	...	146	„	...	47, 25
Eugenolphenylcarbamate	NHPh.CO ₂ .C ₆ H ₃ OMe.C ₃ H ₅	„	...	95.5	Snape	...	47, 777
Benzoylnitrosothymol	Pr ^a .Me.OBz.NO=1.4.6.?	„	...	110	Schiff	B., 8, 1501	29, 583
Cumo-salicylamide	...	„	J. [1856], 502	200	Field	A., 65, 45	ii., 178
Phthalopseudocumidic acid	C ₆ H ₂ Me ₃ .NH.CO.C ₆ H ₄ .CO ₂ H =1.3.4.6; 1.2	„	...	179 d.	Fröhlich	B., 17, 1809	46, 1320
Morphothebaine	...	„	...	190-191	Howard	B., 17, 530	46, 1201

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzethylanishydroxylamine	MeO.C ₆ H ₄ .CO.CPh : NOEt =1.4	C ₁₇ H ₁₇ O ₄ N	B., 16, 875	64	Pieper	A., 217, 10	44, 461
<i>α</i> -Ethylic benzanishydroxamate	NBz(CO.C ₆ H ₄ .OMe).OEt =1.4	"	69	Eiseler	A., 175, 336	28, 767
<i>α</i> - " "	" "	"	74 n. c.	Pieper	A., 217, 2	44, 461
<i>β</i> - " "	"	"	89	"	A., 217, 4	"
<i>α</i> -Ethylic anisbenzhydroxamate	"	"	Liquid	"	A., 217, 7	"
<i>β</i> - " "	"	"	A., 217, 7	79	Eiseler	A., 175, 337	28, 767
Anisethylbenzhydroxylamine	MeO.C ₆ H ₄ .C(:NOEt).O.CO. Ph	"	B., 16, 875	93-94	Pieper	A., 217, 15	"
Ethylic phenyllutidinedicarboxylate	C ₆ NPhMe ₂ .CO ₂ Et.CO ₂ H	"	179-180	Hantzsch	B., 17, 2909	48, 397
Ethylic ethylenenitrophenol-oxybenzoate	NO ₂ .C ₆ H ₄ .O.C ₂ H ₄ .O.C ₆ H ₄ . CO ₂ Et=1.4; 1.2	C ₁₇ H ₁₇ O ₆ N	81	Wagner	J. p. [2], 28, 220	46, 435
" "	" =1.2; 1.2	"	100	"	J. p. [2], 28, 212	"
" "	" =1.2; 1.4	"	103	"	J. p. [2], 28, 222	"
" "	" =1.4; 1.4	"	131	"	J. p. [2], 28, 224	"
Phenylhydrazineacetophenoneacetone	see B., 17, 2764	C ₁₇ H ₁₈ ON ₂	unstable	abt. 105	Paal	B., 17, 2764	48, 250
Ethyleneditolylcarbamide	CO[N(C ₆ H ₄ Me).CH ₂] ₂ =(1.4) ₂	"	228	Miehler and Keller	B., 14, 2184	42, 183
Dimethyldiphenylmalonamide	CH ₂ (CO.NMePh) ₂	C ₁₇ H ₁₈ O ₂ N ₂	109	Freund	B., 17, 137	46, 729
Methylenediphenylacetamide	CH ₂ (NH.CO.CH ₂ Ph) ₂	"	205	Hepp	B., 10, 1650	34, 66
Phthalopseudocumidamide	C ₆ H ₂ Me ₃ .NH.CO.C ₆ H ₄ .CO. NH ₂ =1.3.4.6; 1.2	"	218	Fröhlich	B., 17, 1807	46, 1319
Nitrobenzisocymidide	Me.Pr ^β .NH.Bz.NO ₂ =1.3.(?) ₂	C ₁₇ H ₁₅ O ₃ N ₂	177	Kelbe and Warth	A., 221, 157	46, 47
Butylacridine nitrate	C ₁₃ H ₉ BuN + HNO ₃	"	139	Bernthsen & Traube	B., 17, 1509	46, 1183
Phenylhydrazinephenylacetic acid	"	C ₁₇ H ₁₈ O ₄ N ₂	140	Weltner	B., 18, 793	48, 794
?	CO[O.N : C(NH ₂).CHPh.OH] ₂	"	131	Gross	B., 18, 2481	46, 1219
Diethamidobenzophenone	Ph.CO.C ₆ H ₄ .NEt ₂ =1.4	C ₁₇ H ₁₉ ON	78	Döbner	A., 217, 266	44, 861
Benzisocymidide	Me.Pr ^β .NH.Bz=1.3.?	"	165	Kelbe and Warth	A., 221, 157	46, 46
Thymotic aldehyde anilide	Me.Pr ^α .OH.(CH : NPh) =1.4.3.6	"	142	Kobek	B., 16, 2098	46, 56
Ethylic phenyltoluidoacetate	C ₆ H ₄ Me.NH.CHPh.CO ₂ Et =1.2 =1.4	C ₁₇ H ₁₉ O ₂ N	Liquid	Stöckenius	J. [1878], 781	"
" "	"	"	89-90	"	"	"
Benzoylcarvoxime	C ₁₀ H ₁₄ : NOBz	"	95	Goldschmidt and Zürrer	B., 18, 1730, 1732	48, 1058
Phenylethenylphenyluramidoxime ethyloxide	Ph.CH ₂ .C(NH.CO.NHPh) : N.OEt	C ₁₇ H ₁₉ O ₂ N ₃	148	Knudsen	B., 18, 2482	48, 1218
Azobenzenediethamidobenzoic acid	Ph.N ₂ .C ₆ H ₃ (NEt ₂).CO ₂ H =?1.3	"	125	Griess	B., 10, 526	32, 455
Hydroxythymoquinonetoluidide	Me.Pr ^α .OH.NHPh : O ₂ =1.4.2.3.5.6	C ₁₇ H ₁₉ O ₃ N	164-165	Schnlz	B., 16, 902	"
Piperine (J. [1854], 525 ; [1857], 413)	"	A., 74, 204	100	Pelletier	Gm., 7 492	iv., 658
" (A., 77, 204; 95, 107)	"	J. [1877], 891	abt. 110	Wackenroder	Br. Arch., 37, 347	"
"	C ₁₂ H ₉ O ₃ .N(C ₅ H ₁₀)	"	synthetical	127-128	Rügheimer	B., 15, 1391	42, 1217
"	"	natural	128-129.5	"	"	"
Ethylphenylhydroxyethenylphenyluramidoxime	HQ.CHPh.C(NOEt).NH. CO.NHPh	C ₁₇ H ₁₉ O ₃ N ₃	119	Gross	B., 18, 2479	48, 1218
Oxymorphine....	C ₁₇ H ₁₉ O ₄ N	245	Schützenberger	B. S. [2], 4, 176	vi., 841
Colchicin	C ₁₇ H ₁₉ O ₅ N	140	Hübner	C. C. [1865], 536	vi., 482
"	C ₁₇ H ₂₃ O ₆ N	"	145	Hertel	B., 14, 1412	"
"	"	146	Richter	R. K. T., 383	"
"	C ₁₅ H ₂₃ O ₅ N ₃ or C ₂₃ H ₂₁ O ₁₁ N	"	163	Hondes	C. R., 98, 1442	46, 1055
"	"	+H ₂ O	93	"	"	"
Colchicein J. [1864], 451	C ₁₇ H ₂₁ O ₅ N	"	+2H ₂ O	150	Hertel	B., 14, 1412	"
"	"	"	M. C., 4, 162	155	Oberlin	J. [1856], 519	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diphenyldiethylcarbamide	NEt ₂ .CO.NPh ₂	C ₁₇ H ₂₀ ON ₂	54	Michler	B., 9, 711	30, 290
"	CO(NEtPh) ₂	"	79	"	B., 9, 712	"
Di(phenethyl)carbamide	NH ₂ .CO.N(CH ₂ .CH ₂ Ph) ₂	"	J. [1879], 441	108-109	Spica	G. I., 9, 555	38, 242
Benzenyldiethylphenylen- amidine	C ₆ H ₄ .N : CPh.NEt.OH=?	"	A., 210, 360	132	Hübner and Simon	B., 12, 1243	36, 923
"	"	"	136	Howe	A. C. J., 5, 418	46, 741
Tetramethdiamidobenzo- phenone	CO(C ₆ H ₄ .NMe ₂) ₂	"	152	Michler and Moro	B., 12, 1169	36, 921
"	"	"	179 u. c.	Michler	B., 9, 717	30, 298
"	"	"	179	Michler & Dupertius	B., 9, 1900	32, 334
Di(ethylphenyl)carbamide	CO(NH.C ₆ H ₄ Et) ₂ =(1.4) ₂	"	217	Paucksch	B., 17, 2804	48, 256
Cuminyphenylcarbamide	NHPh.CO.NH.C ₆ H ₃ MePr	"	146	Raab	B., 8, 1151	29, 399
Dixylylcarbamide	CO : N ₂ H ₂ (C ₆ H ₃ Me ₂) ₂ =4.3.1	"	n.f. 250	Genz	B., 3, 226	vii., 1210
Dinitropodocarpinic acid	fr. C ₉ H ₁₃ .C ₆ H ₂ Me.OH.CO ₂ H =1.2.4.3	C ₁₇ H ₂₀ O ₇ N ₂	203	Oudemanns	A., 170, 229	
Nitrosotetramethdiamido- diphenylmethane	fr. CH ₂ (C ₆ H ₄ .NMe ₂) ₂	C ₁₇ H ₂₁ ON ₃	165	Michler and Moro	B., 12, 1171	36, 921
Apoatropine (atropatropine)	CH ₂ : CPh.CO.C ₃ H ₁₄ NO	C ₁₇ H ₂₁ O ₂ N	B., 16, 243	60-62	Pesci	G. I., 11, 538, 547	42, 740
Cinnamyltropine	"	A., 217, 100	70	Ladenburg	B., 13, 1085	38, 715
Nitrosodimethylaniline cyan- hydrin	C ₁₇ H ₂₁ O ₂ N ₅	221	Lippmann and Fleissner	M. C., 6, 537	48, 1213
Piperidine piperate	C ₅ H ₁₁ N.C ₁₂ H ₁₀ O ₄	C ₁₇ H ₂₁ O ₄ N	100	Babo and Keller	J. p., 72, 53	iv., 656
Cocain (impure)	"	A., 133, 351	75	Truphene	C. C. [1881], 447	42, 75
"	"	J. [1860], 365	98	Niemann	A., 114, 213	i., 1060
"	"	98	Merck	B., 18, 2265	
"	"	74	Pinner	B., 14, 1077	
Diethyl hydrofurfuryllu- tidine dicarboxylate	N.C ₄ H ₃ O.(CO ₂ Et) ₂ .Me ₃ =1.2.3.5.4.6	C ₁₇ H ₂₁ O ₅ N	164	Schiff and Puliti	B., 16, 1608	44, 1151
Colchicin	see C ₁₇ H ₁₉ O ₅ N	"	
Nitropodocarpinic acid	see C ₁₇ H ₂₀ O ₇ N ₂	"	205	Oudemanns	A., 170, 226	
Tetramethdiamidobenzhydrol	HO.CH(C ₆ H ₄ .NMe ₂) ₂	C ₁₇ H ₂₂ ON ₂	96	Michler and Dupertius	B., 9, 1900	32, 334
Tetramethdiamidodiphenyl- carbamide	CO(NH.C ₆ H ₄ .NMe ₂) ₂ =(1.4) ₂	C ₁₇ H ₂₂ ON ₄	246	Michler and Zim- mermann	B., 14, 2179	42, 182
"	"	"	262 d.	Binder	B., 12, 536	36, 628
Hyoseyamine	C ₁₇ H ₂₃ ON	89	Blyth	33, 316
"	"	90	Hölm & Reichardt	A., 157, 98	24, 149 ; vii., 664
"	"	105	Schmidt	B., 14, 157	
"	"	108.5	Ladenburg and Meyer	B., 13, 254, 381	38, 482
"	"	J. [1878], 894	108.5	Ladenburg	C. R., 90, 874	38, 561
"	"	B., 14, 1870	108.5	"	B., 13, 109, 607	38, 411
Atropine (Daturine)....	"	v. 140 p.d.	90	i., 474
"	"	97	Blyth	33, 316
"	from diff. sources	"	97-99	Pesci	G. I., 10, 495 ; 11, 59	40, 293 ; 42, 634
"	"	"	106-108	"	"	"
"	"	"	109-110	"	"	"
"	"	"	105-108	Ladenburg and Meyer	B., 13, 381	38, 482
"	"	"	113.5	Ladenburg	B., 12, 492 ; 13, 104	38, 411
"	"	"	A., 217	113.5	Ladenburg and Meyer	B., 13, 380	38, 482
"	from diff. sources	"	112.5-115.5	Schmidt	B., 13, 370	38, 481
"	"	"	115-115.5	"	B., 14, 156	
"	"	"	115.5	Ladenburg	B., 12, 942	
Pseudoatropine (Atrolactyl- tropine)	"	119-120	"	A., 217, 87	44, 671
"	"	"	121	"	B., 15, 1027	42, 984
Hyoscin	"	B., 14, 1870	?	"	B., 13, 254, 1554	38, 674

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzamsebacic acid	$\text{CO}_2\text{H.C}_6\text{H}_4.\text{NH.CO.C}_3\text{H}_5$	$\text{C}_{17}\text{H}_{23}\text{O}_5\text{N}$	192-193	Pellizzari	B., 18, 216	48, 534
Acetyltolyl-n-octylamine	$\text{C}_8\text{H}_{17}.\text{C}_6\text{H}_3\text{Me.NHAc}$ = (?) .1.2	$\text{C}_{17}\text{H}_{27}\text{ON}$	81	Beran	B., 18, 147	48, 524
Cerebrine (J. p. [2], 24, 325, 328)	$\text{C}_3\text{H}_{160}\text{O}_{15}\text{N} (?)$	$\text{C}_{17}\text{H}_{33}\text{O}_3\text{N} (?)$	155-160	Gobley	J. p. [4], 19, 346	27, 909
Alkaloid from lupin seed	$\text{C}_{17}\text{H}_{34}\text{ON}_2$	216	Siewert	25, 519	vii., 758
" "	$\text{C}_{17}\text{H}_{36}\text{O}_2\text{N}_2$	216	Beyer	Lw., 14, 161	"
Diœnanthotriureid	$\text{CO}(\text{NH.C}_7\text{H}_{14}.\text{NH.CO.NH}_2)_2$	$\text{C}_{17}\text{H}_{36}\text{O}_3\text{N}_6$	162	Schiff	A., 151, 189	"
Dinitrochrysoquinone	$\text{C}_{13}\text{H}_5(\text{NO}_2)_2 \cdot \text{O}_2$	$\text{C}_{13}\text{H}_5\text{O}_6\text{N}_2$	230	Adler	B., 12, 1893	38, 263
Tetranitrochrysenene	$\text{C}_{18}\text{H}_8(\text{NO}_2)_4$	$\text{C}_{18}\text{H}_8\text{O}_8\text{N}_4$	A., 158, 307	a. 300	Schmidt	J. p. [2], 9, 283	27, 989
Dinitrochrysenene	$\text{C}_{18}\text{H}_{10}(\text{NO}_2)_2$	$\text{C}_{18}\text{H}_{10}\text{O}_4\text{N}_2$	a. 300	Schmidt	J. p. [2], 9, 282	"
a-Phenylpyridine ketone picrate	$\text{C}_{12}\text{H}_7\text{ON} + \text{C}_6\text{H}_2.\text{OH}(\text{NO}_2)_3$	$\text{C}_{18}\text{H}_{10}\text{O}_7\text{N}_3$	195-199	Skraup & Cobenzl	M. C., 4, 436	44, 1016
Nitrochrysenene	$\text{C}_{18}\text{H}_{11}\text{NO}_2$	$\text{C}_{18}\text{H}_{11}\text{O}_2\text{N}$	A., 158, 306	209	Schmidt	J. p. [2], 9, 281	27, 988
Phthalic quinaldine (quinoline yellow)	$\text{C}_6\text{H}_4.\text{C.CO.C}_6\text{H}_4.\text{CO.C.}$ CMe : N = (1.2) ₂	"	234-235	Jacobsen & Reimer	B., 16, 1083	44, 922
Ethenylacetylarnidoalizarin	$\text{N} : \text{C}_2\text{H}_3.\text{O.C}_6\text{H}_4.\text{H}(\text{OAc}) : (\text{CO})_2$ C ₆ H ₄	$\text{C}_{13}\text{H}_{11}\text{O}_5\text{N}$	238-240	Reimer	B., 18, 1666	48, 1068
Trinitrodiphenylbenzene	fr. $\text{C}_6\text{H}_4\text{Ph}_2 = 1.4$	$\text{C}_{18}\text{H}_{11}\text{O}_6\text{N}_3$	190	Schmidt & Schultz	B., 11, 1755	38, 163
" "	" " " "	"	195	"	A., 203, 127	40, 435
Trinitroisodiphenyl benzene	" " " " = 1.2 (?)	"	200	"	A., 203, 130	"
Acenaphthene picrate	$\text{C}_{12}\text{H}_9 + \text{C}_6\text{H}_2.\text{OH}(\text{NO}_2)_3$	$\text{C}_{18}\text{H}_{11}\text{O}_7\text{N}_3$	201-202	Behr and Dorp	A., 172, 263	27, 1168
" "	" " " "	"	201-202	Blumenthal	B., 7, 1093	"
Phenanthroline picrate	$\text{C}_{12}\text{H}_8\text{N}_2 + \text{C}_6\text{H}_2.\text{OH}(\text{NO}_2)_3$	$\text{C}_{18}\text{H}_{11}\text{O}_7\text{N}_6$	238-240	Skraup and Vortmann	M. C., 3, 570	44, 87
?	$\text{C}_6\text{H} : \text{O}_2(\text{NO})(\text{NH.C}_6\text{H}_4.\text{NO}_2)_2$	"	245	Zincké	B., 16, 1557	44, 1117
Diacetyl β-nitroalizarin	$\text{C}_{14}\text{H}_5(\text{NO}_2)(\text{OAc})_2 : \text{O}_2$	$\text{C}_{18}\text{H}_{11}\text{O}_8\text{N}$	218	Schunck & Römer	B., 12, 587	38, 654
Diphenylene oxide picrate	$\text{C}_6\text{H}_4.\text{C}_6\text{H}_4.\text{O} = 1.2$	$\text{C}_{18}\text{H}_{11}\text{O}_8\text{N}_3$	94	Goldschmidt and Herzig	M. C., 2, 14; 3, 126	42, 617
Dinitrodiphenyl benzene	fr. $\text{C}_6\text{H}_4\text{Ph}_2 = 1.4$	$\text{C}_{18}\text{H}_{12}\text{O}_4\text{N}_2$	264	Schmidt & Schultz	B., 11, 1755	38, 163
" "	" " " "	"	277	"	A., 203, 125	40, 435
Trinitrotriphenylamine	$\text{N}(\text{C}_6\text{H}_4.\text{NO}_2)_3$	$\text{C}_{18}\text{H}_{12}\text{O}_6\text{N}_4$	280	Heydrich	B., 18, 2157	48, 1213
Dinitropolyporic acid	$\text{C}_{18}\text{H}_{12}\text{O}_8\text{N}_2$	230	Stahlschmidt	A., 195, 369	"
Acetylphenyl-naphthylcarbazole	$\text{C}_{10}\text{H}_6.\text{C}_6\text{H}_4.\text{NAc}$	$\text{C}_{18}\text{H}_{13}\text{ON}$	121	Græbe and Knecht	A., 202, 7	"
Nitrosnitrophenylazo-phenylaniline	fr. $\text{NO}_2.\text{C}_6\text{H}_4.\text{N}_2.\text{C}_6\text{H}_4.\text{NHPh}$ = 1.3; 1.4	$\text{C}_{18}\text{H}_{13}\text{O}_3\text{N}_5$	127-128	Meldola	45, 119
" "	" " " " = (1.4) ₂	sf. 161	169-170	"	"
Pulvamic acid	$\text{C}_{18}\text{H}_{13}\text{O}_4\text{N}$	220	Spiegel	B., 13, 1633	40, 97
Diacetylarnidoalizarin	$\text{C}_6\text{H}_4 : (\text{CO})_2 : \text{C}_6\text{H}(\text{OAc})$ (OH).NHAc	$\text{C}_{18}\text{H}_{13}\text{O}_6\text{N}$	268-271	Römer	B., 18, 1668	48, 1069
Diphenyl picrate	$\text{Ph}_2 + \text{C}_6\text{H}_2.\text{OH}(\text{NO}_2)_3$	$\text{C}_{18}\text{H}_{13}\text{O}_7\text{N}_3$	94	Goldschmidt and Schidt	W. A., 83, 7	40, 824
Acenaphthene picrate	" " " "	"	160	"	"	"
Nitrosphenylarnidoazobenzene	$\text{Ph.N}(\text{NO}).\text{C}_6\text{H}_4.\text{N}_2.\text{Ph}$	$\text{C}_{19}\text{H}_{14}\text{ON}_4$	119·5	Witt	B., 12, 261	35, 187
Phenolbidiazobenzene	$(\text{Ph.N}_2)_2.\text{C}_6\text{H}_3.\text{OH} (?)$	"	131	Griess	A., 137, 87	37, 572; 42, 726
Benzeneazoacetoxynaphthalene	$\text{Ph.N}_2.\text{C}_{10}\text{H}_6.\text{OAc} = a_2, a_1$	$\text{C}_{19}\text{H}_{14}\text{O}_2\text{N}_2$	120	Zincké	B., 16, 1564	44, 1135
" "	" " " "	"	128	Zincké & Bindewald	B., 17, 3030	"
β-Indogenide of ethylpseudisatin	$\text{NH.C}_6\text{N}_4.\text{CO.C} : \text{C}_6\text{H}_4$ NEt.CO	"	197-198	Baeyer	B., 16, 2200	46, 76
Nitrosresorcinol on aniline acetate	"	238-239	Fevre	C. R., 96, 790	44, 734
Kynurin	$(\text{C}_9\text{H}_7\text{ON})_2$ q.v.	"	201	Schmiedberg and Schultzein	25, 1028	vii., 716
?	$(\text{C}_6\text{H}_2.\text{C} : \text{O.N.CPh} : \text{N})_2$	$\text{C}_{18}\text{H}_{14}\text{O}_2\text{N}_4$	160	Schulz	B., 18, 2463	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrosodiphenyl diamidobenzene	$C_6H_4(NPh.NO)_2=1.3$	$C_{18}H_{14}O_2N_4$	102	Calm	B., 16, 2798	46, 592
Nitrobenzeneazodiphenylamine	$NO_2.C_6H_4.N_2.C_6H_4.NHPh$ =1.3 ; 1.4	"	136-137	Meldola	45, 116
"	" = (1.4) ₂	"	151	"	43, 440	45, 121
Benzenebidiazophenol	$C_6H_4(N_2.C_6H_4.OH)_2=(1.4)_3$	"	sf. b. 205	205-207	"	47, 660
α -Benzeneazobenzeneazoresorcinol	$Ph.N_2.C_6H_4.N_2.C_6H_3(OH)_2$	"	183-184	Wallach & Fischer	B., 15, 2818	
β -	"	"	215	"	"	
α -Bidiazobenzeneresorcinol	$(Ph.N_2)_2C_6H_3(OH)_2$	"	215	Wallach	B., 15, 25	42, 610
α -	"	"	213-215	Wallach & Fischer	B., 15, 2816	
β -	"	"	220	"	B., 15, 2817	
β -	"	"	225	Wallach	B., 15, 25	42, 610
γ -	"	"	220-222	Liebermann and Kostanecki	B., 17, 880	46, 1147
Acetoxynaphthaquinonehydrazine	$C_{10}H_5(OAc)O : N_2HPh$	$C_{18}H_{14}O_3N_2$	178-179	Zincké and Thelen	B., 17, 1812	46, 1360
Acetylamido- β -naphthaquinoneanilide	"	215	Zincké	B., 15, 285	
Dinitrophenylbenzidine	$NH_2.C_6H_4.C_6H_4.NH.C_6H_3$ $(NO_2)_2=(1.4)_2 ; 1.2.4$	$C_{18}H_{14}O_4N_4$	245	Willgerodt	B., 9, 981	30, 405
"	" = ?	"	255.	Austen	A. J. S., 13, 279	32, 762
Acetyl- β -naphthylphenylamine	$C_{10}H_7.NPhAc$	$C_{18}H_{15}ON$	93	Streiff	A., 209, 157	
" - α -	"	"	115	"	A., 209, 154	
" - α -	"	"	115	"	B., 13, 1852	40, 176
Benzoylmethyl- α -naphthylamine	$C_{10}H_7.NBzMe$	"	121	Hess	B., 18, 687	48, 784
" - β -	"	"	169.	"	B., 18, 688	"
β -naphthoic toluide	$C_{10}H_7.CO.NH.C_6H_4Me=1.4$	"	191	Vieth	A., 180, 324	30, 87
Diabzobenzene- β -naphthylacetamide	$C_{10}H_7.NAc.N_2.Ph$	$C_{18}H_{15}ON_3$	152-153	Lawson	B., 18, 799	48, 803
Methoxy- β -naphthoic anilide	$MeO.C_{10}H_6.CO.NHPh$	$C_{18}H_{15}O_2N$	169	Leuckart & Schmidt	B., 18, 2340	48, 1224
" - α -	"	"	218.	"	"	"
Ethyl- β -naphthaquinoneanilide	$C_{10}H_4EtO_2.NHPh$	"	104	Zincké	B., 14, 1496	40, 916
"	"	"	104	"	B., 15, 282.	42, 735
α -naphthaquinone ethylamylide	$O_2 : C_{10}H_5.NEtPh=aa\beta$	"	155	Elsbach	B., 15, 1810	44, 70
β -	" = $a\beta a$	"	165	"	B., 15, 691	42, 853
Methyl- β -naphthaquinone-toluide	"	150	Zincké and Brauns	B., 15, 197.0	44, 209
Oxyquinone ethylimide	$C_{16}H_9(OH).O.NEt$	"	129-130	Breuer and Zincké	B., 13, 632	33, 665
Acetylflavenol	$CH : CMe.C_6H_4.N : C.C_6H_4$ OAc=(1.2).	"	128	Besthorn & Fischer	B., 16, 69	44, 600
Dicinnamhydroxamic acid	$N(CO.CH : CHPh)_2.OH$	$C_{18}H_{15}O_3N$	152	Rostoski	A., 178, 219	29, 273
Amylic cyanurate	$C_{18}H_{16}O_3N_3$	200 d.	Hofman and Ols-hausen	P. R., 18, 493	vii., 410
β -naphthyl-dimethylpyroline-dicarboxylic acid	$N(C_{10}H_7).Me_2.(CO_2H)_2$ =1.2.5.3.4	$C_{18}H_{15}O_4N$	d. 260	Knorr	B., 18, 308	48, 555
β -ethylnaphthalene picrate	$C_{10}H_7Et + C_6H_2.OH.(NO_2)_3$	$C_{18}H_{15}O_7N_3$	69	Brunel	B., 17, 1180	46, 1035
?	"	"	71	Marchetti	G. I., 11, 439	42, 410
α -	"	"	98	Carnelutti	B., 13, 1672	40, 280
α -	"	"	98	Fittig and Remsen	A., 155, 119	40, 824
α -	"	"	99	Goldschmidt and Schidt	W. A., 83, 7	"
Dimethylnaphthalene picrate	$C_{10}H_6Me_2 + C_6H_2.OH.(NO_2)_3$	"	B., 16, 428	139	Cannizzaro and Carnelutti	G. I., 12, 393	44, 80
"	"	"	139	Giovannozzi	G. I., 11, 147	42, 855
Guaiene picrate	$C_{15}H_{12} + C_6H_2.OH.(NO_2)_3$	"	123	Botsch	M. C., 1, 609	42, 211

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzeneazo- α -ethoxynaphthalene	Ph.N ₂ .C ₁₀ H ₆ .OEt= $\alpha_1\alpha_2$;	C ₁₈ H ₁₆ ON ₂	98-100	Zincké and Binde- wald	B., 17, 3028	
Nitrosobenzazo- β -ethamidonaphthalene	Ph.N ₂ .C ₁₀ H ₆ .NEt.NO(?)	C ₁₈ H ₁₆ ON ₄	97	Henriques	B., 17, 2670	48, 168
Acetyl-p-tolyl-p-methylpseudoimesatin	see original paper	C ₁₈ H ₁₆ O ₂ N ₂	121-122	Duisberg	B., 17, 197	48, 544
Ethoxynaphthaquinonehydrazine	C ₁₀ H ₆ (OEt).O.N ₂ HPh	"	172-173	Zincké and Thelen	B., 17, 1812	46, 1360
Benzoylanilidopyrotartarimide	C ₁₈ H ₁₆ O ₃ N ₂	190	Wechsler	B., 18, 1042	48, 900
Nitrophthalic isocymidide ...	fr. C ₆ H ₄ :(CO) ₂ :N.C ₆ H ₃ Me Pr ^{β} =1.2; ?3.1	C ₁₈ H ₁₆ O ₄ N ₂	167	Kelbe and Warth	A., 221, 157	46, 47
Ethyl furfurincarboxylate	C ₁₅ H ₁₁ (CO ₂ Et) ₂ O ₃ N ₂	C ₁₈ H ₁₆ O ₅ N ₂	124	Bahrmann	J. p. [2], 27, 318	
Dinitrodiethylcarbazonic acid	C ₁₈ H ₁₆ O ₆ N ₂	155-156	Zagoumenny	A., 184, 170	32, 194
Ethyl dinitroazobenzoic acid	N ₂ (C ₆ H ₃ .NO ₂ .CO ₂ Et) ₂ =1.?.3	C ₁₈ H ₁₆ O ₈ N ₄	104	J. R., 6, 197	
β -phenamidoethoxynaphthalene	C ₁₀ H ₇ .O.C ₂ H ₄ .NHPh	C ₁₈ H ₁₇ ON	75	Koelle	B., 13, 1955	40, 178
Apocinchene	"	209-210	Königs	B., 14, 1855	42, 224
Phthalic isocymidide....	C ₆ H ₄ :(CO) ₂ :N.C ₆ H ₃ MePr =1.2; ?3.1	C ₁₈ H ₁₇ O ₂ N	145	Kelbe and Warth	A., 221, 157	46, 47
Apochinine	"	246	Comstock & Königs	B., 18, 1227	48, 911
Oxyapocinchene	"	217	"	B., 18, 2385	
"	"	267	Königs	B., 14, 1858	42, 225
Methoxyphenylimidoacetoneitril	(MeO.C ₆ H ₄ .CH(CN) ₂) ₂ H =(1.2) ₂	C ₁₈ H ₁₇ O ₂ N ₃	123	Voswinckel	B., 15, 2025	44, 190
Ethyl-p-tolyl-p-methylpseudoimesatin	see original paper	C ₁₈ H ₁₈ ON ₂	151-152	Duisberg	B., 18, 199	48, 544
Ethyl azobenzoate	N ₂ (C ₆ H ₄ .CO ₂ Et) ₂ =(1.4) ₂	C ₁₈ H ₁₈ O ₄ N ₂	A., 132, 148	88	Fittica	B., 8, 252	28, 766
"	"	"	88	"	J. p. [2], 13, 184	36, 152
"	"=(1.3) ₂	"	b. 100	Strecker	A., 129, 139	vi., 321
"	"	"	90-92	J. R., 6, 251	
"	"	"	97	Fittica	B., 8, 252	28, 766
"	"	"	99	"	J. p. [2], 13, 184	36, 152
"	"=?	"	102	"	"	"
"	"=(1.2) ₂	"	138-139	"	"	"
Dinitrotetramethylbenzidine	fr. (C ₆ H ₄ .NMe ₂) ₂ =(1.4) ₂	C ₁₈ H ₁₈ O ₄ N ₄	188	Michler & Pattinson	B., 17, 118	46, 747
Citro-dianilic acid	C ₁₈ H ₁₈ O ₅ N ₂	153	Pebal	A., 82, 89; 98, 89	
Dinitrosuccino-p-tolnide	fr. (CH ₂ .CO.NH.C ₆ H ₃ Me) ₂	C ₁₈ H ₁₈ O ₆ N ₄	217	Hübner	A., 209, 381	42, 181
Acetylbenzoylpseudocumidine	Me ₃ .Bz.NHAc=1.3.4.?.6	C ₁₈ H ₁₉ O ₂ N	170	Fröhlich	B., 17, 2674	48, 154
Corydalin	J. [1859], 570; B. J., 7, 220	C ₁₈ H ₁₉ O ₄ N	A., 64, 369	130	Wicke	A., 137, 274	vi., 497
Ethyl m-diazoamidobenzoate	C ₁₈ H ₁₉ O ₄ N ₃	144	Griess	A., 117, 11	iv., 293
Ethyl benzoate+ethyl nitrobenzoate	C ₁₈ H ₁₉ O ₆ N	282-285	Liquid	Fittica	B., 10, 488; J. p. [2], 13, 184	32, 483; 36, 153
Ethylidene phenylacetamide	Me.CH.(NH.CO.CH ₂ Ph) ₂	C ₁₈ H ₂₀ O ₂ N ₂	227-228	Berthsen	A., 184, 318	31, 619
Quinol+aniline	2(Ph.NH ₂)+C ₆ H ₄ (OH) ₂ =1.4	"	89-90	Heberand	B., 15, 1973	44, 61
Succinotoluide	(CH ₂ .CO.NH.C ₆ H ₄ Me) ₂ =(1.2) ₂	"	100	Bechi	B., 12, 323	36, 528
"	"=(1.4) ₂	"	A., 126, 165	256	"	"	"
"	"	"	256	Hübner	A., 209, 380	42, 181
Oxalylxlyde	(CO.NH.C ₆ H ₃ Me) ₂ =(1.4.1) ₂	"	w. m. 125	Schaumann	B., 11, 1538	36, 51
"	"=(4.3.1) ₂	"	204	Genz	B., 3, 227	
Methylphthalopseudocumidamide	C ₆ H ₂ Me ₃ .NH.CO.C ₆ H ₄ .CO. NHMe=1.3.4.6; 1.2	"	215 d.	Fröhlich	B., 17, 1808	46, 1319
Hydrokynurin	"	100	Kretschy	W. A., 83, 171	40, 829
Diacetyl-?	C ₁₄ H ₁₄ Ac ₂ N ₂	"	212-216 d.	Klinger	B., 16, 945	
Cinchotenicin	C ₁₈ H ₂₀ O ₃ N ₂	d. 180	153 u. c.	Hesse	B., 11, 1984	
Cinchotenin	A., 176, 232; As., 7, 349	"	+3H ₂ O	197-198 c.	Skraup	A., 197, 378	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Cinchoténidine	cf. B., 14, 1892	$C_{18}H_{20}O_3N_2$	+3H ₂ O	256 c. ; d.	Skraup and Vortmann	A., 197, 237	36, 949
" "	"	"	"	256	Skraup	B., 11, 1519	
Ethylene acetamidophenyl ether	$C_2H_4(O.C_6H_4.NHAc)_2=(1.2)_2$	$C_{18}H_{20}O_4N_2$	"	226	Wagner	J. p. [2], 27, 204	46, 435
Diacetamidodihydroxystilbene	$[HO.C_6H_4(NHAc).CH:]_2$	"	"	a. 300	Japp and Hooker		45, 680
Nitrocodéin	"	$C_{18}H_{20}O_6N_2$	A., 77, 358	211-214	Gerichten	A., 210, 105	42, 313
" ?	"	$C_{18}H_{20}O_6N_2$	"	255	Knapp and Schultz	A., 210, 185	
Diacetdiamidotetracetoxybenzene	$C_6(OAc)_4(NHAc)_2$	$C_{18}H_{20}O_{10}N_2$	"	240 p. d.	Nietzki and Benc-kiser	B., 18, 504	48, 780
Benzamidoisocamylbenzene	$C_6H_4(C_5H_{11}).NHBz$	$C_{18}H_{21}ON$	"	146-149	Merz and Weith	B., 14, 2346	
" "	"	"	"	146-149	Calm	B., 15, 1645	
" "	"	"	"	144-145.5	"	"	
Isobutylbenzamidotoluene	$Me.Bu^{\beta}.NHBz=1.3.6$	"	"	168	Effront	B., 17, 2322	48, 152
Methylthymotic aldehyde anilide	$Me.Pr^{\alpha}.OMe.(CH:NPh)=1.4.3.6$	"	"	80	Kobek	B., 16, 2100	46, 56
Diglycolamidic ditoluide	$NH(CH_2.CO.NH.C_6H_4Me)_2=(1.4)_2$	$C_{18}H_{21}O_2N_3$	"	149.5	Meyer	B., 8, 1155	29, 372
Codein	cf. C. R., 92, 1140, 1228	$C_{18}H_{21}O_3N$	+H ₂ O	150	Robiquet	A., 5, 109	
"	"	"	A., 77, 341	153	Richter	R. K. T., 394	
"	"	"	B., 15, 2259	155	Ger. Pharm., 1882		
Diethyl phenyldimethylpyrrolone dicarboxylate	$NPh.Me_2.(CO_2Et)_2=1.2.5.3.4$	$C_{18}H_{21}O_4N$	280 (50)	37-38	Knorr	B., 18, 303	48, 555
Benzenyldiethyltoluyleneamidine	"	$C_{18}H_{22}ON_2$	"	152-153	Hübner	A., 210, 375	
Xylylamidoacetyllyde	$C_6H_3Me_2.NH.CH_2.CO.NH.C_6H_3Me_2=1.3.?; ?3.1$	"	"	128	Ehrlich	B., 16, 206	44, 594
Cumylazocumenol	$C_6H_2Me_3.N_2.C_6HMe_3.OH=1.3.4.6; ?1.3.4.6$	"	"	147-148	Liebermann and Kostanecki	B., 17, 885	46, 1147
Diphenylaminephenate	$2C_6H_4(NH_2)_2+Ph.OH$	$C_{18}H_{22}ON_4$	"	113	Griess	P. T., 1864, 667	iv., 433
Bidimethamidophenylamide	$(.CO.NH.C_6H_4.NMe_2)_2=(1.4)_2$	$C_{18}H_{22}O_2N_4$	"	nf. 270	Sendtner	B., 12, 533	36, 627
Tolylammonium tolyldiglycolamidate	$CO_2H.CH_2.N(C_6H_4Me).CH_2.CO_2NH_3.C_6H_4Me=(1.4)_2$	$C_{18}H_{22}O_4N_2$	original misprint	168-169	Meyer	B., 14, 1324	42, 519
"	"	"	"	166-168	Schwebel	B., 10, 2047	"
Diethyl phenyldimethylpyridazindicarboxylate	see orig. paper	"	"	127	Knorr	B., 18, 305	48, 555
Phenylarabinosazone	"	$C_{18}H_{22}O_4N_4$	"	157-158	Scheibler	B., 17, 1732	46, 1287
Phenylgalactosazone	"	"	"	170-171	"	"	"
"	"	"	"	182	Fischer	B., 17, 582	48, 53
Phenylglucosazone	"	"	"	204-205	"	B., 17, 579	"
"	"	"	"	206	Tiemann and Kees	B., 18, 1660	"
Diethyl phenylzinsuccininate	$NPh.NH.C.CH_2.CH(CO_2Et).CO.CH_2.CH.CO_2Et$	$C_{18}H_{22}O_5N_2$	"	159-160	Knorr and Bülow	B., 17, 2054	46, 1380
Nupharin	"	$C_{18}H_{21}O_2N_2$	"	s. 40-45 ; sf. 65	Grüning	A. P. [3], 20, 582 ; B., 16, 969	44, 370
Menispermin	"	"	"	120	Pelletier & Couerbe	A., 10, 198	
Paramenispermin	"	"	"	250	"	A., 10, 200	
Diethyl phenylzindiacetosuccinate	$NPh.NH.CMe.CH(CO_2Et).CHAc(CO_2Et)$	$C_{18}H_{24}O_5N_2$	"	91	Knorr and Bülow	B., 17, 2058	46, 1381
Oxyhexinamide	$C_{18}H_{21}O_5(NH_2)_5$	$C_{18}H_{31}O_5N_5$	"	214-215	Demarçay	A. C. [5], 20, 490	
Isoxyhexinamide	"	"	"	240 d.	"	A. C. [5], 20, 492	
Oleamide	"	$C_{18}H_{35}ON$	J., 1859, 368	s. 75	Carlet	B. S., 1, 73	iv., 191
"	"	"	J., 1855, 532	79-81	Rowney	7, 200	"
Elaïdamide	"	"	"	92-94	"	J. [1855], 532	
Ricinoleamide	"	$C_{18}H_{35}O_2N$	"	66	Bouis	A. C. [3], 44, 96	
Ricinelaïdamide	C. G., 1855, 361	"	"	91-93	Rowney	J. [1855], 533	v., 109
Octylnoxyylcarbamide	"	$C_{18}H_{36}O_2N_2$	"	97	Hofmann	B., 15, 760	42, 1053
Stearamide	$C_{17}H_{35}.CO.NH_2$	$C_{18}H_{37}ON$	J., 1859, 367	s. 107.5	Carlet	B. S., 1, 79	v., 412
"	"	"	"	107	Hofmann	B., 15, 984	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Stearamide	$C_{17}H_{35}.CO.NH_2$	$C_{18}H_{37}ON$	109	Krafft and Stauffer	B., 15, 1730	42, 1274
Amidostearic acid	$C_{17}H_{33}(NH_2).CO_2H$	$C_{18}H_{37}O_2N$	63	Gautier and Etard	C. R., 97, 263	46, 89
Tetranitro-aurin	$C_{19}H_{10}(NO_2)_4O_3$	$C_{19}H_{10}O_{11}N_4$	140	Ackermann	B., 17, 1626	46, 1339
Furfurenylamidophenanthrol	$C_6H_4.C_6H_4.C_6H_4.C:C.N:C(C_4H_3O).O$	$C_{19}H_{11}O_2N$	231	Japp and Wilcock	39, 227
Di(nitrophenylacetylene) dimethylketone	$Ac.CH(C:C_6H_4.NO_2)_2$ =(1.2) ₂	$C_{19}H_{12}O_6N_2$	d.w.m. 165	Baeyer & Landsberg	B., 15, 213	42, 972
Acridine picrate	$C_{13}H_9N + C_6H_5.OH.(NO_2)_3$	$C_{19}H_{12}O_7N_4$	begins 208	Anschütz	B., 17, 438	46, 908
β -naphthoquinoline picrate....	"	"	251-252	Skraup & Cobenzl	M. C., 4, 436	44, 1011
Phenylhydroxylacridine	$CPh.C_6H_4.N.C_6H_3.OH$ =1.2; 1.2.5	$C_{19}H_{13}ON$	brown 260	incompletely 275	Hess and Bernthsen	B., 18, 696	48, 801
p-methylquinophthalone	fr. $C_6H_4.(CO)_2.CH.C_9H_5MeN$	$C_{19}H_{13}O_2N$	203	Jacobsen & Reimer	B., 16, 2603	46, 335
Benzoyldinitrodiphenylamine	$Bz.N(C_6H_4.NO_2)_2=(1.2)_2$	$C_{19}H_{13}O_5N_3$	not pure	Lellmann	B., 15, 829	42, 1060
"	" =(1.4) ₂	"	A., 132, 167	224	"	B., 15, 828	"
Benzoyldinitroamidodiphenyl	fr. $Ph.C_6H_3.NHBz.NO_2=1.4?$	"	A., 209, 346	206	Lüddens	B., 8, 873	28, 1258
Trinitrotriphenylmethane	$CH(C_6H_4.NO_2)_3(?)$	$C_{19}H_{13}O_6N_3$	203	Hemilian	B., 7, 1206	28, 153
"	"	"	206-207	Fischer	A., 194, 254	36, 384
α -Fluorene picrate	fr. $C_6H_4.CH_2.C_6H_4=(1.2)_2(?)$	$C_{19}H_{13}O_7N_3$	79-80	Fittig and Schmitz	A., 193, 134	37, 717
α " "	" =(1.2) ₂ or 1.2; 1.4	"	80-82	Græbe	A., 174, 194	"
β " "	" =1.2; 1.3 or 1.2; 1.4	"	80-82	Barbier	A. C. [5], 7, 486; C. R., 77, 442	31, 71; 26, 1226
β " "	"	"	81	Barth and Goldschmidt	G. J. C., 1878	vii., 524
γ " "	" =(1.3) ₂	"	79-80	Carnelley	37, 717
? " "	" = ?	"	80	Fittig and Schmitz	A., 193, 115	36, 164
Trinitrotriphenylcarbinol	$HO.C(C_6H_4.NO_2)_3(?)$	"	A., 194, 256	171-172	Fischer	B., 11, 1079	34, 384, 791
Methylphenanthroline picrate	$C_{13}H_{10}N_2 + C_6H_5.OH.(NO_2)_3$	$C_{19}H_{13}O_7N_5$	253	Skraup and Fischer	M. C., 5, 253	48, 393
Trinitrophenylicorthoformate	$CH(O.C_6H_4.NO_2)_3=(1.2)_3$	$C_{19}H_{13}O_9N_3$	182	Weddige	J. p. [2], 26, 445	44, 340
"	" =(1.4) ₃	"	232	"	J. p. [2], 26, 446	
Benzoylazobenzene	$Ph.N_2.C_6H_4.OBz$	$C_{19}H_{14}O_2N_2$	136	Tschirvinsky	B., 6, 561	26, 1027; vii., 151
Ethylc phenyleneamidine-p-toluate	"	242-243	Brückner	A., 205, 121	
"	"	242-243	Hübner	A., 210, 340	
Benzoylnitrodiphenylamine	$NPhBz.C_6H_4.NO_2=1.3$ or 1.4	$C_{19}H_{14}O_3N_2$	129	Lellmann	B., 15, 826	42, 1059
Nitrobenzamidodiphenyl	$Ph.C_6H_4.NH.CO.C_6H_4.NO_2$ =1.4; 1.3	"	142-143	Lüddens	B., 8, 873	28, 1258
"	"	"	143	A., 209, 346	
Trinitrotriphenylguanidine	$NO_2.C_6H_4.N:C(NH.C_6H_4.NO_2)_2=(1.3)_3$	$C_{19}H_{14}O_6N_6$	189	Losanitsch	B., 16, 50	44, 583
Methylcarbazole picrate	$(C_6H_4)_2:NMe + C_6H_5.OH.(NO_2)_3$	$C_{19}H_{14}O_7N_4$	141	Græbe and Alderskron	A., 202, 23	38, 660
Diphenylbenzamide	$Ph.CO.NPh_2$	$C_{19}H_{15}ON$	B., 15, 1288	176	Wallach	A., 214, 193	44, 49
"	"	"	176.5-177	Bernthsen	A., 192, 13	34, 788
"	"	"	Hofmann	A., 132, 166	
"	"	"	B., 15, 3013	180	Claus	B., 14, 2368	
Benzamidodiphenyl	$Ph.C_6H_4.NHBz=1.4$	"	226	Lüddens	B., 8, 872	28, 1258
"	"	"	226	Hübner	A., 209, 345	
"	"	"	230	Zimmermann	B., 13, 1968	40, 176
Nitroisodiphenylbenzenylamidine	$Ph_2N.CPh:N.NO$	$C_{19}H_{15}ON_3$	167-169	Bernthsen	A., 192, 18	34, 789
Triphenylcarbamide....	$NHPh.CO.NPh$	$C_{19}H_{16}ON_2$	136 u.c.	Michler	B., 9, 398, 715	
Benzoyldiphenylhydrazine	Ph_2N_2HBz	"	192	Fischer	A., 190, 178	34, 313
Phenoldiazobenzenediazotoluene	$Ph.N_2.C_6H_3(OH).N_2.C_6H_4$ Me(?)	$C_{19}H_{16}ON_4$	110	Griess	B., 9, 628	30, 416
Phenylbidiazomethoxybenzene	$(Ph.N_2)_2.C_6H_3.OMe=1.3.4$	"	110	Nöltling and Kohn	B., 17, 368	46, 902

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylbidiazocresol	(Ph.N ₂) ₂ C ₆ H ₂ Me.OH	C ₁₉ H ₁₆ ON ₄	114-115	Nölting and Kohn	B., 17, 364	48, 902
"	"	"	149	"	B., 17, 367	"
Azobenzene-azo-p-cresol	Ph.N ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₃ Me.OH	"	160	"	B., 17, 354	48, 901
Anilidomethoxyquinone anilide	C ₆ H ₂ (OMe)(NHPh).O.NPh	C ₁₉ H ₁₆ O ₂ N ₂	188-189	Zincké	B., 18, 788	48, 787
Dianilidotoluquinone	C ₆ HMe(NHPh) ₂ .O ₂	"	232-233	"	B., 16, 1559	44, 1118
m-Nitrotriphenylguanidine....	fr. Ph.N : C(NHPh) ₂	C ₁₉ H ₁₆ O ₂ N ₄	159	Losanitsch	B., 16, 50	44, 583
α ₁ -Azotolueneresorcinolazobenzene	C ₆ H ₄ Me.N ₂ .C ₆ H ₂ (OH) ₂ .N ₂ Ph	"	189	Wallach	B., 15, 26	42, 610
α ₁ - "	"	"	195-196	Wallach and Fischer	B., 15, 2821	
β- "	"	"	204-206	"	B., 15, 2822	
α ₂ - "	"	"	a. 200	Wallach	B., 15, 26	42, 610
α ₂ - "	"	"	240-241	Wallach and Fischer	B., 15, 2822	
α ₁ -Azobenzeneresorcinolazotoluene	"	"	195-196	"	B., 15, 2823	
β- "	"	"	197-198	"	B., 15, 2824	
α ₂ - "	"	"	240-241	"	"	
Ethyl β-naphtholazobenzoate	HO.C ₁₀ H ₆ .N ₂ .C ₆ H ₄ .CO ₂ Et	C ₁₉ H ₁₆ O ₃ N ₂	104	Griess	B., 14, 2035	42, 49
Acetyl ?	"	190-191	Zincké	B., 15, 287	42, 735
Propylanilido-β-naphthaquinone	Pr=O.C ₁₀ H ₅ .O.NPh	C ₁₉ H ₁₇ O ₂ N	103-104	"	B., 15, 283	
Isopropylanilido-β-naphthaquinone	Pr ^o O.C ₁₀ H ₅ .O.NPh	"	99-100	"	"	
Ethyl toluido-β-naphthaquinone	EtO.C ₁₀ H ₅ .O.N.C ₆ H ₄ Me=1.4	"	132-133	"	B., 15, 287	
"	"	"	135-137	Zincké and Brauns	B., 15, 1970	44, 209
Nitrodiamidotriphenylmethane	NO ₂ .C ₆ H ₄ .CH(C ₆ H ₄ .NH ₂) ₂	C ₁₉ H ₁₇ O ₂ N ₃	136	Fischer and Ziegler	B., 13, 672	38, 662
β-naphtholazo-p-acetotoluide	HO.C ₁₀ H ₆ .N ₂ .C ₆ H ₃ Me.NHAc	"	275-276	Wallach	B., 15, 2830	
Diacetylamidomethylantranol	CH.C ₆ H ₄ .C(OAc).C ₆ H ₂ Me. NHAc	C ₁₉ H ₁₇ O ₃ N	170	Römer and Link	B., 16, 706	44, 1138
Cusparin	"	92	Körner & Böhringer	G. I., 13, 363	48, 341
Methylapocinchenic acid	"	233-234	Comstock & Königs	B., 18, 2384	48, 1249
Benzenylisodiphenylamidinitraté	Ph ₂ N.CPh : NH + HNO ₃	C ₁₉ H ₁₇ O ₃ N ₃ ?	115	Bernthsen	A., 192, 1	34, 788
Chelidonine	A., 29, 123, 131	"	130	Will	A., 35, 113	i., 850
Ethyl nitrodiphenylmethylpyrazene carboxylate	NO ₂ .C ₆ H ₄ .C ₃ N ₂ MePh.CO ₂ Et	C ₁₉ H ₁₇ O ₃ N ₃	128	Knorr and Jödicke	B., 18, 2258	48, 1247
"	"	"	146	"	B., 18, 2260	48, 1248
Diamidotriphenylcarbinol	HO.CPh(C ₆ H ₄ .NH ₂) ₂	C ₁₉ H ₁₈ ON ₂	A., 217, 241	b. 100	Döbner	B., 15, 234	42, 957
Benzaldehyde + benzidine	(C ₆ H ₄ .NH ₂) ₂ + C ₆ H ₅ .OH	"	231-232	Schiff	B., 11, 832	34, 668
Ethyl isomethyldiphenylpyrazene carboxylate	see orig. paper	C ₁₉ H ₁₈ O ₂ N ₂	110	Knorr and Blank	B., 18, 932	48, 810
Ethyl methyldiphenylpyrazene carboxylate	"	"	121-122	"	B., 18, 312	48, 556
Acetomorphothebaine	C ₁₉ H ₁₈ O ₄ N	183	Howard	B., 17, 531	46, 1202
Phenylcarbamidol	C ₁₉ H ₁₉ ON ₃	a. 200	Lossen	B., 6, 1394	27, 255
Pararosaniline	HO.C(C ₆ H ₄ .NH ₂) ₃ =(1.4) ₃	"	A., 194, 274	abt. 180	Græbe	B., 12, 2142	
" (A. C. (5), 8, 192)	"	"	200	Zimmermann and Müller	B., 17, 2936	
Ditamin	cf. A., 203, 147	C ₁₉ H ₁₉ O ₂ N	brown 130	75 u.c.	Jobst and Hesse	A., 178, 56	
Dihydrocinchonine	C ₁₉ H ₂₀ ON ₂ (?)	202-203	Comstock & Königs	B., 17, 1996	46, 1384
Ditoluyldiamidopyrrocemic acid	C ₁₉ H ₂₀ O ₄ N ₂	145	Böttlinger	B., 14, 1600	40, 1033
Ornithuric acid	C ₄ H ₇ (NHBz) ₂ .CO ₂ H	"	B., 11, 406	182	Jaffe	B., 10, 1925	34, 584
Diethyl carboxamidobenzoate	CO(NH.C ₆ H ₄ .CO ₂ Et) ₂	C ₁₉ H ₂₀ O ₃ N ₂	160-5	Wachendorff	B., 11, 702	vii., 166
"	"	"	162	Griess	J. p. [2], 4, 294	25, 81

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzpseudocumene urethane	Me ₃ Bz.(NH.CO ₂ Et) =1.3.4.7.6	C ₁₉ H ₂₁ O ₃ N	105	Fröhlich	B., 17, 2675	48, 154
Bebirine	"	180	Maclagan	A., 48, 111; 55, 105	
"	"	198	Planta	A., 77, 333	i., 526
Thebain	A., 86, 184; 153, 61; 176, 196	"	As., 8, 264	193	Hesse	A., 153, 61	vii., 1152
"	J., [1866], 823; [1867], 525	"	+aq.	12.5	v., 759
Diethyl phenyllutidine dicarboxylate	N.Ph.Me ₂ (CO ₂ Et) ₂ =1.2.4.6.3.5	C ₁₉ H ₂₁ O ₄ N	66-67	Schiff and Puliti	B., 16, 1608	44, 1151
Benzylnitroarbutin	C ₁₉ H ₂₁ O ₃ N	142-143 d.	Schiff	G. I., 13, 538	46, 433
Apoquinamine	C ₁₉ H ₂₂ ON ₂	114 u.c.	Hesse	A., 207, 294	40, 924
Cinchonidine	"	175	i., 971
"	B., 14, 413	"	199-200	"	A., 205, 197	40, 291
"	"	200-201	"	B., 14, 1891	42, 228
"	A., 82, 147; 135, 333; 207, 310	"	201-203	"	B., 14, 1889	
"	"	200	Claus and Weller	B., 14, 1924	
"	"	205 u.c.	Hesse	A., 181, 58	30, 315
"	"	206.5	"	A., ? 325	vi., 463
"	"	208 u.c.	"	A., 181, 58	30, 315
"	"	210.5 c.	Skraup and Vortmann	A., 197, 226	38, 948
β-Cinchonidine	"	206-207d; u.c.	Hesse	A., 205, 327	
Homocinchonidine	=Cinchonidine M.C., 2, 345	"	203-205	Claus and Bock	B., 13, 2191	40, 184
"	"	203-205	Claus and Buchler	B., 11, 1820	
"	"	205	Hesse	A., 205, 203	40, 292
"	"	205-206	"	B., 14, 46, 1890	42, 228
"	"	206.5 c.	"	B., 11, 1820	
Apocinchonine	"	B., 16, 384	209 u. c.	"	A., 205, 330	40, 616
Apocinchonidine	"	225 d.; u. c.	"	A., 205, 327	
Cinchonine	"	150	Schwabe	J. P. [3], 38, 389	i., 974
"	"	165	"
"	slowly heated	"	236	Hesse	G. J. C. [1880]	
"	quickly heated	"	248-252	"	"	
"	"	240-250	"	A., 122, 231	vi., 463
"	"	260	Richter	R. K. T.	
"	"	268.8	Skraup	G. J. C. [1879]	
Toluquinol + aniline	C ₆ H ₃ Me(OH) ₂ + 2Ph.NH ₂	C ₁₉ H ₂₂ O ₂ N ₂	82-85	Hebebrand	B., 15, 1974	
Apoconquinine	"	137 u. c.	Hesse	A., 205, 314	40, 616
Apoquinine	"	160 u. c.	"	A., 205, 323	"
Homoquinine (ultraquinine)	cf. B., 15, 379	"	+2 or 1H ₂ O	177 u. c.	"	B., 15, 857	41, 66
Isoamylic diphenylalophanate	C ₁₉ H ₂₂ O ₃ N ₂	58	Hofmann	B., 4, 248	24, 394; vii., 408
Chitenidine	C ₁₉ H ₂₂ O ₄ N ₂	+2H ₂ O	240-246 d.	Forst & Böhlinger	B., 15, 1660	42, 1307
Chitenine	Z. C. [1869], 594	"	+4H ₂ O	292 d.; u. c.	Skraup	A., 199, 352	
Dinitrocinchonamine	C ₁₉ H ₂₂ O ₅ N ₄	118	Hesse	A., 225, 211	48, 65
Phenylhydrazinichelicin	N ₂ HPh:CH.C ₆ H ₄ .O.C ₆ H ₁₁ O ₅ =1.2	C ₁₉ H ₂₂ O ₆ N ₂	187	Tiemann and Kees	B., 18, 1660	48, 1072
Codethyline	C ₁₉ H ₂₃ O ₃ N	+H ₂ O	83	Grimaux	C. R., 92, 1140; A. C., [5], 27, 273	40, 829; 44, 358
Methocodeine	"	118.5	"	C. R., 93, 591; A. C. [5], 27, 273	42, 218; 44, 359
"	"	118.5	Hesse	A., 222, 203	46, 614
Codamine	"	121	"	A., 153, 47	vi., 480
Diethyl p-tolyldimethylpyrrolidine dicarboxylate	N(C ₆ H ₄ Me).Me ₂ (COEt) ₂ =1.2.5.3.4	C ₁₉ H ₂₃ O ₄ N	67	Knorr	B., 18, 304	48, 555
Diethyl hydrophenyllutidine dicarboxylate	N.Ph.Me ₂ (CO ₂ Et) ₂ =1.2.4.6.3.5	"	156-157	Schiff and Puliti	B., 16, 1607	44, 1151
Enanthol + benzydine	(C ₆ H ₄ .NH ₂) ₂ + C ₆ H ₁₃ .COH	C ₁₉ H ₂₄ ON ₂	113-115	Schiff	B., 11, 832	34, 668
Dipropylphenylcarbamide	CO(NH.C ₆ H ₄ Pr ^a) ₂ =(1.4) ₂	"	205	Francksen	B., 17, 1224	46, 1008
Dicumylcarbamide	CO(NH.C ₆ H ₂ Me ₃) ₂ =?	"	a. 290	Engel	B., 18, 2233	48, 1216
Dimesitylcarbamide	" = (6.5.3.1) ₂	"	a. 300	Eisenberg	B., 15, 1017	42, 956
Pereirine	"	abt. 124	Hesse	A., 202, 147	38, 676
Cinchonamine	"	184	"	B., 16, 62	44, 602

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Cinchonamine	$C_{19}H_{24}ON_2$	184-185	Hesse	A., 225, 211	46, 64
"	"	194-195	Arnaud	C. R., 93, 593	42, 229; 46,
Hydrocinchonidine	"	225	Forst & Böhringer	B., 14, 1270	40, 1830
"	"	229	"	B., 15, 520	
" (cinchamidine)	cf. B., 14, 1683, 1893	"	229-230 <i>u. c.</i>	Hesse	A., 214, 1	44, 98
" (amorphous)	"	b. 100	"	"	"
Hydrocinchonine	J. p. [2], 8, 294	"	256 <i>u. c.</i>	"	B., 15, 855	
"	=cinchotin (?)	"	257-258	Skraup	B., 11, 314	34, 434
"	"	268	Caventou & Willm	Z. C. [2], 5, 547	vi., 464
Cinchotin	cf. B., 14, 436, 1266; 15, 519	"	268	"	As., 7, 378	
"	cf. B., 11, 311, 1517	"	277.3 <i>c.</i>	Skraup	A., 197, 352	36, 948
Quinamidine	$C_{19}H_{24}O_2N_2$	93 <i>u. c.</i>	Hesse	A., 207, 293, 299	40, 925
Quinamicine	"	109 <i>u. c.</i>	"	A., 207, 303	"
Conquinamine (quinidamine)	"	121	"	A., 209, 62	40, 1156
"	"	B., 14, 2248	123	Ondemanns	A., 209, 38	40, 1155
"	"	A., 207, 289	123	Hesse	B., 10, 2158	34, 436
Geisopermine	"	+H ₂ O	160 d.	"	A., 202, 143	
Quinamine	A., 166, 266; 182, 163; 197, 48; 199, 333; 207, 288; 209, 42	"	J. [1874], 874	172	"	B., 5, 266; 10, 2158	25, 721; 34, 436; vii., 346
Cinchonamine nitrate	$C_{19}H_{24}ON_2 + HNO_3$	$C_{19}H_{25}O_4N_3$	195	"	A., 225, 211	48, 65
Ethyl benzamsebate	$CO_2H.C_6H_4.NH.CO.C_6H_{16}.CO_2Et=1.3$	$C_{19}H_{27}O_5N$	146	Pellizzari	B., 18, 216	48, 534
Tetranitroxaleïn	see orig. paper	$C_{20}H_8O_{14}N_4$	d.w.m. 200	Claus	B., 14, 2569	42, 399
Dinitro-β-naphthylene oxide	$C_{20}H_{10}O_5N_2$	A., 209, 140	221	Knecht & Unzeitig	B., 13, 1726	40, 281
" -α- "	"	A., 209, 137	270	"	B., 13, 1725	"
Tetranitroisodinaphthyl	$C_{20}H_{10}O_8N_4$	150 d.	Staub and Smith	47, 106
Tetranitro-β-dinaphthylamine	$C_{20}H_{11}O_8N_5$	285-286	Ris and Weber	B., 17, 198	46, 752
Trinitrodibenzoresorcinol	$NO_2.C_6H_3(O.C_6H_4.NO_2)_2 = 4.3.1; (1.3)_2$	$C_{20}H_{11}O_{10}N_3$	123	Schiaparelli and Abelli	G. I., 13, 257; B., 16, 873	46, 174
Dinitrazoxynaphthalene (?)	$C_{20}H_{12}O_6N_4$	199	Liebermann	A., 183, 225	31, 600
β-dinitroisophthalophenone	$C_6H_2Bz_2(NO_2)_2 = 1.3.(?)_2$	$C_{20}H_{12}O_6N_2$	B., 13, 322	100	Ador	B. S. [2], 33, 56	36, 470
α- " "	" "	"	"	260	"	"	"
Dibenzoyldinitrophenol	$C_{20}H_{12}O_7N_2$	201	Goldstein	B. S. [2], 25, 394	30, 298
Acridylbenzoic acid	$C_6H_4.N.C_6H_4.C_6H_4.CO_2H$	$C_{20}H_{13}O_2N$	d. a. 300	Berthsen & Traube	B., 17, 1511	46, 1183
Dinitro-β-dinaphthylamine	$C_{20}H_{13}O_4N_3$	224-225	Ris and Weber	B., 17, 197	46, 752
Nitrodibenzoresorcinol	$C_6H_3(OBz)_2.NO_2 = 1.3.4$	$C_{20}H_{13}O_6N$	B., 16, 872	107	Schiaparelli and Abelli	G. I., 13, 257	46, 174
Phenanthrene picrate	$C_{14}H_{10} + C_6H_2.OH.(NO_2)_3$	$C_{20}H_{13}O_7N_3$	141	Japp and Wilcock	37, 664, 670
"	"	"	143	"	37, 664
"	"	"	143	Japp	37, 410
"	"	"	143	Fittig & Ostermeyer	A., 166, 361	26, 892
"	"	"	143	Limpricht	B., 6, 533	26, 897
"	"	"	143	Hayduck	G. J. C., 1873	vii., 85
"	"	"	144	Græbe	B., 5, 862	26, 176.
"	"	"	144	Goldschmidt and Schidt	W. A., 83, 7	40, 824
"	"	"	145	Græbe	A., 167, 131	26, 894
Anthracene picrate	"	138 (?)	"	G. J. C., 1869	
"	"	170	Fritzsche	A., 109, 249	iv., 351
Phthalidanilide	$C_6H_4.CO.NPh.C : NPh = 1.2$	$C_{20}H_{14}ON_2$	152-153	Gerichten.	B., 13, 420	38, 474
o-benzoylbenzoic phenylhydrazide	see orig. paper	"	180-182	Roser	B., 18, 805	48, 797
Nitroso-α-dinaphthylamine	$(C_{10}H_7)_2N.NO$	"	260	Calm	B., 15, 615	42, 972
"	"	"	260-262 d.	Landshoff	B., 11, 641	34, 587
Phenanthraquinone hydrazine	"	165	Zincké	B., 16, 1564	44, 1135
Diphenylamine phthaleïn	$(Ph_2N)_2C.C_6H_4.COO = 1.2$	$C_{20}H_{14}O_4N_2$	238-238.5	Piutti	G. J., 13, 542	46, 451

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Kynuremic acid	Z. P. C., 5, 68	$C_{20}H_{14}O_6N_2$	A., 164, 155	265 d.	Schmidberg and Schultzien	[2], 10, 1028	vii., 716
Trinitroaniline anthracene ...	$C_{14}H_{10} + C_6H_2.NH_2.(NO_2)_3$	$C_{20}H_{14}O_6N_4$...	165-170	Liebermann & Palm	B., 8, 378	
Triphenylguanidine carbamide	Ph.N : C : (NPh) ₂ : CO	$C_{20}H_{15}ON_3$...	134	Michler and Keller	B., 14, 2181	42, 182
"	"	"	+H ₂ O	141	"	"	"
Benzoylbenzyltriamidobenzene	$NHBz.C_6H_5.NH.CPh : N$ =1.3.2 or 4	"	+H ₂ O	125-214	Ruhemann	B., 14, 2653	42, 391
Dibenzanilide....	$C_{20}H_{15}O_2N$	136	Higgin	B., 12, 678	41, 133
"	"	J. [1856], 501	137	Gerhardt	A., 87, 302	29, 272
"	"	155	Losanitch	B., 6, 176	26, 758
"	"	160	Higgin	41, 133
"	"	161	Steiner	A., 178, 235	29, 272
Benzamidobenzophenone	Ph.CO.C ₆ H ₄ .NHBz	"	150	Higgin	41, 131
"	"	"	A., 210, 271	152	Döbner and Weiss	B., 14, 1438	42, 176
"	"	"	170	Higgin	41, 134
Benzamidobenzoxybenzene....	$C_6H_4.OBz.NHBz=1.2$	$C_{20}H_{15}O_3N$	B., 15, 370	176	Hübner	A., 210, 387	42, 506
"	"	"	182	Kalekhoff	B., 16, 1828	44, 1110
"	" =1.4	"	231	Ladenburg	B., 9, 1529	31, 305
Diphenylphthamic acid	$NPh_2.CO.C_6H_4.CO_2H$	"	147-148	Pintti	G. I., 13, 542	46, 451
"	"	260	Burkhardt	A., 202, 121	38, 657
Diacetyl oxyquinonimide ...	$C_{16}H_9(OAc).O.NAc$	$C_{20}H_{15}O_4N$	200-201	Breuer and Zincké	B., 11, 1998	36, 328
Dibenzdiamidnitrobenzene	$(NHBz)_2.NO_2=1.3.2$ or 4	$C_{20}H_{15}O_4N_3$	222	Ruhemann	B., 14, 2653	42, 391
Dibenzdiamidnitrophenol	$OH.(NHBz)_2.NO_2=1.2.4.?$	$C_{20}H_{16}O_5N_3$	167-170	Post	A., 205, 70	
"	" =1.2.6.?	"	201-202	"	A., 205, 84	
Acetoxydiacetamideanthraquinone	$C_{14}H_6(OAc)(NAC_2) : O_2$	$C_{20}H_{15}O_6N$	257	Bourcart	B., 12, 1419	38, 263
Dibenzoylphenylhydrazine ...	$C_6H_5.N_2HBz_2$	$C_{20}H_{16}O_2N_2$	177-178	Fischer	A., 190, 128	34, 309
"	"	"	187-188 n.c.	"	B., 8, 591	28, 1035
Dibenzdiamidobenzene	$C_6H_4(NHBz)_2=1.3$	"	240	Ruhemann	B., 14, 2652	42, 391
α -Diamidodiphenylphthalide	$C_6H_4.CO.O.C(C_6H_4.NH_2)_2$	"	179-180	Baeyer	A., 202, 66	38, 652
β -	"	"	205	"	A., 202, 67	
Diacetdiamidodiphenyldiacetylene	$(C : C.C_6H_4.NHAc)_2=(1.2)_2$	"	231	Baeyer & Landberg	B., 15, 61	42, 623
Diimidophenolphthalein	$C_6H_4[C(:NH).C_6H_4.OH]_2$	"	A., 202, 112	265-266	Baeyer & Burkhardt	B., 11, 1298	34, 866
Phenylazobenzoxytoluene	Ph.N ₂ .C ₆ H ₃ Me.OBz=?1.2	"	110-111	Nölting and Kohn	B., 17, 354	46, 902
"	" =?1.4	"	113	"	B., 17, 364	46, 901
β -Diamidisophthalophenone	$(NH_2)_2.Bz_2=(?)_2.1.3$	"	p.d. 70	abt. 100	Ador	B. S. [2], 33, 56 ; B., 13, 322	38, 471
Acetoxybenzenebidiazobenzene	$(Ph.N_2)_2C_6H_3.OAc=1.3.4$	$C_{20}H_{16}O_2N_4$	116	Nölting and Kohn	B., 17, 369	46, 902
α -Dibenzdiamidophenol	$OH.(NHBz)_2=?$	$C_{20}H_{16}O_3N_2$	187-188	Stuckenbergl	A., 205, 68	
β -	" =1.2.6	"	B., 10, 386	209-213	"	A., 205, 82	32, 475
Resorcinol phenyl carbamate	$C_6H_4(O.CO.NHPh)_2=1.3$	$C_{20}H_{16}O_4N_2$	164	Snapé	47, 772
Catechol " "	" =1.2	"	165	"	"
Quinol " "	" =1.4	"	darkens 200	205-207	"	47, 773
Dinitrodibenzylbenzene	$C_6H_4(CH_2.C_6H_4.NO_2)_2$ =1.? (1.4) ₂ =1.? (1.3) ₂	"	146	Basler	B., 16, 2716	46, 310
"	"	"	165	Becker	B., 15, 2092	44, 203
Carbonyltriphenylguanidine nitrate	$NPh.CO.NPh.C : NPh$ +HNO ₃	$C_{20}H_{16}O_4N_4$	185	Stojentin	J. p., 32, 1	48, 1196
Ethylcarbazole picrate	$(C_6H_4)_2NEt + C_6H_2.OH.$ (NO ₂) ₃	$C_{20}H_{16}O_7N_4$	97	Græbe and Adlerskron	A., 202, 23	36, 660
Benzyl diphenylacetoxime	$CPh_2 : N.O.CH_2Ph$	$C_{20}H_{17}ON$	55-56	Spiegler	M. C., 5, 203	46, 1156
Benzoylbenzylanilide	Ph.NBz.CH ₂ Ph	"	104	Fleischer	A., 138, 229	
Methylphenylacridium hydroxide	$C_6H_4.CPh.C_6H_4.NMe.OH$	"	108	Bernthsen and Bender	B., 16, 1813	44, 1133
"	PhN : C(NHPh).CO.NHPh	$C_{20}H_{17}ON_3$	234-235	Klinger	A., 184, 281	31, 711
β -Triphenylbiuret	$C_{20}H_{17}O_2N_3$	105	Schiff	B., 3, 651	vii., 253
α -	"	147	Hofmann	B., 4, 250	24, 395 ; vii., 19

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Berberine	$C_{20}H_{17}O_4N$	120	i., 579
?-Nitrodibenzylcatechol	$(O.CH_2Ph)_2.NO_2=1.2.?$.. (1)	98	Pellizzari	G. I., 13, 501	46, 437
Nitrobenzeneazoxyleneazoresorcinol	$NO_2.C_6H_4.N_2.C_6H_2.Me_2.N_2.$ $C_6H_3(OH)_2 = 1.4 ; ?1.3.?$ 4.3.1	$C_{20}H_{17}O_4N_5$	231	Meldola	43, 436
Berberine hydroxide	$C_{20}H_{17}O_5N$	165	Schmidt	B., 16, 2589	46, 340
Diphenyltolylcarbamide ...	$NPh_2.CO.NH.C_6H_4.Me=1.4$	$C_{20}H_{15}ON_2$	130 u.c.	Michler	B., 9, 713	
Anilidomethoxytoluquinone anilide	$C_6H.Me(O.Me)(NHPh).O.N$ Ph	$C_{20}H_{18}O_2N_2$	131	Zincke	B., 16, 1561	44, 1118
Anilidoethoxyquinoneanilide	$C_6H_2(OEt)(NHPh).O.NPh$	134	..	B., 18, 788	48, 787
Diphenylphenylenedicarbamide	$C_6H_4(NH.CO.NHPh)_2=1.3$	$C_{20}H_{18}O_2N_4$	very high	Kühn	B., 18, 1478	48, 979
α -Resorcinolbidiazotoluene	$(HO)_2.C_6H_2(N_2.C_6H_4.Me)_2$ $=1.3.(?)_2 ; (1.2)_2$	194-195	Wallach and Fischer	B., 15, 2825	
β -	?	
β - $=1.3.(?)_2 ; (1.4)_2$	202-203	
α -	255-256	
Di-(amido-p-methoxybenzene) quinone	$O_2.C_6H_2(C_6H_3.NH_2.OMe)_2$	$C_{20}H_{18}O_4N_2$	230	Zincke and Hebebrand	A., 226, 60	48, 258
Isopropyl- β -naphthaquinone-p-toluide	$C_{20}H_{19}O_2N$	137-139	Zincke and Brauns	B., 15, 1970	44, 209
Ethylapocinchonic acid	$C_{20}H_{19}O_3N$	161-162	Comstock & Königs	B., 18, 2384	48, 1249
..	+H ₂ O	124-126
Macleyine	$C_{20}H_{19}O_6N$	200.5-201	Eykmann	P. J. T. [3], 13, 87	42, 1112
..	205	..	C. C. [1884], 727	48, 404
Protopine	202	Hesse	As., 8, 318, B., 4, 696; Z. C., 7, 653	24, 1065 ; vii., 1025
Isobutyl-naphthalene picrate	$C_{10}H_7.Bu^{\beta} + C_6H_2.OH.(NO_2)_3$	$C_{20}H_{19}O_7N_3$	96	Wegscheider	M. C., 5, 236	46, 1185
Triphenylethylcarbamide	$NPh_2.CO.NPhEt$	$C_{20}H_{20}ON_2$	needles	Michler	B., 9, 712	30, 290
Fr. quinolinemethochloride....	a. 360	72-75	Ostermeyer	B., 18, 594	
? ..	$C_9NH_7.Me)_2O$	112	..	C. C. [1884], 970	48, 672
Base from rosaniline	$C_{20}H_{20}O_2N_2$	176	Liebermann	B., 5, 144	vii., 1061
Diacetyl-p-tolylamido-p-methyloxindole	cf. B., 18, 195	$C_{20}H_{20}O_3N_2$	147	Duisberg	B., 18, 193	48, 544
Aniline phthalate	$C_6H_4(CO_2H.NH_2Ph)_2=1.2$	$C_{20}H_{20}O_4N_2$	B., 12, 1067	145-146	Beamer and Clarke	A. C. J., 1, 245	36, 786
Dinitro- α -dipropylcarbobenzoic acid	$C_{20}H_{20}O_6N_2$	176	Zagoumeny	A., 184, 171	32, 195.
?	$C_{20}H_{20}O_6N_4$	d. 240	97	Tönnies	B., 13, 1846	
Oxycannabine	$C_{20}H_{20}O_7N_2$	J., 1871, 786	175-176	Z. C. [1870], 87	
Tetracetamidodihydroxyphenylquinone	$[.C_6H_4(OH)(NHAc)_2.O.]_2$ $= (1.2.4.6)_2$	$C_{20}H_{20}O_8N_4$	268	Bamberger	B., 16, 2402	46, 309
? ..	$= 2C_{10}H_{10}O_6N$	$C_{20}H_{20}O_{12}N_2$..	252	Prinz	J. p. [2], 24, 361	
Ethylapocinchene	$C_{18}H_{16}.OEt$	$C_{20}H_{21}ON$..	70-71	Comstock & Königs	B., 18, 2382	48, 1249
Galipeine	$C_{20}H_{21}O_3N$..	115.5	Körner & Böhringer	G. I., 13, 363	46, 341
Chinine	$C_{20}H_{22}ON_2$	+2H ₂ O	81-82	Comstock & Königs	B., 17, 1989	46, 1383
Allylphthalopseudocumidamide	$C_6H_2.Me_2.NH.CO.C_6H_4.CO.$ NH.C ₃ H ₅	$C_{20}H_{22}O_2N_2$	179 d.	Fröhlich	B., 17, 1808	46, 1319
Benzil on propionitril	$C_{20}H_{23}O_3N_2$	197	Japp and Tresidder	B., 16, 2652	46, 314
Azocemic acid	$N_2(C_6H_3.Pr.CO_2H)_2$	$C_{20}H_{22}O_4N_2$	262	Alexejeff	J. R. [1882], 198	42, 971
..	280 d.	..	B. S., 42, 321	48, 390
Diethyl azophenoxyacetate	$N_2(C_6H_4.O.CH_2.CO_2Et)_2$ $= (1.2)_2$	$C_{20}H_{22}O_6N_2$	110-111	Thate	J. p. [2], 29, 145	46, 1171
Diethyl azoxyphenoxyacetate	$ON_2(C_6H_4.O.CH_2.CO_2Et)_2$ $= (1.2)_2$	$C_{20}H_{22}O_7N_2$	113-114	46, 1170
?-glucoside	$NH_2.CO_2.C_6H_4.N : CH.C_6H_4.$ $O.C_6H_{11}O_6=1.3 ; 1.2$..	+2H ₂ O	113	Schiff	A., 218, 185	46, 455
Acetylcodeine	$C_{18}H_{20}AcO_3N$	$C_{20}H_{23}O_4N$	cf. 27, 1031	133	Hesse	A., 222, 203	46, 614
Toluquinol + o-nitraniline	$C_6H_3.Me(OH)_2 + C_6H_4.NO_2.$ NI ₂	$C_{20}H_{23}O_4N_3$	37	Hebebrand	A., 15, 1976	44, 61
Helicin m-amidobenzoic acid	$COH.(CH.OH)_4.CH_2.O.C_6H_4.$ CH(OH).NHC ₆ H ₄ .CO ₂ H	$C_{20}H_{23}O_9N$	142	Schiff	B., 12, 2033	38, 126

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
?	$C_{20}H_{24}ON_2$	205	Claus and Dannenbaum	B., 13, 2187	40, 183
Methylcinchonine	A., 90, 219; J.p. (2), 3, 151	"	74	Claus and Müller	B., 13, 2292	
Methylcinchonidine	A., 90, 221	"	+H ₂ O	75-76 u.c.	Claus and Dannenbaum	B., 13, 2192	40, 184
Suberanilide	$C_6H_{12}(CO.NHPh)_2$	$C_{20}H_{24}O_2N_2$	183	Laurent & Gerhardt	A. C. [3], 24, 185	v., 449
Tolquinol + aniline	$C_6H_3Me(OH)_2 + (Ph.NH_2)_2$	"	82-85	Heberand	B., 15, 1974	44, 61
Quinol + toluidine	$C_6H_4(OH)_2 + (C_6H_4Me.NH_2)_2$ = (1.4) ₂	"	95-98	"	"	"
Diacetdiamidodiethyl-diphenyl	$(C_6H_5Et.NHAc)_2 = (?1.2)_2$	"	307	Schultz	B., 17, 474	46, 904
Quinine	A., 166, 277; 178, 244	"	J. [1853], 473	60	Richter	R. K. T., 413	24, 61; 25, 101
Homoquinine (?)	" (?)	+2 to 2½H ₂ O	nf. 100	Hesse	A., 225, 95	46, 1384
Quinidine	"	160	v., 14
Conquinine (cf. B., 10, 3010)	A., 129, 15; 146, 362; 207, 309	"	+2½H ₂ O	168
Quinine	A., 207, 309; M. C., 2, 612	"	176.8	Hesse	A., 135, 328	vi., 983
"	"	177	"	B., 10, 2153	34, 434
"	"	+3H ₂ O	57	"	"	"
Hydrazocumic acid	$(.NH.C_6H_3Pr.CO_2H)_2$	$C_{20}H_{24}O_4N_2$?	Alexeeff	B. S., 42, 321	48, 390
Tetramethoxydiacetamidodiphenyl	$[C_6H_2(OMe)_3.NHAc]_2$ = (1.4) ₂	$C_{20}H_{24}O_6N_2$	251	Baessler	B., 17, 2128	46, 1331
Phenylhydrazine glucovanillin	$C_6H_3(CH:N_2HPh).OMe.$ ($O.C_6H_{11}O_5$)=1.3.4	$C_{20}H_{24}O_7N_2$	195	Tiemann and Kees	B., 18, 1661	48, 1072
Codamine	$C_{20}H_{23}O_4N$	121	Hesse	A., 153, 56	24, 1064
"	"	126	"	B., 4, 694; As., 8, 280; Z. C. [2], 7, 641	25, 723; vii., 369, 723
Laudanine	"	165	"	A., 153, 53	vi., 774
"	"	A., 176, 201	166	"	B., 4, 694; As., 8, 272	24, 1064
Methylcinchonamine	$C_{20}H_{26}ON_2$	139	"	A., 225, 211	48, 66
Cinchamidine	=Hydrocinchonidine (?).	"	A., 214, 1	229	Forst & Böhringer	B., 15, 520	
"	"	230 u.c.	Hesse	B., 14, 1684, 1893	40, 1046
Hydroquinidine (Hydroconquinine)	$C_{20}H_{26}O_2N_2$	B., 15, 1656	166-167	Forst & Böhringer	B., 14, 1955	
"	"	168 u.c.	Hesse	B., 15, 855	42, 1113
Hydroquinine	"	168 u.c.	"	B., 15, 856	"
"	"	+H ₂ O	100	Schutzenberger	A., 108, 347	v., 25
Azodiethoxybenzene	$N_2[C_6H_5(OEt)_2]_2 = (?4.1)_2$	$C_{20}H_{26}O_4H_2$	128	Nietzki	B., 12, 39; As., 215, 149	36, 464
Sabadilline	$C_{20}H_{26}O_5N_2$	200	Conerbe	A. C. [2], 52, 352	v., 142
Cystine	$C_{20}H_{27}ON_3$	J. [1880], 370	154.5 c.	Husemann & Marme	Z. C. [2], 1, 161; 5, 677	vi., 540
α-phenylhydrazidoisobutyrimide	$(PhN_2H_2.CMe_2.CO)_2NH$	$C_{20}H_{27}O_2N_5$	117	Reissert	B., 17, 1461	46, 1153
Echitenine	$C_{20}H_{27}O_4N$	a. 120	Hesse	A., 203, 164	40, 448
Codethyline methhydroxide	$C_{19}H_{23}O_3N + Me.OH$	"	C. R., 93, 591	132	Grimaux	A. C. [5], 27, 273	44, 359
Amygdaline	$C_{20}H_{27}O_{11}N$	+3H ₂ O	125-130	Richter	R. K. T., 414	
"	"	200	"	"	
Tetretioxydiamidodiphenyl	$[C_6H_2(OEt)_2.NH_2]_2 = (?1.4)_2$	$C_{20}H_{28}O_4N_2$	A., 215, 148	129	Nietzki	B., 12, 40	36, 464
Oxethenetoluidine oxalate	$C_6H_4Me.NH.C_2H_4.OH$ +H ₂ C ₂ O ₄	$C_{20}H_{28}O_6N_2$	121-122	Demole	B., 7, 637	27, 903
Hydrosabadilline	"	165	Conerbe	A. C. [2], 52, 352	v., 142
Ethylene hydrocyanconine	$C_2H_4[N(OH).C_3H_3N]_2$	$C_{20}H_{30}O_2N_4$	153.5	Meyer	J. p. [2], 26, 351	44, 353
Dicamphorilimide	$C_{20}H_{31}O_2N$	160	Schiff	B., 13, 1405	38, 892
Myristanilide	$C_{13}H_{27}.CO.NHPh$	$C_{20}H_{33}ON$	A., 202, 174	84	Masino	G. I., 10, 72	38, 460
Achilleine	$C_{20}H_{33}O_{15}N_2$	100	Reichnan	A., 58, 27; 155, 153	vii., 21
Nitroarachidic acid	$C_{19}H_{38}(NO_2).CO_2H$	$C_{20}H_{39}O_4N$	B., 11, 2031	70	Tassinari	G. I., 8, 305	36, 307
Nonyldecoylcarbamide	$C_9H_{19}.NH.CO.NH.C_{10}H_{19}O$	$C_{20}H_{40}O_2N_2$	101	Hofmann	B., 15, 761	42, 1053
Arachamide	$C_{19}H_{39}.CO.NH_2$	$C_{20}H_{41}ON$	98-99	Gossamann	A., 97, 262	i., 353
Amidoarachidic acid	$C_{19}H_{38}(NH_2).CO_2H$	$C_{20}H_{41}O_2N$	B., 11, 2031	59	Tassinari	G. I., 8, 305	36, 307

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Alkaloid from lupin seed ...	$C_{20}H_{40}O_4N_2(?)$	$C_{20}H_{41}O_3N_2(?)$	261	Siewert	Lw., 14, 161	25, 519; vii., 758
Tetranitro-β-dinaphthylmethane	$CH_2[C_{10}H_5(NO_2)_2]_2$	$C_{21}H_{12}O_8N_4$	150-160	Richter	B., 13, 1728	40, 282
" " "	"	"	d.w.m. 260-270	Grabowski	B., 7, 1608	
Benzenylamidophenanthrol....	$C_6H_4.C_6H_4.C:C.O.CPh:N$	$C_{21}H_{13}ON$	202	Japp and Wilcock	37, 667; 39, 226
Benzoylphthalylanilide ...	$C_6H_4:(CO)_2:N.C_6H_4Bz$ =1.2; 1.?	$C_{21}H_{13}O_3N$	A., 210, 267	183	Döbner	B., 13, 1013	38, 804
Dinitrobenzilam	$C_{21}H_{13}O_3N_3$	275-280	Henius	A., 228, 339	48, 1067
Amylnaphthalene picrate ...	$C_{15}H_{10}+C_6H_2.OH.(NO_2)_3$	$C_{21}H_{13}O_7N_3$	140-141	Paterno	G. I., 22, 337	44, 212
Fluoranthene picrate ...	"	"	110 (?)	Goldschmidt and Schidt	W. A., 83, 7	40, 824
" " ...	"	"	A., 193, 146	182-183	Fittig and Gebhard	B., 10, 2142	34, 432
" " ...	"	"	184	Goldschmidt	B., 10, 2029	34, 155
Anhydro-o-hydroxybenzoyl-diamidophenanthrene	$C_6H_4.C_6H_4.C:C.N:C(C_6H_4.OH).NH$	$C_{21}H_{14}ON_2$	270-276 d.	Japp & Streatfield	41, 146
" p- "	"	"	black 300	a. 350 d	"	41, 151
Nitrobenzilam	$C_{21}H_{14}O_3N_2$	178-182	Henius	A., 228, 339	48, 1067
Phthalamidobenzanilide ...	$NHPh.CO.C_6H_4.N:(CO)_2:C_6H_4=1.?$; 1.2	"	207-209	Piutti	B., 16, 1322	44, 999
Dinitrophthalacene	$C_{21}H_{14}O_4N_2$	d.a. 270-280	Gabriel	B., 17, 1398	46, 1190
Dinitrolophine	$C_{21}H_{14}O_4N_4$	100	Ekman	A., 112, 161	
β-naphthoic α-naphthalide ...	$C_{10}H_7.CO.NH.C_{10}H_7$	$C_{21}H_{15}ON$	157	Vieth	A., 180, 325	30, 87
α- " α- "	"	"	244 c.	Hofmann	A., 142, 121; B., 1, 42	vi., 851
Oximidophthalacene....	$C_{21}H_{14}:NOH$	"	265-266	Gabriel	B., 17, 1398	46, 1190
Phenylacetoxyacridine ...	$CPh.C_6H_4.N.C_6H_5.OAc$	$C_{21}H_{15}O_2N$	173-174	Hess & Bernthsen	B., 18, 697	48, 801
Benzamidobenzylazoximebenzenyl	$N:CPh.O.N:C.C_6H_4.NHBz$ =1.3	$C_{21}H_{15}O_2N_3$	213	Schöff	B., 18, 2474	48, 1217
Triphenylic cyanurate ...	$C_3N_3O_3Ph_3$	$C_{21}H_{15}O_3N_3$	214-216; 222c.	Schiff	vii., 253, 407
" " ...	"	"	224	Hofmann and Ols-hausen	B., 3, 275, 765; P. R., 18, 493	24, 136; vii., 407, 410
" isocyanurate ...	"	"	260	Hofmann	B., 3, 765	"
" " ...	"	"	264	"	B., 3, 268	"
" " ...	"	"	270	"	B., 18, 765	48, 774
β-tribenzhydroxylamine	$C_{21}H_{15}O_4N$	100	Steiner	A., 178, 237	29, 271
β- "	"	A., 186, 104	100	Lossen	A., 175, 282	28, 635
γ- "	"	A., 186, 33, 107	112	Steiner	A., 178, 240	29, 272
α- "	"	141	Lossen	A., 162, 360	25, 416; vii., 155
α- "	"	141-142	"	A., 175, 282	28, 635
α- "	"	142	Steiner	A., 178, 225	29, 271
α- "	"	A., 186, 106	143-145	Heintz	Z. C. (2), 5, 733	vi., 725
Nitrobenzoibenzoate	$C_{21}H_{15}O_6N$	137	Zinin	A., 104, 119	i., 560
Alizarin blue diacetate ...	$C_6H_4:(CO)_2:C_6H(OAc)_2.N:CH.CH:CH_2=2.1$; 1.2. 3.4.6	$C_{21}H_{15}O_6N$	224.5	Auerbach	35, 804
Trinitroamarine	$C_{21}H_{15}O_6N_5$	b. 100	Bertagnini	A., 79, 276	i., 162
Methanthrene picrate ...	$C_{15}H_{12}+C_6H_2.OH.(NO_2)_3$	$C_{21}H_{15}O_7N_3$	117	Oudemans	J. p. [2], 9, 419	
Fluoranthene hydride ...	"	"	186	Goldschmidt	M. C., 1, 225	40, 284
α-dinaphthylcarbamide ...	$CO(NH.C_{10}H_7)_2$	$C_{21}H_{16}ON_2$	B., 12, 386	270 d.	Pagliani	G. I., 9, 28	38, 723
" " ...	"	"	a. 300 p.d.	Solid	iv., 22
p-hydroxylophine ...	$NH.CPh:CPh.N:C.C_6H_4.OH$	"	254-255	Japp and Robinson	B., 15, 1269	11, 326
Dibenzylamidobenzoic acid	$(C_7H_6.N)_2C_6H_5.CO_2H$	$C_{21}H_{16}O_2N_2$	253.5-254.5	Ladenburg	B., 11, 595, 1657	34, 572
Dinitrodicinnamylvinyl ketone	$CO(CH:CH.CH:CH.C_6H_4.NO_2)_2=1.2$	$C_{21}H_{16}O_6N_2$	208.5	Diehl and Einhorn	B., 18, 2328	48, 1222

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetylhydrophenylacridine...	$\text{NAc.C}_6\text{H}_4.\text{CHPh.C}_6\text{H}_4$ = (1.2) ₂	$\text{C}_{21}\text{H}_{17}\text{ON}$	128	Berntsen & Bender	B., 16, 1816	44, 1134
Benzoylbenzyltriamidotoluene	$\text{N:CPh.NH.C}_6\text{H}_2\text{Me.NHBz}$ = 1.2, 4.3 or 5	$\text{C}_{21}\text{H}_{17}\text{ON}_3$	195-218	Ruhemann	B., 14, 2657	42, 392
Acetophenonebenzanilide	$\text{Ph.CO.CH}_2\text{.NBzPh}$	$\text{C}_{21}\text{H}_{17}\text{O}_2\text{N}$	145	Möhlau	B., 15, 2471	44, 333
Xanthorocellin	$\text{C}_{21}\text{H}_{17}\text{O}_2\text{N}_2$ (?)	183	Stenhouse & Groves	A., 185, 17	31, 719
Ketone	$\text{Ph.(CH:CH)}_2\text{.CO.(CH:CH)}_2$ $\text{C}_6\text{H}_4\text{.NO}_2=1.2$	$\text{C}_{21}\text{H}_{17}\text{O}_3\text{N}$	136.5	Diehl and Einhorn	B., 18, 2329	48, 1222
Hydrocyanrosolic acid	$\text{HO.C}_6\text{H}_3(\text{CH}_2\text{.C}_6\text{H}_4\text{.O})_2$ + HCN	"	d.w.m. 200	Græbe and Caro	A., 179, 199	29, 590
Dibenzdiamidenitrotoluene...	$\text{Me.(NHBz)}_2\text{.NO}_2=1.2, 4.3$ or 5	$\text{C}_{21}\text{H}_{17}\text{O}_4\text{N}_3$	245	Ruhemann	B., 14, 2656	42, 392
Dinitramarine nitrate	$\text{C}_{21}\text{H}_{16}\text{N}_2(\text{NO}_2)_2 + \text{HNO}_2$	$\text{C}_{21}\text{H}_{17}\text{O}_7\text{N}_5$	170 u.c.	Claus and Witt	B., 18, 1672	48, 1063
Methyl dibenzoylphenylhydrazine	Ph.NBz.NBz.Me	$\text{C}_{21}\text{H}_{18}\text{O}_2\text{N}_2$	145	Tafel	B., 18, 1740	48, 1061
Dibenzoyltolylhydrazine	$\text{C}_6\text{H}_4\text{Me.N}_2\text{HBz}_2$	"	188	Fischer	B., 8, 592	28, 1035
Benzylidene dibenzimide	"	197	Roth	A., 154, 76	vii., 184
Dibenzdiamidotoluene	$\text{Me.(NHBz)}_2=1.2, 4$	"	224	Ruhemann	B., 14, 2656	42, 392
"	" = 1.3, 4	"	260-261	Hübner	A., 208, 315	
Tolylazobenzoyleresol	$\text{C}_6\text{H}_4\text{Me.N}_2\text{.C}_6\text{H}_3\text{Me.OBz}$ = 1.4; ? 1.4	"	95	Nölting and Kohn	B., 17, 354	48, 901
α -orcendialdehydedianilide	$\text{Me.(OH)}_2\text{.(CH:NPh)}_2=?$	"	281	Tiemann and Helkenberg	B., 12, 1004	
Phenylbidiazoacetyl-o-cresol	$(\text{Ph.N}_2)_2\text{C}_6\text{H}_2\text{Me.OAc}$	$\text{C}_{21}\text{H}_{15}\text{O}_2\text{N}_4$	120-121	Nölting and Kohn	B., 17, 364	46, 902
" " " " " " " " " "	" " " " " " " " " "	"	156-157	"	B., 17, 368	"
Benzoylnitro-p-ditolylamine	$\text{NBz(C}_6\text{H}_4\text{Me)(C}_6\text{H}_3\text{Me.NO}_2)$	$\text{C}_{21}\text{H}_{15}\text{O}_3\text{N}_2$	167	Lellmann	B., 15, 831	42, 1060
Hydrosalicylamide	"	J. [1857], 317	300	Ettling	A., 35, 261	iii., 218
Nitramarine nitrate	$\text{C}_{21}\text{H}_{17}\text{N}_2(\text{NO}_2)_2 + \text{HNO}_3$	$\text{C}_{21}\text{H}_{18}\text{O}_5\text{N}_4$	sf. 130	d.w.m. 134	Claus and Witt	B., 18, 1677	48, 1063
Trinitrotribenzylamine	$\text{N(CH}_2\text{.C}_6\text{H}_4\text{.NO}_2)_3=1.4)_3$	$\text{C}_{21}\text{H}_{15}\text{O}_6\text{N}_4$	163	Strakosch	B., 6, 1058	27, 79
Diethyl dinitrobenzoylmalonate	$(\text{NO}_2\text{.C}_6\text{H}_4\text{.CO})_2\text{C(CO}_2\text{Et)}_2$ = (1.2) ₂	$\text{C}_{21}\text{H}_{18}\text{O}_{10}\text{N}_2$	cf. 44, 912	93	Bischoff and Rach	B., 17, 2789	48, 264
Acetotriphenylmethylamine	$\text{CPh}_3\text{.NHAc}$	$\text{C}_{21}\text{H}_{19}\text{ON}$	207-208	Hemilian and Silberstein	B., 17, 744	46, 1032
Benzoylditoluide	"	125	Gerber	B., 6, 446	
Benzamidoazotoluene	$\text{C}_6\text{H}_4\text{Me.N}_2\text{.C}_6\text{H}_3\text{Me.NHBz}$ = 1.3; 1.3.6	$\text{C}_{21}\text{H}_{19}\text{ON}_3$	135	Nölting and Witt	B., 17, 80	46, 742
Anilidomalonylanilide	$\text{NH}_2\text{.C}_6\text{H}_4\text{.CH(CO.NHPh)}_2$	$\text{C}_{21}\text{H}_{19}\text{O}_2\text{N}_3$	162	Conrad and Bischoff	A., 209, 231	42, 39
Amarine nitrate	$\text{C}_{21}\text{H}_{13}\text{N}_2 + \text{HNO}_3$	$\text{C}_{21}\text{H}_{19}\text{O}_5\text{N}_3$	165 u.c.	Claus and Witt	B., 18, 1671	48, 1063
Ethyltriphenylcarbamide	$\text{NPh}_3\text{.CO.NEtPh}$	$\text{C}_{21}\text{H}_{20}\text{ON}_2$	B., 9, 712	80	Kaufmann	B., 14, 2185	
Benzoylditolylhydrazine	$\text{N}_2\text{HBz(C}_6\text{H}_4\text{Me)}_2=1.4)_2$	"	186.5	Lehne	B., 13, 1547	40, 41
Anilidoethoxytoluquinouanilide	$\text{C}_6\text{HMe(OEt)(NHPh).O.NPh}$	$\text{C}_{21}\text{H}_{20}\text{O}_2\text{N}_2$	115-116	Zincké	B., 16, 1561	44, 1118
Diphenyltolylenedicarbamide	$\text{C}_6\text{H}_3\text{Me(NH.CO.NHPh)}_2$	$\text{C}_{21}\text{H}_{20}\text{O}_2\text{N}_4$	a. 300	Kühn	B., 18, 1478	48, 979
Alstonine (Chlorogenine)	$\text{C}_{21}\text{H}_{20}\text{O}_4\text{N}_2$	As., 4, 45	195 u.c.	Hesse	A., 205, 363	40, 624
" " " " " " " " " "	"	+ 3 $\frac{1}{2}$ H ₂ O	b. 100	"	"	"
Nitropapaverine (As., 8, 292)	$\text{C}_{21}\text{H}_{20}(\text{NO}_2)_2\text{O}_4$	$\text{C}_{21}\text{H}_{20}\text{O}_6\text{N}_2$	+ H ₂ O	163	"	B., 4, 695	24, 1065
Diethyl furfurine dicarboxylate	$\text{C}_{15}\text{H}_{10}\text{O}_3\text{N}_2(\text{CO}_2\text{Et})_2$	$\text{C}_{21}\text{H}_{20}\text{O}_7\text{N}_2$	124	Bahrmann	J. p., 27, 295	44, 800
Aniline lapachate	$\text{C}_{15}\text{H}_{13}\text{O}_3\text{.NH}_2\text{Ph}$	$\text{C}_{21}\text{H}_{21}\text{O}_3\text{N}$	121-122	Paterno	G. I., 12, 337	44, 211
Papaverine	A., 66, 126; 73, 50; 92, 336	$\text{C}_{21}\text{H}_{21}\text{O}_4\text{N}$	130	Blyth	33, 316
" " " " " " " " " "	A., 94, 235; 176, 198; As., 8, 289	"	147	Hesse	A., 153, 75	vi., 896
Nitroenco-base	$\text{NO}_2\text{.C}_6\text{H}_4\text{.CH(C}_6\text{H}_3\text{.NH}_2\text{.OMe)}_2=1.4; ? 1.2$	$\text{C}_{21}\text{H}_{21}\text{O}_4\text{N}_3$	107-108	Fischer	B., 15, 680	42, 833
Rhoëagine	$\text{C}_{21}\text{H}_{21}\text{O}_6\text{N}$	223	Hesse	A., 140, 149; 149, 35	vi., 996
Rhoëadine	"	232 d.	"	A., 140, 145; 149, 35	"
Diacetyl pseudomorphine	$\text{C}_{17}\text{H}_{15}(\text{OAc})_2\text{NO}_3$	$\text{C}_{21}\text{H}_{21}\text{O}_7\text{N}$	276	"	A., 222, 234	46, 617
α -amyl naphthalene picrate	$\text{C}_{10}\text{H}_7\text{.C}_8\text{H}_{11} + \text{C}_6\text{H}_2\text{.OH.}(\text{NO}_2)_3$	$\text{C}_{21}\text{H}_{21}\text{O}_7\text{N}_3$	85-90	Leone	G. I., 12, 209	42, 1210

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Amylnaphthalene picrate...	$C_{10}H_7 \cdot C_5H_{11} + C_6H_2 \cdot OH.$ (NO_2) ₃	$C_{21}H_{21}O_7N_3$	85-90	Roux	B. S., 41, 379	46, 1357
?- " "	"	"	105-110	"	"	"
β - " "	"	"	140-141	"	"	"
β - " "	"	"	140-141	Leone	G. I., 12, 209	42, 1210
Strychnine	$C_{21}H_{23}O_2N_2$	221	Blyth	33, 316
"	"	284	Claus and Glassner	B., 14, 773	40, 748
"	"	284	Hanssen	B., 18, 1917	
"	"	B., 14, 1000	285 u. c.	Beckurts	C. C. [1884], 812	48, 675
Tribenzylamine nitrate	($Ph \cdot CH_2$) ₃ N + HNO_3	$C_{21}H_{22}O_3N_2$	124	Limpricht	A., 144, 304	vi., 337
Nitrocryptopine	$C_{21}H_{22}O_5N(NO_2)$	$C_{21}H_{22}O_7N_2$	185	Hesse	As. 8, 312; Z. C. [2], 7, 641	25, 723; vii., 876
Leucanisidine....	$NH_2 \cdot C_6H_4 \cdot CH(C_6H_5 \cdot NH_2 \cdot OMe)_2 = 1.4$; (?1.2) ₂	$C_{21}H_{23}O_2N_3$	182-183	Fischer	B., 15, 681	42, 833
Meconidine	$C_{21}H_{23}O_1N$	58	Hesse	A., 153, 47	vi., 807
Diacetylmorphine	$C_{21}H_{23}O_5N$	cf. 27, 1038	169	"	A., 222, 203	46, 613
Cryptopine	As., 8, 299; A., 176, 200	"	J. [1867], 523	217 d.	"	B., 4, 696	24, 1065
Glucocoumarphenylhydrazine	$C_6H_4(O \cdot C_6H_4O_3)(CH:CH. C:N_2HPh) = 1.2$	$C_{21}H_{23}O_6N_2$	130-132	Tiemann and Kees	B., 18, 1961	48, 1073
Dimethanilinefurfurol	$C_{21}H_{24}ON_2$	70	Fischer	B., 10, 1626	34, 52
"	"	83	"	A., 206, 142	
Paytine	A., 166, 272; 178, 252; 211, 280	$C_{21}H_{24}O_2N_2$	+ H_2O	156	Hesse	A., 154, 290	vii., 347
"	"	156	Arata	40, 623
"	"	156	Wulfsberg	P. J. T. [3], 11, 269	40, 108
Acetylcinchouidine	"	42 u. c.	Hesse	A., 205, 319	40, 615
Enanthylidene m-nitrobenzamide	$C_6H_{13} \cdot CH(NH \cdot CO \cdot C_6H_4 \cdot NO_2)_2$	$C_{21}H_{24}O_6N_4$	170	Medicus	A., 157, 48	
Dihydroxypropyldicarboxyldiphenylcarbamide	$CO[NH \cdot C_6H_3(C_3H_6 \cdot OH)_2 \cdot CO_2H]_2$	$C_{21}H_{24}O_7N_2$	very high	Widmann	B., 17, 1307	46, 1023
Porphyrine	$C_{21}H_{25}O_2N_3$	As., 4, 42	97 u. c.	Hesse	A., 205, 360	40, 624
Anilidoperezone	$C_3H_{17} \cdot C_6H(OH)(NHPh):O_2$	$C_{21}H_{25}O_3N$	133-137	Anschütz	B., 18, 714	48, 777
"	"	"	138-139	Mylius	B., 18, 941	48, 778
Acetylmethocodeine ...	$C_{19}H_{22}AcO_3N$	$C_{21}H_{25}O_1N$	66	Hesse	A., 222, 203	46, 614
Ethyleinchonine	$C_{19}H_{21}EtON_2$	$C_{21}H_{26}ON_2$	J. p. [2], 3, 152	49-50	Claus & Kemperdick	B., 13, 2287	40, 289
Dimethyleinchonine	$C_{19}H_{20}Me_2ON_2$	"	74	Claus and Müller	B., 13, 2292	"
Ethyleinchonidine	$C_{22}H_{28}ON_2$ (?)	" (?)	90-91	Claus	B., 11, 1821	36, 169
"	"	90	Claus and Dannenbaum	B., 13, 2190	40, 183
Enanthylidene dibenzamide	$C_6H_{13} \cdot CH(NHBz)_2$	$C_{21}H_{26}O_2N_2$	128	Medicus	A., 157, 46	24, 151
Toluquinol + p-toluidine	$C_6H_5Me(OH)_2 + (C_6H_4Me \cdot NH_2)_2$	"	90	Heberand	B., 15, 1974	44, 61
Acetylhydrocinchonidine	$C_{19}H_{23}AcON_2$	"	42	Hesse	A., 214, 12	
Hypoquebrachine	"	80	"	A., 211, 263	42, 743
Acetylcinchonamine....	$C_{19}H_{23}AcON_2$	"	80-90	"	A., 225, 211	48, 65
Quebrachine	$C_{21}H_{26}O_3N_2$	214-216 u. c.; p. d.	"	B., 13, 2308; A., 211, 265	40, 294; 42, 743
Benzoylphenecaprylamine	$C_3H_{17} \cdot C_6H_4 \cdot NHBz = 1.4$	$C_{21}H_{27}ON$	109	Berau	B., 18, 109	48, 523
Benzoylphen-n-octylamine	"	"	117	"	B., 18, 136	"
Laudanosine	A., 176, 202; As. 8, 321	$C_{21}H_{27}O_4N$	89	Hesse	B., 4, 696; Z. C. [2], 7, 641	24, 1065; 25, 724
Tetraethdiamidobenzophenone	$CO(C_6H_4 \cdot NEt_2)_2$	$C_{21}H_{28}ON_2$	95-96	Michler and Gradmann	B., 9, 1914	32, 335
Diisobutylphenylcarbamide	$CO(NH \cdot C_6H_4 \cdot Bu^{\beta})_2 = (1.4)_2$	"	283-284	Pahl	B., 17, 1240	46, 1010
Dicumylcarbamide	$CO(NH \cdot C_{10}H_{13})_2$	"	122	Raab	B., 10, 53	
Ethyleinchonamine	$C_{19}H_{23}EtON_2$	"	140	Hesse	A., 225, 211	48, 66
"	"	"	+ H_2O	75-78	"	"	"
Nitrosodiethylaniline cyanhydrin	$C_{21}H_{29}O_2N_5$	170	Lippmann and Fleissner	M. C., 6, 537	48, 1213
Valeritrine picrate	$C_{15}H_{27}N + C_6H_2 \cdot OH \cdot (NO_2)_3$	$C_{21}H_{30}O_7N_4$	129-130	Ljubavin	B., 6, 566	26, 1023
Oxyheptinamide	$C_{21}H_{27}O_5(NH_2)_5$	$C_{21}H_{37}O_5N_6$	250-252 d.	Demarçay	A. C. [5], 20, 493	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Lupinine	B., 14 [1880], 2701	$C_{21}H_{40}O_2N_2$	255-261	67.5-68.5	Baumert	Lw., 27, 15	40, 832
"	"	"	255-257	67-68	"	B., 14, 1151, 1321	
"	B., 15, 1951	"	68	"	B., 15, 632, 634	
Oxylupinine	A., 214, 362	$C_{21}H_{40}O_5N_2$	215 d.	"	B., 14, 1882	
Tetraisoamylcarbamide	$N(C_6H_{11})_2.CO.N(C_6H_{11})_2$	$C_{21}H_{44}ON_2$	240-241	Liquid	Custer	B., 12, 1332	36, 913
Diphthalaldiamidobenzene	$C_6H_4[N:(CO)_2:C_6H_4]_2$ =1.3; (1.2) ₂ =1.4; (1.2) ₂	$C_{22}H_{12}O_4N_2$	252	Biedermann	B., 10, 1165	32, 784
"	"	"	295 d.	"	B., 10, 1164	"
Glycoldinitrate	$C_{22}H_{12}(NO_3)_2$	$C_{22}H_{12}O_6N_2$	190	Rousseau	C. R., 95, 232	42, 1300
Diacetylphenyl picrate	$C_{16}H_{10}+C_6H_2.OH(NO_2)_3$	$C_{22}H_{13}O_7N_3$	108	Glaser	A., 154, 161	
Pyrene picrate	"	"	222	Fittig and Gebhard	B., 10, 2143	34, 432
"	"	"	222	Goldschmidt and Schidt	W. A., 83, 7	40, 824
Amide- α -naphthoid	$C_{10}H_6.CO.NH.C_{10}H_6.CO.NH$ = (?) ₂ ; -; (?) ₂	$C_{22}H_{14}O_2N_2$	178-179	Ekstrand	B., 18, 75	48, 548
Dioximidophthalacene carboxylic acid	$C_{21}H_{11}(:N.OH)_2.CO_2H$	$C_{22}H_{14}O_4N_2$	272-273	Gabriel	B., 17, 1395	46, 1177
β - β -Dinaphthylene acetamide	$C_{10}H_6.C_{10}H_6.NAc$	$C_{22}H_{15}ON$	144	Walder	B., 15, 2175	44, 209
β - β -Dinaphthylene hydroxyamideethylene	$C_{10}H_6.C_{10}H_6.C(OH):C.NH_2$	"	d. 200	Ronsseau	B., 16, 967	
<i>o</i> -Methoxybenzylamidephenanthrol	$C_6H_4.C_6H_4.C:C.N:C(C_6H_4.OMe).O$	$C_{22}H_{15}O_2N$	144.5-145.5	Japp & Streatfield	41, 154
Oxyquinone phenylimide	$C_{16}H_9(OH).O.NPh$	"	158-158.5	Breuer and Zincke	B., 13, 632	38, 665
Naphthaquinonediphenylanilide	"	"	164	Plimpton	37, 643
Benzoylphthalotoluide ...	$C_6H_3MeBz.N:(CO)_2:C_6H_4$ =1.3.4; 1.2	$C_{22}H_{15}O_3N$	202	Fröhlich	B., 17, 2680	48, 355
Nitroazobenzene-azo- β -naphthol	$NO_2.C_6H_4.N_2.C_6H_4.N_2.C_{10}H_6.OH=1.3; 4.1; \alpha\beta$	$C_{22}H_{15}O_3N_5$	217-218	Meldola	45, 113
Pseudophenanthrene picrate	$C_{12}H_{12}+C_6H_2.OH.(NO_2)_3$	$C_{22}H_{13}O_7N_3$	147	Zeidler	A., 191, 295	
Isocindileucine picrate ...	$C_{16}H_{12}N_2O+C_6H_2.OH.(NO_2)_3$	$C_{22}H_{15}O_5N_6$	+ H ₂ O	150	Engler and Hassenkamp	B., 18, 2242	46, 1223
β -Naphthaquinone dianilide	$NHPh.C_{10}H_5.O.NPh=\beta\alpha\alpha$	$C_{22}H_{16}ON_2$	179	Meldola	45, 157
β - " "	"	"	178-180	Korn	B., 17, 3021	
β - " "	"	"	B., 14, 1493	179-180	Zincke	B., 15, 481	42, 967
β - " "	"	"	180-181	Fuchs	B., 8, 1024	29, 247
β - " "	"	"	B., 15, 283	180-181	Zincke	B., 14, 1900	
β - " "	"	"	182	Göes	B., 13, 124	38, 399
α -Oxalynaphthalide	"	"	200	Zinin	A., 108, 229	
<i>o</i> -Methoxybenzylamidophenanthrene	$C_6H_4.C_6H_4.C:C.N:C(C_6H_4.OMe).NH$	"	207-208.5	Japp & Streatfield	41, 153
β -Naphthol tetrazobenzene	$Ph.N_2.C_6H_4.N_2.C_{10}H_6.OH$	$C_{22}H_{16}ON_4$	195	Nietzki	B., 13, 1838	40, 178
Diamidodiphenyl... ..	$(CO.C_{10}H_6.NH_2)_2$	$C_{22}H_{16}O_2N_2$	174 u. c.	Rakowski	B., 5, 1021	26, 391; vii., 838
Dinaphthylamide	$(.CO.NH.C_{10}H_7)_2$	"	200	Zinin	A., 108, 22	iv., 285
Azobenzene resorcinolazophthalene	$Ph.N_2.C_6H_2(OH)_2.N_2.C_{10}H_7$	$C_{22}H_{16}O_2N_4$	153-155; 156	Wallach	B., 15, 28, 29	42, 611
α -Naphtholazobenzeneazophenol	$HO.C_{10}H_6.N_2.C_6H_4.N_2.C_6H_4.OH=\alpha\alpha; (1.4)_2$ = $\beta\alpha; (1.4)_2$	"	powder	Meldola	47, 665
β - " "	"	"	225	"	47, 666
α -Naphtholazobenzeneazoresorcinol	$HO.C_{10}H_6.N_2.C_6H_4.N_2.C_6H_3(OH)_2=\alpha\alpha; 1.4; 4.3.1$	$C_{22}H_{16}O_3N_4$	d. w. m.	"	47, 665
β - " "	"	"	powder	"	"
Dinitroresolphthalein	$CO_2H.C_6H_4.CO.C_6H_4Me.OH.(NO_2)_2=1.2; ?1.2.(?)_2$	$C_{22}H_{16}O_8N_2$	240	Fraude	B., 12, 241; A., 202, 163	36, 635
Acetyl β - β -dinaphthylamine	$(C_{10}H_7)_2NAc$	$C_{22}H_{17}ON$	114-115	Benz	B., 16, 20	44, 594
" α - β - "	"	"	124.5-125	"	B., 16, 19	"
" α - α - "	"	"	217	"	B., 16, 20	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Diazonaphthalenacet- β -naphthylamine	$C_{10}H_7.N_2.NAc.C_{10}H_7$	$C_{22}H_{17}ON_3$...	218	Lawson	B., 18, 2422	48, 1238
Dipseudocinnamylpyrroline	$C_4H_2NH : (CO.CH : CHPh)_2$	$C_{22}H_{17}O_2N$...	238-240	Ciamician & Dennstedt	B., 17, 2954	48, 379
β -Dibenzanishydroxylamine	$C_{22}H_{17}O_5N$...	109-110	Lossen	A., 186, 21	32, 330
α - " " " " " " " "	"	...	110-110.5	"	"	"
γ -Benzanisbenzhydroxylamine	"	...	110	"	A., 186, 8	32, 329
α - " " " " " " " "	"	...	113-114	"	"	"
β - " " " " " " " "	"	...	124-125	"	"	"
β -Anisdibenzhydroxylamine	"	...	109.5-110.5	"	A., 186, 25	32, 331
α - " " " " " " " "	"	...	137-137.5	"	"	"
Ethylidibenzoylcomenamate	$C_6H_5N(OBz)_2.CO_2Et$	$C_{22}H_{17}O_6N$	fr. pyridine	102	Ost	J. p. [2], 29, 57	48, 49
Retistene picrate	$C_{16}H_{14} + C_6H_5.OH.(NO_2)_3$	$C_{22}H_{17}O_7N_3$...	94	Wahlforss	Z. C. [2], 5, 73	vi., 994
Ethylanthracene picrate	$C_{14}H_9Et + C_6H_5.OH.(NO_2)_3$	"	...	120	Liebermann	A., 212, 1	42, 863
" " " " " " " "	"	"	...	120	Liebermann and Tobias	B., 14, 803	
β -Naphthylaceto- β -naphthalide	$C_{10}H_7.NH.CH_2.CO.NH.C_{10}H_7$	$C_{22}H_{18}ON_2$...	170	Cosiner	B., 14, 60	40, 606
α -Naphthylammonium	$C_{10}H_7.NH.CO.CO_2(NH_3)$	$C_{22}H_{18}O_3N_2$...	154	Ballo	B., 6, 247	26, 913 ; vii., 848
α -Naphthylloxamate	$C_{10}H_7$	$C_{22}H_{18}O_4N_2$...	143	Haarmann	B., 6, 341	26, 908
?	"	...	137-138	Liebermann and Kostanecki	B., 17, 881	46, 1147
Diacetylresorcinolbidiazobenzene	$(Ph.N_2)_2.C_6H_2(OAc)_2$	$C_{22}H_{18}O_4N_4$...	183-184	Wallach & Fischer	B., 15, 2816	
" " " " " " " "	"	"	...	121-122	Weddige	J. p. [2], 24, 251	40, 1138
Dibenzamidoethylenitrophenyloxide	$NBz_2.C_2H_4.O.C_6H_4.NO_2=1.2$	$C_{22}H_{18}O_5N_2$...	202	Weselsky & Benedikt	M. C., 1, 889	40, 726
Diethyldiazoresorcinol	$C_{22}H_{18}O_6N_2$...	173 d.	Baeyer	B., 15, 782	42, 1102
Ethylid dinitrosoindoxanthidate	$C_{22}H_{18}O_8N_4$...	55	Michler & Dupertius	B., 9, 1901	32, 334
Dimethamidobenzoylbenzene	$C_6H_5Bz_2.NMe_2$	$C_{22}H_{19}O_2N$	a. 360	170.	Angebliß and Anschutz	B., 17, 167	46, 753
Dihydrodimethylantracene picrate	fr. $C_6H_4 : (CHMe)_2 : C_6H_4$	$C_{22}H_{19}O_7N_3$...	128.5-129	Ladenburg & Rugeheimer	B., 11, 1660	36, 234
Phenylanisaldehydine	$C_{22}H_{20}O_2N_2$...	163.	Calm	B., 16, 2797	46, 591
Diacetyldiphenyldiamidobenzene	$C_6H_4(NAcPh)_2=1.3$	"	...	191.7	"	B., 16, 2807	"
" " " " " " " "	" = 1.4	"	...	180	Städel	A., 225, 384	48, 142
Phthalyltoluide	$C_6H_4(CO.NH.C_6H_4Me)_2$	"	...	228	Brückner	A., 205, 114	40, 93
Ditoluyldiamidobenzene	$C_6H_4(NH.CO.C_6H_4Me)_2$	"	...	228.	Hübner	A., 210, 330	42, 504
" " " " " " " "	" = 1.2 ; (1.4) ₂	"	...	192	Schuster	A., 154, 82	vii., 80
Benzamide on anisaldehyde...	$C_{22}H_{20}O_3N_2$...	nf. 300	Kleemann & Wense	B., 18, 2168	48, 1240
Tetracetyl α -diamidophenanthraquinol	$C_{14}H_6(NHAc)_2(OAc)_2$	$C_{22}H_{20}O_6N_2$...	d.w.m. 202	Hanriot	C. R., 96, 585	44, 670
Dinitrostrychnine	$C_{22}H_{20}C_6N_4$	B., 16, 968	226	Claus and Glassner	B., 14, 775	40, 748
" " " " " " " "	"	...	180	Perkin & Bellenot	B., 18, 953	48, 795
Ethylid di-p-nitrobenzoylsuccinate	$[.CH(CO_2Et).CO.C_6H_4.NO_2]_2$	$C_{22}H_{20}O_{10}N_2$...	120	Gevekoht	A., 221, 323	46, 445
?	$NO_2.C_6H_4.C(N_2HPh).CH_2.C(N_2HPh).Me=1.2$	$C_{22}H_{21}O_2N_5$...	164	Knorr and Blank	B., 17, 2050	46, 1380
Azodimethoxyquinizine	$C_6H_4.CO.CHMe.CMe.N.N)_2$	$C_{22}H_{22}ON_2$...	126	Mazzara	G. I., 15, 214	46, 1132
Carvacrolbidiazobenzene	$(Ph.N_2)_2.C_6HMePr.OH$	$C_{22}H_{22}ON_4$...	168	Mazzara and Possettö	G. I., 15, 52	48, 894
Thymolbidiazobenzene	" = 5.3.1.4.2 = (1.2) ₂	"	...	" = (1.2).1.4.3	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Anilidoisobutoxyquinone-anilide	$C_6H_2(OBu^{\beta})(NHPh).O.NPh$	$C_{22}H_{22}O_2N_2$	138	Zincke	B., 18, 788	48, 787
Diantiprene	$C_{22}H_{22}O_2N_4$	250	Knorr	B., 17, 2045	46, 1379
Ethylc phenylzinqinazinhydrobenzene carboxylate	$NH.C.N.C_6H_4.CO.CH.CH_2$ $C(:N_2HPh).CH(CO_2Et).CH_2$	$C_{22}H_{22}O_3N_4$	211-212	Knorr and Bülow	B., 17, 2055	46, 1381
Phenetoilazoresoreinol	$(EtO.C_6H_4.N_{2/2}.C_6H_2(OH)_2$ $= (1.4)_2; (l)_2.1.3$	$C_{22}H_{22}O_4N_4$	165-167	Liebermann and Kostanecki	B., 17, 883	46, 1147
p-Toluidine lapachate	$C_{15}H_{13}O_3.(NH_3.C_6H_4.Me)$	$C_{22}H_{23}O_3N$	B., 16, 801	129.5-130	Paterno	G. I., 12, 337	44, 211
o- " "	"	"	"	135	"	"	"
Diethylc β -naphthyl dimethylpyrrolone dicarboxylate	$N(C_{10}H_7).Me_2.(CO_2Et)_2$ $= 1.2.5.3.4$	$C_{22}H_{23}O_4N$	124	Knorr	B., 18, 304	48, 555
Hydrastine	"	a. 100	Perrins	J. [1862], 382	
" " " "	"	132	Power	C. C. [1884], 938	48, 675
" " " "	"	135	Mahla	J. [1863], 455	
Narcotine (Opianine)	$C_{22}H_{23}O_7N$	155	Blyth	33, 316
" " " "	"	170	iv., 25
" " " "	"	176	Hesse	B., 4, 694; A., 178, 241; Z. C. [2], 7, 641	24, 1065; 25, 723; 29, 608; vii., 876
Opionine	"	227	"	A., 228, 299	48, 1074
Diamidostrychnine	$C_{22}H_{24}O_2N_4$	B., 16, 968	d.w.m. 225	Hanriot	C. R., 96, 585	44, 670
Methyltetrahydrocinchonine anhydride	$(C_9H_9NMe.CO)_2O$	$C_{22}H_{24}O_3N_2$	297-299 (744.3)	Liquid	Weidel and Hazura	M. C., 5, 643	48, 561
Fr. Brucine	$C_{22}H_{24}O_4N_2$	284	Hanssen	B., 17, 2266	48, 63
Diacetyl diacetoxystilbenediamine	$[.CH(NHAc).C_6H_4.OAc]_2$	$C_{22}H_{24}O_6N_2$	216-219	Japp and Hooker	45, 679, 683
Acetyl quinine	$C_{22}H_{26}O_3N_2$	J. [1876], 813	108 u. c.	Hesse	A., 205, 317	40, 615
Phenylhydrazine phenylacetosuccinic acid	$C_{22}H_{26}O_4N_2$	149	Weltner	B., 18, 792	48, 793
Chairamine	"	233	Hesse	A., 225, 211	48, 67
" " " "	"	+ H ₂ O	140	"	"	"
Conchairamine	"	120	"	"	"
" " " "	"	+ H ₂ O	108-110	"	"	"
" " + C ₂ H ₆ O	"	+ H ₂ O	82-86	"	"	"
Chairamidine	"	+ H ₂ O	126-128	"	"	48, 68
Conchairamidine	"	+ H ₂ O	114-115	"	"	"
Cinchonidine ethylcyanide	$C_{19}H_{22}N_2O + EtCN$	$C_{22}H_{27}ON_3$	140 d.	Claus and Merck	B., 16, 2746	46, 338
o-Toluidoperezone	$C_9H_{17}.C_6H(OH)(NH.C_6H_4Me):O_2$	$C_{22}H_{27}O_3N$	108-110	Anschütz & Leather	B., 18, 716	48, 777
o- " " " "	" " " "	"	135-136	Mylius	B., 18, 942	48, 778
p- " " " "	" " " "	"	132-134	Anschütz & Leather	B., 18, 716	48, 777
p- " " " "	" " " "	"	133-135	Mylius	B., 18, 942	48, 778
Sebacylanilide	$C_8H_{16}(CO.NHPh)_2$	$C_{22}H_{25}O_2N_2$	198	Pellizzari	B., 18, 215	48, 534
Aspidospermatine	"	162 u. c.	Hesse	A., 211, 259	
Aspidosamine	"	100	"	A., 211, 262	
Echitamine (Ditaïne)	B., 11, 2006; 13, 1648, 1841	$C_{22}H_{28}O_4N_2$	+ 4 H ₂ O	206 d.	"	A., 203, 150	40, 448
n-Octylbenzamidotoluene	$C_8H_{17}.C_6H_3Me.NHBz = ? 1.2$	$C_{22}H_{29}ON$	117	Beran	B., 13, 147	48, 524
Aspidospermine	B., 12, 1560	$C_{22}H_{30}O_2N_2$	205-206	Fraude	B., 11, 2189	36, 471
" " " "	"	205-206	Arata	A. S. C. A., 1879	40, 623
" " " "	"	205-206	Wulfsberg	P. J. T. [3], 11, 269	40, 108
" " " "	"	206	Hesse	A., 211, 254	42, 742
Phthalylbenzoanilide	$C_6H_4:(CO)_2:N.C_6H_4Bz$	$C_{23}H_{13}O_3N$	183	Döbner	A., 210, 267	
Diphthalyl diamidotoluene	$[C_6H_4:(CO)_2:N]_2.C_6H_3Me$ $= (1.2)_2; 1.3.?$	$C_{23}H_{14}O_4N_2$	232-233	Biedermann	B., 10, 1161	32, 783
" " " "	" " " " $= (1.2)_2; 1.2.3$	"	270	Ladenburg	B., 10, 1125	32, 753
" " " "	" " " "	"	272	Biedermann	B., 10, 1165	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Menaphthoximide (β -cyanodinaaphthyloxamide)	$C_2O_2 : N_2H(CN)(C_{10}H_7)_2$	$C_{23}H_{15}O_2N_3$...	245	Perkin	A., 98, 244	9, 8 ; iv., 285
Acetanhydro-p-hydroxybenzoyldiamidophenanathrene	...	$C_{23}H_{16}O_2N_2$...	205-210 p.d.	Japp and Streatfield		41, 152
β -naphtholazobenzeneazosalicyclic acid	$HO.C_{10}H_6.N_2.C_6H_4.N_2.C_6H_3(OH).CO_2H=\beta\alpha; 1.4; 4.1.2$	$C_{23}H_{16}O_4N_4$...	a. 255	Meldola		47, 668
Benzoyl β -naphthylphenylamine	$C_{10}H_7.NPhBz$	$C_{23}H_{17}ON$...	136	Streiff	A., 209, 158	
" β - "	"	"	...	147-148 u.c.	Claus and Richter	B., 17, 1591	48, 1358
" α - "	"	"	A., 209, 154	152	Streiff	B., 13, 1852	40, 176
Diazobenzene β -naphthylbenzamide	$C_{10}H_7.NBz.N_2Ph$	$C_{23}H_{17}ON_3$...	162-163	Lawson	B., 18, 800	48, 803
Oxyquinone-o-toluide	$C_{16}H_9(OH).O.N.C_6H_4Me$	$C_{23}H_{17}O_2N$...	107-108	Breuer and Zincke	B., 13, 632	38, 665
" -p- "	"	"	...	154-155	"	"	"
Benzimide (?)	...	$C_{23}H_{18}O_2N_2$...	167	Richter	R.K.T., 429	"
p-Acetoxylophine	$NH.CPh : CPh.N : C.C_6H_4.O$ Ac	"	...	229	Japp and Robinson	B., 15, 2169	41, 327
Diethyltetranitroaurin	$C_{19}H_8Et_2(NO_2)_4O_3$	$C_{23}H_{18}O_{11}N_4$...	105	Ackermann	B., 17, 1626	46, 1340
α -Benzdianishydroxylamine	...	$C_{23}H_{19}O_6N$...	137.5-138.5	Lossen	A., 186, 30	32, 331
β - " "	...	"	...	137.5-138.5	"	"	"
Dianisbenzhydroxylamine	...	"	...	147.5	"	A., 186, 28	"
β -Anisbenzanishydroxylamine	...	"	...	148-149	"	"	"
α - " "	...	"	...	152-153	"	"	"
Diacetyl- α_1 -p-azotolueneresorcinolazobenzene	$C_6H_4Me.N_2.C_6H_2(OAc)_2.N_2$ Ph	$C_{23}H_{20}O_4N_4$...	175-176	Wallach & Fischer	B., 15, 2822	"
" α_2 - "	"	"	...	195-196	"	"	"
" α_1 -azobenzeneresorcinolazotoluene	"	"	...	175-176	"	B., 15, 2823	"
" α_2 - "	"	"	...	196-197	"	B., 15, 2824	"
Hexnitrotetramethdiamidotriphenylmethane	fr. $Ph.CH(C_6H_4.NMe_2)_2$	$C_{23}H_{20}O_{12}N_8$...	200 d.	Fischer	A., 206, 128	
" " "	"	"	...	206	Ziegler	B., 13, 787	38, 640
Benzoylbenzopsendocumidide	$Me_3.Bz.NHBz=1.3.4.?.6.$	$C_{23}H_{21}O_2N$...	227	Fröhlich	B., 17, 1806	46, 1319
Diacetyltriphenylguanidine	$Ph.N : C(NPhAc)_2$	$C_{23}H_{21}O_2N_3$...	131	McCreath	B., 8, 384	28, 835
Toluanisaldehydine	...	$C_{23}H_{22}O_2N_2$...	152-156	Ladenburg and Rügheimer	B., 11, 1660	38, 234
Pararosatoluidine	...	$C_{23}H_{22}ON$...	150	Klinger & Pitschke	B., 17, 2443	48, 151
Decarbousnefinanilide	...	$C_{23}H_{23}O_6N$	B., 15, 2241	169-171	Paterno	G.I. [1882], 231	42, 1082
From narceine	...	$C_{23}H_{23}O_8N$...	210	Beckett and Wright	...	29, 472
Anilidoisobutoxytoluquinoneanilide	$C_6HMe(OBu^{\beta})(NHPh).O.N$ Ph	$C_{23}H_{24}O_2N_2$...	117	Zincke	B., 16, 1561	44, 1118
Nitrotetramethdiamidotriphenylmethane	$NO_2.C_6H_4.CH(C_6H_4.NMe_2)_2$ =1.3 ;	$C_{23}H_{15}O_2N_3$...	152	Fischer	B., 12, 802	38, 788
" " "	" =1.2 ;	"	...	155	"	B., 15, 682	42, 834
" " "	" =1.4 ;	"	...	159-160	Fischer & Schmidt	B., 17, 1890	46, 1315
" " "	" =1.4 ;	"	...	176-177	Fischer	B., 14, 2526	42, 393
o-Nitromalachite green	$NO_2.C_6H_4.C(OH)(C_6H_4.NMe_2)_2$	$C_{23}H_{25}O_3N_3$...	163	Fischer & Schmidt	B., 17, 1891	46, 1315
Lanthopine	...	$C_{23}H_{25}O_4N$	As., 8, 271	abt. 200	Hesse	A., 153, 59	
Cryptopine (?)	see $C_{21}H_{23}O_5N$	$C_{23}H_{25}O_5N$...	175	Smith	P.J.T. [2], 8, 595, 791	vi., 514
Tetramethdiamidotriphenylcarbinol (malachite or bitter almond oil green)	$Ph.C(OH)(C_6H_4.NMe_2)_2$ or $HO.C_6H_4.CH(C_6H_4.NMe_2)_2$ =1.2 ;	$C_{23}H_{26}ON_2$...	120 ; sf. 116	Fischer	B., 12, 791, 1686	38, 40
" " "	" =1.2 ;	"	A., 206, 130	127-128	"	B., 14, 2522	42, 393
" " "	" =1.2 ;	"	B., 11, 1238	132	Döbner	B., 13, 2222	40, 165
" " "	" =1.4 ;	"	A., 217, 250	163	Fischer	B., 14, 2523	42, 393
Diacetylpoconquinine	...	$C_{23}H_{26}O_4N_2$...	60	Hesse	A., 205, 337	40, 618
Cusconine	...	"	B., 16, 61	110	"	A., 185, 301	34, 156
Concusconidine	...	"	...	124	"	B., 16, 62	44, 602
Concusconine	...	"	...	206-208	"	A., 225, 211	48, 66

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Concusconine (cf. B., 16, 61)	$C_{23}H_{26}O_4N_2$	+H ₂ O	144	Hesse	A., 225, 211	44, 602; 48, 66
Brucine	"	151	Blyth	33, 316
"	"	178 u.c.	Claus and Röhre	B., 14, 773	40, 749
Aricine	"	B., 10, 2161	188	Hesse	A., 185, 310	34, 156, 437
Propionylquinine	$C_{23}H_{23}(CO.C_2H_5)N_2O_2$	$C_{23}H_{23}O_3N_2$	129 u.c.	"	A., 205, 358	40, 620
Cinchonine hydrogen succinate	$C_{19}H_{22}ON_2 + C_4H_6O_4$	$C_{23}H_{28}O_6N_2$	+H ₂ O	110	"	A.	vi., 464
" " "	"	"	+1½H ₂ O	110	"	A.	"
Quinine ethyleyanide	$C_{20}H_{24}O_2N_2 + EtCN$	$C_{23}H_{29}O_2N_3$	d. 95-100	90	Claus and Merck	B., 16, 2747	46, 338
Narceine	A., 86, 182; 176, 198	$C_{23}H_{29}O_9N$	92	iv., 24
"	B. S., 18, 535; J. p. (2), 2, 457	"	134	Blyth	33, 316
"	"	B., 7, 105	145.2 c.	Hesse	A., 129, 250	vi., 863
Benzenyldiisoamylphenylenamidine	$C_{23}H_{32}ON_2$	80-100	80-81 quick, 90-92 slow	Hübner and Simon	B., 12, 1344; A., 210, 364	36, 923
Nitrate of ditto	$C_{23}H_{31}N_2(NO_3) + HNO_3$	$C_{23}H_{32}O_6N_4$	90	"	"	"
Succino-octonitro- α -naphthalide	$[CH_2.CO.NH.C_{10}H_7(NO_2)_4]_2$	$C_{24}H_{12}O_{18}N_2$	256	Hübner	A., 209, 339	42, 182
" " "	"	"	256	Hahmemann	B., 10, 1713	"
Ethylie dinitrophthalacarboxylate	$C_{21}H_9(NO_2)_2O_2.CO_2Et$	$C_{24}H_{14}O_8N_2$	a. 280	Gabriel	B., 17, 1390	46, 1176
α -Diquinolyline picrate	$C_9NH_6.C_9NH_6=meta$	$C_{24}H_{15}O_7N_6$	240	Miller & Kinkelin	B., 18, 1912	48, 1145
β - " " ?	" = $\alpha_1; \beta_2; \alpha_1; \alpha_1$	"	268	Fischer	M. C., 6, 546	48, 1247
Isodinitroazodiphenyl	$N_2(C_6H_4.C_6H_4.NO_2)_2=?$	$C_{24}H_{15}O_8N_3$	black 265	275-280	Zincke & Hebebrand	A., 226, 60	48, 258
Dinitroazoxydiphenyl	$ON_2(C_6H_4.C_6H_4.NO_2)_2=(1.4)_4$	$C_{24}H_{16}O_4N_4$	187	Wald	B., 10, 140	32, 341
Bidinitrophenylbenzidine	$[C_6H_4.NH.C_6H_3(NO_2)_2]_2$ =(1.4; 1.2.4) ₂	$C_{24}H_{16}O_8N_6$	255	"	B., 10, 138	"
" " "	"	"	330	Austen	A. J. S. [3], 13, 279	32, 762
Succinotetranitro- α -naphthalide	$[CH_2.CO.NH.C_{10}H_7(NO_2)_2]_2$	$C_{24}H_{16}O_{10}N_6$	B., 10, 1713	a. 330 225	Willgerodt Hübner and Hahmemann	B., 9, 982 A., 209, 333	30, 406 42, 182
Azoxydiphenyl	$ON_2(C_6H_4.Ph)_2=(1.4)_2$	$C_{24}H_{18}ON_2$	205	Zimmermann	B., 13, 1960	40, 175
Tribenzoylmelamine ...	$(CN.NH.CO.C_6H_5)_3$	$C_{24}H_{18}O_3N_6$	275 d.	Gerlich	J. p. [2], 13, 283	"
Ethylie dioximidophthalacene-carboxylate	$C_{21}H_{11}(NOH)_2.CO_2Et$	$C_{24}H_{18}O_4N_2$	263-264	Gabriel	B., 17, 1394	46, 1177
" " ?	$C_{24}H_{18}O_4N_4$	250	Zincke & Hebebrand	A., 226, 60	48, 258
From piperonal	$C_{24}H_{18}O_6N_2$	172	Lorenz	B., 14, 792	40, 729
" " " " " " " "	"	213	"	B., 14, 791	"
Azobenzene nitronitrolic acid	$[NO_2.C_6H_4.N_2.C_6H_4.N(OH)]_2$ =(1.4) ₂	$C_{24}H_{18}O_6N_8$	218	Janovsky	B., 18, 1137; M. C., 6, 157	48, 789, 894
Fr. ethylie dinitrophenylacetate	$C_{24}H_{18}O_{15}N_6$	105.5	Heckmann	A., 220, 128	46, 178
Cumenylamidophenanthrol...	$\overline{C_6H_3.C_6H_4.C} : C.N :$ \downarrow $C(C_6H_4Pr).O$	$C_{24}H_{19}ON$	186	Japp and Wilcock	39, 226
Dianilidoquinone anilide	$\overline{C_6H_2(NHPh)_2.O.NPh}$	$C_{24}H_{19}ON_3$	202-203	Zincke	B., 18, 787	48, 787
Benzcyanidine	$C_{24}H_{19}O_2N$	123-124	Frankland & Louis	37, 742
Benzoylphthalopseudocnide	$C_6HMe_3Bz.N : (CO)_2 : C_6H_4$ =1.3.4.7.6; 1.2	$C_{24}H_{19}O_3N$	181	Fröhlich	B., 17, 1803	46, 1319
Acetylnaphthaquinone phenylanilide	"	172-173	Plimpton	37, 645
Phthalylidiphenylasparagine	$C_6H_4 : (CO)_2 : N.C_2H_4(CO_2H).CO.NPh_2$	$C_{24}H_{19}O_5N_2$	180	Piutti	G. I., 14, 473	48, 797
" " "	"	"	+2H ₂ O	112	"	"	"
" " "	"	"	203	"	"	"
β -Naphthaquinone ditoluide	$C_6H_4Me.NH.C_{10}H_5.O.N.$ $C_6H_4Me=(1.4)_2$	$C_{24}H_{20}ON_2$	174-176	Meldola	45, 159
β - " " "	"	"	177	Fuchs	B., 8, 1025	29, 248
β - " " "	"	"	178	Kronfeld	B., 17, 715	46, 1038
β -Naphthyl β -imidobutyronaphthalide	$C_{10}H_7.N : CMc.CH_2.CO.NH$ $C_{10}H_7$	"	200	Knorr	B., 17, 543	46, 1198

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Resorcinolquinoline	C ₂₄ H ₂₀ O ₂ N ₂	102 u.c.	Hock	B., 16, 886	
Succino- α -naphthalide	(.CH ₂ .CO.NH.C ₁₀ H ₇) ₂	"	B., 10, 1713	285	Hübner and Hahne- mann	A., 209, 382	42, 181
Fr. Benzil	C ₂₄ H ₂₀ O ₄ N ₂	246	Japp and Hooker	45, 685
"	"	a. 300	"	45, 684
Benzoylthoxyfurfurine	C ₁₅ H ₁₀ O ₃ N ₂ Bz.OEt	C ₂₄ H ₂₀ O ₅ N ₂ (?)	290	Bahrmann	J. p. [2], 27, 317	44, 800
Fr. ethylresorcinol	C ₂₄ H ₂₀ O ₆ N ₂	230	Weselsky & Benedikt	M. C., 1, 893	40, 726
Tetrahydrozoresorufin	C ₂₄ H ₂₀ O ₇ N ₂	d. 100	Brunner & Krämer	B., 17, 1862	48, 1334
α -naphtholazobenzeneazodi- methaniline	HO.C ₁₀ H ₆ .N ₂ .C ₆ H ₄ .N ₂ .C ₆ H ₄ . NMe ₂ = $\beta\alpha$; (1.4) ₂	C ₂₄ H ₂₁ ON ₅	d. 200	Meldola	45, 110
β - " "	" = $\alpha\alpha$; (1.4) ₂	"	209-210	"	45, 109
Oxalyltri-o-tolylguanidine	C ₆ H ₄ Me.N:(NMe.C ₆ H ₄ .CO) ₂	C ₂₄ H ₂₁ O ₂ N ₃	179	Berger	B., 12, 1858	38, 244
Aniline pyrogallate	C ₆ H ₃ (O.NHPh) ₃ (?)	C ₂₄ H ₂₁ O ₃ N ₃ (?)	126-128	Guthrie	P. M. [5], 18, 109	
Benzylcyanurate	C ₃ O ₃ N ₃ (CH ₂ Ph) ₃	"	B., 3, 518	153	Cannizzaro	G. I., 1, 33	24, 927
"	"	"	320	157	Letts	B., 5, 93	25, 450; vii., 180
Benzoylphthalopseudococ- midic acid	C ₆ HMe ₃ Bz.NH.CO.C ₆ H ₄ . CO ₂ H=1.3.4.6; 1.2	C ₂₄ H ₂₁ O ₄ N	195 d.	Fröhlich	B., 17, 2674	48, 154
Retene picrate	C ₁₈ H ₁₈ +C ₆ H ₂ .OH.(NO ₂) ₃	C ₂₄ H ₂₁ O ₇ N ₃	J. [1858], 440	123-124	Ekstrand	A., 185, 80	32, 497
Usnic anilide	C ₁₇ H ₁₇ O ₃ .CO.NHPh	C ₂₄ H ₂₃ O ₆ N	170-171	Paterno	G. I. [1882], 231	42, 1082
Glyceride of phenylcarbamic acid	C ₃ H ₅ (O.CO.NHPh) ₃	C ₂₄ H ₂₃ O ₆ N ₃	160-180	Tessmer	B., 18, 969	48, 774
Tetramethylhydroanthracene picrate	C ₁₄ H ₈ Me ₄ +C ₆ H ₂ .OH.(NO ₂) ₃	C ₂₄ H ₂₃ O ₇ N ₃	165	Anschütz & Römig	B., 18, 665	48, 768
Leuco-phthal green	C ₁₄ H ₆ Ph(NMe ₂) ₂ .OH(?)	C ₂₄ H ₂₄ ON ₂	235-236	Fischer	A., 206, 108	40, 588
Ethylanilphthalein	C ₆ H ₄ :(CO) ₂ :(NPhEt) ₂ =1.2	C ₂₄ H ₂₄ O ₂ N ₂	140.5-141.5	Piutti	G. I., 13, 542	46, 450
Dimethylanilinephthalein	C ₆ H ₄ (CO.C ₆ H ₄ .NMe ₂) ₂	C ₂₄ H ₂₄ O ₂ N ₂	188	Fischer	B., 12, 1692	33, 41
"	"	"	190-191	"	A., 206, 92	40, 587
Cuminyldibenzamide	C ₆ H ₄ Pr.CH(NHBz) ₂	"	224	Raab	B., 8, 1150	29, 398
Anishydramide	A., 56, 309; 88, 128	C ₂₄ H ₂₄ O ₃ N ₂	120	Cahours	A. C. [3], 14, 487	i., 299
Triacetamidotriphenylamine	N(C ₆ H ₄ .NHAc) ₃	C ₂₄ H ₂₄ O ₃ N ₄	nf. 240	Heydrich	B., 18, 2158	48, 1213
Hydrotrimethylamarine	C ₂₁ H ₁₇ Me ₃ N ₂ O	C ₂₄ H ₂₆ ON ₂	158	Claus	B., 15, 2328	44, 203
Dimethaniline phthalin	NMe ₂ .C ₆ H ₄ .CO.C ₆ H ₄ .CH (OH).C ₆ H ₄ .NMe ₂	C ₂₄ H ₂₆ O ₂ N ₂	200	Fischer	A., 206, 101	40, 588
Ethylidiantipyrine	C ₂₄ H ₂₆ O ₂ N ₄	240-250	Knorr	B., 17, 2045	46, 1379
Azoethylmethoxyquinizine	C ₂₄ H ₂₆ O ₄ N ₂	160	Knorr and Blank	B., 17, 2051	46, 1380
Ethylhydrastine	C ₂₂ H ₂₂ EtO ₂ N	C ₂₄ H ₂₇ O ₆ N	183	Power	C. C. [1884], 938	48, 675
Leuco-base from vanillin	C ₆ H ₃ (OMe)(OH).CH(C ₆ H ₄ . NMe ₂) ₂ =5.4.1; (?) ₂	C ₂₄ H ₂₈ O ₂ N ₂	135-136	Fischer & Schmidt	B., 17, 1895	46, 1316
Fr. picrorocellin	C ₂₄ H ₂₈ O ₃ N ₂	A., 185, 24	154	Stenhouse & Groves	P. R., 25, 67	31, 719
Gelsemine	See C ₁₁ H ₁₉ O ₂ N	C ₂₄ H ₂₈ O ₄ N ₂
Ethylidiphenylzinsuccino- succinate	N ₂ HPh: C ₂ H ₂ .CH(CO ₂ Et). C(: N ₂ HPh).CH ₂ .CH. CO ₂ Et	C ₂₄ H ₂₈ O ₄ N ₄	205-206	Knorr and Bülow	B., 17, 2055	46, 1381
Sebacyl di-m-benzamic acid....	C ₈ H ₁₆ (CO.NH.C ₆ H ₄ .CO ₂ H) ₂	C ₂₄ H ₂₈ O ₆ N ₂	275	Pellizzari	B., 18, 215	48, 534
Ethylidihydroxypropyl-di- carboxyl diphenylallo- phanate	CO ₂ H.C ₆ H ₃ (CMe ₂ .OH).NH. CO.N(CO ₂ Et).C ₆ H ₃ (CMe ₂ . OH).CO ₂ H	C ₂₄ H ₂₈ O ₉ N ₂	a. 300 d.	Widmann	B., 17, 1306	46, 1023
From rosaniline	Cf. B., 2, 443	C ₂₄ H ₂₉ ON ₃	130	Wichelhaus	B., 16, 2007	44, 1098
From chloranil + dimethani- line	"	190	"	B., 16, 2006	"
Ethylidiazocuminate....	N ₂ (C ₆ H ₃ Pr.CO ₂ Et) ₂	C ₂₄ H ₃₀ O ₄ N ₂	62	Alexejeff	J. R. [1882], 198	42, 971
Concusconine hydroxide	C ₂₃ H ₂₆ Me(OH)O ₄ N ₂	C ₂₄ H ₃₀ O ₅ N ₂	+5H ₂ O	202	Hesse	A., 225, 211	48, 66
Methylnarceine	C ₂₃ H ₂₈ MeO ₂ N	C ₂₄ H ₃₁ O ₉ N	175 u.c.	Claus and Ritzfeld	B., 18, 1574	48, 997
Diethylid ethylene diethyl-di- benzamate	C ₂ H ₄ (NEt.C ₆ H ₄ .CO ₂ Et) ₂ =(1.3) ₂	C ₂₄ H ₃₂ O ₄ N ₂	98-100	Schiff and Parenti	A., 226, 243	48, 266
Phthalyltropeine	"	A., 217, 102	70	Ladenburg	B., 13, 108, 1085	38, 411
Thallin tartrate	(C ₁₀ H ₁₃ ON) ₂ +C ₄ H ₆ O ₆	C ₂₄ H ₃₀ O ₈ N ₂	100 s. d.	Vulpis	A. P. [3], 22, 840	48, 399
Phenylmaltosazone	C ₂₄ H ₃₂ O ₉ N ₄	190-191	Fischer	B., 17, 583	48, 54
Phenylmaltosazone	"	200	"	"	"
Narceine methonitrate ..	C ₂₃ H ₂₉ O ₉ N+MeNO ₃	C ₂₄ H ₃₂ O ₁₂ N ₂	168	Claus and Ritzfeld	B., 18, 1572	
Delphinine	C ₂₄ H ₃₅ O ₂ N	119	Blyth	33, 317

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Veratroidine	or $C_{51}H_{78}O_{16}N_2$	$C_{24}H_{37}O_7N$	129-130	Michell	P. J. [3], 31, 768, 785, 847	28, 1267
β -Colchicoresin	$C_{24}H_{39}O_{10}N$	90	Hertel	B., 14, 1412	
Stearanilide	$C_{18}H_{35}CO.NHPh$	$C_{24}H_{41}ON$	93.6	Pebal	A., 91, 152	v., 412
Cholamide	$C_{24}H_{41}O_4N$	B., 6, 1186	115; 130	Hübner	J. p. [2], 19, 308	36, 950
Benzenylamidochrysole ...	$C_{16}H_{18}C : C.O.CPh : N$	$C_{25}H_{15}ON$	259-265	Japp and Streatfield	41, 157
Benzoxylbenzenebidiazobenzene	$(Ph.N_2)_2.C_6H_5.OBz=1.3.4$	$C_{25}H_{18}O_2N_4$	138-139	Nölting and Kohn	B., 17, 369	48, 902]
Anilidomethoxyquinoneanilide picrate	$C_{19}H_{16}O_3N_2 + C_6H_5.OH.(NO_2)_3$	$C_{25}H_{19}O_3N_3$	188	Zincke	B., 18, 738	48, 787
Nitrosotriphenylmethylaniline	$CPh_3.NPh.NO$	$C_{25}H_{20}ON_2$	156	Elbs	B., 17, 704	46, 1032
Tetraphenylcarbamide	$CO(NPh_2)_2$	178-180	Girard and Willm	B. S. [2], 25, 248	30, 99
"	"	..	B., 12, 1166	183	Michler	B., 9, 710	30, 290
Carbamidoazobenzene ...	$CO(NH.C_6H_4.N_2.Ph)_2$	$C_{25}H_{20}ON_6$	270 d.	Berju	B., 17, 1404; C. C. [1884], 871	48, 1149; 48, 660
Carbonitrotetrimidobenzene	$C(NH.C_6H_4.NO_2)_4=(1.3)_4$	$C_{25}H_{20}O_3N_8$	286	Hübner	B., 10, 1719	34, 143
"	"	"	a. 300	"	B., 10, 1718	"
Dianilidotoluquinone anilide	$C_6HMe(NHPh)_2.O.NPh$	$C_{25}H_{21}ON_3$	167	Zincke	B., 16, 1560	44, 1118
Diacetylararine	$C_{21}H_{16}Ac_2N_2$	$C_{25}H_{22}O_2N_2$	268	Bahrman	J. p. [2], 27, 298	44, 799
m-nitrodiamidotriphenylmethane + C_6H_6	$NO_2.C_6H_4.CH(C_6H_4.NH_2)_2 + C_6H_6$	$C_2.H_2O_2N_3$	81	Fischer and Ziegler	B., 13, 671	38, 662
Isoamylanthracene pierate	fr. $C_6H_4 : (C_2H_5.C_6H_{11}) : C_6H_4$	$C_{25}H_{23}O_7N_3$	115	Liebermann and Tobias	B., 14, 795; A., 212, 1	40, 736; 42, 862
Triacetylparalencaniline ...	$C_{19}H_{16}Ac_3N_3$	$C_{25}H_{25}O_3N_3$	177	Renouf	B., 16, 1303	44, 981
Diglycoltoluylamidotoluide...	$C_6H_4Me.N(CH_2.CO.NH.C_6H_4Me)_2=(1.4)_3$	$C_{25}H_{27}O_2N_3$	251	Meyer	B., 8, 1164	29, 402
Tetramethdiamido-o-acetoxytriphenylmethane	$AcO.C_6H_4.CH(C_6H_4.NMe_2)_2$	$C_{25}H_{28}O_2N_2$	144	Fischer	B., 14, 2523	42, 393
Tetramethdiamido-p-acetoxytriphenylmethane	"	"	146	"	"	"
Tribenzylidene tetrureide ...	$C_7H_6(NH.CO.NH.C_6H_5.NH.CO.NH_2)_2$	$C_{25}H_{28}O_4N_8$	240	Schiff	A., 151, 193	
Acetyltetramethylparaleucaniline	$NHAc.C_6H_4.CH(C_6H_4.NMe_2)_2$	$C_{25}H_{29}ON_3$	108	Fischer and German	B., 16, 708	44, 1098
Acetylleuco-base	"	186	Fischer & Schmitt	B., 17, 1892	46, 1316
Tetramethdiamidotriphenylmethane ethoxide	$EtO.CPh(C_6H_4.NMe_2)_2$	$C_{25}H_{30}ON_2$	A., 206, 132	162	Fischer	B., 12, 1687	38, 40
Quinine valerate	$C_{20}H_{24}O_2N_2 + C_5H_{10}O_2$	$C_{25}H_{34}O_4N_2$	+ $1\frac{1}{2}H_2O$	90	Bonaparte	J. Chim. Med., 18, 680	v., 24
Narceine ethonitrate	$C_{23}H_{29}O_9N + EtNO_3$	$C_{25}H_{34}O_{12}N_2$	155	Claus and Ritzfeld	B., 18, 1571	48, 996
(Enanthotetureide	$C_{25}H_{32}O_4N_8$	155	A., 151, 190	
α -dinaphthylene oxide picrate	$C_{20}H_{12}O + 2C_6H_5.OH.(NO_2)_3$	$C_{26}H_{15}O_3N_3$	167	Knecht & Unzeitig	B., 13, 1725	
α - " " "	"	"	172-173	Merz and Weith	B., 14, 197	
β - " " "	"	"	122-122.5	"	B., 14, 201	
β - " " "	"	"	135	Knecht & Unzeitig	B., 13, 1726	
Dinaphthylenamide picrate....	$C_{20}H_{13}N + C_6H_5.OH.(NO_2)_3$	$C_{26}H_{16}O_7N_4$	217; 219 c.	Walder	B., 15, 2174	44, 209
Dibenzoyldinitrodiphenol ...	$(C_6H_5.NO_2.OBz)_2$	$C_{26}H_{16}O_8N_2$	J. R., 10, 318	191	Goldstein	B. S. [2], 30, 434	36, 148
Oxyquinonenaphthalide ...	$C_{16}H_9(OH).O.N.C_{10}H_7$	$C_{26}H_{17}O_2N$	148	Breuer and Zincke	B., 13, 632	38, 665
Dinitrobenzoylbenzoxylidiphenylamine	fr. $BzO.C_6H_4.NPhBz=1.4$	$C_{26}H_{17}O_7N_3$	194-195	Philip and Calm	B., 17, 2438	48, 156
β -dinaphthol picrate....	$C_{20}H_{14}O_2 + C_6H_5.OH.(NO_2)_3$	$C_{26}H_{17}O_9N_3$	174	Walder	B., 15, 2170	
α -Naphtholazobenzeneazo-naphthol	$C_6H_4(N_2.C_{10}H_6.OH)_2 = 1.4; (aa)_2$	$C_{26}H_{18}O_2N_4$	d.	Meldola	47, 663
α - " β - " "	" = 1.4; aa; a β	"	235-236	"	47, 665
β - " β - " "	" = 1.4; (a, β) $_2$	"	a. 275	"	47, 664
Nitrobenzeneazo- α -naphthaleneazo- β -naphthol	$NO_2.C_6H_4.N_2.C_{10}H_6.N_2.C_{10}H_6.OH=1.3; aa; a\beta$	$C_{26}H_{18}O_3N_5$	d. 245	"	45, 115
Acridine nitrite	$C_{26}H_{18}N_2 + NO_2H$	$C_{26}H_{19}O_2N_3$	+ $3H_2O$	150-151	Medicus	B., 17, 196	46, 748

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzoylbenzoyldiphenylamine	$C_6H_4.OBz.NPhBz=1.4$	$C_{26}H_{19}O_3N$	175	Philip and Calm	B., 17, 2473	48, 156
Azoxybenzanilide	$ON_2(C_6H_4.NHBz)_2=(1.2)_2$	$C_{26}H_{20}O_3N_4$	195	Mixer	A. C. J., 6, 26	46, 1327
"	" $=(1.3)_2$	"	272	"	A. C. J., 5, 1	46, 301
"	$ON_2(C_6H_4.CO.NHPh)_2$	"	310	"	A. C. J., 5, 282	46, 666
Nitrosotriphenylmethyltoluidine	$C_6H_4.Me.N(NO).CPh_3=1.4$	$C_{26}H_{22}ON_2$	145-146	Wittich	B., 17, 706	46, 1032
Azuline	$Ph_2N_2.H_2:(CO)_2:Ph_2$	$C_{26}H_{22}O_2N_2$	146	Erhardt	A. P., 8, 481	34, 317
Diphenyldiphenylenedicarbamide	$C_{12}H_6(NH.CO.NHPh)_2$	$C_{26}H_{22}O_2N_4$	a. 300	Kühn	B., 18, 1478	48, 979
Benzoylparaleucaniline	$C_{26}H_{23}ON_3$	149	Renouf	B., 16, 1302	44, 981
Triacetyl leucaniline	$C_{26}H_{27}O_3N_3$	168	"	B., 16, 1303	"
Ethyltoluidine phthalein	$C_6H_4:(CO)_2:(NEt.C_6H_4.Me)_2$ $=(1.2)_3$	$C_{26}H_{28}ON_2$	90	Piutti	G. I., 13, 542	46, 450
Hexamethtriamidodibenzoylbenzene	$NMe_2.C_6H_3(CO.C_6H_4.NMe_2)_2$	$C_{26}H_{29}O_2N_3$	122	Michler	B., 9, 717	30, 299
"	"	"	122	Michler & Dupertius	B., 9, 1900	32, 333
Benzyleinchonine	$C_{26}H_{30}O_2N_2$	117	Claus and Treupel	B., 13, 2295	40, 290
Acetylpentamethylparaleucaniline	$NMe.Ac.CH(C_6H_4.NMe_2)_2$	$C_{26}H_{31}ON_3$	142-143	Fischer and Körner	B., 16, 2907	46, 607
Benzamido-n-caproic anhydride	$[C_5H_{10}(NHBz).CO]_2O$	$C_{26}H_{32}O_5N_2$	B. S., 30, 561	85	Destrem	C. R., 86, 484	34, 506
Loxoterygine	$C_{26}H_{34}O_2N_2$	81	Hesse	A., 211, 278	42, 744
Jervine	$C_{26}H_{37}O_3N$	d. a. 200	Will	A., 35, 117	
" (see $C_{30}H_{46}O_3N_2$)	$C_{26}H_{43}O_2N(?)$	"	231 ; 237 ; 239 c.	Wright and Luff	35, 410, 416
Solanicine	$C_{26}H_{39}ON$	a. 250 p. d.	Zwenger and Kind	A., 123, 344	v., 345
Aconine	$C_{26}H_{39}O_{11}N$	abt. 130	Wright and Luff	33, 320
Solanidine	$C_{26}H_{41}O_2N$	a. 200	Zwenger and Kind	A., 118, 142	v., 345
Dinitrocholesterin	$C_{26}H_{42}(NO_2)_2O$	$C_{26}H_{42}O_5N_2$	120-121	Preiss & Raymann	B., 12, 225	36, 634
Rubijervine	$C_{26}H_{43}O_2N$	236	Wright and Luff	35, 411
Glycocholic acid	A., 67, 9 ; 157, 286	$C_{26}H_{43}O_6N$	a. 100	Strecker	Handw. b., 2, 1192	42, 1220
"	J. p. [2], 10, 267 ; 25, 99	"	132-134	Emich	M. C., 3, 325 ; 4, 99	"
Paraglycocholic acid....	A., 65, 12	"	183-184	"	M. C., 3, 340	"
Anhydrotolylketamine	$(NH.C_6H_4.N : C.C_6H_4)_2CO$ $\underbrace{\hspace{1.5cm}}_{=1.2 ; 1.4}$	$C_{27}H_{18}ON_4$	A., 210, 340	277	Stoddard	B., 11, 297	34, 504
"	"	"	277	Brückner	A., 205, 121	40, 94
Benzoyldi-β-naphthylamine	$(C_{10}H_7)_2NBz$	$C_{27}H_{19}ON$	173 u. e.	Claus and Richter	B., 17, 1593	46, 1358
β-Diazonaphthalene benzoyl-β-naphthylamine	$C_{10}H_7.N_2.NBz.C_{10}H_7$	$C_{27}H_{19}ON_3$	177	Lawson	B., 18, 2422	48, 1238
Di-β-naphthylphenylcarbamide.	$PhHN.CO.N(C_{10}H_7)_2$	$C_{27}H_{20}ON_2$	179	Gebhardt	B., 17, 3039	48, 384
Tribenzoyldiamidophenol	fr. $OH.(NHBz)_2=1.2.6$	$C_{27}H_{20}O_4N_2$	183-184	Stuckenburg	B., 10, 387	32, 475
"	" " " " " "	"	183-184	Post	A., 205, 83	
"	" $=1.2.4$	"	231-233	Stuckenburg	B., 10, 381	32, 193
"	" " " " " "	"	231-233	Post	A., 205, 69	
Diphenyldibenzoylguanidine	$CN_3HPh_2Bz_2$	$C_{27}H_{21}O_2N_3$	102	McCreath	B., 8, 384	28, 885
Pyrogallolphenylcarbamate....	$C_6H_3(O.CO.NHPh)_3$	$C_{27}H_{21}O_6N_3$	173	Snape	47, 774
Triacetylhydrocyanrosolic acid	$C_{21}H_{14}N(OAc)_3$	$C_{27}H_{23}O_6N$	143	Græbe and Caro	A., 179, 200 ; B., 11, 1117	29, 590 ; 34, 794
Diamidomethoxytriphenylmethane	$MeO.C_6H_4.CH(C_6H_4.NH_2)_2+$ $C_6H_5.Me$	$C_{27}H_{28}ON_2$	65	Mazzara and Possetto	G. I., 15, 57	48, 1141
Hydroethylsalicylamide	$C_{27}H_{30}O_3N_2$	100	Perkin	[2], 5, 418	vi., 1009
o-Nitrotetretthyldiamidotriphenylmethane	$NO_2.C_6H_4.CH(C_6H_4.NEt_2)_2$	$C_{27}H_{33}O_2N_3$	109-110	Fischer & Schmidt	B., 17, 1894	46, 1316
Picrorocellin	$C_{27}H_{39}O_5N_3$	192-194	Stenhouse & Groves	A., 185, 14	31, 718
Hyoglycocholic acid	$C_{27}H_{43}O_5N$	nf. 120	Strecker and Gundaloch	A., 62, 215	iii., 234
Cevine	$C_{27}H_{41}(OH)_2O_6N$	$C_{27}H_{43}O_8N$	145	Wright and Luff	33, 350
Myristoxine	$C(C_{13}H_{27})_2:NOH$	$C_{27}H_{65}ON$	B., 17, 1575	51	Spiegler	M. C., 5, 241	46, 1115
Cerylic nitrate	$C_{27}H_{53}O.NO_2$	$C_{27}H_{56}O_3N$	76	Champion	C. R., 78, 1150	27, 887

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzenylbenzamidoalzarin...	$C_6H_4:(CO)_2:C_6H(OBz).O.$ $C_7H_5:N$	$C_{28}H_{15}O_5N$	a. 300	Römer	B., 18, 1669	48, 1069
Phenanthrenequinonimide anhydride	$C_{28}H_{16}ON_2$	247	Zincke	B., 12, 1643	
Diphthalyl-o-p-benzidine	$[C_6H_4.N:(CO)_2:C_6H_4]_2$	$C_{28}H_{16}O_4N_2$	194	Bandrowski	B., 17, 1183	46, 1015
" -p-p- "	"	"	a. 360	"	B., 17, 1181	"
Imidohydroxylanthraquinone	$C_{28}H_{16}O_6N_2$	A., 166, 153	240	Böttger & Petersen	J. p. [2], 6, 367	26, 390
α -phenylenenaphthylene oxide picrate	$C_{16}H_{10}O+2[C_6H_2.OH.(NO_2)_3]$	$C_{23}H_{16}O_{15}N_6$	A., 209, 141	165	Arx	B., 13, 1727	40, 282
Oxidation of dibenzylamine	$C_{28}H_{17}O_8N_3$	142	Claus	B., 15, 2332	44, 203
Benzoylanhydrosalicyldiamidophenanthrene	$C_{21}H_{13}BzON_2$	$C_{28}H_{18}O_3N_2$	218-220	Japp & Streatfield	41, 148
?	$C_{14}H_8Bz_2N_2$	"	239.5-240.5	Goloubeff	B. S., 43, 128	48, 661
α -diphenanthreneoxytriimide	$C_{28}H_{19}ON_3$	282	Sommaruga	M. C., 1, 149	
β - " " "	"	a. 300	"	M. C., 1, 158	
Benzamil	$C_{23}H_{20}O_2N_2(?)$	170	Laurent	R. S., 19, 446	i., 541
Dinitrosodiphenyldiisindole	$NPh.C(NO).CPh.NPh.C(NO).C$ Ph	$C_{28}H_{20}O_2N_4$	244	Mohlau	B., 15, 2487	44, 342
HNO ₃ on anthramine	$(C_{14}H_9NH)_2N.OH(?)$	$C_{28}H_{21}ON_3$	250	Bollert	B., 16, 1639	44, 1140
β -naphtholazobenzeneazodiphenylamine	$NHPh.C_6H_4.N_2.C_6H_4.N_2.$ $C_{10}H_6.OH=1.4; 1.4; \alpha\beta$	$C_{28}H_{21}ON_5$	203-204	Meldola	43, 441	
Benzil on benzonitril	$C_{28}H_{21}O_3N$	225	Japp and Tresidder	B., 16, 2653	46, 314
Benzoybenzamidomethylbenzophenone	$BzO.C_6H_4.CO.C_6H_3Me.NHBz$	$C_{28}H_{21}O_4N$	192-193	Liebermann	B., 16, 1931	44, 1097
?	$C_{28}H_{22}ON_4$	A., 171, 144	254-256 c.	Guareschi	G. I., 4, 22	27, 584
Benzilimide	$C_{28}H_{22}O_2N_2$	130	Laurent	R. S., 19, 442	i., 546
?	$C_{28}H_{22}O_3N_2$	106-110	Ladenburg	B., 11, 597	
Benzil on benzonitril	"	168	Japp and Tresidder	B., 16, 2653	46, 314
Dibenzdiamidomethylbenzophenone	$NHBz.C_6H_4.CO.C_6H_3Me.$ NHBz	"	226	Liebermann	B., 16, 1929	44, 1097
?	$C_{28}H_{22}O_4N_3$	60-70	Lorenz	B., 7, 1098	
?	$C_{24}H_{16}N_4O_4Ac_2$	$C_{28}H_{22}O_6N_4$	285	Zincke & Hebebrand	A., 226, 60	48, 258
?	$(Ph_2N)_2C.C_2H_4.CO.O$	$C_{28}H_{24}O_2N_2$	234	Piutti	G. I., 14, 351	48, 783
Dibenzoyldihydroxystilbediamine	$[C_6H_4(OH).CH.NHBz]_2$	$C_{28}H_{24}O_4N_2$	a. 300 d.	Japp and Hooker	45, 674
Aniline + succinylsuccinic ether	$C_{28}H_{27}O_3N_3(?)$	210	Kuorr	B., 17, 546	46, 1198
Aspidospermatine	$C_{28}H_{28}O_2N_2$	162	Hesse	A., 211, 249	42, 742
?	$C_{28}H_{28}O_3N_2$	85	Claus	B., 14, 2372	42, 178
Ethylene- α -naphthylurethane	$C_2H_4[N(C_{10}H_7).CO_2Et]_2$	$C_{28}H_{28}O_4N_2$	156	Reuter	B., 8, 25	28, 649
?	$C_{28}H_{30}ON_4$	186	Claus	B., 14, 2371	42, 178
Diacetylpentamethylparosaniline	$C_{28}H_{33}O_3N_3$	223-225.	Fischer and Körner	B., 16, 2906	46, 607
Thapsic anilide	$C_{16}H_{28}O_2(NHPh)_2$	$C_{28}H_{40}O_2N_2$	162-163.	Canzoneri	G. I., 13, 514	46, 461
Verine	$C_{28}H_{44}(OH)NO_7$	$C_{28}H_{45}O_8N$	95-130	Wright and Luff	33, 355
Vicine	$C_{28}H_{51}O_{21}N_{11}$	B., 9, 301	180 d.	Ritthausen	J. p. [2], 2, 336; 7, 374; 24, 202	
Myristoyltridecylcarbamide	$C_{13}H_{27}.NH.CO.NH.C_{14}H_{27}.O$	$C_{28}H_{56}O_2N_2$	103	Reimer and Will	B., 18, 2016	48, 1197
NH ₃ on isobutaldehyde	$(C_4H_9)_7ON_6H_6$	$C_{28}H_{62}ON_6$	d. 90	31	Lipp	A., 205, 5; B., 13, 904	38, 621; 40, 84
?	$C_{29}H_{21}O_3N_3$	168	Haarmann	B., 6, 341	28, 908
Di(-p-benzamidophenyl)urethane	$N(C_6H_4.NHBz)_2.CO_2Et$	$C_{29}H_{25}O_4N_3$	a. 360	Hager	B., 17, 2628	48, 150
?	$CO(C_{14}H_{13}N_2)_2$	$C_{29}H_{26}ON_4$	115.5	Löb	B., 18, 2428	
Hydromethylbenzylamine	$C_{21}H_{15}MeN_2O.CH_2Ph$	$C_{29}H_{28}ON_2$	208	Claus	B., 15, 2327	44, 203
Benzylidenediantipyrine	$Ph.CH(C_{11}H_{11}ON_2)_2$	$C_{29}H_{28}O_2N_4$	201	Knorr	B., 17, 2040	48, 1378
Quinine + nitrobenzaldehyde	$C_{22}H_{24}O_2N_2+C_6H_4.NO_2.CHO$	$C_{29}H_{29}O_5N_3$	113-118	Mazzara	G. I., 13, 367	46, 466
Roccellanilide	$C_{17}H_{30}O_2(NHPh)_2$	$C_{29}H_{42}O_2N_2$	55.3	Hesse	A., 117, 342	v., 113

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Campholurethanebenzaldehyde	Ph.CH(NH.CO ₂ .C ₁₀ H ₁₇) ₂	C ₂₉ H ₄₂ O ₄ N ₂	185-187	Haller	C. R., 94, 869	42, 1214
Pseudojervine	C ₂₉ H ₄₃ O ₇ N	299 d.	Wright and Luff	35, 413	
Carbopetrocene picrate	C ₃₀ H ₁₁ O ₇ N ₃	185	Prunier	A. C. [5], 17, 28	36, 447
Phenylparamide	C ₆ (C ₂ O ₂ :NPh) ₃	C ₃₀ H ₁₅ O ₆ N ₃	n. f. 300	Hütte	J. p. [2], 32, 238	48, 1220
Dibenzoylindigo	J. p., 91, 382	C ₃₀ H ₁₈ O ₄ N ₂	C. R., 56, 1050	108	Schwartz	J. [1863], 557	
Fr. dinitrazoxynaphthalene...	C ₂₀ H ₁₂ O ₅ N ₄ (?)	C ₃₀ H ₁₉ O ₈ N ₅ (?)	199	Liebermann	A., 183, 225	31, 600
β-naphthaquinone di-α-naphthalide	C ₁₀ H ₇ .NH.C ₁₀ H ₅ .O.N.C ₁₀ H ₇	C ₃₀ H ₂₀ ON ₂	246-247	Meldola	45, 160	
Dihydroxyphenyleyanurate	[C ₃ N ₃ (O.C ₆ H ₄ .OH) ₂] ₂	C ₃₀ H ₂₀ O ₈ N ₆	+6H ₂ O	a. 360	Birnbaum & Lurie	B., 13, 1620	
Picrate of C ₂₄ H ₁₈ O ₄ N ₄	C ₃₀ H ₂₁ O ₁₁ N ₇	235 d.	Zincke and Hebebrand	A., 226, 60	48, 258
Ethylenebenzoylcarboxylic phenylhydrazide	[CH ₂ .C(N ₂ Ph).C ₆ H ₄ .CO] ₂	C ₃₀ H ₂₂ O ₂ N ₄	236-237	Roser	B., 18, 804	48, 797
Benzenediazoacenaanthhol	C ₆ H ₄ (N ₂ .C ₁₀ H ₆ .OAc) ₂ =1.4; (au) ₂	C ₃₀ H ₂₂ O ₄ N ₄	223	Meldola	47, 664
Ethylene dibenzhydroxamate	C ₂ H ₄ (NBz.OBz) ₂	C ₃₀ H ₂₄ O ₆ N ₂	148	Eiseler	A., 175, 342	28, 768
Nitrous acid on furfuralin	C ₃₀ H ₂₇ O ₁₅ N ₅	94-95	Schiff	B., 10, 1189	34, 46
Ethylenditolyldimethylammonium picrate	C ₂ H ₄ [NMe(C ₆ H ₄ Me).O. C ₆ H ₂ (NO ₂) ₃] ₂	C ₃₀ H ₂₈ O ₁₄ N ₈ (?)	196	Hübner, Tölle, and Athenstadt	A., 224, 331	46, 1318
Aniline usuate	C ₃₀ H ₃₂ O ₇ N ₂	142	Paterno	G. I., 7, 189; 8, 225	32, 786; 34, 884
Benzylmarceine	C ₂₅ H ₂₈ (CH ₂ Ph)O ₃ N	C ₃₀ H ₃₅ O ₃ N	169 u. c.	Claus and Ritzfeld	B., 18, 1574	48, 997
Quinine eugenate	C ₂₀ H ₂₄ O ₂ N ₂ .C ₁₀ H ₁₂ O ₂	C ₃₀ H ₃₆ O ₄ N ₂	110 p. d.	Hesse	A., 135, 325	vi., 984
Emetine	A. C. (2), 4, 172; (5), 8, 233	C ₃₀ H ₄₄ O ₄ N ₂	C ₂₈ H ₄₀ O ₃ N ₂	62-65	Podwysotzky	P. J. [3], 10, 642	38, 720
"	A. C. (5), 12, 277; Z. C. [1869], 414	"	"	70	Lefort	J. P. [4], 9, 241	vi., 580
Jervine	see C ₂₆ H ₃₇ O ₃ N	C ₃₀ H ₄₆ O ₃ N ₂	193-196	Bullock	P. J. [3], 6, 1009	30, 530
Aconitine (?)	see C ₃₃ H ₄₃ O ₁₂ N	C ₃₀ H ₄₇ O ₇ N	80	Planta	A., 74, 259	i., 55
Myricylic nitrate	C ₃₀ H ₆₁ .O.NO ₂	C ₃₀ H ₆₁ O ₃ N	61	Champion	C. R., 78, 1150	27, 887
Alizarin blue dibenzoate	C ₁₇ H ₇ NO ₂ (OBz) ₂	C ₃₁ H ₁₇ O ₆ N	244	Græbe	A., 201, 342	
Dibenzoylmorphine	C ₁₇ H ₁₇ ON(OBz) ₂	C ₃₁ H ₂₇ O ₅ N	186	Polstorff	B., 13, 98	
"	"	"	188-190 c.	Wright and Rennie	28, 322	37, 611
" ?	C ₃₁ H ₃₃ O ₃ N ₃	263	Knorr	B., 17, 545	46, 1198
Diacetylpopseudaconine	(C ₂₇ H ₃₇ NO ₅ (OAc) ₂ O	C ₃₁ H ₄₃ O ₁₀ N	b. 100	Wright and Luff	33, 331
Picro-aconitine	C ₃₁ H ₄₅ O ₁₀ N	nf. 100	Wright	31, 146
β-dinitroanthraquinone	C ₁₄ H ₆ O ₂ (NO ₂) ₂ .C ₁₈ H ₁₂	C ₃₂ H ₁₈ O ₆ N ₂	cf. B., 3, 811	294	Schmidt	J. p. [2], 9, 250	27, 987
chrysenes							
β-dinaphthalene oxide picrate	(C ₁₀ H ₆) ₂ O+[C ₆ H ₂ .OH.(NO ₂) ₃] ₂	C ₃₂ H ₁₈ O ₁₅ N ₆	135	Walder	B., 15, 2172	44, 209
β- " " "	"	"	cf. B., 14, 201	135	Knecht & Unzeitig	B., 13, 1726	40, 281
α- " " "	"	"	167	"	B., 13, 1725	"
α- " " "	"	"	173	Merz and Weith	B., 14, 197, 199	40, 265
Picrate of C ₂₆ H ₁₆	C ₂₆ H ₁₆ +C ₆ H ₂ .OH.(NO ₂) ₃	C ₃₂ H ₁₉ O ₇ N ₃	177-178	Harpe and Dorp	B., 8, 1049	29, 243
α-Naphthylxide picrate ...	(C ₁₀ H ₇) ₂ O.[C ₆ H ₂ .OH.(NO ₂) ₃] ₂	C ₃₂ H ₂₀ O ₁₅ N ₆	114.5-115	Merz and Weith	B., 14, 198	40, 264
β- " " "	"	"	122-122.5	"	B., 14, 201	"
α-Dinaphthol picrate ...	C ₂₀ H ₁₄ O ₂ [C ₆ H ₂ .OH.(NO ₂) ₃] ₂	C ₃₂ H ₂₀ O ₁₆ N ₆	145	Walder	B., 15, 2171	44, 209
β- " " "	"	"	174 u. c.	"	B., 15, 2170	"
β-β-Dinaphthylamine picrate	C ₃₂ H ₂₁ O ₁₄ N ₇	164-165	Benz	B., 16, 20	44, 595
α-α- " " "	"	168-169	"	B., 16, 20	44, 594
α-β- " " "	"	172-173	"	B., 16, 17	"
Dibenzdiphenyldiamidobenzene	C ₆ H ₄ (NBzPh) ₂ =1.3	C ₃₂ H ₂₄ O ₂ N ₂	184	Calm	B., 16, 2798	46, 592
" " " " "	" =1.4	"	218.5	"	B., 16, 2808	"
Phthalylbidiphenylamine ...	C ₆ H ₄ (CO.NPh) ₂ =1.2	"	238	Lellmann	B., 15, 830	42, 1060
Benzoylimidocinnamic anhydride	O(CO.CH.NBz.CHPh) ₂	C ₃₂ H ₂₄ O ₅ N ₂	164-165	Plöchl	B., 16, 2815	46, 604
" ?	O(CO.CH.NBz.CH.C ₆ H ₄ .OH) ₂	C ₃₂ H ₂₄ O ₇ N ₂	160	Plöchl & Wolfrum	B., 18, 1184	48, 898
Benzacin	C ₃₂ H ₂₇ ON ₃	150	Frankland and Tompkins	37, 567
" ?	C ₂₈ H ₂₂ Ac ₂ N ₂ O ₄	C ₃₂ H ₂₈ O ₆ N ₂	225-227	Japp and Hooker	45, 678

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Erythrolide of phenylcarbamic acid	$C_4H_6(O.CO.NHPh)_4$	$C_{32}H_{30}O_8N_4$	215 d; sf. 210	Tessmer	B., 18, 970	48, 774
Hexethyltriimidodibenzoylbenzene	$NEt_2.C_6H_3(CO.C_6H_4.NEt_2)_2$	$C_{32}H_{41}O_2N_3$	70	Michler and Gradmann	B., 9, 1914	32, 335
Oxyacanthine....	$C_{32}H_{46}O_{11}N_2$ (?)	139	Wacker	J. [1861], 545	iv., 288
Cevadine (veratrine)....	$C_{27}H_{41}NO_6(OH).O.CO.CMe : C_2H_4$	$C_{32}H_{49}O_9N$	A., 95, 200	205; 206 c.	Wright and Luff	33, 344
" "	"	"	B., 9, 1116	205	Schmidt & Köppen	A., 185, 224	30, 530, 906
" " (C.C. [1872], 229)	"	"	205	Schmidt	A. P. [3], 10, 511	34, 517
Lycopodine	$C_{32}H_{52}O_3N_2$	114-115	Bödeker	A., 208, 363	40, 1158
α -Dinaphthylmethane picrate	$C_{21}H_{16}[C_6H_3.OH(NO_2)_3]_2$	$C_{33}H_{22}O_{14}N_6$	142-143	Grabowski	B., 7, 1607	28, 456
Dibenzoyltriphenylguanidine	$NPh : C(NPhBz)_2$	$C_{33}H_{25}O_2N_3$	185	McCreath	B., 8, 383	28, 885
Apoaconitine	$C_{26}H_{35}NO_7(OH)(OBz) : O$	$C_{33}H_{41}O_{11}N$	185-186	Wright and Luff	33, 325
Aconitine (A., 7, 276; 74, 257)	$C_{26}H_{35}NO_7(OH)_3(OBz)$	$C_{33}H_{43}O_{12}N$	183-184	"	33, 159, 325
Fr. β -Naphthaquinonetoluide	$C_{34}H_{22}O_4N_4$	260-265	Zincke and Brauns	B., 15, 1972	44, 209
Tetrabenz- β -diamidophenol....	$OH.(NBz)_2=1.2.6$	$C_{34}H_{24}O_5N_2$	A., 205, 83	182	Stuckenberg	B., 10, 387	32, 475
Oxydimorphine	cf. B., 13, 86-91	$C_{34}H_{36}O_6N_2$	245 d.	Schützenberger	B. S., 4, 178	34, 987
Gnoscopine	J. [1878], 873	$C_{34}H_{36}O_{11}N_2$	233 d.	Smith	P. J. [3], 9, 82	34, 987
Sabadilline (Cevadilline)	$C_{34}H_{53}O_8N$	200	Couerbe	A. C. [2], 52, 352	33, 339
" "	"	200	Weigelin and Dragendorff	N. J. P., 37, 94	"
Azurine	$C_{35}H_{32}O_3N_4$	250.5	Ladenburg	B., 11, 598	34, 572
Colchicine	See $C_{17}H_{19}O_5N$	$C_{35}H_{42}O_{11}N_2$	155	Oberlin	A. C. [3], 50, 108	i., 1080
Acetylpoaconitine	$C_{26}H_{35}O_7N(OAc)(OBz) : O$	$C_{35}H_{43}O_{12}N$	180-181 c.	Wright and Luff	33, 328.
Stearoxime	$(C_{27}H_{35})_2C : NOH$	$C_{35}H_{71}ON$	B., 17, 1575	62-63	Spiegler	M. C., 5, 241	46, 1115
Carbopetrocene picrate	$C_{24}H_8[C_6H_2.OH.(NO_2)_3]_2$	$C_{36}H_{14}O_{14}N_6$	C. R., 88, 316	135	Prunier	A. C. [5], 17, 28	38, 446
β -Naphtholazobenzeneazo- α -naphthleneazo- β -naphthol	$HO.C_{10}H_6.N_2.C_6H_4.N_2.C_{10}H_6.N_2.C_{10}H_6.OH=\beta\alpha ; 1.4 ; \alpha\alpha ; \alpha\beta$	$C_{36}H_{24}O_2N_6$	a. 295	Meldola	43, 437
Azophenine	$C_{35}H_{29}ON_5$	224	Kimich	B., 18, 1028	29, 268
" "	$C_{36}H_{29}N_5(?)$	" (?)	236-237	Witt and Thomas	43, 115
Dicodethylene (ethylenedimorphine)	$(C_{17}H_{18}NO_3)_2C_2H_4$	$C_{36}H_{40}O_6N_2$	d.w.m. 200	Grimaux	C. R., 93, 67 ; A. C. [5], 27, 273	40, 1045 ; 44, 359
Apopseudoaconitine	$C_{36}H_{47}O_{11}N$	+H ₂ O	102-103	Wright	33, 151
Pseudoaconitine	$C_{27}H_{37}O_5N(OH)_3.O.CO.C_6H_5(OMe)_2$	$C_{36}H_{49}O_{12}N$	+H ₂ O	100+	Wright and Luff	33, 336
" "	"	"	104-105	"	33, 159
Lycocotone	=pseudoaconitine (?)	"	100-104	Flückiger	J. [1870], 837	33, 335
Pentacetylsolanidine	$C_{36}H_{31}O_7N$	150	Hilger	A., 195, 322	42, 1053
Heptadecylstearylcarbamide	$NH(C_{17}H_{35}).CO.NH(C_{13}H_{27}O)$	$C_{36}H_{72}O_2N_2$	112	Hofmann	B., 15, 761	42, 1053
Veratrine	$C_{37}H_{53}O_{11}N$	115	Couerbe	A. C. [2], 52, 352	33, 339
" "	$C_{28}H_{44}O_7.N.O.CO.C_6H_5(OMe)_2$	"	180 c.	Wright and Luff	33, 353
Dinaphthylenphenylamine picrate	$C_{26}H_{17}N.[C_6H_2.OH.(NO_2)_3]_2$	$C_{38}H_{23}O_{14}N_7$	169 u.c.	Walder	B., 15, 2177	44, 209
?	$C_{24}H_{16}Bz_2O_4N_4$	$C_{35}H_{26}O_6N_4$	264.5	Zincke and Heberbrand	A., 226, 60	48, 258
Tribenzoylmorphine	$C_{17}H_{16}Bz_3O_3N$	$C_{38}H_{31}O_6N$	186	Polstorff	B., 13, 98	38, 407
Triphenylrosaniline	J. [1862], 696 ; [1863], 786	$C_{38}H_{33}ON_3$	100	A., 132, 162	38, 640
Tetramethdiamidopropyltriphenylmethane picrate	$C_{26}H_{32}N_2 + C_6H_2.OH.(NO_2)_3$	$C_{38}H_{38}O_{14}N_3$	156	Ziegler	B., 13, 786	38, 640
Dihydrodicinchonine	J.p. [2], 8, 293	$C_{38}H_{46}O_2N_4$	A., 108, 348	257-258	Skraup	B., 11, 314	38, 640
Acetylpopseudoaconitine	$C_{27}H_{37}O_5N(:O)(OAc).O.CO.C_6H_5(OMe)_2$	$C_{38}H_{49}O_{12}N$	115	Wright and Luff	33, 170
?	$C_6H_3Me(NH.CO.C_6H_4.N : CH.C_6H_4.OAc)_2=1.1.1.?$ (1.3 ; 1.2) ₂	$C_{39}H_{32}O_6N_4$	220 d.	Schiff	A., 218, 185	48, 455
Dihydroxydimethyldipropyl diphenyldiazobenzophenylmethane	$Ph.CH[C_6H_4.N_2.C_6H_2MePr(OH)N]_2$ N.OH=1.4	$C_{39}H_{40}O_2N_6$	170	Mazzara	G. I., 15, 44	48, 904

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzoylcevadine	$C_{27}H_{41}O_6N(OBz).O.CO.$ CMe : C_7H_7	$C_{39}H_{53}O_{10}N$	$+1\frac{1}{2}H_2O$	170-180	Wright and Luff	33, 351
Diphenyldiisoindole picrate	$C_{28}H_{22}N_2[C_6H_5.OH.(NO_2)_{2/3/2}]$	$C_{40}H_{28}O_{14}N_8$	127	Möhlau	B., 15, 2487	44, 342
Phthalylidiphenylaminaspartein	$C_6H_4[CO.NPh.C_2H_5:(CO)_2:NPh]_2=1.2$	$C_{40}H_{30}O_6N_4(?)$	273	Piutti	G. I., 14, 473	48, 797
Triphenylamidomethane oxalate	$(CPh_3.NH_2)_2+H_2C_2O_4$	$C_{40}H_{36}O_4N_2(?)$	253	Elbs	B., 17, 702	46, 1031
Azo-p-toluenephenine	$C_{40}H_{37}ON_5$	249-250	Kimich	B., 8, 1032	29, 269
Benzoylapoconitine	$C_{40}H_{45}O_{12}N$	130	Wright	33, 324
Diacetylcodeine	$C_{36}H_{42}Ac_2O_6N_2$	$C_{40}H_{46}O_8N_2$	135	Beckett and Wright	28, 324
Dulcitolide of phenylcarbamimic acid	$HO.C_6H_5(O.CO.NHPh)_3$	$C_{41}H_{39}O_{11}N_6$	250	Tessmer	B., 18, 971	48, 774
Manitolide	"	"	260 d; sf., 250	"	B., 18, 970	"
(E)anthohehexureide	See A., 151, 190	$C_{41}H_{34}O_6N_{12}$	150	Schiff	A., 151, 190	
Benzilam	$C_{42}H_{32}O_2N_2$	v. $C_{14}H_9N$	113-114	Zincke	B., 16, 891, 892	
Benzilamide	$C_{42}H_{32}O_4N_2$	v. $C_{14}H_{11}ON$	137-139	"	B., 16, 890, 891	
Imabenzil	"	v. $C_{14}H_{11}ON$	158-170 d.	"	B., 16, 891	
"	"	d. 140	Henius	A., 228, 339	48, 1067
Dibenzoyldibenzoxystilbene diamine	$[C_6H_4(OBz):CH.NHBz]_2$	$C_{42}H_{32}O_6N_2$	246-248	Japp and Hooker	45, 682, 683
Tetracetyl- ?	$C_{42}H_{34}O_8N_4$	190-191	Zincke and Brauns	B., 15, 1971	44, 209
Cinchonamine malate	$(C_{19}H_{24}N_2O)_2.C_4H_6O_5(?)$	$C_{42}H_{54}O_6N_2(?)$	$+H_2O$	160	Arnaud	C. R., 97, 174	46, 88
Solanine (A.C. (2), 31, 109)	$C_{43}H_{71}O_{16}N(?)$	$C_{42}H_{75}O_{15}N$	cf. B., 9, 83	200+	Blyth	33, 316
"	J. [1863], 450; [1873], 817	"	235	Zwenger and Kind	A., 26, 232; 118, 130	v., 346
Dinaphthyldiquinonetetranilide	$C_{20}H_8(NHPh)_2(:NPh)_2:O_2$	$C_{44}H_{30}O_2N_4$	248-250	Korn	B., 17, 3023	48, 392
Tetretthdiamidodinaphthoic diethamidonaphthalene	$NEt_2.C_{10}H_5(CO.C_{10}H_6.NEt_2)_2$	$C_{44}H_{47}O_2N_3$	130	Smith	41, 186
Atisine	$C_{46}H_{74}O_5N_2$	85	Broughton	Medical Press, 1874	31, 146
Veratroidine	$C_{24}H_{37}O_7N(?)$	$C_{51}H_{78}O_{16}N_2$	129-130	Mitchell	P. J. [3], 5, 768, 785, 847	28, 1267
Narceine ethyloxalate	$(C_{23}H_{29}O_9N)_2.Et_2C_2O_4$	$C_{52}H_{68}O_{22}N_2$	174 d.	Claus and Ritzfeld	B., 18, 1571	48, 996
?	$C_{52}H_{86}O_{15}N_2$	150	Weigelin	N. J. P., 37, 94	33, 339
Benzylamarine oxalate	$(C_{28}H_{24}N_2)_2.H_2C_2O_4$	$C_{58}H_{50}O_4N_4$	240 n.c.	Claus & Kohlstock	B., 18, 1853	48, 1133
Narceine benzylcarbonate	$(C_{23}H_{29}O_9N)_2(CH_2Ph)_2CO_3$	$C_{60}H_{73}O_{21}N_2$	135	Claus and Ritzfeld	B., 18, 1573	48, 997
Japaconitine	$O[C_{26}H_{39}O_7N(OBz):O]_2$	$C_{66}H_{88}O_{21}N_2$	181; 183; 185.5; 184-186	Wright and Luff	35, 394-401
Homocerebrin	$C_{80}H_{158}O_{14}N_{22}()$	b. 155	Parcus	J. p. [2], 24, 326	42, 236
Eucephalin	$C_{102}H_{206}O_{19}N_{14}$	d. 125	150	"	J. p. [2], 24, 327	"
Alstonidine	$C_8H_6O_2N_4$	181 u. c.	Hesse	A., 205, 368	40, 624
Anthracene orange	"	225	Böttger	J. p. [2], 2, 130	vii., 86
Colloturine	Composition unknown	"	sb. 234	Hesse	B., 11, 1546	36, 73
Cuscamine	"	218	"	A., 200, 304	38, 329
Loturine	Composition unknown	"	234 u. c.	"	B., 11, 1544	36, 73
Methylcodethylene (?)	Probably $C_{15}H_{21}NO_2(OEt)$	"	132	Grimaux	C. R., 93, 592	42, 218
Oleandrine	B., 14, 2602; 16, 254	"	135	begins 56	Bettelli	G. I., 6, 310	29, 404
"	J. [1861], 546	"	70-75	J. [1875], 783	
Quebrachamine	Composition unknown	"	142	Hesse	A., 211, 265	42, 743
Taxine	J. [1856], 550	"	80	Mavine	C. C. [1876], 166	31, 476
"	"	80	Marmé	B. S., 26, 417	
Acid from Hg fulminate	"	85	Scholvien	J. p. [2], 30, 91	48, 39
Usnic acid + aniline	"	170	Paterno	G. I., 7, 192; 8, 225	32, 787; 34, 884
From $C_{24}H_{22}O_6N_4$	"	212-214	Zincke and Brauns	B., 15, 1973	44, 210
"	77.1% C; 4.6% N; 12.5% N	"	224	"	B., 15, 1972	"

(19.) CHOP, CHOAs, CHOSb.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylphosphinic acid	Me.PO(OH) ₂	CH ₅ O ₃ P	105	Hofmann	B., 5, 106; 6, 306	25, 421; vii., 956
Ethyl metaphosphate	EtO.PO ₂	C ₂ H ₅ O ₃ P	b. 100	Carius	J. [1861], 586	
Dimethylphosphinic acid	Me ₂ PO(OH)	C ₂ H ₇ O ₂ P	76	Hofmann	B., 5, 108	25, 421; vii., 956
Ethylphosphinic acid	Et.PO(OH) ₂	C ₂ H ₇ O ₃ P	44	"	B., 5, 110	25, 422; vii., 957
Isopropylphosphinic acid	Pr ^β .PO(OH) ₂	C ₃ H ₉ O ₃ P	60-70	"	B., 6, 304	26, 884; vii., 957
Trimethyl phosphate	PO(OMe) ₃	C ₃ H ₉ O ₄ P	197.2	Weger	A., 221, 61	46, 11
Hydroxypropylphosphinic acid	Et.CH(OH).P(OH) ₂	"	158-160	Fossek	M. C., 5, 121	46, 834
Diethylphosphinic acid	Et ₂ PO(OH)	C ₄ H ₁₁ O ₂ P	Liquid -25	Hofmann	B., 5, 110	25, 422; vii., 957
Isobutylphosphinic acid	Bu ^β PO(OH) ₂	C ₄ H ₁₁ O ₃ P	100	"	B., 6, 304	26, 884; vii., 957
Dimethyl ethyl phosphate	PO(OMe) ₂ (OEt)	C ₄ H ₁₁ O ₄ P	203.3	Weger	A., 221, 61	46, 11
Hydroxyisobutylphosphinic acid	Pr.CH(OH).P(OH) ₂	"	168-169	Fossek	M. C., 5, 121, 627	46, 834; 46, 504
Isoamylphosphinic acid	C ₅ H ₁₁ .PO(OH) ₂	C ₅ H ₁₃ O ₃ P	160	Hofmann	B., 6, 305	26, 884; vii., 957
Hydroxyamylphosphinic acid	C ₅ H ₁₀ (OH).P(OH) ₂	C ₅ H ₁₃ O ₄ P	183-184	Fossek	M. C., 5, 121, 627	46, 834; 46, 504
Phosphenylous acid	Ph.P(OH) ₂	C ₆ H ₇ O ₂ P	A., 181, 303	70	Michaelis & Ananoff	B., 7, 1689	28, 467
Phosphenylic acid (phenylphosphinic acid)	Ph.PO(OH) ₂	C ₆ H ₇ O ₃ P	A., 181, 321	158	Michaelis	B., 6, 819; A., 218, 85	27, 169; 44, 735
"	"	"	158	"	B., 7, 1070, 1689	28, 171
"	"	"	158	Schröder	B., 12, 564	
Phenylphosphoric acid	PhO.PO(OH) ₂	C ₆ H ₇ O ₄ P	G. I., 11, 65	97-98	Jacobsen	B., 8, 1521	29, 596
Diacetylphosphinic acid	Pr ^β .CHAc.PO(OH) ₂	C ₆ H ₁₃ O ₄ P	+H ₂ O	63	Michaelis	B., 18, 902	48, 747
"	"	"	"	63-64	"	B., 17, 1275	48, 991
Triethylphosphinic oxide	Et ₃ PO	C ₆ H ₁₅ OP	240-245	A., 104, 18	Wichelhaus	B., 1, 80	
"	" (As., 7, 1)	"	240 c.	44	Hofmann	13, 295	iv., 612
"	"	"	240	52.9	Pebal	A., 120, 194	"
"	" (A., 137, 119)	"	242.8-243 u.c.	s. 51.9	Crafts and Silva	Z. C. [1871], 359	24, 633; vii., 954
Diethyl ethylphosphite	Et.PO(OEt) ₂	C ₆ H ₁₅ O ₃ P	188	Zimmermann	A., 175, 8	28, 440
"	"	"	191	Railton	7, 216	iv., 534
"	" (J., 1876, 206)	"	188-191	A., 92, 348	Williamson	J., 7, 563	
"	"	"	192	Wichelhaus	As., 6, 269	
Triethyl phosphate	PO(OEt) ₃	C ₁₆ H ₁₆ O ₄ P	200	Liquid -18	Carius	A., 119, 289	vii., 1120
"	"	"	214	A., 69, 193; 91, 376	Zimmermann	A., 175, 1; B., 7, 290	27, 655; 28, 441
"	"	"	215	Carius	A., 112, 190	vi., 592
"	"	"	215	A., 137, 121	Limpricht	J., 18, 471	
Carboxylphenyl phosphoric oxide	O ₂ P.O.C ₆ H ₄ .CO ₂ H=1.2	C ₇ H ₅ O ₅ P	145	Anschütz	A., 228, 308	48, 1062
Benzophosphinic acid	(HO) ₂ PO.C ₆ H ₄ .CO ₂ H=1.4	C ₇ H ₇ O ₅ P	A., 212, 231	a. 300	Michaelis & Panek	B., 14, 405	40, 604
Tolylphosphinous acid	C ₆ H ₄ Me.PO ₂ H ₂ =1.2	C ₇ H ₉ O ₂ P	Liquid	"	A., 212, 223	42, 960
"	" =1.4	"	104	"	B., 13, 655	38, 641
"	"	"	104-105	"	A., 212, 218	42, 960
Tolylphosphinic acid	C ₆ H ₄ Me.PO(OH) ₂ =1.2	C ₇ H ₉ O ₃ P	141	"	A., 212, 232	42, 963
"	" =1.4	"	188	"	B., 13, 655	38, 641
"	"	"	189	"	A., 212, 224	42, 962
Cresylic phosphate	PO(OH) ₂ (O.C ₆ H ₄ Me)=1.4	C ₇ H ₉ O ₄ P	116	Rapp	A., 224, 156	46, 1338
Xylylphosphinous acid	C ₆ H ₃ Me ₂ .PO ₂ H ₂	C ₈ H ₁₁ O ₂ P	97-98	Michaelis & Panek	A., 212, 237	42, 964

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dimethylic phosphenylate	Ph.PO(OMe) ₂	C ₈ H ₁₁ O ₃ P	247 u.c.	Liquid	Michaelis and Benzinger	A., 181, 325 ; B., 8, 1311	29, 598
Xylylphosphinic acid	C ₆ H ₃ Me ₂ .PO(OH) ₂	„	186-187	Michaelis & Panek	A., 212, 238	42, 964
Dimethylphosphobenzoic acid	C ₆ H ₄ .CO ₂ H.PMe ₂ O=1.4	C ₉ H ₁₁ O ₃ P	243	Michaelis & Czimatis	B., 15, 2020	44, 56
Naphthylphosphinous acid	C ₁₀ H ₇ .PO ₂ H ₂	C ₁₀ H ₉ O ₂ P	125-126	Kelbe	B., 11, 1500	36, 68
Naphthylphosphinic acid	C ₁₀ H ₇ .PO(OH) ₂	C ₁₀ H ₉ O ₃ P	190	„	B., 9, 1052	30, 525
Diethylphenylphosphine oxide	Et ₂ .PhPO	C ₁₀ H ₁₅ OP	a. 360	55-56	Ananoff & Michaelis	B., 8, 496 ; A., 181, 354	28, 1204
Diethylic phosphenylite	Ph.P(OEt) ₂	C ₁₀ H ₁₅ O ₂ P	235	Liquid	Köhler & Michaelis	B., 10, 817	32, 449
„ phosphenylate	Ph.PO(OEt) ₂	C ₁₀ H ₁₅ O ₃ P	267 u.c.	Liquid	Michaelis and Benzinger	A., 181, 335 ; B., 8, 1311	29, 598
Turpentine phosphorous acid	C ₁₀ H ₁₆ O ₂ P (?)	50 d.	Köhler & Schimpf	D. P., 199, 510	vii., 959
Diethylic tolylphosphinite ...	C ₆ H ₄ Me.P(OEt) ₂ =1.4	C ₁₀ H ₁₇ O ₂ P	280	Liquid	Michaelis & Panek	A., 212, 222	42, 961
Diphenylphosphinic acid	Ph ₂ PO.OH	C ₁₂ H ₁₁ O ₂ P	B., 11, 885	174	Michaelis & Graeff	B., 8, 1305	29, 596
„ „	„	„	B., 12, 564	190	Michaelis	B., 10, 628	32, 453
„ „	„	„	B., 15, 801	190	Köhler & Michaelis	B., 10, 813	32, 451
Phenylphosphenylic acid	Ph.PO(OH)(OPh)	C ₁₂ H ₁₁ O ₃ P	57	Michaelis and Kammerer	B., 8, 1309 ; A., 181, 336	29, 598 ; 44, 735
Diphenylphosphoric acid	PO(OH)(OPh) ₂	C ₁₂ H ₁₁ O ₄ P	A., 143, 193	Liquid	Jacobsen	B., 8, 1235, 1522	29, 596
PCl ₅ on methylene diphenyl oxide	(C ₁₃ H ₉ O)PO ₃	C ₁₃ H ₉ O ₄ P	255-256	Richter	J. p. [2], 28, 273	46, 324
Diphenylmethylphosphine oxide	Ph ₂ MePO	C ₁₃ H ₁₃ OP	a. 360	110	Michaelis & Soden	A., 229, 334	48, 1135
„ „	„	„	111-112	Michaelis & Coste	B., 18, 2117	
Diphenylethylphosphine oxide	Ph ₂ EtPO	C ₁₄ H ₁₅ OP	a. 360	121	Michaelis & Soden	A., 229, 334	48, 1135
Ethylic diphenylphosphinate	Ph ₂ PO.OEt	C ₁₄ H ₁₅ O ₂ P	165	Götter & Michaelis	B., 11, 888	34, 724
Ethylic phosphate	(EtO) ₃ H.PO.P(OEt) ₄	C ₁₄ H ₃₆ O ₈ P ₂	150-160 d.	Liquid	Geuther	A., 224, 274	46, 1282
Diphenylpropylphosphine oxide	Ph ₂ Pr ^o PO	C ₁₅ H ₁₇ OP	a. 360	Michaelis & Soden	A., 229, 334	48, 1135
Diphenylisopropylphosphine oxide	Ph ₂ Pr ⁱ PO	„	a. 360	„	„	„
? acid	C ₁₅ H ₁₇ O ₃ P	142	Græbe	B., 7, 1628	28, 457
Triisoamylphosphine oxide	(CHMe ₂ .CH ₂ .CH ₂) ₃ PO	C ₁₅ H ₃₃ OP	a. 360	60-65	Hofmann	B., 6, 305	26, 884 ; vii., 955
Diisoamyl isoamylphosphinate	C ₅ H ₁₁ .PO(OC ₅ H ₁₁) ₂	C ₁₅ H ₃₃ O ₃ P	236	B. S., 18, 151	Railton	7, 218	iv., 532
„ „	„	„	236	A., 92, 350	Williamson	J., 7, 564	
Oxatylic phosphate	C ₁₆ H ₁₅ O ₃ .PO ₃ H ₂	C ₁₆ H ₁₇ O ₆ P	160	Spiegel	B., 13, 2220	40, 173
Diphenylisobutylphosphine oxide	Ph ₂ Bu ^o PO	C ₁₆ H ₁₉ OP	a. 360	Michaelis and Soden	A., 229, 334	48, 1135
Diphenylisoamylphosphine oxide	Ph ₂ (C ₅ H ₁₁)PO	C ₁₇ H ₂₁ OP	a. 360	96	„	„	„
Phenoxydiphenylphosphine	Ph ₂ P.OPh	C ₁₈ H ₁₅ OP	265-270 (62)	Liquid	Michaelis and Coste	B., 18, 2109, 2110	48, 1214
Triphenylphosphine oxide	Ph ₃ PO	„	a. 360	Michaelis and Soden	B., 17, 922	46, 1180
„ „ „	„	„	153.5	Michaelis and Coste	B., 18, 2121	
Phenylic diphenylphosphinate	Ph ₂ PO.OPh	C ₁₉ H ₁₅ O ₂ P	310 (62) p.d.	135-136	„	B., 18, 2110, 2114	48, 1214
Triphenylic phosphite	P(OPh) ₃	C ₁₈ H ₁₅ O ₃ P	a. 360	Liquid	Noack	A., 218, 85	44, 735
Diphenylic phosphenylate	Ph.PO(OPh) ₂	„	a. 360	63.5	Michaelis and Kammerer	A., 181, 338 ; B., 8, 1308	29, 598 ; 44, 735
Triphenylic phosphate	PO(OPh) ₃	C ₁₈ H ₁₅ O ₄ P	407	B., 15, 640	Andrews	B., 14, 2116	42, 135
„ „	„	„	410-412 c.	45	Kreysler	B., 18, 1719	
„ „	„	„	A., 92, 317	45	Jacobsen	B., 8, 1523	29, 596
Triphenylphosphonium hydroxide	C ₁₈ H ₁₇ O ₂ P	148	Michaelis and Gleichmann	B., 15, 803	42, 1062
Diphenylbenzylphosphine oxide	(Ph.CH ₂)Ph ₂ PO	C ₁₉ H ₁₇ OP	192-193	Michaelis and Coste	B., 18, 2116, 2117	48, 1215
Dinaphthylphosphinic acid ...	(C ₁₀ H ₇) ₂ PO.OH	C ₂₀ H ₁₅ O ₂ P	202-204	Kelbe	B., 11, 1502	36, 68
Tetrahydroxamylidine phosphonium hydroxide	(C ₅ H ₁₀ .OH) ₄ P.OH	C ₂₀ H ₄₅ O ₅ P	125-126	Girard	A. C. (6), 2, 1	46, 1119

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tribenzylphosphine oxide	(Ph.CH ₂) ₃ PO	C ₂₁ H ₂₁ OP	210-212	Letts and Collie	T. E., 30, 181	42, 724
" " " "	"	"	212	"	"	42, 725
" " " "	"	"	213	Fleissner	B., 13, 1666	40, 264
Tricresylic phosphate	PO(O.C ₆ H ₄ Me) ₃ =(1.4) ₃	C ₂₁ H ₂₁ O ₄ P	67-68	Wolkow	Z. C. [1870], 323	
" " " "	"	"	76	Rapp	A., 224, 156	46, 1338
" " " "	"	"	78	Weber and Heim	B., 15, 640	
Stearyl glycerol phosphoric acid	C ₃ H ₅ (Ost)(OH).O.PO(OH) ₂	C ₂₁ H ₄₃ O ₇ P (?)	35	Hundeshagen	J. p. [2], 28, 219	48, 282
Trixylylic phosphate	PO(O.C ₆ H ₃ Me ₂) ₃ =(1.2.?) ₃	C ₂₄ H ₂₇ O ₄ P	dist.(180-200)	Liquid	Kreysler	B., 18, 1702	48, 1054
" " "	" = (1.3.?) ₃	"	dist. (200)	Liquid	"	"	48, 1055
" ?	C ₁₃ H ₁₃ OP ?	C ₂₅ H ₂₂ O ₂ P ₂ (?)	154-155	Michaelis and Gleichmann	B., 15, 1963	44, 186
Tetrabenzylphosphonium hydroxide	(Ph.CH ₂) ₄ P.OH	C ₂₈ H ₂₉ OP	190-211	Letts and Collie	T. E., 30, 181	42, 724
β-Trinaphthyl phosphite	PO(O.C ₁₀ H ₇) ₃	C ₃₀ H ₂₁ O ₄ P	B., 15, 312	108	Schäffer	A., 152, 290	vi., 856, 859
α- " " "	"	"	B., 15, 640	145	"	A., 152, 289	"
Triisobutyl phosphite	PO(O.C ₄ H ₉ .Bu ^β) ₃ =(1.4) ₃	C ₃₀ H ₃₉ O ₄ P	a. 400 p.d.	Liquid	Kreysler	B., 18, 1701	48, 1054
Trithymylic phosphite	PO(O.C ₆ H ₃ MePr ^α) ₃ =(6.4.1) ₃	"	59	Engelhardt and Latschinoff	Z. C. [2], 5, 44	vi., 1090
" " " "	"	"	59	Kreysler	B., 18, 1705	48, 1055
Tricarvacrylic phosphite	" = (5.4.1) ₃	"	71.5-72	Jahns	B., 15, 818	
" " " "	"	"	dist. in vac.	75	Kreysler	B., 18, 1704	"
Triisoamylphenylic phosphite	PO(O.C ₆ H ₄ .C ₅ H ₁₁) ₃	C ₃₃ H ₄₅ O ₄ P	a. 400 p.d.	Liquid	"	B., 18, 1702	48, 1054
Tri(benzylphenylic) phosphate	PO(O.C ₆ H ₄ .CH ₂ Ph) ₃	C ₃₉ H ₃₃ O ₄ P	J. [1873], 440	93-94	Paterno and Fileti	G. I., 3, 121, 251	27, 372
β-Distearyl glycerol phosphoric acid	C ₃ H ₅ (Ost) ₂ .O.PO(OH) ₂	C ₃₉ H ₇₇ O ₃ P	60	Hundeshagen	J. p. [2], 28, 219	48, 281
α- " " "	"	"	62.5	"	"	"
Arsenmethyl oxide	Me.AsO	CH ₃ OAs	95	Baeyer	A., 107, 284	i., 402
Cacodylic acid (A., 107, 263)	Me ₂ .AsO(OH)	C ₂ H ₇ O ₂ As	B., 12, 22	200; r.s. 90	Bunsen	A., 46, 11	
Ethylarsinic acid	Et.AsO(OH) ₂	C ₂ H ₇ O ₃ As	C. R., 50, 1022	abt. 95	Coste	A., 208, 34	
Arsenious glyceride	As:O ₃ :C ₃ H ₅	C ₃ H ₅ O ₃ As	d. 250	50	Schiff	J. [1867], 574	
" " " "	"	"	200; sf. 100	Jackson	C. N., 49, 258	48, 896
Trimethyl arsenite	As(OMe) ₃	C ₃ H ₉ O ₃ As	128-129 (760)	B.S., 14, 104	Crafts	J. P. [4], 13, 242	24, 819
" arsenate	AsO(OMe) ₃	C ₃ H ₉ O ₄ As	213-215 (760)	B.S., 14, 101	"	"	24, 818
" " " "	"	"	128-130 (60)	"	"	"
Arsendiethyl acid	C ₄ H ₁₁ O ₂ As	190	A., 92, 365	i., 398
Cacodyl oxide	O(AsMe ₂) ₂	C ₄ H ₁₂ OAs ₂	120	A., 37, 6; 92, 364; 107, 283	i., 407
Phenylarsine oxide	Ph.AsO	C ₆ H ₅ OAs	119-120	Michaelis	B., 10, 624	32, 452
Phenylarsinic acid	Ph.AsO(OH) ₂	C ₆ H ₇ O ₃ As	B., 15, 1954	sf. 158	Coste and Michaelis	B., 11, 1884	36, 161
" " " "	"	"	A., 201, 204	168	Michaelis	B., 9, 1568	31, 311
Triethyl arsenite	As(OEt) ₃	C ₆ H ₁₅ O ₃ As	165-166	B.S., 14, 103	Crafts	J. p. [4], 13, 242	24, 819
" " " "	"	"	166-168	"	B. S. [2], 8, 206	vi., 221
" arsenate	AsO(OEt) ₃	C ₆ H ₁₅ O ₄ As	235-238(760)	"	"	vi., 226
" " " "	"	"	148-153 (60)	"	"	"
" " " "	"	"	148-150 (60)	"	B. S., 14, 99	"
Tolylarsene oxide	C ₅ H ₄ Me.AsO=1.2	C ₇ H ₇ OAs	145-146	Coste and Michaelis	B., 11, 1889; A., 201, 251	36, 163; 38, 397
" " " "	" = 1.4	"	156	"	"	"
Tolylarsinic acid	C ₆ H ₄ Me.AsO(OH) ₂ =1.2	C ₇ H ₉ O ₃ As	159-160	"	"	"
" " " "	" = 1.4	"	d.w.m. 300	"	"	"
Naphthylarsine oxide	C ₁₀ H ₇ .AsO	C ₁₀ H ₇ OAs	B., 14, 913	245	Michaelis & Schulte	B., 15, 1954	
Naphthylarsinic acid	C ₁₀ H ₇ .AsO(OH) ₂	C ₁₀ H ₉ O ₃ As	197	Kelbe	B., 11, 1503	36, 68
Diphenylarsinic acid....	Ph ₂ .AsO.OH	C ₁₂ H ₁₁ O ₂ As	B., 12, 564	174	Michaelis and Coste	A., 201, 231; B., 9, 1569	31, 311; 38, 397
Dibenzylarsinic acid....	(Ph.CH ₂) ₂ .AsO.OH	C ₁₄ H ₁₅ O ₂ As	210.5	Michaelis & Pätow	B., 18, 43	48, 527
Ditolylarsinic acid	(C ₆ H ₄ Me) ₂ .AsO.OH=(1.4) ₂	"	167	Coste	A., 208, 20	40, 904
Triisoamyl arsenite	As(O.C ₅ H ₁₁) ₃	C ₁₅ H ₃₃ O ₃ As	288(760) p.d.	Crafts	J. P. [4], 13, 242	24, 819
" " " "	"	"	193-194 (60)	"	B. S., 14, 105	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dimethylic dibenzarsenate	HO.OAs(C ₆ H ₄ .CO ₂ Me) ₂	C ₁₆ H ₁₅ O ₆ As	a. 280	Coste	A., 208, 23	40, 904
Triphenylarsine oxide ...	Ph ₃ AsO	C ₁₈ H ₁₅ OAs	189	Michaelis	A., 201, 244	
„ hydroxide....	Ph ₃ As(OH) ₂	C ₁₈ H ₁₇ O ₂ As	B., 11, 1888	108	Coste and Michaelis	A., 201, 243	33, 163
Tribenzylarsine oxide	(Ph.CH ₂) ₃ AsO	C ₂₁ H ₂₁ OAs	219.5	Michaelis & Pütow	B., 18, 44	48, 527
Diphenylarsine oxide	O(AsPh ₂) ₂	C ₂₄ H ₂₀ OAs ₂	A., 201, 230	91-92	Michaelis and Coste	B., 11, 1886	36, 162
Ditolylarsine oxide	O[As(C ₆ H ₄ Me) ₂] ₂ =(1.4) ₄	C ₂₈ H ₂₈ OAs ₂	98	Coste	A., 208, 20	40, 904
Tritolylstibine oxide....	(C ₆ H ₄ Me) ₃ SbO=(1.4) ₃	C ₂₁ H ₂₁ OSb	223.5	Michaelis&Genzken	B., 17, 925	46, 1136
„ hydroxide	C ₆ H ₄ Me) ₃ Sb(OH) ₂ =(1.4) ₃	C ₂₁ H ₂₃ O ₂ Sb	169.5	„	„	„

(20.) CHSN, CHSP, CHSAs, CHSSb, CHSbi.

Thiocyanic acid	HS.CN	CHSN	85	Artus	v., 505
„	„	„	102	12	Vogel	„
Ammonium thiocyanate	(NH ₄)S.CN	CH ₄ SN ₂	147	v., 506
„	„	„	159	Richter	R. K. T., 12	
Thiocarbamide	CS(NH ₂) ₂	„	149	Reynolds	[2], 7, 1	vi., 1117
„	„	„	149	Volhard	B., 18, 461	
„	„	„	151	Baumann	G. J. C., 1873	
„	„	„	167	Richter	R. K. T., 12	
„	„	„	169	Traube	B., 18, 461	48, 739
„	„	„	170; af. 149	Pratorins—Seidler	J. p. [2], 21, 129	38, 371
„	„	„	172	Claus	G. J. C., 1875	
?	„	„	94	Linnemann	A., 120, 86	v., 515
Methylic thiocyanate	MeS.CN	C ₂ H ₃ SN	132-133	Cahours	A. C. [3], 18, 261	v., 520
„	„	„	132.86	Pierre	C. R., 27, 213	
Methylthiocarbimide	Me.N : CS	„	118	Hofmann	B., 13, 1350	38, 797
„	„	„	119	34	„	B., 1, 172	vi., 1056
Thiacetamide ...	CH ₃ .CS.NH ₂	C ₂ H ₃ SN	107.5-108.5	Bernthsen	B., 10, 38; A., 192, 45	32, 887; 34, 791
„	„	„	108	Hofmann	B., 11, 340	
Methylthiocarbamide	NH ₂ .CS.NHMe	C ₂ H ₆ SN ₂	b. 100	Bernthsen & Klinger	B., 11, 493	
Cyanogen sulphide + 2NH ₃	(CN) ₂ S + 2NH ₃	C ₂ H ₆ SN ₄	94	Linnemann	A., 120, 40	
Thiodicyandiamine	„	a. 100	Rathke	B., 11, 965	
Guanylic thiocyanate	„	118	Volhard	J. p. [2], 9, 6	27, 576
Methylene thiocyanate	CH ₂ (SCN) ₂	C ₃ H ₂ S ₂ N ₂	102	Lermontoff	B., 7, 1282	28, 144
Ethylthiocarbimide	Et.N : CS	C ₃ H ₅ SN	133.2	Liquid	Buff	Z. C. [2], 4, 730	vi., 1055
„	„	„	134	Liquid	Hofmann	B., 1, 206	„
Ethylic thiocyanate	EtS.CN	„	141-142	Liquid	Meyer and Wurster	B., 6, 965	26, 1224
„	„	„	146 c.	Liquid	Buff	Z. C. [2], 4, 730	vi., 1055
„	„	„	146 c.	Cahours	A. C. [3], 18, 265	v., 519
Ethylene thiocarbamide	CS : N ₂ H ₂ : C ₂ H ₄	C ₃ H ₆ SN ₂	194	Hofmann	B., 5, 242	25, 501; vii., 492
Ethylic dithiocarbamate	NH ₂ .CS.SET	C ₃ H ₇ S ₂ N	40-41	Chanlaroff	B., 15, 1989	
„	„	„	J. [1866], 501	41-42	Conrad & Salomon	J. p. [2], 10, 30	
Ethylthiocarbamide	NH ₂ .CS.NHEt	C ₃ H ₅ SN ₂	89	Hofmann	B., 1, 27	
„	„	„	100	„	Z. C. [1868], 686	vi., 1050
„	„	„	106	„	B., 2, 602	
Dimethylthiocarbazine acid	NMe ₂ .NH.CS.SH	C ₃ H ₈ S ₂ N ₂	112	Renouf	B., 13, 2172	40, 152
Propargylic thiocyanate	C ₃ H ₃ .S.CN	C ₄ H ₃ SN	Liquid	Henry	B., 6, 729	26, 1123
Ethylene thiocyanate	C ₂ H ₄ (S.CN) ₂	C ₄ H ₄ S ₂ N ₂	J. p. [2], 26, 379	90	Buff	A., 100, 231	v., 520
Allylthiocarbimide (mustard oil)	CH ₂ : CH.CH ₂ .N : CS	C ₄ H ₅ SN	143	Dumas and Pelouze	A. C. [2], 53, 182	
„	„	„	148	Liquid	Will	A., 52, 4	v., 516
„	„	„	148.2 (760)	Kahlbaum	B., 17, 1261	
„	„	„	81.2 (75)	„	„	
„	„	„	72.2 (50)	„	„	
„	„	„	57.8 (25)	„	„	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Allylthiocarbimide (mustard oil)	$\text{CH}_2 : \text{CH} \cdot \text{CH}_2 \cdot \text{N} : \text{CS}$	$\text{C}_4\text{H}_9\text{SN}$	53.8 (20)	Kahlbaum	B., 17, 1261	
"	"	"	48.4 (15)	"	"	
"	"	"	41.5 (10)	"	"	
"	"	"	31.4 (5)	"	"	
"	"	"	14.6 (0)	"	"	
"	"	"	148-149	Gerlich	B., 8, 652	
"	"	"	150	Billeter	B., 8, 465	
"	"	"	150.4-150.7 c.	Kopp	A.	
Allylic thiocyanate (B., 8, 464)	$\text{CH}_2 : \text{CH} \cdot \text{CH}_2 \cdot \text{S} \cdot \text{CN}$	"	161	A., 178, 80	Gerlich	B., 8, 652	
Propimine thiocyanate	$\text{NH} : \text{CMe} \cdot \text{CH}_2 \cdot \text{S} \cdot \text{CN}$	$\text{C}_4\text{H}_9\text{SN}_2$	231-232 (760)	42	Tscherniac and Norton	A. C. J., 5, 227 ; C. R., 96, 444	44, 568 ; 46, 665
"	"	"	136 (30-40)	"	B., 16, 347	
Isopropylthiocarbimide	$\text{Pr}^\beta \cdot \text{N} : \text{CS}$	$\text{C}_4\text{H}_7\text{SN}$	137-137.5	Liquid	Jahn	B., 15, 1290 ; M. C., 3, 168	
Isopropyl thiocyanate	$\text{Pr}^\beta \cdot \text{S} \cdot \text{CN}$	"	149-151	Liquid	Henry	B., 2, 496	vi., 966
"	"	"	152-153	A., 178, 83	Gerlich	B., 8, 651	28, 1019
Propyl thiocyanate	$\text{Pr}^\alpha \cdot \text{S} \cdot \text{CN}$	"	163	Liquid	Schmitt	Z. C. [2], 6, 576	vii., 1118
Allylenethiocarbamide (thio-sinamine)	$\text{C}_3\text{H}_5 \cdot \text{NH} \cdot \text{CS} \cdot \text{NH}_2$	$\text{C}_4\text{H}_5\text{SN}_2$	A., 10, 326	70.6	Dumas and Pelouze	A. C. [2], 53, 181	v., 781
"	J. [1854], 599 ; [1855], 656	"	Z. C., 1869, 258	74	Wertheim	"
Trimethylenethiocarbamide	$\text{C}_3\text{H}_6 \cdot \text{NH} \cdot \text{CS} \cdot \text{NH}$	"	198	Lellmann and Würthner	A., 228, 199	48, 978
Isopropyl dithiocarbamate	$\text{NH}_2 \cdot \text{CS} \cdot \text{SPr}^\beta$	$\text{C}_4\text{H}_9\text{S}_2\text{N}$	97	Gerlich	A., 178, 82	
Methyl dimethylthiocarbamate	$\text{NMe}_2 \cdot \text{CS} \cdot \text{SMe}$	"	B. S., 33, 13	125	Bleunard	C. R., 87, 1040	36, 305
Methylethylthiocarbamide	$\text{CS} : \text{N}_2 \cdot \text{H}_2 \cdot \text{MeEt}$	$\text{C}_4\text{H}_{10}\text{SN}_2$	J., 1868, 655	54	Hofmann	B., 1, 27	vi., 1051
Isopropylthiocarbamide	$\text{NH}_2 \cdot \text{CS} \cdot \text{NHPr}^\beta$	"	M. C., 3, 168	157	Jahn	B., 15, 1290	
Ethylenediamine thiocyanate	$\text{C}_2\text{H}_4(\text{NH}_2)_2 + 2\text{HSCN}$	$\text{C}_4\text{H}_{10}\text{S}_2\text{N}_4$	145 p. d.	Hofmann	A., 170, 143 ; B., 5, 246	25, 501 ; vii., 491
Diethylamine sulphhydrate	$\text{C}_4\text{H}_{13}\text{SN}$	10 (150)	tension	Isambert	C. R., 96, 708	44, 727
Thiophene nitril	$\text{C}_4\text{H}_3\text{S} \cdot \text{CN}$	$\text{C}_4\text{H}_3\text{SN}$	190	Liquid	Meyer and Kreis	B., 16, 2174	46, 46
Crotonyl thiocarbimide	$\text{C}_4\text{H}_7 \cdot \text{N} : \text{CS}$	$\text{C}_5\text{H}_7\text{SN}$	179	Liquid	Hofmann	B., 7, 516	
Thiocyanopropimine thiocyanate	$(\text{NCS} \cdot \text{CH}_2 \cdot \text{CMe} : \text{NH})\text{HSCN}$	$\text{C}_5\text{H}_7\text{S}_2\text{N}_3$	d. a. 175	114-115	Tscherniac & Norton	A. C. J., 5, 227 ; C. R., 96, 494 ; B., 16, 346	44, 568 ; 46, 664
Isobutyl thiocyanate	$\text{Bu}^\beta \cdot \text{S} \cdot \text{CN}$	$\text{C}_5\text{H}_9\text{SN}$	174-176	Reimer	B., 3, 757	24, 122 ; vii., 223
Butylthiocarbimide	$\text{CH}_3(\text{CH}_2)_3 \cdot \text{N} : \text{CS}$	"	167	Hofmann	B., 7, 512	27, 792
Isobutylthiocarbimide	$\text{CHMe}_2 \cdot \text{CH}_2 \cdot \text{N} : \text{CS}$	"	156-159	Simon	P. A., 50, 377	
"	"	"	159-160	Hofmann	B., 2, 102	vii., 223
"	"	"	160	"	Z. C. [2], 5, 400	vi., 1056
"	"	"	161-163	"	B., 7, 509	27, 792
"	"	"	161-163	Reimer	B., 3, 757	24, 122
Butylthiocarbimide	$\text{CH}_3 \cdot \text{CH}_2 \cdot \text{CHMe} \cdot \text{N} : \text{CS}$	"	159.5	Liquid	Hofmann	B., 7, 513	27, 792
"	"	"	159-160	"	Z. C. [2], 5, 400	vi., 1056
" (J. R., 11, 179)	$\text{CMe}_2 \cdot \text{N} : \text{CS}$	"	140	10.5	Rudneff	B. S. [2], 33, 300	38, 548
"	"	"	142	10.5	"	B., 11, 988	36, 41
"	"	"	142.5 (733)	10.5	"	B., 12, 1023	36, 713
Crotonylthiocarbamide	$\text{NH}_2 \cdot \text{CS} \cdot \text{NH} \cdot \text{C}_4\text{H}_7$	$\text{C}_5\text{H}_{10}\text{SN}_2$	85	Hofmann	B., 7, 516	27, 792
Diethylidene thiocarbamide ammonia	$\text{CS}(\text{N} : \text{CHMe})_2 + \text{NH}_3$	$\text{C}_5\text{H}_{11}\text{SN}_3$	180	Nencki	B., 7, 162	27, 458
Diethylthiocarbamide	$\text{CS}(\text{NHEt})_2$	$\text{C}_5\text{H}_{12}\text{SN}_2$	J. R., 10, 191	77	Hofmann	Z. C. [1868], 686 ; B., 1, 26 ; 2, 601	vi., 1050
Butylthiocarbamide	$\text{NH}_2 \cdot \text{CS} \cdot \text{NH} \cdot (\text{CH}_2)_3 \cdot \text{CH}_3$	"	79	"	B., 7, 512	27, 792
Isobutylthiocarbamide	$\text{NH}_2 \cdot \text{CS} \cdot \text{NH} \cdot \text{CH}_2 \cdot \text{CHMe}_2$	"	90	"	Z. C. [2], 5, 400	vi., 1056
"	"	"	90-91	Reimer	B., 3, 757	24, 122 ; vii., 223
"	"	"	93.5	Hofmann	B., 7, 511	27, 792
Butylthiocarbamide	$\text{NH}_2 \cdot \text{CS} \cdot \text{NH} \cdot \text{CHMeEt}$	"	133 ; 134	"	B., 7, 513	"
"	"	"	135	"	Z. C. [2], 5, 400	vi., 1056

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Butylthiocarbamide	$\text{NH}_2\text{CS.NH.CMe}_3$	$\text{C}_5\text{H}_{12}\text{SN}_2$	J. R., 11, 179	165 d.	Rudneff	B., 12, 1023; B. S. [2], 33, 300	36, 713; 38, 548
Trimethylenediamine thiocyanate	$\text{C}_3\text{H}_6(\text{NH}_3\text{.SCN})_2$	$\text{C}_5\text{H}_{12}\text{S}_2\text{N}_4$	d. 140	102	Lellmann and Würtner	A., 228, 199	48, 978
Ethammonium ethylthiocarbamate	$\text{NHEt.CS.S(NH}_3\text{Et)}$	$\text{C}_5\text{H}_{14}\text{S}_2\text{N}$	J. R., 10, 188	103	Hofmann	B., 1, 25, 170	vi., 1049
Glyceryl trithiocyanate	$\text{C}_3\text{H}_5(\text{SCN})_3$	$\text{C}_6\text{H}_5\text{S}_3\text{N}_3$	126	Henry	B., 2, 637	vi., 1057
Amidothiophenol	$\text{SH.NH}_2=1.3$	$\text{C}_6\text{H}_7\text{SN}$	very high	Liquid	Biedermann	B., 8, 1676	
"	"	"	Liquid	Glutz and Schrank	J. p. [2], 2, 223	
" (B., 12, 2363)	" =1.2	"	234	26	Hofmann	B., 13, 20, 1231	
" (?)	" =1.4(?)	" (?)	105-106	Schmidt	B., 11, 1168	34, 974
Angelylthiocarbimide	$\text{C}_5\text{H}_9\text{N:CS}$	$\text{C}_6\text{H}_9\text{SN}$	190	Hofmann	B., 8, 106	28, 564
"	"	"	190	"	B., 12, 991	36, 712
Trimethyl thiocyanurate	$\text{C}_6\text{H}_9\text{S}_3\text{N}_3$	188	"	B., 13, 1351	38, 798
Isoamyl thiocyanate	$\text{CHMe}_2\text{.CH}_2\text{.CH}_2\text{.S.CN}$	$\text{C}_6\text{H}_{11}\text{SN}$	197	J., 1868, 652	Medlock	A., 69, 222	v., 519
"	"	"	195-210	Henry	J., 1, 700	
Isoamyl thiocarbimide	$\text{CHMe}_2\text{.CH}_2\text{.CH}_2\text{.N:CS}$	"	183-184	Liquid	Hofmann	B., 1, 173, 206	vi., 1056
"	"	"	182	Buff	Z. C. [2], 4, 730	"
Amyl (J. R. 11, 180)	$\text{CMe}_2\text{Et.N:CS}$	"	166	Liquid -10	Rudneff	B. S. [2], 33, 300; B., 12, 1023	38, 548
Angelyl thiocarbamide	$\text{C}_5\text{H}_9\text{.NH.CS.NH}_2$	$\text{C}_6\text{H}_{12}\text{SN}_2$	103	Hofmann	B., 8, 106	28, 564
"	"	"	103	"	B., 12, 991	36, 712
Piperidylthiocarbamide	$\text{C}_5\text{H}_{10}\text{:N.CS.NH}_2$	"	92	Gebhardt	B., 17, 3041	48, 384
Thiodiethyloxamide	NHEt.CS.CS.NHET	$\text{C}_6\text{H}_{12}\text{S}_2\text{N}_2$	54	Wallach & Pirath	B., 12, 1064	36, 784
Piperylthiosemicarbazide	$\text{C}_6\text{H}_{10}\text{.N.NH.CS.NH}_2$	$\text{C}_6\text{H}_{13}\text{SN}_3$	167	Knorr	A., 221, 297	46, 468
Thialdine	J. p. 98, 315; B. S. 38, 129	$\text{C}_6\text{H}_{13}\text{S}_2\text{N}$	A., 103, 93	43	Wöhler and Liebig	A., 61, 4	v., 773
"	B., 11, 1384, 1692	"	J., 1856, 518	43	Kerr	P. M. [5], 13, 257	
Phenylthiocarbimide (Thiocarbanil)	Ph.N:CS	$\text{C}_7\text{H}_9\text{SN}$	218.5 (760)	J. R., 10, 184	Kahlbaum	B., 17, 1261	
"	(Z. C., 1869, 589)	"	134.9 (75)	"	"	
"	"	"	126.6 (50)	B., 3, 861	"	"	
"	"	"	111.6 (25)	B., 9, 1266	"	"	
"	"	"	106.2 (20)	B., 11, 2267	"	"	
"	"	"	99.4 (15)	B., 12, 1126	"	"	
"	"	"	91.2 (10)	B., 14, 445	"	"	
"	"	"	80.5 (5)	B., 14, 1083	"	"	
"	"	"	66.1 (0)	B., 15, 985	"	"	
"	"	"	220	B., 3, 772	Hofmann	P. R., 8, 274, 487	v., 521
"	"	"	222	"	J., 11, 349	
"	"	"	222	Weith	B., 6, 210	
Phenyl thiocyanate ...	PhS.CN	"	231 c.	Liquid	Billeter	B., 7, 1753	28, 464
Methenylamidothiophenol	$\text{C}_6\text{H}_4\text{.N:CH.S}$	"	230	Liquid	Hofmann	B., 13, 15, 1224	38, 388
Phenylthiocarbazine	Ph.N.NH.CS	$\text{C}_7\text{H}_9\text{SN}_2$	129	Fischer & Besthorn	A., 212, 326	42, 1093
Amidophenylthiocarbimide....	$\text{NH}_2\text{.C}_6\text{H}_4\text{.N:CS=?}$	"	129	Hofmann	B., 12, 1129; 13, 11	38, 388
Phenylthiocarbamide	$\text{C}_6\text{H}_4\text{.NH.CS.NH=1.2}$	"	brown 260	280 d.	Lellmann	B., 15, 2146; A., 221, 1	44, 185; 46, 49
"	"	"	290 d.	"	B., 15, 2839	44, 324
Thiobenzamide	Ph.CS.NH_2	$\text{C}_7\text{H}_7\text{SN}$	B., 10, 1240	115-116	Bernthsen	A., 192, 48	34, 789
Thioformanilide	Ph.NH(CSH)	"	134	"	A., 192, 35	34, 790
"	"	"	B., 11, 338	137.5	Hofmann	B., 10, 1095	32, 604
"	"	"	137.5	Nicol	B., 15, 211	
Dithiocarbanilic acid	$\text{Ph.NH.CS}_2\text{H}$	$\text{C}_7\text{H}_7\text{S}_2\text{N}$	60-70	Rathke	B., 11, 960	
Phenylthiocarbamide	$\text{NH}_2\text{.CS.NHPh}$	$\text{C}_7\text{H}_9\text{SN}_2$	148-149	Schiff	B., 11, 2167	36, 452
"	"	"	B., 9, 820	153	Gebhardt	B., 17, 3034	48, 383
"	"	"	J., 1858, 349	154	Clermont	B., 9, 446	
Amidothiobenzamide	$\text{NH}_2\text{.(CS.NH}_2\text{)=1.3}$	"	P. R., 10, 599	Hofmann	B., 1, 197	
"	" =1.4	"	170	Engler	A., 149, 302	vi., 527
Amidothiocresol	$\text{Me.SH.NH}_2=1.2.6$	$\text{C}_7\text{H}_9\text{SN}$	Liquid	Hesse	B., 14, 489	40, 597
"	" =1.3.4	"	Liquid	"	B., 14, 492	
"	" =1.4.6	"	Liquid	"	B., 14, 492	
"	" =1.2.4	"	42	"	B., 14, 488	40, 596

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylthiosemicarbazide	$C_7H_9SN_3$	200-201	Fischer & Besthorn	A., 212, 324	42, 1093
Hexylthiocarbimide	$CH_3(CH_2)_5N:CS$	$C_7H_{13}SN$	212 (758)	Freutzsch	B., 16, 746	44, 1075
"	$CH_3(CH_2)_3CHMe.N:CS$	"	197-198; 199c.	Liquid	Uppenkamp	B., 8, 56	28, 552
Hexylic thiocyanate	J. [1863], 526	"	215-220	Pelouze & Cahours	A. C. [4], 1, 5	v., 520
"	$CH_3(CH_2)_3CHMe.S.CN$	"	206-207.5 ; 210 c.	Liquid	Uppenkamp	B., 8, 55	28, 552
Piperidylmethylthiocarb- amide	$NHMe.CS.N:C_5H_{10}$	$C_7H_{14}SN_2$	125	Gebhardt	B., 17, 3040	48, 384
Triethylthiocarbamide	$NH Et.CS.NEt_2$	$C_7H_{16}SN_2$	205 s.d.	26	Grodzki	B., 14, 2755	42, 823
Diisopropylthiocarbamide	$CS(NHPr^{\beta})_2$	"	M. C., 3, 169	161	Jahn	B., 15, 1291	
Hexylthiocarbamide	$CH_3(CH_2)_5NH.CS.NH_2$	"	83	Freutzsch	B., 16, 746	44, 1075
Resorcinol dithiocyanate	$C_6H_4(S.CN)_2=1.3$	$C_8H_4S_2N_2$	54	Gabriel	B., 10, 184	32, 325
Benzylthiocarbimide....	$Ph.CH_2.N:CS$	C_8H_7SN	243	Liquid	Hofmann	Z. C. [2], 4, 890 ; B., 1, 201	vi., 336, 1056
"	"	"	243	Liquid	Henry	Z. C. [2], 6, 207	vii., 180
Benzyllic thiocyanate	$Ph.CH_2.S.CN$	"	256 p.d.	36-38	Henry	B., 2, 638 ; Z. C. [2], 6, 207	vi., 1057
"	"	"	230-235 d.	41	Barbaglia	B., 5, 689	25, 1017
Tolylthiocarbimide	$C_6H_4Me(N:CS)=1.2$	"	236	Liquid	Staats	B., 13, 136	38, 387
"	"	"	236	Lachmann	I. D. Göttingen, 1879	
"	"	"	237	Mainzer	B., 15, 1413	
"	"	"	239	Girard	B., 6, 445	28, 912
"	" =1.3	"	244 (732-2)	Liquid	Weith and Landolt	B., 8, 719	28, 1194
"	" =1.4	"	237	26	Hofmann	B., 1, 173	vi., 1056
"	"	"	237-239	26	Mainzer	B., 15, 1413	42, 1213
"	"	"	239	Lachmann	I. D. Göttingen, 1879	
"	"	"	26	Staats	B., 13, 135	
Ethenylamidothiophenol	$C_6H_4.N:C_2H_3S$	"	238	Liquid	Hofmann	B., 13, 21, 1236	38, 389
Methenylamidothiocresol	$C_6H_3Me.N:CH.S$	"	255	15	Hesse	B., 14, 492	40, 597
Methylphenylthiocarbazine....	$Ph.N.NMe.CS$	$C_8H_9SN_2$	123	Fischer & Besthorn	A., 212, 330	42, 1095
Tolyleneithiocarbamide	$C_6H_3Me.NH.CS.NH=?1.3$	"	149	Lussy	B., 8, 293	28, 770
"	" =1.3.4	"	284	Lellmann	A., 221, 1	48, 49
Thioisophthalamide	$C_6H_4(CS.NH_2)_2=1.3$	$C_8H_8S_2N_2$	199-200 d.	Luckenbach	B., 17, 1430	48, 1157
Thioterephthalamide	" =1.4	"	263 d.	"	B., 17, 1431	
Thiacetanilide	$Ph.NH.CS.Me$	C_8H_9SN	B., 11, 1595	74.5-76	Leo	B., 10, 2134	34, 409
"	"	"	75	Hofmann	B., 11, 339	
Phenylthiacetamide	$Ph.CH_2.CS.NH_2$	"	97.5-98	Bernthsen	A., 184, 293	31, 616
"	"	"	B., 8, 821	98	Colonbo and Spica	G. I. [1875], 124	28, 894
"	"	"	98	Bernthsen	B., 11, 504	
Thioformtoluidide	$C_6H_4Me.(NH.CHS)=1.2$	"	94-96	Senier	47, 764
"	" =1.4	"	173.5	"	47, 766
Thiotoluamide	$C_6H_4Me.(CS.NH_2)=1.4$	"	B., 8, 821	168	Colonbo and Spica	G. I. [1875], 124	28, 894
"	"	"	B., 8, 441	168	Paterno and Spica	G. I. [1875], 25	28, 643
Methylic phenyldithiocarb- amate	$NHPh.CS.SMe$	$C_8H_9S_2N$	87-88	Will	B., 15, 342	
?	$Ph.CH_2.S.C(NH_2):NH(?)$	$C_8H_{10}SN_2$	71-72	Bernthsen & Klinger	B., 12, 575	38, 651
Benzylthiocarbamide	$Ph.CH_2.NH.CS.NH_2$	"	B., 9, 81	101	Paterno and Spica	G. I., 5, 388	29, 602
Methylphenylthiocarbamide	$Ph.NMe.CS.NH_2$	"	107	Gebhardt	B., 17, 2094	48, 1321
"	$Ph.NH.CS.NHMe$	"	113	"	B., 17, 3038	48, 383
Tolylthiocarbamide	$C_6H_4Me(NH.CS.NH_2)=1.3$	"	103	Weith and Landolt	B., 8, 720	
"	" =1.2	"	155	Staats	B., 13, 136	38, 387
"	" =1.4	"	182	"	B., 13, 136	38, 387
"	"	"	B. S., 26, 126	188	Clermont	C. R., 83, 3107	31, 70
"	"	"	188	Will & Bielschowski	B., 15, 1311	
Guanyphenylthiocarbamide	$Ph.NH.CS.NH.C(NH_2):NH$	$C_8H_{10}SN_3$	B., 14, 2639	175-176	Bamberger	B., 13, 1581	40, 43

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylenedithiocarbamide	$C_6H_4(NH.CS.NH_2)_2=1.3$	$C_8H_{10}S_2N_4$	215	Lellmann	B., 15, 2840 ; A., 221, 1	44, 324; 46, 49
"	" =1.4	"	218	"	"	"
Diethylallylthiocarbamide	$C_3H_5.NH.CS.NEt_2$	$C_8H_{16}SN_2$	55	Gebhardt	B., 17, 3038	48, 383
Tolylenedithiocarbimide	$C_6H_3Me(N : CS)_2=?3.1$	$C_9H_6S_2N_2$	B., 7, 1265	Liquid	Lussy	B., 8, 669	28, 1036
"	" =?	"	60	Gebhardt	B., 17, 3046	
Ethylphenylthiocarbimide	$C_6H_4Et(N : CS)=1.2$	C_9H_9SN	240-245	Liquid	Paucksch	B., 17, 2803	48, 256
Propenylamidothiophenol	$C_6H_4.N : C_3H_5.S$	"	252	Liquid	Hofmann	B., 13, 21	38, 389
Ethylene phenyldithiocarbamate	$PhN.CS.S.CH_2.CH_2$	$C_9H_9S_2N$	134	Will	B., 15, 345	42, 723
Thiocyanuracetic acid	$C_9H_9S_6N$	199.5	Claesson	B., 14, 733	40, 715
Ethylisothioformanilide	$Ph.N : CH.SET$	$C_9H_{11}SN$	230-240	Liquid	Wallach & Wüsten	B., 16, 145	
Methylisothiacetanilide	$Ph.N : CMe.SMe$	"	244-246	Liquid	Wallach & Bleibtreu	B., 12, 1061	36, 786
"	"	"	244-246	Liquid	Wallach	B., 13, 528	38, 557
Thiacetmethylanilide	$Ph.NMe.CS.Me$	"	290 p.d.	58-59	"	"	"
Thiacetolnide	$C_6H_4Me.(NH.CS.Me)=1.2$	"	67-68	"	B., 13, 529	"
"	" =1.4	"	127.5-128	Bernthsen and Trompeter	B., 11, 1759	38, 147
"	"	"	130-132	Wallach	B., 13, 529	38, 557
Ethylc phenyldithiocarbamate	$Ph.NH.CS_2Et$	$C_9H_{11}S_2N$	B., 2, 120	56	Hofmann	Z. C. [2], 5, 268	vi., 1050
"	"	"	B., 15, 570	60	Will	B., 15, 1305	42, 1089
Methylc tolyldithiocarbamate	$C_6H_4Me.NH.CS_2Me$	"	84	Will & Bielschowski	B., 15, 1310	42, 1090
Tolythiobiuret	$C_9H_{11}S_2N_3$	158	Tursini	B., 17, 584	46, 1140
Phenylethylthiocarbamide	$Ph.NH.CS.NHEt$	$C_9H_{12}SN_2$	97	Hofmann	J. [1868], 655	vi., 1051
"	"	"	99-99.5	Weith	B., 8, 1524	29, 574
Phenylethylthiocarbamide	$NH_2.CS.NEtPh$	"	113	Gebhardt	B., 17, 2094	46, 1321
Phenyldimethylthiocarbamide	$NHMe.CS.NMePh$	"	114	"	B., 17, 3037	48, 383
Tolylenedithiocarbamide	$C_6H_3Me(NH.CS.NH_2)_2$	$C_9H_{12}S_2N_4$	216	"	B., 17, 3046	
"	" =?1.3	"	217	Stüdemann	I. D., Berlin, 1884	
"	"	"	B., 8, 670	218	Lussy	B., 7, 1266	28, 274
"	" =?1.3	"	280	Lellmann	A., 221, 1	46, 50
"	" =?1.2	"	290	"	"	"
"	" =5.1.4	"	d.w.m. high	"	"	"
Ethylphenylthiosemicarbamide	$Ph.NH.CS.N_2H_2Et$	$C_9H_{13}SN_3$	109-110	Fischer	A., 199, 297	
Octylic thiocyanate	$C_8H_{17}.S.CN$ (sec.)	$C_9H_{17}SN$	142	Liquid	Jahn	B., 8, 805	28, 1188
Octylic thiocarbimide	$C_8H_{17}.N : CS$ (sec.)	"	232-232.5	Liquid	"	M. C., 3, 173	
"	"	"	232-235.5	Liquid	"	B., 15, 1293	
"	"	"	234	Liquid	"	B., 8, 804	28, 1188
Carboisobutyraldine	$C_9H_{15}S_2N_2$	91	Pfeiffer	B., 5, 701	vii., 228; 25, 1001
Tetrelthylthiocarbamide	$CS(NEt_2)_2$	$C_9H_{20}SN_2$	216 u.c.	Liquid	Grodski	B., 14, 2758	42, 823
Dibutylthiocarbamide	$CS(NH.CMe_3)_2$	"	J.R., 11, 180	162	Rudneff	B. S. [2], 33, 300	38, 548
"	"	"	163	"	B., 12, 1023	36, 713
Octylthiocarbamide (sec.)	$C_8H_{17}.NH.CS.NH_2$	"	...	114	Jahn	M. C., 3, 173	
"	"	"	112.5	Rudneff	J. R., 11, 180	
"	"	"	112.5	Jahn	B., 8, 804	28, 1188
Styrolene thiocyanate	$Ph.CH(S.CN).CH_2(S.CN)$	$C_{10}H_9S_2N_2$	J. [1880], 404	101-102	Nagel	A., 216, 324	
Propylphenylthiocarbimide....	$C_6H_4Pr^a.(N : CS)=1.4$	$C_{10}H_{11}SN$	263	Liquid	Francksen	B., 17, 1224	46, 1007
Mesitylthiocarbimide	$C_6H_2Me_3.(N : CS)=1.3.5.6$	"	64	Eisenberg	B., 15, 1012	42, 956
Tolyethylenedithiocarbamate	$C_6H_4Me.N.CS.S.C.H_4=1.4$	$C_{10}H_{13}S_2N$	126	Will and Bielschowski	B., 15, 1315	
"	" =1.2	"	129	"	B., 15, 1317	42, 1091
Allylphenylthiocarbamide	$Ph.NH.CS.NH.C_3H_5$	$C_{10}H_{12}SN_2$	A., 84, 348	95	Zinin	J. p., 57, 173	v., 783
"	"	"	98	Weith	B., 8, 1529	
Ethylphenyldithioxamide ...	$NHEt.CS.CS.NHPh$	$C_{10}H_{12}S_2N_2$	36-37	Wallach	B., 14, 740	40, 718
Xylenic dithiamide	$C_6H_4(CH_2.CS.NH_2)_2=1.4$	"	205-206	Klippert	B., 9, 1768	31, 468

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylisothiacetanilide	Ph.N : CMe.SET	C ₁₀ H ₁₃ SN	250 u.c.	Wallach	B., 11, 1592	36, 312
"	"	"	255-257	Wallach and Bleib-treu	B., 12, 1061	36, 786
Ethylie tolyldithiocarbamate	C ₆ H ₄ Me(NH.CS ₂ Et)=1.2	C ₁₀ H ₁₃ S ₂ N	72	Will and Biel-schowski	B., 15, 1317	42, 1091
"	" =1.4	"	74	"	B., 15, 1312	"
Ethylphenylthiobiuret	C ₁₀ H ₁₃ S ₂ N ₃	109	Tursini	B., 17, 585	46, 1141
Tolyethylthiocarbamide	C ₆ H ₄ Me(NH.CS.NHEt)=1.2	C ₁₀ H ₁₄ SN ₂	83-84	Staats	B., 13, 136	38, 387
"	" =1.4	"	93	"	"	"
"	"	"	95-96	Weith	B., 8, 1530	29, 575
Propylphenylthiocarbamide	C ₆ H ₄ Pr ^a (NH.CS.NH ₂)=1.4	"	159	Francksen	B., 17, 1223	46, 1007
Mesitylthiocarbamide	Me ₃ (NH.CS.NH ₂)=1.3.5.6	"	222	Eisenberg	B., 15, 1013	42, 956
Diallylethylenedithiocarbamide	C ₂ H ₄ (NH.CS.NH.C ₃ H ₇) ₂	C ₁₀ H ₁₈ S ₂ N ₄	Liquid	Lellmann and Würtlner	A., 228, 199	48, 978
?	[C(SET) : NEt] ₂ (?)	C ₁₀ H ₂₀ S ₂ N ₂ (?)	a. 250	Liquid	Wallach and Pirath	B., 12, 1064	36, 784
Diethylthiuramide disulphide	S ₂ (CS.NEt ₂) ₂	C ₁₀ H ₂₀ S ₄ N ₂	70	Grodzki	B., 14, 2756	42, 823
β-Naphthyl thiocyanate	C ₁₀ H ₇ .S.CN	C ₁₁ H ₇ SN	35	Billeter	B., 8, 463	
α-Naphthylthiocarbimide	C ₁₀ H ₇ .N : CS	"	J. [1858], 350	58	Mainzer	B., 15, 1414	
β-	"	"	62-63	Cosiner	B., 14, 61	40, 606
β-	"	"	62	Mainzer	B., 15, 1413	
Naphthoic thiamide	C ₁₀ H ₇ .CS.NH ₂	C ₁₁ H ₉ SN	126	Hofmann	B., 1, 40	
β-Naphthylthiocarbamide	C ₁₀ H ₇ .NH.CS.NH ₂	C ₁₁ H ₁₀ SN ₂	180	Cosiner	B., 14, 61	40, 606
β-	"	"	180	Gebhardt	B., 17, 3045	48, 387
α-	"	"	B. S., 26, 126	198	Clermont & Wehrlin	C. R., 73, 347	31, 70
Allylisothiacetanilide	Ph.N : CMe.S.C ₃ H ₅	C ₁₁ H ₁₃ SN	a. 260 d.	Wallach and Bleib-treu	B., 12, 1061	36, 786
Isobutylphenylthiocarbimide	C ₆ H ₄ Bu ^β .(N : CS)=1.4	"	266-276	41	Mainzer	B., 16, 2024, et seq.	44, 1107
"	"	"	277	42	Pahl	B., 17, 1236	46, 1010
Cumylthiocarbimide	C ₆ H ₃ MePr.(N : CS)=?	"	245-270 d.	B., 8, 1152	Raab	B., 10, 53	
Tetramethylbenzene thio-carbimide	C ₆ HMe ₄ .(N : CS)=?	"	65	Hofmann	B., 17, 1916	46, 1320
Allyltolylthiocarbamide	Me.(NH.CS.NH.C ₃ H ₅)=1.4	C ₁₁ H ₁₄ SN ₂	97	Maly	Z. C. [2], 5, 258	vi., 1089
"	"	"	99	Weith	B., 8, 1528	
"	"	"	J. [1869], 636	100	Jaillard	Z. C. [1865], 441	v., 874
"	"	"	112	"	vi., 1089
Propylisothiacetanilide	Ph.N : CMe.S.Pr ^a	C ₁₁ H ₁₅ SN	270-273	Wallach and Bleib-treu	B., 12, 1061	36, 786
Ethylisothiacetoluide	Me.(N : CMe.SET)=1.2	"	261-262	Liquid	Wallach & Wüsten	B., 16, 147	
"	" =1.4	"	271-273	Liquid	"	"	
Ethylie ethylphenyldithio-carbamate	NEtPh.CS ₂ Et	C ₁₁ H ₁₅ S ₂ N	305-315 p.d.	68.4-68.5 u.c.	Bernthsen & Friese	B., 15, 568	42, 966
Ethyl-p-tolylthiobiuret	C ₁₁ H ₁₅ S ₂ N ₃	134	Tursini	B., 17, 585	46, 1141
Dipiperylthiosemicarbazide	C ₅ H ₁₀ : N.CS.NH.N : C ₅ H ₁₀	C ₁₁ H ₂₁ SN ₃	85.5	Knorr	A., 221, 297	46, 468
Piperylthiocarbazine	CS(NH.N : C ₅ H ₁₀) ₂	C ₁₁ H ₂₂ SN ₄	181	"	"	"
Carbovaleraldine	C ₁₁ H ₂₂ S ₂ N ₂	115.5-117	Schröder	B., 4 469 ; A., 168, 237	24, 707 ; vii., 1196
Thiodiphenylamine	C ₆ H ₄ .NH.C ₆ H ₄ .S	C ₁₂ H ₉ SN	371 u.c.	180 u.c.	Bernthsen	B., 16, 2898	46, 596
Thiacet-α-naphthalide	C ₁₀ H ₇ .NH(CS.CH ₃)	C ₁₂ H ₁₁ SN	96	Bernthsen & Trom-petter	B., 11, 1760	36, 147
Amidodiphenyldisulph-hydrate	HS.C ₆ H ₄ .C ₆ H ₄ (NH ₂).SH =1.4 ; 1.4	C ₁₂ H ₁₁ S ₂ N	153	Gabriel and Dam-bergis	B., 13, 1412	38, 891
Acetothienonephenylhydr-azine	C ₄ H ₃ S.CMe : N.NIIPh	C ₁₂ H ₁₂ SN ₂	96	Peter	B., 17, 2645	46, 142
Thioanilide	S(NHPh) ₂	"	180-185 d.	Liquid	Smit	B., 8, 1446	29, 602
Diamidophenylsulphide thio-aniline	S(C ₆ H ₄ .NH ₂) ₂	"	B., 7, 384	105	Merz and Weith	B., 4, 387	24, 567 ; vii., 1154
"	"	"	105-106	Schmidt	B., 11, 1169	
Diamidophenyldisulphide	S ₂ (C ₆ H ₄ .NH ₂) ₂ =(1.4) ₂	C ₁₂ H ₁₂ S ₂ N ₂	78-79	"	B., 11, 1172	34, 975
"	" =(1.2) ₂	"	93	Hofmann	B., 12, 2364	36, 386
Isobutyltolylthiocarbimide	Me.Bu ^β .(N : CS)=1.3.2	C ₁₂ H ₁₅ SN	267	44	Effront	B., 17, 2350	46, 154

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Isobutyltolylthiocarbimide	Me.Bu ₃ (N : CS)=1.5.2	C ₁₂ H ₁₅ SN	275-280 p.d.	46	Effront	B., 17, 2336	48, 153
Pentamethylbenzenethiocarbimide	C ₆ Me ₅ (N : CS)	"	86	Hofmann	B., 18, 1827	48, 1129
Allylphenylethylthiocarbamide	C ₃ H ₅ .NH.CS.NEtPh	C ₁₂ H ₁₆ SN ₂	26	Gebhardt	B., 17, 3037	48, 383
Piperidylphenylthiocarbamide	C ₅ H ₁₀ : N.CS.NHPh	"	98	"	B., 17, 3039	48, 384
Isobutylisothiactanilide	C ₆ H ₅ .N : CMe.SBu ^β	C ₁₂ H ₁₇ SN	d.	Wallach and Bleibtreu	B., 12, 1061	36, 786
Isoamylic phenyldithiocarbamate	NHPh.CS ₂ (C ₆ H ₁₁)	C ₁₅ H ₁₇ S ₂ N	71	Will	B., 15, 1306	42, 1089
Diethyltolylthiocarbamide	C ₆ H ₄ Me.NH.CS.NEt ₂ =1.2	C ₁₂ H ₁₉ SN ₂	102	Gebhardt	B., 17, 3038	48, 383
Pentamethylbenzenethiocarbamide	C ₆ Me ₅ .NH.CS.NH ₂	"	224	Hofmann	B., 18, 1827	48, 1129
Diphenylthiocarbimide	Ph.C ₆ H ₄ (N : CS)=1.4	C ₁₃ H ₉ SN	58	Zimmermann	B., 13, 1964	40, 176
Diphenylic thiocyanate	Ph.C ₆ H ₄ .S.CN	"	Impure	84	Gabriel & Deutsch	B., 13, 389	38, 477
Benzenylamidothiophenol	C ₆ H ₄ : N.CPh.S=1.2	"	114	Tiemann and Piest	B., 15, 2033	
"	" "	"	B., 13, 17	115	Hofmann	B., 12, 2360	38, 386
"	" "	"	115	"	B., 13, 1223, 1237	
Anilidophenylthiocarbimide	NHPh.C ₆ H ₄ .N : CS	C ₁₃ H ₁₀ SN ₂	157	"	B., 12, 1130	36, 806
"	" "	"	159	"	B., 13, 12	38, 388
Thiobenzanilide	Ph.CS.NHPh	C ₁₃ H ₁₁ SN	95-97	Leo	B., 10, 2134	34, 409
"	"	"	b. 100	"	B., 9, 1216	
"	"	"	95.5-96.5	Bernthsen	B., 11, 503	
"	"	"	98	"	A., 192, 1	34, 789
Methylthiodiphenylamine	C ₆ H ₄ .NMe.C ₆ H ₄ .S	"	99.3	"	B., 16, 2899	48, 596
Diphenylthiocarbamide	CS(NHPh) ₂	C ₁₃ H ₁₂ SN ₂	A., 207, 139	140	Hofmann	A., 57, 266	i., 756
"	"	"	B., 12, 773	140	Guareschi	G. I., 8, 246	34, 860
"	"	"	A., 68, 39	144	Aschan	B., 17, 428	
"	"	"	A., 70, 143	144	Weith	B., 6, 210, 967	
" (Z.C. 1869, 584)	"	"	B., 7, 1304	145	"	B., 8, 1527	29, 575
"	"	"	A., 166, 143	146.5	Guareschi	G. I., 8, 246	34, 860
"	"	"	B., 12, 1613	153	Bamberger	B., 14, 2638	
Diphenylthiosemicarbazide	NHPh.CS.N ₂ H ₂ Ph	C ₁₃ H ₁₃ SN ₃	177	Fischer	A., 190, 122	34, 308
Amidodiphenylthiocarbamide	NHPh.CS.NH.C ₆ H ₄ .NH ₂	"	d. 141	Lellmann and Würtner	A., 228, 199	48, 977
"	" =1.2	"	148-153 p.d.	"	"	"
"	" =1.3	"	d. 163	"	"	"
"	" =1.4	"	"	"	"	"
Diphenylthiocarbazide	C ₁₃ H ₁₄ SN ₄	Green 130	150	Fischer	A., 190, 119, 212, 323	
Phenylhydrazinephenylthiocarbazate	Ph.NH.NH.CS ₂ N ₂ H ₄ Ph	C ₁₃ H ₁₆ S ₂ N ₄	96-97 p.d.	"	A., 190, 115	34, 307
Piperidyltolylthiocarbamide	Me.(NH.CS.N : C ₅ H ₁₀)=1.2	C ₁₃ H ₁₈ SN ₂	98	Gebhardt	B., 17, 3040	48, 384
"	" =1.4	"	132	"	"	"
Diethyltolylenedithiocarbamide	Me.(NH.CS.NHET) ₂ =1.3.4	C ₁₃ H ₂₀ S ₂ N ₄	149-153	Lellmann	A., 221, 1	46, 50
"	" =1.3	"	225	Lussy	B., 8, 668	28, 1036
α-Methylpiperidine-α-methylpiperylthiocarbamate	C ₆ H ₁₂ : N.CS.SH.NH.C ₅ H ₉ Me	C ₁₃ H ₂₆ S ₂ N ₂	sb. 100	118	Ladenburg & Roth	B., 18, 48	48, 557
Dihexylthiocarbamide	CS[NH.(CH ₂) ₅ .CH ₃] ₂	C ₁₃ H ₂₈ SN ₂	40	Frentzel	B., 16, 746	44, 1075
Oxalamidothiophenol	(C : N.C ₆ H ₄ .S) ₂	C ₁₄ H ₈ S ₂ N ₂	abt. 300	Hofmann	B., 13, 1227	38, 885
?	C ₁₄ H ₁₀ SN ₂	90	"	B., 2, 646	vi., 258
?	C ₁₄ H ₁₀ S ₂ N ₂	152	Proskauer and Sell	B., 9, 1265	31, 68
?	Ph.CH ₂ .C : N.C ₆ H ₄ .S	C ₁₄ H ₁₁ SN	Liquid	Hofmann	B., 13, 1235	38, 887
?	Ph.C : N.C ₆ H ₄ Me.S	"	125	Hesse	B., 14, 493	40, 597
Ht. on thioformanilide	C ₁₄ H ₁₂ SN ₂	140	Nicoll	B., 15, 211	42, 958

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
?	$\text{NH}_2\text{C}_6\text{H}_4\text{C}(\text{N}_2)\text{C}(\text{C}_6\text{H}_4\text{NH}_2)_2\text{S}$	$\text{C}_{14}\text{H}_{12}\text{SN}_4$...	128-129	Wanstrat	B., 6, 633	26, 909
Thioxanilide	NHPh.CS.CS.NHPh	$\text{C}_{14}\text{H}_{12}\text{S}_2\text{N}_2$...	133	Wallach	B., 13, 527	
Thiacetdiphenylamine	$\text{CH}_3\text{CS.NPh}_2$	$\text{C}_{14}\text{H}_{13}\text{SN}$...	110.5-111	Bernthsen	A., 192, 39	34, 790
Imidothiobenzobenzylether	...	"	...	181	"	A., 197, 351	
Ethylthiodiphenylamine	$\text{C}_6\text{H}_4\text{NEt.C}_6\text{H}_4\text{S}$	"	...	102	"	B., 16, 2900	46, 596
Thiobenztoluide	Ph.CS.NH.C ₆ H ₄ Me	"	...	128-129	Bernthsen & Trompeter	B., 11, 1759	
"	"	"	...	128.5-129.5	Leo	B., 10, 2134	34, 409
Methyldiphenylthiocarbamide	NHPh.CS.NMePh	$\text{C}_{14}\text{H}_{14}\text{SN}_2$	204-206	87	Gebhardt	B., 17, 2089	46, 1321
Phenyltolylthiocarbamide	NHPh.CS.NH.C ₆ H ₄ Me=1.2	"	B., 15, 1419	139	Staats	B., 13, 137	38, 387
"	"=1.4	"	B., 15, 1420	136-137	"	"	"
"	"=1.3	"	...	141	Gebhardt	B., 17, 3035	
Thiobenzdiamidotoluene	Me.NH ₂ (NH.CS.Ph)=?1.3	"	...	197	Bernthsen & Trompeter	B., 11, 1760	36, 147
α -Naphthylallylthiocarbamide	$\text{C}_{10}\text{H}_7\text{.NH.CS.NH.C}_3\text{H}_5$	"	A., 84, 347	130	Zinin	J. p., 57, 173	v., 783
Base fr. thiocarbanilide	...	"	...	110	Will	B., 14, 1489	40, 906
Methyldiphenylthiosemicarbazide	NMePh.NH.CS.NHPh	$\text{C}_{14}\text{H}_{15}\text{SN}_3$...	154	Fischer	A., 190, 166	34, 311
Diamidotolyl sulphide	$\text{S}(\text{C}_6\text{H}_3\text{Me.NH}_2)_2=(1.4)_2$	$\text{C}_{14}\text{H}_{16}\text{SN}_2$...	103-103.5	Merz and Weith	B. 4, 393	vii., 1156
Diallylphenylenedithiocarbamide	$\text{C}_6\text{H}_4(\text{NH.CS.NH.C}_3\text{H}_5)_2$	$\text{C}_{14}\text{H}_{18}\text{S}_2\text{N}_4$...	158-160 d.	Lellmann & Wüirthner	A., 228, 199	48, 977
"	"=1.2	"	...	105	Lellmann	A., 221, 1	46, 50
"	"=1.3	"	...	200	"	"	"
"	"=1.4	"	...	111	Hofmann	B., 13, 1235	38, 887
Cinnamylamidothiophenol	Ph.CH:CH.C:N.C ₆ H ₄ S	$\text{C}_{15}\text{H}_{11}\text{SN}$...	136	Will	B., 14, 1490	40, 906
Hydrothiodiphenylhydantoin	Ph.N:C.NPh.(CH ₂) ₂ S	$\text{C}_{15}\text{H}_{14}\text{SN}_2$...	136	Will	B., 14, 1490	40, 906
"	"	"	a. 300 s. d.	...	"	B., 15, 343	42, 723
Dibenzylideneammonium dithiocarbamate	...	$\text{C}_{15}\text{H}_{14}\text{S}_2\text{N}_2$	A., 168, 238	100 d.	Quadrat	A., 71, 13	
Ethylthiocarbaniide	EtS.C(NHPh):NPh	$\text{C}_{15}\text{H}_{16}\text{SN}_2$...	73	Rathke	B., 14, 1777	42, 167
"	"	"	B., 15, 338	79	Will	B., 14, 1490	40, 906
"	"	"	B., 15, 1308	157.5 (?)	Bernthsen & Friese	B., 15, 567	
Ethylthiophenylthiocarbamide	NHPh.CS.NEtPh	"	...	89	Gebhardt	B., 17, 2091	46, 1321
Dibenzylthiocarbamide	CS(NH.CH ₂ Ph) ₂	"	...	114	Strakosch	B., 5, 696	25, 1027; vii., 182, 428
"	"	"	...	114	Paterno and Spica	G. I., 5, 388	29, 602
"	NH ₂ .CS.N(CH ₂ Ph) ₂	"	B., 9, 82	156-157	"	"	"
Phenylethylphenylthiocarbamide	NHPh.CS.NH.C ₆ H ₄ Et=1.4	"	...	103-104	Mainzer	B., 16, 2021	44, 1106
"	"=1.2	"	...	148	Paucksch	B., 17, 768	46, 1143
Phenylmethyltolylthiocarbamide	NMePh.CS.NH.C ₆ H ₄ Me	"	...	121	Gebhardt	B., 17, 3035	48, 383
"	"=1.2	"	"	"	"
"	"=1.4	"	...	124	"	B., 17, 2091	46, 1321
Ditolylthiocarbamide	CS(NH.C ₆ H ₄ Me) ₂ =(1.3) ₂	"	...	122	Weith and Landolt	B., 8, 718	28, 1194
"	"=(1.2) ₂	"	216-218	156	Ador and Reilliet	B., 12, 2301	
"	"	"	...	158 n.c.	Bergerd	B., 12, 1854	38, 244
"	"	"	...	159	Gebhardt	B., 17, 3034	vii., 1116
"	"	"	...	164	Sell	16, 190	v., 872
"	"	"	...	165 u.c.	Girard	B., 4, 985	25, 720
"	"	"	...	243 sic.	Will & Bielschowski	B., 15, 1317	
"	"=(1.4) ₂	"	...	176	"	B., 15, 1311	
"	"	"	A., 126, 160	176	Hofmann	B., 7, 1739	28, 466
"	"	"	J. [1869], 637	176	Weith	B., 9, 815	
Diallyltolylenedithiocarbamide	$\text{C}_6\text{H}_3\text{Me}(\text{NH.CS.NH.C}_3\text{H}_5)_2$	$\text{C}_{15}\text{H}_{20}\text{S}_2\text{N}_4$...	150	Lellmann	A., 221, 1	46, 50
"	"=1.3.5	"	...	150.5	"	A., 228, 199	48, 977
"	"=1.2.3	"	...	152	"	A., 228, 243	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diallyltolylenedithiocarbamide	$C_6H_3Me(NH.CS.NH.C_3H_5)_2$ =1.2.5	$C_{15}H_{20}S_2N_4$	175.5 d.	Lellmann	A., 228, 199	48, 977
Conylphenylthiocarbamide	$C_6H_{16}.N.CS.NHPh$	$C_{15}H_{20}SN_2$	88	Gebhardt	B., 17, 3041	48, 384
Octylphenylthiocarbamide	$C_8H_{17}.NH.CS.NHPh$	$C_{15}H_{20}SN_2$	52-53	Jahn	B., 8, 805	28, 1188
Valeraldine	$C_{15}H_{31}S_2N$	41	Bensenhirtz	A., 90, 109	v., 974
„	„	41	Schröder	B., 4, 469	24, 706; vii., 1195
Succinoamidothiophenol	$(CH_2.C:N.C_6H_4.S)_2$	$C_{16}H_{12}S_2N_2$	137	Hofmann	B., 13, 1231	38, 886
?	$CH_2Ph.C:N_2:C(CH_2Ph).S$	$C_{16}H_{14}SN_2$	41-42	Berthsen	A., 184, 310	31, 618
Styrollylic thiocyanate + C_6H_6	See $C_{10}H_9S_2N_2$	$C_{16}H_{14}S_2N_2$	61-62	Nagel	J. [1880], 404	
Phenylimidotolyethylene-thiocarbamate	$Ph.N:C.N(C_6H_4Me).C_2H_4.S$ =1.4	$C_{16}H_{16}SN_2$	128	Will & Bielschowski	B., 15, 1315	
?	„	160	Senier	47, 769
Phenylethyltolylthiocarbamide	$C_6H_4Me.NH.CS.NEtPh$ =1.4	$C_{16}H_{18}SN_2$	90	Gebhardt	B., 17, 2091	46, 1321
Tolylimidotolymethylthiocarbamate	$C_6H_4Me.N:C(SMe).NH.$ $C_6H_4Me=(1.2)_2$	„	60	Will & Bielschowski	B., 15, 1316	42, 1090
„	„ = (1.4) ₂	„	128	„	B., 15, 1309	„
Mesitylphenylthiocarbamide	$C_6H_2Me_3.NH.CS.NHPh$ =1.3.5.6	„	193	Eisenberg	B., 15, 1014	
Diphenylethylenedithiocarbamide	$C_2H_4(NH.CS.NHPh)_2$	$C_{16}H_{18}S_2N_4$	193 d.	Lellmann & Würthner	A., 228, 199	48, 978
Tetramethylthioaniline	$S(C_6H_4.NMe_2)_2$	$C_{16}H_{20}SN_2$	125	Tursini	B., 17, 587	46, 1141
Thiobenzoyl- α -naphthalide	$C_{10}H_7.NH.CS.Ph$	$C_{17}H_{13}SN$	147.5	Berthsen & Trompeter	B., 11, 1760	38, 147
Phenyl- α -naphthylthiocarbamide	$C_{10}H_7.NH.CS.NHPh$	$C_{17}H_{14}SN_2$	J. [1858], 350	158-159	Mainzer	B., 15, 1414	42, 1212
„ - β -	„	„	155-157	„	B., 15, 1417	42, 1213
Tolylimidotolyethylenethiocarbamate	$C_6H_4Me.N:C.N(C_6H_4Me).$ $C_6H_4.S=1.2; 1.4$	$C_{17}H_{18}SN_2$	82	Will & Bielschowski	B., 15, 1315	
„	„ = (1.2) ₂	„	91	„	B., 15, 1317	42, 1091
„	„ = (1.4) ₂	„	112	„	B., 15, 1314	„
Phenylisobutylphenylthiocarbamide	$NHPh.CS.NH.C_6H_4Bu^\beta=?$	$C_{17}H_{20}SN_2$	152	Mainzer	B., 16, 2023	44, 1107
Tolylimidotolyethylthiocarbamate	$C_6H_4Me.N:C(SEt).NH.$ $C_6H_4Me=(1.2)_2$	„	51	Will & Bielschowski	B., 15, 1316	42, 1091
„	„ = (1.4) ₂	„	87	„	B., 15, 1312	„
Diethylphenylthiocarbamide	$CS(NH.C_6H_4Et)_2=(1.2)_2$	„	141-142	Pancksch	B., 17, 768	46, 1143
„	„ = (1.4) ₂	„	144-145	„	„	„
„	„	„	144	Mainzer	B., 16, 2019	44, 1106
Dixylthiocarbamide	$CS(NH.C_6H_3Me_2)_2=(4.3.1)_2$	„	152-153	Hofmann	B., 9, 1296	31, 92
Mesityltolylthiocarbamide	$C_6H_2Me_3.NH.CS.NH.$ $C_6H_4Me=1.3.5.6; 1.2$	„	167	Eisenberg	B., 15, 1014	
Diphenyltrimethylenedithiocarbamide	$C_3H_6(NH.CS.NHPh)_2$	$C_{17}H_{20}S_2N_4$	115	Lellmann and Würthner	A., 228, 199	48, 978
Bidimethamidophenylthiocarbamide	$CS(NH.C_6H_4.NMe_2)_2=(1.4)_2$	$C_{17}H_{22}SN_4$	186.5	Baur	B., 12, 534	38, 628
Phenylmethyl- β -naphthylthiocarbamide	$C_{10}H_7.NH.CS.NMePh$	$C_{18}H_{16}SN_2$	127	Gebhardt	B., 17, 2091	46, 1321
Tolynaphthylthiocarbamide	$C_{10}H_7.NH.CS.NH.C_6H_4Me$ =a; 1.2	„	165-168	Mainzer	B., 15, 1416	42, 1212
„	„ =a; 1.4	„	168	„	„	42, 1213
„	„ = β ; 1.2	„	193-194	„	B., 15, 1418	„
„	„ = β ; 1.4	„	163-164	„	B., 15, 1419	„
Isobutylphenyltolylthiocarbamide	$C_6H_4Me.NH.CS.NH.$ $C_6H_4Bu^\beta=1.4; 1.?$	$C_{18}H_{22}SN_2$	137	„	B., 16, 2024	44, 1107
Diphenylthiobenzamide	$Ph.CS.NPh_2$	$C_{19}H_{15}SN$	150-151	Berthsen	A., 192, 37	34, 790
Triphenylthiocarbamide ...	$NHPh.CS.NPh_2$	$C_{19}H_{16}SN_2$	152	Gebhardt	B., 17, 2092	46, 1321

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Azobenzenephenylthiocarbamide	Ph.N ₂ .C ₆ H ₅ .NH.CS.NHPh	C ₁₉ H ₁₆ SN ₄	179	Berju	B., 17, 1405 ; C. C. [1884], 871	48, 1149 ; 48, 660
Ethylphenyl-β-naphthylthiocarbamide	C ₁₀ H ₇ .NH.CS.NH.C ₆ H ₄ Et	C ₁₉ H ₁₈ SN ₂	158-159	Mainzer	B., 16, 2022	44, 1107
Dipropylphenylthiocarbamide	CS(NH.C ₆ H ₄ Pr ^α) ₂ =(1.4) ₂	C ₁₉ H ₂₄ SN ₂	138	Francksen	B., 17, 1222	48, 1007
Isobutylphenylethylphenylthiocarbamide	C ₆ H ₄ Et.NH.CS.NH.C ₆ H ₄ Bu ^β	"	140	Mainzer	B., 16, 2025	44, 1107
Dicumylthiocarbamide	CS(NH.C ₆ H ₂ Me ₃) ₂ =?	"	146	Engel	B., 18, 2233	48, 1216
Dimesitylthiocarbamide	" = (6.5.3.1) ₂	"	196	Eisenberg	B., 15, 1013	42, 956
Phthalylamidothiophenol	C ₆ H ₄ (C : N.C ₆ H ₄ S) ₂ =1.2 ; ?	C ₂₀ H ₁₂ S ₂ N ₂	112	Hofmann	B., 13, 1233	38, 886
Triphenylmethylic thiocyanate	CPh ₃ .S.CN	C ₂₀ H ₁₅ SN	137	Elbs	B., 17, 700	46, 1030
Benzenylisodiphenylamidine thiocyanate	C ₂₀ H ₁₇ SN ₃	151	Berntshen	A., 192, 1	34, 790
"	"	203	"	"	34, 788
Triphenylthiodicyandiamine	NHPh.CS.NPh.C(NHPh) : NH	C ₂₀ H ₁₈ SN ₄	150	Rathke	B., 12, 774	38, 805
Thiotetrapyrindine	"	B. S., 34, 452	155	Cahours and Etard	C. R., 88, 999	38, 732
Diphenylphenylenedithiocarbamide	C ₆ H ₄ (NH.CS.NHPh) ₂ =1.2	C ₂₀ H ₁₈ S ₂ N ₄	d. 170	Cryst.	Lellmann and Würthner	A., 228, 199	48, 977
"	" = 1.3	"	d. 160-185	161	"	"	"
Thiocuminamide sulphide	C ₆ H ₄ Pr.C : N ₂ : C(C ₆ H ₄ Pr).S	C ₂₀ H ₂₂ SN ₂	45	Wanstrat	B., 6, 333	28, 909
Di-β-naphthiocarbamide	CS(NH.C ₁₀ H ₇) ₂	C ₂₁ H ₁₆ SN ₂	193	Gebhardt	B., 17, 3045	
" -β-	"	"	193	Cosiner	B., 14, 61	40, 606
" -α-	"	"	A., 64, 371	197-198 u. c.	Berger	B., 12, 1860	38, 245
Thiobenzaldine	C ₂₁ H ₁₉ S ₂ N	125	Laurent	A., 38, 323	v., 481
Diphenyltolylene dithiocarbamide	C ₆ H ₃ Me(NH.CS.NHPh) ₂ =?	C ₂₁ H ₂₀ S ₂ N ₄	167 ; 173	Gebhardt	B., 17, 3046	
"	"	"	172	Studemann	L. D. Berlin, 1884	
"	" = ?1.4	"	181 d.	Lellmann and Würthner	A., 228, 199	48, 977
"	" = ?1.3	"	B., 7, 1265	238	Lussy	B., 8, 670	28, 1036
Isobutylphenyl-β-naphthylthiocarbamide	C ₁₀ H ₇ .NH.CS.NH.C ₆ H ₄ Bu ^β	C ₂₁ H ₂₂ SN ₂	152 ; 160	Mainzer	B., 16, 2026	44, 1107
Diisobutylphenylthiocarbamide	CS(NH.C ₆ H ₄ Bu ^β) ₂ =(1.4) ₂	C ₂₁ H ₂₈ SN ₂	192.5	Pahl	B., 17, 1235	46, 1010
Dicumylthiocarbamide	CS(NH.C ₆ H ₃ MePr) ₂ =?	"	128	Raab	B., 10, 53	
"	" = (?3.1) ₂	"	160	Kelbe and Warth	A., 221, 157	46, 47
Ditetramethylbenzenethiocarbamide	CS(NH.C ₆ HMe ₄) ₂	"	278	Hofmann	B., 17, 1916	46, 1320
Dibutyltolylthiocarbamide	CS(NH.C ₆ H ₃ MeBu ^β) ₂ =2.1.3	C ₂₃ H ₃₁ SN ₂	175	Effront	B., 17, 2344	48, 154
"	" = 2.1.5	"	184	"	B., 17, 2335	48, 153
Pentamethylbenzenethiocarbamide	CS(NH.C ₆ Me ₅) ₂	"	252	Hofmann	B., 18, 1828	48, 1130
Thiosulphaniline	S[C ₆ H ₃ (NH ₂).S.C ₆ H ₄ .NH ₂] ₂	C ₂₄ H ₂₂ S ₃ N ₄	abt. 100	Merz and Weith	B., 4, 392	
Thio-α-toluamide sulphide	C ₂₄ H ₂₇ S ₂ N	107.5-108	Berntshen	A., 184, 302	31, 617
Tetraphenylthiocarbamide	CS(NPh ₂) ₂	C ₂₅ H ₂₀ SN ₂	194.5-195.5	Berntshen & Friese	B., 15, 1530, 1652	42, 1089
Bidiphenylthiocarbamide	CS(NH.C ₆ H ₄ .Ph) ₂	"	228	Zimmermann	B., 13, 1964	40, 176
Thiocarbamidoazobenzene	CS(NH.C ₆ H ₄ .N ₂ .Ph) ₂	C ₂₅ H ₂₀ SN ₆	199	Berju	B., 17, 1405 ; C. C. [1884], 871	48, 1149 ; 48, 660
Ht. on thiobenzanilide	C ₂₇ H ₂₀ S ₂ N ₂	111.5-112.5	Leo	B., 10, 2135	34, 409
Triethylphosphine sulphide	Et ₃ PS	C ₆ H ₁₅ SP	94	Cahours & Hofmann	J., 10, 376	iv., 613
Triethyl trithiophosphite	P(SET) ₃	C ₆ H ₁₅ S ₃ P	240-280	Liquid	Michaelis	C. N., 25, 57 ; B., 5, 7 ; B. S., 25, 185	
" tetrathiophosphate	PS(SET) ₃	C ₆ H ₁₆ S ₄ P	Liquid -18	Carius	A., 119, 289	vii., 1120
Triethylphosphine + CS ₂	Et ₃ P.CS ₂	C ₇ H ₁₅ S ₂ P	v. 100	95	Hofmann	As., 1, 32	iv., 614
Dimethylphenylphosphine + CS ₂	Me ₂ PhP.CS ₂	C ₉ H ₁₁ S ₂ P	97 d. ; 101 s.t.	Czimatis	B., 15, 2017	44, 58
Dimethyltolylphosphine + CS ₂	Me ₂ (C ₆ H ₄ Me)P.CS ₂ =1.4	C ₁₀ H ₁₃ S ₂ P	110 d. ; 116 s.t.	"	B., 15, 2018	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethylphenylphosphine sulphide	Et ₂ PhPS	C ₁₀ H ₁₅ SP	a. 360	s. ord. temp.	Ananoff	A., 181, 355; B., 8, 497	28, 1204
Dimethylxylylphosphine + CS ₂	Me ₂ (C ₆ H ₃ Me ₂)P, CS ₂	C ₁₁ H ₁₅ S ₂ P	115 d.; 121 s.t.	Czimatis	B., 15, 2018	44, 58
Triphenylphosphine sulphide	Ph ₃ PS	C ₁₅ H ₁₅ SP	150-151	Michaelis and Gleichmann	B., 15, 803	42, 1062
?	Ph.P.PPh.PPh.S (?)	C ₁₅ H ₁₅ SP ₃	138	Köhler & Michaelis	B., 10, 811	32, 451
Triphenylic tetrathio-phosphate	PS(SPh) ₃	C ₁₅ H ₁₅ S ₄ P	86	Schwarze	J. p. [2], 10, 234	
?	Ph ₄ P ₂ S ₃	C ₂₄ H ₃₀ S ₃ P ₂	192-193	Köhler & Michaelis	B., 10, 816	32, 450
Methylarsine sulphide	MeAsS	CH ₃ SA	abt. 110	Baeyer	A., 107, 281	i., 402
Cacodyl sulphide	S(AsMe ₂) ₂	C ₄ H ₁₂ SA ₂ S ₂	a. 100	b. 40	Bunsen	i., 409
„ disulphide	S ₂ (AsMe ₂) ₂	C ₄ H ₁₂ S ₂ As ₂	50	„	A., 46, 19	„
Phenylarsine sulphide	PhAsS	C ₆ H ₅ SA	152	Schulte	B., 15, 1956	44, 186
Triethylarsine sulphide	Et ₃ AsS	C ₆ H ₁₅ SA	100	i., 399
Phenylarsine sesquisulphide	Ph ₂ As ₂ S ₃	C ₁₂ H ₁₀ S ₃ As ₂	130	Schulte	B., 15, 1959	44, 186
Triphenylarsine sulphide	Ph ₃ AsS	C ₁₅ H ₁₅ SA	162	Coste and Michaelis	A., 201, 244	
Tetramethylstibine sesqui-sulphide	S ₃ (SbMe ₂) ₂	C ₄ H ₁₂ S ₃ Sb ₂	b. 100	Landolt	J. [1861], 571	
Triethylstibine sulphide	Et ₃ SbS	C ₆ H ₁₅ SSb	A., 97, 333	a. 100	Löwig & Schweizer	J. [1850], 474	i., 344
Triethylic trithiobismuthite	Bi(SEt) ₃	C ₆ H ₁₅ S ₃ Bi	79	Claesson	J. p. [2], 15, 193	32, 295

(21.) CHSeN, CHSeP, CHNP, CHNAs.

Ammonium seleniocyanate	(NH ₄)Se.CN	CH ₄ SeN ₂	d. 170	Verneuil	C. R., 99, 1154	48, 376
Seleniocarbamide	CSe(NH ₂) ₂	„	C. R., 99, 1154	abt. 200 d.	„	B. S., 41, 599	48, 50, 376
Methylene seleniocyanate	CH ₂ (Se.CN) ₂	C ₃ H ₂ Se ₂ N ₂	132	Proskauer	B., 7, 1279	28, 144
Ethylene seleniocyanate	CH ₂ (Se.CN).CH ₂ (Se.CN)	C ₄ H ₄ Se ₂ N ₂	128	„	B., 7, 1280	„
Allylic seleniocyanate	CH ₂ .CH.CH ₂ (Se.CN)	C ₄ H ₅ SeN	150-184	Wöhler	A., 109, 125	v., 221
Benzylic seleniocyanate	Ph.CH ₂ (Se.CN)	C ₈ H ₇ SeN	71.5	Jackson	B., 8, 321	28, 1025
Benzyl seleniocarbamide	NH ₂ .Se.NH.CH ₂ Ph	C ₈ H ₁₀ SeN ₂	J. [1877], 351	70 p. d.	Spica	G. I., 7, 90	32, 189
Dibenzyl seleniocarbamide	NH ₂ .Se.N(CH ₂ Ph) ₂	C ₁₅ H ₁₆ SeN ₂	darkens 150	d. 216	„	G. I., 7, 90; J. [1877], 351	„
Trimethylphosphine selenide	Me ₃ PSe	C ₃ H ₉ SeP	84	Hofmann and Cahours	iv., 609
Triethyl phosphine selenide	Et ₃ PSe	C ₆ H ₁₅ SeP	112	„	J. 10, 377	iv., 613
Triphenyl phosphine selenide	Ph ₃ PSe	C ₁₅ H ₁₅ SeP	183	Michaelis & Soden	A., 229, 334	48, 1134
Ethylcyanophosphine	Et.PH.CN	C ₃ H ₆ NP	49-50	Darmstädter and Henniger	C. R., 70, 404; B., 3, 179	vi., 933; vii., 405
Phosphorus anilidonitride	P ₃ N ₃ (NHPh) ₆	C ₃₆ H ₃₆ N ₉ P ₃	268	Hofmann	B., 17, 1910	48, 16
„ toluidonitride	P ₃ N ₃ (NH.C ₆ H ₄ Me) ₆ =(1.4) ₆	C ₄₂ H ₄₈ N ₉ P ₃	243	„	B., 17, 1912	„
Cacodylic cyanide	Me ₂ As.CN	C ₃ H ₆ NAs	140	33	Bunsen	A., 37, 25	i., 406

(22.) MISCELLANEOUS COMPOUNDS CONTAINING FOUR ELEMENTS
OTHER THAN HYDROGEN.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trichloroacetyl bromide	CCl ₃ .CO.Br	C ₂ Cl ₃ BrO	abt. 143	J. p. [2], 20, 196	Gal	C. R., 76, 1019 ; J. [1873], 536	26, 746 ; vii., 19
Hexachlortetrabromethyl oxide	C ₄ Cl ₆ Br ₄ O	96	Malaguti	A. C. [3], 16, 4-25	ii., 541
Trichloroacetyl iodide	CCl ₃ .CO.I	C ₂ Cl ₃ IO	abt. 180	J. [1873], 536	Gal	C. R., 76, 1019	26, 746 ; vii., 19
Trichloromethylsulphonyl chloride	CCl ₃ .SO ₂ Cl	CCl ₃ O ₂ S	170	135	Kolbe	A., 54, 148	v., 560
" "	"	"	A., 111, 105 ; B.S., 37, 390 ; Gilb. Ann. 48, 161	135	Rathke	B., 3, 860	24, 345
Dichlorodinitromethane	CCl ₂ (NO ₂) ₂	CCl ₂ O ₄ N ₂	a. 100	A., 38, 16	Marignac	R. S., 5, 375	iii., 1006
Chloropicrin	CCl ₃ .NO ₂	CCl ₃ O ₂ N	111-91 c. (751)	A., 106, 144	Thorpe	37, 198
"	"	"	112	A., 101, 212	Hofmann	A., 139, 111	vi., 445
" (A., 109, 282)	"	"	112-8 (743)	J. [1872], 298	Cossa	G. I., 2, 181	25, 889 ; vii., 328
"	"	"	120	A., 66, 241	Stenhouse	J., 1, 540	i., 923
Trichloroacetyl cyanide ...	CCl ₃ .CO.CN	C ₃ Cl ₃ ON	117-119	Liquid	Hofferichter	J. p. [2], 20, 196	38, 35
" "	"	"	121-122	Claessen and Antweiler	B., 13, 1936	40, 153
" "	(") _n	140	Hofferichter	J. p. [2], 20, 198	38, 35
PCl ₅ on perchloropyrocoll	C ₅ Cl ₇ ON	146-147-5	Ciamician & Danesi	G. I., 12, 28	42, 875
Nitropentachlorbenzene	C ₆ Cl ₅ .NO ₂	C ₆ Cl ₅ O ₂ N	328 p.d.	146	Jungfleisch	A. C. [4], 15, 186 ; J. [1868], 353	vii., 147
Perchloropyrocoll	C ₁₀ Cl ₆ O ₂ N ₂	320 d.	Ciamician & Danesi	G. I., 12, 31	42, 875
PCl ₅ on perchloropyrocoll	C ₁₀ Cl ₁₀ ON ₂	195-197	"	G. I., 12, 28	"
Tribromthiophensulphonic anhydride	(C ₃ SBr ₃ .SO ₂) ₂ O	C ₃ Br ₆ O ₅ S ₄	115-116	Rosenberg	B., 18, 1775	48, 1051
Bromnitroform	CBr(NO ₂) ₃	CBrO ₆ N ₃	12	Schischkoff	A., 119, 247	iv., 110
Bromopicrin	CBr ₃ .NO ₂	CBr ₃ O ₂ N	a. 100	A., 155, 253	Stenhouse	P. M. (4), 8, 36 ; A., 91, 307	i., 923
"	"	"	A., 180, 122	10-25	Bolas and Groves	(2), 8, 153	vii., 212
Nitrodibromacetonitril	CBr ₂ (NO ₂).CN	C ₂ Br ₂ O ₂ N ₂	130-135 d.	50	Kekulé	A., 105, 281	iv., 111
Dinitrotetrabrombenzene	Br ₄ (NO ₂) ₂ =1.2.3.5.4.6	C ₆ Br ₄ O ₄ N ₂	J. [1879], 394	227-228	Richter	B., 8, 1427	29, 390
Nitrodiiodoacetonitril	CI ₂ (NO ₂).CN	C ₂ I ₂ O ₂ N ₂	d. 170	86 p.d.	Sell & Biedermann	B., 5, 89	25, 413
Thionylecyanide	SO(CN) ₂	C ₁ OSN ₂	70	Gauhe	A., 143, 264	
Phosphorus thiocyanate	P(S : CN) ₃	C ₃ S ₃ N ₃ P	260-270	Liquid -20	Miquel	A. C. (5), 11, 289, 349	32, 872

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorbromhydrin	CH ₂ Br.CHCl.CH ₂ .OH	C ₃ H ₆ ClBrO	197	Henry	B., 7, 758	
"	CH ₂ Br.CH(OH).CH ₂ Cl	"	195-197	Liquid	"	B., 3, 352	
"	"	"	197	Reboul	J., 13, 458	
"	"	"	190-195	Grimaux & Adam	B. S. [2], 33, 257	38, 457
"	?	"	185-197	Henry	Z. C., 13, 604	
Chlortribromcrotonic aldehyde hydrate	CBr ₂ Cl.CH : CBr.CH(OH) ₂ or CBr ₂ Cl.CBr:CH.CH(OH) ₂	C ₄ H ₂ ClBr ₃ O	110 d.	78	Pinner	B., 8, 1324	29, 553
Chlortribromcrotonic acid	Acid from above	C ₄ H ₂ ClBr ₃ O ₂	140	"	"	"
Dibromsuccinyl dichloride	COCl.C ₂ H ₂ Br ₂ .COCl	C ₄ H ₂ Cl ₂ Br ₂ O ₂	218-220 d.	A., 117, 130	Kekulé	As., 2, 86	v., 462
?	C ₄ H ₂ Cl ₄ Br ₄ O	60	Z. C. [1869], 394	
?	C ₄ H ₄ Cl ₂ Br ₂ O	66 d.	Demarçay	B. S. [2], 33, 524	38, 626
?	A. C. (5), 20, 464	"	67-67.5	"	C. R., 88, 126	36, 458
Ethyl chloridibromacetate	CClBr ₂ .CO ₂ Et	C ₄ H ₅ ClBr ₂ O ₂	203	Liquid	Neumeister	B., 15, 604	42, 944
Chloridibrombutyric acid	C ₃ H ₄ ClBr ₂ .CO ₂ H	"	A., 164, 105	92	Sarnow	B., 5, 470	25, 690
Ethyl bromdichloracetate	CCl ₂ Br.CO ₂ Et	C ₄ H ₅ Cl ₂ BrO ₂	188-189	Liquid	Neumeister	B., 15, 603	42, 944
Trichloridibromethyloxyde	CCl ₂ Br.CClBr.O.Et	C ₄ H ₅ Cl ₃ Br ₂ O	17	Busch	B., 11, 446	34, 487
?	"	135 (40)	ord. temp.; s.f.m.	Paterno & Pisati	G. I., 2, 333	26, 159; vii., 2
Ethyl chlorbromacetate	CHClBr.CO ₂ Et	C ₄ H ₆ ClBrO ₂	160-163 p.d.	Liquid	Cech and Steiner	B., 8, 1174	29, 373
Chlorethyl bromacetate	CH ₂ Br.CO ₂ .CH ₂ .CH ₂ Cl	"	213-215 u.c.	Liquid	Henry	C. R., 97, 1308	46, 421
Dichloridibrombutyraldehyde hydrate	CH ₂ Cl.CHBr.CClBr.CH(OH) ₂	C ₄ H ₄ Cl ₂ Br ₂ O ₂	72	Natterer	M. C., 4, 539	44, 965
Chlorbromal alcoholate	CClBr ₂ .CH(OH)(OEt)	C ₄ H ₇ ClBr ₂ O ₂	46	Jacobsen and Neumeister	B., 15, 601	42, 938
Bromchloral alcoholate	CCl ₂ Br.CH(OH)(OEt)	C ₄ H ₇ Cl ₂ BrO ₂	43	"	B., 15, 600	"
Trichlorethylidene tribromlactate	CBr ₃ .CH.CO ₂ .CH(CCl ₃).O	C ₅ H ₂ Cl ₃ Br ₃ O ₃	A., 193, 54	132-135	Wallach and Reinecke	B., 10, 2129	34, 404
Tibromethylidene trichlorlactate	CCl ₃ .CH.CO ₂ .CH(CBr ₃).O	"	"	149-150	"	"	"
Bromchloralide	C ₅ H ₂ Cl ₄ BrO ₃	122	Jacobsen and Neumeister	B., 15, 600	42, 938
β-trichloracetodibrompropionic acid	CCl ₃ .CO.(CHBr) ₂ .CO ₂ H	C ₅ H ₃ Cl ₃ Br ₂ O ₃	97.5	Kekulé and Strecker	A., 223, 170	46, 1122
Chloridibromhydroxyvaleric acid	C ₄ H ₅ ClBr ₂ (OH).CO ₂ H	C ₅ H ₇ ClBr ₂ O ₃	169	Pinner & Klein	B., 11, 1497	36, 43
Glycerolacetochlorbromhydrin	CH ₂ Br.CH(OAc).CH ₂ Cl	C ₅ H ₅ ClBrO ₂	220 or 228(?)	A. C. [3], 52, 462	i., 26
Dibromchlorpropylethyl-oxide	CHClBr.CHBr.CH ₂ .OEt	C ₅ H ₉ ClBr ₂ O	220 d.	Friedel & Silva	C. R., 75, 81; J. [1872], 324	25, 805; vii., 1020
Glycerolethylchlorbromhydrin	CH ₂ Cl.CH(OEt).CH ₂ Br	C ₅ H ₁₀ ClBrO	186-188	A., 119, 239	ii., 883
"	C ₃ H ₅ BrCl.OEt	"	200 p.d.	Henry	B., 7, 1113	28, 143
Chloridibromresorcinol chlorobromide	C ₆ HClBr ₂ .OCl.OBr=(?) ₃ .1.3	C ₆ HCl ₂ Br ₃ O ₂	175	Benedikt	M. C., 4, 227	
Trichlorresorcinol dibromide	C ₆ HCl ₃ (OBr) ₂ =(?) ₃ .1.3	C ₆ HCl ₃ Br ₂ O ₂	d. 130	"	M. C. 4, 225	44, 984
Fr. chloranilic acid	C ₆ HCl ₃ Br ₃ O	As., 8, 17	79.5	Stenhouse	[2], 8, 6	vi., 989
Chlorbromquinone	C ₆ H ₂ ClBr : O ₂ =(?) ₂ .1.4	C ₆ H ₂ ClBrO ₂	A., 210, 160	172	Schulz	B., 15, 656	
Dichloridibromquinol	(OH) ₂ .Cl ₂ .Br ₂ =1.4.2.5.3.6	C ₆ H ₂ Cl ₂ Br ₂ O ₂	230	Levy	B., 18, 2369	48, 1210
"	" = 1.4.5.(?) ₃	"	brown 220	230 u.c.	Krause	B., 12, 54	36, 462
Trichlorphenol bromide	C ₆ H ₂ Cl ₃ .OBr	C ₆ H ₂ Cl ₃ BrO	99	Benedikt	M. C., 4, 235	44, 986
Trichlorbromquinol	(OH) ₂ .Cl ₃ .Br=1.4.2.5.6.3	C ₆ H ₂ Cl ₃ BrO ₂	As., 6, 219	229	Levy and Schulz	A., 210, 161	42, 510
α-Chloridibromresorcinol	(OH) ₂ .Cl.Br ₂ =1.4.5.(?) ₂	C ₆ H ₃ ClBr ₂ O ₂	86	Benedikt	M. C., 4, 227	
β-	" = 1.4.5.(?) ₂	"	105	Reinhard	J. p. [2], 17, 326	34, 726
Dichlorbromresorcinol	(OH) ₂ .Cl ₂ .Br=1.4.5.(?) ₂	C ₆ H ₃ Cl ₂ BrO ₂	100	"	J. p. [2], 17, 330	"
Chlorbromquinol	(OH) ₂ .Cl.Br=1.4.5.?	C ₆ H ₄ ClBrO ₂	171-172	Schulz	B., 15, 656	
?	C ₆ H ₃ Cl ₂ Br.OH	C ₆ H ₃ Cl ₂ BrO	160-170 (20)	Natterer	M. C. 5, 567	48, 498
Brombenzoyl chloride	C ₆ H ₄ Br.COCl=1.3	C ₇ H ₅ ClBrO	239	Liquid	Hubner	Z. C., 14, 301	24, 1055
Chlorbrombenzoic acid	C ₆ H ₃ ClBr.CO ₂ H	C ₇ H ₃ ClBrO ₂	sb. a. 160	?	Claus	B., 5, 657	
Chlorbromsalicylic acid	CO ₂ H.OH.Cl.Br=1.2.(?) ₂	C ₇ H ₄ ClBrO ₃	151	Claus and Pfeiffer	B., 5, 656	25, 1014; vii., 163
Bromterephthalic dichloride	(COCl) ₂ .Br=1.4.5	C ₈ H ₃ Cl ₂ BrO ₂	304.5-305.5 c	Liquid	Fischli	B., 12, 620	36, 639

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylchlorbrompropionic acid	$C_2H_2ClBrPh.CO_2H$	$C_9H_6ClBrO_2$...	179-180	...	A., 147, 92	
Diacetyldichlordibromquinol	$(OAc)_2.Cl_2.Br_2=1.4.2.5.3.6$	$C_{10}H_6Cl_2Br_2O_4$...	265	Levy	B., 18, 2369	48, 1210
"	" =1.4.2.6.3.5	"	...	269-270	"	"	"
Diacetylhlorbromquinol...	$(OAc)_2.Cl.Br=1.4.2.?$	$C_{10}H_5ClBrO_4$...	145-146	Schulz	B., 15, 656	
α -Chlorbromcamphor	$C_{10}H_{14}ClBrO$...	95-96	Cazeneuve	C. R., 100, 802	48, 668
β -	"	...	50	"	C. R., 100, 859	48, 806
Dichlordibromdiphenoquinone dichloride	$[.C_6HClBr(OCl).O.]_2$	$C_{12}H_2Cl_4Br_2O_4$...	a. 200 d.	Benedikt	M. C., 4, 228	44, 984
Dichlordibromtetrahydroxydiphenyl	$[.C_6HClBr(OH)_2]_2$	$C_{12}H_6Cl_2Br_2O_4$...	265 d.	"	M. C., 4, 229	44, 985
Brom-o-cresolphthalein chloride	$C_6H_4(COCl).CO.C_6H_2MeBr.OH$	$C_{15}H_{10}ClBrO_3$...	208; 208-210	Fraude	B., 12, 240; A., 202, 162	36, 635
Diazotribrombenzene chlorodibromide	$C_6H_2Br_3.NBr.NBrCl$	$C_6H_2ClBr_3N_2$...	d. 100	...	J. p. [2], 27, 114	
Tribromdichloraniline $NH_2.Cl_2.Br_3=1.3.5.2.4.6$	$C_6H_2Cl_2Br_3N$	A., 215, 122	219.5	Langer	B., 15, 1332	42, 1059
Trichlordibromaniline $NH_2.Cl_3.Br_2=1.2.4.6.3.5$	$C_6H_2Cl_3Br_2N$	A., 215, 119	238.5	"	B., 15, 1330	
Tetrachlorbromaniline $NH_2.Cl_4.Br=1.2.3.4.6.5$	$C_6H_2Cl_4BrN$	A., 215, 118	227	"	B., 15, 1328	42, 1058
Tribromchloraniline $NH_2.Cl.Br_3=1.3.(?)_3$	$C_6H_3ClBr_3N$	A., 215, 112	123.5	"	B., 15, 1065	
Dibromchloraniline $NH_2.Cl.Br_2=1.2.(?)_2$	$C_6H_4ClBr_2N$	A., 215, 115	95	"	"	
" " =1.4.2.6	"	?	A., 53, 38	
Dichlorbromaniline $NH_2.Cl_2.Br=1.2.6.4$	$C_6H_4Cl_2BrN$	93.5	Fittig & Buchner	A., 188, 22	34, 51
Chlorbromaniline $NH_2.Cl.Br=1.2.4$	C_6H_5ClBrN	69-69.5	"	A., 188, 14	34, 50
" " "	"	69-69.5	Fittig	B., 8, 15	28, 643
Chlorbromoxaethyline dibromide	$C_6H_3ClBrN_2.Br_2$	$C_6H_3ClBr_3N_2$	132-133	Wallach	A., 214, 289	44, 49
"	"	"	132-133	Wallach and Oppenheim	B., 10, 1196	34, 55
" hydrobromide	$C_6H_5ClBrN_2 + HBr$	$C_6H_5ClBr_2N_2$	112.5-113.5	"	"	34, 55
"	"	"	112-113	Wallach	A., 214, 289	44, 49
Isocyano-p-bromphenylchloride	$C_7H_4Cl_2BrN$	255-256	Liquid	Dennstedt	B., 13, 232	38, 634
Brombenzylamine + HCl $Br.(CH_2.NH_3Cl)=1.2$	C_7H_9ClBrN	208	Jackson & White	B., 13, 1219	38, 879
" " =1.4	"	260 d.	Jackson & Lowery	A. C. J., 3, 247	42, 170
Chlorbenzylamine + HBr $Cl.(CH_2.NH_3Br)=1.4$	"	225-230 d.	Jackson & Field	A. C. J., 2, 85	40, 805
Bromtoluidine + HCl $Me.Br.(NH_3Cl)=1.3.4$	"	221 d.	Wroblewsky	A., 168, 147	27, 51
Dibromtetrahydroquinoline + HCl	$C_9H_{10}ClBr_2N$	162 d.	Hoffmann and Königs	B., 16, 737	44, 1145
"	"	74-75 u.c.	Claus and Istel	B., 15, 823	42, 1111
Dibromdißbenzylamine + HCl	$NH_2Cl(CH_2.C_6H_4Br)_2=(1.2)_2$	$C_{14}H_{14}ClBr_2N$	166	Jackson & White	B., 13, 1219	38, 879
"	" =1.4	"	283	Jackson & Lowery	A. C. J., 3, 247	42, 171
α -Dichlordißbenzylamine + HBr	$NH_2Br(CH_2.C_6H_4Cl)_2=(1.4)_2$	$C_{14}H_{14}Cl_2BrN$	283-290	Berlin	A., 151, 133	vi., 338
"	" =?	"	280-290	Jackson & Field	40, 805
β -	" =?	"	224	Berlin	A., 151, 133	vi., 338
γ -	" =?	"	210-212	"	"	"
δ -	" =?	"	198-199	"	"	"
Chlorbenzylquinoline dibromide	$C_{16}H_{14}ClBr_2N$	91-92 u.c.	Claus	B., 18, 1306	48, 908
Brombenzylquinoline dichloride	$C_{16}H_{14}Cl_2BrN$	80 u.c.	"	"	"
Phosphenyldichlordibromide	$Ph.PCl_2Br_2$	$C_6H_6Cl_2Br_2P$	A., 181, 298	208	Michaelis	B., 6, 817	27, 168

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Glycerolchloriodhydrin	$C_3H_5Cl(OH)$	C_3H_6ClO	226	J., 13, 458	Reboul	As., 1, 226	
" 	$C_3H_5Cl.CH_2.OH$	"	Liquid	Henry	B., 3, 351	
Methylallylchloriodhydrin	$C_4H_7Cl.CH_2.OMe$	C_4H_8ClO	195-196	Silva	B., 8, 1470	
Trimethyl sulphine dichloriodide	Me_3SiCl_2	$C_3H_9Cl_2IS$	103-104 p.d.	Masson & Dobbin	47, 60
Chloriodopyridine + HCl	$C_5NH_3Cl + HCl$	$C_5H_6Cl_2IN$	178	Ostermeyer	C. C. [1884], 937	48, 673
Chloriodopicoline	C_6H_5ClIN	111	J. p. [2], 27, 279	
Pyridine methchloride chloriodide	$C_5NH_3.MeCl.CHI$	$C_6H_8Cl_2IN$	81-82	Ostermeyer	B., 18, 593	48, 814
Chloroxaethyline methiodide	$C_6H_9ClN_2.MeI$	$C_7H_{12}ClIN_2$	A., 214, 262	203	Wallach	B., 13, 515; 14, 737; A., 184, 45	
Chloriodoquinoline	C_9H_7ClIN	158	Ostermeyer	C. C. [1884], 937	48, 673
" + HCl	$C_9H_8Cl_2IN$	118	"	"	"
Chloriodoquinoline dichloride + HCl	$C_9H_8Cl_4IN$	180	"	"	"
Chlorquinoline methiodide	$(N.Cl=a_1; \beta_1 \text{ or } a_2) + MeI$	$C_{10}H_9ClIN$	231-232	Coste & Bodewig	B., 17, 927	48, 1197
Quinoline methiodide chloriodide	$NMeI.Cl.I = a_1\beta_2a_2;$	$C_{10}H_{10}Cl_2IN$	102	Ostermeyer	B., 18, 600	
Quinoline methochloride chloriodide	$NMeCl.Cl.I = a_1\beta_2a_2;$	$C_{10}H_{10}Cl_2IN$	112	"	B., 18, 594, 598; C. C. [1884], 937	48, 673
Dimethamidohydroquinoline methochloride chloriodide	$C_9H_{10}N.NMe_2 + MeCl + ClI$	$C_{12}H_{19}Cl_2IN_2$	127	"	B., 18, 597	48, 814
γ -Dichloridibenzylamine + HI	$NH_2I(CH_2.C_6H_4Cl)_2$	$C_{14}H_{14}Cl_2IN$	187	Berlin	A., 151, 133	vi., 338
β - " "	"	"	215	"	"	vi., 337
δ - " "	"	"	216-218	"	"	vi., 338
Diquinoline methochloride chloriodide	$C_{18}H_{12}N_2.2MeCl.2ClI$	$C_{20}H_{18}Cl_4I_2N_2$	238	Ostermeyer	B., 18, 598	48, 814
Trichlormethylsulphonic acid	$CCl_3.SO_2.OH + H_2O$	$CHCl_3O_3S$	160 p.d.	130	Kolbe	A., 54, 174	v., 558
" "	"	"	Z. C. [1869], 82	135	Richter	R. K. T., 12	
Dichlormethylsulphonic acid	$CHCl_2.SO_2.OH$	$CH_2Cl_2O_3S$	A., 148, 94	a. 140	Kolbe	A., 54, 164	v., 557
Methylsulphonyl chloride	$CH_3.SO_2.Cl$	CH_3ClO_2S	150-153	"	A., 54, 164; 114, 142.	v., 556
" "	"	"	160	Liquid	Nishack	A., 218, 283	44, 972
Methylic chlorosulphate	$Cl.SO_2.OMe$	CH_3ClO_2S	80 (6)	Behrend	J. p. [2], 15, 32	32, 289
Sulphochloracetyl chloride	$Cl.CO.CHCl.SO_2Cl$	$C_2HCl_3O_3S$	130-135 (645)	Liquid	Siemens	B., 6, 660	26, 1022
? 	$C_2H_2Cl_2O_3S$	150	Kammerer and Carius	A., 131, 165	v., 476
Chloral sulphhydrate	$CCl_3.CH(OH)(SH)$	$C_2H_3Cl_3OS$	123	77	Byasson	C. R., 74, 1290	25, 612; vii., 312
Dichlorethylsulphonyl chloride	$C_2H_3Cl_2.SO_2Cl$	$C_2H_3Cl_3O_2S$	130-140	James	J. p. [2], 30, 316	48, 365
Chlorethylsulphonyl chloride	$CH_2Cl.CH_2.SO_2Cl$	$C_2H_4Cl_2O_2S$	125-127 (30)	Königs	B., 7, 1163	28, 140
" "	"	"	200	A., 122, 37	
" "	"	"	200-205	James	J. p. [2], 26, 383	43, 42
Ethylenedisulphonyl chloride	$SO_2Cl.CH_2.CH_2.SO_2Cl$	$C_2H_4Cl_2O_4S_2$	91	Königs	B., 7, 1163	28, 140
Ethoxythionyl chloride	$EtO.SO.Cl$	$C_2H_5ClO_2S$	122	Liquid	Michaelis and Wagner	B., 7, 1074	"
Ethylsulphonyl chloride	$Et.SO_2Cl$	"	171	"	"	"
" "	"	"	171	J. [1852], 434	Gerhardt and Chancel	C. R., 35, 691	v., 554

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylsulphonyl chloride	Et.SO ₂ Cl	C ₂ H ₅ ClO ₂ S	171	Liquid	Otto	B., 15, 122	42, 831
" "	"	"	171	Strecker	J. [1870], 727	
" "	"	"	177.5 c.	B., 15, 447	Carius	A., 114, 142	
Ethyl chlorosulphate	Cl.SO ₂ OEt	C ₂ H ₅ ClO ₃ S	80-82 (i.v.)	Liquid	Purgold	Z. C. [2], 4, 669	vi., 595
" "	"	"	80-96 (d.p.)	"	B., 6, 502	26, 1216
" "	"	"	93-95 (100)	Müller	B., 6, 228	
" "	"	"	130	Kuhlmann	A., 33, 108	ii., 529
" "	"	"	154	Baumstark	Z. C. [1867], 566	vi., 602
" "	"	"	151-158	J. p. (2), 15, 30 ; 19, 250	
Ethyl chlorthioformate	Cl.CO.SEt	C ₃ H ₅ ClOS	136	Salomon	J. p. (2), 7, 252	26, 1223
Thiophentrisulphonyl chloride	C ₄ SH(SO ₂ Cl) ₃	C ₄ HCl ₃ O ₆ S ₄	79-80	Rosenberg	B., 18, 1777	48, 1051
α -Thiophendisulphonyl chloride	C ₄ SH ₂ (SO ₂ Cl) ₂	C ₄ H ₂ Cl ₂ O ₄ S ₃	70	Jaekel	48, 766
β - " " " "	"	"	brown 140	148-149 d.	Langer	B., 18, 555	"
β - " " " "	"	"	148-149	Rosenberg	B., 18, 1775, 1777	
α -Thiophensulphonyl chloride	S.SO ₂ Cl=1.2	C ₄ H ₃ ClO ₂ S ₂	Liquid	Meyer and Kreis	B., 16, 2173	46, 45
α - " " " "	" "	"	a. 200 d.	Liquid	Weitz	B., 17, 798	46, 1130
β - " " " "	" =1.3	"	boils without d.	28 (?)	"	"	"
β - " " " "	" "	"	43	Langer	B., 17, 1568	46, 1133
β - " " " "	" "	"	43-44	Rosenberg	B., 18, 1777	
Dichloralsulphhydrate	S[CH(OH).CCl ₂] ₂	C ₄ H ₄ Cl ₂ O ₂ S	B., 5, 154	127-128 d.	Wyss	B., 7, 211	27, 460
" "	"	"	128	Paterno and Oglialoro	G. I., 3, 333 ; B., 7, 80	27, 459
Ethyl dichlorthiacetate	CHCl ₂ .CO.SEt	C ₄ H ₆ Cl ₂ OS	177-178	Liquid	Meyer	B., 14, 1507	40, 890
Chlorosulphethylic ether	"	71-72	A., 32, 31	ii., 541
Ethyl chlorthiacetate	CH ₂ Cl.CO.SEt	C ₄ H ₇ ClOS	166-167	Liquid	Meyer	B., 14, 1508	40, 891
" ?	CCl ₂ .CH(OH).S.CH(OH).Me	C ₄ H ₇ Cl ₂ O ₂ S	96-97	Michael	B., 9, 1267	31, 188
Isobutylsulphonyl chloride	Bu β .SO ₂ Cl	C ₄ H ₉ ClO ₂ S	189-191 u.c.	Liquid	Pauly	B., 10, 942	
α -Thiophenic chloride	S.COCl=1.2	C ₆ H ₃ ClOS	206 c.	Liquid	Peter	B., 18, 543	48, 767
β - " " " "	" =1.3	"	190 u.c.	Liquid	Nahnsen	B., 17, 2195	48, 52
β - " " " "	" "	"	206 c.	Liquid	Peter	B., 18, 542	
Chlorbenzenesulphonyl chloride	C ₆ H ₄ Cl.SO ₂ Cl=1.3	C ₆ H ₄ Cl ₂ O ₂ S	Liquid	Limpricht	B., 8, 1071	29, 82
" " " "	" "	"	Liquid	Kieselinsky	A., 180, 110	29, 931
" " " "	" =1.2	"	28.5	Limpricht	B., 10, 320	32, 193
" " " "	" "	"	28.5	Bahlmann	A., 184, 357	32, 610
" " " "	" "	"	28-29	Albert	B., 14, 1437	40, 902
" " " "	" =1.4	"	50	Otto & Brunner	J. [1867], 632	vi., 274
" " " "	" "	"	51	Nölting	B., 8, 819	29, 928
" " " "	" "	"	53	Goslich	A., 180, 107	29, 930
" " " "	" "	"	55	Beckurts & Otto	B., 11, 2064	36, 229
Dichlorbenzenesulphonic acid	C ₆ H ₃ Cl ₂ .SO ₃ H=1.4?	C ₆ H ₄ Cl ₂ O ₃ S	A., 182, 94	a. 100	Z. C. [1868], 226	
Benzenedisulphonyl chloride	C ₆ H ₄ (SO ₂ Cl) ₂ =1.3	C ₆ H ₄ Cl ₂ O ₄ S ₂	B., 9, 584	63	Körner and Monselise	G. I., 6, 133	31, 81
" " " "	" "	"	63	Heinzelmann	A., 188, 157	32, 771
" " " "	" =1.2	"	105	Limpricht	B., 9, 553	
" " " "	" =1.4	"	B., 9, 584	131	Körner and Monselise	G. I., 6, 133	31, 81
Chlor- β -acetothionone	C ₄ SH ₃ (CO.CH ₂ Cl)=1.3	C ₆ H ₅ ClOS	295 c.	47	Peter	B., 18, 540	48, 765
Benzenesulphonyl chloride	C ₆ H ₅ .SO ₂ Cl	C ₆ H ₅ ClO ₂ S	246	Liquid	Heumann and Köchlin	B., 15, 1118	
" " " "	"	"	246-247 d.	B., 5, 876	Richter	R. K. T., 117	
(A., 136, 157)	"	"					
Benzenesulphonyl chloride (A., 145, 321)	"	"	254	A., 87, 299	Gerhardt and Chancel	C. R., 35, 690	v., 564
Chlorbenzenesulphonic acid	C ₆ H ₄ Cl.SO ₃ H	"	A., 145, 323	88-89	Otto & Brummer	A., 143, 191	vi., 276

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlorphenolsulphonic acid	$\text{OH.Cl.SO}_3\text{H}=1.4.6$	$\text{C}_6\text{H}_5\text{ClO}_3\text{S}$	+H ₂ O	75-76	Petersen and Predari	A., 157, 133	vii., 919
Sulphamylcarbonyl chloride	$\text{C}_5\text{H}_{11}\cdot\text{S.COCl}$	$\text{C}_6\text{H}_{11}\text{ClOS}$	190-195	Liquid	Schöne	J. p. (2), 30, 416	48, 512
Isoamylic trichlormethylsulphonate	$\text{CCl}_3\cdot\text{SO}_2\cdot\text{OC}_6\text{H}_{11}$	$\text{C}_6\text{H}_{11}\text{Cl}_3\text{O}_3\text{S}$	d. 150	A., 113, 38	
Benzoylsulphonyl dichloride	$\text{C}_6\text{H}_4(\text{SO}_2\text{Cl})(\text{COCl})=1.3$	$\text{C}_7\text{H}_4\text{Cl}_2\text{O}_3\text{S}$	abt. 300	Kammerer and Carius	A., 131, 159	vi., 323
Sulphonylchloride of chlorbenzoic acid	$\text{CO}_2\text{H.Cl.SO}_2\text{Cl}$ or $\text{COCl.Cl.SO}_3\text{H}=1.4?$	$\text{C}_7\text{H}_4\text{Cl}_2\text{O}_4\text{S}$	140-150	Cöllen and Böttinger	A., 191, 32; B., 9, 1250	31, 82; 36, 155
Toluenetrisulphonyl chloride	$\text{C}_6\text{H}_2\text{Me}(\text{SO}_2\text{Cl})_3$	$\text{C}_7\text{H}_5\text{Cl}_3\text{O}_6\text{S}_3$	153	Claesson	B., 14, 309	40, 429
Chlorbenzylsulphonyl chloride	$\text{Cl}(\text{CH}_2\cdot\text{SO}_2\text{Cl})=1.4$	$\text{C}_7\text{H}_6\text{Cl}_2\text{O}_2\text{S}$	85.5	Jackson & White	A. C. J., 2, 159; B., 13, 1218	38, 879; 40, 807
α -Toluenedisulphonylchloride	$\text{Me}(\cdot\text{SO}_2\text{Cl})_2=1.2.4$	$\text{C}_7\text{H}_6\text{Cl}_2\text{O}_4\text{S}_2$	51-52	Blomstrand and Hakansson	B., 5, 1086	26, 505; vii., 1171
α - " "	" "	" "	52	Gnehm & Forrer	B., 10, 543	32, 612
α - " "	" "	" "	52	Gnehm	B., 10, 1276	32, 893
α - " "	" "	" "	52	Fahlberg	A. C. J., 2, 181	40, 816
? " "	" =?	" "	86.5	Kornatzki	A., 221, 191	46, 70
β - " "	" =?	" "	94	Blomstrand and Hakansson	B., 5, 1086	26, 505; vii., 1171
β - " "	" "	" "	94	Limpricht	B., 18, 2180	
γ - " "	" =1.3.5	" "	132	"	B., 18, 2177	48, 1233
Benzylsulphonyl chloride	$\text{Ph.CH}_2\cdot\text{SO}_2\text{Cl}$	$\text{C}_7\text{H}_7\text{ClO}_2\text{S}$	92	"	B., 6, 534	26, 1040; vii., 186
" "	" "	" "	92-93	Otto and Lüders	B., 13, 1286	38, 812
Toluenesulphonyl chloride	$\text{Me.SO}_2\text{Cl}=1.2$	" "	L. f.m.	Beckurts	B., 10, 944	32, 775
" "	" "	" "	Liquid	Müller	B., 12, 1348	
" "	" "	" "	Liquid	Limpricht	B., 7, 1394	28, 368
" "	" "	" "	Liquid	Pagel	A., 176, 291	28, 898
" "	" "	" "	Liquid	Hübner and Post	A., 169, 29	
" "	" "	" "	Liquid	Jenssen	A., 172, 236	28, 77
" "	" =1.3	" "	L-10	Hübner and Post	A., 169, 50	27, 60; vii., 1170
" "	" "	" "	Liquid	Pagel	A., 176, 298	
" "	" "	" "	Liquid	Müller	B., 12, 1349	
" "	" "	" "	Liquid	Pechmann	A., 173, 202	
" "	" =1.4	" "	250 d.	68	Otto and others	Z. C. [2], 4, 623	v., 860; vi., 290
" "	" "	" "	69	Beckurts	B., 10, 944	32, 774
" "	" "	" "	69	Müller	B., 12, 1348	vii., 1167
" "	" "	" "	70	Otto and Gruben	A., 145, 10	vi., 288
" "	" "	" "	79	Heumann and Köchlin	B., 15, 1118	
Methoxybenzenesulphonyl chloride	$\text{OMe.SO}_2\text{Cl}=1.2$	$\text{C}_7\text{H}_7\text{ClO}_3\text{S}$	55	Haitinger	M. C., 4, 175	44, 990
Chlorbenzylsulphonic acid	$\text{Cl}(\text{CH}_2\cdot\text{SO}_3\text{H})=1.4$	" "	A., 165, 372	108 d.	Jackson & White	B., 13, 1217; A. C. J., 2, 158	38, 879; 40, 806
Phenylmercaptan + chloral	$\text{C}_2\text{HCl}_3\text{O} + \text{Ph.SH}$	$\text{C}_8\text{H}_7\text{Cl}_3\text{OS}$	52-53	Baumann	B., 18, 886	48, 749
Ethoxybenzenedisulphonyl chloride	$\text{C}_6\text{H}_4\cdot\text{OEt}(\text{SO}_2\text{Cl})_2$	$\text{C}_8\text{H}_8\text{Cl}_2\text{O}_5\text{S}_2$	106-108	Zander	A., 198, 27	40, 124
Diacetylchloralsulphhydrate	$\text{S}[\text{CH}(\text{OAc}).\text{CCl}_3]_2$	$\text{C}_8\text{H}_8\text{Cl}_6\text{O}_4\text{S}$	78	Wyss	B., 7, 211	27, 460
Phenylsulphonethyl chloride	$\text{Ph.SO}_2\cdot\text{C}_2\text{H}_4\text{Cl}$	$\text{C}_8\text{H}_9\text{ClO}_2\text{S}$	55-56	Otto and Dammköhler	J. p. [2], 30, 171	48, 263
Ethyl chlorbenzenesulphinite	$\text{C}_6\text{H}_4\text{Cl.SO}_2\text{Et}$	" "	123	Otto & Brummer	A., 143, 191	vi., 276
Xylenesulphonyl chloride	$\text{Me}_2\cdot\text{SO}_2\text{Cl}=1.3.2$	" "	L 0	Jacobsen	B., 11, 22	34, 411
" "	" =1.4.5	" "	24-26	"	"	"
" "	" =1.3.4	" "	32	Limpricht	B., 18, 2174, 2188	"
" "	" "	" "	34	Jacobsen	B., 11, 20	34, 411
" "	" =1.2.4	" "	51-52	"	B., 10, 1012; 11, 23	32, 601

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethoxychlorbenzenesulphonic acid	OEt.Cl.SO ₃ H=1.4.?	C ₉ H ₉ ClO ₄ S	260	Petersen and Predari	A., 157, 147	24, 243
?	C ₉ H ₁₂ Cl ₁₂ O ₁₇ S ₃	92	Grabowski	B., 6, 1071	27, 46
Ethyl chlorbenzoate sulphonic acid (?)	CO ₂ Et.Cl.SO ₃ H or CO ₂ H.Cl. SO ₃ Et=1.4.?	C ₉ H ₉ ClO ₆ S	130-150	Cöllen and Böttinger	B., 9, 1251	31, 82
Tolylsulphonethyl chloride	C ₆ H ₄ Me.SO ₂ .C ₂ H ₄ Cl=1.4	C ₉ H ₁₁ ClO ₂ S	78	Otto and Damköhler	J. p. [2], 30, 321	48, 538
Mesitylenesulphonyl chloride	Me ₃ .SO ₂ Cl=1.3.5.6	57	Holtmeyer	Z. C. [1867], 686	vi., 301
Pseudocumenesulphonyl chloride	.. =1.3.4.?	61	Radloff	B., 11, 32	34, 414
Dichloronaphthalene- α -sulphonyl chloride	C ₁₀ H ₆ Cl ₂ .SO ₂ Cl	C ₁₀ H ₅ Cl ₃ O ₂ S	145	Widmann	B., 12, 2229	38, 168
Dichloronaphthalene- β -sulphonyl chloride	133	..	B., 12, 961	38, 722, 723
Chloronaphthalenesulphonyl chloride	Cl.SO ₂ Cl= $\alpha_1\alpha_2$;	C ₁₀ H ₆ Cl ₂ O ₂ S	B., 16, 570	95	Arnell	B. S., 39, 62	
?-Naphthalenedisulphonyl chloride	C ₁₀ H ₆ (SO ₂ Cl) ₂ = ?	C ₁₀ H ₆ Cl ₂ O ₄ S ₂	125	Armstrong	B., 15, 204	
α - " "	B., 16, 570	157-158	Alén	B. S., 39, 63	
α - " "	157-158	Ebert and Merz	B., 9, 597	30, 408
α - " "	159	..	B., 8, 917	29, 262
α - " "	162	Armstrong	B., 15, 204	
?- " "	183	..	B., 15, 205	
β - " "	B., 16, 570	226	Alén	B. S., 39, 63	
β - " "	226	Ebert and Merz	B., 9, 597	30, 408
β - " "	227	..	B., 8, 917	29, 262
α -Naphthalenesulphonyl chloride	C ₁₀ H ₇ .SO ₂ Cl	C ₁₀ H ₇ ClO ₂ S	65	Kimberley	A., 114, 132	v., 561
α - " "	A., 183, 225	66	Liebermann	Z. C. [1869], 711	31, 608
β - " "	76
Tetrachloride of naphthalene- α -sulphonyl chloride	SO ₂ Cl.Cl ₄ = ?	C ₁₀ H ₇ Cl ₅ O ₂ S	Liquid	Widmann	B., 12, 2229	
Tetrachloride of naphthalene- β -sulphonyl chloride	.. = β_1 ; $\alpha_1\beta_1\alpha_2\beta_2$	131	..	B., 12, 960	38, 723
?	C ₁₀ H ₉ Cl ₁₅ O ₁₆ S ₃	70 d.	Grabowski	B., 6, 1070	27, 46
Metanetholsulphonyl chloride	C ₁₀ H ₁₁ O.SO ₂ Cl	C ₁₀ H ₁₁ ClO ₃ S	182-183	Perrenoud	A., 187, 75	32, 481
Cymenesulphonyl chloride	Me.Pr α .SO ₂ Cl=1.2.?	C ₁₀ H ₁₃ ClO ₂ S	syropy	Claus and Stusser	B., 13, 898 ; G. I., 12, 543	38, 632 ; 40, 632 ; 44, 460
" "	.. =1.3.?	175
Isocymenesulphonyl chloride	Me.Pr β .SO ₂ Cl=1.3.?	..	B., 16, 792	Liquid	Spica	G. I., 12, 543	
Chlordiamylsulphone	C ₅ H ₁₁ .SO ₂ .C ₅ H ₁₀ Cl	C ₁₀ H ₂₁ ClO ₂ S	330	Liquid	Spring and Winsinger	B., 17, 538	48, 1127
Tetrachlordihydroxy-sulphobenzide	SO ₂ (C ₆ H ₂ Cl ₂ .OH) ₂	C ₁₂ H ₆ Cl ₄ O ₄ S	288-289	Anenheim	A., 172, 38 ; B., 9, 1150	27, 796 ; vii., 886
Dichlorsulphobenzide	C ₁₂ H ₅ Cl ₂ O ₂ S	a. 350	Liquid	Otto and Gruber	A., 149, 180	vi., 277
"	140-141	Otto	A., 145, 28	..
"	147	Beckurts and Otto	B., 11, 2064	
"	152	Gericke	A., 98, 389 ; 100, 207	
Chlorphenyldisulphoxide....	S ₂ O ₂ (C ₆ H ₄ Cl) ₂	C ₁₂ H ₈ Cl ₂ O ₂ S ₂	136-138	Otto	A., 145, 323	vi., 920
Diphenyldisulphonyl chloride	(C ₆ H ₄ .SO ₂ Cl) ₂ =(1.4) ₂	C ₁₂ H ₆ Cl ₂ O ₄ S ₂	203 d.	Gabriel and Deutsch	B., 13, 390, 1411	38, 477
Chlorsulphobenzide	C ₁₂ H ₉ ClO ₂ S	93	Beckurts and Otto	B., 11, 2067	38, 243
Diphenylsulphonyl chloride	Ph.C ₆ H ₄ .SO ₂ Cl=1.4	115 u. c.	Gabriel and Deutsch	B., 13, 386	38, 476
Benzophenonedisulphonyl chloride	CO(C ₆ H ₄ .SO ₂ Cl) ₂ (?)	C ₁₃ H ₈ Cl ₂ O ₅ S ₂	121.5	Beckmann	B., 8, 993	29, 583
"	134	..	B., 6, 1113	27, 157

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dichloride of benzophenonedisulphonyl chloride	$\text{CCl}_2(\text{C}_6\text{H}_4\cdot\text{SO}_2\text{Cl})_2$	$\text{C}_{13}\text{H}_3\text{Cl}_4\text{O}_4\text{S}_2$	128-129	Beckmann	B., 8, 993	29, 583
Anthraquinone sulphonyl chloride	$\text{C}_6\text{H}_4 : (\text{CO})_2 : \text{C}_6\text{H}_3\cdot\text{SO}_2\text{Cl}$ =2.1 ; 1.2.4	$\text{C}_{14}\text{H}_7\text{ClO}_4\text{S}$	193	McHoul	B., 13, 692	40, 51
Chlorbenzylsulphone	$\text{SO}_2(\text{CH}_2\cdot\text{C}_6\text{H}_4\text{Cl})_2 = ?$	$\text{C}_{14}\text{H}_{12}\text{Cl}_2\text{O}_2\text{S}$	149	A., 165, 375	
"	" = (1.4) ₂	"	165	Jackson and White	B., 13, 1218 ; A. C. J., 2, 158	38, 879 ; 40, 807
"	" "	"	A., 165, 375	167	Vogt and Henninger	A. C. [4], 25, 129	25, 1096
"	" = ?	"	185	"	A., 165, 375	
Chlorbenzylidisulphoxide	$\text{S}_2\text{O}_2(\text{CH}_2\cdot\text{C}_6\text{H}_4\text{Cl})_2 = (1.4)_2$	$\text{C}_{14}\text{H}_{12}\text{Cl}_2\text{O}_2\text{S}_2$	120	Jackson and White	B., 13, 1218 ; A. C. J., 2, 169	38, 879 ; 40, 808
Retenedisulphonyl chloride	$\text{C}_{15}\text{H}_{16}(\text{SO}_2\text{Cl})_2$	$\text{C}_{15}\text{H}_{16}\text{Cl}_2\text{O}_4\text{S}_2$	175	Ekstrand	A., 185, 91 ; B., 10, 1725	32, 498 ; 34, 155
Nitrochloromethane	$\text{CH}_2\text{Cl}\cdot\text{NO}_2$	$\text{CH}_2\text{ClO}_2\text{N}$	98	Mixture (?)	Preibisch	J. p. [2], 8, 309	27, 462
"	"	"	122-123	Liquid	Tscherniak	B., 8, 609	
Isuretine hydrochloride	$\text{HO}\cdot\text{NH}\cdot\text{CH} : \text{NH} + \text{HCl}$	CH_3ClON_2	abt. 60	Lossen and Schifferdecker	Z. C. [2], 7, 594	25, 500 ; vii, 708
Methylhydroxylamine + HCl	CH_6ClON	148 u.c.	Petraczek	B., 16, 827	
"	"	149	Lossen	A., 182, 225	
Trichloracetchloramide	$\text{CCl}_3\cdot\text{CO}\cdot\text{NHCl}$	$\text{C}_2\text{HCl}_4\text{ON}$	A., 60, 261	121	Steiner	B., 15, 1607	
Trichloracetamide	$\text{CCl}_3\cdot\text{CO}\cdot\text{NH}_2$	$\text{C}_2\text{H}_2\text{Cl}_3\text{ON}$	240	135	A., 56, 286 ; 60, 261	i., 6
"	"	"	238-239 (746)	136	Bisshopinck	B., 6, 734	26, 1129 ; vii., 4
"	"	"	138	Steiner	B., 15, 1607	
" (A., 184, 23)	"	"	139	Beckurts and Otto	B., 14, 590	
Chlorglyoxime	$\text{HO}\cdot\text{N} : \text{CCl}\cdot\text{CH} : \text{N}\cdot\text{OH}$	$\text{C}_2\text{H}_3\text{ClO}_2\text{N}_2$	151	Nageli	B., 16, 500	44, 728
Dichloracetamide	$\text{CHCl}_2\cdot\text{CO}\cdot\text{NH}_2$	$\text{C}_2\text{H}_3\text{Cl}_2\text{ON}$	233-234 (745)	96	Bisshopinck	B., 6, 734	26, 1129 ; vii., 4
"	"	"	233	96	Geuther	J. [1864], 317	
"	"	"	A., 184, 28	96-97	Otto and Beckurts	B., 14, 1618	40, 1030
"	"	"	230	98	Pinner and Fuchs	B., 10, 1066	
Acetochloramide	$\text{CH}_3\cdot\text{CO}\cdot\text{NHCl}$	$\text{C}_2\text{H}_4\text{ClON}$	107-108	Steiner	B., 15, 1609	
"	"	"	110	Hofmann	B., 15, 410	
Chloracetamide	$\text{CH}_2\text{Cl}\cdot\text{CO}\cdot\text{NH}_2$	"	224-225 (743)	116	Bisshopinck	B., 6, 734	26, 1129 ; vii., 4
(A., 102, 110 ; 184, 30)	"	"	p.d.	Menschutkin and Jemolowjew	Z. C. [2], 7, 5	24, 150 ; vii., 4
Ethyleneglycol chloronitrate	$\text{CH}_2\text{Cl}\cdot\text{CH}_2\cdot\text{O}\cdot\text{NO}_2$	$\text{C}_2\text{H}_4\text{ClO}_3\text{N}$	149-150	Liquid	Henry	A. C. [4], 27, 243 ; B., 3, 530	
Chloral ammonia	$\text{CCl}_3\cdot\text{CH}(\text{OH})\cdot\text{NH}_2$	$\text{C}_2\text{H}_4\text{Cl}_3\text{ON}$	A., 157, 114	62-64	Schiff	B., 10, 168	32, 308
Ethenylamidoxime + HCl	$\text{HO}\cdot\text{N} : \text{CMe}\cdot\text{NH}_2 + \text{HCl}$	$\text{C}_2\text{H}_7\text{ClON}_2$	140	Nordmann	B., 17, 2747	48, 238
Ethylhydroxylamine + HCl	$\text{C}_2\text{H}_8\text{ClON}$	128	Gürke	A., 205, 273	40, 571
Dichloronitroallylene	$\text{C}_3\text{HCl}_2\text{O}_2\text{N}$	160-180	Pinner	B., 8, 961	
Chloralhydrocyanide	$\text{CCl}_3\cdot\text{CH}(\text{OH})\cdot$	$\text{C}_3\text{H}_2\text{Cl}_3\text{ON}$	begins 120	58-59	Hagemann	B., 5, 152	25, 494 ; vii., 310
"	"	"	p.d. ; chief 140-145 d.	"	"	
"	"	"	60-61	Pinner & Bischoff	A., 179, 77	29, 554
"	"	"	215-220 p.d.	Pinner and Fuchs	B., 10, 1059	32, 584
"	"	"	61-62	Wallach	B., 6, 115	26, 627
Trichloronitropropylene (?)	or Trichloronitropropane (?)	$\text{C}_3\text{H}_2\text{Cl}_3\text{O}_2\text{N}$	190-195	Solid	Pinner	B., 8, 960	29, 57
"	$\text{CCl}_3\cdot\text{C}(\text{OH})\cdot\text{CO}\cdot\text{NH}$	"	218	Claisen and Antweiler	B., 13, 1937	
Dichloromethoxyacetone	$\text{MeO}\cdot\text{CCl}_2\cdot\text{CN}$	$\text{C}_3\text{H}_3\text{Cl}_2\text{ON}$	148-149 (732)	Bauer	A., 229, 163	48, 1120
Dichloracrylamide	$\text{CCl}_2 : \text{CH}\cdot\text{CO}\cdot\text{NH}_2$	"	A., 193, 25	112-113	Wallach and Hunäus	B., 10, 569	32, 591
Dichloronitropropylene	$\text{C}_3\text{H}_3\text{Cl}_2\text{O}_2\text{N}$	155-162	Pinner	A., 179, 55	29, 549
"	"	162	"	B., 8, 961	29, 57
Trichloroacetylcarbamide	$\text{CCl}_3\cdot\text{CO}\cdot\text{NH}\cdot\text{CO}\cdot\text{NH}_2$	$\text{C}_3\text{H}_3\text{Cl}_3\text{O}_2\text{N}_2$	A., 157, 246	150 d.	Meldola and Tommasi	J. [1874], 798	27, 405
Nitroschloracetone	Z.C. [1870], 529	$\text{C}_3\text{H}_4\text{ClO}_2\text{N}$	110	Barbaglia	B., 6, 321	26, 878

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Chlorallylic nitrate (B., 15, 3086; C. R., 95, 849)	$\text{CH}_2 : \text{CCl.CH}_2\text{.O.NO}_2$	$\text{C}_3\text{H}_4\text{ClO}_3\text{N}$	140	Liquid	Romburgh	R. T., 1, 233; B., 16, 393	44, 450
Trichlorolactamide	$\text{CCl}_3\text{.CH(OH).CO.NH}_2$	$\text{C}_3\text{H}_4\text{Cl}_3\text{O}_2\text{N}$	95-96	Pinner and Fuchs	B., 10, 1061	32, 584
Trichloronitropropane	or Trichloronitropropylene (?)	"	190-195	Solid	Pinner	A., 179, 54	29, 57
Isotrichlorglyceramide	$\text{CCl}_3\text{.C(OH)}_2\text{.CO.NH}_2$	$\text{C}_3\text{H}_4\text{Cl}_3\text{O}_3\text{N}$	B., 13, 1937	126-127	Claesen and Antweiler	J. p. [2], 20, 195	40, 153
Chloracetylcarbamide	$\text{CH}_2\text{Cl.CO.NH.CO.NH}_2$	$\text{C}_3\text{H}_5\text{ClO}_2\text{N}_2$	d. 160	J. [1873], 747	
Chlormalonamide	$\text{CHCl(CO.NH}_2)_2$	"	d. 175	170	Conrad & Bischoff	A., 209, 231	42, 39
α -Dichlorpropionamide ...	$\text{CH}_3\text{.CCl}_2\text{.CO.NH}_2$	$\text{C}_3\text{H}_5\text{Cl}_2\text{ON}$	A., 132, 184	110	Otto	B. S. [1865], 293	iv., 729
"	"	"	115-116	Backunts and Otto	B., 9, 1593	31, 298
"	"	"	116	Klimenko	B., 3, 467	vii., 1012, 1033
"	"	"	116-117	Beckurts and Otto	B., 11, 388	34, 488
Glycerol dichlornitrin	$\text{C}_3\text{H}_5\text{Cl}_2\text{(O.NO}_2\text{)}$	$\text{C}_3\text{H}_5\text{Cl}_2\text{O}_3\text{N}$	180-190 p.d.	Liquid	Henry	A., 155, 168	vii., 320
Ethyllic cyanate + HCl	EtO.CN+HCl	$\text{C}_3\text{H}_6\text{ClON}$	95	A., 109, 107	Habich and Limplricht	A., 105, 395	ii., 196
Chlorformodimethamide	Cl.CO.NMe_2	"	165	Liquid	Miehler and Escherich	B., 12, 1163	36, 934
α -Chlorpropionamide	$\text{CH}_3\text{.CHCl.CO.NH}_2$	"	80	Backunts & Otto	B., 9, 1592	31, 298
Chlorethyllic carbamate	$\text{NH}_2\text{.COOC}_2\text{H}_4\text{Cl}$	$\text{C}_3\text{H}_6\text{ClO}_2\text{N}$	76	Nemirowsky	J. p. [2], 31, 173	48, 741
Propyleneglycolchloronitrate	$\text{CH}_3\text{.CHCl.CH}_2\text{.O.NO}_2\text{ (?)}$	$\text{C}_3\text{H}_6\text{ClO}_3\text{N}$	157-158	Henry	A. C. [4], 27, 257	
Acetoxime hydrochloride	$\text{HO.N : CMe}_2\text{+HCl}$	$\text{C}_3\text{H}_5\text{ClON}$	98-101	Janny	B., 15, 2778	44, 581
Dichlormaleimide (or fumarimide)	$\text{C}_2\text{Cl}_2 : \text{(CO)}_2 : \text{NH}$	$\text{C}_4\text{HCl}_2\text{O}_2\text{N}$	179	Ciamician & Silber	B., 16, 2393	46, 293
Tetrachlorsuccinimide	$\text{CO.CCl}_2\text{.CCl}_2\text{.CO.NH}$	$\text{C}_4\text{HCl}_4\text{O}_2\text{N}$	200	v., 462
Tetrachloreyanpropionic acid	$\text{C}_2\text{Cl}_4\text{(CN).CO}_2\text{H}$	"	200	A. C. [3], 16, 72	
Chlormaleimide (or fumarimide)	$\text{C}_2\text{HCl : (CO)}_2 : \text{NH}$	$\text{C}_4\text{H}_2\text{ClO}_2\text{N}$	131	Ciamician & Silber	B., 16, 2395	46, 293
Tetrachloreyanpropionamide	$\text{C}_2\text{Cl}_4\text{(CN).CO.NH}_2$	$\text{C}_4\text{H}_2\text{Cl}_4\text{ON}_2$	86-87	A. C. [3], 16, 72	
Pentachlorethyllic oxamate ?	$\text{NH}_2\text{.CO.COOC}_2\text{Cl}_5$	$\text{C}_4\text{H}_3\text{Cl}_5\text{O}_3\text{N}$	a. 200	134	Malaguti	A., 37, 69; 56, 284	iv., 280
.....	B., 8, 1328	$\text{C}_4\text{H}_3\text{Cl}_5\text{O}_4\text{N}$	154	Cech	B., 9, 1255	31, 67
Chloral + HCN + HCNO	B., 9, 1253	$\text{C}_4\text{H}_3\text{Cl}_3\text{O}_2\text{N}_2$	v. 100	80	"	B., 8, 1175; C. R., 82, 989	29, 376; 30, 184
Trichlorcrotonamide	$\text{C}_3\text{H}_2\text{Cl}_3\text{.CO.NH}_2$	$\text{C}_4\text{H}_4\text{Cl}_3\text{ON}$	B., 3, 788	96	Judson	Z. C. [2], 7, 40	24, 233; vi., 398
Chloraldichloracetamide	$\text{CCl}_3\text{.CH(OH).NH.CO.CHCl}_2$	$\text{C}_4\text{H}_4\text{Cl}_5\text{O}_2\text{N}$	105	Schiff & Speciale	G. I., 9, 335	38, 103
Ethoxydichloracetoneitril	$\text{EtO.CCl}_2\text{.CN}$	$\text{C}_4\text{H}_5\text{Cl}_2\text{ON}$	160-161	Liquid	Bauer	A., 229, 163	48, 1130
Chlorcrotonamide	$\text{CH}_3\text{.C}_2\text{HCl.CO.NH}_2$	$\text{C}_4\text{H}_6\text{ClON}$	230-240	107	Sarnow	B., 4, 734; A., 164, 103	24, 1047
"	"	"	sb. 78	112	Pinner and Klein	B., 11, 1488	36, 41
?	$\text{C}_4\text{H}_6\text{ClO}_2\text{N}$	120	Stenhouse	A., 33, 92	ii., 282
"	$\text{CH}_2\text{Cl.CH.CH}_2\text{.NH.CO.O}$	"	106	Thomsen	B., 11, 2136	
Erythrodichlorodinitrate	$\text{C}_4\text{H}_6\text{Cl}_2\text{(O.NO}_2\text{)}_2$	$\text{C}_4\text{H}_6\text{Cl}_2\text{O}_6\text{N}_2$	60	Champion	C. R., 73, 114; Z. C. [1871], 349	24, 812; vii., 471
Trichloracetethylamide	$\text{CCl}_3\text{.CO.NHEt}$	$\text{C}_4\text{H}_6\text{Cl}_3\text{ON}$	229-230	74	Wallach and Kamenski	B., 13, 517; A., 214, 225	38, 547
Chloralacetamide	$\text{CCl}_3\text{.CH(OH).NHAc}$	$\text{C}_4\text{H}_6\text{Cl}_3\text{O}_2\text{N}$	156	Schiff	B., 10, 169	32, 308
"	"	"	156-157	Wallach	B., 5, 255	25, 611
"	"	"	158	Jacobsen	A., 157, 245	vii., 311
?	$\text{NHEt.C}_2\text{Cl}_2\text{.OH}$	$\text{C}_4\text{H}_7\text{Cl}_2\text{ON}$	45	Cech	B., 10, 880	32, 586
Dichloracetethylamide	$\text{CHCl}_2\text{.CO.NHEt}$	"	225-227	57	Wallach and Kamenski	B., 13, 517; A., 214, 223	38, 547
Butyrochloralammonia	$\text{C}_3\text{H}_4\text{Cl}_3\text{.CH(OH).NH}_2$	$\text{C}_4\text{H}_5\text{Cl}_3\text{ON}$	62	Schiff & Tassinari	B., 10, 1784	
Ethyllic amidoacetate	$\text{NH}_3\text{Cl.CH}_2\text{.CO}_2\text{Et}$	$\text{C}_4\text{H}_{10}\text{ClO}_2\text{N}$	137	Kraut	A., 177, 267	29, 61
+ HCl	"	"	144	Curtius	B., 16, 754	44, 1087
Glycolymethylguanidine	$\text{C}_4\text{H}_{13}\text{Cl}_2\text{O}_3\text{N}_3$	b. 100	vii., 583
+ 2HCl	"	"
α -Trichlorcarbopyrrolic acid	$\text{C}_3\text{HCl}_3\text{N.CO}_2\text{H}$	$\text{C}_3\text{H}_2\text{Cl}_3\text{O}_2\text{N}$	+ H ₂ O	d. 150	G. I., 12, 28	
Hydroxydichlorpyridine	$\text{C}_5\text{NH}_2\text{Cl}_2\text{.OH}$	$\text{C}_5\text{H}_3\text{Cl}_2\text{ON}$	178	Königs and Geigy	B., 17, 1835	46, 1369

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
PCl ₅ on glutazin	C ₅ H ₃ Cl ₃ O ₂ N ₂	282	Pechmann and Stokes	B., 18, 2291	48, 1202
Chloral + cyanic acid	O.CH(CCl ₃).O.C.O. CH(CCl ₃).NH	C ₅ H ₃ Cl ₃ O ₃ N	167-170 p.d.	Bischoff	B., 5, 87	25, 407; vii., 310
Chlor. deriv. of C ₅ H ₃ O ₂ N....	C ₅ H ₅₋₂ Cl ₂ O ₂ N	144-145	Ciamician and Dennstedt	G. I., 12, 500	44, 313
PCl ₅ on glutazin	C ₅ H ₄ Cl ₂ O ₂ N ₂	241.5	Pechmann and Stokes	B., 18, 2290	48, 1202
Chloralcyanacetyl	CCl ₃ .CH(OAc).CN	C ₅ H ₄ Cl ₃ O ₂ N	208 d.	31	Pinner & Fuchs	B., 10, 1059	32, 584
Chlorcarbethamide (?)	C ₅ H ₄ Cl ₂ O ₂ N ₃	260	138-140	B. J., 26, 759	
Dihydroxypyridine + HCl	C ₅ NH ₃ (OH) ₂ + HCl	C ₅ H ₆ ClO ₂ N	begins d. 140	207	Königsand Geigy	B., 17, 1837	46, 1369
Butyrochloralhydrocyanide	CCl ₃ .(CH ₂) ₂ .CH(OH).CN	C ₅ H ₆ Cl ₃ ON	230 d.	101-102	Pinner & Klein	B., 11, 1488	36, 41
"	"	"	101-102	Pinner and Bischoff	A., 179, 97	29, 556
Acetyltrichlorlactamide ...	CCl ₃ .CH(OAc).CO.NH ₂	C ₅ H ₆ Cl ₃ O ₃ N	94-95	Pinner & Fuchs	B., 10, 1060	32, 584
Chloralcarbamide	CO[NH.CH(OH).CCl ₃] ₂	C ₅ H ₆ Cl ₆ O ₃ N ₂	190	A., 157, 246	
Chlorimidoangelic acid ...	Me.CCl : CH.C(NH).CONH ₂	C ₅ H ₇ ClON ₂	113	Pinner & Klein	B., 11, 1494	36, 42
β-chlorerotoxylcarbamide	NH ₂ .CO.NH.C ₄ H ₅ ClO	"	216 d.	"	B., 11, 1489	36, 41
Dichlorpropoxyacetonitril	PrO.CCl ₂ .CN	C ₅ H ₇ Cl ₂ ON	182-184	Bauer	A., 229, 163	48, 1121
Trichlorhydroxyvaleramide	C ₄ H ₅ Cl ₃ (OH).CO.NH ₂	C ₅ H ₈ Cl ₃ O ₂ N	96	Pinner & Klein	B., 11, 1491	36, 41
"	"	"	119	"	"	"
Chloralurethane	CCl ₃ .CH(OH).NH.CO ₂ Et	C ₅ H ₈ Cl ₃ O ₃ N	103 d.	Bischoff	B., 7, 631	27, 890
Dichloramylic nitrite	C ₅ H ₅ Cl ₂ .O.NO	C ₅ H ₅ Cl ₂ O ₂ N	90 d.	Guthrie	J., 11, 404	
Diethylcarbamic chloride	NEt ₂ .COCl	C ₅ H ₁₀ ClON	190-195	Liquid	Wallach	B., 14, 747; A., 214, 275	40, 719
Chloraltrimethylamine	CCl ₃ .CH(OMe).NMe ₂	C ₅ H ₁₀ Cl ₃ ON	46-48	Meyer and Dulk	B., 4, 967	25, 247
Diammonium chlorcarbethamate	C ₅ H ₁₂ Cl ₇ O ₅ N ₃	35-37	B. J., 26, 759	
Nitrodichlorquinone	Cl ₂ .NO ₂ : O ₂ =1.3.4.5.2	C ₆ HCl ₂ O ₄ N	219-220	Guareschi and Dacomo	B., 18, 1171, 1174	48, 891
Dinitrotrichlorbenzene	Cl ₃ .(NO ₂) ₂ =?	C ₆ HCl ₃ O ₄ N ₂	335 p.d.	103.5	Jungfleisch	A. C. [4], 15, 186; J., 21, 352	vii., 146
Trichlorquinonechlorimide	C ₆ HCl ₂ .O.NCl	C ₆ HCl ₄ ON	118	J. P. [2], 23, 438; 24, 429	
Nitrotetrachlorbenzene	Cl ₄ .NO ₂ =1.3.4.5.6	C ₆ HCl ₄ O ₂ N	20-22; 21-22	Beilstein and Kurbatow	B., 9, 579; 10, 273; A., 192, 238	30, 294; 31, 707
"	" =1.2.3.4.5	"	64.5	"	"	"
"	" =?	"	abt. 300	75-78	Lesimple	B. S. [2], 6, 161	vi., 269
"	" =1.2.4.5.6	"	98	Beilstein and Kurbatow	B., 10, 272; A., 192, 236	31, 707
"	"	"	304 d.	99	Jungfleisch	J., 21, 353	vii., 147
Trinitrochlorbenzene	Cl.(NO ₂) ₃ =1.2.4.6	C ₆ H ₂ ClO ₆ N ₃	82.5-83	Austen	[3], 13, 279	32, 756
" (J. [1879], 394)	"	"	A., 92, 326	83	Jungfleisch	J. p. [2], 1, 150	vii., 146, 909
Dinitrodichlorbenzene	Cl ₂ .(NO ₂) ₂ =1.3.(?) ₂	C ₆ H ₂ Cl ₂ O ₄ N ₂	J. [1875], 323	103	Körner	Z. C. [1870], 375; G. I., 4, 305	29, 219; vii., 914
"	" =1.4.2.3 or 5	"	318 p.d.	101	Jungfleisch	J. [1868], 348	vii., 146
"	"	"	101	Engelhardt and Latchinoff	Z. C. [1870], 234	vii., 914
" (J. [1879], 394)	"	"	J. [1875], 325	101.5	Körner	G. I., 4, 305	29, 209, 219
"	" =1.4.2.6	"	312 p.d.	Jungfleisch	J., 21, 348	vii., 146
"	"	"	104	Jourdan	B., 18, 1454	
"	"	"	312 p.d.	104	Engelhardt and Latchinoff	Z. C. [1870], 234	vii., 146, 914
" (J. [1879], 394)	"	"	J. [1875], 324	104.9	Körner	G. I. 4, 305	29, 209, 219
Nitrotrichlorbenzene	Cl ₃ .NO ₂ =1.2.3.4	C ₆ H ₂ Cl ₃ O ₂ N	55-56	Beilstein and Kurbatow	B., 9, 1688; 10, 272; 11, 1979; A., 192, 235	31, 474, 707; 36, 310
" (A., 137, 123)	" =1.2.4.5	"	58	"	"	"
" Z. C. [1867], 122	"	"	288	57	Jungfleisch	J., 21, 351	vii., 146

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrotrichlorbenzene	Cl ₃ .NO ₂ =1.3.5.6	C ₆ H ₂ Cl ₃ O ₂ N	68	Beilstein and Kurbatow	B, 10, 271; 11, 1980; A., 192, 233	31, 706; 36, 309
"	" =1.2.4.3	"	88-89	"	A., 192, 232	
"	" =?	"	273	b. 100	Lesimple	B. S. [2], 6, 161	vi., 269
Nitrotrichlorphenol	OH.Cl ₃ .NO ₂ =1.2.4.6.5	C ₆ H ₂ Cl ₃ O ₃ N	69	Dacomo	B., 18, 1164, 1173	48, 889, 891
Dinitrochlorbenzene (δ)	Cl.(NO ₂) ₂ =1.3.4	C ₆ H ₃ ClO ₄ N ₂	Liquid	Laubenheimer	B., 9, 765	30, 294
" (α)	" "	"	B., 15, 597	36·3	"	B., 9, 762	30, 294
" (β)	" "	"	"	37·1	"	B., 9, 763	42, 953
" (γ)	" "	"	"	38·8	"	"	30, 294
"	" "	"	38-39	"	B., 8, 1623	29, 577
"	" "	"	38	Beilstein and Kurbatow	B., 11, 2057	36, 231
" (J. [1877], 425)	" =1.2.6 (?)	"	315 (762)	43	Jungfleisch	J. [1868], 346	vii., 145
"	" =1.2.4	"	50	Engelhardt and Latchinoff	B., 3, 98; Z. C. [1870], 232, 274	vii., 908
"	" "	"	315 p.d.	50	Jungfleisch	J. [1868], 345	vii., 145
"	" "	"	50	Beilstein and Kurbatow	B., 11, 1939, 2056	36, 144, 230
"	" "	"	53	"	B., 10, 1992	34, 139
" (J. [1877], 425)	" "	"	53·4	Körner	G. I., 4, 305	29, 211
Dinitrochlorphenol	OH.Cl.(NO ₂) ₂ =1.4.5.6	C ₆ H ₃ ClO ₅ N ₂	69	Petersen	A., 157, 165	24, 250
"	" "	"	70	Engelhardt and Latchinoff	Z. C. [2], 6, 234	24, 247; vii., 146, 914
"	" =1.4.2.6	"	79-80	Smith and Pierce	B., 13, 35	36, 392
"	" "	"	80	Engelhardt	Z. C. [2], 6, 234	vii., 146
"	" "	"	J. [1879], 512	80·5	Armstrong	B., 6, 649	25, 93; 28, 520; 29, 476
" (Z. C. [1867], 207)	" "	"	J. [1875], 339	80·5; 81	Armstrong and others	25, 865	27, 804
" (Z. C. [1866], 705)	" "	"	81	Dubois	B., 6, 369	vii., 914
"	" "	"	81	Petersen and Predari	A., 157, 156	24, 242; vii., 919-929
"	" "	"	81	Faust and Saame	As., 7, 195	vii., 912
"	" "	"	81	Faust	B., 6, 135	26, 635
"	" "	"	81	Post	B., 7, 335	
"	" =1.2.4.3 or 5	"	80-81	Petersen	A., 157, 161	24, 249
"	" "	"	81	Müller	A. P. [3], 3, 103	27, 159
"	" =1.4.(?) ₂	"	87	Armstrong	28, 364
"	" =1.3.2.4 (?)	"	103	Griess	A., 109, 286	iv., 400
"	" "	"	103	Stenhouse	[2], 5, 435	vi., 914; 28, 364
"	" "	"	103	Petersen	A., 157, 171	24, 251
"	" "	"	103	Armstrong	25, 16
"	" =1.2.4.6	"	110	Post	B., 7, 335	27, 800
" (Z. C. [1871], 591)	" "	"	110-111	Armstrong	24, 1113, 1120; 25, 13, 15; 26, 66; 28, 364	vii., 909, 920, 923
"	" "	"	110-111	Armstrong and Brown	25, 864, 865
"	" "	"	111	Armstrong and Prevost	B., 7, 405	27, 804
"	" "	"	110-111	Faust	B., 6, 133	26, 635
"	" "	"	111	Faust and Saame	Z. C. [2], 5, 451; As., 7, 196	24, 246; 26, 1132; vi., 914
"	" "	"	111	Müller	A. P. [3], 3, 103	27, 157, 158
" (Z. C. [1871], 339)	" "	"	111	Faust and Müller	A., 173, 312; B., 5, 779	26, 66; 28, 156
" (A., 109, 286)	" "	"	B., 6, 369	111	Petersen	A., 157, 171	24, 250
"	" =?	"	114	"	A., 157, 171, 182	25, 95, 864
"	" "	"	114	Petersen and Predari	A., 157, 161	24, 244, 250; vii., 914

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrochlorphenol	OH.Cl.(NO ₂) ₂ = ?	C ₆ H ₃ ClO ₅ N ₂	114	Faust	A., 173, 318	28, 364
"	"	"	114	Peters	A., 176, 186	28, 762
Nitrodichlorbenzene	Cl ₂ .NO ₂ =1.3.4	C ₆ H ₃ Cl ₂ O ₂ N	J.[1875],323	32.2	Körner	G. I., 4, 305	29, 219
" (A., 182, 97)	"	"	33	Beilstein & Kurbatow	B., 7, 1760; 8, 693; 9, 634	28, 451, 1037; 30, 309, 631
"	" =1.2.4	"	43	A., 176, 41
" (A., 182, 94)	"	"	43	Beilstein & Kurbatow	B., 7, 1759; 9, 580, 1688; 11, 1861, 1978	28, 450; 30, 294, 631; 31, 474; 38, 143, 310
"	" =1.4.6	"	266	54.5	Jungfleisch	J. [1868], 348	vii., 145
"	"	"	54.5	Laubenheimer	B., 7, 1601; 8, 224	28, 648, 759
" (J. [1875], 324)	"	"	54.6	Körner	G. I., 4, 305	29, 209, 219
"	"	"	54.5	Jourdan	B., 18, 1454
"	"	"	54.5	Beilstein & Kurbatow	B., 7, 1761; B., 11, 2056	28, 451; 36, 231
" (B., 10, 1993)	"	"	55	"	A., 182, 103	30, 631; 34, 139
" (J.[1877], 424)	"	"	55	Lesimple	B. S. [2], 4, 226	vi., 269
" (B., 8, 143)	" =1.3.5	"	abt. 240 p.d.	47.5 (?)	Witt	B., 7, 1604	28, 759
" (J.[1875], 323)	"	"	65.4	Körner	G. I., 4, 305	29, 220
"	"	"	65	Witt	B., 8, 144
"	" =1.3.2	"	71	Beilstein & Kurbatow	B. S. [2], 30, 25; B., 11, 1861	34, 974; 36, 143
Dichlorpyridine carboxylic acid	N.Cl ₂ .CO ₂ H= ?	"	180 d.	Ost	J. p. [2], 27, 282	44, 794
"	" =1.(?) ₂ .4	"	210	Behrman and Hofmann	B., 17, 2695	48, 139
Nitrodichlorphenol	OH.Cl ₂ .NO ₂ =1.2.3.4	C ₆ H ₃ Cl ₂ O ₃ N	95	Armstrong	25, 96
" (Z. C. [1871], 679)	"	"	95	Petersen	A., 157, 171	24, 251
" (id. with 1.2.4.6)	" = ?	"	106	"	A., 157, 163; B., 6, 370	25, 95; 26, 1132; vii., 913
"	"	"	106	Petersen & Predari	A., 157, 154	24, 244; 28, 364
" (B., 2, 52)	" =1.2.4.6	"	121; 121.5	Armstrong	[2], 10, 93	vii., 921; 26, 66
" (Z. C. [1871], 520, 678)	"	"	121; 121.5	Armstrong and Brown	25, 865, 872	vii., 923
"	"	"	121	Armstrong and Prevost	B., 7, 405	27, 804
"	"	"	121	Armstrong and Harrow	29, 476
"	"	"	121	Post	B., 7, 334	27, 800
"	"	"	121.5	Faust	Z. C. [2], 7, 338	25, 62
"	"	"	121-122	Fischer	Z. C. [2], 4, 386	26, 1132; vii., 913
"	"	"	121-122	Armstrong	24, 1119, 1120	vii., 912
"	"	"	121-122	Petersen	A., 157, 164	24, 251
"	"	"	122	"	B., 6, 370
"	"	"	122	Faust and Saame	A., 130, 195	24, 246
" (As., 7, 185, 195)	"	"	125 d.	Seifert	Z. C. [2], 5, 449	vi., 913; 25, 62
"	" =1.(?) ₂ .3	"	121-122	Müller	A. P. [3], 3, 103	27, 159
"	"	"	122	Faust and Müller	A., 173, 303	28, 156
"	"	"	122	Armstrong	28, 364
"	" =1.2.6.4	"	125	"	24, 1112, 1116	vii., 912, 929
"	"	"	125	Seifert	As., 7, 198	24, 246
" (Z. C. [1871], 518)	"	"	125	Armstrong and Brown	B., 7, 926	25, 865
"	"	"	125	Post	B., 7, 332	27, 800
"	"	"	125	Faust	B., 6, 132	26, 635
"	" =1.2.3 or 5. ?	"	125	Müller	A. P. [3], 3, 103	27, 159
Dichlor- α -hydroxypicolinic acid	C ₅ NHCl ₂ (OH).CO ₂ H	"	282 d.	Ost	J. p. [2], 27, 288	44, 795

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrodichloraniline ...	NH ₂ .Cl ₂ .(NO ₂) ₂ =1.3.4.2(?) ₆	C ₆ H ₃ Cl ₂ O ₄ N ₃	127-128	Beilstein and Kurbatow	B., 11, 1979 ; A., 196, 227	36, 310
Nitrotrichloraniline	NH ₂ .Cl ₃ .NO ₂ =1.3.4.6.2	C ₆ H ₃ Cl ₃ O ₂ N ₂	A., 196, 235	124	"	B., 11, 1980	"
"	" =1.(?) ₃ .3	"	A., 215, 110	98	Langer	B., 15, 1063	"
Quinonechlorimide ...	O.C ₆ H ₄ .NCl=1.4	C ₆ H ₄ ClON	84·7-85	Hirsch	B., 13, 1903	40, 164
"	" "	"	d. 110-115	87-88	"	B., 18, 1514	48, 892
"	"	"	?	Schmitt	J. p. [2], 19, 316	"
Nitrochlorbenzene....	Cl.NO ₂ =1.2	C ₆ H ₄ ClO ₂ N	243	s. 15	Sokoloff	J., 19, 552	"
" (Z. C. [1866], 621 ; [1870], 231)	" "	"	243	15	Jungfleisch	J. [1868], 344	28, 363
" (B.S. [2], 30, 25)	" "	"	243	32·5	Beilstein and Kurbatow	B., 9, 635 ; A., 182, 107	30, 309, 632 ; 34, 974
" (a)	" =1.3	"	abt. 230	23·7	Laubenheimer	B., 9, 766	30, 295
" (β)	" "	"	44·2	"	"	vii., 138
"	" "	"	227 ; 235·6 c.	44·2 ; 44·4 c.	"	B., 8, 1622	29, 577
" (J. [1863], 424)	" "	"	45	"	B., 7, 1765	28, 452
" (J. [1866], 457)	" "	"	45	Griess	[2], 5, 857	vi., 921
" (B., 13, 1071)	" "	"	46	Richter	B., 4, 463	24, 688
" (B., 8, 1417)	" "	"	233	46	Beilstein and Kurbatow	B., 7, 1398, 1761 ; A., 182, 102	28, 364, 451 ; 30, 631
" (J. [1875], 317)	" "	"	47·9	Körner	G. I., 4, 305	29, 215
" (J. [1868], 343)	" =1.4	"	75	Glutz	A., 143, 181	vi., 274
"	" "	"	78	Riche	A., 121, 358	iv., 416
"	" "	"	82	Engelhardt and Latchinoff	Z. C., 13, 231	vii., 907
" (J. [1866], 457)	" "	"	83	Griess	[2], 5, 857	vi., 921
"	" "	"	242 (761)	83	Jungfleisch	A. C. [4], 15, 222	vii., 138, 144
"	" "	"	83	Laubenheimer	B., 9, 1827	31, 594
"	" "	"	83	Hofmann and Geyger	B., 5, 916	28, 168
"	" "	"	83	Beilstein and Kurbatow	A., 182, 105 ; B., 7, 1396	28, 362 ; 30, 631
"	" "	"	83	Willgerodt	B., 15, 1003	"
"	" "	"	80·3 ; 83·3	Körner	G. I., 4, 305	29, 220, 221
"	" "	"	84	Richter	B., 4, 463	24, 688
Chlorpicolinic acid ...	N.Cl.CO ₂ H=?	"	sb. 100	168	Ost	J. p. [2], 27, 284	44, 794
Chlornicotic acid	" =1.2.5	"	199 d.	Pechmann and Welsh	B., 17, 2392	47, 151 ; 48, 175
Nitrochlorphenol	OH.Cl.NO ₂ =?	C ₆ H ₄ ClO ₂ N	Liquid	Beilstein and Kurbatow	B., 7, 488	27, 806
"	" =1.3.6	"	38·9 ; a.f. 32·7	Laubenheimer	B., 9, 769, 1826	30, 295 ; 31, 594
"	" "	"	38·9 ; a.f. 32·7	Uhlemann	B., 11, 1162	34, 978
"	" =?	"	43	Beilstein and Kurbatow	B., 7, 488	27, 806
"	" =1.2.6	"	70	Faust and Müller	B., 5, 778 ; A., 173, 307	28, 65 ; 28, 156 ; vii., 906-929
"	" "	"	70	Müller	A. P. [3], 3, 103	27, 158
"	" "	"	70	Faust	B., 6, 133	26, 634
"	" "	"	70	Post	B., 7, 333	27, 800
"	" =1.4.6	"	86	Petersen	A., 157, 171	24, 249
"	" "	"	86-87	Müller	A. P. [3], 3, 103	27, 159
"	" "	"	86	Post	B., 7, 333	27, 800
"	" "	"	86	Laubenheimer	B., 7, 1601	28, 760
"	" "	"	86·5 ; 87	Beilstein and Kurbatow	B., 7, 487, 1396	27, 806 ; 28, 363 ; vii., 905
" (J. [1879], 512)	" "	"	86·5	Armstrong and Brown	25, 865
"	" "	"	86-87	Faust and Saame	Z. C. [2], 5, 450 ; As., 7, 190	24, 244 ; vi., 912 ; vii., 912
"	" "	"	86-87	Faust	B., 6, 135	26, 635

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrochlorphenol	$\text{OH.Cl.NO}_2=1.4.6$	$\text{C}_6\text{H}_4\text{ClO}_2\text{N}$	86-87	Faust and Müller	A., 173, 317	vii., 929
"	" =1.2.4	"	109	Armstrong and Brown	25, 865
"	" "	"	109-110	Armstrong	25, 14
"	" "	"	110	Faust	B., 6, 133	26, 635
"	" "	"	110	Post	B., 7, 333	27, 800
"	" "	"	110-111	Müller	A. P. [3], 3, 103	27, 158
"	" "	"	111	Faust	Z. C. [2], 7, 339, 591	25, 63
"	" "	"	111	Faust and Müller	A., 173, 309	vii., 906, 929
Chlor- γ -hydroxypicolinic acid	$\text{N.CO}_2\text{H.OH.Cl}=1.2.(?)_2$	"	224	Bellmann	J. p. [2], 29, 1	46, 840, 841
Chlor- β -hydroxypicolinic acid	" "	"	257 d.	Ost	J. p. [2], 27, 290	44, 795
Dinitrochloraniline	$\text{NH}_2\text{Cl.(NO}_2)_2=1.4.2.6$	$\text{C}_6\text{H}_4\text{ClO}_4\text{N}_3$	J. [1875], 352	144-7	Körner	G. I., 4, 305	29, 230
Dichlorhydroxymethylpurin	$\text{C}_5\text{N}_4\text{MeCl}_2\text{OH}$	$\text{C}_6\text{H}_4\text{Cl}_2\text{ON}_4$	274	Fischer	B., 17, 331	46, 996
Nitrodichloraniline	$\text{NH}_2\text{Cl}_2\text{NO}_2=1.2.5.6$	$\text{C}_6\text{H}_4\text{Cl}_2\text{O}_2\text{N}_2$	J. [1875], 352	66-4	Körner	G. I., 4, 305	29, 209
"	" "	"	67-68	Beilstein and Kurbatow	B., 11, 1978; A., 196, 222	36, 309
" (A., 196, 228)	" =1.3.5.6	"	79	"	B. S. [2], 30, 25; B., 11, 1979	34, 974; 36, 310
" (A., 196, 226)	" =1.4.5.6	"	95-96	"	B., 11, 1979	36, 310
" (A., 215, 111)	" =1.2.4.6	"	99	Langer	B., 15, 1064	
"	" "	"	100	Witt	B., 7, 1603	28, 759
"	" "	"	100	"	B., 8, 820	29, 935
"	" "	"	100	Beilstein and Kurbatow	B., 11, 1979; A., 196, 230	36, 310
"	" =1.2.5.4	"	153	"	"	36, 309
" (B., 9, 1688)	" =1.2.3.6	"	162-163	"	"	31, 474; 36, 310
"	" =1.3.5.4	"	170-171	"	B. S. [2], 30, 25; B., 11, 1979	34, 974; 36, 310
"	" "	"	175	"	A., 196, 228	
"	" =1.3.4.6	"	171	"	B., 9, 580	30, 294
" (A., 196, 226)	" "	"	175	"	B., 11, 1978	36, 309
" (A., 196, 230)	" =1.2.6.4	"	188	"	B., 11, 1979	
"	" "	"	188	Witt	B., 7, 1604; B., 8, 144	36, 310
Amidotrìchlorphenol	$\text{OH.Cl}_3\text{NH}_2=1.2.4.6.3$	$\text{C}_6\text{H}_3\text{Cl}_3\text{ON}$	95	Dacomo	B., 18, 1166	46, 890
"	" =1.(?) ₃ .4	"	159	J. p. [2], 23, 438; 24, 426	
"	" =?1.2.3.?	"	?	Hirsch	B., 13, 1908	
Nitrochloraniline	$\text{NH}_2\text{Cl.NO}_2=?$	$\text{C}_6\text{H}_5\text{ClO}_2\text{N}_2$	89	Jungfleisch	A. C. [4], 15, 186	vii., 145
"	" =1.2.4	"	104-105	Beilstein and Kurbatow	A., 182, 108	30, 632
"	" =1.4.6	"	113-5	Laubenheimer and Körner	B., 8, 225; J. [1875], 351	28, 648
"	" "	"	115	Beilstein and Kurbatow	B., 7, 1761; 9, 633; A., 182, 99	28, 451; 30, 308, 631
" (J. [1875], 351)	" "	"	116-4	Körner	G. I., 4, 305	29, 209, 219
"	" =1.2.5	"	117-118	Beilstein & Kurbatow	B., 8, 693; 9, 633; A., 182, 101	28, 1037; 30, 308, 631
"	" =1.3.6	"	123-5 u.c.	Laubenheimer	B., 9, 1827	31, 594
"	" "	"	123-124	"	B., 11, 1158	34, 976
"	" "	"	123-2	Körner	G. I., 4, 305	29, 220
"	" "	"	123-5	Uhlemanu	B., 11, 1162	34, 978
"	" "	"	124-125	Beilstein & Kurbatow	A., 182, 105; B., 8, 693; 9, 634	28, 1037; 30, 309, 631
"	" =1.3.4	"	156-157	"	"	30, 309, 632
Nitroamidochlorphenol	$\text{OH.Cl.NH}_2\text{NO}_2=1.2.6.4$	$\text{C}_6\text{H}_3\text{ClO}_3\text{N}_2$	140	Armstrong	25, 14	vii., 914, 929
" (Z.C. [1871], 339)	" "	"	158; 160	"	25, 97

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitroamidochlorphenol (A., 173, 315)	OH.Cl.NH ₂ .NO ₂ =1.2.6.4	C ₆ H ₆ ClO ₃ N ₂	160	Griess	A., 109, 291	iv., 407
"	"	"	160	Armstrong		
Amidodichlorphenol	OH.Cl ₂ .NH ₂ =1.2.6.4	C ₆ H ₅ Cl ₂ ON	165-166	Siefert	As., 7, 202	vi., 913
"	" =1.2.4.6	"	?	"	As., 7, 189	
"	" =1.(?) ₂ .4	"	175	Jæger	B., 8, 896	28, 1260
Nitrodiamidochlorbenzene	Cl.(NH ₂) ₂ .NO ₂ =1.3.5.4	C ₆ H ₆ ClO ₂ N ₃	192-194	A., 192, 233	
Amidodichlorphenol + HCl	OH.Cl ₂ .NH ₃ Cl=1.2.6.4 or 4.6	C ₆ H ₆ Cl ₃ ON	b. 230	Siefert	As., 7, 202	vi., 914
Amidophenol + HCl	OH.NH ₃ Cl=4th	C ₆ H ₅ ClON	mixture ?	w.m. 230 p.d.	Fittica	B., 13, 1536	40, 47
Tetrahydrochlorpicolinic acid	C ₅ NH ₇ .Cl.CO ₂ H	C ₆ H ₅ ClO ₂ N	265-270 d.	Ost	J. p. [2], 27, 283	44, 794
Acetylepichlorhydrin	CH ₂ Cl.CH ₂ .CH ₂ .NAc.CO ₂	C ₆ H ₈ ClO ₃ N	79	Thomsen	B., 11, 2137	36, 217
Ethylchlorformaleamate	NH ₂ .CO.C ₂ H ₅ .Cl.CO ₂ Et	"	102 u.c.	Claus & Voeller	B., 14, 151	40, 254
Nitrate of chloroxy-base	C ₆ H ₇ ClON ₂ + HNO ₃	C ₆ H ₈ ClO ₄ N ₃	133	Keller	J. p. [2], 31, 363	48, 961
Tetranitrodichlordulcitol	C ₆ H ₅ Cl ₂ (O.NO ₂) ₄	C ₆ H ₅ Cl ₂ O ₁₂ N ₄	108	A. C. [4], 27, 192	
Tetranitrodichlormannitol	"	"	145	Borchardat	B. S. [2], 19, 199;	26, 747; vii.,
					A. C. [5], 6, 126	774
Crotonic-chloralacetamide	CCl ₃ .C ₂ H ₃ .CH(OH).NHAc	C ₆ H ₈ Cl ₃ O ₂ N	170	Pinner	A., 179, 21	29, 549
Chloraldiacetamide	CCl ₃ .CH(OAc).NHAc	C ₆ H ₈ Cl ₃ O ₃ N	117-118	Schiff	B., 10, 170	32, 308
Dichlorisobutoxyacetone-nitril	Bu ^o O.CCl ₂ .CN	C ₆ H ₉ Cl ₂ ON	195-197	Liquid	Bauer	A., 229, 163	48, 1121
Chlordiethoxyacetone-nitril	(EtO) ₂ .CCl.CN	C ₆ H ₁₀ ClO ₂ N	159.5-161.5	"	"	"
Butyrylchloralacetamide	CCl ₃ .C ₂ H ₄ .CH(OH).NHAc	C ₆ H ₁₀ Cl ₃ O ₂ N	A., 179, 40	158	Schiff & Tassinari	B., 10, 1785	
Ethylidichloroethoxamate	NHEt.CCl ₂ .CO ₂ Et	C ₆ H ₁₁ Cl ₂ O ₂ N	50+	Wallach	A., 184, 76	32, 187
Nitrotrichlorbenzoic acid	CO ₂ H.Cl ₃ .NO ₂ =1.2.4.6.3	C ₇ H ₃ Cl ₃ O ₄ N	220	Beilstein	A., 152, 239	
Nitrochlorbenzoyl nitril	CN.Cl.NO ₂ =1.2.3 or 5	C ₇ H ₃ ClO ₂ N ₂	105-106	Henry	B., 2, 493	
Dinitrochlorbenzoic acid ...	CO ₂ H.Cl.(NO ₂) ₂ =1.2.3.5	C ₇ H ₃ ClO ₆ N ₂	238	Wilkins & Rack	A., 222, 166	46, 602
Dinitrochlorosalicylic acid	CO ₂ H.OH.Cl.(NO ₂) ₂ =1.2.5.(?) ₂	C ₇ H ₃ ClO ₇ N ₂	78	Hasse	B., 10, 2191	34, 416
β-Pyridinedicarboxyl chloride	N.(CO.Cl) ₂ = ?	C ₇ H ₃ Cl ₂ O ₂ N	269-270	49	Ramsay	P. M. [5], 6, 24 ; J. [1878], 439	36, 267
α- " "	" =1.2.6	"	284	60.5	Epstein	B., 18, 1746	
α- " "	" "	"	284	60.5-61	Ramsay	P. M. [5], 4, 244	"
(J. [1877], 437)							
γ-Pyridinedicarboxyl chloride (J. [1878], 439)	" = ?	"	265	88-89	"	P. M. [5], 621	"
Nitrodichlorbenzaldehyde	COH.Cl ₂ .NO ₂ =1.2.4(?) ₂ .6	C ₇ H ₃ Cl ₂ O ₃ N	136-138	Gnehm	B., 17, 753	46, 1028
Dinitrotrichlorolene ...	Me.Cl ₃ (NO ₂) ₂ =1.2.3.4.5.6	C ₇ H ₃ Cl ₃ O ₄ N ₂	141	Seelig	B., 18, 422	48, 770
"	" =1.2.4.5.3.6	"	225	Schultz	A., 187, 280	
"	" "	"	227	Seelig	B., 18, 422	48, 770
Nitrobenzoyl chloride	COCl.NO ₂ =1.2	C ₇ H ₄ ClO ₃ N	s.f.m.	Claisen and Shadwell	B., 12, 351	
"	" =1.3	"	265-268	Liquid	Cahours	A. C. [3], 23, 339	i., 568
"	" "	"	29	Richardson	B., 12, 351	
"	" "	"	184 (50-55)	33	Claisen and Thompson	B., 12, 1943	38, 253
"	" "	"	275-278 p.d.	35	McHugh	B., 7, 1268	28, 270
Nitrochlorbenzaldehyde	COH.Cl.NO ₂ =1.3.2 or 4	"	60	Müller	D. P., 255, 356	48, 850
Nitrochlorbenzoic acid	CO ₂ H.Cl.NO ₂ =?	C ₇ H ₄ ClO ₄ N	118	Limpricht and Uslar	A., 102, 261	i., 557
"	" =1.3.6 or 2	"	136	Hübner	Z. C. [2], 2, 614	vi., 316
"	" "	"	136	Hübner & Weiss	B., 6, 175	
"	" =1.3.4	"	136-137	A., 185, 275	
"	" "	"	137	Hübner	A., 222, 67	46, 315
"	" =1.3.5	"	147	"	B., 10, 1703; A., 222, 67	34, 148; 46, 315
"	" =1.2.3 or 5	"	164-165	"	Z. C. [2], 2, 614	vi., 316
"	" =1.4.5	"	178-180	"	Z. C. [2], 2, 615	"
"	" "	"	179-180	Hübner & Raveill	A., 222, 166	46, 601
"	" =?	"	205	Otto	A., 122, 129	iv., 60
"	" =1.3.2 or 6	"	225-230	Hübner	Z. C. [2], 2, 614	vi., 316

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrochlorbenzoic acid	$\text{CO}_2\text{H.Cl.NO}_2=1.3.2$ or 6	$\text{C}_7\text{H}_5\text{ClO}_4\text{N}$	235	Hübner	A., 222, 67	48, 315
Nitrochlorsalicylic acid	$\text{CO}_2\text{H.OH.Cl.NO}_2=1.2.5 (?)$	$\text{C}_7\text{H}_4\text{ClO}_5\text{N}$	162-163	Smith and Pierce	B., 13, 35	38, 392
" "	" =?	"	151	Rogers	I. D., Göttingen, 1875	
Trichlorbenzamide	$(\text{CO.NH}_2).\text{Cl}_3=1.2.4.6$	$\text{C}_7\text{H}_4\text{Cl}_3\text{ON}$	167.5	Beilstein and Kuhlberg	A., 152, 238	vi., 313
"	" =1.3.4.5	"	176	Salkowski	A., 163, 32	25, 715 ; vii., 130, 164
Nitrotrichlortoluene	$\text{Me.Cl}_3.\text{NO}_2=1.2.3.4.?$	$\text{C}_7\text{H}_4\text{Cl}_3\text{O}_2\text{N}$	58	Schultz	A., 187, 277	
" "	" "	"	60	Seelig	B., 18, 422	48, 770
" "	" =1.2.4.5.?	"	88.5	Beilstein	A., 152, 240	
" "	" "	"	92	Seelig	B., 18, 422	48, 770
Amidotrichlorbenzoic acid	$\text{CO}_2\text{H.Cl}_3.\text{NH}_2=1.2.4.6.3$	"	210	Beilstein	A., 152, 240	
Trichloralhydrocyanide	$3(\text{CCl}_3.\text{CHO})+\text{HCN}$	$\text{C}_7\text{H}_4\text{Cl}_3\text{O}_3\text{N}$	A., 173, 297	123	Cech	B., 9, 1020	
Nitrochlorsalicylamide	$(\text{CO.NH}_2).\text{OH.Cl.NO}_2$ =1.2.5.?	$\text{C}_7\text{H}_5\text{ClO}_4\text{N}_2$	192	Smith	B., 11, 1227	
" "	" "	"	199	Smith and Pierce	B., 13, 35	38, 392
Dinitrochlormethoxybenzene	$\text{OMe.Cl}.\text{(NO}_2)_2=1.4.2.3$	$\text{C}_7\text{H}_5\text{ClO}_5\text{N}_2$	J. [1875], 339	65.4	Körner	G. I., 4, 305	29, 230
Dichlorbenzamide	$(\text{CO.NH}_2).\text{Cl}_2=1.3.4$	$\text{C}_7\text{H}_5\text{Cl}_2\text{ON}$	133	Beilstein	A., 152, 228	vi., 312
" "	" =1.2.4 (?)	"	155	"	A., 179, 290 ; B., 8, 815	28, 1194 ; 29, 587
" "	" =1.2.6	"	166	Schultz	A., 187, 273	32, 782
Amidodichlorbenzaldehyde	$\text{COH.Cl}_2.\text{NH}_2=1.(?)_2.2$	"	77-78	Gnehm	B., 17, 754	48, 1028
Nitrobenzylidene dichloride	$\text{C}_6\text{H}_4.\text{NO}_2.\text{CHCl}_2=1.4$	$\text{C}_7\text{H}_5\text{Cl}_2\text{O}_2\text{N}$	46	Zimmermann and Müller	B., 18, 997	48, 771
" " " " " " " "	" =1.3	"	65	Widmann	B., 13, 676	38, 635
Nitrodichlortoluene	$\text{Me.Cl}_2.\text{NO}_2=$	"	274 p.d.	s.-14	Wroblewsky	A., 168, 212 ; Z. C. [2], 6, 164	27, 56 ; vii., 1167
Dichlorsalicylamide	$(\text{CO.NH}_2).\text{OH.Cl}_2=1.2.3.5$	"	209	Smith	B., 11, 1226	
Amidonitrotrichlortoluene	$\text{Me.Cl}_3.\text{NH}_2.\text{NO}_2=1.2.4.5.(?)_2$	$\text{C}_7\text{H}_5\text{Cl}_3\text{O}_2\text{N}_2$	191	Seelig	B., 18, 423	48, 770
" " " " " " " "	" =1.2.3.4.(?) ₂	"	192	"	"	"
" ?	$\text{C}_7\text{H}_5\text{Cl}_6\text{O}_2\text{N}$	d.	123-124	Wallach	B., 6, 118	28, 627 ; vii., 310
Phenyl cyanate hydrochloride	$\text{PhO.CN}+\text{HCl}$	$\text{C}_7\text{H}_6\text{ClON}$	45	Hentschel	B., 18, 1178	48, 888
Chlorbenzamide	$(\text{CO.NH}_2).\text{Cl}=1.3$	"	122	Limpricht and Uslar	A., 102, 263	i., 540
" " " " " " " "	" =1.2	"	139	Kekulé	A., 117, 154	vi., 258
" " " " " " " "	" =1.4	"	170	Emmerling	B., 8, 882	28, 1261
Nitrobenzyl chloride	$\text{C}_6\text{H}_4.\text{NO}_2.\text{CH}_2\text{Cl}=1.3$	$\text{C}_7\text{H}_6\text{ClO}_2\text{N}$	45-47	Gabriel and Borgmann	B., 16, 2064	44, 1121
" " " " " " " "	" =1.2	"	B., 8, 1102	49	Geigy & Königs	B., 18, 2402	48, 1004
" (B., 17, 1073)	" =1.4	"	71	Wachendorff	B., 8, 1102	
" " " " " " " "	" "	"	71	Beilstein and Geitner	A., 139, 337	vi., 285
" " " " " " " "	" "	"	71.5	Mohr	A., 221, 215	48, 69
" " " " " " " "	" "	"	72	Strakosch	B., 6, 1059	
" " " " " " " "	" "	"	73	Grimaux	B. S. [2], 8, 433	vi., 285
" (A., 185, 271)							
Nitrochlortoluene	$\text{Me.Cl.NO}_2=1.4.?$	"	243	Liquid-13	Wroblewsky	A., 168, 203 ; Z. C. [2], 6, 683	27, 55 ; vii., 1105
" " " " " " " "	" "	"	253	Liquid-13	"	"	"
" " " " " " " "	" =1.3.?	"	249	Liquid-20	"	B., 7, 1062	
" " " " " " " "	" =1.4.5	"	8-9	Engelbrecht	B., 7, 797	27, 986
" " " " " " " "	" =1.4.6	"	34-35	"	"	"
" " " " " " " "	" "	"	38	Beilstein	A., 158, 336	24, 680
" (A., 185, 273)	" =1.3.4	"	64-65	Wachendorff	B., 9, 1346	31, 207
Amidochlorbenzoic acid	$\text{CO}_2\text{H.Cl.NH}_2=1.3.2$ or 6	"	145-148	Cunze & Hübner	A., 135, 111	vi., 318
" " " " " " " "	" "	"	148	Hübner & Weiss	B., 6, 175	26, 747
" " " " " " " "	" =1.2.3 or 5	"	212	A., 147, 264	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Amidochlorbenzoic acid ...	CO ₂ H.Cl.NH ₂ =1.4.5	C ₇ H ₆ ClO ₂ N	212	A., 147, 258	
" " ...	" =1.3.5	"	215-216	Hübner	B., 10, 1703	34, 148
" " ...	" "	"	216	"	A., 222, 67	46, 315
Chloralicylamide ...	(CO.NH ₂).OH.Cl=1.2.5	"	222-223	Smith	B., 11, 1227	
Nitrochloromethoxybenzene	OMe.Cl.NO ₂ =1.3.6	C ₇ H ₆ ClO ₃ N	70.5	Uhlemann	B., 11, 1162	34, 978
" (J. [1866], 459)	" =1.2.?	"	93-94	Fischli	B., 11, 1463	34, 866
Dichloroxydimethylpurin	C ₅ N ₄ Me ₂ OCl ₂	C ₇ H ₆ Cl ₂ ON ₄	183	Fischer	B., 17, 334	46, 996
Amidodichlormethoxybenzene	OMe.Cl ₂ .NH ₂ =1.(?) ₂ .4	C ₇ H ₇ Cl ₂ ON	71.5	Jaeger	B., 8, 897	28, 1260
Dichlorethoxypyridine ...	C ₅ NH ₂ Cl ₂ .OEt	"	31	Königs & Geigy	B., 17, 1835	46, 1369
" ? ...	C ₅ H ₂ Cl ₃ N ₂ .OEt	C ₇ H ₇ Cl ₃ ON ₂	83	Pechmann and Stokes	B., 18, 2292	48, 1202
Amidochlormethoxybenzene	OMe.Cl.NH ₂ =1.1.2	C ₇ H ₈ ClON	260	52	Herold	B., 15, 1685	42, 1287
Pyridinebetaïne+HCl ...	C ₅ H ₅ N.CH ₂ .CO.O+HCl	C ₇ H ₈ ClO ₂ N	sf. 190	202-205 d.	Gerichten	B., 15, 1252	42, 1110
Butyrochloralcyanaetyl ...	CCl ₃ .C ₂ H ₄ .CH(OAc).CN	C ₇ H ₅ Cl ₃ O ₂ N	240-252 p.d.	Liquid	Pinner & Klein	B., 11, 1490	36, 41
Benzenylamidoxime +HCl	Ph.C(:NOH).NH ₂ +HCl	C ₇ H ₉ ClON ₂	185	Falck	B., 18, 2467	48, 1217
Nitrotoluidine+HCl ...	Me.NH ₂ .Cl.NO ₂ =1.4.6	C ₇ H ₉ ClO ₂ N ₂	220 d.	Beilstein	Z. C. [2], 5, 280	vi., 1105
Chlortoluidine nitrate ...	Me.Cl.(NH ₂ NO ₂)=1.4.?	C ₇ H ₉ ClO ₃ N ₂	165 d.	Wroblewsky	A., 168, 147	27, 55
" " ...	" "	"	169 d.	"	Z. C. [2], 6, 683	vi., 1105
" " ...	" =1.4.?	"	179 d.	"	A., 168, 147	27, 55
" " ...	" =1.3.4	"	189	"	"	27, 54
Ammonium dichloreresol...	Me.ONH ₄ .Cl ₂ =1.4.(?) ₂	C ₇ H ₉ Cl ₂ ON	125	Claus & Riemann	B., 16, 600	44, 1112
Trichloracetoxvaleramide	CCl ₃ .C ₃ H ₅ (OAc).CO.NH ₂	C ₇ H ₁₀ Cl ₃ O ₃ N	phys. isom.	96	Pinner & Klein	B., 11, 1491	36, 42
" "	" "	"	"	119	"	"	"
Crotonchloralurethane ...	CCl ₃ .C ₂ H ₂ .CH(OH).NH.CO ₂ Et	"	123-125	Bischoff	B., 7, 633	27, 891
Propoxyethoxychloracetone nitril	PrO.CCl(OEt).CN	C ₇ H ₁₂ ClO ₂ N	182-184	Bauer	A., 229, 163	48, 1121
α-Pyridinetricarbonyl chloride	C ₅ H ₂ Cl ₃ O ₃ N	205-206 (40)	A., 201, 320	
Isatin chloride ...	C ₆ H ₄ .CO.CCl:N=1.2	C ₈ H ₄ ClON	180 d.	Baeyer	B., 11, 1296; 12, 456	
Dinitrophenyltrichloracetamide	CCl ₃ .CO.NH.C ₆ H ₃ (NO ₂) ₂	C ₈ H ₄ Cl ₃ O ₃ N ₃	118	Tomassi and Meldola	B. S., 21, 399	27, 316
Nitrodichloracetophenone	fr.C ₆ H ₄ Ac.NO ₂ =1.2	C ₈ H ₅ Cl ₂ O ₃ N	73	Gevekoht	A., 221, 323	46, 445
Nitrodichloracetoxbenzene	OAc.Cl ₂ .NO ₂ =1.(?) ₂ .2	C ₈ H ₅ Cl ₂ O ₄ N	77	As., 7, 188	
Dinitrodichloracetanilide...	NHAc.Cl ₂ (NO ₂) ₂ =1.3.4.2.6	C ₈ H ₅ Cl ₂ O ₅ N ₃	245-246	Beilstein and Kurbatow	A., 196, 227; B., 11, 1979	36, 310
Nitrotrichloracetanilide ...	NHAc.Cl ₃ .NO ₂ =1.3.4.6.2	C ₈ H ₅ Cl ₃ O ₃ N ₂	193	"	A., 196, 235; B., 11, 1980	36, 310
Dinitrotrichlorethoxybenzene	OEt.Cl ₃ (NO ₂) ₂ =?	C ₈ H ₅ Cl ₃ O ₅ N ₂	100	A., 149, 153	
Tetrachloracetanilide ...	NHAc.Cl ₄ =1.2.3.4.6	C ₈ H ₅ Cl ₄ ON	173-174	Beilstein and Kurbatow	A., 196, 236; B., 11, 1862	36, 143
Nitrochlorcinnamene ...	C ₆ H ₄ (NO ₂).CH:CHCl=1.2	C ₈ H ₆ ClO ₂ N	58-59	Lipp	B., 17, 1071	46, 1030
" " ...	C ₆ H ₄ (NO ₂).CCl:CH ₂ =1.4	"	63-64	Drewsen	A., 212, 162	42, 847
Chloramidophenoxyacetic acid	Cl.NH ₂ (O.CH ₂ .CO ₂ H)=?1.2	"	196-197	Thate	J. p. [2], 29, 145	46, 1171
" " ...	" "	"	197	"	J. p. [2], 25, 266	42, 849
Nitrodichloracetanilide ...	NHAc.Cl ₂ .NO ₂ =1.3.4.6	C ₈ H ₅ Cl ₂ O ₃ N ₂	123-124	Beilstein and Kurbatow	A., 196, 226; B., 11, 1978	36, 310
" (B.S.[2], 33, 25)	" =1.3.5.6	"	138-139	"	"	34, 974; 36, 310
" " ...	" =1.2.5.4	"	145-146	"	"	36, 309
" " ...	" =1.3.4.2	"	152-153	"	"	36, 310
" " ...	" =1.2.4.6	"	188	"	"	
" " ...	" "	"	188	"	B., 11, 1979	
" " ...	" =1.2.5.6	"	204-205	Witt	B., 7, 1603	28, 759
" " ...	" "	"	204-205	Beilstein and Kurbatow	A., 196, 222; B., 11, 1978	36, 309

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrodichloracetanilide	NHAc.Cl ₂ .NO ₂ =1.2.4.6	C ₈ H ₆ Cl ₂ O ₂ N ₂	210	Beilstein and Kurbatow	B., 11, 1979	
" " (B.S.[2], 30, 25)	" " =1.3.5.4	" "	210 222	Witt Beilstein and Kurbatow	B., 8, 144 A., 196, 228; B., 11, 1979	34, 974; 36, 310
Dinitrodichlorxylylene	Me ₂ .Cl ₂ .(NO ₂) ₂ =1.4.2.5.3.6	" "	225	Kluge	B., 18, 2098	48, 1209
Trichloracetanilide	Ph.NH.CO.CCl ₃	C ₈ H ₆ Cl ₃ ON	80-81	Wallach and Kamenski	B., 13, 517	
" (B.S., 21, 399)	" "	" "	B., 3, 784	82	Judson	Z. C. [2], 7, 40	vii., 10
" ?	Ph.NH.CO.Cl ₃ or C ₆ H ₅ Cl ₃ .NHAc	" "	94	Tommasi and Meldola	27, 315
Acettrichloranilide	NHAc.Cl ₃ =1.2.3.4	" "	120-122	Beilstein and Kurbatow	B., 9, 1688; 11, 1862; A., 196, 234	31, 474; 36, 143
" " (B., 8, 1656)	" =1.2.4.5 " =1.2.4.6	" "	184-185 204	" "	" "	36, 143
" " " "	" " " "	" "	204	" "	B., 8, 1656	29, 712
Nitrotrichlorethoxybenzene (l)	OEt.Cl ₃ .NO ₂ =?	C ₈ H ₆ Cl ₃ O ₃ N	53-54	A., 149, 152	
Nitrochloracetanilide	NHAc.Cl.NO ₂ =1.3.6	C ₈ H ₇ ClO ₃ N ₂	115	Beilstein and Kurbatow	B., 8, 693; 9, 634; A., 182, 105	28, 1037; 30, 309, 631
" " (B., 9, 635)	" =1.2.4 " =1.3.4	" "	139 141-142	" "	A., 182, 108 A., 182, 107	30, 632 30, 309, 632
" " " "	" =1.2.5	" "	153-154	" "	A., 182, 101; B., 8, 693; 9, 634	28, 1037; 30, 308, 631
Dinitrochloroethoxybenzene	OEt.Cl.(NO ₂) ₂ =1.4.2.6	C ₈ H ₇ ClO ₃ N ₂	51	Petersen	A., 157, 165	24, 245, 248
" " " "	" " " "	" "	54-55	Petersen and Predari	A., 157, 161	vii., 914, 929
Dichloracetanilide ...	Ph.NH.CO.CHCl ₂	C ₈ H ₇ Cl ₂ O ₂ N	117	Cech	B., 9, 339, 1022	30, 66
" " " "	" " " "	" "	117-118	Pinner & Fuchs	B., 10, 1062	32, 585
" " " "	" " " "	" "	117-118	Cech	B., 10, 1266	
Acetdichloranilide....	NHAc.Cl ₂ =1.3.4	" "	A., 196, 217	120.5	Beilstein and Kurbatow	B., 8, 694; 10, 2090; 11, 1861	28, 1037; 34, 299; 36, 143
" " " "	" =1.2.5	" "	132	" "	B., 11, 1861	36, 143
" " " "	" =1.2.4	" "	140	Witt	B., 7, 1602; J. [1874], 724	28, 759; 34, 298
" " " "	" " " "	" "	140.5	" "	B., 8, 1228	
" " " "	" " " "	" "	143	Weughöffer	J. p. [2], 16, 448	34, 298
" " " "	" " " "	" "	A., 182, 95; 196, 219	143	Beilstein and Kurbatow	B., 8, 1655; B., 11, 1861	29, 712; 36, 143
" (B., 11, 1861)	" =1.2.3	" "	156-157	" "	B., 10, 2091	34, 299
" " " "	" =1.2.6	" "	175	" "	B. S. [2], 30, 25; B., 11, 1861	34, 974; 36, 143
" " " "	" =1.3.5	" "	186-187	" "	B., 11, 1861	36, 143
Phenylnitroethylene di-chloride	Ph.CHCl.CHCl.NO ₂	C ₈ H ₇ Cl ₂ O ₂ N	30	Priebs	A., 225, 319	48, 161
Nitrotolylene chloride	(CH ₂ Cl) ₂ .NO ₂ =1.4.5	" "	35	Grimaux	A. C. [4], 26, 331	25, 817
" " " "	" " " "	" "	45	Z. C. [1871], 598	
Nitrodichlorethoxybenzene	OEt.Cl ₂ .NO ₂ =1.(?) ₂ .6	C ₈ H ₇ Cl ₂ O ₃ N	As., 7, 188	29	Fischer	Z. C. [2], 4, 386	vi., 913
" " " "	" =1.(?) ₂ .4	" "	As., 7, 201	35	Seifart	Z. C. [2], 5, 449	"
Benzenylmethoxime chloride	Ph.CCl : NOME	C ₈ H ₅ ClON	225 u. c.	Liquid -10	Krüger	B., 18, 1057	48, 896
Methylphenylcarbamide chloride	Ph.NMe.CO.Cl	" "	280	88	Michler and Zimmermann	B., 12, 1165	36, 935
Chloracetanilide	Ph.NH.CO.CH ₂ Cl	" "	84	Pinner & Fuchs	B., 10, 1058	32, 585
" (B.S. [2], 19, 400)	" " " "	" "	97	Tommasi	C. R., 76, 885	26, 911
" (B., 13, 518)	" " " "	" "	134	Cech	B., 10, 1377	
" " " "	" " " "	" "	134.5	Meyer	B., 8, 1153	29, 372
Acetchloranilide	NHAc.Cl=1.3	" "	72.5	Beilstein and Kurbatow	A., 182, 104; B., 9, 634	28, 1037; 30, 309
" " " "	" =1.2	" "	B., 8, 693	87-88	" "	" "	"
" " " "	" =1.4	" "	162	Witt	B., 8, 1226	"
" " " "	" " " "	" "	162	Weughöffer	J. p. [2], 16, 448	34, 298

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetylchloranilide	NHAc.Cl=1.4	C ₈ H ₅ ClON	172.5	Beilstein and Kurbatow	B, 7, 1761; A., 182, 98	28, 451
Chlorphenylacetamide	C ₆ H ₄ Cl.(CH ₂ .CONH ₂)=1.4	"	175	A., 147, 349	
?	"	134	A., 207, 141	
Methamidochlorbenzoic acid	CO ₂ H.NHMe.Cl=1.2.?	C ₈ H ₈ ClO ₂ N	178	Coste and Bodewig	B., 18, 431	48, 793
Nitrochloroethoxybenzene	OEt.Cl.NO ₂ =1.4.6	C ₈ H ₈ ClO ₃ N	B., 14, 37	61	Hallock	A. C. J., 2, 258	40, 595
"	" " =1.2.4	"	As., 7, 193	61-62	Faust and Saame	Z. C. [2], 5, 451	vi., 913
"	" " =1.2.4	"	B., 14, 37	78	Hallock	A. C. J., 3, 21	40, 595
Chlorcyamic acid	C ₇ H ₇ Cl(NO ₂).CO ₂ H	C ₈ H ₈ ClO ₄ N	+H ₂ O	186	Bellmann	J. p. [2], 29, 1	46, 840
Aniline trichloracetate	CCl ₃ .CO ₂ .NH ₃ Ph	C ₈ H ₅ Cl ₃ O ₂ N	145	Beamer and Clarke	A. C. J., 1, 23; B., 12, 1067	36, 786
Nitrochloroethamidobenzene	NHEt.Cl.NO ₂ =1.3.6	C ₈ H ₉ ClO ₂ N ₂	83-84	Laubenheimer	B., 11, 1157	34, 976
Chlorcaffeine (J. [1850], 435)	C ₈ H ₉ ClO ₂ N ₄	188	Fischer	A., 215, 261	44, 354
Amidodichloroethoxybenzene	OEt.Cl ₂ .NH ₂ =1.(?) ₂ .4	C ₈ H ₉ Cl ₂ ON	275	46	Jaeger	B., 8, 898	28, 1260
Methyldichlorpseudolutedostyryl	fr. NMe.Me ₂ :O=1.2.4.6.6	"	187	Hantzsch	B., 17, 1031	46, 1047
Aniline dichloracetate	CHCl ₂ .CO ₂ .NH ₃ Ph	C ₈ H ₉ Cl ₂ O ₂ N	122	Beamer & Clarke	A. C. J., 1, 23; B., 12, 1067	36, 786
" "	"	"	125	Cech & Schwebel	B., 10, 289; C. C. [1871], 134	32, 179; 34, 216
Aniline chloracetate	CH ₂ Cl.CO ₂ .NH ₃ Ph	C ₈ H ₁₀ ClO ₂ N	88	Clarke & Beamer	A. C. J., 1, 23; B., 12, 1067	36, 786
Lutidine carboxylic acid + HCl	N.Me ₂ .CO ₂ H=1.2.4.3	"	166	Michael	B., 18, 2024	48, 1245
" " "	" =?	"	+H ₂ O	220 d.	Canzoneri and Spica	G. I., 14, 448	48, 751
Phenylethylenylamidoxime + HCl	CH ₂ Ph.C(NH ₃ Cl):NOH	C ₈ H ₁₁ ClON ₂	155	Knudsen	B., 18, 1069	48, 897
Phenylhydroxyacetamidine + HCl	Ph.CH(OH).C(NH ₃ Cl):NH	"	213-214	Beyer	J. p. [2], 28, 190	46, 65
" "	"	"	214	"	J. p. [2], 31, 382	48, 983
Nitrosodimethaniline + HCl	C ₆ H ₄ (NO).NMe ₂ =1.4	"	177	Baeyer and Caro	B., 7, 810, 963	28, 84
Acetdiamidobenzene + HCl	NH ₃ Cl.NHAc=1.3	"	280	Wallach & Schulze	B., 15, 3020	44, 583
Diamidodimethoxybenzene + HCl	(OMe) ₂ .NH ₂ .NH ₃ Cl=1.4.5.?	C ₈ H ₁₃ ClO ₂ N ₂	169	Kariof	B., 13, 1676	40, 272
Chlordipropoxyacetoneitril	(PrO) ₂ CCl.CN	C ₈ H ₁₄ ClO ₂ N	199-202	Bauer	A., 229, 163	46, 1121
Dichlorethylidene urethane	CHCl ₂ .CH(NH.CO ₂ Et) ₂	C ₈ H ₁₄ Cl ₂ O ₄ N ₂	120	Bischoff	B., 5, 81	
" "	"	"	A., 33, 96	122	J. p. [2], 24, 120	
Chlorethylidene urethane	CH ₂ Cl.CH(NH.CO ₂ Et) ₂	C ₈ H ₁₅ ClO ₄ N ₂	J., p. [2], 24, 122	147	Bischoff	B., 3, 760; 5, 82; 7, 630	24, 136; 25, 412; vii., 411
Diethyl aspartate + HCl	CO ₂ Et.CH ₂ .CH(NH ₃ Cl).CO ₂ Et	C ₈ H ₁₆ ClO ₄ N	95	Curtius and Koch	B., 18, 1294	48, 885
Tetramidophenetoil + 2HCl	OEt.(NH ₂) ₄ =1.2.3.4.?	C ₈ H ₁₆ Cl ₂ ON ₄	nf. 360	Köhler	J. p. [2], 29, 257	46, 1161
Capronimidoether + HCl	C ₅ H ₁₁ .C(OEt):NH ₂ Cl	C ₈ H ₁₈ ClON	ord. temp.; s.b. 0	Pinner	B., 17, 178	46, 723
Dichlorcarbostyryl	N.OH=a ₁ β ₁ ;	C ₉ H ₅ Cl ₂ ON	249	Friedländer and Weinberg	B., 15, 1425	42, 1209
Chlorhydroxyquinoline	N.OH.Cl=?	C ₉ H ₆ ClON	180	Friedländer	B., 15, 2685	44, 351
"	" =a ₁ β ₁ β ₂ ;	"	241-242	"	B., 15, 2680	"
"	" " "	"	241-242	Ostermeier	B., 15, 336	42, 733
"	" =a ₁ β ₁ a ₂ ;	"	246	Baeyer and Blöem	B., 15, 2149	44, 196
A chloride of hippuric acid	C ₉ H ₆ ClO ₂ N	220	40-50	A., 112, 65	iii., 161
Methylpseudochlorisatin	C ₆ H ₃ Cl.CO.CO.NMe=2.1.2	"	191	Coste & Bodewig	B., 18, 431	48, 793
Nitrocinnamyl chloride	NO ₂ .(CH:CH.COCl)=1.2	C ₉ H ₆ ClO ₃ N	64.5	Fischer & Kuzel	B., 16, 34	
Propionyltrichloronitrophenol	O(C ₃ H ₅ O).Cl ₃ .NO ₂ =1.2.4.6.3	C ₉ H ₆ Cl ₃ O ₄ N	65	Guareschi and Dacomo	B., 18, 1173	48, 891

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trichloracetdinitrotoluide	Me.(NO ₂) ₂ (NH.CO.CCl ₃) =1.3.5.4	C ₉ H ₈ Cl ₃ O ₅ N ₃	141-142 u.c.	Friederici	B., 11, 1975	
Acetotrinitrochloranisidine	OMe.NHAc.Cl.(NO ₂) ₃ =1.2.(?) ₃	C ₉ H ₇ ClO ₅ N ₄	198	Herold	B., 15, 1686	42, 1287
Dichloracetamidobenzoic acid	CO ₂ H.(NH.CO.CHCl ₂)=1.2	C ₉ H ₇ Cl ₂ O ₃ N	173	Jackson	B., 14, 887	40, 735
Trichloracetnitrotoluide	Me.NO ₂ (NH.CO.Cl ₃)=1.3.4	C ₉ H ₇ Cl ₃ O ₃ N ₂	A., 209, 363	54-55	Friederici	B., 11, 1972	36, 311
Chloracetamidobenzoic acid	CO ₂ H.(NH.CO.CH ₂ Cl)=1.2	C ₉ H ₈ ClO ₃ N	d. 200	Jackson	B., 14, 888	40, 735
Formylmethamidochlorbenzoic acid	CO ₂ H.(NMe.CO.H).Cl =1.2.4 or 6	"	201-202	Coste & Bodewig	B., 18, 430	48, 793
Ethylie nitrochlorbenzoate	CO ₂ Et.Cl.NO ₂ =1.2.3 or 5	C ₉ H ₈ ClO ₄ N	28-29	Hübner	Z. C. [2], 2, 615	
" "	" =1.4.5	"	58	"	Z. C. [2], 2, 615	vi., 316
" "	" "	"	59	Raveill & Hübner	A., 222, 166	48, 601
" "	" =1.3.2 or 6	"	282	Cunze & Hübner	A., 135, 113	"
(J. [1865], 332)							
Nitrophenylchlorlactic acid	C ₆ H ₄ .NO ₂ (CH ₂ .CH(OH).CO ₂ H)=1.4	C ₉ H ₅ ClO ₆ N	165 ; 166	Beilstein and Kuhlberg	A., 163, 142 ; Z. C. [2], 7, 487	25, 300 ; vii., 348
" "	" =1.2	"	119-120	Baeyer	B., 13, 2261	40, 275
Ethylie nitrochloralsicylate	CO ₂ Et.OH.Cl.NO ₂ =1.2.5.?	"	89	Smith and Pierce	B., 13, 35	38, 392
Acetdinitrochloranisidine	OMe.NHAc.Cl.(NO ₂) ₂ =1.2.(?) ₃	C ₉ H ₈ ClO ₆ N ₃	165	Herold	B., 15, 1686	42, 1287
Benzylidenechloral-ammonia	Ph.CH : N.CH(OH).CCl ₃	C ₉ H ₈ Cl ₃ ON	130	Schiff	B., 11, 2166	36, 452
Trichloracettoluide	C ₆ H ₄ Me.NH.CO.CCl ₃ =1.4	"	B., 3, 784	102	Judson	Z. C. [2], 7, 40	vii, 10
Acetotrictoluide	Me.NHAc.Cl ₃ =1.3.4.(?) ₂	"	190-191	A., 187, 279	
Chloralbenzamide	Ph.CO.NH.CH(OH).CCl ₃	C ₉ H ₈ Cl ₃ O ₂ N	146	Pinner and Klein	B., 11, 11	
" "	" "	"	150-151	A., 157, 245	
" (J. [1879], 552)	" "	"	150-151	Wallach	B., 5, 255	vii., 130, 311
Acetnitrochloranisidine	OMe.NHAc.Cl.NO ₂ =1.2.(?) ₂	C ₉ H ₉ ClO ₄ N ₂	185	Herold	B., 15, 1686	42, 1287
Dinitrochlormesitylene	Me ₃ .Cl.(NO ₂) ₂ =1.3.5.2.4.6	"	176	Fittigand Hoogewerff	Z. C. [2], 5, 168	vi., 299
" "	" "	"	178-179	A., 150, 325	
Dichloracettoluide	C ₆ H ₄ Me.NH.CO.CHCl ₂ =1.4	C ₉ H ₉ Cl ₂ ON	153	Cech	B., 10, 879	32, 586
Benzenylethoxime chloride	Ph.CCl : N.OEt	C ₉ H ₁₀ ClON	230 u.c. (o.p.)	Liquid - 10	Tiemann and Krüger	B., 18, 733	48, 790
" "	" "	"	125 (45)	"	"	"
" "	" "	"	230 u.c.	L. f.m.	Krüger	B., 18, 1057	48, 896
" "	" "	"	232 ; 239 c.	Lossen	B., 18, 1194	
Phenylethylamidocarbonyl chloride	NEtPh.CO.Cl	"	52 u.c.	Michler	B., 9, 399	30, 92
Chloracettoluide	C ₆ H ₄ Me.NH.CO.CH ₂ Cl=1.4	"	161-5	Meyer	B., 8, 1154	29, 372
" (B. S., 19, 400)	" "	"	sb. 110	162	Tommasi	B., 6, 569 ; C. R., 76, 885	26, 911
Acetchlortoluide	Me.NHAc.Cl=1.4.5	"	99	Wroblewsky	Z. C. [2], 5, 322 ; A., 168, 196	27, 54 ; vi. 1104
" "	" =1.3.4	"	130-131	Engelbrecht	B., 7, 798	27, 986
" "	" =1.2.4	"	139-140	"	B., 7, 797	"
Chlorethylie phenylcarbamate	NHPh.CO ₂ .C ₂ H ₄ Cl	C ₉ H ₁₀ ClO ₂ N	51	Nemirowsky	J. p. [2], 31, 173	48, 741
Acetchloranisidine	OMe.NHAc.Cl=1.2.?	"	326	150	Herold	B., 15, 1686	42, 1287
Nitrochlormesitylene	Me ₃ .Cl.NO ₂ =1.3.5.2.4	"	A., 150, 324	56-57	Fittigand Hoogewerff	Z. C. [2], 5, 168	vi., 299
Ethoxychloroxydimethylpurin	C ₅ N ₄ Me ₂ OCl.OEt	C ₉ H ₁₁ ClO ₂ N ₄	160	Fischer	B., 17, 335	46, 997
Trichlorhydroxycyanconine	C ₉ H ₁₀ Cl ₃ N ₂ .OH	C ₉ H ₁₁ Cl ₃ ON ₂	132	Riess	J. p. [2], 30, 145	48, 236
Ethylbenzimid + HCl	Ph.C(OEt) : NH ₂ Cl	C ₉ H ₁₂ ClON	d.w.m. 118-120	Pinner	B., 16, 1655	44, 1090
Ethylie amidobenzoate + HCl	C ₆ H ₄ .NH ₂ .Cl.CO ₂ Et=1.2	C ₉ H ₁₂ ClO ₂ N	170	Kolbe	J. p. [2], 30, 467	48, 665
β-lutidinebetain + HCl	"	162-5	C. R., 95, 300	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzylic ethenylamid-oxime + HCl	Ph.CH ₂ .O.N : CMe.NH ₃ Cl	C ₉ H ₁₃ ClON ₂	...	163	Nordmann	B., 17, 2752	48, 239
?	C ₉ H ₁₄ Cl ₆ O ₄ N ₂	151-152	iv., 736
?	C ₉ H ₁₅ Cl ₅ O ₄ N ₂	166-168	"
?	C ₉ H ₁₆ Cl ₅ O ₃ N ₃	110.5	Otto	A., 116, 195	ii., 532
Oxallyltrimethammonium chloride	O.CH ₂ .CH.CH ₂ .NEt ₃ Cl	C ₉ H ₂₀ ClON	Liquid - 20	Reboul	C. R., 93, 423	40, 1122
?	C ₉ H ₂₃ Cl ₃ O ₅ N ₄	163-164	iv., 736
Trinitro- α -dichlornaphthalene	Cl ₂ ; Cl ₂	C ₁₀ H ₃ Cl ₂ O ₆ N ₃	178	Widmann	B. S. [2], 28, 509 ; B., 12, 1714	32, 900 ; 38, 47
" - ϵ - "	Cl ; Cl	"	198-200	Alén	B. S. [2], 36, 433	42, 410
" - δ - "	Cl ₂ ; Cl ₂	"	200-201	"	"	42, 409
Nitro- δ -tetrachlornaphthalene	Cl ₂ ; Cl ₂	C ₁₀ H ₃ Cl ₄ O ₂ N	154-155	Atterberg and Widmann	B., 10, 1843	34, 322
Dinitro- β -dichlornaphthalene	Cl ₂ = $\alpha_1\alpha_2$;	C ₁₀ H ₄ Cl ₂ O ₄ N ₂	158	Widmann	B. S. [2], 28, 510 ; B., 12, 1714	32, 900 ; 38, 47
" - δ - "	Cl ; Cl	"	245-246	Alén	B. S. [2], 36, 433	42, 409
" - γ - "	Cl ₂ = α_1 ; α_2	"	246	Widmann	B. S. [2], 28, 505	32, 900
" "	" "	"	246	Atterberg	B., 9, 1730	31, 466
" - ϵ - "	Cl ; Cl	"	B., 15, 320	252-253	Alén	B. S. [2], 36, 433	42, 409
α -Dinitrochlornaphthalene	$\alpha_1 \alpha_2$; α_1	C ₁₀ H ₅ ClO ₄ N ₂	104-106	Faust and Saame	A., 160, 68 ; Z. C. [2], 5, 705	25, 65 ; vi., 846
α - "	"	"	106	Atterberg	B., 9, 927, 1187	30, 516 ; 31, 85
β - "	$\alpha_1 \alpha_2$; α_2	"	180	"	B., 9, 928	30, 516
Dichlormaleic phenylimide	C ₂ Cl ₂ : (CO) ₂ : NPh	C ₁₀ H ₅ Cl ₂ O ₂ N	201	Kauder	J. p. [2], 31, 1	48, 652
Nitro- β -dichlornaphthalene	Cl.Cl ; NO ₂ = $\alpha_1\alpha_2$; α_1	"	92	Widmann	B. S., 28, 509 ; B., 12, 1714	32, 900 ; 38, 47
" - δ - "	Cl ; Cl.NO ₂	"	95	Alén	B. S. [2], 36, 433	42, 409
" - ϵ - "	Cl ; Cl.NO ₂ = β ; ?? or ? ; β ?	"	113.5-114	"	"	"
" - η - "	one Cl= β	"	119	Cleve	B. S. [2], 29, 499	34, 736
" - ϵ - "	Cl ; Cl.NO ₂ = β ; ?? or ? ; β ?	"	139-139.5	Alén	B. S. [2], 36, 433	42, 409
" - δ - "	Cl ; Cl.NO ₂	"	141.5-142	"	"	"
" - γ - "	Cl ; Cl.NO ₂ = α_1 ; α_2 ?	"	142	Atterberg	B., 9, 928	30, 516
" - γ - "	" "	"	142	Widmann	B. S. [2], 28, 505	32, 900
Nitrochlornaphthalene	Cl.NO ₂ = $\alpha_1\alpha_2$	C ₁₀ H ₆ ClO ₂ N	85	Atterberg	B., 9, 927, 1187	30, 516 ; 31, 85
"	" "	"	85	Cleve	B. S. [2], 26, 241	31, 208
Chlorquinolinecarboxylic acid	N.OH.CO ₂ H= $\alpha_1\beta_1\beta_2$;	"	200 p. d.	Friedländer and Göhring	B., 17, 460	46, 1020
Methoxycinnamic acid diazochloride	C ₆ H ₃ (CH : CH.CO ₂ H).OMe (N : NCl)=1.2.5	C ₁₀ H ₉ ClO ₃ N ₂	d. 102	Schnell	B., 17, 1385	46, 1165
Hydroxycamazone + 2HCl	C ₁₀ H ₉ N ₃ .OH + 2HCl	C ₁₀ H ₉ Cl ₂ ON ₃	265	Krippendorff	J. p. [2], 32, 153	48, 1243
Hydroxyquinoline methochloride.	C ₉ NH ₆ (OH)MeCl + H ₂ O	C ₁₀ H ₁₀ ClON	210	Ostermeyer	C. C. [1884], 970	48, 672
Ethyl phenylimidochloracetate	Ph.N : CCl.CO ₂ Et	C ₁₀ H ₁₀ ClO ₂ N	91	Klinger	A., 184, 275 ; B., 8, 312	28, 1025 ; 31, 711
Chlorbenzylmalonamide	Ph.CH ₂ .CCl(CO.NH ₂) ₂	C ₁₀ H ₁₁ ClO ₂ N ₂	d. 210-220	abt. 80	Bischoff & Emmert	B., 15, 1113	
Dinitrochlorcymene	Me.Pr ^α .Cl.(NO ₂) ₂ =1.4.5.(?) ₂	C ₁₀ H ₁₁ ClO ₄ N ₂	100-101	Ladenburg and Engelbrecht	B., 10, 1221	34, 60
"	" =1.4.6.(?) ₂	"	108-109	Gerichten	B., 11, 1091	34, 787
Ethyl phenamidodichloracetate	Ph.NH.CCl ₂ .CO ₂ Et	C ₁₀ H ₁₁ Cl ₂ O ₂ N	71	Klinger	B., 8, 311	28, 1025
"	"	"	108-110 (i.v.)	71-72	"	A., 184, 273	31, 711
Nitrocymene chloride	C ₆ H ₃ Pr.NO ₂ .CHCl ₂	"	s. -10 to -20	Widmann	B., 15, 167	42, 727
Acetochloroxylyde	Me ₂ .Cl.NHAc=1.4.2.5	C ₁₀ H ₁₂ ClON	171	Kluge	B., 18, 2098	48, 1208
Thymoquinonechlorimide	C ₁₀ H ₁₂ ClO ₂ N	d. 160-170	Liquid - 21	Andressen	J. p. [2], 23, 169	40, 590
Dimethamidophenyltrichlormethylcarbinol	NMe ₂ .C ₆ H ₄ .CH(OH).CCl ₃	C ₁₀ H ₁₂ Cl ₃ ON	111 p.d.	Boessneck	B., 18, 1517	48, 976
Nitrophenylhydroxyacetimidoether + HCl	NO ₂ .C ₆ H ₄ .CH(OH).C(OEt) : NH ₂ Cl=1.3	C ₁₀ H ₁₃ ClO ₄ N ₂	129	Beyer	J. p. [2], 31, 382	48, 983
Phenylacetimidoethylether + HCl	Ph.CH ₂ .C(OEt) : NH ₂ Cl	C ₁₀ H ₁₄ ClON	85 d. ; sf. 60	Luckenback	B., 17, 1422	46, 1134

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Amidochlorthymol	Me.Pr ² .OH.Cl.NH ₂ =1.4.5.(?) ₂	C ₁₀ H ₁₄ ClON	100.5	Andressen	J. p. [2], 23, 175, 180	40, 590
Mandelicimidoether + HCl	Ph.CH(OH).C(OEt):NH ₂ Cl	C ₁₀ H ₁₄ ClO ₂ N	120	Beyer	J. p. [2], 31, 382	48, 982
"	"	"	121	"	J. p. [2], 28, 190	46, 65
Amidochlorhydroeugenol	C ₃ H ₆ Cl.OMe.OH.NH ₂ =1.3.4.5	"	97	Weselsky and Benedikt	M. C., 3, 390	42, 1201
Nitrochlorcamphor (+)	C ₁₀ H ₁₄ Cl(NO ₂)O	C ₁₀ H ₁₄ ClO ₃ N	d. b. 200	83	Cazeneuve	B., 17, [3], 141 ; C. R., 98, 306	46, 1041
"	"	"	93-94	Schiff and Puliti	B., 16, 888	
" (-)	"	"	d. a. 100	95	Cazeneuve	C. R., 96, 589 ; B., 16, 972	44, 667
"	"	"	110	Schiff and Puliti	B., 16, 889	
Terpene (fr. bergamot) nitrosochloride	C ₁₀ H ₁₆ (NO)Cl	C ₁₀ H ₁₆ ClON	J. [1875], 390	98	Tilden and Shensstone	J. [1877], 427	31, 560
Hesperidene nitrosochloride	"	"	103	" "	J. [1877], 428	31, 558
Anstralene nitrosochloride	"	"	103	" "	"	31, 556
Hydrochlorcarvoxime	"	d. 162.5	132.5	Goldschmidt and Zürrer	B., 18, 1731, 1732	48, 1058
Carvenenitrosylchloride nitrate	C ₁₀ H ₁₆ (HNO ₃).NOCl	C ₁₀ H ₁₇ ClO ₄ N ₂	114-115	Meissen	G. I., 13, 99	44, 1140
Amidohydroxycamphor + HCl	C ₁₀ H ₁₄ (OH)(NH ₂ Cl)O	C ₁₀ H ₁₈ ClO ₂ N	250	Kachler and Spitzer	M. C., 4, 643	44, 1008
Methamidochlor- α -naphth-aquinone	C ₁₀ H ₄ Cl(NHMe):O ₂	C ₁₁ H ₈ ClO ₂ N	150	Plagemann	B., 15, 485	42, 973
Ethoxychlorquinoline	N.OEt.Cl= $\alpha_1\beta_1\beta_2$; = $\alpha_1\beta_1\alpha_2$;	C ₁₁ H ₁₀ ClON	269 270	Liquid 43	Friedländer	B., 15, 2684	
"	"	"	150	"	"	
Crotonic-chloralbenzamide	CCl ₃ .C ₂ H ₃ .CH(OH).NHBz	C ₁₁ H ₁₀ Cl ₃ O ₂ N	66	Pinner	A., 179, 21	29, 549
Quinoline + chloral + H ₂ O	CCl ₃ .CH.O.NC ₉ H ₇ .H ₂ O	"	66	Rhousopoulos	B., 16, 882	
Butyrochloralbenzamide	CCl ₃ .C ₃ H ₇ .CH(OH).NHBz	C ₁₁ H ₁₈ Cl ₃ O ₂ N	132-133	Schiff & Tassinari	B., 10, 1785	34, 23
Ethylie tolamidodichloracetate	Me.(NH.CCl ₂ .CO ₂ Et)=1.4	C ₁₁ H ₁₃ Cl ₂ O ₂ N	59-60	Klinger	A., 184, 287	31, 712
Diethamidobenzoyl chloride	C ₆ H ₄ .NEt ₂ .COCl	C ₁₁ H ₁₃ ClON	70	Smith	41, 185
COCl ₂ on diethamido-naphthalene	"	225 d.	"	"
Trichlorethyliden-ethoxy-toluidine	CCl ₃ .CH(OEt).NH.C ₆ H ₄ Me =1.4	C ₁₁ H ₁₄ Cl ₃ ON	76-77	Wallach	B., 5, 254 ; A., 173, 280	25, 611 ; 28, 350 ; vii., 311, 1179
Isobutoxybenzamidine + HCl	Ph.C(OBu β):NH ₂ Cl	C ₁₁ H ₁₆ ClON	135 d.	Pinner and Klein	B., 10, 1892	
Ethylhydrazinhydro-cinnamic acid + HCl	NH ₂ Cl.NEt.C ₆ H ₄ .(CH ₂) ₂ .CO ₂ H=1.2	C ₁₁ H ₁₇ ClO ₂ N ₂	146	Fischer & Kuzel	B., 16, 1453	44, 1132
Amidoethoxyphenyl-urethane + HCl	OEt.NH ₂ Cl.(NH.CO ₂ Et) =1.?.4	C ₁₁ H ₁₇ ClO ₃ N ₂	155-156	Köhler	J. p. [2], 29, 257	46, 1160
Dimethoxybenzenetrimethanmonium chloride	(OMe) ₂ .(NMe ₃ Cl)=1.4.5	C ₁₁ H ₁₈ ClO ₂ N	172	Baessler	B., 17, 2122	46, 1330
Diamidoethoxyphenyl-urethane + HCl	OEt.(NH ₂) ₂ .(NH.CO ₂ Et) =1.(?) ₂ .4	C ₁₁ H ₁₈ ClO ₃ N ₃	238	Köhler	J. p. [2], 29, 257	46, 1161
Chlorisovaleral-diurethane	C ₄ H ₉ Cl.CH(NH.CO ₂ Et) ₂	C ₁₁ H ₂₁ ClO ₄ N ₂	130	Bischoff	B., 7, 634	27, 891
Triamidoethoxyphenyl-urethane + 3HCl	OEt.(NH ₂ Cl) ₃ .(NH.CO ₂ Et) =1.(?) ₃ .4	C ₁₁ H ₂₁ Cl ₃ O ₃ N ₄	233	Köhler	J. p. [2], 29, 257	46, 1161
Dinitrodichlorodiphenyl	C ₁₂ H ₆ Cl ₂ O ₄ N ₂	140	A., 207, 340	
Tetrachlorazoxybenzene	ON ₂ (C ₆ H ₃ Cl ₂) ₂ =(1.2.5) ₂	C ₁₂ H ₆ Cl ₄ ON ₂	141	Laubenheimer	B., 7, 1601	28, 759
"	"	"	141.5	"	B., 8, 1627	
"	"=(1.3.5) ₂	"	171-172	Beilstein and Kurbatow	A., 197, 84 ; B., 11, 2057	38, 231
Nitrochlorquinoneanilide ...	Cl.NO ₂ .NPh : O ₂ =1.(4 or 6).3.2.5	C ₁₂ H ₇ ClO ₄ N ₂	206-208	Guareschi and Dacomo	B., 18, 1172	48, 891
Nitrodichlorazobenzene	C ₆ H ₄ Cl.N ₂ .C ₆ H ₃ Cl.NO ₂ =4.1 ; 1.4.?	C ₁₂ H ₇ Cl ₂ O ₂ N ₃	210	Calm and Heumann	B., 13, 1184	38, 880
Nitrodichlorazoxybenzene	C ₆ H ₄ Cl.N ₂ O.C ₆ H ₃ Cl.NO ₂ =4.1 ; 1.4.?	C ₁₂ H ₇ Cl ₂ O ₃ N ₃	133-134	" "	B., 13, 1185	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrodichlorazoxybenzene	$C_6H_4Cl.N_2O.C_6H_3Cl.NO_2$ =4.1; 1.4.?	$C_{12}H_7Cl_2O_3N_3$	134	Heumann	B., 5, 912	26, 168; vii., 150
Trichlorazophenol....	fr. $N_2(C_6H_4.OH)_2=(1.2)_2$	$C_{12}H_7Cl_3O_2N_2$	235	Bohn and Heumann	B., 17, 275	46, 1015
Nitrosnitrochloridiphenylamine	$Cl.NO_2.(NPh.NO)=1.3.? or 1.?.3$	$C_{12}H_9ClO_3N_3$	110.5 u.c.	Laubenheimer	B., 9, 772	30, 295
Dichlorazoxybenzene	$ON_2(C_6H_4Cl)_2=(1.3)_2$	$C_{12}H_8Cl_2ON_2$	sb. 180	97	"	B., 8, 1624	29, 578
"	" "	"	114-115	Schultz	B., 17, 465	46, 903
"	" = (1.4) ₂	"	155	Hofmann and Geyger	B., 5, 916	
(Z. C. [1866], 269)							
"	" "	"	155-156	Heumann	B., 5, 912	26, 167; vii., 150
"	" "	"	156	Willgerodt	B., 14, 2635	42, 396
"	" "	"	156	"	B., 15, 1004	
Dichlorazophenol	$N_2(C_6H_3Cl.OH)_2$	$C_{12}H_8Cl_2O_2N_2$	86	Schmidt & Bennewitz	J. p. [2], 8, 1	27, 260; vii., 904
β -Dichlorquinone-m-nitraniline	$C_6H_2Cl_2O_2 + C_6H_4.NH_2.NO_2$	$C_{12}H_9Cl_2O_4N_2$	112	Niemeyer	A., 228, 322	48, 1066
Nitrochloridiphenylamine	$Cl.NO_2.NHPh=1.3.? or 1.?.3$	$C_{12}H_9ClO_2N_2$	108.5 u. c.	Laubenheimer	B., 9, 772	30, 295
β -Dichlorquinone aniline....	$C_6H_2Cl_2O_2 + Ph.NH_2$	$C_{12}H_9Cl_2O_2N$	154	Niemeyer	A., 228, 322	48, 1066
α - " "	" "	"	180	"	"	"
Tetrachlorquinolaniiline	$C_6Cl_4(OH)_2 + Ph.NH_2$	$C_{12}H_9Cl_4O_2N$	115	"	"	"
Chloracet- α -naphthalide	$C_{10}H_7.NH.CO.CH_2Cl$	$C_{12}H_{10}ClON$	161	Tommasi	C. R., 76, 1267; B. S., 20, 20	26, 1040; vii., 845
Acetylchlor- α -naphthalide	$C_{10}H_6Cl.NHAc$	"	184	Seidler	B., 11, 1201	34, 983
Dimethamido-chlor- α -naphthaquinone	$C_{10}H_4Cl(NMe_2):O_2$	$C_{12}H_{10}ClO_2N$	85	Plagemann	B., 15, 487	42, 974
Ethamido-chlor- α -naphthaquinone	$C_{10}H_4Cl(NHEt):O_2$	"	110	"	B., 15, 485	"
Nitrochlorphenamidoaniline	$C_6H_3Cl(NO_2).NH.C_6H_4.NH_2$ =1.4.5; 1.3	$C_{12}H_{10}ClO_2N_3$	150-151	Laubenheimer	B., 11, 1158	34, 976
Dinitrochlorphenolaniline	$C_6H_2Cl(NO_2)_2.OH + Ph.NH_2$	$C_{12}H_{10}ClO_5N_3$	137	Smith and Pierce	B., 13, 36	38, 392
Trichlorquinolaniiline	$C_6H_2Cl_3(OH)_2 + Ph.NH_2$	$C_{12}H_{10}Cl_3O_2N$	60	Niemeyer	A., 228, 322	48, 1066
Dimethamidophenyltrichlormethylcarbinol acetate	$NMe_2.C_6H_4.CH(OAc).CCl_3$	$C_{12}H_{14}Cl_3O_2N$	84-85	Boessneck	B., 18, 1518	
Ethyllic collidinedicarboxylate + HCl	$C_5NM_2(CO_2Et)(CO_2H) + HCl$	$C_{12}H_{16}ClO_4N$	178 d.	Michael	A., 225, 121	48, 61
Isophthalimidoethylether + 2HCl	$C_6H_4[C(OEt):NH_2Cl]_2=1.3$	$C_{12}H_{18}Cl_2O_2N_2$	a. 270; sf. 255	Luckenbach	B., 17, 1431	46, 1158
Ethyllic aspartate + $\frac{1}{2}$ HCl....	$(CO_2H.CH_2.CH(NH_2).CO_2Et)_2.HCl$	$C_{12}H_{23}ClO_8N_2$	199	Curtius and Koch	B., 18, 1294	48, 885
Nitrobenzoxytrichlornitrobenzene	$(O.CO.C_6H_4.NO_2).Cl_3.NO_2$ =1.2.4.6.5; 1.2	$C_{13}H_5Cl_3O_6N_2$	d. 245	106.1	Daccomo	B., 18, 1165	48, 890
"	" = 1.2.4.6.5; 1.3	"	d. 290	146.3 c.	"	"	"
Nitrobenzoxytrichlornitrobenzene	$(O.CO.C_6H_4.NO_2).Cl_3$ =1.2.4.6; 1.3	$C_{13}H_6Cl_3O_4N$	131-132	"	"	"
Dinitrochloridiphenylamine carboxylic acid	$C_6H_2Cl(NO_2)_2.NH.C_6H_4.CO_2H=4.6.2.1; 1.2$	$C_{13}H_8ClO_6N_3$	254-256	Jourdan	B., 18, 1454	48, 989
" " "	$C_6H_3(NO_2)_2.NH.C_6H_3Cl.CO_2H=4.2.1; 1.4.2$	"	280-282	"	B., 18, 1450	48, 988
Dinitrodichlorcarbanilide	$C_{13}H_8Cl_2O_5N_4$	208-210	B. S., 32, 170	
Nitrochlorbenzanilide	$(CO.NHPh).Cl.NO_2=1.4.3$	$C_{13}H_9ClO_3N_2$	131	Raveill & Hübner	A., 222, 166	46, 601
Chlorbenzitraniilide	$C_6H_4Cl.CO.NH.C_6H_4.NO_2$ =1.2; 1.4	"	180	Wilkens & Rack	"	46, 602
Dichlorbenzanilide	$(CO.NHPh).Cl_2=1.2.3 or 5$	$C_{13}H_9Cl_2ON$	240	"	"	46, 603
Diphenamidocarbonylchloride	$NPh_2.COCl$	$C_{15}H_{10}ClON$	85	Girard and Willm	B. S. [2], 25, 251	30, 99
"	"	"	B., 9, 397	85	Michler	B., 8, 1666	
Chlorbenzanilide	$(CO.NHPh).Cl=1.2$	"	114	Wilkens & Rack	A., 222, 166	46, 602
"	" = 1.4	"	194	Emmerling	B., 8, 882	28, 1261

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diamidochlorhydroacridineketone	$\text{CO.C}_6\text{H}_5\text{Cl.NH.C}_6\text{H}_2(\text{NH}_2)_2$ =2.(4 or 6).1 ; 1.1.2.4	$\text{C}_{13}\text{H}_{10}\text{ClON}_3$	230	Jourdan	B., 18, 1453	48, 989
Nitrochlorphenyltoluidine	$\text{C}_6\text{H}_3\text{Cl}(\text{NO}_2).\text{NH.C}_6\text{H}_4\text{Me}$ =1.4.5 ; 1.4	$\text{C}_{13}\text{H}_{11}\text{ClO}_2\text{N}_2$	124	Laubenheimer	B., 11, 1157	34, 976
Chloranisidine pierate	$\text{OMe.NH}_2.\text{Cl}=1.2.?$	$\text{C}_{13}\text{H}_{11}\text{ClO}_8\text{N}_4$	200 d.	Herold	B., 15, 1686	42, 1287
Amidobenzophenone + HCl	$\text{C}_6\text{H}_4\text{Bz.NH}_3\text{Cl}=1.3$	$\text{C}_{13}\text{H}_{12}\text{ClON}$	187	Geigy and Königs	B., 18, 2401	48, 1236
Diamidochlordiphenylamine carboxylic acid	$\text{C}_6\text{H}_2\text{Cl}(\text{NH}_2)_2.\text{NH.C}_6\text{H}_4.$ $\text{CO}_2\text{H}=4.6.2.1 ; 1.2$	$\text{C}_{13}\text{H}_{12}\text{ClO}_2\text{N}_3$	245 d. ; sf. 235	Jourdan	B., 18, 1455	48, 989
Dinitrodichlordiphenyltrichlorethane	$\text{C}_{14}\text{H}_7\text{Cl}_5\text{O}_4\text{N}_2$	143	Zeidler	B., 7, 1181	28, 148
Chlorphenylphthalimide	$\text{C}_6\text{H}_4 : (\text{CO})_2 : \text{N.C}_6\text{H}_4\text{Cl}$ =1.2 ; 1.4	$\text{C}_{14}\text{H}_9\text{ClO}_2\text{N}$	194-195	Gabriel	B., 11, 2260	38, 323
Chlorbenztrinitrotoluide	$\text{C}_6\text{H}_4\text{Cl.CO.NH.C}_6\text{HMe}$ $(\text{NO}_2)_3=1.2 ; 4.1.2.3.?$	$\text{C}_{14}\text{H}_9\text{ClO}_7\text{N}_4$	239	Schreib	B., 13, 467	38, 557
Chlorbenzdinitrotoluide	$\text{C}_6\text{H}_4\text{Cl.CO.NH.C}_6\text{H}_2\text{Me}$ $(\text{NO}_2)_2=1.2 ; 4.1.3.?$	$\text{C}_{14}\text{H}_{10}\text{ClO}_5\text{N}_3$	228	"	B., 13, 466	"
Benzoyltrichlortoluide	$\text{Me.Cl}_3.\text{NH.Bz}=1.(?)_3.3$	$\text{C}_{14}\text{H}_{10}\text{Cl}_3\text{ON}$	213	A., 187, 279	
Chlorbenznitrotoluide	$\text{C}_6\text{H}_4\text{Cl.CO.NH.C}_6\text{H}_3\text{Me.NO}_2$ =1.2 ; 4.1.3	$\text{C}_{14}\text{H}_{11}\text{ClO}_3\text{N}_2$	139	Schreib	B., 13, 466	38, 557
Benzenylbenzoxime chloride	$\text{Ph.ClCl} : \text{N.O.CH}_2\text{Ph}$	$\text{C}_{14}\text{H}_{12}\text{ClON}$	Liquid	Krüger	B., 18, 1058	48, 896
Chlorbenztoluide	$\text{C}_6\text{H}_4\text{Cl.CO.NH.C}_6\text{H}_4\text{Me}$ =1.2 ; 1.4	"	131	Schreib	B., 13, 465	38, 557
Dichlorazoxytoluene	$\text{ON}_2(\text{C}_6\text{H}_3\text{Me.Cl})_2=(1.2.?)_2$	$\text{C}_{14}\text{H}_{12}\text{Cl}_2\text{ON}_2$	128	Hofmann and Geyger	B., 5, 919	28, 169
Chlorbenzamidotoluide	$\text{C}_6\text{H}_4\text{Cl.CO.NH.C}_6\text{H}_3\text{Me.}$ $\text{NH}_2=1.2 ; 4.1.3$	$\text{C}_{14}\text{H}_{13}\text{ClON}_2$	153	Schreib	B., 13, 467	38, 557
Trichlordimethylaniline amidophenol	$\text{C}_{14}\text{H}_{13}\text{Cl}_3\text{ON}_2$	138-139	J. p. [2], 24, 440	
Benzylamidobenzoic acid + HCl	$\text{CO}_2\text{H}(\text{NH}_2\text{Cl.CH}_2\text{Ph})=1.2$	$\text{C}_{14}\text{H}_{14}\text{ClO}_2\text{N}$	104-106 n.c.	Claus & Glyckherr	B., 16, 1285	44, 1010
Dinitrobenzylamine + HCl	$\text{NH}_2\text{Cl}(\text{CH}_2.\text{C}_6\text{H}_4.\text{NO}_2)_2$	$\text{C}_{14}\text{H}_{14}\text{ClO}_4\text{N}_3$	173	Strakosch	B., 6, 1059	27, 78
"	"	"	212	"	B., 6, 1057	"
δ -dichlordibenzylamine nitrate	$(\text{C}_6\text{H}_4\text{Cl.CH}_2)_2\text{NH.HNO}_3$	$\text{C}_{14}\text{H}_{14}\text{Cl}_2\text{O}_3\text{N}_2$	178	Berlin	A., 151, 141	vi., 338
γ - " "	"	"	193	"	"	"
β - " "	"	"	204	"	"	"
Diethyl pentaachloroethylenedicarboxylate dichloride	$\text{C}_8\text{H}_4\text{Cl}_5(\text{CO}_2\text{Et})_2\text{Cl}_2\text{N}$	$\text{C}_{14}\text{H}_{14}\text{Cl}_7\text{O}_4\text{N}$	149-150	Hantzsch	A., 215, 19	44, 83
KCN on chloracetamide	$\text{C}_{14}\text{H}_{15}\text{Cl}_5\text{O}_5\text{N}_4$	120	Schiff & Speciale	G. I., 9, 325	38, 103
Hydrocotarnine ethochloride	$\text{C}_{12}\text{H}_{15}\text{NO}_3.\text{EtCl}$	$\text{C}_{14}\text{H}_{20}\text{ClO}_3\text{N}$	100	Beckett & Wright	29, 166
Chlorphthalimidylbenzyl	$\text{C}_{15}\text{H}_{10}\text{ClON}$	230-232	Gabriel	B., 18, 1261	48, 903
α -Trichlortetracetdiamidotoluene	$\text{Me.Cl}_3(\text{NAC}_2)_2=1.2.4.5.3.6$	$\text{C}_{15}\text{H}_{16}\text{Cl}_3\text{O}_4\text{N}_2$	220	Seelig	B., 18, 423	48, 770
γ -hydrochloride	$\text{NH}_2\text{ClPh.CH}(\text{OH}).\text{C}_6\text{H}_4.\text{O.}$ $\text{CH}_2.\text{CO}_2\text{H}=1.2$	$\text{C}_{15}\text{H}_{16}\text{ClO}_4\text{N}$	190-191	Rössing	B., 17, 2993	48, 388
Ethyleneamidophenoloxibenzoic acid + HCl	$\text{NH}_3\text{Cl.C}_6\text{H}_4.\text{O.C}_2\text{H}_4.\text{O.C}_6\text{H}_4.$ CO_2H	"	177	Wagner	J. p. [2], 28, 199	48, 436
β -Naphthimidoisobutylether + HCl	$\text{C}_{10}\text{H}_7.\text{C}(\text{NH}_2\text{Cl}).\text{OBu}^\beta$	$\text{C}_{15}\text{H}_{18}\text{ClON}$	140 d.	Pinner and Klein	B., 11, 1487	38, 48
Dichloridibenzylamine carbonate	$(\text{C}_6\text{H}_4\text{Cl.CH}_2.\text{NH}_2)_2\text{CO}_3$ =(1.4) ₂	$\text{C}_{15}\text{H}_{18}\text{Cl}_2\text{O}_3\text{N}_2$	114-115	Jackson and Field	A. C. J., 2, 85	40, 804
Benzylphenyldimethammium chloride	$\text{NPhMe}_2(\text{CH}_2\text{Ph})\text{Cl}$	$\text{C}_{15}\text{H}_{20}\text{ClON}$	110	Michler and Gradmann	B., 10, 2079	34, 300
Chlor- α -naphthoquinone-nitrosoanilide	$\text{C}_{10}\text{H}_4\text{ClO}_2.\text{NH.C}_6\text{H}_4.\text{NO}$ =1.4	$\text{C}_{16}\text{H}_9\text{ClO}_3\text{N}_2$	126	Plagemann	B., 15, 486 ; 16, 896	
Chlor- α -naphthoquinone-nitrilide	$\text{C}_{10}\text{H}_4\text{ClO}_2.\text{NH.C}_6\text{H}_4.\text{NO}_2$ =1.3	$\text{C}_{16}\text{H}_9\text{ClO}_4\text{N}_2$	245	"	B., 15, 485	42, 973
"	"	"	282	"	"	"
Benzochlorquinoline	$\text{C}_9\text{H}_5\text{ClN.Bz}$	$\text{C}_{16}\text{H}_{10}\text{ClON}$	264	Skraup	B., 15, 894	42, 1111

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlor- <i>a</i> -naphthoquinone-anilide	C ₁₀ H ₄ ClO ₂ .NHPh	C ₁₆ H ₁₀ ClO ₂ N	202	Knapp & Schultz	A., 210, 189	42, 511
" "	"	"	207-208	Plagemann	B., 15, 485	42, 973
Trinitrochlorbenzene-naphthalene	C ₁₀ H ₈ +C ₆ H ₂ Cl(NO ₂) ₃ =1.2.4.6	C ₁₆ H ₁₀ ClO ₆ N ₃	95-96	Liebermann and Palm	B., 8, 378	
Dinitrochlorbenzene-naphthalene	C ₁₀ H ₈ +C ₆ H ₃ Cl(NO ₂) ₂ =?1.3	C ₁₆ H ₁₁ ClO ₄ N ₂	78	Willgerodt	B., 11, 603	34, 570
Chlor- <i>a</i> -naphthoquinol-anilide	C ₁₀ H ₄ Cl(OH) ₂ .NHPh	C ₁₆ H ₁₂ ClO ₂ N	170-171	Knapp & Schultz	A., 210, 190	42, 511
?	C ₁₆ H ₁₂ Cl ₂ O ₂ N ₂	110	Loeb	B., 18, 2427	
Trichlorethylidenedibenzamide	CCl ₃ .CH(NHBz) ₂	C ₁₆ H ₁₃ Cl ₃ O ₂ N ₂	257	Hepp and Spiess	B., 9, 1428	31, 314
Dinitrodityltrichlor-ethane	fr. CCl ₃ .CH(C ₆ H ₄ Me) ₂	C ₁₆ H ₁₃ Cl ₃ O ₄ N ₂	121-122	Fischer	B., 7, 1192	28, 154
Anilidobutyranilide + HCl	Ph.NH ₂ Cl.CHMe.CH ₂ .CO. NHPh	C ₁₆ H ₁₉ ClON ₂	206-207	Balbiano	B., 13, 313; G.I., 10, 137	38, 462, 542
Imidodiethylenephenyl-ether + HCl	NH ₂ Cl(C ₂ H ₄ .OPh) ₂	C ₁₆ H ₂₀ ClON	213	Weddige	J. p. [2], 24, 241	40, 1137
Chlor- <i>a</i> -naphthoquinone-nitrotoluide	C ₁₀ H ₄ ClO ₂ .NH.C ₆ H ₄ Me.NO ₂ =1.2.?	C ₁₇ H ₁₁ ClO ₄ N ₂	230	Plagemann	B., 15, 487	42, 973
" "	" =1.4.?	"	236-240	"	"	"
Chlor- <i>a</i> -naphthoquinone-toluide	C ₁₀ H ₄ ClO ₂ .NH.C ₆ H ₄ Me=1.2	C ₁₇ H ₁₂ ClO ₂ N	152	"	B., 15, 487; A., 210, 191	"
" "	" =1.4	"	196	"	"	"
Benzoylhydrochlorcarvoxime	HCl.C ₁₀ H ₁₄ :N.OBz	C ₁₇ H ₂₀ ClO ₂ N	114-115	Goldschmidt and Zürrer	B., 18, 2222	48, 1210
Trichlorcarbazole picrate...	C ₁₂ H ₆ Cl ₃ N+C ₆ H ₂ .OH.(NO ₂) ₃	C ₁₈ H ₉ Cl ₃ O ₇ N ₄	100	Knecht	A., 202, 27	38, 661
Trichlorquinonedim-nitraniline	C ₆ HCl ₃ O ₂ (C ₆ H ₄ .NH ₂ .NO ₂) ₂	C ₁₈ H ₁₃ Cl ₃ O ₆ N ₄	108	Niemeyer	A., 228, 322	48, 1066
<i>a</i> -Dichlorquinonedim-nitraniline	C ₆ H ₂ Cl ₂ O ₂ (C ₆ H ₄ .NH ₂ .NO ₂) ₂	C ₁₈ H ₁₄ Cl ₂ O ₆ N ₄	110	"	"	"
(5th nitrophenol) ₃ + HCl	(C ₆ H ₄ .OH.NO ₂) ₃ .HCl	C ₁₈ H ₁₆ ClO ₉ N ₃	110	Fittica	J. p. [2], 24, 1	42, 51
<i>β</i> -Dichlorquinonedianiline	C ₆ H ₂ Cl ₂ O ₂ (C ₆ H ₅ .NH ₂) ₂	C ₁₈ H ₁₆ Cl ₂ O ₂ N ₂	262	Niemeyer	A., 228, 322	48, 1066
Trichlorquinoldianiline	C ₆ HCl ₃ (OH) ₂ (C ₆ H ₅ .NH ₂) ₂	C ₁₈ H ₁₇ Cl ₃ O ₂ N ₂	67	"	"	"
Dichlorquinoldianiline	C ₆ H ₂ Cl ₂ (OH) ₂ (C ₆ H ₅ .NH ₂) ₂	C ₁₈ H ₁₈ Cl ₂ O ₂ N ₂	112	"	"	"
?	C ₁₈ H ₁₉ Cl ₂ O ₂ N ₂	190	Otto	iv., 737
Chlorquinoldianiline	C ₆ H ₃ Cl(OH) ₂ (C ₆ H ₅ .NH ₂) ₂	C ₁₈ H ₁₉ ClO ₂ N ₂	92	Niemeyer	A., 228, 322	48, 1066
PCl ₅ and POCl ₃ on codeïne	C ₁₈ H ₁₉ Cl ₂ O ₂ N	196-197	Gerichten	A., 210, 110	42, 312
PCl ₅ on codeïne	C ₁₈ H ₂₀ ClO ₂ N	147-148	"	A., 210, 107	"
Chlorcodeïne (A., 77, 368)	C ₁₈ H ₂₀ ClO ₃ N	178	"	A., 210, 114	42, 313
?	C ₁₈ H ₂₃ Cl ₇ O ₇ N ₄	214	Otto	iv., 737
?	C ₁₈ H ₂₆ Cl ₈ O ₇ N ₄	157	"	"
Fluorenepicrylchloride	C ₁₃ H ₁₀ +C ₆ H ₂ Cl(NO ₂) ₃ =1.2.4.6	C ₁₉ H ₁₂ ClO ₆ N ₃	69-70	Liebermann and Palm	B., 8, 378	
Benzoyldichlorodiphenylamine	NBz(C ₆ H ₄ Cl) ₂	C ₁₉ H ₁₃ Cl ₂ ON	149	Claus	B., 14, 2369	
"	"	"	153-154 n.c.	Claus & Schaare	B., 15, 1286	
Methylapocinchene + HCl	C ₁₃ H ₁₆ N.OMe + HCl	C ₁₉ H ₂₀ ClON	198	Comstock and Königs	B., 18, 2381	
Cinchonidine chloride	C ₁₉ H ₂₁ ClON ₂	108-109	"	B., 17, 1987	46, 1383
Hydrochlorapocinchonine	A., 205, 348	C ₁₉ H ₂₃ ClON ₂	197	J. p. [2], 8, 282	
Hydrochlorapocinchonidine	A., 205, 346	"	200	J. p. [2], 8, 283	
Hydrochlorapochinine	A., 205, 341	C ₁₉ H ₂₃ ClO ₂ N ₂	160	J. p. [2], 8, 285	
Dinitroheptachlordin-naphthalene	fr. C ₁₀ H ₅ Cl ₃ .C ₁₀ H ₄ Cl ₄ (?)	C ₂₀ H ₇ Cl ₇ O ₄ N ₂	104-106	Faust and Saame	A., 160, 72; Z. C. [2], 5, 705	25, 65; vi., 847
Dinaphthoquinonechlorimide	O ₂ :C ₁₀ H ₅ .C ₁₀ H ₅ .O.NCl	C ₂₀ H ₁₀ ClO ₃ N	d. 130	85	Hirsch	B., 13, 1910	40, 164
Phenanthrenepicrylchloride	C ₁₄ H ₁₀ +C ₆ H ₂ Cl(NO ₂) ₃ =1.2.4.6	C ₂₀ H ₁₂ ClO ₆ N ₃	88	Liebermann and Palm	B., 8, 378	
Phenanthrenedinitrochlorbenzene	C ₁₄ H ₁₀ +C ₆ H ₃ Cl(NO ₂) ₂ =1.3.5	C ₂₀ H ₁₃ ClO ₄ N ₂	44	Willgerodt	B., 11, 604	34, 570

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibenzoyldichlorazoxybenzene	$O(NBz.C_6H_4Cl)_2$	$C_{26}H_{18}Cl_2O_3N_2$	125	Hofmann and Geyger	B., 5, 917	26, 169 ; vii., 151
Cinchonine benzylechloride	$C_{19}H_{22}ON_2 + Ph.CH_2Cl$	$C_{26}H_{29}ClON_2$	$C_{27}H_{31}ClON_2$	248	Claus & Treupel	B., 13, 2295	40, 290
Nitrocholesterylchloride	$C_{26}H_{42}ClO_2N$	148-149	Preis & Raymann	B., 12, 225	36, 634
Benzoyldichloridi- β -naphthylamine	$NBz(C_{10}H_6Cl)_2$	$C_{27}H_{17}Cl_2ON$	203 u.c.	Claus & Richter	B., 17, 1594	46, 1358
Hydromethylbenzylamine + HCl	$C_{21}H_{18}Me(CH_2Ph)ON_2.HCl$	$C_{29}H_{29}ClON_2$	205	Claus	B., 15, 2327	44, 203
Narceine benzylechloride	$C_{23}H_{29}O_9N + Ph.CH_2Cl$	$C_{30}H_{36}ClO_9N$	162 u.c.	Claus & Ritzfeld	B., 18, 1572	48, 997
Cl on K-nitrocamphor	$C_{30}H_{43}Cl_2O_{11}N_2$	110	Schiff	G. L., 10, 21	40, 439
Ethylenediphenylcarbamide chloride	$CO(NPh.C_2H_4.NPh.COCl)_2$	$C_{31}H_{23}Cl_2O_3N_4$	167	Michler & Keller	B., 14, 2183	42, 182
Benzylcinchoninebenzylechloride	$C_{19}H_{21}(CH_2Ph)ON_2 + Ph.CH_2Cl$	$C_{33}H_{35}ClON_2$	255 d.	Claus & Treupel	B., 13, 2296	40, 290
Ethyleneditolylcarbimide chloride	$CO[N(C_6H_4Me).C_2H_4.N(C_6H_4Me).COCl]_2=(1.4)_4$	$C_{35}H_{36}Cl_2O_3N_4$	155	Michler & Keller	B., 14, 2184	42, 183
?	$C_{32}H_{16}Cl_2O_7(NPh)_3$	$C_{123}H_{96}Cl_2O_7N_3$	228	Piutti	G. L., 14, 470	46, 783
Methylphosphinic chloride	$Me.POCl_2$	CH_3Cl_2OP	163	32	Hofmann	B., 6, 306	26, 884 ; vii., 957
Ethoxyphosphorous chloride	$EtO.PCl_2$	$C_2H_5Cl_2OP$	117	Menschutkin	A., 139, 344	40, 159
" " "	"	"	117.5 c.(768.5)	Thorpe	J. [1876], 205	37, 346
Ethylphosphinic chloride....	$Et.POCl_2$	"	170	Rathke	Z. C. [2], 6, 57	vi., 935
" "	"	"	175	Liquid	Michaelis	B., 13, 2175	40, 159
Dimethylphosphinic chloride	$Me_2PO.Cl$	C_2H_6ClOP	204	66	Hofmann	B., 6, 307	26, 884 ; vii., 957
Epichlorhydrin + PCl_3	$C_3H_5OCl + PCl_3$	$C_3H_5Cl_3OP$	133-140(100)	Hanriot	B. S. [2], 32, 552	38, 457
Dihydroxychloralaldehyde	$(CCl_3.CHO)_2.PH_3$	$C_4H_5Cl_6O_2P$	143	Girard	A. C. [6], 2, 1	46, 1119
?	$C_4H_5Cl_3O.PH_3$	$C_4H_5Cl_3OP$	96	"	"	"
Isobutylphosphinicchloride	$Bu^{\beta}.POCl_2$	$C_4H_9Cl_2OP$	154-156	Rathke	Z. C. [2], 6, 57	vi., 935
" " "	"	"	154-156	J., 19, 487	Menschutkin	A., 139, 347	
?	$C_5H_{10}Cl_3OP$	134-140 (22)	Liquid	Fossek	M. C., 5, 627	48, 504
Isoamylphosphinic chloride	$C_6H_{11}.POCl_2$	$C_6H_{11}Cl_2OP$	173	Rathke	Z. C. [2], 6, 57	vi., 935
" " "	"	"	173	J., 19, 487	Menschutkin	A., 139, 348	
Chlorphenoxyphosphinic chloride	$C_6H_4Cl.O.POCl_2=1.4$	$C_6H_4Cl_3O_2P$	265	Liquid	Kekulé	B., 6, 944	26, 1239 ; vii., 918
Phenylphosphinic chloride	$Ph.POCl_2$	$C_6H_6Cl_2OP$	258	Michaelis & Kammerer	A., 181, 301 ; B., 8, 1306	29, 597
" " "	"	"	260 u.c.	Liquid	Michaelis	B., 6, 818	27, 169
Phenoxyphosphorus dichloride	$PhO.PCl_2$	"	216 p.d.	Liquid	Noack	A., 218, 85	44, 735
Phenoxyphosphinicchloride	$PhO.POCl_2$	$C_6H_5Cl_2O_2P$	241-243	Liquid	Jacobsen	B., 8, 1521	29, 596
Chlorphenylphosphoric acid	$C_6H_4Cl.O.PO(OH)_2=1.4$	$C_6H_6ClO_4P$	80-81	Barbaglia&Kekulé	B., 5, 877 ; 6, 944	26, 278
Diacetonephosphorous chloride	$PCl_3.O.CMe_2.CHAc$	$C_6H_{10}ClO_2P$	235	Liquid	Michaelis	B., 17, 1274	46, 991
" " "	"	"	235 (745)	35-36	"	B., 18, 900	48, 747
" " "	"	"	154 (100)	"	"	"
" trichloride	$PCl_3.O.CMe_2.CHAc$	$C_6H_{10}Cl_3O_2P$	115	"	B., 18, 901	"
?	$C_6H_{16}ClOP$	s. 127.5	Crafts and Silva	24, 637	vii., 954
Chlorcarbonylphenyl phosphoric oxide	$C_6H_4(O.PO_2).COCl=1.2$	$C_7H_4ClO_4P$	181 (11)	80	Anschütz	A., 228, 308	48, 1062
Benzophosphinic chloride....	$C_6H_4(POCl_2).COCl=1.4$	$C_7H_4Cl_3O_3P$	315	83	Michaelis & Panek	B., 14, 408	40, 604
Chlorcarbonylphenylphosphoric dichloride	$C_6H_4(O.POCl_2).COCl=1.2$	$C_7H_4Cl_3O_3P$	168 (11)	Liquid	Anschütz	A., 228, 308	48, 1062
Trichlortolylphosphinicacid	$C_6HCl_3Me.PO(OH)_2=(?)_3.1.4$	$C_7H_6Cl_3O_3P$	190.5	Michaelis and Lange	B., 8, 1315	29, 393
Tolylphosphinic chloride	$C_6H_4Me.(POCl_2)=1.4$	$C_7H_7Cl_2OP$	284-285	Liquid	Michaelis & Panek	A., 212, 217	42, 960

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Chlor- β -naphtholphosphoric acid	$C_{10}H_6ClO.PO(OH)_2$	$C_{10}H_8ClO_4P$	205	Claus and Zimmermann	B., 14, 1483	40, 915
Diphenoxyphosphorus chloride	$(PhO)_2PCl$	$C_{12}H_{10}ClO_2P$	295 (731)	Liquid	Noack	A., 218, 85	44, 735
Phenoxyphenylphosphinic chloride	$(PhO)PhPOCl$	"	a. 360	Michaelis	"
Diphenoxyphosphinic chloride	$(PhO)_2POCl$	$C_{12}H_{10}ClO_3P$	314-316(272)	Jacobsen	B., 8, 1522	29, 596
Phenoxydiphenylbenzylphosphonium chloride	$Ph.CH_2.PPh_2Cl.OPh$	$C_{25}H_{22}ClOP$	sf. 194	232-236 p.d.	Michaelis & Coste	B., 18, 2116	48, 1215
α -Distearyl glycerol phosphinic chloride	$C_2H_5(OSt)_2.O.POCl_2$	$C_{39}H_{75}Cl_2O_6P$	24	Hundeshagen	J. p. [2], 28, 219	46, 281
Phosphosantonin chloride....	$PO(C_{15}H_{15}O_3Cl)_3$	$C_{45}H_{45}Cl_3O_{10}P$	198	Cannizzaro and Carnelutti	G. I., 10, 459 ; J. [1880], 895	40, 286
Arsenic trichloride + alcohol	$AsCl_3 + C_2H_5.OH$	$C_2H_6Cl_3OAs$	148	Liquid	Luynes	C. R., 50, 831	vi., 217
Phenylarsinic chloride (A., 201, 202)	$Ph.AsOCl_2$	$C_6H_5Cl_2OAs$	d. 120	100	Michaelis	B., 10, 625	32, 452
Benzoylarsinic chloride	$Ph.CO.AsOCl_2$	$C_7H_6Cl_2O_2As$	157-158	A., 208, 16	
Tolylarsinic chloride	$C_6H_4Me(AsOCl_2)=1.2$	$C_7H_7Cl_2OAs$?	A., 201, 253	
" "	" =1.4	"	69	"	
Dibenzylarsinedihydroxychloride	$(Ph.CH_2)_2AsCl(OH)_2$	$C_{14}H_{16}ClO_2As$	128	Michaelis & Pätow	B., 18, 43	48, 527
Tribenzylarsinehydroxychloride	$(Ph.CH_2)_3AsCl.OH$	$C_{21}H_{22}ClOAs$	162-163	"	B., 18, 44	"
Diphenyldichlorarsenic oxide	$O(AsCl_2Ph)_2$	$C_{24}H_{20}Cl_4OAs_2$	117	Coste & Michaelis	B., 11, 1886 ; A., 201, 230	36, 162
?	$SbCl_5 + CH_3.OH$	CH_4Cl_5OSb	d. 130	81	Carleton Williams	B., 9, 1135	30, 465
?	$SbCl_5 + C_2H_5.OH$	$C_2H_6Cl_5OSb$	d. on boiling	66-67	"	"	30, 463
?	$SbCl_5 + (C_2H_5)_2O$	$C_4H_{10}Cl_5OSb$	68-69	"	"	30, 466
Ethylenechlorthiocyanate	$C_2H_4Cl(S.CN)$	C_3H_4ClSN	202-203	Liquid-20	James	J. p. [2], 20, 352 ; 26, 378	35, 808
Thiocyanethylsulphinchloride	$C_3H_6ClS_2N$	a. 100	A., 153, 311	
α -Chlorallylthiocyanate (id. with following ?)	$CH_2 : CCl.CH_2.S.CN(?)$	C_4H_4ClSN	180-181	Liquid	Henry	C. R., 95, 849 ; B., 15, 3085	44, 173
Chlorallylcarbimide	$C_3H_4Cl.N : CS$	"	185	Liquid	"	B., 5, 188	25, 479 ; vii., 50
α -Chlorallylthiocarbamide	$CH_2 : CCl.CH_2.NH.CS.NH_2$	$C_4H_7ClSN_2$	90-91	"	"	vii., 50
" "	"	"	90	"	C. R., 95, 849	44, 174
" ?	$C_6H_5Cl.N : N.S$	$C_6H_5ClSN_2$	103.5	Beilstein and Kurbatow	A., 197, 82 ; B., 11, 2057	36, 231
Amidochlorphenylmercaptan	$SH.Cl.NH_2=1.2.4$	C_6H_6ClSN	129 ; 130	Albert	B., 14, 1435, 1438	40, 902
Methenylamidothiophenol chloride	$C_6H_4.N : CCl.S=1.2$	C_7H_4ClSN	248	Liquid	Hofmann	B., 12, 1127	
" " "	" " "	"	248	24	"	B., 13, 8-9	
Chlorphenylthiocarbimide	$C_6H_4Cl.(N : CS)=1.3$	"	249-250	Liquid	"	B., 13, 14	38, 388
" " "	" =1.2	"	249-250	44-45	"	"	"
" " "	" =1.4	"	40	Losanitsch	B., 5, 156	25, 511 ; vii., 1118
" " "	" " "	"	249-250	44.5	Hofmann	B., 13, 13	38, 388
" " "	" " "	"	45-47	Beilstein and Kurbatow	A., 176, 51 ; B., 7, 1490	28, 1200
Phenylthiocarbazine + HCl	$C_7H_6SN_2 + HCl$	$C_7H_7ClSN_2$	240	Fischer and Besthorn	A., 212, 316	42, 1094
Chlorbenzyl thiocyanate	$C_6H_4Cl.(CH_2.S.CN)=1.4$	C_8H_6ClSN	17	Jackson & Field	A. C. J., 2, 85 ; B., 11, 905	40, 804
Benzylthiocarbamide + HCl	$Ph.CH_2.S.C(: NH).NH_3Cl$	$C_8H_{11}ClSN_2$	166-168	Bernthsen and Klinger	B., 12, 574	36, 651

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Azothiodichlordithiophenol	$\text{SN}_2(\text{C}_6\text{H}_3\text{Cl.SH})_2$	$\text{C}_{12}\text{H}_3\text{Cl}_2\text{S}_3\text{N}_2$	147	Beilstein and Kurbatow	B., 11, 2057; A., 197, 80	36, 231
Isophthalimidothioethyl-ether + HCl	$\text{C}_6\text{H}_4[\text{C}(\text{SEt}) : \text{NH}_2\text{Cl}]_2=1.3$	$\text{C}_{12}\text{H}_{18}\text{Cl}_2\text{S}_2\text{N}_2$	yellow 175	190	Luckenbach	B., 17, 1435	48, 1158
Dichlordiphenylthiocarbamide	$\text{CS}(\text{NH.C}_6\text{H}_4\text{Cl})_2=(1.3)_2$	$\text{C}_{13}\text{H}_{10}\text{Cl}_2\text{SN}_2$	121-122	Hofmann	B., 13, 14	38, 388
"	" = (1.2) ₂	"	145-146	"	"	"
"	" = (1.4) ₂	"	166	Losanitsch	B., 5, 156	25, 510; vii., 944
"	" "	"	168	Hofmann	B., 13, 13	38, 388
"	" "	"	168	Beilstein and Kurbatow	A., 176, 47; B., 7, 1489	28, 1200
Tolylimidotolylcarbaminethiomethyl + HCl	$\text{C}_6\text{H}_4\text{Me.NH}_2\text{Cl.C}(\text{N.C}_6\text{H}_4\text{Me}).\text{SMe}=(1.4)_2$	$\text{C}_{16}\text{H}_{19}\text{ClSN}_2$	173	Will and Bielschowski	B., 15, 1310	
Tolylimidotolylcarbaminethiethylene + HCl	$\text{C}_6\text{H}_4\text{Me.NHCl.C}(\text{N.C}_6\text{H}_4\text{Me}).\text{S.C}_2\text{H}_4=(1.4)_2$	$\text{C}_{17}\text{H}_{19}\text{ClSN}_2$	219	"	B., 15, 1314	
Tolylimidotolylcarbaminethioethyl + HCl	$\text{C}_6\text{H}_4\text{Me.NH}_2\text{Cl.C}(\text{N.C}_6\text{H}_4\text{Me}).\text{SEt}=(1.4)_2$	$\text{C}_{17}\text{H}_{21}\text{ClSN}_2$	180	"	B., 15, 312	
Tetramethdiamidodiphenylthiocarbamide + 2HCl	$\text{CS}(\text{NH.C}_6\text{H}_4.\text{NMe}_2)_2=(1.4)_2$	$\text{C}_{17}\text{H}_{24}\text{Cl}_2\text{SN}_4$	71	Baur	B., 12, 534	36, 628
Ethylthiophosphorus dichloride	EtS.PCl_2	$\text{C}_2\text{H}_5\text{Cl}_2\text{SP}$	172-175	Liquid	Michaelis	B., 5, 7; C. N., 25, 57	vii., 965
Phenylthiophosphinic chloride	Ph.PSCl_2	$\text{C}_6\text{H}_5\text{Cl}_2\text{SP}$	270 d. (o.p.); 205 (130)	Liquid	Köhler and Michaelis	B., 9, 1053; 13, 463	30, 525; 38, 558
Diethylthioarsenic chloride	$(\text{EtS})_2\text{AsCl}$	$\text{C}_4\text{H}_{10}\text{ClS}_2\text{As}$	150 d.	Claesson	B. S. [2], 25, 183	31, 585
Methylic cyanide + PCl_3	MeCN.PCl_3	$\text{C}_2\text{H}_3\text{Cl}_3\text{NP}$	72	Henke	A., 106, 281	ii., 258
Triphenylarsonium chloride	$3(\text{Ph.NH}_2).\text{AsCl}_3$	$\text{C}_{18}\text{H}_{21}\text{Cl}_3\text{N}_3\text{As}$	205-210	90	Schiff	J. p., 89, 226	iv., 474
Triphenylstibonium chloride	$3(\text{Ph.NH}_2).\text{SbCl}_3$	$\text{C}_{18}\text{H}_{21}\text{Cl}_3\text{N}_3\text{Sb}$	80	Schiff	J. p., 89, 226	iv., 474
Diiodobromacrylic acid	$\text{CBrI} : \text{Cl.CO}_2\text{H}$	$\text{C}_3\text{HBrI}_2\text{O}_2$	160	Mabery & Lloyd	A. C. J., 3, 124	40, 1125
" "	$\text{Cl}_2 : \text{CBr.CO}_2\text{H}$	"	182	Homolka & Stolz	B., 18, 2282	48, 1198
Iododibromacrylic acid	$\text{CBr}_2 : \text{Cl.CO}_2\text{H} (?)$	$\text{C}_3\text{HBr}_2\text{IO}_2$	139-140	Mabery & Lloyd	A. C. J., 4, 92	42, 1048
" "	$\text{ClBr} : \text{CBr.CO}_2\text{H}$	"	147	Homolka & Stolz	B., 18, 2282	48, 1198
Iodobromacrylic acid	$\text{C}_2\text{HBrI.CO}_2\text{H}$	$\text{C}_3\text{H}_2\text{BrIO}_2$	96	"	"	"
" "	"	"	110	Hill	B., 12, 660	36, 616
" "	"	"	110	Mabery & Lloyd	A. C. J., 3, 165	40, 1124
Trimethylsulphinedibromide	Me_3SIBr_2	$\text{C}_3\text{H}_9\text{Br}_2\text{IS}$	94-95 p.d.	Dobbin and Mas-son	47, 57
Iododibromtoluidine	$\text{Me.NH}_2.\text{Br}_2.\text{I}=1.2.3.5.4$	$\text{C}_7\text{H}_6\text{Br}_2\text{IN}$	64	Wroblewsky	A., 192, 210; B., 9, 1055	30, 510; 34, 978
Bromphenyltrimethylammonium iodide	$\text{C}_6\text{H}_4\text{Br}(\text{NMe}_3\text{I})=1.3$	$\text{C}_9\text{H}_{13}\text{BrIN}$	201	Wurster and Scheibe	B., 12, 1819	38, 108
" " "	" = 1.4	"	185 d.	"	B., 12, 1819, 1820	"
Brombenzylquinoline diiodide	$\text{C}_9\text{H}_7\text{N.C}_7\text{H}_7\text{Br.I}_2$	$\text{C}_{16}\text{H}_{14}\text{BrI}_2\text{N}$	109-110 u.c.	Claus	B., 18, 1306	48, 908
Dibrom- α -thiophenic acid	$\text{S.CO}_2\text{H.Br}_2=1.2.(?)_2$	$\text{C}_5\text{H}_2\text{Br}_2\text{O}_2\text{S}$	209-211	Peter	B., 18, 544	48, 765
" - α - " "	" "	"	identical (?)	212-213	Bonz	B., 18, 2310	48, 1206
" - α - " "	" "	"	"	220-221	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibrom- β -thiophenic acid	$S.CO_2H.Br_2=1.3.(?)_2$	$C_5H_2Br_2O_2S$	identical (?)	220	Bonz	B., 18, 2306	
" - β - " "	" "	" "	"	222	"	B., 18, 2308	48, 1206
Pentabrombenzenesulphonic acid	$C_6Br_5.SO_3H$	$C_6HBr_5O_3S$	190	A., 181, 226; 191, 205; 197, 306	
Tetrabrombenzenesulphonic acid	$Br_4.SO_3H=6.4.3.2.1$	$C_6H_2Br_4O_3S$	A., 181, 217	melts on Pt.	Reinker	A., 186, 299	32, 464
" "	" =5.4.3.2.1	" "	A., 181, 45	168-169	Spiegelberg	A., 197, 292	36, 801
Tribrombenzenesulphonic acid	$Br_3.SO_3H=1.2.4.5$	$C_6H_3Br_3O_3S$	140	Limpricht	A., 191, 188	34, 493
" "	" "	" "	140	Spiegelberg	A., 197, 282	36, 798
(A., 186, 288, 303)	" "	" "	140	Spiegelberg	A., 197, 282	36, 798
Tribrombenzenesulphonic acid	" "	" "	+3H ₂ O	80	Limpricht	A., 191, 188	34, 493
" "	" =1.3.5.4	" "	145	"	A., 191, 193, 207	
" "	" "	" "	+H ₂ O	100	Reinker	A., 186, 271	32, 461, 466
" "	" "	" "	"	95	Limpricht	A., 191, 193, 207	34, 493
" "	" =1.3.4.5	" "	?	A., 181, 39	
" "	" =1.2.3.5	" "	?	A., 181, 29	
Methylic dibrom- α -thiophenate	$S.CO_2Me.Br_2=1.2.(?)_2$	$C_6H_4Br_2O_2S$	identical (?)	80.5	Bonz	B., 18, 2314	48, 1206
Methylic dibrom- β -thiophenate	" =1.3.(?) ₂	" "	"	80	"	"	"
Dibrombenzenesulphonic acid	$Br_2.SO_3H=1.2.4$	$C_6H_4Br_2O_3S$	anhydrous	66.5-67.5	Spiegelberg	A., 197, 263	36, 797
" "	" "	" "	+3H ₂ O	67.5-68.5	"	"	"
" "	" "	" "	"	57-58	Goslich	A., 186, 145, 148; B., 9, 1860	31, 595; 32, 460
" "	" =1.3.5	" "	A., 181, 25, 201	84-86	Schmitt	A., 120, 129	
(M. C., 2, 193)	" =1.3.4	" "	anhydrous	110	Limpricht	A., 191, 185, 232	34, 493
" "	" "	" "	+xH ₂ O	80	"	"	
" "	" =1.4.5	" "	anhydrous	132	Woelz	A., 168, 81	26, 1142
" "	" "	" "	"	128	Borns	A., 187, 350	32, 768
" "	" "	" "	"	128	Limpricht	B., 8, 1072	29, 82
" "	" "	" "	"	124	"	A., 186, 129, 139	32, 460
(B., 10, 1539)	" "	" "	"	124	"	A., 186, 129, 139	32, 460
" "	" "	" "	+2H ₂ O	117	Hübner & Williams	A., 167, 117; Z. C. [2], 7, 14	24, 1056; 26, 1039; vii., 154
" "	" "	" "	+2H ₂ O	100	Limpricht	B., 8, 1072	29, 82
" "	" "	" "	"	99	"	A., 186, 134	32, 460
" "	" "	" "	"	98	Borns	A., 187, 350	32, 768
" "	" "	" "	"	97	Bahlmann	A., 186, 312, 321	32, 608
" "	" =1.2.3	" "	?	A., 188, 152	
Brombenzenesulphonic acid	$Br.SO_3H=1.2$	$C_6H_5BrO_3S$	B., 7, 1352	?	Richter	R. K. T., 117	
" "	" =1.3	" "	B., 8, 819	?	"	"	
" "	" =1.4	" "	B., 8, 594	88	"	"	
Brombenzoic acid sulphonylbromide	$CO_2H.Br.SO_2Br=?$	$C_7H_4Br_2O_4S$	182-184	Lenep	Z. C. [2], 7, 67	vii., 1114
Trihydrobrombenzoic acid	$CO_2H.Br.SH=1.3.2$ or 6	$C_7H_3Br_2O_3S$	192-194	Frerichs	B., 7, 795	
" "	" = ?	" "	242-243	Lenep	Z. C. [2], 7, 69	24, 371; vii., 1115
" " ...	" =1.3.?	" "	254-256	Upmann and Hübner	Z. C. [2], 6, 295	24, 371; vii., 1115, 1155
Brombenzaldehydesulphonic acid	$COH.Br.SO_2H=1.4.?$	$C_7H_5BrO_3S$	131	Böttinger	A., 191, 26; B., 9, 1784	31, 468; 34, 730
Brombenzoic sulphinic acid	$CO_2H.Br.SO_2H=1.4.?$	$C_7H_5BrO_4S$	slow heat	238-239 d.	"	"	34, 730
" "	" "	" "	quick heat	245-248 d.	"	"	"
Toluenesulphonylbromide	$C_6H_4Me.SO_2Br=1.4$	$C_7H_7BrO_2S$	95-96	Otto	A., 142, 98	v., 859
Bromphenylthioglycollic acid	$C_6H_4Br.S.CH_2.CO_2H$	$C_8H_7BrO_2S$	112	Claesson	B. S. [2], 23, 444	29, 567
Dibromxylenesulphonic acid	$Me_2.Br_2.SO_3H=1.3.4.6.2$	$C_8H_8Br_2O_3S$	165 d.	Jacobsen and Weinberg	B., 11, 1534	36, 61

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromphenylthiohydroxypropionic acid	$C_6H_4Br.S.CMe(OH).CO_2H$ =1.4	$C_9H_9BrO_3S$	114.5	Baumann	B., 18, 263	48, 514
Brombenzoic ethylic sulphonate	$CO_2H.Br.SO_3Et=1.4?$	$C_9H_9BrO_5S$	84	Böttinger	A., 191, 19	34, 730
Bromnaphthalenesulphonylbromide	$Br.SO_2Br=a_1a_2;$	$C_{10}H_6Br_2O_2S$	114.5	B. S. [2], 28, 516	
Bromnaphthalenesulphonic acid	$Br.SO_3H=?\beta$	$C_{10}H_7BrO_3S$	62	Darmstädter and Wichelhaus	A., 152, 305	vi., 861
"	" =?a	"	B. S., 28, 516	104	"	A., 152, 303	"
"	" =a ₁ a ₂ ;	"	"	137-139	"	"	"
"	" "	"	B., 12, 1964	138-139	Otto and Morries	A., 147, 164	
Bromcymenesulphonic acid	$Me.Pr^{\alpha}.Br.SO_3H=1.4.(?)_2$	$C_{10}H_{13}BrO_3S$	130-132	Paterno and Canonzeri	G. I., 11, 124	40, 594
Bromisocymenesulphonic acid	$Me.Pr^{\beta}.Br.SO_3H=1.3.(?)_2$	"	108-109	Kelbe	A., 210, 37	42, 300
Tetrabromoxysulphobenzide	B., 9, 1150	$C_{12}H_6Br_4O_4S$	278-279 d.	A., 172, 41	31, 796
Dibromsulphobenzide	$(C_6H_4Br)_2SO_2=(1.4)_2$	$C_{12}H_8Br_2O_2S$	168	Armstrong	Z. C. [2], 7, 321	24, 174
"	" "	"	168	Nölting	B., 8, 594	
"	" "	"	172	Beckurts & Otto	B., 11, 2065	36, 229
α -Dibromfluorene sulphonic acid	fr. $C_6H_4.CH_2.C_6H_4=(1.2)_2$	$C_{13}H_9Br_2O_3S$	142	Hodgkinson and Matthews	B., 16, 1103	43, 172
Dimethoxydibromsulphobenzide	$(C_6H_3Br.OMe)_2SO_2$	$C_{14}H_{12}Br_2O_4S$	166	A., 172, 48	
Diethoxydibromsulphobenzide	$(C_6H_3Br.OEt)_2SO_2$	$C_{16}H_{16}Br_2O_4S$	183	A., 172, 53	
Sulphotolulylenethylene	$(C_9H_{10}O_2S)_2.Br_3$	$C_{18}H_{20}Br_3O_4S_2$	95	A., 143, 219	
Diisoamyloxydibromsulphobenzide	$(C_6H_3Br.OC_5H_{11})_2SO_2$	$C_{22}H_{28}Br_2O_4S$	100	A., 172, 57	
Tribromnaphthalenedinaphthylsulphoxide	fr. $(C_{10}H_7)_2:S(O):C_{10}H_6$	$C_{30}H_{17}Br_3OS$	182 u.c.	Ekstrand	B., 17, 2602	48, 170
Nitrodibrommethane	$CHBr_2.NO_2$	$CHBr_2O_2N$	155-160 d.	Liquid	Tscherniak	A., 180, 130; B., 7, 920	27, 1152; 29, 901; vii., 894
Nitrobrommethane	$CH_2Br.NO_2$	CH_2BrO_2N	143-144	Liquid	"	"	"
Nitrodibromethylene	$CBr_2:CH.NO_2$	$C_2HBr_2O_2N$	112	Merz and Zetter	B., 12, 2047	38, 114
Tribromacetamide	$CBr_3.CO.NH_2$	$C_2H_2Br_3ON$	119.5-121	Guareschi	G. I., 6, 370	31, 458
"	"	"	119-121	Weidel & Gruber	B., 10, 1149	32, 779
"	"	"	120-121	Guareschi	B., 9, 1436	
Dinitrobrommethane	$CH_3.CBr(NO_2)_2$	$C_2H_3BrO_4N_2$	Liquid-17	Meer	A., 181, 1	30, 186
Acetdibromamide	$CH_3.CO.NBr_2$	$C_2H_3Br_2ON$	100	Hofmann	B., 15, 413	
Dibromacetamide	$CHBr_2.CO.NH_2$	"	150-155	Demole	B., 11, 318	
"	"	"	154	Kessel	B., 11, 2116	
"	"	"	156	Schäffer	B., 4, 369	
" (A., 122, 121)	"	"	156	Steiner	B., 7, 506	27, 886
" (B., 9, 1436)	"	"	156-157	Guareschi	G. I., 6, 370	31, 458
Nitrodibrommethane	$CH_3.CBr_2.NO_2$	$C_2H_3Br_2O_2N$	162-164 u.c.	Liquid	Meyer & Wurster	B., 6, 96; 7, 1313	26, 611
"	165	A., 180, 114	vii., 895
Acetbromamide	$CH_3.CO.NHBr$	C_2H_4BrON	108	Hofmann	B., 15, 408	42, 951
"	"	"	+H ₂ O	70-80	"	"	"
Bromacetamide	$CH_2Br.CO.NH_2$	"	165	Kessel	B., 11, 2117	
Nitrobromethane	$CH_3.CHBr.NO_2$	$C_2H_4BrO_2N$	145-148	Liquid	Meyer & Wurster	B., 6, 95	26, 611; vii., 895
"	"	146-147	Tscherniak	A., 180, 126; B., 7, 918	27, 1152; 29, 901
Bromnitri glycol	$C_2H_4BrO_3N$	164-165	Henry	A. C. [4], 27, 243	
Bromacetylcyanide	$CH_2Br.CO.CN$	C_3H_2BrON	77-79	A., 131, 66	
Tribromacetylcyanamide	$CBr_3.CO.NH.CO.NH_2$	$C_3H_3Br_3O_2N_2$	148	A., 130, 149	v., 960
β -Bromallylic nitrate (B., 5, 452)	$CHBr:CH.CH_2.O.NO_2$	$C_3H_4BrO_3N$	140-150	Liquid	Henry	B. S. [2], 18, 232	
Propiondibromamide	$CH_3.CH_2.CO.NBr_2$	$C_3H_5Br_2ON$	100	Hofmann	B., 15, 754	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrodibromopropane ...	$\text{CH}_3\text{CH}_2\text{CBr}_2\text{NO}_2$	$\text{C}_3\text{H}_5\text{Br}_2\text{O}_2\text{N}$	184-186	Liquid	Meyer and Tscherniak	A., 180, 118; B., 7, 716	27, 982; 29, 902; vii., 897
Propionbromamide ...	$\text{CH}_3\text{CH}_2\text{CO.NHBr}$	$\text{C}_3\text{H}_6\text{BrON}$	80	Hofmann	B., 15, 753	42, 1052
Isonitrobromopropane ...	$\text{Me.CBr(NO}_2\text{).Me}$	$\text{C}_3\text{H}_6\text{BrO}_2\text{N}$	148-150	Liquid	Meyer and Tscherniak	A., 180, 117; B., 7, 715	27, 982; 29, 902; vii., 897
Nitrobromopropane ...	$\text{Me.CH}_2\text{CHBr.NO}_2$	"	155-160	Liquid	"	"	"
"	"	"	160-165	"	A., 181, 19	"
Dibrommaleimide	$\text{C}_2\text{Br}_2:(\text{CO})_2:\text{NH}$	$\text{C}_4\text{HBr}_2\text{O}_2\text{N}$	J. [1877], 706	225	Kisielinski	W. A., 74, 561	34, 43
"	"	"	225	Ciamician and Silber	G. I., 14, 31; B., 17, 556; 18, 1460	46, 1116; 48, 993
Brommaleimide (J. [1877], 706)	$\text{C}_2\text{HBr}:(\text{CO})_2:\text{NH}$	$\text{C}_4\text{H}_2\text{BrO}_2\text{N}$	150-152	Kisielinski	W. A., 74, 561	34, 43
Brommaleinamide ..	$\text{C}_2\text{HBr}(\text{CO.NH}_2)_2$	$\text{C}_4\text{H}_5\text{BrO}_2\text{N}_2$	168-175	"	"	34, 44
Dibromdiacetamide	$\text{C}_4\text{H}_5\text{Br}_2\text{O}_2\text{N}$	A., 133, 141	98	A., 142, 69	"
Amidobromsuccinic acid ...	$\text{C}_2\text{H}_2\text{Br}(\text{NH}_2)(\text{CO}_2\text{H})_2$	$\text{C}_4\text{H}_6\text{BrO}_4\text{N}$	140 u. c.	Claus	B., 15, 1851	"
Erythrodinitrodibromhydrin	$\text{C}_4\text{H}_6\text{Br}_2(\text{O.NO}_2)_2$	$\text{C}_4\text{H}_6\text{Br}_2\text{O}_6\text{N}_2$	75	Champion	C. R., 73, 114; Z. C. [1871], 348	24, 811; vii., 471
Bromalacetamide	$\text{CBr}_3\text{CH(OH).NHAc}$	$\text{C}_4\text{H}_6\text{Br}_3\text{ON}$	158	Jacobsen and Neumeister	B., 15, 601	42, 938
"	"	"	160	Schiff and Tas-sinari	B., 10, 1787	34, 23
Brompropylenecarbamide	$\text{C}_3\text{H}_5\text{Br}:(\text{NH})_2:\text{CO}$	$\text{C}_4\text{H}_7\text{BrON}_2$	120	Andreasch	M. C., 5, 33	46, 733
Dinitrobrombutane	$\text{Me.CH}_2\text{CH}_2\text{CBr(NO}_2)_2$	$\text{C}_4\text{H}_7\text{BrO}_4\text{N}_2$	Liquid	Züblin	B., 10, 2086	34, 285
Dinitrobromisobutane	$\text{CHMe}_2\text{CBr(NO}_2)_2$	"	38	"	B., 10, 2088	"
Nitrodibromisobutane	$\text{CHMe}_2\text{CBr}_2\text{NO}_2$	$\text{C}_4\text{H}_7\text{Br}_2\text{O}_2\text{N}$	180-185	Liquid	Demole	A., 175, 149; B., 7, 792	27, 984; 28, 563; vii., 897
Nitrodibrombutane	$\text{Me.CH}_2\text{CH}_2\text{CBr}_2\text{NO}_2$	"	203-204 c.	Liquid	Züblin	B., 10, 2085	34, 284
Isobutyrobromamide ...	$\text{CHMe}_2\text{CO.NHBr}$	$\text{C}_4\text{H}_8\text{BrON}$	92	Hofmann	B., 15, 755	42, 1052
Nitrobromisobutane	$\text{CHMe}_2\text{CHBr.NO}_2$	$\text{C}_4\text{H}_8\text{BrO}_2\text{N}$	173-175 c.	Liquid	Züblin	B., 10, 2087; A., 175, 148	34, 284
Nitrobrombutane	$\text{Me.CH}_2\text{CH}_2\text{CHBr.NO}_2$	"	180-181 c.	Liquid	"	B., 10, 2085	"
Dibrompropylcarbamide ...	$\text{CH}_2\text{Br.CHBr.CH}_2\text{NH.CO.NH}_2$	$\text{C}_4\text{H}_8\text{Br}_2\text{O}_2\text{N}_2$	109	Andreasch	M. C., 5, 33	46, 732
Bromallylcarbamide + HBr	$\text{CHBr}:\text{CH.CH}_2\text{NH.CO.NH}_3\text{Br}$	"	158	"	"	"
Tribrom α -pyrrolinocarboxylic acid	$\text{C}_4\text{NHBr}_3\text{CO}_2\text{H}$	$\text{C}_5\text{H}_2\text{Br}_3\text{O}_2\text{N}$	d.w.m. 140-150	Ciamician and Silber	G. I., 14, 162; B., 17, 1154	46, 1044; 48, 247
Brompyromucamide	$\text{C}_4\text{HBr.CO.NH}_2$	$\text{C}_5\text{H}_3\text{BrON}$	146	Canzoneri and Oliver	G. I., 15, 113	48, 1144
Bromhydroxypyridine ...	N.OH.Br=1.2. ?	"	206	Pechmann and Welsh	47, 151
Dibromhydroxypyridine ...	$\text{N.OH.Br}_2=1.2.(?)_2$	$\text{C}_6\text{H}_3\text{Br}_2\text{ON}$	206-207	Königs & Geigy	B., 17, 591	46, 1195
Tribromanhydroxypyridine	$\text{C}_6\text{H}_3\text{Br}_3\text{O}_2\text{N}_4$	180 d.	A. C. [5], 11, 388	"
Brom- β -hydroxypyridine...	No. of Br. atoms ?	$\text{C}_5\text{H}_4\text{BrON}$	58	Fischer & Renouf	B., 17, 764	46, 1050
Dibromdimethylmalonamide	$\text{CBr}_2(\text{CO.NHMe})_2$	$\text{C}_6\text{H}_3\text{Br}_2\text{O}_2\text{N}_2$	162	Freund	B., 17, 785	46, 1124
Bromalurethane	$\text{CBr}_3\text{CH(OH).NH.CO}_2\text{Et}$	$\text{C}_5\text{H}_3\text{Br}_3\text{O}_3\text{N}$	132	Bischoff	B., 7, 632	27, 891
Nitrodibromquinone	$\text{C}_6\text{HBr}_2(\text{NO}_2)_2$	$\text{C}_6\text{HBr}_2\text{O}_4\text{N}$	244-246 d.	Guareschi and Dacomo	B., 18, 1174	48, 891
Dinitrotribrombenzene ...	$\text{Br}_3(\text{NO}_2)_2=1.2.4.3.5(?)$	$\text{C}_6\text{HBr}_3\text{O}_4\text{N}_2$	125	Mayer	A., 137, 226	vi., 269
" (J. [1875], 313)	"	"	135.6	Körner	G. I., 4, 305	29, 225
" (J. [1879], 388)	"	"	135.5	Panebianco	G. I., 9, 354	38, 105
" (J. [1875], 313)	" =1.2.3.4.5 or 6	"	162.4	Körner	G. I., 4, 305	29, 226
"	" =1.3.5.2.6	"	187	Jackson	B., 8, 1173	29, 390
" (J. [1875], 317)	"	"	192	Körner	G. I., 4, 305	29, 227
"	"	"	192	Wurster & Beran	B., 12, 1822	38, 106
Nitrotetrabrombenzene ...	$\text{Br}_4\text{NO}_2=1.3.4.5.6$	$\text{C}_6\text{HBr}_4\text{O}_2\text{N}$	26; 60	Limpricht	A., 191, 202	"
"	"	"	88	Mayer	A., 137, 228	vi., 269
"	"	"	96	Richter	B., 8, 1424	29, 390
"	"	"	96	Limpricht	A., 191, 175	34, 495
Diazodibromphenol	$\text{C}_6\text{H}_2\text{Br}_2\text{N}_2\text{O}=(?)_2.1.2$	$\text{C}_6\text{H}_2\text{Br}_2\text{O}_2\text{N}_2$	d. 100	Böhmer	J. p. [2], 24, 460	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diazodibrompheuol	$C_6H_2Br_2N_2O = (?)_{2.1.4}$	$C_6H_2Br_2ON_2$	d. 137	Böhmer	J. p. [2], 24, 453	42, 397
"	" = 2.6.1.4	"	d. 142	"	J. p. [2], 27, 108	
"	" = 2.6.?.1	"	d. 145	"	J. p. [2], 24, 470	42, 398
"	" = 2.6.?.1	"	d. 145	Möhlan	B., 15, 2493	
Dinitrodibrombenzene	$Br_2(NO_2)_2 = 1.4.2.6$	$C_6H_2Br_2O_4N_2$	99-100	Austen	B., 9, 918; A.C.J. [1881], 184	30, 513
"	" = 1.3.(?) ₂	"	117.4	Körner	G. I., 4, 388; J. [1875], 333	29, 228; vii., 916
"	" = 1.2.(?) ₂	"	120	Austen	B., 8, 1183	29, 389
"	" = 1.2.4.6(?)	"	158	"	"	"
"	" = 1.4.2.3(?)	"	159	"	B., 9, 622	30, 406
Nitrotribrombenzene	$Br_3NO_2 = 1.3.4.6$	$C_6H_2Br_3O_2N$	93.5	Körner	G. I., 4, 305	29, 223, 225
(J. [1875], 315)	"	"	95	Mayer	A., 137, 226	29, 390
" (J. [1875], 315)	" = 1.2.3.5	"	111.9; 112	Körner	G. I., 4, 305	29, 217, 226
"	" = 1.3.4.5	"	119.5	"	"	29, 226
"	" = 1.3.5.6	"	124	Reinke	A., 186, 271	32, 462
"	"	"	124-125	Limpricht	A., 191, 175	34, 494, 496
"	"	"	124.5	Jackson	B., 8, 1172	29, 390
"	"	"	124.5	Wurster & Beran	B., 12, 1821	38, 106
"	"	"	125	Limpricht	B., 10, 1540	34, 221
" (J. [1875], 316)	"	"	177 u.c. (11)	125.1	Körner	G. I., 4, 305	29, 227
"	" = 1.3.4.2	"	w. m. 187	"	"	29, 226
Nitrotribromphenol	$OH.Br_3NO_2 = 1.2.4.6.3$	$C_6H_2Br_3O_3N$	85	Linder	B., 18, 614	48, 775
"	"	"	89	Dacomo	B., 18, 1167	48, 890
Pentabrompseudacetylpyrrolone	$C_4Br_3(CO.CHBr_2)NH$	$C_6H_2Br_6ON$	200	Ciamician and Dennstedt	G. I., 13, 455	46, 292
Dinitrobrombenzene	$Br.(NO_2)_2 = 1.3.4$	$C_6H_3BrO_4N_2$	B., 11, 1159	59.4	Körner	G. I., 4, 305; J. [1875], 332	29, 208
"	" = 1.2.4	"	69.5	Andrews	B., 13, 2129	
"	"	"	70.634	Mills	P. R. [1881], 205	
"	"	"	71.5	Spiegelberg	A., 197, 258	36, 796
" (J. [1870], 523)	"	"	72	Kekulé	A., 137, 167	vi., 268
" (J. [1876], 383)	"	"	72	Walker & Zincké	B., 5, 117	vii., 143, 908
"	"	"	72	Zincké & Sintenis	B., 5, 791	26, 167
"	"	"	72	Austen	B., 7, 1250	28, 165
"	"	"	75.2	Körner	G. I., 4, 305	29, 211
"	" = ?	"	87	Austen	B., 8, 1183	29, 389
Dinitrobromphenol	$OH.Br.(NO_2)_2 = 1.4.2.6$	$C_6H_3BrO_5N_2$	71	"	A. C. J., 3, 184; A. J. S. [3], 16, 46	38, 50
"	"	"	75.6	Körner	G. I., 4, 305	28, 521; 29, 228; vii., 916
"	"	"	76	"	G. I., 4, 387	vii., 905, 929
" (J. [1878], 550)	"	"	76	Armstrong	28, 521
"	"	"	78	Petersen	A., 157, 171	24, 252
"	"	"	78	Körner	A., 137, 204	28, 520; 36, 50
" (J. [1877], 548)	"	"	78	Armstrong	B., 7, 922, 924	25, 865; 27, 1164
" (J. [1875], 339)	"	"	81.4; 85.6	Körner	G. I., 4, 305	29, 217, 230
"	" = 1.3.(?) ₂	"	91.5	"	G. I., 4, 387; J. [1875], 340	29, 228, 231; vii., 905, 916, 929
"	" = ?	"	108-110	Fittica	J. p. [2], 28, 176	46, 55
"	"	"	110	Laurent	R. S., 6, 65	iv., 399
"	"	"	110	Petersen	A., 157, 171	24, 252
"	" = 1.2.4.6	"	114-115	Norton and Allan	B., 18, 1996	
"	"	"	115	Hübner and Brencken	B., 6, 172	26, 751
"	"	"	115	Post	B., 7, 335	27, 80
" (J. [1877], 548)	"	"	116	Armstrong	28, 520

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrobromphenol (J. [1876], 448)	OH.Br.(NO ₂) ₂ =1.2.4.6	C ₆ H ₃ BrO ₅ N ₂	117	Armstrong and others	B., 6, 650; 7, 922, 924	25,860; 27,1164; 29, 477; vii., 910, 921
"	" "	"	118	Rennie	41, 224
" (Z.C.[1868], 324)	" "	"	118.2	Körner	G. I., 4, 394; J. [1875], 335, 337	29, 228; vii., 915
Dinitrobromresorcinol	(OH) ₂ .Br.(NO ₂) ₂ =1.3.(?) ₃	C ₆ H ₃ BrO ₆ N ₂	192.5	Typke	B., 16, 555	44, 917
"	" "	"	B., 15, 1101	193	Fevre	C. R., 96, 790	44, 733
Nitrodibrombenzene	Br ₂ .NO ₂ =1.4.5 (?)	C ₆ H ₃ Br ₂ O ₂ N	Liquid	A.C.J. [1881], 184	
"	" =1.2.4	"	296 c.	58	Riese	A., 164, 179; B., 2, 62	25, 304; 26, 64; vi., 263
" (J. [1875], 305)	" "	"	57.8; 58.6	Körner	G. I., 4, 305	29, 218
"	" "	"	58	Meyer	B., 7, 1563	vii., 139
"	" =1.3.4	"	60-61	Meyer and Stüber	B., 4, 960; 5, 52; 7, 1562	25, 304; vii., 139
" (A., 165, 176)	" "	"	61	Wurster and Grabenmann	B., 7, 419	27, 691
"	" "	"	61	Richter	B., 8, 1423	
"	" "	"	61.6	Körner	G. I., 4, 305; J. [1875], 306	29, 217; vii., 916
" (J. [1875], 307)	" =1.3.2	"	82.6	"	G. I., 4, 305	29, 218
" (A., 133, 52)	" =1.4.6	"	83.492	Mills	P. R. [1881], 205	
" (A., 137, 168)	" "	"	84	Couper	25, 304	vii., 139
" (B., 5, 632)	" "	"	84	Riese	A., 164, 176	26, 64
"	" "	"	84	Richter	B., 8, 1422	vi., 263
" (J. [1875], 308)	" "	"	85.4	Körner	G. I., 4, 305	29, 216, 223
" (J. [1877], 424)	" =1.3.5	"	104.5	"	G. I., 4, 390; J. [1875], 307	29, 218; vii., 915
Nitrodibromphenol	OH.Br ₂ .NO ₂ =1.(?) ₂ :3	C ₆ H ₃ Br ₂ O ₃ N	91	Lindner	B., 18, 613	48, 775
" (J. [1877], 548)	" =1.2.4.6	"	117	Armstrong and Brown	B., 7, 923, 924	27, 1164; 28, 521
"	" "	"	117.5	" "	25, 860	vii., 915, 929
"	" "	"	117	Brunck	Z. C. [2], 3, 203	
" (Z.C.[1868], 323)	" "	"	117-117.5	Goldstein	B., 11, 1944	36, 148
"	" "	"	117-118	Körner	J. [1875], 336	24, 252
"	" "	"	119	"	A., 137, 207; Z. C. [2], 21, 148	vi., 912
"	" =1.2.6.4	"	132 n.c.	Armstrong and Brown	25, 860
"	" "	"	141	Brunck	Z. C. [2], 3, 204	vi., 912
"	" "	"	141	Armstrong and Brown	25, 875; 28, 521	vii., 915, 921, 929
"	" "	"	141	Petersen	A., 157, 182	25, 864
"	" "	"	141	Post	B., 7, 331	27, 800
"	" "	"	141	Armstrong and Harrow	J. [1876], 448	29, 477
"	" "	142	Lellmann and Grothmann	B., 17, 2731	48, 266
" (A., 205, 95)	" "	"	144	Post and Brackebusch	B., 7, 169	27, 476
Nitrodibromresorcinol ...	(OH) ₂ .Br ₂ .NO ₂ =1.3.4.6.2	C ₆ H ₃ Br ₂ O ₄ N	117	Weselsky and Benedikt	M. C., 1, 895	40, 727
"	" =1.3.(?) ₃	"	B., 16, 1101	d.w.m. 138	Fevre	C. R. 96, 790	44, 733
"	" =1.3.(?) ₃	"	147	Hazura	M. C. 4, 610	44, 1114
"	" "	"	147	Weselsky	A., 164, 1	25, 1007; vii., 1043
Nitrosotribromoxindole	C ₆ H ₃ Br ₃ O ₂ N ₂	sb. 190	162	vi., 736
Nitrotribromaniline	NH ₂ .Br ₃ .NO ₂ = ?	"	A., 137, 60	?	Griess	P. T. [1864], 709	
"	" =1.(?) ₂ .4.3	"	102.5	Nölting & Collin	B., 17, 266	46, 1013
"	" =1.2.4.6.3	"	102.5	Körner	G. I., 4, 305; J. [1875], 347	29, 210
"	" =1.2.3.4.6	"	161.4	"	"	29, 217

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrotribromaniline	NH ₂ .Br ₃ .NO ₂ =1.2.4.6.3	C ₆ H ₃ Br ₃ O ₂ N ₂	214-215	Remmers	B, 7, 351	27, 697
Nitrobrombenzene	Br.NO ₂ =1.2	C ₆ H ₄ BrO ₂ N	36-39	Richter	B, 4, 461	24, 688
"	"	"	37	"	B, 4, 55	24, 825
"	"	"	250-251	37-38	Hübner and Alsberg	Z. C. [2], 6, 369; A., 156, 316	25, 418; vii., 138, 143
" (B., 6, 1545)	"	"	37-38	Zincke & Walker	B., 5, 115	vii., 908
"	"	"	37-38	Zincke and Sin- tenis	B., 5, 791; 6, 123	26, 640; vii., 947
"	"	"	38	Petersen	B., 6, 373	26, 1133
"	"	"	260-263	39-41.5	Andrews	B., 13, 2128	
"	"	"	41	Wurster	A., 173, 145	26, 758
"	"	"	40; 41	Augustin & Post	B., 8, 1557, 1559	29, 386
" (G. I., 11, 396)	"	"	261 c.	41-41.5	Fittig & Mager	B., 7, 1179	26, 147
" (J. [1875], 302)	"	"	43.1	Körner	G. I., 4, 305	29, 212, 234
" (J. [1863], 423)	=1.3	"	56	Griess	P. T. [1864], 712; J. [1866], 457	iv., 416; vii., 138, 143
"	"	"	56	Richter	B., 4, 462	24, 688, 825
"	"	"	56	Petersen	B., 6, 371, 373	26, 1133
"	"	"	55-56	Wurster	B., 6, 1543; A., 173, 145	27, 369; 26, 757
"	"	"	56	Wurster and Grubenmann	B., 7, 417	27, 691
" (B., 7, 870)	"	"	56	Wurster and Nolting	B., 7, 905	27, 1163
"	"	"	256.5 c.	56	Fittig & Mager	B., 8, 364	
" (J. [1877], 423)	"	"	56	Johnson	B., 10, 1709	34, 142
"	"	"	56.4	Körner	G. I., 4, 305; J. [1875], 302	29, 208, 212, 219
"	=?	"	mixture	b. 90	Couper	A. C. [3], 53, 309; A., 104, 226	i., 543; iv., 416
" (J. [1863], 423)	=1.4	"	120; 125	Griess	J. [1866], 457	24, 687; vi., 921
"	"	"	125	Zincke & Sintenis	B., 6, 123	26, 640
"	"	"	125	Richter	B., 4, 460; 555	24, 825; vii., 907, 925
"	"	"	125	Walker & Zincke	B., 5, 114	25, 418
"	"	"	125	Petersen	B., 6, 371, 373	26, 1133
"	"	"	125	Wurster	B., 6, 1544; A., 173, 145	27, 370; 26, 756
" (A., 137, 166)	"	"	125-126	Griess	P. T. [1864], 712	iv., 416; vii., 138, 143
"	"	"	125.5	Körner	G. I., 4, 305; J. [1875], 302, 327	29, 209, 212, 217
"	"	"	126	Hofmann and Geyger	B., 5, 919	26, 169
"	"	"	126	Augustin & Post	B., 8, 1559	29, 386
" (J. [1876], 370)	"	"	255-256	126-127	Fittig & Mager	B., 7, 1175	28, 147
" (G. I., 11, 396)	"	"	127	Spiegelberg	A., 197, 257	36, 796
Brompyridinemono-(or di- carboxylic acid (?)	"	"	199 d.	Gerichten	A., 210, 79	42, 314
Nitrobromphenol	OH.Br.NO ₂ =1.3.6	C ₆ H ₄ BrO ₃ N	44	Laubenheimer	B., 11, 1160	34, 976
"	=1.4.6	"	87-88	Hübner and Brenken	B., 6, 170	26, 751; vii., 915, 929
"	"	"	88	Körner	G. I., 4, 305; J. [1877], 547	29, 228; vii., 905, 912
"	"	"	88	Armstrong and Brown	25, 865
"	"	"	88	Post	B., 7, 333	27, 800
"	"	"	88	Laubenheimer	B., 11, 1160	34, 976
"	"	"	88	Staedel & Damm	B., 11, 1750	36, 239
" (Z. C. [1868], 323)	"	"	88	Brunck	Z. C. [2], 3, 203	
" (")	=1.2.4	"	102	"	Z. C. [2], 3, 204	vi., 912

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobromphenol	OH.Br.NO ₂ =1.2.4	C ₆ H ₄ BrO ₂ N	102	Armstrong and Brown	25, 865	vii., 915, 928
"	" "	"	102	Post	B., 7, 333	27, 800
"	" =1.3.3	"	110	Pfaff	B., 16, 612, 615	
"	" =1.3.3	"	147	Lindner	B., 18, 612	48, 775
Bromhydroxy nicotic acid	N.OH.Br.CO ₂ H=1.3.3.6	"	296	Pechmann	B., 17, 2399	48, 176
Nitrobromresorcinol	(OH) ₂ .Br.NO ₂ =1.3.3.4	C ₆ H ₄ BrO ₄ N	147	A., 164, 7	
Dinitrobromaniline	NH ₂ .Br.(NO ₂) ₂ =1.2.4.6	C ₆ H ₄ BrO ₄ N ₃	144	Körner	G. I., 4, 394; J. [1875], 350	29, 229; vii., 916
"	" =?	"	153-154	Leymann	B., 15, 1235	
"	" =1.4.(?) ₂	"	160	Austen	B., 9, 919	30, 513
"	" =?	"	165-170	"	B., 8, 1183	29, 389
" (J. [1875], 333)	" =?	"	178.4	Körner	G. I., 4, 305	29, 231
Nitrodibromaniline	NH ₂ .Br ₂ .NO ₂ =1.1.4.?	C ₆ H ₄ Br ₂ O ₂ N ₂	75	Austen	B., 9, 622	30, 406
"	" =1.2.4.6	"	123	Remmers	B., 7, 349	27, 697
"	" "	"	127.3	Körner	G. I., 4, 394; J. [1875], 347	29, 210, 219, 229; vii., 915
"	" =1.2.6.4	"	202.5	"	"	"
"	" "	"	202-203	Balbiano	G. I., 14, 9	46, 1172
"	" "	"	203-204	Hübner	B., 10, 1709	34, 142
"	" "	"	204	Wurster & Nölting	B., 7, 1564	29, 389
"	" "	"	206-207	Losanitsch	B., 15, 474	42, 955
Nitroethylnitrofur- furanedibromide	C ₆ H ₄ Br ₂ O ₆ N ₂	110-111	Priebs	B., 18, 1362	48, 971
Amidotribromphenol	OH.Br ₃ .NH ₂ =1.2.4.6.3	C ₆ H ₄ Br ₃ ON	115	Dacomo	B., 18, 1168	48, 891
Tribromacetopyrrolone	"	179	Ciamician and Silber	B., 18, 1765	48, 1078
Methylic tribrom- α -pyr- rolinecarboxylate	C ₄ NHBr ₃ .CO ₂ Me	C ₆ H ₄ Br ₃ O ₂ N	209-210	"	B., 17, 1153; G. I., 14, 162	46, 1044; 48, 247
Nitrobromaniline	NH ₂ .Br.NO ₂ =1.2.4	C ₆ H ₅ BrO ₂ N ₂	104.5	Meyer and Wurster	B., 5, 633; 6, 1542	25, 1003; 27, 369; vii., 144
"	" "	"	104.5	Hübner & Johnson	B., 10, 1709	
" (J. [1875], 305, 350)	" "	"	104.5	Körner	G. I., 4, 305	29, 219
" (A., 171, 59)	" =1.4.2	"	110	Hübner & Retschy	B., 6, 796	26, 1146
" (J. [1875], 328, 347)	" "	"	111.4	Körner	G. I., 4, 305	29, 217, 220
"	" "	"	112	Remmers	B., 7, 347	27, 696
" (A., 209, 357)	" "	"	112	Wurster & Nölting	B., 7, 906	27, 1164
"	" =1.4.5	"	131-132	Nölting & Collin	B., 17, 266	46, 1013
"	" =1.3.6	"	149-150	Wurster	B., 6, 1544; A., 173, 145	27, 370; 28, 756
"	" "	"	150	Wurster and Grubenmann	B., 7, 419	27, 691
" (J. [1875], 307, 333, 348)	" "	"	151.4	Körner	G. I., 4, 305	29, 209, 217
Bromnitrosooxindole	"	nf. 240	vi., 736
Amidodibromphenol	OH.Br ₂ .NH ₂ =1.2.4.6	C ₆ H ₄ Br ₂ ON	91-92	Hölz	J. p. [2], 32, 65	48, 1211
"	" =1.(?) ₂ .4	"	178	Böhmer	J. p. [2], 24, 470	42, 398
"	" "	"	180	Mohlau	B., 16, 2850	46, 594
"	" =1.2.6.4	"	190	Lellmann and Grothmann	B., 17, 2731	48, 266
Dibrompseudacetylpyr- rolone	C ₄ HBr ₂ Ac:NH	"	143-144	Ciamician and Dennstedt	G. I., 13, 455	46, 291
Dibrommethoxy pyridine	N.OMe.Br ₂ =?	"	192	Hofmann	B., 12, 987	36, 733
"	" "	"	192	Lieben and Haitinger	B., 17, 1507	46, 1196
"	" "	"	196	"	M. C., 6, 279	48, 966
Amidobromphenol	OH.Br.NH ₂ =1.4.6	C ₆ H ₆ BrON	128	Schütt	J. p. [2], 32, 61	48, 1211
"	" =1.2.4	"	158 u.c.	Hölz	J. p. [2], 32, 65	"
Brompseudacetylpyrrolone	C ₄ H ₂ BrAc:NH	"	118-120	Ciamician and Dennstedt	G. I., 13, 455	46, 291

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobromdiamidobenzene	(NH ₂) ₂ .Br.NO ₂ =1.3.5.2	C ₆ H ₆ BrO ₂ N ₃	d.w.m. 163 ; sf. 163	Körner	G. I., 4, 305 ; J. [1875], 353	29, 227
"	" =1.4.2.5	"	nf. 156	"	"	"
Dimethyldibrombarbituric acid	CO : (NMe.CO) ₂ : CBr ₂	C ₆ H ₆ Br ₂ O ₃ N ₂	175-180	Mulder	B., 12, 467	36, 619
Nitrate of bromoxy-base	C ₇ H ₇ BrON ₂ +HNO ₃	C ₇ H ₇ BrO ₄ N ₃	158 d.	Keller	J. p. [2], 31, 363	48, 961
Tetranitrodibromdulcitol....	C ₆ H ₄ Br ₂ (NO ₂) ₄ (OH) ₄	C ₆ H ₄ Br ₂ O ₁₂ N ₄	100	A. C. [4], 27, 193	
Tetranitrodibrommannitol	"	"	148	Bouchardat	A. C. [5], 6, 127 ; B. S. [2], 19, 199	26, 748
Dibromdipropionamide	NH(CO.C ₂ H ₄ Br) ₂	C ₆ H ₉ Br ₂ O ₂ N	148	A., 142, 71	
Nitrodibrombenzoic acid....	CO ₂ H.Br ₂ .NO ₂ =1.3.5.6	C ₇ H ₃ Br ₂ O ₄ N	162	Hübner and An- gerstein	A., 158, 13	24, 365 ; vii., 162
"	" =1.3.4.6	"	162	Hübner	B., 10, 1706	34, 149
"	" "	"	162	Smith	A., 222, 166	46, 601
"	" =1.3.5.6	"	233-234	Hesemann and Kochler	"	46, 600
Dinitrotribromtoluene	Me.Br ₃ (NO ₂) ₂ =1.2.4.6.3.5	C ₇ H ₃ Br ₃ O ₄ N ₂	217-220	Neville & Winther	B., 13, 975	37, 451
Nitrotetrabromtoluene	Me.Br ₄ .NO ₂ =1.2.3.4.5.6	C ₇ H ₃ Br ₄ O ₂ N	212	"	"
"	" =1.2.3.5.6.4	"	213	"	"
"	" =1.2.3.4.6.5	"	215-216	"	"
Bromphenylic cyanate	C ₆ H ₄ Br.(O.CN)=1.4	C ₆ H ₄ BrON	226	39	Dennstedt	B., 13, 228	38, 633
Nitrobrombenzoic acid	CO ₂ H.Br.NO ₂ =1.3.6	C ₇ H ₄ BrO ₄ N	139-140	A., 143, 234 ; 149, 132	
"	" "	"	140	Hübner & Fried- burg	A., 158, 29	24, 366 ; vii., 162
"	" "	"	140-141	Philipp	vi., 315
"	" =1.3.5	"	161	Hesemann and Kochler	A., 222, 166	46, 599
"	" =1.2.5	"	177-178	Burghard	B., 8, 560	28, 892
"	" "	"	179-180	Rhalis	A., 198, 109	38, 119
"	" =1.4.5	"	195	Hübner and Ohly	Z. C. [2], 1, 547 ; 2, 241	vi., 316
"	" "	"	197-199	Bedson	B., 10, 531	32, 482 ; 37, 97
"	" "	"	199	Hübner and Ohly	A., 143, 248	vi., 315
"	" "	"	199	Burghard	B., 8, 558	28, 892
"	" "	"	199	Raveill & Hübner	B., 10, 1707 ; A., 222, 166	46, 601
"	" =1.3.2	"	246-248	Hübner and Ohly	A., 143, 238	vi., 315
"	" "	"	250	Hübner & Fried- burg	A., 158, 29	24, 366 ; vii., 162
Nitrobromsalicylic acid	CO ₂ H.OH.Br.NO ₂ =1.2.5.3	C ₇ H ₄ BrO ₅ N	175	Lellmann and Grothmann	B., 17, 2729	48, 265
"	" =1.2.3.5	"	222	"	B., 17, 2725	"
Dinitrodibromtoluene	Me.Br ₂ (NO ₂) ₂ =1.3.5.2.?	C ₇ H ₄ Br ₂ O ₄ N ₂	105	Neville & Winther	B., 13, 967	37, 437
"	" =1.3.5.2.?	"	157.6-158	"	"	"
"	" =1.2.6.3.?	"	161.6-162.2	"	B., 13, 973	37, 446, 451
Nitrotribromtoluene	Me.Br ₃ .NO ₂ =1.2.3.6.?	C ₇ H ₄ Br ₃ O ₂ N	91-91.4	"	37, 451
"	" =1.2.3.5.?	"	95-170 (?)	"	"
"	" =1.2.5.6.4	"	105.8-106.8	"	B., 14, 418	39, 86
"	" =1.2.3.4.?	"	106-107	"	37, 451
"	" =1.2.3.6.?	"	215	Wroblewsky	A., 168, 195 ; Z. C. [2], 7, 271	24, 1062 ; 27, 54
Amidotribrombenzoic acid	CO ₂ H.Br ₂ .NH ₂ =1.2.4.6.3	"	169 d.	Beilstein and Geitner	Z. C. [2], 1, 505 ; A., 139, 6	vi., 317
"	" "	"	170.5	Vollbrecht	B., 10, 1708	
Nitrosomethylnitrobrom- benzene	(CH ₂ .NO).Br.NO ₂ =1.4.6	C ₇ H ₅ BrO ₃ N ₂	151-153	Gabriel & Meyer	B., 14, 827	40, 730
Dinitrobromtoluene	Me.Br.(NO ₂) ₂ =1.3.2.?	C ₇ H ₅ BrO ₄ N ₂	103-104	Grete	A., 177, 258 ; B., 8, 567	28, 888 ; 29, 72
Dinitrobrommethoxy- benzene	OMe.Br.(NO ₂) ₂ =1.2.4.6	C ₇ H ₅ BrO ₅ N ₂	47	Balbiano	G. I., 14, 234	48, 530

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrobrommethoxybenzene	OMe.Br.(NO ₂) ₂ =1.3.(?) ₂	C ₇ H ₅ BrO ₅ N ₂	109.4	Körner	G. I., 4, 305; J. [1875], 341	29, 231; vii., 916, 929
Dibrombenzamide....	(CO.NH ₂).Br ₂ =1.3.4	C ₇ H ₅ Br ₂ ON	151-152	Burghard	B., 8, 560	28, 892
"	"	"	151.5	Beutnagel	A., 222, 166	46, 601
Nitrobenzylidene dibromide	CHBr ₂ .NO ₂ =1.4	C ₇ H ₅ Br ₂ O ₂ N	A., 185, 268	82-82.5	Wachendorff	B., 9, 1346	31, 207
"	" =1.3	"	A., 185, 279	101-102	"	B., 9, 1347	"
Nitrodibromtoluene	Me.Br ₂ .NO ₂ =1.2.3.4 or 6	"	56.5-57.5	Neville & Winther	37, 435	39, 86
" (J. [1870], 528; [1871], 450)	"	"	59	Wroblewsky	A., 168, 188; Z. C. (2), 7, 209	24, 686; 27, 54; vii., 1165
"	" =1.2.6.4	"	56.8-57	Neville & Winther	37, 445	39, 86
"	" =1.3.4.5	"	62-63.6	"	B., 13, 974	37, 447; 39, 86
" (B., 14, 419)	" =1.2.5.3	"	69.5-70	"	"	"
"	" =1.2.6.3	"	79	Wroblewsky	A., 168, 192; Z. C. (2), 7, 271	24, 1062; 27, 54; vii., 1165
"	" =1.2.4.6 (?)	"	78-80	Neville & Winther	37, 443, 451
"	"	"	80-81	"	39, 86
"	" =1.3.4.2	"	86.6-87.5	"	B., 14, 419	37, 451; 39, 86
"	"	"	86-87	Wroblewsky	A., 168, 184	27, 53; vii., 1165
" (J. [1870], 528; [1871], 450)	" =1.2.5.4	"	86-87	"	A., 168, 147; Z. C. (2), 7, 135	24, 564; 27, 53; vii., 1165
"	"	"	87; 88-89	Neville & Winther	B., 13, 974	37, 445, 451
"	"	"	87-89	"	B., 14, 419	39, 86
"	" =1.2.3.5	"	105.4	"	B., 13, 965	37, 434
"	" =1.3.5.4	"	124	Wroblewsky	A., 168, 189; Z. C. (2), 7, 209	24, 686; 27, 54; vii., 1165
"	" =1.(?) ₂ .6	"	225-226	Wachendorff	B., 9, 1347	31, 207
"	" =1.3.4.6	"	?	Neville & Winther	B., 14, 417, 419	
Amidodibrombenzoic acid	CO ₂ H.Br ₂ .NH ₂ =1.3.5.6	"	196	Hübner	A., 158, 16; Z. C. (2), 7, 65	24, 365; vii., 162
"	" =1.3.4.6 or 2	"	225	"	B., 10, 1706	34, 149
" (A., 185, 281) acid	"	"	225	Greiff	B., 13, 289	36, 648
"	"	"	225	Wachendorff	A., 185, 281	
"	"	"	225	Smith	A., 222, 166	46, 602
"	" =1.3.5.6	"	225	Hessemann and Köchler	"	46, 600
"	" =1.3.5.4	"	?	A., 139, 1	
Nitrodibrommethoxybenzene	OMe.Br ₂ .NO ₂ =1.2.4.6	C ₇ H ₅ Br ₂ O ₃ N	76.7	Körner	G. I., 4, 393; J. [1875], 337	29, 229; vii., 915, 929
"	" =1.2.6.4	"	122.6	"	"	"
"	"	"	122-123	Balbiano	G. I., 14, 9	46, 1172
"	"	"	126-127	A., 217, 70	
Nitrodibromcresol	Me.OH.Br ₂ .NO ₂ =1.4.(?) ₂ .6	"	A., 215, 89	83	Knecht	B., 15, 1071	42, 969
"	" =1.2.(?) ₂ .4	"	91-92	Nölting & Collin	B., 17, 270	46, 1007
Nitrodibromorcinol	Me.(OH) ₂ .Br ₂ .NO ₂	C ₇ H ₅ Br ₂ O ₄ N	112 d.	Weselsky	B., 7, 444	27, 694
"	" =1.3.5.2.(?) ₂	"		"	"	"
Formobromanilide	C ₆ H ₄ Br.(NH.CHO)=1.4	C ₇ H ₆ BrON	119	Dennstedt	B., 13, 234	38, 634
Brombenzamide	C ₆ H ₄ Br.(CO.NH ₂)=1.3	"	150	Engler	B., 4, 707	24, 924
Nitrobenzylbromide	CH ₂ Br.NO ₂ =1.3	C ₇ H ₅ BrO ₂ N	A., 185, 278	57-58	Wachendorff	B., 9, 1347	31, 207
"	" =1.4	"	A., 185, 266	99-100	"	B., 9, 1346	"
Nitrobromtoluene....	Me.Br.NO ₂ =1.3.2	"	Liquid	Neville & Winther	B., 13, 1945	37, 630; 39, 86
"	" =1.3.?	"	269	s. -20	Wroblewsky	A., 168, 170	27, 53
"	" =1.3.?	"	s. 15	Grete	A., 177, 231	29, 72
"	" =1.4.5	"	Liquid	Wroblewsky	B., 8, 571; J. [1870], 527	28, 888; 37, 442
"	"	"	255-256	Liquid -20	"	A., 168, 177; Z. C. [2], 7, 165	27, 53; vi., 1104; vii., 1167
" (B., 6, 799)	"	"	30.6-32	Neville and Winther	37, 442
"	"	"	31-32	"	B., 13, 972	39, 86
"	"	"	33-34	Beilstein	A., 158, 344	24, 682

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrobromtoluene....	Me.Br.NO ₂ =1.4.6	C ₇ H ₆ BrO ₂ N	42	Richter	B., 8, 572	
"	"	"	256-257	43	Heynemann	Z. C. [2], 6, 402	vii., 1167
"	"	"	256-257	43	Wroblewsky and Kurbatoff	B., 8, 571; A., 168, 177; Z. C. [2], 7, 165	27, 53; 28, 888; vi., 1104; vii., 1167
"	"	"	44.4-45.2	Neville and Wintther	37, 441	39, 86
"	"	"	45	Heynemann	A., 158, 340	24, 681
"	"	"	45.5	Hübner and Roos	B., 6, 799	27, 165
"	=1.3.6	"	54-55	Grete	B., 8, 566; A., 177, 246	28, 887; 29, 72
"	"	"	267	55	Wroblewsky	A., 168, 178; B., 7, 1063	27, 53; 28, 155
"	"	"	55	Neville and Wintther	39, 86
"	=1.2.4	"	74-75	"	"
"	=1.2.5	"	76.3	"	B., 14, 419	37, 431; 39, 86
"	=1.3.5	"	81-81.8	"	39, 86
"	"	"	81.4-81.8	"	B., 13, 964	37, 433
"	"	"	269-270	86	Wroblewsky	B., 8, 573; A., 192, 203	28, 886; 34, 977
Amidobrombenzoic acid	CO ₂ H.Br.NH ₂ =1.3.2	"	171-172	Hübner	A., 143, 244; 149, 134	vi., 317
"	=1.2.5	"	175-177	Burghard	B., 8, 560	28, 892
"	"	"	180	Richter	R. K. T., 159	
"	=1.3.6	"	208	Hübner	A., 143, 241; 149, 133	vi., 317
"	=1.3.5	"	215	Hesemann and Köchler	A., 222, 166	48, 600
"	=1.4.5	"	220-221	Burghard	B., 8, 558	28, 892
(B., 10, 1707)	"	"	225	Raveill & Hübner	A., 222, 166	48, 601
Nitrobrommethoxybenzene	OMe.Br.NO ₂ =1.4.6	C ₇ H ₆ BrO ₃ N	87	Körner	G. I., 4, 305	29, 217
"	"	"	88	Staedel	A., 217, 55	44, 662
"	=1.2.3	"	88	Staedel & Damm	B., 11, 1750	36, 239
"	=1.2.4	"	103-104	Pfaff	B., 16, 614	
"	"	"	105	Balbiano	G. I., 14, 234	48, 530
"	"	"	106	Staedel & Damm	B., 13, 838	38, 641
"	"	"	106	Staedel	A., 217, 66	44, 662
Methylic bromhydroxy-nicotate	N.Br.OH.CO ₂ Me=1.2.5	"	221-222	Pechmann	B., 17, 2398	48, 176
Dinitrobrommethamidobenzene	NHMe.Br.(NO ₂) ₂ =1.2.4.6	C ₇ H ₆ BrO ₄ N ₃	147	Norton and Allen	B., 18, 1995	48, 1214
Nitrodibromtoluidine	Me.NH ₂ .Br ₂ .NO ₂ =1.3.2.6.4	C ₇ H ₆ Br ₂ O ₂ N ₂	124-130	Neville and Wintther	B., 13, 973	37, 444; 39, 86
Brommethaniline nitrosamine	NMe(NO).Br=1.4	C ₇ H ₇ BrON ₂	74	Wurster and Scheibe	B., 12, 1816	38, 107
Nitrobromtoluidine	Me.NH ₂ .Br.NO ₂ =1.4.3.5	C ₇ H ₇ BrO ₂ N ₂	63; 64-65	Neville and Wintther	B., 13, 968	37, 433; 39, 86
"	"	"	64.5	Wroblewsky	B., 8, 573; A., 192, 203	28, 886; 34, 977
"	=1.3.5.6	"	87-88	Neville and Wintther	B., 13, 1945	37, 630; 39, 86
"	=1.3.2 or 6.4	"	102-103	"	B., 13, 972	37, 444
"	=1.2.5.3	"	139	Wroblewsky	A., 192, 207	34, 977
"	"	"	143	Neville and Wintther	B., 13, 969	37, 433; 39, 86
"	=1.3.6.4	"	179-181	"	B., 13, 972	37, 444; 39, 86
"	=1.2.3.5	"	180.3-181.3 c.	"	B., 13, 964	37, 432; 39, 86
Bromtheobromin	A., 215, 305; 217, 302	C ₇ H ₇ BrO ₂ N ₄	310 s.d.	Fischer	B., 14, 644	40, 614
Dibromanisidine	OMe.NH ₂ .Br ₂ =1.2.4.6	C ₇ H ₇ Br ₂ ON	Liquid low temp.	Staedel and Damm	A., 217, 63; B., 11, 1750	44, 663; 38, 641

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromanisidine ... (B., 13, 838)	OMe.NH ₂ .Br ₂ =1.4.2.6	C ₇ H ₇ Br ₂ ON	...	Crystalline	Staedel and Damm	A., 217, 63; B., 11, 1750	44, 663; 38, 641
Bromanisidine "	OMe.NH ₂ .Br=1.4.2	C ₇ H ₈ BrON	...	Liquid	"	"	"
" (36, 239) ...	" =1.2.4	"	...	97-98	"	"	"
" ?	...	C ₇ H ₈ Br ₂ O ₃ N ₂	...	204-205	Bell	B., 11, 1814	"
Bromtoluidine nitrate ...	Me.(NH ₃ NO ₃).Br=1.4.5	C ₇ H ₉ BrO ₃ N ₂	...	182	Wroblewsky	A., 168, 147	27, 51
" " ...	" =1.2.3 or 5	"	...	183 d.	"	A., 168, 147; Z. C. [2], 7, 135	24, 564; 27, 52
Bromhydroxynitrodehydro piperylmethylurethane	C ₆ H ₇ (NO ₂)N(HOBr).CO ₂ Me	C ₇ H ₁₁ BrO ₃ N ₂	...	130	Boessneck	B., 16, 647	
Dibromisatin ...	C ₈ H ₂ Br ₂ .CO.C(OH):N =1.3.4	C ₈ H ₃ Br ₂ O ₃ N	...	250	Baeyer and Econimides	B., 15, 2098	44, 202
Tibromnitrosooxindole	C ₈ H ₃ Br ₃ O ₂ N ₂	...	162	Baeyer and Knop	A., 140, 36	
Bromisatin ...	C ₈ H ₃ Br.C.C(OH):N=1.4	C ₈ H ₄ BrO ₂ N	...	250	Baeyer and Blöm	B., 17, 965	46, 1026
" " " " ...	" " "	"	...	255	Baeyer and Econimides	B., 15, 2098	44, 202
Dibromisatoxime ...	C ₆ H ₂ Br ₂ .C(NO ₂).C(OH):N	C ₈ H ₄ Br ₂ O ₂ N ₂	...	d.w.m. 255	Baeyer and Comstock	B., 16, 1709	44, 1131
Dibromnitrosodioxindole...	...	C ₈ H ₄ Br ₂ O ₃ N ₂	...	275	Baeyer and Knop	A., 140, 25	vi., 735
Bromindazole carboxylic acid	NH.N.C ₆ H ₃ Br.C.CO ₂ H	C ₈ H ₅ BrO ₂ N ₂	...	d.	Fischer and Tafel	A., 227, 303	48, 542
" ?	...	C ₉ H ₅ BrO ₄ N ₄	...	d. 142	...	A. C. [5], 11, 420	
Dibromdioxindole...	...	C ₈ H ₅ Br ₂ O ₃ N	...	170	Baeyer and Knop	A., 140, 19	
Nitrodibromacetophenone	NO ₂ .(CO.CHBr ₂)=1.3	C ₈ H ₅ Br ₂ O ₃ N	...	59	Engler	B., 18, 2240	48, 1223
"	fr. NO ₂ .(CO.CH ₂ Br)=1.2	"	...	85	Gevekoht	A., 221, 323	46, 445
Bromoxindole	C ₈ H ₆ BrON	...	176	Baeyer and Knop	A., 140, 32	vi., 736
Phenylbromnitroethylene	Ph.CBr:CH.NO ₂	C ₈ H ₆ BrO ₂ N	...	67	Priebs	A., 225, 319	48, 161
Bromdioxindole	"	...	165	Baeyer and Knop	A., 140, 20	
Nitrophenylbromethylene (?)	C ₆ H ₄ .NO ₂ .(CBr:CH ₂)=1.2	" (?) C ₁₆ H ₁₀ Br ₂ O ₄ N ₂	...	255	Morgan	B., 17, 222	46, 47
Nitrobromacetophenone ...	NO ₂ .(CO.CH ₂ Br)=1.2	C ₈ H ₆ BrO ₃ N	...	55	Gevekoht	A., 221, 323	46, 445
"	" =1.3	"	...	96	Hannius	B., 10, 2008	34, 147
Nitrobromphenylacetic acid	(CH ₂ .CO ₂ H).Br.NO ₂ =1.4.5	C ₈ H ₆ BrO ₄ N	...	112-115	Bedson	B., 10, 530	32, 482
"	" " "	"	...	113-114	"	"	37, 97
"	" " "	"	...	130	Radziozewsky	B., 2, 208	
"	" =1.2.?	"	...	162	Bedson	...	37, 101
"	" =1.4.6	"	...	167-169	"	B., 10, 530	32, 482; 37, 99
Nitrobromtoluic acid ...	CO ₂ H.Me.Br.NO ₂ =1.3.(?) ₂	"	...	175-176	Fittig and others	A., 147, 34	vi., 1100
"	" =1.4.(?) ₂	"	...	170-180 d.	Landolph	B., 5, 268	25, 473; vii., 1175
"	" =1.4.5.?	"	...	204-205	Fittica	A., 172, 303	28, 59
Bromapophyllic acid	"	...	204-205 d.	Gerichten	A., 210, 91	42, 314
Nitrobromanisic acid ...	CO ₂ H.OMe.Br.NO ₂ =?	C ₈ H ₆ BrO ₃ N	...	182	Balbiano	G. I., 14, 234	48, 530
Nitrodibromacetanilide ...	NHAc.Br ₂ .NO ₂ =1.2.4.6	C ₈ H ₆ Br ₂ O ₃ N ₂	...	209	Remmers	B., 7, 348	27, 697
Nitrophenylnitroethylene dibromide	NO ₂ .(CHBr.CHBr.NO ₂)=1.2	C ₈ H ₆ Br ₂ O ₄ N ₂	...	90	Priebs	A., 225, 319	48, 161
"	" =1.4	"	...	102	"	"	"
Tribromamidoacetophenone	(CO.CHBr ₂).Br.NH ₂ =1.3.6	C ₈ H ₆ Br ₃ ON	...	140-145 d.	Baeyer and Blöm	B., 17, 967	46, 1027
Tribromacetanilide ...	NHAc.Br ₃ =1.2.4.6	"	...	232	Remmers	B., 7, 350	27, 697
Nitrotribromethoxybenzene	OEt.Br ₃ .NO ₂ =1.(?) ₃ .3	C ₈ H ₆ Br ₃ O ₃ N	...	79	Lindner	B., 18, 614	48, 775
Tribromdiazophenetol nitrate	OEt.(N ₂ .NO ₃).Br ₃ =1.2.(?) ₃	C ₈ H ₆ Br ₃ O ₄ N ₃	...	d.w.m. 92	Möhlau and Econimides	J. p. [2], 24, 476	42, 396
Bromterephthalamide ...	(CO.NH ₂) ₂ .Br=1.4.5	C ₈ H ₇ BrO ₂ N ₂	...	270	Fischli	B., 12, 620	36, 639
Nitrobromacetanilide ...	NHAc.Br.NO ₂ =1.4.6	C ₈ H ₇ BrO ₃ N ₂	...	102	Remmers	B., 7, 347	27, 696
" (A., 209, 356)	" " "	"	...	104	Hübner & Retschy	B., 6, 796	26, 1146
Nitroamidobromphenylacetic acid	(CH ₂ .CO ₂ H).Br.NH ₂ .NO ₂ =1.3.4.5	C ₈ H ₇ BrO ₄ N ₂	...	191-192	Gabriel	B., 15, 1994	44, 64
Dibromacetanilide...	NHAc.Br ₂ =1.2.4	C ₈ H ₇ Br ₂ ON	...	146	Remmers	B., 7, 348	27, 696

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylnitroethylene dibromide	Ph.CHBr.CHBr.NO ₂	C ₈ H ₇ Br ₂ O ₂ N	86	Erdmann	B., 17, 414	
Nitrostyrolene dibromide	NO ₂ .(CHBr.CH ₂ Br)=1.2	"	52 ; sf. 50	Einhorn	B., 16, 2214	48, 66
" "	" =1.4	"	72-73	Basler	B., 16, 3006	48, 604
" "	" =1.3	"	78-79	Prausnitz	B., 17, 598	48, 1175
Acetamidodibromphenol	OH.Br ₂ .NHAc=1.2.6.4	"	173-174	Hölz	J. p. [2], 32, 65	48, 1211
"	" =1.4.6.2	"	186	"	"	"
Nitrodibromxylene	Me ₂ .Br ₂ .NO ₂ =1.3.(?) ₃	"	108	Fittig and others	A., 147, 28	vi., 295
"	" =1.4.5.(?) ₂	"	111-112	"	"	"
Nitrodibromethoxybenzene	OEt.Br ₂ .NO ₂ =1.2.4.6	C ₈ H ₇ Br ₂ O ₃ N	46	Staedel	A., 217, 58	44, 663
"	" =1.2.6.4	"	108	"	A., 217, 67	"
"	" =1.(?) ₂ .3	"	110	Lindner	B., 18, 613	48, 775
Nitrodibromethoxyphenol	OH.OEt.Br ₂ .NO ₂ =1.3.2.6.4	C ₈ H ₇ Br ₂ O ₄ N	69	Weselsky and Benedikt	M. C., 1, 897	40, 727
Dibromdiazophenetoil nitrate	OEt.(N ₂ .NO ₃).Br ₂ =1.2.(?) ₂	C ₈ H ₇ Br ₂ O ₄ N ₃	d. 101.5	Möhlau and Ehmichen	J. p. [2], 24, 476	42, 396
Bromacetanilide	NHAc.Br=1.2	C ₈ H ₈ BrON	J. [1875], 342	99	Körner	G. I., 4, 305	29, 212
" (B., 7, 346)	" =1.4	"	165	Gürcke	B., 8, 1115	29, 400
" (J. [1875], 342]	" "	"	165.4	Körner	G. I., 4, 305	29, 212
"	" "	"	165.5	Kelbe	B., 16, 1200	44, 916
"	" "	"	167-168	A., 209, 355	"
Bromphenylglycocine	Br.(NH.CH ₂ .CO ₂ H)=1.4	C ₈ H ₈ BrO ₂ N	98	Dennstedt	B., 13, 236	38, 634
Methylic bromphenylcarbamate	Br.(NH.CO ₂ Me)=1.4	"	124	"	B., 13, 229	38, 633
Acetamidobromphenol	OH.Br.NHAc=1.2.4	"	157 u.c.	Hölz	J. p. [2], 32, 65	48, 1211
"	" =1.4.2	"	golden	177 u.c.	Schütt	"	"
"	" "	"	white	179	"	"	"
Amidobromphenylacetic acid	(CH ₂ .CO ₂ H).Br.NH ₂ =1.4.5	"	133-134	Bedson	B., 10, 1658	34, 70 ; 37, 98
" "	" =1.3.4	"	135-136	Gabriel	B., 15, 840	42, 1070
" "	" =1.4.6	"	167 d.	Bedson	B., 10, 1658	34, 70 ; 37, 100
" "	" =1.2.?	"	186	"	"	"
Bromanisamide	(CO.NH ₂).OMe.Br=?	"	185.5	Crespi	G. I. [1881], 419	42, 192
Nitrobromxylene	Me ₂ .Br.NO ₂ =1.3.4.?	"	260-265 p.d.	Liquid	Fittig and others	A., 147, 31	vi., 294
Nitroethanediazobrombenzene	C ₆ H ₄ .Br.N ₂ .C ₂ H ₄ .NO ₂ =1.4	C ₈ H ₅ BrO ₂ N ₃	135-138 d.	Hallmann	B., 9, 393	30, 93
Bromethoxynitrobenzene	NO ₂ .(O.C ₂ H ₄ Br)=1.2	C ₈ H ₈ BrO ₃ N	38-40	Weddige	J. p. [2], 21, 129	38, 316
"	" "	"	43.5	"	J. p. [2], 24, 246	40, 1137
"	" =1.3	"	39	"	J. p. [2], 24, 255	40, 1139
"	" =1.4	"	62-63	"	J. p. [2], 21, 127	38, 316
"	" "	"	63-64	"	J. p. [2], 24, 254	40, 1130
Nitrobromethoxybenzene	OEt.Br.NO ₂ =1.4.6	"	43	Staedel	A., 217, 57	44, 663
" (A. C. J., 3, 20)	" = "	"	47	Hallock	B., 14, 37	40, 595
"	" =1.2.4	"	55	"	"	"
"	" =1.2.3	"	57	Lindner	B., 18, 612	48, 775
"	" =1.2.4	"	98	Staedel	A., 217, 67	44, 663
"	" = ?	"	138	A. C. J., 3, 20	"
Amidobromanisic acid	CO ₂ H.OMe.Br.NH ₂ =1.4.2.3 or 6	"	185	Balbiano	G. I., 14, 234	48, 530
Nitrobromethoxyphenol	OH.OEt.Br.NO ₂ =1.3.2.4 or 6	C ₈ H ₈ BrO ₄ N	114	Weselsky and Benedikt	M. C., 1, 898	40, 727
Amidotribromethoxybenzene	OEt.Br ₃ .NH ₂ =1.(?) ₃ .2	C ₈ H ₈ Br ₃ ON	77	Möhlau	J. p. [2], 24, 481	42, 396
"	" =1.(?) ₃ .3	"	crystalline	Lindner	B., 18, 614	48, 775
Nitrosobromdimethaniline	NMe ₂ .Br.NO=1.3.?	C ₈ H ₉ BrON ₂	148	Wnrster & Scheibe	B., 12, 1819	38, 108
Diamidobromphenylacetic acid	(CH ₂ .CO ₂ H).Br.(NH ₂) ₂ =1.3.4.5	C ₈ H ₉ BrO ₂ N ₂	195-200 d.	Gabriel	B., 15, 1995	44, 64
Bromcaffeine (Z. C. [1867], 616)	M. C., 3, 90 ; A., 215, 264	C ₈ H ₉ BrO ₂ N ₄	206	Fischer	B., 14, 639	40, 614
Amidodibromethoxybenzene	OEt.Br ₂ .NH ₂ =1.(?) ₂ .3	C ₈ H ₈ Br ₂ ON	L. b. 0	Lindner	B., 18, 613	48, 775

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Amidodibromomethoxybenzene	OEt.Br.NH ₂ =1.3.5.6	C ₈ H ₇ Br ₂ ON	52.5	Möhlau	J. p. [2], 24, 479	42, 396
"	" =1.2.6.4	"	67	Staedel	A., 217, 71	44, 663
"	" =1.2.4.6	"	92	"	A., 217, 65	"
Dibrommethylpseudolutedostyryl	fr. NMe.CO.CH:CMc.CH:C Me	"	173	Hantzsch	B., 17, 1030, 2907	46, 1047
Amidobromomethoxybenzene	OEt.Br.NH ₂ =1.3	C ₈ H ₁₀ BrON	Liquid	Lindner	B., 18, 612	46, 775
"	" =1.2.4	"	Liquid	Staedel	A., 217, 69	44, 663
"	" =1.4.2	"	57	"	A., 217, 62	"
Bromhydroxynitrodehydrodiperyurethane	C ₈ H ₇ (NO ₂)N(HOBr).CO ₂ Et	C ₈ H ₁₃ BrO ₅ N ₂	157	Schotten	B., 16, 646	44, 814
Bromhydroxybromdehydrodiperyurethane	C ₈ H ₇ BrN(HOBr).CO ₂ Et	C ₈ H ₁₃ Br ₂ O ₃ N	140	"	B., 16, 648	44, 811
Dibrommethylidenediurethane	fr. CH ₂ Br.CH(NH.CO ₂ Et) ₂	C ₈ H ₁₄ Br ₂ O ₄ N ₂	115-116	Bischoff	B., 5, 86	25, 412; vii., 411
Brommethylidenediurethane ?	CH ₂ Br.CH(NH.CO ₂ Et) ₂	"	142	"	B., 5, 85	"
Nitrobromquinoline	N.Br=a ₁ ; β ₂	C ₉ H ₄ Br ₂ O ₅ N ₄	250 d.	Grimaux	C. R., 80, 828	28, 753
"	" = ?	C ₉ H ₆ BrO ₂ N ₂	133	Coste	B., 15, 1918	44, 91
Dibromhydroxyquinoline	N.OH=a ₁ ; α ₁	C ₉ H ₅ Br ₂ ON	133	"	B., 15, 1919	"
"	" =	"	193-195	Bedall & Fischer	B., 14, 1367	"
Dibromphenylmethylacetoxime-o-carboxylic anhydride	C ₆ H ₂ Br ₂ .CO ₂ .N:CMc	C ₉ H ₅ Br ₂ O ₂ N	195-196	"	M. C., 3, 543	"
Nitrodibromcinnamic acid	NO ₂ .(CBr: CBr.CO ₂ H)=1.4	C ₉ H ₅ Br ₂ O ₄ N	223-223.5	Gabriel	B., 16, 1996	44, 1128
Bromhydroxyquinoline	N.OH=a ₁ ; β ₂	C ₉ H ₆ BrON	179-180	Drewsen	A., 212, 157	42, 84
"	N.OH.Br=a ₁ β ₁ α ₂ ;	"	184-185	Skraup	M. C., 3, 554	44, 94
"	" "	"	266-267	Friedländer	B., 15, 1425, 2682	42, 1209
"	" "	"	266	Baeyer and Blöm	B., 15, 2149	44, 196
"	" "	"	272-273 d.	Skraup	M. C., 3, 566	"
Methylbromisatin	C ₆ H ₃ Br.CO.C(OMe): N	C ₉ H ₆ BrO ₂ N	147	Baeyer & Couimides	B., 15, 2095	44, 201
Nitrobromcinnamaldehyde	NO ₂ .(C ₂ HBr.CO ₂ H)=1.3	C ₉ H ₆ BrO ₃ N	90	Kinkelin	B., 18, 485	48, 791
"	NO ₂ .(CBr: CH.CO ₂ H)= ?	"	96-97	Zincke & Hagen	B., 17, 1817	46, 1344
"	" = ?	"	136	"	B., 17, 1816	"
Nitrobromcinnamic acid	NO ₂ .(C ₂ HBr.CO ₂ H)=1.4	C ₉ H ₆ BrO ₄ N	146	Müller	A., 212, 137	42, 842
"	" =1.4	"	205	"	A., 212, 135	"
Propionyltribromnitrophenol	O(C ₃ H ₆ O).Br ₃ .NO ₂ =?	C ₉ H ₆ Br ₃ O ₃ N	70-71	Guareschi and Daccomo	B., 18, 1174	48, 891
Hexabrommalolacturil	C ₉ H ₆ Br ₆ O ₆ N ₄	250 d.	A. C. [5], 11, 406	"
Bromindazoleacetic acid	C ₉ H ₇ BrO ₂ N ₂	200 d.	Fischer and Tafel	A., 227, 303	48, 542
Nitrophenyldibrompropionic acid	NO ₂ .(CHBr.CHBr.CO ₂ H)=1.2	C ₉ H ₇ Br ₂ O ₄ N	180	Baeyer	B., 13, 2258	40, 275
"	" =1.4	"	217-218	Drewsen	A., 212, 151	42, 846
p-Bromhydrocarbostyryl	N.OH=a ₁ β ₁ ;	C ₉ H ₈ BrON	178	Gabriel and Zimmermann	B., 13, 1683	40, 274
Acetamidobrombenzoic acid	CO ₂ H.Br.NHAc=1.3.2 or 6	C ₉ H ₈ BrO ₃ N	214-215	Jackson	B., 14, 886	40, 735
Nitrophenylbrompropionic acid	NO ₂ .(CHBr.CH ₂ .CO ₂ H)=1.2	C ₉ H ₈ BrO ₄ N	139-140	Einhorn	B., 16, 2209	46, 65
"	" =1.4	"	170-172 d.	Basler	B., 16, 3002	46, 603
Ethyl nitrobrombenzoate	CO ₂ Et.Br.NO ₂ =1.3.6 or 2	"	55	Hübner and Ohly	A., 143, 238	vi., 315
"	" =1.2.5	"	65-66	Rhalis	A., 198, 111	38, 119
"	" =1.3.4	"	70	Hübner and Ohly	A., 143, 250	vi., 316
"	" =1.4.5	"	74	"	"	"
"	" =1.3.2 or 6	"	80	"	A., 143, 241	"
Methyl nitrobromphenylacetate	(CH ₂ .CO ₂ Me).Br.NO ₂ =1.4.5	"	40-41	Bedson	37, 98
"	" =1.4.6	"	66-68	"	37, 100
Nitrobromhydrocinnamic acid	(C ₂ H ₄ .CO ₂ H).Br.NO ₂ =1.4.5	"	90-95	Gabriel and Zimmermann	B., 13, 1684	40, 274
"	" =1.4.6	"	141-142.5	"	B., 13, 1682	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromamidodihydrocarbostyryl	N.OH.H ₂ .NH ₂ =α ₁ β ₁ β ₂ α ₂ ; β ₁	C ₉ H ₃ Br ₂ ON ₂	179	Gabriel and Zimmermann	B., 12, 603	36, 640
Nitrophenylmethoxydibromnitroethane	NO ₂ [CH(OMe).CBr ₂ .NO ₂] =1.3	C ₉ H ₃ Br ₂ O ₅ N ₂	145-146	Friedländer and Lazarus	A., 229, 233	48, 1138
Acetamidotribromtoluene	Me.Br ₃ .NHAc=1.2.3.4.5	C ₉ H ₃ Br ₃ ON	171-173	Neville&Winther	B., 13, 975	37, 447; 39, 86
"	" =1.2.3.6.5	"	179-181	"	B., 13, 974	"
Bromamidodihydrocarbostyryl	N.OH.H ₂ .NH ₂ =α ₁ β ₁ β ₂ α ₂ ; β ₁	C ₉ H ₃ BrON ₂	218-219	Gabriel and Zimmermann	B., 12, 603	36, 640
Acetamidonitrobromtoluene	Me.Br.NHAc.NO ₂ =1.3.4.5	C ₉ H ₃ BrO ₂ N ₂	210.5	Wroblewsky	B., 8, 573; A., 192, 202	28, 886; 34, 977
"	" " "	"	210.5	Neville&Winther	39, 86
Dinitrobrommesitylene	Me ₃ .Br.(NO ₂) ₂ =1.3.5.2.4.6	C ₉ H ₃ BrO ₄ N ₂	189-190	Fittig and Storer	A., 147, 8	vi., 299
"	" " "	"	194	Sussenguth	A., 215, 248	44, 470
Dinitrobromcumene	" =?	"	214-215	Fittig and Storer	A., 147, 14	
Acetamidodibromtoluene....	Me.Br ₂ .NHAc=1.2.5.3	C ₉ H ₃ Br ₂ ON	144-145	Neville&Winther	B., 13, 974	37, 448; 39, 86
"	" =1.(?) ₂ .3	"	154	Wroblewsky	A., 168, 147	27, 54; vii., 1177
"	" =1.3.4.5	"	162-163	Neville&Winther	B., 13, 975	37, 447; 39, 86
"	" =1.2.4.5	"	168-168.6	"	B., 13, 971	37, 440, 443
"	" =1.2.3.5	"	204-205	"	B., 13, 964	37, 434; 39, 86
Phenylnitropropylene dibromide	Ph.CHBr.CBrMe.NO ₂	C ₉ H ₃ Br ₂ O ₂ N	77-78.5	Priebs	A., 225, 319	48, 162
Acetmethamidobrombenzene	NMeAc.Br=1.4	C ₉ H ₁₀ BrON	99	Wurster and Scheibe	B., 12, 1818	
Acetamidobromtoluene	Me.Br.NHAc=1.4.5	"	113.7-114.6	Neville&Winther	B., 13, 972	37, 443; 39, 86
"	" =1.3.4	"	117.5	"	39, 86
"	" "	"	117.5	Wroblewsky	Z. C. [2], 5, 279; A., 168, 153; 192 196	27, 51; 34, 977 vi., 1104
"	" " "	"	117.5	Grete	A., 177, 231	29, 72
"	" =1.3.2 or 6	"	156	"	B., 7, 796; 8, 567; A., 177, 231	27, 986; 28, 888; 29, 73
"	" "	"	156-157	Wroblewsky	Z. C. [2], 7, 135; A., 168, 147	24, 564; 27, 51; vii., 1177
"	" " "	"	156-157	Neville&Winther	39, 86
"	" =1.3.5	"	167-168	"	B., 13, 964	37, 434; 39, 86
Ethyl bromphenylcarbamate	C ₆ H ₄ Br.NH.CO ₂ Et=1.4	C ₉ H ₁₀ BrO ₂ N	84-85	Dennstedt	B., 13, 228	38, 633
Amidobromhydrocinnamic acid	(CH ₂ .CH ₂ .CO ₂ H).Br.NH ₂ =1.3.4	"	104-105	Gabriel	B., 15, 2292	44, 195
"	" =1.4.5	"	117-119	"	B., 13, 1684	
Nitrobrommesitylene	Me ₃ .Br.NO ₂ =1.3.5.2.4	"	54	Fittig and Storer	A., 147, 7	vi., 299
Acetdiamidodibromtoluene	Me.Br ₂ .NH ₂ .NHAc=(?) ₂ .1.3	C ₉ H ₁₀ Br ₂ ON ₂	208 d.	Tiemann	B., 3, 222	
Acetdiamidobromtoluene....	Me.Br.NH ₂ .NHAc=(?) ₂ .1.3	C ₉ H ₁₁ BrON ₂	b. 100.	A., 153, 134	
p-Nitrophenyl-β-alanine +HBr	C ₉ H ₁₁ BrO ₄ N ₂ (?)	132-135	Basler	B., 17, 1496	46, 1173
Dibromtetrahydroquinoline nitrate	C ₉ H ₉ Br ₂ N.2HNO ₃	C ₉ H ₁₁ Br ₂ O ₆ N ₃	189 u.c.	Claus and Istel	B., 15, 823	42, 1111
Tribromdiethylcarbo-pyrrolamide	NEt.Br ₃ (CO.NHEt) =1.2.3.4.5	C ₉ H ₁₁ Br ₃ ON ₂	120-121 d.	Bell	B., 11, 1813	
Tribromhydroxycyanconine	C ₉ H ₁₀ Br ₃ N ₂ .OH	"	149	Riess	J. p. [2], 30, 145	48, 236
"	C ₉ H ₁₂ Br ₂ O ₃ N ₂	197 d.	Bell	B., 11, 1813	
Bromhydroxycyanconine	C ₉ H ₁₃ BrON ₂	172	Meyer	J. p. [2], 26, 358	44, 353
"	"	?	Riess	J. p. [2], 30, 145	48, 235
"	C ₉ H ₁₃ Br ₂ ON	250 d.	Comstock and Königs	B., 17, 1993	46, 1383
β-Tetranitrobromnaphthalene	Br.(NO ₂) ₄ =(?) ₃ ; (?) ₂	C ₁₀ N ₃ BrO ₈ N ₄	189-189.5	Merz and Weith	B., 15, 2714	44, 344
α "	" " "	"	245	"	B., 15, 2719	"
Trinitrobromnaphthalene	C ₁₀ H ₄ BrO ₆ N ₃	184.5	Labhardt	B., 12, 680	
Dibrompyrocoll(G.I., 12, 29)	C ₁₀ H ₄ Br ₂ O ₂ N ₂	288-290	Ciamician	G. I., 11, 321, 330	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Brompyrocoll (G. I., 12, 29)	$C_4H_3N:(CO)_2:C_4H_2BrN$	$C_{10}H_5BrO_2N_2$	190-192	Ciamician	G. I., 11, 321, 330	42, 234
Dinitrobronnaphthalene....	$Br.(NO_2)_2=a_1a_2; a_1$	$C_{10}H_5BrO_4N_2$	143	Merz and Weith	B., 15, 2711	44, 343
"	" $=a_1a_2; a_2$	"	169.5	Labhardt	B., 12, 679	
"	"	"	170.5	Merz and Weith	B., 15, 2711	44, 343
Nitrodibromnaphthalene....	$C_{10}H_5Br_2O_2N$	96.5-98	Guareschi	A., 222, 262	46, 842
" (B., 16, 422)	"	100-105	Canzoneri	G. I., 12, 424	44, 67
"	"	116.5	Jolin	B. S. [2], 28, 515	44, 67
Nitrodibrom- α -naphthol	$C_{10}H_5Br_2O_3N$	120-125	Biedermann	B., 6, 1120	
Nitrobronnaphthalene	$Br.NO_2=a_1a_2;$	$C_{10}H_6BrO_2N$	83-84	Guareschi	R. A. T. [2], 35	
"	"	"	85	Jolin	B. S., 28, 515	
" (B., 10, 294)	" $=?$	"	100	Guareschi	G. I., 7, 24	31, 713
"	" $=?$	"	122	"	"	"
" (A., 222, 262)	" $=\beta_1; a_1$ or $\beta_2; a_1$	"	122.5	"	R. A. T. [2], 35	46, 842
" (B., 15, 528)	" $=?$	"	127.5	"	G. I. [1881], 542	42, 735
"	" $=\beta_1a_2$	"	131	Meldola	47, 507
"	" $=a_2\beta_1;$	"	131-132	Liebermann and Scheiding	B., 8, 1109; A., 183, 262	29, 403; 31, 606
Nitrosobrom- β -naphthol	$C_{10}H_5(NO).Br.OH$	$C_{10}H_5BrO_2N$	61-65	Canzoneri	G. I., 12, 424	44, 68
Acetylbromisatin	$C_6H_3Br.CO.CO.NAc$	$C_{10}H_6BrO_3N$	170-172	Baeyer and Econimides	B., 15, 2096	44, 201
Nitrobronnaphthol	$OH.Br.NO_2=a_1\beta_1a_2;$	"	136 d.	Meldola	47, 501
"	" $=a_1a_2\beta_1;$	"	142	Biedermann	B., 7, 538	27, 802
"	"	"	142	Scheiding	B., 8, 1652	29, 713
Tribromoxylepidine	$C_{10}H_6Br_3ON$	nf. 280	Comstock and Königs	B., 17, 1992	46, 1383
Tribromethylphthalimide ?	fr. $C_6H_4:(CO)_2:NEt=1.2$ $(CO.CBr_3)[C:(NH).CO_2H]$ $=1.2$	$C_{10}H_6Br_3O_2N$ $C_{10}H_6Br_3O_3N$	186-189 d. 213 p.d.	Michael Kronfeld	B., 10, 1645 B., 17, 717	34, 70 46, 715
Nitrobronnaphthylamine	$Br.NH_2.NO_2=\beta_1a_1a_2$	$C_{10}H_7BrO_2N_2$	197	Meldola	47, 500
"	" $=a_1a_2\beta_2;$	"	200	Liebermann and Scheiding	B., 8, 1109; A., 183, 260	29, 403; 31, 606
Diacetoxynitrobronnaphthalene	$(OAc)_2.Br.(NO_2)_2=1.3.(?)_3$	$C_{10}H_7BrO_3N_2$	B., 16, 1101	135	Fevre	C. R., 96, 790	44, 733
Ethylidibromisatin	$C_6H_2Br_2.CO.C(OEt):N$ $=1.3.4$	$C_{10}H_7Br_2O_2N$	87-89	Baeyer and Econimides	B., 15, 2099	44, 202
β -Nitroso- α -naphtholdibromide	"	144-145	Fuchs	B., 8, 1022	29, 247
Cinchonic acid dibromide	$C_9H_6Br_2N.CO_2H$	"	188 u. c.	Claus	B., 18, 1307	48, 908
Carboxynitrophenyldibrompropionic acid	$(CHBr.CHBr.CO_2H).NO_2$ $CO_2H=1.2.4$	$C_{10}H_7Br_2O_6N$	d. 220	Löw	B., 18, 949	46, 799
α -Nitronaphthalene tetrabromide	$C_{10}H_7.NO_2+Br_4$	$C_{10}H_7Br_4O_2N$	131	Guareschi	A., 222, 262	46, 842
β - " "	"	"	142-143.5	"	"	"
γ - " "	"	"	172-173	"	"	"
Methylbromcarbostyryl	$N.OMe.Br=a_1\beta_1a_2;$	$C_{10}H_8BrON$	93	Friedländer	B., 15, 1424	42, 1209
Bromoxyquinaldine	$N.OH.Me.Br=a_1a_2\beta_1\beta_2;$	"	258	Kuorr & Antrick	B., 17, 2875	46, 274
Ethylbromisatin	$C_6H_3Br.CO.C(OEt):N$	$C_{10}H_8BrO_2N$	107-109	Baeyer and Econimides	B., 15, 2095	44, 201
Acetamidonitrobronnaphthalenecyanide	$(CH_2.CN).Br.NHAc.NO_2$ $=1.3.4.5$	$C_{10}H_8BrO_3N_3$	190-191	Gabriel	B., 15, 1994	44, 64
Acetylbromisatic acid	$C_6H_3Br.NHAc.(CO.CO_2H)$	$C_{10}H_8BrO_4N$	178-180	Baeyer	B., 15, 2096	44, 201
Dibromisatoethyloxime	$C_6H_2Br_2.C(NOEt).C(OH):N$	$C_{10}H_8Br_2O_2N_2$	dark 240	252	Baeyer & Comstock	B., 16, 1709	44, 1131
Tribromacetamidoacetophenone	$(CO.CHBr_2).Br.NHAc$ $=1.3.6$	$C_{10}H_8Br_3O_2N$	185 d.	Baeyer and Blöm	B., 17, 967	46, 1027
Diacetamidotribrombenzene	$Br_2.NAc_2=1.3.5.6$	"	123	Remmers	B., 7, 350	27, 697
Acetamidobrombenzylcyanide	$(CH_2.CN).Br.NHAc=1.3.4$	$C_{10}H_9BrON_2$	127-129	Gabriel	B., 15, 840, 1993	44, 64
Bromethylisindazolcarboxylic acid	$C_{10}H_9BrO_2N_2$	210	Fischer and Tafel	A., 227, 303	48, 543

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetamidodibromuaphthalene	$\text{Br}_2.\text{NHAc}=\beta; \alpha_2\beta_1$	$\text{C}_{10}\text{H}_9\text{Br}_2\text{ON}$	221	Meldola	47, 514
"	" $=\alpha; \beta_2\alpha_1$	"	221-222	"	47, 511
Ethylie dibromisatate	$\text{Br}_2.\text{NH}_2.(\text{CO}.\text{CO}_2\text{Et})=1.3.4$	$\text{C}_{10}\text{H}_9\text{Br}_2\text{O}_3\text{N}$	105	Baeyer and Conimides	B., 15, 2099	44, 202
Methylie nitrophenyldibrompropionate	$\text{NO}_2.(\text{CHBr}.\text{CHBr}.\text{CO}_2\text{Me})=1.2$	$\text{C}_{10}\text{H}_9\text{Br}_2\text{O}_4\text{N}$	98-99	Baeyer	B., 13, 2258	40, 275
Acetamidobromcinnamene	$(\text{CH}:\text{CH}_2).\text{NHAc}.\text{Br}=1.4.?$	$\text{C}_{10}\text{H}_{10}\text{BrON}$	182.5	Gabriel & Herzberg	B., 16, 2043; C. C. [1884], 35	44, 1123; 48, 662
?	$\text{C}_{10}\text{H}_{10}\text{BrO}_2\text{N}$	125-126	Gabriel	B., 18, 2455	48, 1228
Acetamidobromacetophenone	$\text{Ac}.\text{Br}.\text{NHAc}=1.3.6$	"	160	Baeyer and Blöm	B., 17, 965	46, 1026
Ethylie bromphenyloxamate	$\text{Br}.\text{NH}.\text{CO}.\text{CO}_2\text{Et}=1.4$	$\text{C}_{10}\text{H}_{10}\text{BrO}_3\text{N}$	154-156	Klinger	B., 8, 311; A., 184, 266	28, 1025; 31, 710
Acetamidobromphenylacetic acid	$(\text{CH}_2.\text{CO}_2\text{H}).\text{Br}.\text{NHAc}=1.3.4$	"	164-165	Gabriel	B., 15, 841	
Ethylie nitrobromphenylacetate	$(\text{CH}_2.\text{CO}_2\text{Et}).\text{Br}.\text{NO}_2=1.4.5$	$\text{C}_{10}\text{H}_{10}\text{BrO}_4\text{N}$	Liquid	Bedson	37, 98
"	" $=?$	"	crystalline	"	37, 100
Ethylie nitrobromanisate	$\text{CO}_2\text{Et}.\text{OMe}.\text{Br}.\text{NO}_2=?$	$\text{C}_{10}\text{H}_{10}\text{BrO}_5\text{N}$	85	Balbiano	G. I., 14, 234	48, 530
Nitrophenylethoxydibromnitroethane	$\text{NO}_2.\text{C}_6\text{H}_4.[\text{CH}(\text{OEt}).\text{CBr}_2.\text{NO}_2]=1.3$	$\text{C}_{10}\text{H}_{10}\text{Br}_2\text{O}_5\text{N}_2$	98-99	Friedländer and Lazarus	A., 229, 233	48, 1138
Dinitrobromisocymene	$\text{Me}.\text{Pr}^\beta.\text{Br}.\text{NO}_2=?$	$\text{C}_{10}\text{H}_{11}\text{BrO}_4\text{N}_2$	55	Kelbe	B., 15, 42	42, 619
Dinitrobromcymene	$\text{Me}.\text{Pr}^\alpha.\text{Br}.\text{NO}_2=1.4.6.(?)_2$	"	97-98	Gerichten	B., 11, 1092	
Ethylie bromphenamidoacetate	$\text{Br}.\text{NH}.\text{CH}_2.\text{CO}_2\text{Et}=1.4$	$\text{C}_{10}\text{H}_{12}\text{BrO}_2\text{N}$	95-96	Dennstedt	B., 13, 238	38, 635
Nitrobromcymene	$\text{Me}.\text{Pr}^\beta.\text{Br}.\text{NO}_2=1.3.6.?$	"	121	Kelbe	B., 15, 40	42, 619
Nitrotribromcamphor	$\text{C}_{10}\text{H}_{12}\text{Br}_3\text{O}_3\text{N}$	175	Swarts	B., 15, 2136	44, 215
Nitro- β -dibromcamphor	$\text{C}_{10}\text{H}_{13}\text{Br}_2\text{O}_3\text{N}$	124-126	Kachler & Spitzer	M. C., 3, 219	42, 865
Nitrobromcamphor	$\text{C}_{10}\text{H}_{14}\text{BrO}_3\text{N}$	103	Cazeneuve	B. S. [2], 42, 69	48, 270
"	"	104-105	Schiff	G. I., 11, 21; B., 13, 1402	38, 891; 40, 438
Brom- α -naphthoamide	$(\text{CO}.\text{NH}_2).\text{Br}=\alpha_1?$	$\text{C}_{11}\text{H}_9\text{BrON}$	240-241	Hausamann	B., 9, 1518	31, 318
Nitrobrommethoxynaphthalene	$\text{OMe}.\text{Br}.\text{NO}_2=\alpha_1\beta_1\alpha_2$	$\text{C}_{11}\text{H}_9\text{BrO}_3\text{N}$	114-115	Meldola	47, 502
Bromtarconin	A., 210, 84; 212, 197	"	235-238 d.	Gerichten	B., 14, 312	32, 535
Acetamidobromquinoline	$\text{N}.\text{Br}=\alpha_1; \beta_2$	$\text{C}_{11}\text{H}_9\text{BrON}_2$	104-105	Coste	B., 15, 1921	44, 91
Ethylie nitrodibromcinnamate	$\text{NO}_2.(\text{CBr}:\text{CBr}.\text{CO}_2\text{Et})=1.4$	$\text{C}_{11}\text{H}_9\text{Br}_2\text{O}_4\text{N}$	85-86	Drewsen	A., 212, 157	42, 847
Methylbromtarconinic acid	B., 15, 1459	$\text{C}_{11}\text{H}_{10}\text{BrO}_3\text{N}$	dark, 215	223	Gerichten	A., 212, 177	44, 91
Ethylie α -nitrobromcinnamate	$\text{NO}_2.(\text{C}_2\text{HBr}.\text{CO}_2\text{Et})=1.4$	$\text{C}_{11}\text{H}_{10}\text{BrO}_4\text{N}$	63	Müller	A., 212, 132	42, 842
Ethylie β -nitrobromcinnamate	" "	"	93	"	"	"
Dibromethylquinazolcarboxylic acid	$\text{C}_{11}\text{H}_{10}\text{Br}_2\text{O}_2\text{N}_2$	196	Fischer and Kuzel	A., 221, 261	46, 442
Bromethylquinazolcarboxylic acid	$\text{C}_{11}\text{H}_{11}\text{BrO}_2\text{N}_2$	173 d.	"	"	"
Ethylie nitrophenyldibrompropionate	$\text{NO}_2.(\text{CHBr}.\text{CHBr}.\text{CO}_2\text{Et})=1.2$	$\text{C}_{11}\text{H}_{11}\text{Br}_2\text{O}_4\text{N}$	71	Müller	A., 212, 130	42, 841
"	" $=1.4$	"	110-111	"	A., 212, 129	"
"	" "	"	110-111	Baeyer	B., 13, 2258	40, 275
"	" "	"	113-116	Drewsen	A., 212, 154	42, 846
Dibromtetrahydroquinoline oxalate	$\text{C}_9\text{H}_9\text{Br}_2\text{N}.\text{C}_2\text{H}_2\text{O}_4$	"	171 u.c.	Claus and Istel	B., 15, 820	42, 1111
?	$\text{C}_{10}\text{H}_9\text{MeBrO}_2\text{N}$	$\text{C}_{11}\text{H}_{12}\text{BrO}_2\text{N}$	114-115	Gabriel	B., 18, 2455	
Acetamidobromhydrocinnamic acid	$(\text{CH}_2.\text{CH}_2.\text{CO}_2\text{H}).\text{Br}.\text{NHAc}=1.3.4$	$\text{C}_{11}\text{H}_{12}\text{BrO}_3\text{N}$	159.5-160.5	"	B., 15, 2293	44, 195
Bromethoxyhydroquinolininitrosamine	$\text{N}.\text{OEt}=\alpha_1; \alpha_1$	$\text{C}_{11}\text{H}_{13}\text{BrO}_2\text{N}_2$	86	Fischer and Renouf	B., 17, 761	46, 1050
Bromethoxyhydroquinoline	" "	$\text{C}_{11}\text{H}_{14}\text{BrON}$	d. 150	44.5	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromcotarnine	$C_{12}H_{12}BrO_3N$	100 d.	Wright	32, 531
Ethylbromtarconinic acid	"	223-225 d.	A., 212, 182	
Dibromethylisatoethyl-oxime	$C_6H_3Br_2.C(NOEt).C(OEt):N$	$C_{12}H_{12}Br_2O_2N_2$	115-116	Baeyer and Comstock	B., 16, 1710	44, 1131
o-Nitrocumenyldibrompropionic acid	$Pr.NO_2.(C_2H_2Br_2.CO_2H)=?$	$C_{12}H_{13}Br_2O_4N$	171	Widmann	B., 17, 2282, 2283	48, 56
m- " "	" "	"	184	"	"	"
Tribromhydrocotarnine + HBr	$C_{12}H_{13}Br_4O_3N$	190-200	Wright	32, 544
Bromhydrocotarnine + HBr	$C_{12}H_{14}BrO_3N$	76 c.; 78 c.	"	32, 530, 534
Isopropylnitrophenylbrompropionic acid	$Pr^\beta.NO_2.(CHBr.CH_2.CO_2H)=4.2.1$	$C_{12}H_{14}BrO_4N$	127 d.	Einhorn and Hess	B., 17, 2020	46, 1352
Nitrobenzoyltribromnitrophenol	$NO_2.C_6H_4.CO_2.C_6H_3Br_3.NO_2=1.2; 1.2.4.6.3$	$C_{18}H_6Br_3O_4N$	d. 215	129.2 c.	Dacomo	B., 18, 1168	48, 890
"	" =1.3; 1.2.4.6.3	"	153.8 c.	"	"	"
Dibromphenylic nitrobenzoate	$NO_2.C_6H_4.CO_2.C_6H_3Br_2=1.3; (?)_3$	$C_{13}H_7Br_2O_4N$	90-100	List and Limpicht	A., 90, 204	1., 556
α -Dibromphenylpyridine-dicarboxylic acid	"	204-205	Skraup & Cobenzl	M. C., 4, 436	44, 1014
Benzamidodinitrobenzene	$NHBz.Br.(NO_2)_2=1.4.(?)_2$	$C_{13}H_8BrO_3N_3$	195-196	Meinecke	B., 8, 565	28, 900
Diinitrobenzylamide	fr. $NHBz.Br.NO_2=1.4.6$	"	221	Hübner	B., 10, 1710	34, 142
Benzamidonitrodibrombenzene	$NHBz.Br_2.NO_2=1.(?)_2.2$	$C_{13}H_8Br_2O_3N_2$	194-195	"	"	"
Tetrabromcarbanilide	$CO:N_2H_2(C_6H_3Br_2)_2$	$C_{13}H_8Br_4ON_2$	sb. 230-235	Otto	B., 2, 410	
Benzamidonitrobenzene	$NHBz.Br.NO_2=1.4.6$	$C_{13}H_9BrO_3N_2$	137-138	Meinecke	B., 8, 565	28, 900
"	" =1.2.4	"	137	Hübner	B., 10, 1710	34, 142
"	" =1.2.4	"	160	"	B., 10, 1709	"
Benzamidodibrombenzene	$NHBz.Br_2=?$	$C_{13}H_9Br_2ON$	134	"	B., 10, 1710	"
Dibrompseudocinnamylpyrroline	"	225	Ciamician and Dennstedt	B., 17, 2948	48, 378
Benzoyloxynitrodibrombenzene	$(O.CH_2Ph).Br_2.NO_2=1.2.4.6$	$C_{13}H_9Br_2O_3N$	64.5 u.c.	Roll and Hölz	J. p. [2], 32, 56	48, 1209
"	" =1.2.6.4	"	93.5	"	"	48, 1210
Dinitrodibrommethylidiphenylamine	fr. $NMePh.C_6H_3(NO_2)_2$	$C_{13}H_9Br_2O_4N_3$	194	Leymann	B., 15, 1236	42, 1057
Brombenzylamide	$Br.(CO.NHPh)=1.4$	$C_{13}H_{10}BrON$	197	Hübner	B., 10, 1707	34, 149
Benzamidobrombenzene	$Br.NHBz=1.4$	"	202	Meinecke	B., 8, 564	28, 900
Brompseudocinnamylpyrroline	"	175-177	Ciamician	B., 17, 2948	48, 378
Benzoyloxynitrobenzene	$(O.CH_2Ph).Br.NO_2=1.4.6$	$C_{13}H_{10}BrO_3N$	83.5 u.c.	Roll and Hölz	J. p. [2], 32, 56	48, 1209
"	" =1.2.4	"	125.5 u.c.	"	"	"
Benzylnitrophenol	$OH.Br.CH_2Ph.NO_2=1.2.4.6$	"	64-65	Rennie	41, 223, 224
Methylic bromphenoxy-nicotate	$N.Br.OPh.CO_2Me=(?)_2.1.4$	"	183.5	Pechmann	B., 17, 2399	48, 176
Dibromcarbanilide	$CO(NH.C_6H_4Br)_2=(1.4)_2$	$C_{13}H_{10}Br_2ON_2$	w.m. 220-225	Otto	B., 2, 409	
"	"	"	w.m. 225	Sarauw	B., 15, 45	
Hydroxydibrombenzylidenphenylhydrazine	$HO.C_6H_2Br_2.CH:N_2HPh=1.(?)_2.2$	"	148	Rössing	B., 17, 3009	48, 389
Dibromorcinolazobenzene	$Ph.N_2.C_6Me.Br_2.(OH)_2=?.1.2.?3.5$	$C_{13}H_{10}Br_2O_2N_2$	183	Typke	B., 10, 1580	34, 219
Benzdiamidobrombenzene	$NHBz.Br.NH_2=1.2.4$	$C_{13}H_{11}BrON_2$	205	Hübner	B., 10, 1709	34, 142
Dibromcarbanilidocyanmethine	$C_{13}H_{12}Br_2ON_4$	238	Keller	J. p. [2], 31, 363	48, 961
Bromcarbanilidocyanmethine	$Ph.NH.CO.NH.C_6H_6BrN_2$	$C_{13}H_{13}BrON_4$	190	"	"	"
Ethylkairine bromide	$N.OEt=a_1; a_1$	$C_{13}H_{15}BrON$	35	Fischer & Renouf	B., 17, 762	46, 1050
Dinitrotetrabromanthraquinone	$C_{14}H_2Br_4O_6N_2$	105	Claus and Hertel	B., 14, 981	40, 738

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitrodibromanthraquinone	$C_{14}H_4Br_2O_6N_2$	239	Claus and Diernfellner	B., 14, 1337	42, 523
Dinitrobromanthraquinone	$C_{14}H_5BrO_6N_2$	213	"	B., 14, 1333	"
Nitrodibromanthraquinone	$C_{14}H_5Br_2O_4N$	245	"	B., 14, 980, 1334	"
Nitrobromanthraquinone	$C_{14}H_6BrO_4N$	261	Claus and Hertel	B., 14, 980	40, 738
Nitroamidodibromanthraquinone	$C_{14}H_6Br_2O_4N_2$	180-183 u.c.	Claus and Diernfellner	B., 14, 1337	42, 523
Amidodibromanthraquinone	$C_{14}H_7Br_2O_2N$	169-170	"	B., 14, 1334	"
Bromphenylphthalimide	$C_6H_4 : (CO)_2 : N.C_6H_4Br$ =1.2; 1.4	$C_{14}H_8BrO_2N$	203-204	Gabriel	B., 11, 2261	36, 324
Nitrobromphenanthrene	$C_6H_4.CH : CBr.C_6H_3.NO_2$	"	195-196	Anschütz	B., 11, 1218	34, 984
Di-p-bromdiphenyldicyanate	$C_{14}H_8Br_2O_2N_2$	199	Dennstedt	B., 13, 229	
Diazoimidobrombenzoic acid	$N_3H(C_6H_3Br.CO_2H)_2$ =(2.3.1) ₂	$C_{14}H_9Br_2O_4N_3$	147	Hübner	A., 222, 67	46, 316
Acetyltetrabromdiphenylamine	$NAc(C_6H_3Br_2)_2$	$C_{14}H_9Br_4ON$	157-158	Gnehm	B., 8, 928	29, 83
Acetylbromcarbazole	$C_{12}H_7BrN.Ac$	$C_{14}H_{10}BrON$	128	Ciamician and Silber	G. I. [1882], 272	42, 1104
Dinitrodibromdibenzyl	$C_{14}H_{10}Br_2O_4N_2$	204-205	A., 137, 270	v., 871
Dibromapophylline	$C_{14}H_{10}Br_4O_4N_2$	B., 15, 1251	229 d.	Gerichten	A., 210, 94	42, 315
Dibromdiphenylbiuret	$NH(CO.NH.C_6H_4Br)_2$	$C_{14}H_{11}Br_2O_2N_3$	d. 280	w.m. 240	Dennstedt	B., 13, 230	38, 633
Dibromapophylline + HBr	$C_{14}H_{11}Br_3O_4N_2$	begins d. 170	170-205	Gerichten	A., 210, 79	42, 315
Bromacetamidodiphenyl	fr. $Ph.C_6H_4.NHAc=1.4$	$C_{14}H_{12}BrON$	247	A., 209, 345	
Dibrom-p-azoxytoluene	$C_{14}H_{12}Br_2ON_2$	138	Petrieff	B., 6, 557	26, 1027
Bromphenamidoacetbromphenamide	$C_6H_4Br.NH.CH_2.CO.NH.C_6H_4Br=(1.4)_2$	"	sb. 145	161	Dennstedt	B., 13, 237	38, 635
Bromazoxytoluene	$C_6H_4Me.N_2O.C_6H_3MeBr$ =1.4; 1.4?	$C_{14}H_{13}BrON_2$	74	Melms	B., 3, 552	vii., 1163
Diethyl nitrobenzoylbrommalonate	$NO_2.C_6H_4.CO.CBr(CO_2Et)_2$ =1.2	$C_{14}H_{14}BrO_7N$	72	Bischoff & Rach	B., 17, 2793	48, 264
Diethyl dibromcollidinedicarboxylate dibromide	$C_8H_7Br_2(CO_2Et)_2.NBr_2$	$C_{14}H_{17}Br_4O_4N$	102	"	A., 215, 17; B., 14, 1638	44, 82
Diethyl dibromhydrocollidinedicarboxylate dibromide	$C_8H_9Br_2(CO_2Et)_2.NBr_2$	$C_{14}H_{19}Br_4O_4N$	88	"	"	"
Malontribromanilide	$CH_2(CO.NH.C_6H_2Br_3)_2$ =(1.3.5.6) ₂	$C_{15}H_8Br_6O_2N_2$	145-146	Freund	B., 17, 782	46, 1123
Brombenzalphthalimidine	$C_{15}H_{10}BrON$	210-211	Gabriel	B., 18, 1260, 2435	48, 903
Nitrobromcinnaaldehydphenylhydrazine	$C_6H_4(NO_2).CBr : C_2H_2 : N_2$ HPh=1.3	$C_{15}H_{12}BrO_2N_3$	120	Kinkelin	B., 18, 485	48, 791
" "	" =?	"	134	Zincke & Hagen	B., 17, 1817	46, 1344
" "	" =?	"	154	"	B., 17, 1816	"
Acetoxydibrombenzylidenphenylhydrazine	$AcO.C_6H_3Br_2.(CH : N_2.HPh)$ =1.(1) ₂ .2	$C_{15}H_{12}Br_2O_2N_2$	188	Rössing	B., 17, 3008	48, 389
Brombenzylamine carbonate	$(C_6H_4Br.CH_2.NH_3)_2CO_3$ =(1.2) ₂	$C_{15}H_{18}Br_2O_3N_2$	95	Jackson & White	B., 13, 1219	38, 879
" "	" = (1.4) ₂	"	131-133	Jackson and Lowery	A. C. J., 3, 247	42, 170
Benzeneazo-β-naphthol bromide	$C_{16}H_9BrON_2$	160-161	Margary	G. I., 13, 438	46, 326
" "	"	167-168	Zincke & Binde-wald	B., 17, 3032	
Nitro-β-naphthaquinone-p-bromanilide	$O.N(C_6H_4Br).C_{10}H_4(OH).NO_2$	$C_{16}H_9BrO_4N_2$	245-246	Brauns	B., 17, 1136	46, 1038
Brom-α-naphthaquinone-p-bromanilide	$O.N(C_6H_4Br).C_{10}H_4Br(OH)$	$C_{16}H_9Br_2O_2N$	238-240	Baltzer	B., 14, 1901	42, 204
Brom-α-naphthaquinone-anilide	$O.NPh.C_{10}H_4Br.OH$	$C_{16}H_{10}BrO_2N$	165-166	"	B., 14, 1902	42, 205

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
<i>a</i> -Naphthaquinone- <i>p</i> -brom-anilide	$O.N(C_6H_4Br).C_{10}H_5.OH$	$C_{16}H_{10}BrO_2N$	266-269	Baltzer	B., 14, 1902	42, 204
Bromnaphthalene picrate	$C_{10}H_7Br + C_6H_2.OH.(NO_2)_3$	$C_{16}H_{10}BrO_7N_3$	133	Wichelhaus	B., 2, 305	vi., 845
β -Naphthaquinonehydr-azidedibromide	$C_{16}H_{10}Br_2ON_2$	215-219	Zincke & Binde-wald	B., 17, 3031	48, 392
Fr. nitrocinnamic acid	or $C_8H_6BrO_2N$	$C_{16}H_{10}Br_2O_4N_2$	255	Morgan	B., 17, 222	46, 747
Brom- <i>a</i> -naphtholazobenz-ene	$HO.C_{10}H_6.N_2.C_6H_4Br$ = $a?$; 1.4	$C_{16}H_{11}BrON_2$	185	Margary	G. I., 14, 271	46, 546
" - <i>a</i> - " "	" " " "	" " " "	195	"	"	"
Bromhydroxynaphtha-quinonehydrazine	see B., 17, 1813	$C_{16}H_{11}BrO_2N_2$	196-198	Zincke & Thelen	B., 17, 1813	46, 1360
Methylisatinbromtolyl-imide	$C_8H_4MeNO.N.C_6H_3MeBr$ = 1.4; 4.1.3	$C_{16}H_{13}BrON_2$	210	Meyer	B., 16, 2267	46, 48
Ethylic dibromdiphenyl-allophanate	$C_6H_4Br.NH.CO.N(C_6H_4Br).$ $CO_2Et=(1.4)_2$	$C_{16}H_{14}Br_2O_3N_2$	153	Dennstedt	B., 13, 229	38, 633
Dibromazodimethylquinol	fr. $N_2[C_6H_3(OMe)_2]_2$ = (? 4.1) ₂	$C_{16}H_{16}Br_2O_4N_2$	220	Baessler	B., 17, 2125	46, 1330
Dibromanisidine oxalate	$OMe.NH_2.Br_2=1.2.4.6$	$C_{16}H_{16}Br_4O_6N_2$	147-148	Staedel & Damm	B., 11, 1750; A., 217, 55	36, 239; 44, 663
" " " "	" = 1.4.2.6	"	195 d.	"	"	"
Diphenyltartaramide + HBr	$(CPh(OH).CO.NH_2)_2 + HBr$	$C_{16}H_{17}BrO_4N_2$	185 d.	Burton	B., 16, 2233	46, 63
Diphenoxydiethylene-amine + HBr	$NH_2Br(C_2H_4.OPh)_2$	$C_{16}H_{20}BrON$	nf. 216	Weddige	J.p. [2], 24, 241	40, 1137
Methylbromisatoide	$C_{17}H_{10}Br_2O_4N_2$	230-231	Baeyer	B., 15, 2095	44, 201
Brom- <i>a</i> -naphthanilide	$C_{10}H_6Br.(CONPh)=\beta_1\beta_2$;	$C_{17}H_{12}BrON$	194	Miller	B. S., 43, 125	48, 667
Brom- <i>a</i> -methylnaphthalene picrate	$C_{10}H_6BrMe + C_6H_2(NO_2)_3.OH$	$C_{17}H_{12}BrO_7N_3$	105	Schulze	B., 17, 1528	46, 1184
" - β - " "	" " " "	" " " "	113	"	B., 17, 1529	"
Cinchonic acid benzyl-bromide	$NBr(CH_2Ph).CO_2H=a_1\beta_2$;	$C_{17}H_{14}BrO_2N$	130 u.c.	Claus & Muchall	B., 18, 363	46, 561
Acetoxydibrombenzyl-idenacetphenylhydrazine	$AcO.C_6H_2Br_2.CH : N_2AcPh$ = 1. (?) ₂ .2	$C_{17}H_{14}Br_2O_3N_2$	158	Rössing	B., 17, 3010	48, 389
Bromethoxyhydroquinoline picrate	$N.OEt=a_1; a_1$	$C_{17}H_{17}BrO_3N_4$	107-108	Fischer & Renouf	B., 17, 761	46, 1050
Nitrobromphenol + dinitro-bromphenol	$2C_6H_3Br.NO_2.OH + C_6H_2Br(NO_2).OH$	$C_{18}H_{11}Br_3O_{11}N_4$	68-70	Fittica	J. p. [2], 28, 176	46, 55
Ethylbromisatoide	$C_{18}H_{12}Br_2O_4N_2$	244-245	Baeyer	B., 15, 2095	
2 (Nitrobrombenzene) + benzene	$(NO_2)_2.Br=1.3.4$	$C_{18}H_{12}Br_2O_8N_4$	65	Spiegelberg	A., 197, 259	36, 796
Fr. amidonaphthaquinon-imide	$C_{18}H_{12}Br_4O_2N_2$	237	Kronfeld	B., 17, 718	46, 1037
Bromcodeïne	A., 77, 362	$C_{18}H_{20}BrO_3N$	161-162	Gerichten	A., 210, 112	42, 312
Benzoyldibromdiphenyl-amine	$NBz(C_6H_4Br)_2=?$	$C_{19}H_{13}Br_2ON$	142	Lellmann	B., 15, 830	42, 1060
Brom- <i>o</i> -ethoxyhydroethyl-quinoline picrate	$C_{13}H_{13}BrON + C_6H_2.OH.$ $(NO_2)_3$	$C_{19}H_{21}BrO_8N_4$	174	Fischer & Renouf	B., 17, 762	46, 1050
Tetrabromdiimidophthal-ein	$C_6H_4(CNH.C_6H_2Br_2.OH)_2$	$C_{20}H_{12}Br_4O_2N_2$	A., 202, 114	a. 280	Baeyer and Burk-hardt	B., 11, 1299	34, 866
Isobutylbromisatoide	$C_{20}H_{16}Br_2O_4N_2$	210	Baeyer	B., 15, 2097	44, 202
Bromquinolinemethyloxyde	$(C_6H_6BrNMe)_2O$	$C_{20}H_{18}Br_2ON_2$	146-147	Coste	B., 15, 189	42, 980
Dibenzdiamidobrom-toluene	$Me.Br.(NHBz)_2=1.?2.4$	$C_{21}H_{17}BrO_2N_2$	214	Ruhemann	B., 14, 2658	
Fr. dibromstrychine	$C_{21}H_{19}BrO_2N_2$	216	Beckurts	B., 18, 1238	48, 911
Enanthylidenedibrom-nitrobenzodiamide	$C_{21}H_{22}Br_2O_6N_4$	170	Medicus	A., 157, 44	24, 151
Cinchonine methobromide	$C_{20}H_{24}ON_2.MeBr$	$C_{21}H_{27}BrON_2$	dark, 245	265-269	Claus and Müller	B., 13, 2291	40, 289
Quinine methobromide	$C_{20}H_{24}O_2N_2.MeBr$	$C_{21}H_{27}BrO_2N_2$	124-126	Claus & Mallmann	B., 14, 76	40, 619
Acetyldinitrodibromfluor-esceïn	$C_{22}H_8Br_2O_{10}N_2$	250	Baeyer	A., 183, 1	31, 204
Cinchoninemethylethyl-bromide	$C_{19}H_{22}ON_2.MeBr.EtBr$	$C_{22}H_{30}Br_2ON_2$	197	Claus and Müller	B., 13, 2294	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Papaverine ethobromide ...	$C_{21}H_{21}O_4N.EtBr$	$C_{23}H_{26}BrO_4N$	110-111 u.c.	Claus & Huetlin	B., 18, 1577	48, 996
Isoamylbromanthracene picrate	$C_6H_4 : C_2Br(C_6H_{11}) : C_6H_4 + C_6H_2(NO_2)_3.OH$	$C_{25}H_{22}BrO_7N_3$	110	Liebermann and Tobias	B., 14, 795; A., 212, 1	40, 737; 42, 863
Narceine ethobromide ...	$C_{23}H_{29}O_9N.EtBr$	$C_{25}H_{34}BrO_9N$	165 u.c.	Claus & Ritzfeld	B., 18, 1570	48, 996
Dibenzdiamidodibromdiphenyl	$(C_6H_3Br.NHBz)_2$	$C_{26}H_{18}Br_2O_2N_2$	195; r.m. 99; r.s.125-130; r.m. 195	Lellmann	B., 15, 2835, 2838	44, 343
Diphthalimidodibromdiphenyl	$[C_6H_4 : (CO)_2 : N]_2 : (C_6H_3Br)_2$	$C_{28}H_{14}Br_2O_4N_2$	300-301 u.c.	Gabriel	B., 11, 2262	36, 324
? -acid ...	$C_{28}H_{17}Br_3O_4(NO_2)_4$	$C_{28}H_{17}Br_3O_{12}N_4$	180	Fleischer	A., 144, 201	vi., 1087
Tetracyltetrabromdiimidophenolphthaleïn	$C_5H_4(CNAc.C_6H_2Br_2.OAc)_2$	$C_{28}H_{20}Br_4O_6N_2$	241	Baeyer and Burkhart	B., 11, 1299; A., 202, 117	34, 866
Br on k-nitrocamphor	$C_{30}H_{43}Br_2O_{14}N_3$	94-95	Schiff	G. I., 11, 21	40, 438
Diphenyldiisindolazodibromphenol	For constitution see B., 15, 2495	$C_{40}H_{26}Br_4O_2N_6$	198	Möhlau	B., 15, 2492	44, 343
Ethyloxyde + antimony tribromide	$Et_2O + SbBr_3$	$C_4H_{10}Br_3OSb$	begins 91	Liquid	Nicklès	C. R., 52, 369	vi., 596
Bromallylthiocarbimide ...	$C_3H_4Br.N : CS$	C_4H_4BrSN	200	Henry	B., 5, 188	vii., 50, 1018
Bromallylthiocarbamide ...	$NH_2.CS.NH.C_3H_4Br$	$C_4H_7BrSN_2$	110-111	"	"	vii., 50
"	"	"	see next	146	Maly	B. S. [2], 8, 129	v., 782
Allylthiocarbamidodibromide	$NH_2.CS.NH.C_3H_5Br_2$	$C_4H_8Br_2SN_2$	see preceding	146-147	"	Z. C. [1867], 42	
Bromphenylthiocarbimide	$C_6H_4Br.(N : CS)=1.4$	C_7H_4BrSN	60-61	Weith & Landolt	B., 8, 716	28, 1194
Bromphenylthiocarbazine...	$C_7H_5BrSN_2$	210	Fisher & Besthorn	A., 212, 331	42, 1095
Thioformamidobrombenzene	$C_6H_4Br.(NH.CSH)=1.4$	C_7H_6BrSN	189-190 d.	Dennstedt	B., 13, 236	38, 634
Bromphenylthiocarbamide	$NH_2.CO.NH.C_6H_4Br=1.4$	$C_7H_7BrSN_2$	183	"	B., 13, 231	"
Brombenzylthiocyanate ...	$Br.(CH_2.SCN)=1.2$	C_8H_8BrSN	?	A. C. J., 2, 316
"	" =1.4	"	25	Jackson & Lowery	B., 10, 1212	34, 64
Bromphenyldithiourethane	$C_6H_4Br.NH.CS_2Et=1.4$	$C_9H_{10}BrS_2N$	89	Dennstedt	B., 13, 232	38, 634
Thioacetanilide + EtBr ...	$Ph.NH.CS.Me + EtBr$	$C_{10}H_{14}BrSN$	130	Bernthsen	A., 192, 1	34, 791
Dibromdiphenylthiocarbamide	$CS : N_2H_2(C_6H_4Br)_2=(1.4)$	$C_{13}H_{10}Br_2SN_2$	sb. 200	178	Otto	B., 2, 409
Bromdiphenylthiocarbamide	$Br.(NH.CS.NHPh)=1.4$	$C_{13}H_{11}BrSN_2$	158	Dennstedt	B., 13, 231	38, 634
Methyleneiodophenylsulphone	$Ph.SO_2.CH_2I$	$C_7H_7IO_2S$	64.5	Michael & Palmer	A. C. J., 6, 253	48, 536
Iodotoluenesulphonic acid	$Me.I.SO_3H=1.2?$	$C_7H_7IO_3S$	L. 0	Mabery & Palmer	A. C. J., 6, 170	48, 539
"	" =1.4?	"	crystalline	Glassner	B., 8, 561	
Tolylsulphonethyliodide ...	$C_6H_4Me.SO_2.C_2H_4I=1.4$	$C_9H_{11}IO_2S$	100	Otto and Dammköhler	J. p. [2], 30, 321	48, 538
Tetridoxysulphobenzide...	$SO_2(C_6H_2I_2.OH)_2$	$C_{12}H_6I_4O_4S$	B., 9, 1150	260-270 d.	Annaheim	A., 172, 44	27, 796
Diiodoacetamide (A., 117, 356)	$CHI_2.CO.NH_2$	$C_2H_3I_2ON$	yellow 170; sb. 185-190	201-202; sf. 198	Curtius	B., 18, 1286	48, 884
Iodoacetamide (Z. C. [1871], 5)	$CH_2I.CO.NH_2$	C_2H_4ION	157-158	Henry	C. R., 100, 114	48, 373
β -Iodopropionamide ...	$CH_2I.CH_2.CO.NH_2$	C_3H_6ION	100-101	"	"	"
Iodosuccinimide ...	$CH_2.CH_2.CO.NI.CO$	$C_4H_4IO_2N$	d. 100	135 d.	Bunge	As., 7, 128	vi., 1043
Trinitroiodobenzene ...	$C_6H_2I(NO_2)_3$	$C_6H_2IO_6N_3$	164	Hepp	A., 215, 361	44, 316
Dinitroiodobenzene ...	$I.(NO_2)_2=1.2.4$	$C_6H_3IO_4N_2$	J. [1875], 322	88.5	Körner	G. I., 4, 305	29, 211
"	" =1.2.6	"	"	113.7	"	"	"
Dinitroiodophenol ...	$OH.I.(NO_2)_2=1.2.4.6$	$C_6H_3IO_5N_2$	"	106	Armstrong	B., 6, 651	vii., 916, 929
"	"	"	"	106	Post	B., 7, 336	27, 800
(Z. C. [1863], 325)	"	"	"	108	Weselsky	A., 174, 111	vii., 917, 929

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dinitriodophenol....	OH.I.(NO ₂) ₂ =1.4.2.6	C ₆ H ₃ IO ₆ N ₂	J. [1875], 340	112·9	Körner	G. I., 4, 305	29, 231
"	"	"	113	Armstrong	B., 6, 650	vii., 917, 929
"	"	"	113	Post	B., 7, 336	27, 800
Nitrodiiodobenzene	I ₂ .NO ₂ =1.3.4	C ₆ H ₃ I ₂ O ₂ N	J. [1875], 325	168·4	Körner	G. I., 4, 305	29, 222
Nitrodiiodophenol....	OH.I ₂ .NO ₂ =1.2.4.6	C ₆ H ₃ I ₂ O ₃ N	98	"	J. [1867], 617	vi., 915; vii., 929
" (cf. vii., 916)	" =1.2.6.4	"	154-155	Busch	B., 7, 462	27, 802
"	"	"	A., 174, 108	156·5	Körner	J. [1867], 617	vi., 915; vii., 929
" (Z. C. [1868], 324)	"	"	A., 205, 91	157-158	Post and Brackebusch	B., 7, 168	27, 476; vii., 923
Nitriodobenzene	I.NO ₂ =1.3	C ₆ H ₄ IO ₂ N	290	Liquid	Schutzenberger and Segenwald	R. [1862], 144; J. [1862], 251	vi., 269
"	"	"	34	Griess	J. [1866], 457; Z. C. [1866], 218	vi., 921; vii., 138
"	"	"	35-36	Richter	B., 4, 553	24, 824
"	"	"	J. [1879], 388	36	Körner	G. I., 4, 305	29, 234
"	" =1.2	"	J. [1875], 321	49·4	"	"	29, 211
"	" =1.4	"	171	Kekulé	A., 137, 168	vi., 269
"	"	"	171·5	Griess	Z. C. [1866], 218; J. [1866], 457	vi., 921; vii., 138
"	"	"	J. [1875], 320	171·5	Körner	G. I., 4, 305	29, 211
Nitriodophenol	OH.I.NO ₂ =1.2.6	C ₆ H ₄ IO ₃ N	66-67	Hübner & Busch	B., 7, 462	27, 801
"	" =1.2.6	"	90-91	"	"	vii., 917, 929
"	" =1.2.4	"	J. [1867], 616	93	Körner	Z. C. [1868], 324	vi., 914
"	"	"	93	Post	B., 7, 333	27, 800
"	" =1.2(?)·6	"	109-110	Armstrong	vii., 917, 929
" (?)	" =1.2.4	"	cf. vii., 916	154-155	Hübner & Busch	B., 7, 462	27, 802; vii., 916, 929
Nitrodiiodoaniline	NH ₂ .I ₂ .NO ₂ =1.2.4.3	C ₆ H ₃ I ₂ O ₂ N ₂	145·5	Michael & Norton	B., 11, 113	34, 406
"	" =1.2.6.4	"	243-244	"	B., 11, 114	34, 407
Nitrodiiodoaniline (?)	NH ₂ .I.NO ₂ =1.2.3	C ₆ H ₃ IO ₂ N ₂	85-95	"	B., 11, 113	"
"	" =1.2.4	"	105·5	"	B., 11, 114	"
"	" =1.4.6	"	122	"	B., 11, 109	"
"	" =1.3.6	"	J. [1875], 353	nf. 220	Körner	G. I., 4, 305	29, 222
Nitriodobenzoic acid β-	CO ₂ H.I.NO ₂ =1.3.?	C ₇ H ₄ IO ₄ N	174	Grothe	J. p. [2], 18, 326	36, 377
"	" γ- =1.3.?	"	192	"	"	"
"	" =1.4.5	"	210	Glassner	B., 8, 562	28, 888
"	" α- =1.3.?	"	220	Cunze & Hübner	A., 135, 111	vi., 316
"	" α- "	"	235	Grothe	J. p. [2], 18, 325	36, 377
Nitriodosalicylic acid	CO ₂ H.OH.I.NO ₂ =1.2.(?) ₂	C ₇ H ₄ IO ₅ N	?	A., 174, 108	"
"	" =1.2.5.3	"	204	Hübner	B., 12, 1347	36, 928
"	" =1.3.(?) ₂	"	?	A., 174, 109	"
"	" =1.4.(?) ₂	"	?	A., 174, 110	"
Dinitriodotoluene	Me.I.(NO ₂) ₂ =1.4.(?) ₂	C ₇ H ₅ IO ₄ N ₂	137-138	Glassner	B., 8, 561	27, 897
Dinitriodocresol	OMe.I.(NO ₂) ₂ =?	C ₇ H ₅ IO ₆ N ₂	75	Heynemann	Z. C. [2], 6, 402	vii., 1178
Nitrobenzyl iodide	NO ₂ .CH ₂ I=1.2	C ₇ H ₆ IO ₂ N	75	Kumpf	B., 17, 1074	46, 1005
"	" =1.4	"	127	"	"	"
Nitriodotoluene	Me.I.NO ₂ =1.3.?	"	Liquid	Beilstein	Z. C. [2], 3, 102	vii., 1166
"	" =1.4.5	"	55-56	Heynemann	A., 158, 344	24, 682
"	" =1.4.6	"	286 d.	60·5-61	"	A., 158, 337; Z. C. [2], 6, 402	24, 681; vii., 1167
"	" =1.3.?	"	98-99	Beilstein	Z. C. [2], 3, 102	vii., 1166
"	" =1.2.?	"	103-104	Heynemann	A., 158, 347	24, 682
"	" =1.3.?	"	108-109	"	A., 158, 350	"
α-Amidiodobenzoic acid	CO ₂ H.I.NH ₂ =1.3.2 or 6	"	137	Grothe	J. p. [2], 18, 326	36, 377
β- " "	" =1.3.6 or 2	"	209 d.	"	J. p. [2], 18, 327	"
Iodethoxytrinitrobenzene	(O.C ₂ H ₄ I).(NO ₂) ₃ =1.2.4.6	C ₈ H ₆ IO ₇ N ₃	69·5	Andrews	B., 13, 244	38, 619
Acetamidiodobenzene	NHAc.I=1.4	C ₈ H ₉ ION	181·5	Michael & Norton	B., 11, 108	34, 406
Hydrotropine iodide	C ₉ H ₁₆ ION	115	Ladenburg	A., 217, 74	44, 672
Diiodohydroxyquinoline	C ₉ NH ₄ I ₂ .OH	C ₉ H ₅ I ₂ ON	205	Ostermeyer	C. C. [1884], 937	48, 673
Iodocarbostyryl	N.OH.I=α ₁ β ₁ α ₂ ;	C ₉ H ₆ ION	276	Baeyer & Blöm	B., 15, 2149	44, 196
Ethyl β-nitriodobenzoate	CO ₂ Et.I.NO ₂ =1.3.6 or 2	C ₉ H ₉ IO ₄ N	64	Grothe	J. p. [2], 18, 326	36, 377

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl α -nitroiodobenzoate	$\text{CO}_2\text{Et.I.NO}_2=1.3.2$ or 6	$\text{C}_9\text{H}_9\text{IO}_4\text{N}$	84	Grothe	J. p. [2], 18, 325	36, 377
Iodohydroxycyanonine	$\text{C}_9\text{H}_{12}\text{IN}_2\text{.OH}$	$\text{C}_9\text{H}_{13}\text{ION}_2$	157	Riess	J. p. [2], 30, 145	48, 236
Piperpropylalkaline methiodide	$\text{C}_8\text{H}_{17}\text{ON.MeI}$	$\text{C}_9\text{H}_{20}\text{ION}$	142	Laun	B., 17, 680	46, 1054
Valerobetaine iodide	$\text{C}_6\text{H}_{11}\text{O}_2\text{.NMe}_3\text{I}$	$\text{C}_9\text{H}_{20}\text{IO}_2\text{N}$	191 d.	Körner & Menozzi	G. I., 13, 351	48, 425
Nitroiodonaphthalene	$\text{I.NO}_2=\beta_1\alpha_1$;	$\text{C}_{10}\text{H}_8\text{IO}_2\text{N}$	88.5	Meldola	47, 519
"	" $=\alpha_1\beta_1$;	"	108.5	"	"
"	" $=\alpha_1\alpha_2$;	"	123	"	47, 519, 523
Nitroiodonaphthol	$\text{OH.I.NO}_2=\alpha_2\alpha_1\beta_2$;	$\text{C}_{10}\text{H}_6\text{IO}_3\text{N}$	145-146	"	47, 524
Cinchonic acid diiodide ...	$\text{C}_9\text{H}_6\text{I}_2\text{N.CO}_2\text{H}$	$\text{C}_{10}\text{H}_7\text{I}_2\text{O}_2\text{N}$	d. 200	242 d.	Claus	B., 18, 1308	48, 908
Methylphenylethylalkaline methoperiodide	$\text{NPhMe(C}_2\text{H}_4\text{.OH).MeI.I}_4$	$\text{C}_{10}\text{H}_{16}\text{I}_6\text{ON}$	87 d.	Laun	B., 17, 677	46, 1011
Dimethoxybenzenetri-methylammonium iodide	$(\text{OMe})_2\text{.NMe}_3\text{I}=1.4.5$	$\text{C}_{11}\text{H}_{15}\text{IO}_2\text{N}$	202	Baessler	B., 17, 2122	46, 1329
Diiodoazoxybenzene	$\text{ON}_2(\text{C}_6\text{H}_4\text{I})_2=(1.3)_2$	$\text{C}_{12}\text{H}_9\text{I}_2\text{ON}_2$	crystalline	Gabriel	B., 9, 1410	31, 307
"	" $= (1.4)_2$	"	199-199.5	"	B., 9, 1408	"
Nitroiodacenaphthalide	$\text{NHAc.I.NO}_2=\alpha_2\alpha_1\beta_2$;	$\text{C}_{12}\text{H}_9\text{IO}_3\text{N}_2$	235-236	Meldola	47, 523
Iodacenaphthalide....	$\text{NHAc.I}=\alpha_2\alpha_1$;	$\text{C}_{12}\text{H}_{10}\text{ION}$	196	"	"
Ethyl collidinecarboxylate methiodide	$\text{C}_5\text{HNMe}_3\text{.CO}_2\text{Et} + \text{MeI}$	$\text{C}_{12}\text{H}_{18}\text{IO}_2\text{N}$	128	Michael	A., 225, 121	48, 62
Benzamidodiiodobenzene	$\text{NHBz.I}_2=1.2.4$	$\text{C}_{13}\text{H}_9\text{I}_2\text{ON}$	181	Rudolph	B., 11, 81	34, 423
Benzamidoiodobenzene	$\text{NHBz.I}=1.2$ (?)	$\text{C}_{13}\text{H}_{10}\text{ION}$	180	Hübner	B., 10, 1717	34, 143
"	" $=1.4$ (?)	"	210	"	B., 10, 1718	"
Iodophenylphthalimide	$\text{C}_6\text{H}_4 : (\text{CO})_2 : \text{N.C}_6\text{H}_4\text{I}$ $=1.2 ; 1.4$	$\text{C}_{14}\text{H}_8\text{IO}_2\text{N}$	227-228	Gabriel	B., 11, 2261	36, 324
Harmine methiodide	$\text{C}_{13}\text{H}_{12}\text{ON}_2\text{.MeI}$	$\text{C}_{14}\text{H}_{16}\text{ION}_2$	dark 282	298	Fischer & Täube	B., 18, 402	48, 820
Harmaline methiodide	$\text{C}_{13}\text{H}_{14}\text{ON}_2\text{.MeI}$	$\text{C}_{14}\text{H}_{17}\text{ION}_2$	260	"	B., 18, 405	48, 821
Diethyl collidinedicarboxylate + HI	$\text{C}_6\text{NMMe}_3(\text{CO}_2\text{Et})_2 + \text{HI}$	$\text{C}_{14}\text{H}_{20}\text{IO}_4\text{N}$	170 d.	Hantzsch	A., 215, 1	44, 83
" + MeI	$\text{C}_5\text{NMMe}_3(\text{CO}_2\text{Et})_2 + \text{MeI}$	$\text{C}_{15}\text{H}_{22}\text{IO}_4\text{N}$	138	"	A., 215, 25	"
"	"	"	d. 160	140	"	B., 17, 1021	46, 1045
Dimethamidobenzophenone + MeI	$\text{C}_6\text{H}_4\text{Bz.NMe}_3\text{I}$	$\text{C}_{18}\text{H}_{18}\text{ION}$	A., 210, 269	181 d.	Döbner & Weiss	B., 14, 1836	42, 176
Nitrosodimethaniline triiodide	$2[\text{C}_6\text{H}_4(\text{NO}).\text{NMe}_2]\text{I}_3$	$\text{C}_{16}\text{H}_{20}\text{I}_3\text{O}_2\text{N}_4$	115.5	Dafert	M. C., 4, 496	44, 978
Campherethylimidethyl-imidine ethiodide	$\text{C}_{13}\text{H}_{14}(\text{C}(\text{NEt}).\text{NEt.CO} + \text{EtI})$	$\text{C}_{15}\text{H}_{29}\text{ION}_2$	244-245 d.	Wallach and Kamenski	B., 14, 163 ; A., 214, 246	40, 285
Ethylphenyllutidinecarboxylate methiodide	$\text{C}_6\text{NHPhMe}_2\text{.CO}_2\text{Et} + \text{MeI}$	$\text{C}_{17}\text{H}_{20}\text{IO}_2\text{N}$	sf. 200	205-206 d.	Hantzsch	B., 17, 2914	48, 398
Tolulfurfuraldehydine + MeI	$\text{C}_{17}\text{H}_{14}\text{O}_2\text{N}_2 + \text{MeI}$	$\text{C}_{16}\text{H}_{17}\text{IO}_2\text{N}_2$	195.5 d.	Ladenburg	B., 11, 1658	36, 234
" + MeI ₃	$\text{C}_{17}\text{H}_{14}\text{O}_2\text{N}_2 + \text{MeI}_3$	$\text{C}_{18}\text{H}_{17}\text{I}_3\text{O}_2\text{N}_2$	126-128	"	"	"
" + MeI ₅	$\text{C}_{17}\text{H}_{14}\text{O}_2\text{N}_2 + \text{MeI}_5$	$\text{C}_{18}\text{H}_{17}\text{I}_5\text{O}_2\text{N}_2$	109	"	"	"
Homocinchonidine methiodide	$\text{C}_{19}\text{H}_{22}\text{ON}_2 + \text{MeI}$	$\text{C}_{20}\text{H}_{25}\text{ION}_2$	A., 90, 221	248 d.	Claus and Bock	B., 13, 2192	40, 184
Methylcinchonine periodide	$\text{C}_{20}\text{H}_{25}\text{I}_3\text{ON}_2$	90-92	Jørgensen	J. p. [2], 3, 145	vii., 340
Nitrosodiethaniline triiodide	$2[\text{C}_6\text{H}_4(\text{NO}).\text{NEt}_2]\text{I}_3$	$\text{C}_{20}\text{H}_{25}\text{I}_3\text{O}_2\text{N}_4$	118	Dafert	M. C., 4, 496	44, 978
Methylcinchonine methiodide	$\text{C}_{20}\text{H}_{24}\text{ON}_2\text{.MeI}$	$\text{C}_{21}\text{H}_{27}\text{ION}_2$	201	Claus and Müller	B., 13, 2293	40, 289
Cinchonidine methiodide..	"	"	245-255 d.	Claus and Dannenbaum	B., 13, 2188	40, 183
Homocinchonidine ethiodide	$\text{C}_{19}\text{H}_{22}\text{ON}_2\text{.EtI}$	"	B., 14, 47	261 d.	Claus	B., 11, 1821	36, 168
Quinine methiodide	$\text{C}_{20}\text{H}_{24}\text{O}_2\text{N}_2\text{.MeI}$	$\text{C}_{21}\text{H}_{27}\text{IO}_2\text{N}_2$	d. 210-215	233-236 d.	Claus and Mallmann	B., 14, 76	40, 619
Methylcinchonine triiodide	$\text{C}_{20}\text{H}_{24}\text{ON}_2\text{.MeI}_3$	$\text{C}_{21}\text{H}_{27}\text{I}_3\text{ON}_2$	161-162	Jørgensen	J. p. [2], 3, 145	vii., 340
Methylquinine	$\text{C}_{20}\text{H}_{24}\text{O}_2\text{N}_2\text{.MeI}_3$	$\text{C}_{21}\text{H}_{27}\text{I}_3\text{O}_2\text{N}_2$	159-160	"	"	"
Methylquinidine	"	"	164-165	"	J. p. [2], 3, 153	"
Papaverine methiodide	$\text{C}_{21}\text{H}_{21}\text{O}_4\text{N.MeI}$	$\text{C}_{22}\text{H}_{24}\text{IO}_4\text{N}$	80 u.c.	Claus & Huëtlin	B., 18, 1577	48, 996

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Cinchonidine ethiodide	$C_{20}H_{24}ON_2.EtI$	$C_{22}H_{29}ION_2$	249 d.	Claus and Dan- nenbaum	B., 13, 2188	40, 183
Quinine ethiodide	$C_{20}H_{24}O_2N_2.EtI$	$C_{22}H_{29}IO_2N_2$	A., 91, 163	210-211 d.	Claus and Mall- mann	B., 14, 78	26, 1180
Methylquinine methiodide	$C_{20}H_{23}MeO_2N_2.MeI$	"	215-218	"	B., 14, 80	
Cinchonine ethtriiodide	$C_{20}H_{24}ON_2.EtI_3$	$C_{22}H_{29}I_3ON_2$	141-142	Jørgensen	J. p. [2], 3, 152	vii., 340
Quinine "	$C_{20}H_{24}O_2N_2.EtI_3$	$C_{22}H_{29}I_3O_2N_2$	150-151	"	"	"
Cinchonine dimethiodide...	$C_{20}H_{24}ON_2.2MeI$	$C_{22}H_{30}I_2ON_2$	brown 210	235 d.	Claus and Müller	B., 13, 2293	40, 289
Quinine dimethiodide	$C_{20}H_{24}O_2N_2.2MeI$	$C_{22}H_{30}I_2O_2N_2$	brown 140	140-160 d.	Claus & Mallmann	B., 14, 77	
Papaverine ethiodide	$C_{21}H_{21}O_4N.EtI$	$C_{23}H_{26}IO_4N$	216	Claus & Huëtlin	B., 18, 1577	48, 996
Ethylhomocinchonidine ethiodide	$C_{19}H_{21}EtON_2.EtI$	$C_{21}H_{31}ION_2$	236	Claus	B., 11, 1823	36, 169
Homocinchonidine dieth- iodide	$C_{19}H_{22}ON_2.2EtI$	$C_{21}H_{32}I_2ON_2$	255 d.	"	B., 11, 1824	"
Quinine methiodethiodide	$C_{20}H_{24}O_2N_2.MeI.EtI$	$C_{23}H_{32}I_2O_2N_2$	157-160 d.	Claus & Mallmann	B., 14, 77	
Quinine ethiodmethiodide	"	"	206-208 d.	"	B., 14, 78	
Brucine methiodide ...	$C_{23}H_{26}O_4N_2.MeI$	$C_{25}H_{29}IO_4N_2$	270	Hanssen	B., 17, 2267	48, 64
Tri(nitrosodimethylaniline) diiodide	$3(C_6H_4.NO.NMe_2)I_2$	$C_{24}H_{30}I_2O_3N_6$	123.5	Dafert	M. C., 4, 496	44, 978
Narceine methiodide	$C_{23}H_{29}O_9N.MeI$	$C_{24}H_{32}IO_9N$	173 d.	Claus & Ritzfeld	B., 18, 1571	48, 996
Ethylcinchonine ethiodide	$C_{20}H_{23}EtON_2.EtI$	$C_{24}H_{33}ION_2$	242 d.	Claus and Kem- perdick	B., 13, 2288	40, 289
Ethylcinchonidine ethiod- ide	"	"	257 d.	Claus and Dan- nenbaum	B., 13, 2191	40, 183
Cinchonine diethiodide	$C_{20}H_{24}ON_2.2EtI$	$C_{24}H_{34}I_2ON_2$	264 d.	Claus and Kem- perdick	B., 13, 2288	40, 289
Quinine diethiodide	$C_{20}H_{24}O_2N_2.2EtI$	$C_{24}H_{34}I_2O_2N_2$	115	Skraup	M. C., 2, 611	42, 219
p-Nitrotetramethdiamido- triphenylmethane di- methiodide	$C_6H_4.NO_2.[CH(C_6H_4.NMe_2)]_2$ + 2MeI	$C_{25}H_{31}I_2O_2N_3$	220 d.	Fischer	B., 14, 2526	42, 393
m- " "	" "	"	225	Fischer & Ziegler	B., 13, 672	38, 662
Malachite green methiod- ide	$Ph.C(OH)(C_6H_4.NMe_2)_2$ 2MeI	$C_{25}H_{32}I_2ON_2$	B., 15, 236	171-172 d.	Döbner	B., 13, 2225; A., 217, 254	40, 165
Dimethylanilinephthalein di- methiodide	$C_6H_4(CO.C_6H_4.NMe_2)_2.2MeI$	$C_{26}H_{30}IO_2N_2$	185 d.	Fischer	A., 206, 95	40, 588
Tri(nitrosodiethylaniline) diiodide	$3(C_6H_4.NO.NEt_2)I_2$	$C_{30}H_{42}I_2O_3N_6$	127	Dafert	M. C., 4, 496	44, 978
Phenoxydiphenylmethyl- phosphonium iodide	$PMePh_2I.OPh$	$C_{15}H_{15}IOP$	s.d. 131	134-136	Michaelis and Coste	B., 18, 2116	48, 1215
Tetrahydroxyamylidene phosphonium iodide	$(C_5H_{10}.OH)_4PI$	$C_{20}H_{44}IO_4P$	119	Girard	A. C. [6], 2, 1; C. R., 94, 215	46, 1119
Benzarsenioidide	$AsI_2.(C_6H_4.CO_2H)$	$C_7H_5I_2O_2As$	153	Coste	A., 208, 13	40, 904
Dibenzarsenioidide....	$AsI.(C_6H_4.CO_2H)_2$	$C_{14}H_{10}IO_4As$	a. 280	"	A., 208, 24	40, 905
Methylthiocarbamide+HI	$NH_2.CS.NHMe+HI$	$C_2H_7ISN_2$	b. 100	Bernthsen and Klinger	B., 11, 493	34, 569
Thiocarbamide+MeI	"	117	"	B., 11, 493	"
Allylthiocarbamide+I ₂	$C_3H_5.NH.CS.NH_2+I_2$	$C_4H_9I_2SN_2$	90 d.	Maly	Z. C. [2], 5, 258	vi., 1088
Methylthiocyanopropimine +HI	$SCN.CH_2.CMe:NMe+HI$	$C_5H_9ISN_2$	157	Tscharniac and Norton	C. R., 96, 494	44, 568
Allylthiocarbamide+EtI	$C_3H_5.NH.CS.NH_2+EtI$	$C_6H_{13}ISN_2$	A., 94, 103	72	J. [1869], 259	
Iodophenylthiocarbimide....	$C_6H_4I.(N:CS)=1.4$	C_7H_4ISN	65	Losanitsch	B., 5, 158	
Iodobenzylthiocyanate	$C_6H_4I.(CH_2.SCN)=1.4$	C_8H_6ISN	40	Mabery and Jackson	B., 11, 58; A.C.J., 2, 250	34, 422
Methenylamidothiophenol +MeI	$C_6H_4.N:CH.S+MeI$	C_5H_5ISN	210	Hofmann	B., 13, 16	38, 388
Thiacetophenamide+MeI	$Me.CS.NHPh+MeI$	$C_9H_{12}ISN$	139	Bernthsen	A., 192, 1	34, 791
Ethylene phenylthiocarb- amate+MeI	$NPh.CI(SMe).CH_2.CH_2$	$C_{10}H_{12}IS_2N$	149	Will	B., 15, 346	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylene p-tolyldithiocarbamate + MeI	$N(C_6H_4Me).Cl(SMe).S.C_2H_4$	$C_{11}H_{14}IS_2N$	107	Will and Bieleschowski	B., 15, 1318	
" " " "	"	151	"	"	42, 1091
Diiododiphenylthiocarbamide	$CS(NH.C_6H_4I)_2=(1.4)_2$	$C_{13}H_{10}I_2SN_2$	173	Losanitsch	B., 5, 158	
Phenylimidophenylcarbaminthiethyl + HI	$NPh : C(NHPh).SEt + HI$	$C_{15}H_{17}ISN_2$	157.5	Bernthsen and Friese	B., 15, 567	42, 966
Thiocyanocarbonic acid	$SNC.CO_2H$	C_2HO_2SN	43	Henry	J. p. [2], 9, 464	28, 58
Methylic thiocarbamate	$NH_2.CS.OMe$	C_2H_5OSN	43	Salomon	J. p. [2], 8, 115	27, 362, 363
Methylic carbaminethionate	$NH_2.CO.SMe$	"	95-98	Blankenhorn	J. p. [2], 16, 358	34, 215
Dinitrodimethylsulphonamide	fr. $SO_2(NHMe)_2$	$C_2H_6O_6SN_4$	d. 160	90	Franchimont	C. C. [1885], 384	48, 970
Ethylsulphonamide	$Et.SO_2.NH_2$	$C_2H_7O_2SN$	58 u.c.	James	J. p. [2], 26, 384	43, 43
Dimethylsulphamic acid	$NMe_2.SO_2H$	$C_2H_7O_3SN$	165 d.	Behrend	B., 15, 1613	42, 1282
Isethionamide	$HO.CH_2.CH_2.SO_2.NH_2$	"	B., 12, 1605	190-193	Seyberth	B., 7, 392	27, 790 ; 38, 28
Amidoisethionic acid (Taurine)	$NH_2.CH_2.CH_2.SO_3H$	"	a. 360	Dittrich	J. p. [2], 18, 63	36, 226
Dimethylsulphoxide nitrate	$Me_2SO + HNO_3$	$C_2H_7O_4SN$	100	Saytzeff	A., 144, 148	vi., 827
Dimethylsulphonamide	$NHMe.SO_2.NHMe$	$C_2H_8O_2SN_2$	78	Franchimont	C. C. [1885], 384	48, 969
" "	$NMe_2.SO_2.NH_2$	"	96-96.5	Behrend	B., 15, 1611	42, 1282
Ammonium isethionate	$HO.CH_2.CH_2.SO_3NH_4$	$C_2H_9O_4SN$	130	Strecker	vii., 705
" " " "	"	"	135	Seyberth	B., 7, 391	27, 790
Acetyl thiocyanate	$Me.CO.SCN$	C_3H_3OSN	131-132	Liquid	Miquel	C. R., 81, 1209	29, 570
" " " "	"	"	132-133	Liquid	"	A. C. [5], 11, 295	32, 869
Rhodanic acid	$HS.CH_2.CO.S.CN$	$C_3H_3OS_2N$	B., 12, 1594	168-170	Nencki	J. p. [2], 16, 4	
Thiocarbimidacetic acid	$CS : N.CH_2.CO_2H$	$C_3H_3O_2SN$	B., 14, 734	b. 100	Volhard	J. p. [2], 9, 6	27, 574
" " " "	"	"	B., 12, 1594	125-126	Claesson	B., 10, 1353	34, 39
" " " "	"	"	128	Nencki	J. p. [2], 16, 1	32, 873
Thiocyanacetic acid	$NC.S.CH_2.CO_2H$	"	$+ \frac{1}{2}H_2O$	149 d.	Claesson	B., 14, 731	
Thiocyanuracetic acid	"	or triple polymer	199.5 d.	"	B., 10, 1346 ; 14, 733	
Glycolylthiocarbamide (Thiohydantoin) (A., 166, 383 ; 168, 133)	$NH.CS.NH.CH_2.CO$ or $NH : C.S.CH_2.CO.NH$	$C_3H_4OSN_2$	B., 8, 1264 ; 10, 824, 1352, 1853 ; 12, 972, 1385	200 d.	Richter	R. K. T., 39 ; B., 12, 1593 ; 13, 788, 1422 ; M. C., 1, 442 ; A., 207, 121	
Methylic thioxamate	$NH_2.CS.CO_2Me$	$C_3H_5O_2SN$	86	Weddige	J. p. [2], 10, 200	28, 448
Carbaminethioglycollic acid	$NH_2.CO.S.CH_2.CO_2H$	$C_3H_5O_3SN$	132-134	Claesson	B., 10, 1350	34, 38
" " " "	"	"	142-143	Nencki	J. p. [2], 17, 69	34, 663
" " " "	"	"	143	"	J. p. [2], 16, 11	32, 873
Acetylthiocarbamide	$NH_2.CS.NHAc$	$C_3H_8OSN_2$	11.5 u.c. (sic)	"	B., 6, 599	26, 1130
" " " "	"	"	165 (sic)	Nencki & Leppert	B., 6, 905	
Ethylthiocarbamate (Xanthamide)	$NH_2.CS.OEt$	C_3H_7OSN	A., 75, 128	36	Debus	A., 72, 11	v., 492
" " " "	"	"	A., 82, 262	38	Salomon	J. p. [2], 8, 115	27, 362
Ethyl isothiocabamate....	$NH_2.CO.SEt$	"	102	Pinner	B., 14, 1083	40, 811
" " " "	"	"	108	J. p. [2], 7, 257 ; 10, 32 ; 16, 375	
Methyltaurine	$NHMe.CH_2.CH_2.SO_3H$	$C_3H_9O_3SN$	241-242	Dittrich	J. p. [2], 18, 63	36, 225
Taurocyamine	$C_2H_4(CH_4N_3).SO_2H$	$C_3H_9O_3SN_3$	224-226	"	J. p. [2], 18, 76	36, 226
Tauroglycocyamine	$NH : C(NH_2).NH.CH_2.CH_2.SO_3H$	"	260	Engel	B., 8, 1597	
Dinitrothiophene	$C_4SH_2(NO_2)_2$	$C_4H_2O_4SN_2$	290 p.d.	52	Meyer & Stadler	B., 17, 2649	48, 141, 250
" " " "	"	75-76	"	B., 17, 2650	"
" " " "	"	78	Stadler	B., 18, 530	48, 764
Nitrothiophene (B., 18, 533)	$C_4SH_3.NO_2$	$C_4H_3O_2SN$	224-225 c.	44	Meyer & Stadler	B., 17, 2649	48, 141
Nitrothienol	$C_4SH_2.OH.NO_2$	$C_4H_3O_3SN$	115-116	Stadler	B., 18, 2319	48, 1205

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrothiophenesulphonic acid	$C_4SH_2NO_2SO_3H$	$C_4H_3O_3S_2N$	d.	Stadler	B., 18, 534	48, 764
Methylthioparabanic acid	$CS.NMe.CO.CO.NH$	$C_4H_4O_2SN_2$	105	Andreasch	B., 14, 1448 ; M. C., 2, 278	40, 897
Nitrothiophenesulphonamide	$C_4SH_2NO_2(SO_2.NH_2)$	$C_4H_4O_4S_2N_2$	172-173 u.c.	Stadler	B., 18, 536	48, 764
Ethylthiocyanocarbonate	$NC.S.CO_2Et$	$C_4H_5O_2SN$	160-210 d.	41	Henry	J. p. [2], 9, 464	28, 57
Thiodiglycollimide	"	128	Schulze	Z. C. [1866], 182	v., 777
α -Thiophenesulphonamide	$S.(SO_2.NH_2)=1.2$	$C_4H_5O_2S_2N$	141	Meyer and Kreis	B., 16, 2173	46, 46
"	" "	"	142	Langer	B., 17, 1568	48, 1133
β -	" =1.3	"	147-148	"	B., 18, 562	
"	" "	"	148	"	B., 17, 1568	48, 1133
Thiophenedisulphonamide	$S.(SO_2.NH_2)_2=?$	$C_4H_6O_4S_3N_2$	142	"	B., 18, 561	48, 766
"	" "	"	213	Jäkel	"	
"	" "	"	black 240	280 d.	Langer	B., 18, 556	48, 766
Ethylthioxamate	$NH_2.CS.CO_2Et$	$C_4H_7O_2SN$	63	Weddige	J. p. [2], 9, 133	27, 567
Methyl carbamiethioglycollate	$NH_2.CO.S.CH_2.CO_2Me$	$C_4H_7O_3SN$	75-80	Claësson	B., 10, 1351	
Thiodiglycollamic acid	"	125	Schulze	Z. C. [1866], 183	v., 776
Thiocyanopropiminenitrate	$SCN.CH_2.CNHMe + HNO_3$	$C_4H_7O_3SN_4$	183	Tscherniac and Norton	C. R., 96, 494	44, 568
Ethylthioallophanate	$NH_2.CS.NH.CS.OEt$	$C_4H_8OS_2N_2$	170-175 d.	Blankenhorn	B., 10, 446 ; J. p. [2], 16, 361	32, 424 ; 34, 215
Ethylthioallophanate	$NH_2.CO.NH.CS.OEt$	$C_4H_8O_2SN_2$	180 d.	Peitsch and Salomon	J. p. [2], 7, 477	27, 364
Dithioglycollamide	$(.S.CH_2.CO.NH_2)_2$	$C_4H_8O_2S_2N_2$	155	Claësson	B., 14, 411	40, 581
Sulphonediacetamide	$(NH_2.CO.CH_2)_2SO_2$	$C_4H_8O_4SN_2$	d.w.m. 220	Lovén	B., 17, 2822	48, 241
Ethylthioglycollamide	$EtS.CH_2.CO.NH_2$	C_4H_9OSN	44	Claësson	B. S. [2], 23, 445	29, 568
Ethyltaurine	$NHEt.CH_2.CH_2.SO_3H$	$C_4H_{11}O_3SN$	147	James	47, 369
Dimethyltaurine	$NMe_2.CH_2.CH_2.SO_3H$	"	d.w.m. 270-280	"	47, 371
Tetramethylsulphonamide	$SO_2(NMe_2)_2$	$C_4H_{12}O_2SN_2$	73	Behrend	B., 14, 722, 1811	40, 717
Ht. on Am. isethionate	$O[(CH_2)_2.SO_2.ONH_4]_2$	$C_4H_{18}O_7S_2N_2$	$C_2H_7O_3SN$	196-198	Carl	B., 12, 1605	38, 28
Dimethylhydrazine sulphate	$(NMe_2.NH_2)_2.H_2SO_4$	$C_4H_{18}O_4SN_4$	105	Renouf	B., 13, 2171	40, 152
α -Thiophenamide	$S.(CO.NH_2)=1.2$	C_5H_5OSN	171.5	Peter	B., 18, 543	48, 765
β -	" =1.3	"	180 u.c.	Nahnsen	B., 17, 2196	48, 52
Ethylidenerhodanic acid	$CHMe : C(SH).CO.S.CN$	$C_5H_5OS_2N$	147-148	Nencki & Bourquin	B., 17, 2279	48, 40
Methylacetylenecarboxylthiocarbamide	$CMe : C.CO.S.C(NH_2) : NH$	$C_5H_5OSN_2$	a. 300	Nencki & Silber	J. p. [2], 25, 72	40, 501
Dimethylthioparabanic acid (thiocholestrophane)	$CS.NMe.CO.CO.NMe$	$C_5H_5O_2SN_2$	112.5	Andreasch	B., 14, 1450 ; M. C., 2, 281	40, 897
Butyrylthiocyanate	$C_3H_7.CO.S.CN$	C_5H_7OSN	180 d.	Liquid	Miquel	A. C. [5], 11, 295	32, 869
Ethylthiocyanacetate	$NC.S.CH_2.CO_2Et$	$C_5H_7O_2SN$	220 p.d.	J., 18, 347	Heintz	A., 136, 223	
"	"	"	225	Liquid	Claësson	B., 10, 1349	
" thiocyanuracetate	"	(polymer) ₃	80.5	Heintz	A., 136, 223	
"	"	B., 10, 1347	81	Claësson	B., 14, 733	
Thiacetonuramic acid	See B., 11, 469	"	B., 6, 1117	152	Urech	B., 11, 467	34, 488
Succinithiocarbamic acid	$NH_2.CS.NH.CO.CH_2.CH_2.CO_2H$	$C_5H_8O_3SN_2$	210.5-211	Pike	C. N., 28, 173 ; B., 6, 1105	27, 49
Ethylthioacetylthiocarbamate	$NHAc.CS_2Et$	$C_5H_9OS_2N$	122-123	Chanlaroff	B., 15, 1987	44, 40
Ethylthioethylthiocarbamate	$NHEt.CS.OEt$	$C_5H_{11}OSN$	204-208	Liquid	Mulder and others	J. p., 103, 178	vi., 1049
"	$NHEt.CO.SET$	"	204-208	Liquid	"	"	"
"	"	"	204-208	Liquid	Hofmann	B., 2, 118	
Isobutylic thiocarbamate	$NH_2.CS'.OBu\beta$	"	J. p., 16, 380	36	Mylius	B., 5, 976	28, 266
Allyltaurine	$NH(C_2H_5).C_2H_4.SO_3H$	$C_5H_{11}O_3SN$	190-195	James	47, 369
Trimethyltaurine	$NMe_2.C_2H_4.SO_3Me$	$C_5H_{13}O_3SN$	nf. b., 300	"	47, 373
Dimethyltaurocyamine	$Me_2(CN.NH_2).N.C_2H_4.SO_3H$	$C_5H_{13}O_3SN_3$	245 d.	"	47, 374
Nitro- β -thiénylglyoxylic acid	$S.NO_2.(CO.CO_2H)=1.2.3$	$C_5H_3O_3SN$	92 ; sf. 78	Peter	B., 18, 542	48, 765

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Trinitrobenzenesulphonic acid	$C_6H_2(NO_2)_3.SO_3H$	$C_6H_3O_9SN_3$	185	Willgerodt	J. p. [2], 32, 117	48, 1232
"	"	"	+H ₂ O	100	"	"	"
Dinitrothiophenol....	$SH.(NO_2)_2=1.2.4$	$C_6H_4O_4SN_2$	272-280	"	B., 9, 978	30, 405
"	"	"	275-280	"	B., 10, 1686	34, 141
Dinitro-β-acetothiēnone	$S.Ac.(NO_2)_2=1.3.(?)_2$	$C_6H_4O_6SN_2$	166-167 p. d.	Peter	B., 18, 541	48, 765
Dinitrobenzenesulphonic acid	$SO_3H.(NO_2)_2=1.2.4$	$C_6H_4O_7SN_2$	106-108	Willgerodt and Mohl	C. C. [1884], 809	48, 665
Nitrothiophenol	$SH.NO_2=1.4$	$C_6H_5O_2SN$	77	Willgerodt	B., 18, 331	48, 519
Isonitrosothiēnylacetic acid	$S.[C(NOH).CO_2H]=1.3$	$C_6H_5O_3SN$	136 d.	Peter	B., 18, 539	48, 765
Nitroacetothiēnone	$S.Ac.NO_2=1.3.?$	"	86	"	B., 17, 2647; 18, 541	48, 142, 765
"	" =1.3.?	"	122.5	"	B., 17, 2647; 18, 540	"
Nitrobenzenesulphonic acid	$SO_3H.NO_2=1.3$	$C_6H_5O_5SN$	A., 177, 66	60-70	Rose	Z. C. [2], 7, 234	25, 1016
Dinitrobenzenesulphonamide	$(SO_2.NH_2).(NO_2)_2=1.2.3$	$C_6H_5O_6SN_3$	235	Limpricht	B., 9, 554	30, 303
"	"	"	238	Sachse	A., 188, 448	32, 752
Nitroresorcinolsulphonic acid	$(OH)_2.NO_2.SO_3H=1.3.(?)_2$	$C_6H_5O_7SN$	+1½H ₂ O	124-125	Hazura	M. C., 4, 610	44, 1114
Oxalylallylthiocarbamide	$NH.CS.N(C_3H_5).CO.CO$	$C_6H_6O_2SN_2$	89-90	Maly	Z. C. [2], 5, 260	vi., 1088
Nitrobenzenesulphonamide	$(SO_2.NH_2).NO_2=1.4$	$C_6H_6O_4SN_2$	131	Limpricht	B., 8, 431; A., 177, 75	28, 896, 1027
"	"	"	131	Mahrenholz	A., 202, 331	38, 805
"	"	"	131	Hofmann	B., 13, 20	38, 389
"	"	"	135	Limpricht	B., 18, 2174, 2175	
"	" =1.3	"	160-161	Goslich	B., 8, 352; A., 180, 93	28, 765; 29, 930
"	"	"	161	Limpricht	B., 8, 431; A., 177, 71	28, 896, 1027
"	"	"	161	Claus and Moser	B., 11, 762	34, 865
"	"	"	162	Biedermann	B., 8, 1675	29, 695
"	"	"	164	Hofmann	B., 13, 20	38, 389
"	"	"	166	Limpricht	B., 18, 2174, 2175	
"	" =1.2	"	186	"	B., 8, 431; 18, 2175; A., 177, 78	28, 896, 1028
"	"	"	188	"	B., 10, 320	32, 193
"	"	"	188	Bahlmann	A., 186, 307	32, 611
"	"	"	188	Hofmann	B., 13, 20	38, 389
Dinitro-β-ethylthiophenene	$S.Et.(NO_2)_2=1.3.(?)_2$	"	Liquid	Bonz	B., 18, 552	48, 767
Thiēnylmethylacetoxime....	$S.(CMe : NOH)=1.3$	C_6H_7OSN	110	Peter	B., 17, 2645	48, 141
Benzenesulphonamide	$C_6H_5(SO_2.NH_2)$	$C_6H_7O_2SN$	A., 87, 299	147-148	Ascher & Meyer	B., 4, 326	24, 554
"	"	"	A., 159, 11	149	Otto and Ostrop	A., 141, 373	vi., 1048
"	"	"	J. [1852], 434	149	Lindon and Otto	Z. C. [2], 4, 39	vi., 273
"	"	"	149	Heumann and Köchlin	B., 15, 1118	
"	"	"	A., 140, 294	153	Stenhouse	P. R., 14, 351	v., 489, 523
"	"	"	156	Hybbeneth	A., 221, 204	46, 72
Nitrothioxylene	$CSHMe_2.NO_2$	"	Liquid	Messinger	B., 18, 1638	48, 1052
Nitroamidobenzenesulphonamide	$NH_2.NO_2.(SO_2.NH_2)=1.2.?$	$C_6H_7O_4SN_3$	155-156	Goslich	B., 8, 354; A., 180, 104	28, 765; 29, 930
Nitrobenzenedisulphonamide	$(SO_2.NH_2)_2.NO_2=1.3.5$	$C_6H_7O_6S_2N_3$	242	Limpricht and Heintzelmann	B., 9, 551; A., 188, 165	30, 302; 32, 771
Acetylthiocyanopropimine	$SCN.CH_2.CMe : NAc$	$C_6H_8OSN_2$	130	Tscherniac and Norton	C. R., 96, 494	44, 568
"	"	"	B., 16, 348	134	"	A. C. J., 5, 227	46, 665
Amidobenzenesulphonamide	$NH_2.(SO_2.NH_2)=1.3$	$C_6H_8O_2SN_2$	A., 177, 72	135	Limpricht	B., 8, 432	28, 896, 1027
"	"	"	142	Hybbeneth	A., 221, 204	46, 72
Citracothiocabamic acid....	$NH_2.CS.NH.CO.C_3H_4.CO_2H$	$C_6H_8O_3SN_2$	222-223 d.	Pike	C. N., 28, 173; B., 6, 1106	27, 50

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Benzenedisulphonamide	$(\text{SO}_2\text{NH}_2)_2=1.3$	$\text{C}_6\text{H}_5\text{O}_4\text{S}_2\text{N}_2$	210	Nolting	B., 8, 1113	29, 395
"	" "	"	B., 9, 584	229	Körner and Mon-selise	G. I., 6, 133	31, 81
"	" "	"	229	Limpricht	B., 9, 552	30, 302
"	" =1.2	"	233	"	B., 9, 553	30, 303
"	" =1.4	"	B., 9, 584	288	Körner and Mon-selise	G. I., 6, 133	31, 81
Carbamidocarbamindithio-glycollic acid	$\text{CO}_2\text{H}\cdot\text{CH}_2\cdot\text{S}\cdot\text{C}(\text{NH})\cdot\text{NH}\cdot\text{CO}\cdot\text{S}\cdot\text{CH}_2\cdot\text{CO}_2\text{H}$	$\text{C}_6\text{H}_5\text{O}_3\text{S}_2\text{N}_2$	149 d.	Claesson	B., 14, 731	40, 715
Nitroxylensulphonic acid	$\text{Me}_2\cdot\text{NO}_2\cdot\text{SO}_3\text{H}=1.3.4.6$	$\text{C}_6\text{H}_5\text{O}_3\text{SN}$	122	Harmsen	B., 13, 1559	
Ethylthiocarbimide oxide	$\text{NEt}\cdot\text{CS}\cdot\text{CS}\cdot\text{NEt}\cdot\text{O}$	$\text{C}_6\text{H}_{10}\text{OS}_2\text{N}_2$	42	Sell	B., 6, 323	26, 881
Ethylic oxythiocyanate (?)	$\text{C}_6\text{H}_{10}\text{O}_2\text{SN}_2$ (?)	b. 100	A., 82, 279	
Ethylic allylthiocarbamate	$\text{NH}(\text{C}_3\text{H}_5)\cdot\text{CS}\cdot\text{OEt}$	$\text{C}_6\text{H}_{11}\text{OSN}$	210-215	Liquid	Hofmann	Z. C. [2], 5, 268 ; B., 2, 119; A., 52, 30	vi., 1050
Isobutylic thioxamate	$\text{NH}_2\cdot\text{CS}\cdot\text{CO}_2\text{Bu}^\beta$	$\text{C}_6\text{H}_{11}\text{O}_2\text{SN}$	58	J. p. [2], 10, 201	
Ethylic thiocyanformate alcoholate	$\text{C}_6\text{H}_{11}\text{O}_3\text{SN}$	43-44	J. p. [2], 9, 466 ; 10, 119	
Isoamylic thiocarbamate	$\text{NH}_2\cdot\text{CS}\cdot\text{O}(\text{C}_6\text{H}_{11})$	$\text{C}_6\text{H}_{13}\text{OSN}$	184	Johnson	A., 84, 337	5, 142 ; i., 206
" "	$\text{NH}_2\cdot\text{CO}\cdot\text{S}(\text{C}_6\text{H}_{11})$	"	107	Schöne	J. p. [2], 30, 416	48, 512
Anhydrotriethylsulphamic acid	$\text{NEt}_3\cdot\text{SO}_2\cdot\text{O}$	$\text{C}_6\text{H}_{15}\text{O}_3\text{SN}$	91.5	Beilstein and Wiegand	B., 16, 1267	44, 971
Diethyltaurine	$\text{NEt}_2\cdot\text{C}_2\text{H}_4\cdot\text{SO}_3\text{H}$	"	151	James	47, 372
?	$(\text{Et}\cdot\text{SO}_2)_3\text{N}:\text{O}$	$\text{C}_6\text{H}_{15}\text{O}_7\text{S}_3\text{N}$	81.5	Zuckschwerdt	B., 7, 293 ; A., 174, 308	27, 674 ; 28, 344
Dimethyldiethylsulphamide	$\text{NMe}_2\cdot\text{SO}_2\cdot\text{NEt}_2$	$\text{C}_6\text{H}_{16}\text{O}_2\text{SN}_2$	229 p.d.	Liquid	Behrend	B., 15, 1611	42, 1282
Ethylguanidine sulphate	$(\text{CN}_3\text{H}_4\text{Et})_2 + \text{H}_2\text{SO}_4$	$\text{C}_6\text{H}_{20}\text{O}_4\text{SN}_6$	169 d.	Letnii	B., 8, 767	29, 911
Nitrophenylthiocarbimide	$\text{NO}_2\cdot(\text{N}:\text{CS})=1.3$	$\text{C}_7\text{H}_4\text{O}_2\text{SN}_2$	58	Studemann	B., 16, 549	44, 801
"	" "	"	275-280	60.5	"	B., 16, 2333, 2334	46, 307
Methenylamidothiophenol-oxide	$\text{C}_6\text{H}_4\cdot\text{S}\cdot\text{C}(\text{OH})\cdot\text{N}=1.4$	$\text{C}_7\text{H}_5\text{OSN}$	B., 13, 10	136	Hofmann	B., 12, 1129	36, 806
Hydroxyphenylthiocarbimide	$\text{OH}\cdot(\text{N}:\text{CS})=1.2$	"	193	Bendix	B., 11, 2264	36, 314
" "	" "	"	196	Dünner	B., 9, 466	30, 204
Sulphobenzimide	$\text{C}_6\text{H}_4\cdot\text{CO}\cdot\text{NH}\cdot\text{SO}_2=1.2$	$\text{C}_7\text{H}_5\text{O}_3\text{SN}$	220 u.c. ; p.d.	Fahlberg and Remsen	B., 12, 470	36, 629
Thiocarbansulphonic anhydride	$\text{C}_6\text{H}_4\cdot\text{NH}\cdot\text{CS}\cdot\text{O}\cdot\text{SO}_2$	$\text{C}_7\text{H}_5\text{O}_3\text{S}_2\text{N}$	180-183 d.	Magatti	B., 11, 2267	36, 312
Benzonitrilsulphonamide	$(\text{SO}_2\text{NH}_2)\cdot\text{CN}=1.3$	$\text{C}_7\text{H}_5\text{O}_2\text{SN}_2$	A., 106, 34	151-152	Wallach & Huth	B., 9, 428	
Methylthiodinitrobenzene	$\text{SMe}\cdot(\text{NO}_2)_2=1.2.4$	$\text{C}_7\text{H}_5\text{O}_2\text{SN}_2$	126	Willgerodt	B., 18, 330	48, 520
Sulphobenzimide sulphonamide	$\text{SO}_2\cdot\text{NH}\cdot\text{CO}\cdot\text{C}_6\text{H}_3\cdot(\text{SO}_2\text{NH}_2)=1.2.4$ or 5	$\text{C}_7\text{H}_5\text{O}_3\text{S}_2\text{N}_2$	285 d.	Fahlberg	A. C. J., 2, 185	40, 817
Dinitrotoluene sulphonic acid	$\text{Me}\cdot\text{SO}_3\text{H}\cdot(\text{NO}_2)_2=1.4.2.6$	$\text{C}_7\text{H}_5\text{O}_7\text{SN}_2$	A., 155, 21	165	Schwanert	B., 10, 29 ; A., 186, 353	32, 470
Nitrobenzylsulphhydrate	$\text{NO}_2\cdot(\text{CH}_2\cdot\text{SH})=1.4$	$\text{C}_7\text{H}_7\text{O}_2\text{SN}$	140	Strakosch	B., 5, 698	25, 1027 ; vii., 182
Nitrophenylthiocarbamide	$\text{NO}_2\cdot(\text{NH}\cdot\text{CS}\cdot\text{NH}_2)=1.3$	$\text{C}_7\text{H}_7\text{O}_2\text{SN}_3$	157-158.5	Studemann	B., 16, 550	44, 1802
Sulphaminebenzoic acid	$\text{CO}_2\text{H}\cdot(\text{SO}_2\text{NH}_2)=1.3$	$\text{C}_7\text{H}_7\text{O}_4\text{SN}$	a. 200	Usler	A., 106, 36	v., 485
" "	" "	"	B., 15, 1757	235	Remsen & Palmer	A. C. J., 4, 142	
" "	" "	"	A., 108, 343	?	Engelhardt	J. p., 75, 363	
" "	" =1.2	"	240	Fahlberg and Remsen	B., 12, 470	36, 629
" "	" =1.4	"	A., 178, 299	280	Remsen	A. C. J., 4, 161	
Nitrotoluenesulphonic acid	$\text{Me}\cdot\text{NO}_2\cdot\text{SO}_3\text{H}=1.4.6$	$\text{C}_7\text{H}_7\text{O}_6\text{SN}$	A., 161, 8	130	Beilstein	A., 155, 23	
" "	" "	"	A., 186, 351	133.5 ; sf. 130	Jenssen	B., 7, 56 ; A., 172, 230	27, 479 ; 28, 77
Dinitrotoluenesulphonamide	$\text{Me}\cdot(\text{NO}_2)_2\cdot(\text{SO}_2\text{NH}_2)=1.(?)\cdot 4$	$\text{C}_7\text{H}_7\text{O}_6\text{SN}_3$	B., 10, 31	203	Schwanert	A., 186, 359	32, 471, 612
Sulphaminesulphobenzoic acid	$\text{CO}_2\text{H}\cdot\text{SO}_3\text{H}\cdot(\text{SO}_2\text{NH}_2)=1.2.4$	$\text{C}_7\text{H}_7\text{O}_7\text{S}_2\text{N}$	165	Fahlberg	A. C. J., 2, 193	40, 817

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hydroxyphenylthiocarbamide	$\text{OH}(\text{NH}.\text{CS}.\text{NH}_2)=1.2$	$\text{C}_7\text{H}_8\text{OSN}_2$	161 d.	Bendix	B., 11, 2263	38, 314
"	" =1.4	"	214 d.	Kalchoff	B., 16, 375	44, 735
Sulphobenzamide	$(\text{CO}.\text{NH}_2).\text{SO}_3\text{H}=1.3$	$\text{C}_7\text{H}_5\text{O}_3\text{SN}_2$	A., 106, 32	170	Limpricht and Uslar	A., 102, 253	v., 486
Nitrotoluenesulphonamide	$\text{Me}.\text{NO}_2.\text{(SO}_2.\text{NH}_2)=1.2.4$	$\text{C}_7\text{H}_5\text{O}_4\text{SN}_2$	128	Paysan	A., 221, 210	46, 72
"	" "	"	128	Limpricht	B., 18, 2173	
"	" "	"	J. [1867], 678	128	Otto and Grüber	A., 145, 23	vi., 287
"	" =1.2.5	"	133.5	Limpricht	B., 18, 2184	48, 1234
"	" =1.4.6	"	186	Jenssen	B., 7, 56; A., 172, 233	27, 479; 28, 77
Benzylsulphonamide	$\text{Ph}.\text{CH}_2.\text{SO}_2.\text{NH}_2$	$\text{C}_7\text{H}_9\text{O}_2\text{SN}$	102	Otto and Luders	B., 13, 1287	38, 812
"	"	"	105	Limpricht	B., 6, 535	26, 1040; vii., 186
Toluenesulphonamide	$\text{Me}.\text{(SO}_2.\text{NH}_2)=1.3$	"	90-91	Hübner & Müller	Z. C. [2], 7, 14	24, 121
"	" "	"	90-91	Hübner and Post	A., 169, 51	27, 60
"	" "	"	90-91	Remsen & Palmer	A. C. J., 4, 142	42, 1095
"	" "	"	91-92	Wolkow	Z. C. [2], 6, 542	vii., 1170
"	" "	"	b. 100	Limpricht and Pechmann	B., 7, 719; A., 173, 202	27, 991; 28, 79
"	" "	"	104	Limpricht and Pagel	B., 7, 1394; A., 176, 298	28, 368, 898
"	" "	"	J. [1877], 943	104-105	Beckurts	B., 10, 945	32, 776
"	" "	"	106-107	Neville and Winter	37, 628, 631
"	" "	"	107	Müller and Wiesinger	B., 12, 1349	
"	" "	"	107-108	Claesson & Wallin	B., 12, 1853	38, 256
"	" "	"	108	Chrutschoff	B., 7, 1166	28, 162
"	" =1.4	"	136	Claesson & Wallin	B., 12, 1853	38, 256
"	" "	"	B., 10, 944	137	Heumann and Köchlin	B., 15, 1118	
"	" "	"	J. [1877], 943	137	Wolkow	Z. C. [2], 6, 231	vii., 1168
"	" "	"	137	Müller and Wiesinger	B., 12, 1348	
"	" "	"	137	Chrutschoff	B., 7, 1167	28, 162
"	" "	"	139-140	Otto and Grüber	A., 142, 92	vi., 1060
"	" =1.2	"	cryst. fr. H_2O	148	Jenssen	A., 172, 236	28, 77
"	" "	"	fr. alcohol	155	"	"	"
"	" "	"	fr. ether	155	"	"	"
"	" "	"	148	Limpricht	B., 6, 1010	27, 74
"	" "	"	148	Gerver	A., 169, 373	27, 168
"	" "	"	152-153	Hübner & Terry	Z. C. [2], 7, 232	25, 1006
"	" "	"	152-153	Hübner and Post	A., 169, 29	27, 58
"	" "	"	J. [1879], 756	153-154	Wolkow	Z. C. [2], 6, 57	vii., 1169
"	" "	"	J. [1877], 934	153-154	Beckurts	B., 10, 945	32, 775
"	" "	"	153-154	Claesson & Wallin	B., 12, 1853	38, 256
"	" "	"	154	Heffter	A., 221, 208	46, 73
"	" "	"	154-155	Limpricht	B., 7, 450	27, 901
"	" "	"	fr. H_2O	154-155	Lorenz	A., 172, 177	28, 82
"	" "	"	fr. alcohol	161	"	"	"
Amidotoluenesulphinic acid	$\text{Me}.\text{NH}_2.\text{SO}_2\text{H}=1.4.6$	"	132	Heffter	A., 221, 345	46, 455
"	" =1.2.4	"	175	Paysan	A., 221, 360	46, 453
Amidotoluenethiosulphonic acid	$\text{Me}.\text{NH}_2.\text{(SO}_2.\text{SH)}=1.2.4$	$\text{C}_7\text{H}_9\text{O}_2\text{S}_2\text{N}$	d.w.m. 115	"	"	"
Toluidinedisulphonic acid	$\text{Me}.\text{NH}_2.\text{(SO}_3\text{H)}_2=1.2.(?)_2$	$\text{C}_7\text{H}_9\text{O}_6\text{S}_2\text{N}$	240	Limpricht	B., 18, 2182	
Nitrosulphobenzoic acid	$\text{CO}_2\text{H}.\text{NO}_2.\text{SO}_3\text{H}=1.3.4$	$\text{C}_7\text{H}_5\text{O}_9\text{SN}$	+2 H_2O	130-131	Hart	A. C. J., 1, 340	40, 1144
Amidotoluenesulphonamide	$\text{Me}.\text{NH}_2.\text{(SO}_2.\text{NH}_2)=1.4.6$	$\text{C}_7\text{H}_{10}\text{O}_2\text{SN}_2$	164	Heffter	A., 221, 208	46, 73
"	" =1.2.4	"	175	Paysan	A., 221, 210	46, 72
Diamidotoluenethiosulphonic acid	$\text{Me}.\text{(NH}_2)_2.\text{(SO}_2.\text{SH)}=1.(?)_2.4$	$\text{C}_7\text{H}_{10}\text{O}_2\text{S}_2\text{N}_2$	d. 152	Perl	C. C. [1884], 468	48, 391
Diamidotoluenesulphonic acid	$\text{Me}.\text{(NH}_2)_2.\text{SO}_3\text{H}=1.(?)_2.4$	$\text{C}_7\text{H}_{10}\text{O}_3\text{SN}_2$	A., 187, 324	nf. 280	Schwanert	B., 10, 31	32, 471, 612

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
α -Toluenedisulphonamide	Me.(SO ₂ .NH ₂) ₂ =1.2.4	C ₇ H ₁₀ O ₄ S ₂ N ₂	185	Gnehm	B., 10, 1276	32, 893
α - "	" "	" "	185-186	Gnehm & Forrer	B., 10, 543	32, 612
α - "	" "	" "	186-187	Fahlberg	B., 12, 1052 ; A. C. J., 2, 192	36, 804; 40, 816
α - "	" "	" "	186	Blomstrand and Hakanssons	B., 5, 1086	26, 505 ; vii., 1171
β - "	" = ?	" "	216	" "	" "	" "
β - "	" = ?	" "	216 ; sf. 210	Limpricht	B., 18, 2180	
?- "	" = ?	" "	a. 260	Kornatzkin	A., 221, 191	46, 70
?- "	" =1.3.5	" "	a. 240	Limpricht	B., 18, 2177	48, 1233
Toluenetrisulphonamide ...	Me.(SO ₂ .NH ₂) ₃ =1.2.4.6	C ₇ H ₁₁ O ₆ S ₃ N ₃	a. 300 d.	Claësson	B., 14, 309	40, 429
Carbamidocarbonylsulph- amyl	NH ₂ .CO.NH.CO.S.C ₅ H ₁₁	C ₇ H ₁₄ O ₂ SN ₂	176	Schöne	J. p. [2], 30, 416	48, 512
Nitrodithiocyanobenzene....	(S.CN) ₂ .NO ₂ =1.3.?	C ₈ H ₃ O ₂ S ₂ N ₃	150	Gabriel	B., 10, 184	32, 325
Benzoylthiocyanate	Ph.CO.S.CN	C ₈ H ₅ OSN	d. 200	Liquid	Miquel	A. C. [5], 11, 300	32, 869
" "	" "	" "	200-205 (i.v.)	" "	C. R., 81, 1209	29, 571
" "	" "	(C ₈ H ₅ OSN) _n	160	" "	A. C. [5], 11, 300	32, 870
Thiocarbimidobenzoic acid	CO ₂ H.NCS= ?	C ₈ H ₆ O ₂ SN	d.w.m. 310	Rathke & Schäffer	A., 169, 103	27, 164
Phthalic sulphimide	SO ₂ .NH.CO.C ₆ H ₃ .CO ₂ H	C ₈ H ₅ O ₃ SN	not constant ; d.	Stokes	A. C. J., 6, 262	48, 539
Isophthalic "	" =1.2.1 =4.3.1	" "	283.5 u.c.	Remsen & Coall	B., 12, 1436 ; A. C. J., 3, 204	38, 258 ; 40, 1038
" "	" "	" "	289	Jacobsen	B., 13, 1554	
Terephthalic sulphimide	" =5.4.1	" "	?	A. C. J., 4, 197	
Nitrotolylthiocarbimide	Me.NO ₂ .NCS=1.2.4	C ₈ H ₆ O ₂ SN ₂	56-57	Studemann	B., 16, 2336	46, 307
Terephthalsulphimide	" "	C ₈ H ₆ O ₄ SN ₂	a. 300 d.	A. C. J., 2, 405.413	
Anisidimethiocarbimide	OMe.NCS=1.4	C ₈ H ₇ OSN	270	Liquid	Salkowski	B., 7, 1012	
Oxethenylamidothiophenol	S.C ₆ H ₄ .N : C.CH ₂ .OH	" "	176	Hofmann	B., 13, 1234	38, 887
?	" "	C ₈ H ₇ O ₃ SN	121	Wenghöffer	B., 10, 443	32, 447
Sulphamineisophthalic acid	(CO ₂ H) ₂ .(SO ₂ .NH ₂)=1.3.?	C ₈ H ₇ O ₆ SN	282-284 u.c.	Iles and Remsen	B., 11, 464	34, 505
Benzoylthiocarbamide	NH ₂ .CS.NHBz	C ₈ H ₅ OSN	169-170 u.c.	Pike	B., 6, 755, 1107	26, 1132
" "	" "	" "	171	Miquel	A. C. [5], 11, 313	32, 870
Salicylthiocarbamide	OH.(CO.NH.CS.NH ₂)=1.2	C ₈ H ₅ O ₂ SN ₂	182	" "	A. C. [5], 11, 315	" "
Thiouramidobenzoic acid....	CO ₂ H.(NH.CS.NH ₂)=1.3	" "	187	Traube	B., 15, 2118	44, 193
Methylic nitrophenylthio- carbamate	NO ₂ .(NH.CS.OMe)=1.3	C ₈ H ₈ O ₃ SN ₂	119-120	Studemann	B., 16, 551	44, 802
Ethylthiodinitrobenzene ...	SEt.(NO ₂) ₂ =1.2.4	C ₈ H ₈ O ₄ SN ₂	113	Willgerodt	B., 18, 330	48, 520
Sulphoterephthalamide	(CO.NH ₂) ₂ .(SO ₃ H)=1.4.5	C ₈ H ₅ O ₃ SN ₂	a. 300	Schoop	B., 14, 226	40, 278
Methylic phenylthiocarb- amate	Ph.NH.CO.SMe	C ₈ H ₅ OSN	83-84	Will	B., 15, 340	
Phenthiacetamide	Ph.S.CH ₂ .CO.NH ₂	" "	104	Claësson	B. S. [2], 23, 441	29, 567
Phenoxythiacetamide	Ph.O.CH ₂ .CS.NH ₂	" "	111	J. p. [2], 20, 279	
Anhydrophenyltaurine	Ph.N.CH ₂ .CH ₂ .SO ₂	C ₈ H ₉ O ₂ SN	69	Leymann	B., 18, 871	48, 787
Nitrotolylthiocarbamide	Me.NO ₂ .(NH.CS.NH ₂) =1.2.4	C ₈ H ₉ O ₂ SN ₃	176	Studemann	B., 16, 2337	46, 307
Sulphotoluamide	Me.(CO.NH ₂).SO ₃ H =1.3.2 or 6	C ₈ H ₉ O ₄ SN	154-155	Limpricht	B., 7, 450	27, 901
Sulphaminetoluic acid	Me.CO ₂ H.(SO ₂ .NH ₂)=1.3.2	" "	202-205	Jacobsen	B., 11, 902	
" "	" =1.2.5	" "	217 c.	" "	B., 14, 39	40, 599
" "	" =1.4.?	" "	242	Kelbe and Baur	B., 16, 2565	46, 300
" "	" =1.2.4	" "	243	Jacobsen	B., 14, 40	40, 599
" "	" =1.3.6	" "	235	Iles and Remsen	B., 10, 1044	
" "	" "	" "	248	" "	B., 11, 231, 889	34, 413
" "	" "	" "	254 c.	Jacobsen	B., 11, 896	
" "	" "	" "	247.5-248 ; 254.5-255 c.	Iles and Remsen	B., 11, 1327 ; A. C. J., 3, 205	36, 52
" "	" =1.4.?	" "	B., 12, 1433	267 u. c.	" "	B., 11, 230	34, 412
" "	" "	" "	267	Remsen and Hall	A. C. J., 2, 50	42, 186
Sulphophenylglycocoll	" "	C ₈ H ₉ O ₆ SN	183-185	Zehenter	M. C., 5, 332	48, 55
Methylic amidosulphobenz- oate	NH ₂ .SO ₃ H.CO ₂ Me=?	" "	188 d.	Hentschel	B., 18, 979	48, 792

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitroxylsulphonic acid	Me ₂ .NO ₂ .SO ₃ H=1.3.6.4	C ₃ H ₉ O ₃ SN	122	Harnssen	B., 13, 1559	40, 49
"	"	"	132	Riesen	B., 18, 2191	
Anisylthiocarbamide	OMe.(NH.CS.NH ₂)=1 2	C ₃ H ₁₀ OSN ₂	152	Mühlhäuser	B., 13, 923; A., 207, 246	38, 642; 42, 302
Sulphaminetoluamide	Me.(SO ₂ .NH ₂).(CO.NH ₂) =1.2.4	C ₈ H ₁₀ O ₃ SN ₂	218	Meyer and Baur	B., 13, 1499	40, 46
"	" =1.3.4	"	228	Fischli	B., 12, 618	36, 639
Nitrophenylxanthogenamide	NO ₂ .(NH.SO.OEt)=1.4	C ₈ H ₁₀ O ₄ SN ₂	175-176	Losanitsch	B., 15, 471	
Nitroxylsulphonamide	Me ₂ .NO ₂ .(SO ₂ .NH ₂)=1.3.6.4	"	179	Limpricht	B., 18, 2191	
Dimethylthienylmethylacetoxime	C ₄ H ₈ Me ₂ .(CMe:NOH)	C ₈ H ₁₁ OSN	65	Messinger	B., 18, 2302	48, 1205
Ethylbenzenesulphonamide	Et.(SO ₂ .NH ₂)=?	C ₈ H ₁₁ O ₂ SN	108	Chrutschoff	B., 7, 1166	28, 162
Xylenesulphonamide	Me ₂ .(SO ₂ .NH ₂)=1.3.2	"	95-96	Jacobsen	B., 10, 1015	32, 600
"	"	"	A., 184, 188	95-96	"	B., 11, 22	34, 411
"	"	"	95-96	Iles and Remsen	B., 11, 464; 579, 889, 1328	34, 505, 584, 724; 38, 52
"	"	"	96	Jacobsen and Weinberg	B., 11, 1536	36, 62
"	" =1.3.4	"	B., 11, 889	110	Iles and Remsen	B., 10, 1043, 1199	32, 776; 34, 56
"	" =1.3.?	"	123	Witting and Post	B., 10, 745	32, 611
"	" =1.3.?	"	132	"	"	"
"	" =1.3.5 or 2	"	132	Iles and Remsen	B., 10, 1043	32, 776
"	"	"	132	Remsen	B., 10, 1199	34, 56
"	" =1.3.4	"	137	Limpricht	B., 18, 2188	
"	"	"	A., 184, 188	137	Jacobsen	B., 10, 1015	32, 600
"	"	"	137	"	B., 11, 20	34, 411
"	"	"	137	Remsen and Iles	B., 11, 465, 889; A. C. J., 4, 192	34, 505, 724
"	"	"	137	Jacobsen and Weinberg	B., 11, 1536; 12, 606	36, 62, 643
"	"	"	138-139	Jacobsen	B., 18, 1760	48, 1052
"	" =1.2.4	"	143	Iles and Remsen	B., 10, 1044	32, 776
"	"	"	142-144	Jacobsen	B., 14, 2626	
"	"	"	144	"	B., 10, 1012; 11, 23	32, 601
"	"	"	144	Krüger	B., 18, 1759	
"	" =1.4.?	"	147-148	Jacobsen	B., 11, 22	34, 411
"	" =1.2.3	"	165	Krüger	B., 18, 1760	48, 1053
Phenyltaurine	Ph.NH.(CH ₂) ₂ .SO ₃ H	C ₈ H ₁₁ O ₃ SN	260	Andreasch	M. C., 4, 138	44, 665
"	"	"	277-280 d.	James	47, 370
Dimethanilinesulphonic acid	NMe ₂ .SO ₃ H=?	"	B., 6, 345, 663	149-150 u.c.; d.	Smyth	B., 7, 1238	28, 164
"	"	"	B., 14, 2177	230	J. p. [2], 16, 463; 20, 259	
Methoxytoluenesulphonamide	Me.OMe.(SO ₂ .NH ₂)=1.4.6	"	150	Heffter	A., 221, 345	46, 454
Phenyldimethylsulphonamide	NMe ₂ .SO ₂ .NHPh	C ₈ H ₁₂ O ₂ SN ₂	84-85	Behrend	A., 222, 116	46, 285
Ethoxybenzenesulphonamide	OEt.(SO ₂ .NH ₂)=1.3	C ₈ H ₁₂ O ₃ S ₂ N ₂	233	Zander	A., 198, 28	38, 124
Ethylleucazone sulphate	(C ₄ H ₇ ON ₃) ₂ +H ₂ SO ₄	C ₈ H ₁₆ O ₆ SN ₆	161.5	Meyer & Constam	A., 214, 328	44, 40
Amylenethiourethane	C ₄ H ₉ .CH(NH.CS.OEt) ₂	C ₈ H ₁₇ O ₂ SN	108	Bischoff	B., 7, 1083	28, 146
Ethyl oxalate thiocarbamide	[CS(NH ₂) ₂].(CO ₂ Et) ₂	C ₈ H ₁₆ O ₄ S ₂ N ₄	150 d.	Nencki	B., 7, 780	27, 981
Tetraethylsulphonamide	SO ₂ (NEt ₂) ₂	C ₈ H ₂₀ O ₂ SN ₂	249-251 d.	Liquid	Behrend	B., 15, 1612	42, 1282
Acetophenonethiocyanate	Ph.CO.CH ₂ .S.CN	C ₉ H ₇ OSN	72-73	Dyckerhoff	B., 10, 120	32, 327
"	"	"	75	"	B., 9, 1216	
"	"	(") _n	203-204 d.	"	B., 10, 120	32, 327
Phenylcarbimideglycolide	PhN : C.S.CH ₂ .CO.O	C ₉ H ₇ O ₂ SN	B., 12, 1594	148	Liebermann and Voeltzkow	B., 13, 277; A., 207, 137	38, 659
"	"	"	148	Lange	B., 12, 597	36, 651

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylcarbimideglycolide	$\text{Ph.N.CO.S.CH}_2\text{.CO}$	$\text{C}_9\text{H}_7\text{O}_2\text{SN}$	B., 15, 516	148	Meyer	B., 14, 1662	
Acetoxyphenylthiocarbimide	OAc.(N:CS)=1.4	"	36	Kalckhoff	B., 16, 1831	44, 1110
Methenylamidothiophenolacetate	$\text{C}_6\text{H}_4\text{.S.C(OAc):N=?}$	"	60	Hofmann	B., 13, 11	38, 388
Acetthiocarbamidophenol	$\text{C}_6\text{H}_4\text{.O.C(SAc):N=1.2}$	"	120	Kalckhoff	B., 16, 1827	44, 1110
Quinoline sulphonic acid ...	$\text{N.SO}_3\text{H}=\alpha_1; \beta_2$	$\text{C}_9\text{H}_7\text{O}_3\text{SN}$	nf. 260	Happ	B., 17, 192	46, 758
Hydroxyquinoline sulphonic acid	$\text{N.OH}=\alpha_1; \beta_1 \text{ or } \alpha_2$	$\text{C}_9\text{H}_7\text{O}_4\text{SN}$	270	Riemerschmied	B., 16, 725	44, 1148
Anhydromethylsulphaminephthalic acid	$\text{SO}_2\text{.NMe.CO.C}_6\text{H}_3\text{.CO}_2\text{H}$ =1.1.2	$\text{C}_9\text{H}_7\text{O}_5\text{SN}$	191	Stokes	A. C. J., 6, 262	48, 539
Anhydrosulphaminevitic acid	$\text{SO}_2\text{.NH.CO.C}_6\text{H}_2\text{Me.CO}_2\text{H}$ =1.1.3.5	"	A. C. J., 2, 130	270-272 c.	Jacobsen	A., 206, 183	40, 430
Phenylthiohydantoin ...	$\text{Ph.N.CO.CH}_2\text{.S.C:NH}$	$\text{C}_9\text{H}_8\text{OSN}_2$	178	Meyer	B., 10, 1965; 14, 1661	34, 295; 40, 1039
"	"	"	A., 207, 129	178	Andreasch	B., 15, 325; M. C., 2, 776	42, 407
Acetylphenylthiocarbazine	NPh.CS.NAc	"	186-187	Fischer and Besthorn	A., 212, 329	42, 1095
Fr. phenylthiocarbimide	"	d.w.m. a 200	Aschan	B., 16, 1545	44, 1107
Phthalthiocarbamic acid ...	$\text{CO}_2\text{H.(CO.NH.CS.NH}_2)=1.2$	$\text{C}_9\text{H}_8\text{O}_3\text{SN}_2$	A., 214, 25	171-172	Piutti	G. I., 12, 169	42, 1297
Ethylene phenylthiocarbamate	$\text{NPh.CH}_2\text{.CH}_2\text{.COS}$	$\text{C}_9\text{H}_9\text{OSN}$	79	Will	B., 15, 344	42, 723
Methenylamidothiophenol-ethoxide	$\text{C}_6\text{H}_4\text{.S.C(OEt):N}$	"	25	Hofmann	B., 13, 11	38, 388
Methylic benzoylthiocarbamate	NHbz.CS.OMe	$\text{C}_9\text{H}_9\text{O}_2\text{SN}$	97	Miquel	A. C. [5], 11, 330	32, 871
Mesitylenic sulphonimide	$\text{C}_6\text{H}_2\text{Me}_3\text{.CO.NH.SO}_2$ =1.3.5.6	$\text{C}_9\text{H}_9\text{O}_3\text{SN}$	255; 262 c.	Hall and Remsen	A. C. J., 2, 131; 3, 216	40, 821
Sulphaminocinnamic acid	$\text{(SO}_2\text{.NH}_2\text{).(C}_2\text{H}_2\text{.CO}_2\text{H)}=1.4$	$\text{C}_9\text{H}_9\text{O}_4\text{SN}$	d.w.m. 250	Palmer	A. C. J., 4, 161	42, 1204
Sulphaminevitic acid ...	$\text{Me.(CO}_2\text{H)}_2\text{(SO}_2\text{.NH}_2)_2$ =1.3.5.6	$\text{C}_9\text{H}_9\text{O}_6\text{SN}$	279	Hall and Remsen	A. C. J., 2, 136	40, 821
Sulphaminexylidic acid ...	" =1.2.5.4	"	295-300	Jackson & Meyer	B., 16, 190	44, 590
Acetylphenylthiocarbamide	NHPh.CS.NHAc	$\text{C}_9\text{H}_{10}\text{OSN}_2$	169-170	Miquel	A. C. [5], 11, 318	32, 870
"	"	"	173	Schiff	B., 9, 570	30, 285
Phenylthiohydantoinic acid	$\text{NHPh.C(:NH).S.CH}_2\text{.CO}_2\text{H}$	$\text{C}_9\text{H}_{10}\text{O}_2\text{SN}_2$	B., 14, 732	148-152	Jäger	J. p. [2], 16, 20	32, 873
Ethylic nitrophenylthiocarbamate	$\text{NO}_2\text{.(NH.CS.OEt)=1.3}$	$\text{C}_9\text{H}_{10}\text{O}_3\text{SN}_2$	115	Losanitsch	B., 16, 49	44, 583
"	"	"	115	Studemann	B., 16, 550	44, 802
"	$\text{NO}_2\text{.(NH.CO.SEt)=1.4}$	"	175-176	Losanitsch	B., 15, 471	42, 955
Sulphaminocinnamide ...	$\text{(SO}_2\text{.NH}_2\text{).(C}_2\text{H}_2\text{.CO.NH}_2)$ =1.4	"	218	Palmer	A. C. J., 4, 161	42, 1204
Isopropylthiodinitrobenzene	$\text{SPr}^i\text{.(NO}_2)_2=1.2.4$	$\text{C}_9\text{H}_{10}\text{O}_4\text{SN}_2$	93-94	Willgerodt	B., 18, 330	48, 520
Ethylic phenylthiocarbamate	NHPh.CS.OEt	$\text{C}_9\text{H}_{11}\text{OSN}$	65	Hofmann	B., 2, 120; 3, 772	
"	"	"	65	Schiff	B., 9, 1316	
"	"	"	68-69	Bamberger	B., 15, 2164	
"	"	"	B., 13, 684	71-72	Liebermann	A., 207, 145	42, 298
"	"	"	B., 13, 1575	73	Will	B., 15, 340	
Benzylthiacetamide ...	$\text{Ph.CH}_2\text{.S.CH}_2\text{.CO.NH}_2$	"	97	Gabriel	B., 12, 1641	38, 34
Methylic tolylthiocarbamate	$\text{Me.(NH.CO.SMe)=1.2}$	"	70	Will	B., 15, 1317	42, 1090
"	" =1.4	"	107	"	B., 15, 1311	"
Acetamidothiocresol ...	Me.SH.NHAc=1.2.4	"	195	Hesse	B., 14, 489	40, 596
"	" =1.4.6	"	240	"	B., 14, 490	40, 597
Propenylbenzenesulphonamide	$\text{C}_3\text{H}_5\text{.(SO}_2\text{.NH}_2)=?$	$\text{C}_9\text{H}_{11}\text{O}_2\text{SN}$	152	Meyer and Banr	B., 12, 2240	38, 166
Tolylsulphonacetamide ...	$\text{Me.(SO}_2\text{.CH}_2\text{.CO.NH}_2)=1.4$	$\text{C}_9\text{H}_{11}\text{O}_3\text{SN}$	163-164	Otto	B., 18, 161	48, 537

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl sulphaminebenzoate	(SO ₂ .NH ₂).CO ₂ Et=1.3	C ₉ H ₁₁ O ₄ SN	?	A., 106, 41, 387	
" "	" =1.4	"	110-111; a.f. 94	Remsen	A., 178, 300	29, 258
Sulphethylbenzamic acid	"	261-262	A. C. J., 4, 197	
Sulphaminemesitylenic acid	Me ₂ .CO ₂ H.(SO ₂ .NH ₂) =1.3.5.6	"	247	Hall & Remsen	B., 10, 1040; A. C. J., 2, 131	32, 777
" "	" "	"	259; 263 c.	Jacobsen	A., 206, 167; B., 12, 604	38, 643; 40, 429
" "	" =1.3.5.2	"	A. C. J., 2, 131	276 c.; d.	"	A., 206, 174; B., 12, 605	38, 643; 40, 430
Sulphaminexylic acid ...	" =1.3.4.6	"	268 c.	Jacobsen and Meyer	B., 16, 190	44, 589
Nitromesitylenesulphonic acid	Me ₃ .NO ₂ .SO ₃ H=1.3.5.2.4	C ₉ H ₁₁ O ₅ SN	+1½H ₂ O	131	Rose	Z. C. [2], 7, 74; A, 164, 65	24, 376; vii., 789
Ethoxyphenylthiocarbamide	EtO.(NH.CS.NH ₂)=1.2	C ₉ H ₁₂ OSN ₂	110	Berlinerblau	J. p., 30, 97	48, 148
Sulphaminemesitylenamide	Me ₂ .(CO.NH ₂).(SO ₂ .NH ₂) =1.3.5.?	C ₉ H ₁₂ O ₃ SN ₂	287-288	A. C. J., 3, 218	
Ethyl disulphaminebenzoate	(SO ₂ .NH ₂) ₂ .CO ₂ Et=?	C ₉ H ₁₂ O ₆ S ₂ N ₂	198-200	Fahlberg	A. C. J., 2, 185	40, 817
Isopropylbenzenesulphonamide	Pr ^β .(SO ₂ .NH ₂)=?	C ₉ H ₁₃ O ₂ SN	J., 1879, 760	95.5-96	Spica	G. I., 9, 433	38, 167
" "	" =?	"	107	"	"	"
" "	" "	"	107-108	Meyer and Baur	B., 12, 2240	
" "	" "	"	112	Claus and Tonn	B., 18, 1241	
" "	" =?	"	127 u.c.	"	"	48, 904
Propylbenzenesulphonamide	Pr ^α .(SO ₂ .NH ₂)=?	"	110	Meyer and Baur	B., 12, 2239	
Mesitylenesulphonamide ...	Me ₃ .(SO ₂ .NH ₂)=1.3.5.6	"	140+	Jacobsen	B., 15, 1857	
" ...	" "	"	A., 184, 185	141-142	"	B., 9, 257	30, 77
" ...	" "	"	141-142	Holtmeyer	Z. C. [1867], 686	vi., 301
Pseudocumenesulphonamide	" =1.3.4.?	"	A., 184, 185	175-176	Jacobsen	B., 9, 257	30, 77
" "	" "	"	175	"	B., 14, 2629	
Hemimellitenesulphonamide	" =1.2.3.?	"	196	"	B., 15, 1858	44, 53
Ethoxytoluenesulphonamide	Me.OEt.(SO ₂ .NH ₂)=1.4.6	C ₉ H ₁₃ O ₃ SN	136	Heffter	A., 221, 345	46, 454
" "	" =1.2.4	"	137	Hayduck and Limpricht	A., 172, 216; B., 7, 554	27, 905, 1096; vii., 934
Phenyltaurocyamine ...	Ph.(CN.NH ₂).HN.C ₂ H ₄ .SO ₃ H	C ₉ H ₁₃ O ₃ SN ₃	nf. 300	James	47, 374
Tolyldimethylsulphamide	Me.(NH.SO ₂ .NMe ₂)=1.4	C ₉ H ₁₁ O ₂ SN ₂	90.5	Behrend	B., 15, 1612	42, 1282
Ammonium mesitylenesulphonate	Me ₃ .SO ₃ NH ₄ =1.3.5.6	C ₉ H ₁₅ O ₃ SN	250 d.	Jacobsen	A., 145, 85	vii., 788
Oxethene toluidine acid sulphate	[C ₆ H ₄ Me.NH.CH ₂ .CH ₂ .OH] + H ₂ SO ₄	C ₉ H ₁₅ O ₅ SN	110-111 d.	Demole	B., 7, 637	27, 903
Benzylidene rhodanic acid	Ph.CH:C(SH).CO.SCN	C ₁₀ H ₇ OS ₂ N	200 u.c.	Neucki and Bourquin	B., 17, 2278	48, 40
Nitrostyrolenethiocyanate	C ₁₀ H ₇ O ₂ S ₂ N ₃	J. [1880], 405	111-112	A., 216, 325	
β-Diazonaphthalene sulphate	(C ₁₀ H ₇ .N ₂ .C ₁₀ H ₇).H ₂ SO ₄	C ₁₀ H ₅ O ₄ SN ₂	84-85	Scheidung	B., 8, 1652	29, 713
Nitronaphthalenesulphonamide	NO ₂ .(SO ₂ .NH ₂)=?	"	180	B. S., 26, 446	
" "	" =?	"	216	Cleve	B. S., 29, 415; B., 12, 1714	34, 677; 38, 47
" "	" =α ₁ α ₂ ;	"	225	B. S., 24, 510	
Tolythiocarbimideglycollide	C ₆ H ₄ Me.N : C.S.CH ₂ .CO.O	C ₁₀ H ₉ O ₂ SN	120	Völtzkow	B., 13, 1580	40, 43
" "	" =1.2	"	162	"	B., 13, 1579	"
" "	" =1.4	"	162	"	B., 13, 1579	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
<i>a</i> -Naphthalenesulphonamide	C ₁₀ H ₇ (SO ₂ .NH ₂)	C ₁₀ H ₉ O ₂ SN	A., 114, 135	150	Z. C. [1869], 711	
<i>β</i> - " "	"	"	212 ; 213	Cleve	B. S., 25, 258	30, 82
<i>β</i> - " "	"	"	217 c.	Z. C. [1869], 711	
Thiophenesulphanilide	C ₄ H ₃ (SO ₂ .NHPh)	C ₁₀ H ₉ O ₂ S ₂ N	96	Weitz	B., 17, 799	46, 1130
Methylic methylamhydro-sulphaminephthalate	SO ₂ .NMe.CO.C ₆ H ₃ .CO ₂ Me =?.2.1	C ₁₀ H ₉ O ₅ SN	180	Stokes	A. C. J., 6, 262	48, 539
Nitronaphthalenedisulphonamide	C ₁₀ H ₅ .NO ₂ .(SO ₂ .NH ₂) ₂	C ₁₀ H ₉ O ₆ S ₂ N ₃	B., 16, 570	285 d.	Alen	B. S., 39, 63	44, 596
Tolythiohydantoïn	C ₆ H ₄ Me.N.CS.NH.CH ₂ .CO =1.4	C ₁₀ H ₁₀ OSN ₂	180 d.	Aschan	B., 17, 426	
" " " " " "	" " " " " "	" " " " " "	183	Meyer	B., 10, 1966	34, 296
" " " " " "	" " " " " "	" " " " " "	184 u.c.	Aschan	B., 16, 1544	44, 1107
<i>a</i> -Naphthalenedisulphonamide	C ₁₀ H ₆ (SO ₂ .NH ₂) ₂	C ₁₀ H ₁₀ O ₄ S ₂ N ₂	242-243	Ebert and Merz	B., 9, 599	30, 409
<i>β</i> - " " " " " "	" " " " " "	" " " " " "	nf. 305	"	"	"
Ethylene p-tolythiocarbamate	C ₆ H ₄ Me.N.CO.S.C ₂ H ₄	C ₁₀ H ₁₁ OSN	88	Will and Biele-schoyski	B., 15, 1316	42, 1091
Ethylic benzoylthiocarbamate	NHBz.CS.OEt	C ₁₀ H ₁₁ O ₃ SN	J. p., 10, 238	73-74	Miquel	A. C. [5], 11, 334	32, 871
Sulphophenylsuccinamic acid	C ₁₀ H ₁₁ O ₃ SN	J. [1856], 506	160	Gerhardt and Chiozza	A. C. [3], 47, 129	v., 524
Benzoylethylthiocarbamide	NHBz.CS.NHEt	C ₁₀ H ₁₂ OSN ₂	134	Miquel	A. C. [5], 11, 316	32, 870
Tolylacetylthiocarbamide....	Me.(NH.CS.NHAc)=1.4	"	175-176	B. S., 28, 103	
Tolythiohydantoic acid	C ₆ H ₄ Me.NH.C(:NH).S.CH ₂ .CO ₂ H=1.4	C ₁₀ H ₁₂ O ₂ SN ₂	176-182 d.	Jäger	J. p. [2], 16, 22	32, 873
Ethylthiocarbamido-benzoic acid	CO ₂ H.(NH.CS.NHEt)=1.3	"	194-195 u.c.; d.	Aschan	B., 17, 430	46, 907
Ethylic nitrotolythiocarbamate	Me.NO ₂ .(NH.CS.OEt)=1.2.4	C ₁₀ H ₁₂ O ₃ SN ₂	95.5	Studemann	B., 16, 2337	46, 307
Isobutylthiodinitrobenzene	SBU ^β .(NO ₂) ₂ =1.2.4	C ₁₀ H ₁₂ O ₄ SN ₂	71-72	Willgerodt	B., 18, 331	48, 520
Phenylmethylthiourethane	NPh : C(OEt).SMe	C ₁₀ H ₁₃ OSN	260-265 p.d.	Liquid	Liebermann	B., 13, 686 ; A., 207, 148	40, 44 ; 42, 298
Ethylic tolythiocarbamate	Me.(NH.CO.SEt)=1.2	"	Liquid	"	B., 13, 1576 ; A., 207, 161	40, 45 ; 42, 299
" " " " " "	" " " " " "	" " " " " "	66	Will	B., 15, 1317	42, 1091
" " " " " "	" " " " " "	" " " " " "	67-68	Liebermann	A., 207, 162	42, 299
" " " " " "	" " " " " "	" " " " " "	79	Will	B., 15, 1313	42, 1091
" " " " " "	" " " " " "	" " " " " "	87	Liebermann and Natanson	B., 13, 1576 ; A., 207, 160	40, 45 ; 42, 299
Sulphaminepropylbenzoic acid	Pr ^α .(SO ₂ .NH ₂).CO ₂ H=1.2.4	C ₁₀ H ₁₃ O ₄ SN	212-213 c.	Remsen & Keiser	A. C. J., 5, 161	46, 457
Sulphamineisopropylbenzoic acid	Pr ^β .(SO ₂ .NH ₂).CO ₂ H=1.2.4	"	244 c.	Remsen and Day	A. C. J., 5, 149	46, 456
Diethylbenzenesulphonamide	Et ₂ .(SO ₂ .NH ₂)=1.4.5	C ₁₀ H ₁₅ O ₂ SN	97.5	A. C. J., 4, 197	
Methylpropylbenzenesulphonamide	Me.Pr ^α .(SO ₂ .NH ₂)=1.2.?	"	crystalline	Claus & Hansen	B., 13, 898	
" " " " " "	" " " " " "	" " " " " "	73	Kelbe	B., 13, 1158	38, 878
" " " " " "	" " " " " "	" " " " " "	73.5-74	Spica	B., 14, 654	40, 602
" " " " " "	" " " " " "	" " " " " "	110	Berger	B., 10, 976	32, 601
" " " " " "	" " " " " "	" " " " " "	112	Paterno	G. I., 11, 124	40, 594
" " " " " "	" " " " " "	" " " " " "	114-115	"	G. I., 9, 397	38, 107
" " " " " "	" " " " " "	" " " " " "	151 c.	Remsen and Day	A. C. J., 5, 149	46, 456
Methylisopropylbenzenesulphonamide	Me.Pr ^β .(SO ₂ .NH ₂)=1.3.?	"	73	Kelbe	B., 13, 1400 ; A., 210, 34	40, 878 ; 42, 299
" " " " " "	" " " " " "	" " " " " "	B., 16, 792	75-75.5	Spica	G. I., 12, 543	44, 460
" " " " " "	" " " " " "	" " " " " "	80-90	Jacobsen	B., 12, 433	36, 625
" " " " " "	" " " " " "	" " " " " "	97-98	"	B., 12, 432	36, 624
" " " " " "	" " " " " "	" " " " " "	97-98	Paterno & Spica	G. I., 9, 397	38, 107

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Methylisopropylbenzenesulphonamide	Me.Pr ^β .(SO ₂ .NH ₂)=1.3.?	C ₁₀ H ₁₆ O ₂ SN	A., 210, 37	108	Kelbe	B., 13, 1400	42, 301
Methylisopropylsulphonamide	„ =1.3.?	„	162	Kelbe and Czarnomski	B., 17, 1747	46, 1355
Isodurenesulphonamide	Me ₄ .(SO ₂ .NH ₂)=1.2.3.5.6	„	118	Jacobsen	B., 15, 1854	44, 52
Ethylidimethanilinesulphonate	NMe ₂ .SO ₃ Et=?	C ₁₀ H ₁₆ O ₃ SN	85	J. p. [2], 20, 263	
Phenylthienylacetoxime	C ₄ SH ₃ .C(NO ₂).Ph	C ₁₁ H ₉ OSN	91-92	Comey	B., 17, 791	46, 1168
Thiophenic anilide	C ₄ SH ₃ .CO.NHPH	„	140	Leuckart and Schmidt	B., 18, 2341	42, 1224
Cumylthiocarbimide	C ₁₁ H ₁₁ OSN	begins 245 ; d. 270	Liquid	Raab	B., 10, 53	32, 894
Dimethylquinolinesulphonic acid	N.Me ₂ =α ₁ ; α ₁ β ₂	C ₁₁ H ₁₁ O ₃ SN	165-166	Berend	B., 17, 2717	48, 275
„	„ =α ₁ ; β ₂ β ₁ or α ₂	„	265-266	„	B., 17, 1489	46, 1197
Tolyl-α-methylthiohydantoin	C ₆ H ₄ Me.N.CS.NH. CHMe.CO=1.4	C ₁₁ H ₁₂ OSN ₂	197 u.c.	Aschan	B., 17, 427	
Allylthiocarbamidobenzoic acid	C ₃ H ₅ .NH.CS.NH.C ₆ H ₄ . CO ₂ H=1.3	C ₁₁ H ₁₂ O ₂ SN ₂	189 u.c. ; d.	„	B., 17, 431	46, 907
Tolylacetylthiobiuret	C ₁₁ H ₁₃ OS ₂ N ₃	166	Tursini	B., 17, 586	46, 1141
Phenylmercapturic acid	C ₁₁ H ₁₃ O ₃ SN	B., 15, 1731	142-143	Z. P. C., 5, 335	
Dimethylquinolinesulphate	N.Me ₂ =α ₁ β ₁ α ₂ ;	C ₁₁ H ₁₃ O ₄ SN	225-228 p.d.	Engler & Riehm	B., 18, 2247	48, 1246
Trimethylanhydrosulphaminephthalate	SO ₂ .NH.C(OMe) ₂ .C ₆ H ₃ . CO ₂ Me=?2.1	C ₁₁ H ₁₃ O ₆ SN	144	Stokes	A. C. J., 6, 262	48, 539
Phenyldiethylthiourethane	PhN : C(OEt).SEt	C ₁₁ H ₁₅ OSN	275 ; 278- 280 c. ; d.	29.5-30.5	Liebermann	B., 13, 686 ; A., 207, 149	40, 44 ; 42, 298
Isobutylic phenylthiocarbamate	NHPH.CS.OBu ^β	„	75	Mylius	B., 5, 977	26, 267
Methyl tolylthiourethane	C ₆ H ₄ Me.N : C(OEt).SMe	„	a. 250 d.	Liquid	Liebermann	B., 13, 1577 ; A., 207, 163	40, 45 ; 42, 299
„	„ =1.2	„	Liquid	„	„	„
„	„ =1.3	„	Liquid	„	„	„
„	„ =1.4	„	a. 250 d.	Liquid	„	„	„
Sulphonamide of C ₁₁ H ₁₆	C ₁₁ H ₁₇ O ₂ SN	64	Kelbe	B., 14, 1241	40, 809
Isobutyltoluenesulphonamide	Me.Bu ^β .(SO ₂ .NH ₂)=1.3.?	„	74-75	Kelbe and Baur	B., 16, 2562	46, 300
Butyltoluenesulphonamide	Me.Bu ^α .(SO ₂ .NH ₂)=1.4.?	„	113	„	B., 16, 2565	„
α-Lauresulphonamide	C ₁₁ H ₁₅ .(SO ₂ .NH ₂)	„	127	Reuter	B., 16, 627	
β-„	„	„	?	„	B., 16, 628	
Dinitrophenyl sulphide	S[C ₆ H ₃ (NO ₂) ₂] ₂ =(1.2.4) ₂	C ₁₂ H ₆ O ₃ SN ₄	193	Beilstein and Kurbatow	B., 10, 1993 ; 11, 2056 ; A., 197, 77	34, 139 ; 36, 230, 714
Dinitrophenylsulphone	SO ₂ [C ₆ H ₃ (NO ₂) ₂] ₂ =(1.2.4) ₂	C ₁₂ H ₆ O ₁₀ SN ₄	240-241	„	„	„
Dinitrohydroxyphenylsulphone	SO ₂ [C ₆ H ₂ .OH.(NO ₂) ₂] ₂ =?	C ₁₂ H ₆ O ₁₂ SN ₄	253 u.c.	Annaheim	B., 11, 1668	36, 244
Trinitrophenylic benzenesulphonate	Ph.SO ₂ .O.C ₆ H ₂ (NO ₂) ₃	C ₁₂ H ₇ O ₉ SN ₃	115-116	Schiaparelli	G. I., 11, 65	40, 603
Nitrophenyldisulphide	S ₂ (C ₆ H ₄ .NO ₂) ₂ =(1.4) ₂	C ₁₂ H ₈ O ₄ S ₂ N ₂	181	Willgerodt	B., 18, 333	48, 519
Nitrophenylsulphone	SO ₂ (C ₆ H ₄ .NO ₂) ₂	C ₁₂ H ₈ O ₆ SN ₂	164	Gericke	A., 100, 211	vi., 277
„	„	„	168	Schmid	B., 9, 80	
Trinitrobenzenesulphanilide	fr. C ₆ H ₄ (NO ₂).SO ₂ .NH. C ₆ H ₃ .NO ₂	C ₁₂ H ₈ O ₃ SN ₄	210	Michler and Blattner	B., 12, 1167	36, 922
Nitrosulphobezide	Ph.SO ₂ .C ₆ H ₄ .NO ₂	C ₁₂ H ₉ O ₄ SN	90-92	Gericke	A., 100, 209	vi., 277
Nitrophenylic benzenesulphonate	Ph.SO ₃ .C ₆ H ₄ .NO ₂ =1.4	C ₁₂ H ₉ O ₅ SN	82	Schiaparelli	G. I., 11, 65	40, 603
Diazophenylic benzenesulphinat	Ph.SO ₂ .N ₂ .Ph	C ₁₂ H ₁₀ O ₂ SN ₂	75-76 d.	Königs	B., 10, 1532	34, 220
Oxallylallylphenylthiocarbamide	NPh.CS.N(C ₃ H ₅) ₂ .CO ₂	„	161	Maley	Z. C. [2], 5, 261	vi., 1089
Azobenzenesulphonic acid	Ph.N ₂ .C ₆ H ₄ .SO ₃ H=1.2	C ₁₂ H ₁₀ O ₃ SN ₂	127	Richter	R. K. T., 309	
Azoxybenzenesulphonic acid	Ph.N ₂ O.C ₆ H ₄ .SO ₃ H=1.3	C ₁₂ H ₁₀ O ₄ SN ₂	60-70	Limpricht	B., 18, 1420	48, 984

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Azoxybenzenesulphonic acid ^a	Ph.N ₂ O.C ₆ H ₄ .SO ₃ H=1.4	C ₁₂ H ₁₀ O ₄ SN ₂	b. 100	Limpricht	B., 18, 1420	48, 984
Benzenesulphonitrilide	NO ₂ .(NH.O ₂ S.Ph)=1.2	"	104	Lellmann	B., 16, 594	44, 801
"	" =1.3	"	131-132	"	B., 16, 595	"
"	" =1.4	"	139	"	"	"
Nitrodiphenylsulphonamide	C ₆ H ₄ (NO ₂).C ₆ H ₄ .SO ₃ H =(1.4) ₂	"	228	Gabriel and Dambergis	B., 13, 1410	38, 890
Azobenzenedithiodisulphonic acid	N ₂ (C ₆ H ₄ .SO ₂ .SH) ₂ =(1.3) ₂	C ₁₂ H ₁₀ O ₄ S ₄ N ₂	91	Baur	A., 229, 353	48, 1140
"	" =1.4	"	+1½H ₂ O(?)	91-93	Limpricht	B., 18, 1471	48, 985
"	" =1.3	"	b. 100	Baur	A., 229, 353	48, 1140
Azobenzenethiodisulphonic acid	SO ₃ H.C ₆ H ₄ .N ₂ .C ₆ H ₄ .SO ₂ .SH =(1.3) ₂	C ₁₂ H ₁₀ O ₅ S ₃ N ₂	b. 100	"	"	"
"	" =1.4	"	+xH ₂ O	b. 100	Limpricht	B., 18, 1472	48, 985
Azoxybenzenedisulphonic acid	ON ₂ (C ₆ H ₄ .SO ₃ H) ₂ =(1.3) ₂	C ₁₂ H ₁₀ O ₇ S ₂ N ₂	125	Brunnemann	A., 202, 340	38, 807
Benzenesulphanilide	Ph.SO ₂ .NHPh	C ₁₂ H ₁₁ O ₂ SN	102	Wallach	A., 214, 221	44, 48
"	"	"	105	A., 91, 107	
"	"	"	110	A., 100, 217	
Diphenylsulphonamide	Ph.C ₆ H ₄ .SO ₂ .NH ₂	"	227-230	Gabriel & Deutsch	B., 13, 386	38, 476
Azophenolbenzenesulphonamide	HO.C ₆ H ₄ .N ₂ .C ₆ H ₄ .SO ₂ .NH ₂ =1.4; 1.?	C ₁₂ H ₁₁ O ₃ SN ₃	A., 215, 231	212	Limpricht	B., 15, 1296	42, 1075
Ethyl α-nitronaphthalenesulphonate	NO ₂ .(SO ₃ Et)=α.1.2;	C ₁₂ H ₁₁ O ₆ SN	101	Cleve	B. S. [2], 24, 510; B., 10, 1723	34, 153
" δ-	" =?	"	103	"	B. S. [2], 29, 415	34, 677
" δ-	" "	"	108	"	B., 12, 1714	38, 47
" β-	" =?	"	B., 10, 1723	114	"	B. S. [2], 26, 446	34, 154
Dibenzsulphhydroxamic acid	(Ph.SO ₂) ₂ N.OH	C ₁₂ H ₁₁ O ₆ S ₂ N	109 d.	Königs	B., 11, 617	
Phenylhydrazine benzenesulphinate	Ph.SO ₂ .NH.NHPh	C ₁₂ H ₁₂ O ₅ SN ₂	B., 8, 1007	130-131	Escales	B., 18, 895	48, 798
"	"	"	146	Fischer	A., 190, 132	34, 309
"	"	"	145	Königs	B., 10, 1532	
Phenylsulphamidoanilide	Ph.SO ₂ .NH.C ₆ H ₄ .NH ₂ =1.2	"	B., 14, 2184	168	Lellmann	A., 221, 1; B., 16, 596	44, 801; 46, 50
"	"	"	168	Schmid	B., 9, 80	
Amidophenolsulphoanilide	OH.NH ₂ .(SO ₂ .NHPh)=1.4.6 =1.2.4	C ₁₂ H ₁₂ O ₃ SN ₂	A., 205, 62	98	Post and Holst	B., 13, 619	38, 642
"	"	"	"	205	"	B., 13, 618	
Diphenyldisulphonamide...	(C ₆ H ₄ .SO ₂ .NH ₂) ₂ =(1.4) ₂	C ₁₂ H ₁₂ O ₄ S ₂ N ₂	a. 300	Gabriel & Deutsch	B., 13, 390	38, 477
Azobenzenedisulphonamide	N ₂ (C ₆ H ₄ .SO ₂ .NH ₂) ₂ =(1.4) ₂	C ₁₂ H ₁₂ O ₄ S ₂ N ₄	176	Mahrenholz and Gilbert	A., 202, 337	38, 805
"	" =meta?	"	254	"	"	"
"	" =1.3; 1.4	"	250	A., 215, 216	
"	"	"	258	Limpricht	B., 14, 1356	42, 517
"	" =(1.3) ₂	"	a. 260	"	B., 11, 1046	34, 722
"	"	"	295	Mahrenholz	A., 202, 336	38, 805
"	" =(1.4) ₂	"	d.w.m. 250	Laar	B., 14, 1930	42, 195
"	" =?	"	nf. 300	Limpricht	B., 14, 1357	42, 517
Azoxybenzenedisulphonamide	ON ₂ (C ₆ H ₄ .SO ₂ .NH ₂) ₂ =(1.3) ₂	C ₁₂ H ₁₂ O ₆ S ₂ N ₄	273	Brunnemann	A., 202, 343	38, 807
α-Naphthylthiourethane	C ₁₀ H ₇ .N:C(SH).OEt	C ₁₂ H ₁₃ OSN	96-97	Cosiner	B., 14, 62	
β-Naphthalenesulphonethylamide	C ₁₀ H ₇ .SO ₂ .NH ₂ Et	C ₁₂ H ₁₃ O ₂ SN	82.5	Carleson	B. S. [2], 27, 360	32, 490
α- " "	"	"	viscous	"	"	"
Phenylammonium phenolsulphonate	OH.(SO ₃ .NH ₃ Ph)=1.4	C ₁₂ H ₁₃ O ₄ SN	d. 180-190	170	Kopp	B., 4, 978	25, 623; vii., 918
" ?	NH ₂ .O ₂ S.C ₆ H ₄ .N ₂ .NH.C ₆ H ₄ .SO ₂ .NH ₂	C ₁₂ H ₁₃ O ₄ S ₂ N ₅	183 d.	Hybbeneth	A., 221, 204	46, 72
Hydroxyazobenzenetrisulphonamide	NH ₂ .O ₂ S.C ₆ H ₄ .N ₂ .C ₆ H ₃ (OH).(SO ₂ .NH ₂) ₂ =1.4; 1.4.(?) ₂	C ₁₂ H ₁₃ O ₇ S ₃ N ₅	A., 215, 235	a. 260	Limpricht	B., 15, 1297	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Azobenzenetetrasulphonamide	$N_2[C_6H_3(SO_2.NH_2)_2]_2$ =(1.1.3) ₂	$C_{12}H_{14}O_8S_4N_6$	222	Reiche	A., 203, 71	38, 806
? " "	" =?	"	229-230	Perl	C. C. [1884], 468	48, 391
4th. Amidophenol sulphate	$(C_6H_4.OH.NH_2)_2 + H_2SO_4$	$C_{12}H_{16}O_6SN_2$	220 d.	Fittica	J. p. [2], 24, 1	42, 51
Amylic phenylthiocarbamate	NHPh.CO.S(C ₅ H ₁₁)	$C_{12}H_{17}OSN$	67	Schöne	J. p. [2], 30, 416	48, 512
Diethyltolylthiocarbamate	Me.[N:C(OEt)SEt]=1.2	"	a. 250 d.	Liquid	Liebermann and Natanson	B., 13, 1577; A., 207, 163	40, 45; 42, 299
" "	" =1.3	"	a. 250 d.	Liquid	"	"	"
" "	" =1.4	"	a. 250 d.	Liquid	"	"	"
Ethyl mesitylthiourethane	Me ₃ .[N:C(SH).OEt]=1.3.5.6	"	88	Eisenberg	B., 15, 1015	42, 956
Dipropylbenzenesulphonamide	Pr ₂ .(SO ₂ .NH ₂)=1.4.5	$C_{12}H_{19}O_2SN$	103	Remsen and Keiser	A. C. J., 5, 161	46, 457
Nitrobenzylamidothiophenol	fr. S.C ₆ H ₄ .N:CPh	$C_{13}H_9O_2SN_2$	188	Hofmann	B., 13, 1223	38, 885
Dinitrophenylic thiobenzate	SBz.(NO ₂) ₂ =1.2.4	$C_{13}H_9O_3SN_2$	113	Willgerodt	B., 18, 329	48, 519
o-Hydroxybenzylamidothiophenol	S.C ₆ H ₄ .N:C.C ₆ H ₄ .OH	$C_{13}H_9OSN$	129	Hofmann	B., 13, 1237	38, 887
?	$C_{13}H_9O_2SN$	84	Gabriel and Deutsch	B., 13, 389	
Nitromethenylamidothiophenolanilide	fr. S.C ₆ H ₄ .N:C.NHPh	$C_{13}H_9O_2SN_3$	247	Hofmann	B., 13, 12	38, 388
Dinitrophenylbenzylthioether	(S.CH ₂ Ph).(NO ₂) ₂ =1.2.4	$C_{13}H_{10}O_4SN_2$	128	Willgerodt	B., 18, 331	48, 520
Dinitrodiphenylthiocarbamide	CS(NH.C ₆ H ₄ .NO ₂) ₂ =(1.3) ₂	$C_{13}H_{10}O_4SN_4$	B., 15, 470	160-161	Brückner	B., 6, 1103	27, 77
" "	" "	"	160	Stuedemann	B., 16, 550	44, 801
" "	" "	"	160-161	"	B., 16, 2333	46, 306
Phenyl phenylthiocarbamate	NHPh.CO.SPh	$C_{13}H_{11}OSN$	125	Snape	47, 778
Methyldiphenylamine sulphone	C ₆ H ₄ .SO ₂ .C ₆ H ₄ .NMe	$C_{13}H_{11}O_2SN$	222	Berthsen	B., 16, 2901	46, 596
Nitrodiphenylthiocarbamide	NO ₂ .(NH.CS.NHPh)=1.3	$C_{13}H_{11}O_2SN_3$	145	Brückner	B., 7, 1235	28, 166
" "	" "	"	155	Losanitsch	B., 14, 2365	42, 183
Benzenesulphonbenzamide	Ph.SO ₂ .NHBz	$C_{13}H_{11}O_3SN$	J. [1856], 503	135-140	Gerhardt and Chiozza	A. C. [3], 46, 145	i., 540
" "	" "	"	A., 214, 211	147	Wallach and Gossmann	B., 11, 754	
Nitrohydroxydiphenylthiocarbamide	NO ₂ .C ₆ H ₄ .NH.CS.NH.C ₆ H ₄ .OH=1.3; 1.4	$C_{13}H_{11}O_3SN_3$	152	Stuedemann	B., 16, 2335	46, 307
Benzenesulphondinitrotoluide	Ph.SO ₂ .NH.C ₆ H ₃ Me(NO ₂) ₂ =1.4.5.?	$C_{13}H_{11}O_6SN_3$	178	Lellmann	B., 16, 596	44, 801
Hydroxydiphenylthiocarbamide	NHPh.CS.NH.C ₆ H ₄ .OH=1.2	$C_{13}H_{12}OSN_2$	146	Kalchoff	B., 16, 1829	44, 1110
" "	" =1.4	"	162	"	B., 16, 376	44, 735
Acetyl- α -naphthylthiocarbamide	"	198	B. S. [2], 28, 103	
Benzenesulphonbenzamide	Ph.SO ₂ .N:CPh.NH ₂	$C_{13}H_{12}O_2SN_2$	A., 184, 348	135	Wallach and Gossmann	B., 11, 755	
" "	" "	"	A., 108, 215	139	A., 214, 218	
Oxalylallyltolylthiocarbamide	N(C ₃ H ₅).CS.N(C ₆ H ₄ Me).CO.CO=1.4	"	157	Maley	Z. C. [2], 5, 258; J. [1869], 637	vi., 1089
Dihydroxydiphenylthiocarbamide	CS(NH.C ₆ H ₄ .OH) ₂ =(1.4) ₂	"	222 d.	Kalchoff	B., 16, 1831	44, 1110
Benzenesulphonnitrotoluide	Ph.SO ₂ .NH.C ₆ H ₃ Me.NO ₂ =4.1.3	$C_{13}H_{12}O_4SN_2$	99	Lellmann	B., 16, 595; A., 221, 1	44, 801; 46, 51
Ethyl β -naphthylthiocarbamate	C ₁₀ H ₇ .N:C(SH).OEt	$C_{13}H_{13}OSN$	96-97	Cosiner	B., 14, 62	40, 606

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Toluenesulphonanilide ...	Me.(SO ₂ .NHPh)=1.3	C ₁₃ H ₁₃ O ₂ SN	...	72	Müller and Wiesinger	B., 12, 1349	
"	" =1.4	"	...	103	"	B., 12, 1348	
"	" =1.2	"	...	136	"	"	
Benzenesulphontoluide	Me.(NH.O ₂ S.Ph)=1.4	"	...	120	Wallach & Huth	B., 9, 427	
Benzenesulphonamidotoluide	Ph.SO ₂ .NH.C ₆ H ₃ .Me.NH ₂ =4.1.3	C ₁₃ H ₁₄ O ₂ SN ₂	...	146.5	Lellmann	B., 16, 597; A., 221, 1	44, 801; 46, 51
Phenylbutylthiohydantoïn	CO.NPh.CS.NH.CH.C ₄ H ₉	C ₁₃ H ₁₆ OSN ₂	...	179 u.c.	Aschan	B., 16, 1545; 17, 426	44, 1107
Toluylenediacyldithiocarbamide	Me.(NH.CS.NHAc) ₂ =?.1.3	C ₁₃ H ₁₆ O ₂ S ₂ N ₄	...	232	Lussy	B., 8, 668	28, 1036
β-Nitroanthraquinonesulphonic acid	C ₁₄ H ₆ O ₂ (NO ₂).SO ₃ H	C ₁₄ H ₇ O ₇ SN	...	250 d.	Claus	B., 15, 1516	42, 1105
α- " " "	"	"	...	255 d.	"	B., 15, 1515	"
Nitroanthraquinonedisulphonic acid	C ₁₄ H ₅ O ₂ (NO ₂)(SO ₃ H) ₂	C ₁₄ H ₇ O ₁₀ S ₂ N	...	181-182	Claus & Schneider	B., 16, 908	
Anthraquinonesulphonamide	C ₁₄ H ₇ O ₂ .SO ₂ NH ₂	C ₁₄ H ₉ O ₄ SN	...	261	McHoul	B., 13, 692	40, 52
α-Amidoanthraquinonesulphonic acid	C ₁₄ H ₆ O ₂ (NH ₂).SO ₃ H	C ₁₄ H ₉ O ₆ SN	...	d.w.m. 360	Claus	B., 15, 1519	
β- " " "	"	"	...	a. 360 d.	"	B., 15, 1520	
Carbonylthiocarbaniide	Ph.N : C.NPh.CO.S ?	C ₁₄ H ₁₀ OSN ₂	...	87	Will	B., 14, 1486	40, 905
Benzoylphenylthiocarbazine	NPh.CS.NBz	"	...	186	Fischer and Besthorn	A., 212, 330	42, 1095
Naphthalene dinitrothiophene	C ₁₀ H ₈ + C ₄ SH ₂ (NO ₂) ₂	C ₁₄ H ₁₀ O ₄ SN ₂	...	50	Rosenberg	B., 18, 1778	48, 1051
Phenylic benzoylthiocarbamate	NHBz.CS.OPh	C ₁₄ H ₁₁ O ₂ SN	...	93	Miquel	A. C. [5], 11, 337	32, 872
Phenylnitrobenzoylthiocarbamide	NHPh.CS.NH.CO.C ₆ H ₄ .NO ₂	C ₁₄ H ₁₁ O ₃ SN ₃	...	230 d.	"	A. C. [5], 11, 322	32, 870
Phenylbenzoylthiocarbamide	NHPh.CS.NHBz	C ₁₄ H ₁₂ OSN ₂	...	148-149	"	A. C. [5], 11, 321	"
Benzophenylthiocarbamide	C ₆ H ₄ Bz.(NH.CS.NH ₂)= ?	"	...	166	Döbner	A., 210, 246	42, 508
Phenylthiocarbamidobenzoic acid	NHPh.CS.NH.C ₆ H ₄ .CO ₂ H =1.2	C ₁₄ H ₁₂ O ₂ SN ₂	B., 3, 244	190-191	Rathke and Schäffer	A., 169, 106	27, 164
"	" =1.3	"	...	191-192	Miquel	A. C. [5], 11, 324	32, 870
"	" =1.3	"	...	260-262 d.	Aschan	B., 17, 429	
Nitrophenylnitrotolylthiocarbamide	NO ₂ .C ₆ H ₄ .NH.CS.NH. C ₆ H ₃ Me.OH=1.3; 1.4.5	C ₁₄ H ₁₂ O ₄ SN ₄	...	188	Studemann	B., 16, 2335	46, 306
Nitrobenzylidisulphide	S ₂ (CH ₂ .C ₆ H ₄ .NO ₂) ₂ =(1.4) ₂	C ₁₄ H ₁₂ O ₄ S ₂ N ₂	...	89	Strakosch	B., 5, 698	25, 1028
Nitrotoluenesulphonbenzamide	Me.NO ₂ (SO ₂ .NHBz)=1.4.6	C ₁₄ H ₁₂ O ₆ SN ₂	...	130	Wolkow	Z. C. [2], 7, 422	25, 147; vii., 1169
Diamidosulphobenzidedicarboxylic acid	SO ₂ (C ₆ H ₃ .NH ₂ .CO ₂ H) ₂ =(?.4.1)	C ₁₄ H ₁₂ O ₆ SN ₂	...	a. 350	Michael and Norton	B., 10, 582	
Dinitrodimethoxysulphobenzide	SO ₂ (C ₆ H ₃ .NO ₂ .OMe) ₂	C ₁₄ H ₁₂ O ₈ SN ₂	...	214-215	Annaheim	A., 172, 49	27, 797
Benzenylphenylthio-uramidoxime	NHPh.CS.NH.CPh : NOH	C ₁₄ H ₁₃ OSN ₃	...	163	Krüger	B., 18, 1060	48, 896
Amidodiphenylsulphacetic acid	NH ₂ .C ₆ H ₄ .C ₆ H ₄ .S.CH ₂ .CO ₂ H =(1.4) ₂	C ₁₄ H ₁₃ O ₂ SN	...	a. 200	Gabriel and Dambergis	B., 13, 1411	38, 890
Nitrophenyltolylthiocarbamide	C ₆ H ₄ Me.NH.CS.NH.C ₆ H ₄ . NO ₂ =1.4; 1.3	C ₁₄ H ₁₃ O ₂ SN ₃	...	173	Studemann	B., 16, 2335	46, 307
Nitrotolylphenylthiocarbamide	C ₆ H ₃ Me.NO ₂ (NH.CS.NH Ph)=1.2.4	"	...	143	"	B., 16, 2336	"
Toluenesulphobenzamide....	Me.(SO ₂ .NHBz)=1.2	C ₁₄ H ₁₃ O ₃ SN	...	110-112	Wolkow	Z. C. [2], 6, 579	vii., 1169
"	" =1.4	"	...	147-150	"	Z. C. [2], 6, 578	vii., 1168
Nitrotoluenesulphonbenzenylamidine	C ₆ H ₃ Me(NO ₂).SO ₂ .N : CPh. NH ₂ =1.?.4	C ₁₄ H ₁₃ O ₄ SN ₃	...	122-123	"	B., 5, 142	25, 414
Ethylic nitrodiphenylsulphonate	C ₆ H ₄ (NO ₂).C ₆ H ₄ .SO ₃ Et =(1.4) ₂	C ₁₄ H ₁₃ O ₆ SN	...	168-169	Gabriel	B., 13, 1410	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Toluenesulphonbenzenyl- amidine	$C_6H_4Me.SO_2.N : CPh.NH_2$ =1.4	$C_{14}H_{14}O_2SN_2$	114	Wolkow	B., 5, 141; Z. C. [2], 6, 577	25, 413; vii., 1168
Nitrotoluenesulphotoluide	$C_6H_3Me.NO_2.(SO_2.NH.C_6H_4Me)$ =1.2.4; 1.4	$C_{14}H_{14}O_4SN_2$	130-131	"	Z. C. [2]	vii., 1174
Azotoluenedisulphonic acid	$N_2(C_6H_3Me.SO_3H)_2$ =(4.1.2) ₂	$C_{14}H_{14}O_6S_2N_2$	d.w.m. 190	Neale	A., 203, 80	38, 807
"	"	"	+7½ H ₂ O	100	"	"	"
Dimethamidosalpho- benzide	$Ph.SO_2.C_6H_4.NMe_2$	$C_{14}H_{15}O_2SN$	82	Michler and Meyer	B., 12, 1792	38, 108
"	"	"	81-82	Michler	B., 10, 1742	
Toluenesulphotoluide	$Me.(SO_2.NH.C_6H_4Me)$ =(1.3) ₂	"	103	Müller	B., 12, 1349	
"	"	"	117	Wolkow	Z. C. [2], 6, 324	vii., 1168
"	"	"	118	Müller	B., 12, 1348	
"	"	"	134	Müller	B., 12, 1348	
Phenyltaurineanilide	$NHPh.(CH_2)_2.SO_2.NHPh$	$C_{14}H_{16}O_2SN_2$	74	Leymann	B., 18, 870	48, 786
Azotoluenedisulphonamide	$N_2(C_6H_3Me.SO_2NH_2)_2$ =(2.1.3 or 5) ₂	$C_{14}H_{16}O_4S_2N_4$	250	Kornatzki	A., 221, 179	46, 71
"	"	"	270	Neale	A., 203, 82	38, 807
"	"	"	270	Heffter	A., 221, 208	46, 73
"	"	"	300	Neale	A., 203, 76	38, 807
Sulphate of amidobenzoic acid	$NH_2.CO_2H$ =1.2	$C_{14}H_{16}O_3SN_2$	188	Hübner	A., 149, 129	vi., 319
"	"	"	225	Fittica	B., 9, 792	30, 412
"	"	"	230	Hübner	Z. C. [2]	vi., 317
"	"	"	+H ₂ O	225	"	"	"
"	"	"	235	Fittica	J. p. [2], 13, 184; B., 9, 792	30, 412; 36, 151
"	"	"	240	"	J. p. [2], 13, 184	36, 152
Methylphenylhydrazine- sulphate	$(C_7H_{10}N_2)_2.H_2SO_4$	$C_{14}H_{22}O_4SN_4$	180	Tafel	B., 18, 1742	48, 1061
Tetretethylbenzenesulphon- amide	$Et_4.(SO_2NH_2)$ =1.2.3.5.6	$C_{14}H_{23}O_2SN$	104-105	Galle	B., 16, 1746	44, 1092
Ethylcarbimidealdehyde ammonia	$C_{14}H_{31}O_2S_2N_5$	118-119	Schiff	B., 9, 573; G. I., 4, 244	30, 285; 31, 314
Diphenylthiohydantoin	$C_{15}H_9O_3SN_4$	235	Stojentin	J. p. [2], 32, 1	48, 1195
"	$CO.NPh.CS.NPh.CH_2$	$C_{15}H_{12}OSN_2$	A., 207, 123	176	Lange	B., 12, 595	36, 651
Thiocarbamidobenzoic acid	$CS(NH.C_6H_4.CO_2H)_2$	$C_{15}H_{12}O_4SN_2$	B., 3, 812	a. 300	Merz and Weith	Z. C. [2], 7, 45	24, 231
"	"	"	begins 300 d.	Rathke & Schäffer	A., 169, 102	27, 163
Dinitroditolylthiocarb- amide	$CS[NH.C_6H_2Me(NO_2)_2]_2$ =(4.1.2.?) ₂	$C_{15}H_{12}O_3SN_6$	207	Studemann	B., 16, 2338	46, 307
Ethylic thiodiphenylcarb- amate	$C_{12}H_9SN.CO_2Et$	$C_{15}H_{13}O_2SN$	109-110	Fränkel	B., 18, 1845	48, 1130
Benzylbenzoylthiocarb- amide	$NH_2.CS.NBz.CH_2Ph$	$C_{16}H_{14}OSN_2$	130	Miquel	B. S. [2], 25, 104	30, 73
"	$NHBz.CS.NH.CH_2Ph$	"	145	"	A. C. [5], 11, 324	32, 871
p-Tolyl	$NHBz.CS.NH.C_6H_4Me$	"	165	"	"	"
Acetoxydiphenylthio- carbamide	$NHPh.CS.NH.C_6H_4.OAc$ =1.4	$C_{15}H_{14}O_2SN_2$	137	Kalchhoff	B., 16, 1831	44, 1110
Diphenyltaurocarbamic anhydride	$C_{15}H_{14}O_3SN_2$	186-187 d.	Andreasch	M. C., 4, 136	44, 665
Nitroditolylthiocarbamide	$C_6H_4Me.NH.CS.NH.C_6H_3$ Me.NO ₂ =1.4; 4.1.2	$C_{15}H_{15}O_2SN_3$	169	Studemann	B., 16, 2338	46, 308
Xylenesulphobenzamide	$Me_2.(SO_2.NHBz)$ =1.3.4	$C_{15}H_{15}O_3SN$	149-151	Mahon	A. C. J., 4, 192	42, 1208
Cinnamaldehydeanilide sulphate	$Ph.CH : CH.CH : NPh$ +H ₂ SO ₄	$C_{15}H_{18}O_4SN$	157	Peine	B., 17, 2118	46, 1345
Dianisylthiocarbamide	$CS(NH.C_6H_4.OMe)_2$ =(1.2) ₂	$C_{15}H_{16}O_2SN_2$	134.5	Mülhänser	B., 13, 923; A., 207, 246	38, 642; 42, 302
"	"	"	185	Salkowski	B., 7, 1012	28, 65
Dimethylquinolphenyl- thiocarbamide	$NHPh.CS.NH.C_6H_3(OMe)_2$ =2.4.1	"	137	Baessler	B., 17, 2123	46, 1330
Dimethamidophenyltolyl- sulphone	$C_6H_4Me.SO_2.C_6H_4.NMe_2$ =1.4	$C_{16}H_{17}O_2SN$	95	Michler & Meyer	B., 12, 1793	38, 108

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
? (ortho)	NHPh.CH(OH).C ₆ H ₄ .O.CH ₂ .CO ₂ H + H ₂ SO ₄	C ₁₅ H ₁₇ O ₃ SN	186	Rössing	B., 17, 2994	48, 388
Oxallyldiphenyldithiobiuret	NH : (CS.NPh.CO) ₂ :	C ₁₆ H ₁₁ O ₂ S ₂ N ₃	215	Stojentin	J. p. [2], 32, 1	48, 1196
<i>a</i> -Naphthalenesulphonanilide	C ₁₀ H ₇ .SO ₂ .NHPh	C ₁₆ H ₁₃ O ₂ SN	112	Carleson	B. S. [2], 27, 360	32, 490
<i>β</i> - " "	" "	" "	132	"	"	"
Carbonylthiocarbotoiluide	S.CO.NPh.C : N.C ₆ H ₄ Me	C ₁₆ H ₁₄ OSN ₂	116	Will	B., 14, 1487	40, 906
Phenylacetylthiocarbamidobenzoic acid	Ph.NH.CS.NAc.C ₆ H ₄ .CO ₂ H = 1.3	C ₁₆ H ₁₄ O ₃ SN ₂	159-160	Aschan	B., 17, 429	
Diphenyldiacetylthiodiamine	S(NAcPh) ₂	C ₁₆ H ₁₆ O ₂ SN ₂	125-126	Smit	B., 8, 1447	29, 603
Acetamidophenyl sulphide	S(C ₆ H ₄ .NHAc) ₂	"	213.5 ; 215	Merz and Weith	B. 4, 390	24, 567 ; vii., 1154
" disulphide	S ₂ (C ₆ H ₄ .NHAc) ₂	C ₁₆ H ₁₆ O ₂ S ₂ N ₂	215-217	Schmidt	B., 11, 1171	34, 974
" trisulphide	S ₃ (C ₆ H ₄ .NHAc) ₂	C ₁₆ H ₁₆ O ₂ S ₃ N ₂	213-214.5	"	"	"
Diethoxydinitrodiphenylsulphone	SO ₂ (C ₆ H ₃ .NO ₂ .OEt) ₂	C ₁₆ H ₁₆ O ₃ SN ₂	192	Annaheim	A., 172, 53	27, 797
Benzenesulphocumenamide	Ph.SO ₂ .NH.C ₁₀ H ₁₁ O	C ₁₆ H ₁₇ O ₃ SN	J. [1856], 505	161	Gerhardt and Chiozza	A. C. [3], 46, 151	ii., 177
Azobenzene- <i>a</i> -thymosulphonic acid	Ph.N ₂ .C ₆ HMePr.OH.SO ₃ H	C ₁₆ H ₁₈ O ₄ SN ₂	215.75 d.	Stebbins	B., 14, 2793 ; A. C. J., 3, 112	42, 834
Diethyl azobenzenedisulphonate	N ₂ (C ₆ H ₄ .SO ₃ Et) ₂ = (1.3) ₂	C ₁₆ H ₁₆ O ₆ S ₂ N ₂	100	Mahrenholz and Gilbert	A., 202, 336	38, 805
Di(phenylsulphonethyl)amine	NH(C ₂ H ₄ .SO ₂ .Ph) ₂	C ₁₆ H ₁₉ O ₄ S ₂ N	77	Otto	J. p. [2], 30, 321	48, 537
Tolyimidotolylmethylthiocarbamate sulphate	C ₆ H ₄ Me.N : C(SMe).NH.C ₆ H ₄ Me.H ₂ SO ₄ = (1.4) ₂	C ₁₆ H ₂₀ O ₄ S ₂ N ₂	155-156	Will and Bielschowski	B., 15, 1310	
Azoxylendisulphonamide	N ₂ (C ₆ H ₂ Me ₂ .SO ₂ NH ₂) ₂	C ₁₆ H ₂₀ O ₄ S ₂ N ₄	174	Limpricht	B., 18, 2191	
Di(phenylsulphonethyl)amine nitrate	NH(C ₂ H ₄ .SO ₂ .Ph) ₂ .HNO ₃	C ₁₆ H ₂₀ O ₇ S ₂ N ₂	189 d.	Otto and Dammköhler	J. p. [2], 30, 321	48, 537
Xylidine sulphate	(C ₆ H ₃ Me ₂ .NH ₂) ₂ .H ₂ SO ₄	C ₁₆ H ₂₄ O ₄ SN ₂	198-210	Samonoff	J. R. [1882], 327	44, 180
Allylcarbimidealdehyde ammonia	[C ₃ H ₅ .N(OEt).CS.NC ₂ H ₄] ₂ + NH ₃	C ₁₆ H ₃₁ O ₂ S ₂ N ₅	107-108	Schiff	G. I., 4, 244 ; B., 9, 571	31, 313
<i>a</i> -Naphthalenesulphobenzamide	C ₁₀ H ₇ .SO ₂ .NHBz	C ₁₇ H ₁₃ O ₃ SN	A., 114, 138	194-195	Z. C. [1871], 423	
Cymenesulphobenzylamidine	C ₆ H ₃ MePr.SO ₂ .N : CPh.NH ₂	C ₁₇ H ₂₀ O ₂ SN ₂	188	Wolkow	B., 5, 142	25, 414
Dimethylquinolthiocarbamide	CS[NH.C ₆ H ₃ (OMe) ₂] ₂ = (1.4.1) ₂	C ₁₇ H ₂₀ O ₄ SN ₂	109	Bässler	B., 17, 2123	46, 1330
Tolyimidotolyethylene-thiocarbamate	C ₁₇ H ₁₉ SN ₂ .H ₂ SO ₄ = (1.4) ₂	C ₁₇ H ₂₀ O ₄ S ₂ N ₂	194	Will and Bielschowski	B., 15, 1314	
Sinapinethiocyanate	C ₁₆ H ₂₂ O ₅ .N.S.CN	C ₁₇ H ₂₂ O ₆ SN ₂	176	Remsen & Coale	A. C. J., 6, 50	46, 1387
Anthracene + dinitrothiophene	C ₁₄ H ₁₀ + C ₄ SH ₂ (NO ₂) ₂	C ₁₈ H ₁₂ O ₄ SN ₂	162	Rosenberg	B., 18, 1778	48, 1052
<i>a</i> -Naphthylbenzoylthiocarbamide	C ₁₀ H ₇ .NH.CS.NHBz	C ₁₈ H ₁₄ OSN ₂	172-173	Miquel	A. C. [5], 11, 326	32, 871
Benzenesulphodiphenamide	Ph.SO ₂ .NPh ₂	C ₁₈ H ₁₅ O ₂ SN	124	Wallach	A., 214, 220	44, 48
?	(Ph.SO ₂) ₂ .NO	C ₁₈ H ₁₆ O ₇ S ₃ N	A., 141, 371	98 ; 98.5	Königs	B., 11, 618, 1590	34, 574
?	"	"	98.5	Otto and Ostrop	A., 141, 371	vi., 276
<i>a</i> -Naphthylidimethamidophenylsulphone	C ₁₀ H ₇ .SO ₂ .C ₆ H ₄ .NMe ₂	C ₁₈ H ₁₇ O ₂ SN	91	Michler and Salathé	B., 12, 1789	38, 108
<i>β</i> - " "	" "	" "	115-116 u.c.	Michael & Adair	B., 10, 586	
?	or C ₁₅ H ₁₉ O ₄ S ₂ N ₃	C ₁₅ H ₁₇ O ₄ S ₂ N ₃	112-115	A., 207, 129	
?	or C ₁₅ H ₁₇ O ₄ S ₂ N ₃	C ₁₅ H ₁₉ O ₄ S ₂ N ₃	"	"	
Phenylurethane sulphide....	S ₂ [C(OEt) : NPh] ₂	C ₁₅ H ₂₀ O ₂ S ₂ N ₂	102	Liebermann and Natanson	B., 13, 1575 ; A., 207, 159	40, 45 ; 42, 299
Ditolylsulphonethylamine	NH(C ₂ H ₄ .SO ₂ .C ₆ H ₄ Me) ₂ = (1.4) ₂	C ₁₆ H ₂₃ O ₄ S ₂ N	Liquid	Otto	J. p. [2], 30, 321	48, 538
Dimesitylensulphamide	"	124	A., 184, 187	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dipseudocumenesulphamide	$C_{18}H_{23}O_4S_2N$	177	A., 184, 185	
Benzoylthiodiphenylamine	$C_{12}H_8NSBz$	$C_{19}H_{13}OSN$	brown 167	170.5	Fraenkl	B., 18, 1844	48, 1130
Phenylsulphophenylbenzamidine	$NHPh.CPh : N.SO_2.Ph$	$C_{19}H_{16}O_2SN_2$	138-139	Wallach and Gossmann	B., 11, 754; A., 214, 214	34, 670; 44, 48
Furfuramide allylcarbamide	$C_{15}H_{12}O_3N_2 + C_3H_6.NCS$	$C_{19}H_{17}O_3SN_3$	d. 135	118	Schiff	B., 10, 1191	34, 47
Amylic thiodiphenylallophanate	$(CPh : NO)_2.C_5H_{12}S$	$C_{19}H_{22}O_2SN_2$	70	Hofmann	B., 4, 249	24, 394; vii., 408
Nitronaphthylsulphide	$S(C_{10}H_6.NO_2)_2$	$C_{20}H_{12}O_4SN_2$	230-231 u.c.	Ekstrand	B., 17, 2604	48, 171
Anthraquinone-m-sulphonamide	$C_{14}H_7O_2.SO_2.NHPh$	$C_{20}H_{13}O_4SN$...	193	M'Houl	B., 13, 692	40, 52
α -Naphthalenesulphonaphthalide	$C_{10}H_7.SO_2.NH.C_{10}H_7$	$C_{20}H_{15}O_2SN$	82	Carleson	B. S. [2], 27, 360	32, 491
β - " " "	"	"	177.5	"	"	"
Benzenesulphodibenzamide	$Ph.SO_2.NBz_2$	$C_{20}H_{15}O_4SN$	105	Gerhardt	J. [1856], 505	i., 540
Tolylsulphophenylbenzamidine	$C_6H_4.Me.NH.CPh : N.SO_2.Ph$	$C_{20}H_{15}O_2SN_2$	J. [1879], 438	145-146	Wallach and Gossmann	A., 214, 216; B., 11, 755	44, 48
Thallin sulphate	$(C_9H_{10}NOMe)_2.H_2SO_4$	$C_{20}H_{25}O_6SN_2$	B.r. 18, 72	100 s.d.	Vulpus	A. P. [3], 22, 840	48, 399
Thiocarbanilidothioxanilide	$NHPh.CS.CO.NPh.CS.$ NHPH	$C_{21}H_{17}OS_2N_3$	231	Stojentin	J. p., 32, 1	48, 1195
p-Diazotrisulphotoluene hydride	$C_{21}H_{22}O_6S_3N_2$	190	Otto and Grüber	A., 145, 19	vi., 289
Dicumylthiocarbamide....	$CS(NH.C_{10}H_{13})_2$	$C_{21}H_{28}O_2SN_2$	128	Raab	B., 10, 53	32, 894
Dimethamidophenyl m-anthraquinone-sulphonate	$C_{14}H_7O_2.SO_2.C_6H_4.NMe_2$	$C_{22}H_{17}O_4SN$	171	M'Houl	B., 13, 693	40, 52
Diisoamyloxynitrodiphenylsulphone	$SO_2(C_6H_3.NO_2.OC_6H_{11})_2$	$C_{32}H_{23}O_8SN_2$	150-151	Annaheim	A., 172, 57	27, 797
Phenylcarbimide + aldehyde ammonia	$C_{22}H_{21}O_2S_2N_5$	148 d.	Schiff	B., 9, 567	30, 285
Dithiotetraphenylcarbamide	$CO(NC_{12}H_9S)_2$	$C_{25}H_{16}OS_2N_2$	223-225	Fraenkl	B., 18, 1848	48, 1130
?-picrate	$C_{14}H_8S_2 + 2C_6H_5.OH.(NO_2)_3$	$C_{26}H_{14}O_{14}S_2N_6$	146	Limpricht	B., 6, 534	26, 1032
Diphenyldibenzoylthiodiamine	$S(NPhBz)_2$	$C_{26}H_{20}O_2SN_2$	150	Smit	B., 8, 1448	29, 603
Benzoylphenylthiocarbamide	$CS(NH.C_6H_4Bz)_2=(1.4)_2$	$C_{27}H_{20}O_2SN_2$	A., 210, 273	166	Döbner & Weiss	B., 14, 1840	42, 177
Tetranitrothionessal	$C_{23}H_{16}O_9SN_4$	a. 250	A., 144, 197	
Succinylbenzoylbenzenesulphamide	$C_{30}H_{24}O_3S_2N_2$	146	J. [1856], 507	
Tetramethoxydiphenylphenylthiocarbamide	$[C_6H_2(OMe)_2.NH.CS.NHPh]_2=(?1.4?)_2$	$C_{30}H_{30}O_4S_2N_4$	184	Baessler	B., 17, 2128	46, 1331
Trisulphodiphenylnitric oxide	$(Ph.C_6H_4.SO_2)_3NO$	$C_{36}H_{27}O_7S_3N$	178	Gabriel & Deutsch	B., 13, 389	38, 477
Pseudoleucine	$C_{36}H_{78}O_{12}SN_6$	210	Hesse	J. p., 70, 34	iii., 582
Cinchonine sulphate	$(C_{19}H_{22}ON_2)_2.H_2SO_4$	$C_{38}H_{46}O_6SN_4$	+2H ₂ O	a. 100	Pastrew	i., 977
" "	"	"	196 u.c.	Skraup	A., 197, 352	36, 948
Trimethyl dithiophosphate	$MeS.(OMe)_2PS$	$C_3H_9O_2S_2P$	Liquid -12	Kovalevsky	A., 119, 303	vii., 1122
Triethyl trithiophosphate	Et_3POS_3	$C_6H_{15}OS_3P$	Liquid -18	Carius	A., 119, 289	vii., 1120
" dithiophosphate	$Et_2PO_2S_2$	$C_6H_{15}O_2S_2P$	Liquid -18	"	"	"
" thiophosphate	Et_3PO_2S	$C_6H_{15}O_3SP$	Liquid -18	"	"	"
Tetraethyl pentathio-pyrophosphate	$(EtS)_2(EtO)_2P_2S_3$	$C_8H_{20}O_2S_5P_2$	J. [1861], 586	71.2	"	A., 119, 300	vii., 1124
Tetraethyl dithiopyrophosphate	$(EtO)_4P_2S_2O$	"	b. 160 d.	Liquid	"	A., 119, 299	vii., 1123
Diethyl thiophosphenylate	$Ph.PS(OEt)_2$	$C_{10}H_{15}O_2SP$	Liquid	Köhler and Michaelis	B., 9, 1054	30, 526

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenoxydiphenylphosphine sulphide	PhO.S.PPh ₂	C ₁₅ H ₁₅ OSP	124	Michaelis & Coste	B., 18, 2115	48, 1215
Triphenylic trithiophosphate	Ph ₃ POS ₃	C ₁₈ H ₁₅ OS ₃ P	72	J. p. [2], 10, 232	
Triphenylic thiophosphate	Ph ₃ PO ₃ S	C ₁₈ H ₁₅ O ₃ SP	390-394 s.d. a. 300 d.	48-49 49	Kreysler	B., 18, 1719 J. p. [2], 10, 233	48, 1056
Tribenzylphosphine oxide + S	5[(Ph.CH ₂) ₃ PO]+S	C ₁₀₅ H ₁₀₅ O ₅ SP ₆	211-212	Letts and Collie	T. E., 30, 181	42, 725
Methyltriethylstibium sulphate	(MeEt ₃ Sb) ₂ SO ₄	C ₇ H ₁₅ O ₄ SSb	100	Friedländer	J. p., 70, 443	i., 348
Methylselenide nitrate	Me ₂ Se(OH).NO ₃ (?)	C ₂ H ₇ O ₃ SeN	90.5	Jackson	B., 8, 110	28, 553
Nitrobenzylseleniocyanate	C ₆ H ₄ .NO ₂ .(CH ₂ .SeCN)	C ₈ H ₆ O ₂ SeN ₂	A., 179, 16	122.5	..	B., 8, 322	28, 1025
Phenoxydiphenylphosphinselenide	PPh ₂ .Se.OPh	C ₁₃ H ₁₅ OSeP	114-115	Michaelis & Coste	B., 18, 2115	48, 1215
Phosphate of a base	formula uncertain	C ₄ H ₁₃ O ₄ N ₂ P	170	Schreiner	A., 194, 68	36, 72
Nitrophosphenylic acid	C ₆ H ₄ (NO ₂).PO(OH) ₂	C ₆ H ₆ O ₃ NP	d. a. 200	132	Michaelis and Benzinger	B., 8, 1312; A., 188, 276	29, 599; 34, 57
" " "	" " "	" " "	140	Benzinger	B., 8, 501	28, 1205
Nitrophenylic phosphate	PO(OH) ₂ (O.C ₆ H ₄ .NO ₂)	C ₆ H ₆ O ₆ NP	112	Rapp	A., 224, 156	46, 1337
Diazophosphenylic acid nitrate	NO ₃ .N ₂ .C ₆ H ₄ .PO(OH) ₂	C ₆ H ₆ O ₆ N ₃ P	188	Michaelis and Benzinger	B., 9, 516; A., 188, 288	30, 204; 34, 58
?	CHMe ₂ .CH:CH(CMe:NOH).PO(OH) ₂	C ₇ H ₁₅ O ₄ NP	169-170 d.	Michaelis	B., 18, 906	48, 748
Dinitrodiphenylic phosphate	PO(OH)(O.C ₆ H ₄ .NO ₂) ₂	C ₁₂ H ₉ O ₈ N ₂ P	133.5	Rapp	A., 224, 156	46, 1338
Phosphorous dianilide	(Ph.NH) ₂ P.OH	C ₁₂ H ₁₃ ON ₂ P	C. N., 50, 220	87	Jackson and Menke	B., 16, 570; A. C. J., 4, 380; 6, 89	48, 254
Phosphoric dianilide	(Ph.NH) ₂ PO.OH	C ₁₂ H ₁₃ O ₂ N ₂ P	196	Michaelis & Soden	A., 229, 334	48, 1134
Trinitrotriphenylphosphine oxide	PO(C ₆ H ₄ .NO ₂) ₃	C ₁₈ H ₁₂ O ₇ N ₃ P	d. a. 243	243	Soden	B., 17, 922	46, 1180
Trinitrotriphenylic phosphate	PO(O.C ₆ H ₄ .NO ₂) ₃ =(1.2) ₃	C ₁₈ H ₁₂ O ₁₀ N ₃ P	126	Z. C. [1870], 230	
" " "	" " =?	" " "	155	Rapp	A., 224, 156	46, 1338
Phosphenyldiamide	PON ₂ Ph ₃	C ₁₅ H ₁₅ ON ₂ P	b. 100	Wichelhaus	Z. C. [2], 6, 54	vi., 932
Diphenylic phosphanilate	Ph.NH.PO(OPh) ₂	C ₁₅ H ₁₆ O ₃ NP	127-129	Wallach and Heymer	B., 8, 1236	29, 263
Orthophosphoric trianilide	PO(NHPh) ₃	C ₁₈ H ₁₈ ON ₃ P	208	Michaelis & Soden	A., 229, 334	48, 1134
Triamidotriphenylphosphine oxide	PO(C ₆ H ₄ .NH ₂) ₃	" "	259	Soden	B., 17, 923	46, 1180
Aniline diphenylic phosphate	PH.NH ₂ O.PO(OPh) ₂	C ₁₅ H ₁₅ O ₄ NP	160	Wallach and Heymer	B., 8, 1236	29, 263
Quinine hypophosphite	C ₂₀ H ₂₄ O ₂ N ₂ +H ₃ PO ₂	C ₂₀ H ₂₇ O ₄ N ₂ P	150 p. d.	Smith	Z. P., 1, 159	v., 20
Diphenylmethylethylphosphonium picrate	C ₆ H ₂ (NO ₂) ₃ .O(PPh ₂ MeEt)	C ₂₁ H ₂₀ O ₇ N ₃ P	86	Michaelis and Link	A., 207, 193	42, 306
Triacetamidotriphenylphosphine oxide	PO(C ₆ H ₄ .NHAc) ₃	C ₂₄ H ₂₄ O ₄ N ₃ P	187.5	Soden	B., 17, 923	46, 1180
Tridimethamidotriphenylphosphine oxide	PO(C ₆ H ₄ .NMe ₂) ₃	C ₂₄ H ₃₀ ON ₃ P	150-152	Michaelis and Soden	A., 229, 334	48, 1135
Triphenylbenzylphosphonium nitrate	PPh ₃ (CH ₂ Ph).NO ₃	C ₂₅ H ₂₂ O ₃ NP	203 d.	" "	" "	" "
Triphenylbenzylphosphonium picrate	PPh ₃ (CH ₂ Ph).O.C ₆ H ₂ (NO ₂) ₃	C ₃₁ H ₂₄ O ₇ N ₃ P	148	" "	" "	" "
Tribenzamidotriphenylphosphine oxide	PO(C ₆ H ₄ .NHBz) ₃	C ₃₉ H ₃₀ O ₄ N ₃ P	180	Soden	B., 17, 923	46, 1180
? (C.N., 50, 220)	(NHPh) ₇ P ₃ O ₂ H ₂ (?)	C ₄₂ H ₄₄ O ₂ N ₇ P ₃	208	Jackson & Menke	A. C. J., 6, 89	48, 254
Protagon	C ₁₆₀ H ₃₀₈ O ₃₅ N ₅ P	begins 200	Gamgee	B., 12, 1229	36, 950

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diphenylmethylethyl- arsonium picrate	$C_6H_5(NO_2)_3 \cdot O(PPh_2MeEt)$	$C_{21}H_{20}O_7N_3As$	95	Michaelis and Link	A., 207, 193	42, 305
Stibtriethylnitrate $Et_3Sb(NO_3)_2$	$C_6H_{15}O_6N_2Sb$	62.5	i., 343
Stibtriamylnitrate $(C_5H_{11})_3Sb(NO_3)_2$	$C_{15}H_{33}O_6N_2Sb$	20	Berle	J. p., 65, 385	i., 340
Triethylallylthiocarb- phosphamide	$CS : NPEt_3(C_3H_5)$	$C_{10}H_{20}SNP$	As., 1, 48	68	Hofmann	P. T. [1860], 439; B., 3, 766	iv., 616
Triethylphenylthiocarb- phosphamide	$CS : NPEt_3Ph$	$C_{13}H_{20}SNP$	58	"	P. T. [1860], 432	"
Orthothiosphosphoric tri- anilide	$PS(NHPh)_3$	$C_{15}H_{13}SN_3P$	J., 21, 734	78	Chevrier	Z. C. [1868], 539	
Triphenylbenzylphospho- nium thiocyanate	$PPh_3(CH_2Ph) \cdot SCN$	$C_{26}H_{22}SNP$	189	Michaelis and Soden	A., 229, 334	48, 1135
Dibrom- β -thiophenedi- sulphonyl chloride	$C_4SBr_2(SO_2Cl)_2$	$C_4Cl_2Br_2O_4S_3$	brown 180	215 d.	Langer	B., 18, 556	48, 766
Pentabrombenzenesulph- onyl chloride	$C_6Br_5 \cdot SO_2Cl$	$C_6ClBr_5O_2S$	90	Limpricht and Beckurts	B., 9, 479; A., 181, 209	30, 202, 305
" "	" "	" "	97	Limpricht	A., 191, 175	34, 495
" "	" "	" "	153-154	Heinzelmann	A., 197, 311	36, 802
Trichlordibromnitroethane	$C_2Cl_3Br_2(NO_2)$	$C_2Cl_3Br_2O_2N$	120	Hoch	J. p. [2], 6, 96	26, 364; vii., 259
Tetrachlorethylidenimide- chlorphosphoryl	$CCl_3 \cdot CCl : N \cdot POCl_2$	C_2Cl_6ONP	255-259	78-81	Wallach	B., 15, 1608; A., 184, 25	32, 183
" "	" "	" "	255-259	s. 70-80	"	B., 8, 306	28, 884
Dinitrodibromthiophene ...	$C_4SBr_2(NO_2)_2$	$C_4Br_2O_4SN_2$	134	Kreis	B., 17, 2075	46, 1314

V.—COMPOUNDS CONTAINING SIX ELEMENTS.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Fluobenzenesulphonylchloride	$C_6H_4F.SO_2Cl=1.4$	$C_6H_4FCIO_2S$	36	Lenz	B., 10, 1136; 12, 581	36, 650
Fluobenzenesulphonamide	$C_6H_4F.(SO_2.NH_2)=1.4$	$C_6H_6FO_2SN$	123	"	"	32, 770; 36, 650
Chlorbromiodacrylic acid....	$C_2ClBrI.CO_2H$	$C_2HClBrIO_2$	fr. H_2O fr. CS_2	110 115-116	Mabery & Lloyd	B., 15, 1756; A. C. J., 4, 92	42, 1049
Trimethylsulphinechlorbromiöide	$Me_3SIBrCl$	$C_3H_9ClBrIS$	87 p.d.	Dobbin & Masson	47, 61
Dibrom- β -thiophenesulphonylchloride	$C_4SHBr_2.SO_2Cl$	$C_4HClBrO_2S_2$	Liquid	Langer	B., 18, 553	48, 765
" - β -thiophenic chloride	$C_4SHBr_2.COCl$ (identical)	C_4HClBr_2OS	250-270	35.5	Bonz	B., 18, 2312	48, 1206
" - α - " "	" "	" "	39.5	"	"	"
Tetrabrombenzenesulphonylchloride	$Br_4.SO_2Cl=1.2.3.5.6$	$C_6HClBr_4O_2S$	85-91	Reinke	A., 186, 271	32, 464
" "	" "	" "	91.5	Limpricht and Beckurts	B., 9, 477; A., 181, 219	30, 201, 305
" "	" "	" "	93	Knuth	A., 186, 300	32, 468
" "	" "	" "	96.5	Limpricht	A., 191, 201, 227	34, 494
" "	" =1.2.3.4.5	" "	120	Lenz	A., 181, 46	30, 200
" "	" "	" "	120	Spiegelberg	A., 197, 295	36, 801
Tribrombenzenesulphonylchloride	$Br_3.SO_2Cl=1.(?)_2.6$	$C_6H_2ClBr_3O_2S$	56	Limpricht	B., 8, 1070	29, 82
" "	" "	" "	56	Bahlmann	A., 181, 208	30, 306
" "	" =1.3.5.6	" "	62-63	Limpricht and Reinke	B., 9, 550; A., 186, 277	30, 302; 32, 461
" "	" "	" "	64.5	Limpricht	B., 9, 476	30, 201
" "	" "	" "	64.5	Knuth	A., 186, 295	32, 467
" "	" "	" "	64-65	Limpricht	A., 191, 196, 212	34, 493
" "	" =1.(?) ₂ .6	" "	72	Bahlmann	A., 181, 208	30, 306
" "	" =?	" "	78	Reinke	A., 186, 271	32, 465
" "	" =1.2.4.6	" "	85.5	Knuth	A., 186, 209	32, 469
" "	" "	" "	86	Lenz	A., 181, 40	30, 200
" "	" =1.2.4.5	" "	A., 186, 304	84.5	Reinke	A., 186, 289	32, 465
" "	" "	" "	85.5	Spiegelberg	A., 197, 284	36, 799
" "	" "	" "	86.5	Limpricht	A., 191, 191	34, 493
" "	" =1.2.?4	" "	identical ?	120-121	Limpricht and Goslich	B., 9, 1862; A., 186, 155	31, 596; 32, 461
" "	" =1.2.3.5	" "	"	127; cf. 123	Lenz	A., 181, 31	30, 199
" "	" =?	" "	yellow colourless	125	Limpricht	B., 8, 1068	29, 82
" "	" "	" "	195	"	"	"
Dibrombenzenedisulphonylchloride	$Br_2.(SO_2Cl)_2=1.4.5.?$	$C_6H_2Cl_2Br_2O_4S_2$	161	Borus	A., 187, 367	32, 770
Dibrombenzenesulphonylchloride	$Br_2.SO_2Cl=1.2.4$	$C_6H_3ClBr_2O_2S$	A., 191, 180	31	Limpricht and Goslich	B., 9, 1861; A., 186, 146	31, 595; 32, 460
" "	" "	" "	34	Sachse	A., 188, 143	32, 752
" "	" "	" "	34	Spiegelberg	A., 197, 257	36, 797
" "	" =1.3.5	" "	57.5	Lenz	A., 181, 28	30, 199
" "	" "	" "	A., 181, 202	57.5	Limpricht	B., 8, 1066	29, 81
" "	" "	" "	57.5	Sachse	A., 188, 143	32, 752
" "	" =1.4.5	" "	70.5	Limpricht	B., 8, 1072	29, 82
" "	" "	" "	70.5; 71	"	B., 9, 1859, 1868	31, 597
" "	" "	" "	71	"	B., 10, 318	32, 192
" "	" "	" "	71	Bahlmann	A., 181, 207	30, 306

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibrombenzenesulphonylchloride	Br ₂ .SO ₂ Cl=1.4.5	C ₆ H ₃ ClBr ₂ O ₂ S	71	Limpricht	A., 186, 131	32, 460
"	" "	"	71	Bahlmann	A., 186, 313	32, 600, 610
"	" "	"	71	Sachse	A., 188, 143	32, 752
"	" "	"	71-72	Borus	A., 187, 350	32, 768
"	" =1.3.4	"	79	Limpricht	A., 191, 234	34, 493
"	" =?	"	84	"	B., 8, 1070	29, 82
"	" =1.3.6	"	97-98	"	B., 9, 1862	31, 596
"	" "	"	97-98	Bahlmann	A., 181, 207	30, 306
"	" =1.2.3	"	127	Sachse	A., 188, 155	32, 752
Brombenzenedisulphonylchloride	Br.(SO ₂ Cl) ₂ =1.2.6	C ₆ H ₃ Cl ₂ BrO ₄ S ₂	99	Heinzelmann	A., 188, 179	32, 773
"	" =1.2.4	"	103	"	A., 190, 222	34, 410
"	" "	"	103-105	Meyer	B., 7, 1311	28, 259
"	" "	"	103-105	Zander	A., 198, 11	38, 123
"	" =1.3.2 or 4	"	104	"	A., 198, 29	38, 124
Chlorbenzenesulphonylbromide	Cl.SO ₂ Br=1.4	C ₆ H ₄ ClBrO ₂ S	J. [1867], 630	52-53	Otto	A., 145, 324	vi., 274
Brombenzenesulphonylchloride	Br.SO ₂ Cl=1.3	"	B., 7, 1352	Liquid	Limpricht	B., 7, 1352	28, 268
"	" "	"	Liquid	"	A., 186, 134	32, 459
"	" "	"	Liquid	Berndsen	A., 177, 94	28, 1029
"	" =1.2	"	A., 177, 101	51	Limpricht	B., 10, 318	32, 193
"	" "	"	51	Bahlmann	A., 181, 203; 186, 307	30, 306; 32, 611
"	" =1.4	"	69	Limpricht	B., 7, 1352	28, 268
"	" "	"	75	Nölting	B., 7, 1310	28, 264
"	" "	"	75	Goslich	B., 8, 352; A., 180, 98	28, 764; 29, 929
"	" "	"	75-76	Nölting	B., 8, 595, 596	
"	" "	"	75-76	Hübner & Alsberg	Z. C. [2], 6, 389	vii., 153
"	" =?	"	185-187	Limpricht	B., 14, 1361	42, 518
Disulphonylchloride brombenzoic acid	CO ₂ H.Br.(SO ₂ Cl) ₂ =1.4.(?) ₂	C ₇ H ₃ Cl ₂ BrO ₆ S ₂	151	Kornatzki	A., 221, 191	48, 70
Chloride of Sulpho-p-brombenzoic acid	CO ₂ H.Br.SO ₂ Cl or COCl.Br.SO ₂ H=1.4.?	C ₇ H ₄ ClBrO ₄ S	108	Böttinger	B., 9, 1252	31, 82
"	" "	"	155 d.	"	B., 9, 803	30, 413
"	" "	"	176	"	B., 9, 1252	31, 82
"	" "	"	197 d.	"	A., 191, 18	34, 730
Tribromtoluenesulphonylchloride	Me.Br ₃ .SO ₂ Cl=1.(?) ₃ .4	"	Liquid	Limpricht	B., 7, 1355; A., 174, 355	28, 268
Bromtoluenedisulphonylchloride	Me.Br.(SO ₂ Cl) ₂ =1.2.3.5	C ₇ H ₃ Cl ₂ BrO ₄ S ₂	90	"	B., 18, 2177	48, 1233
"	" =1.4.(?) ₂	"	99	Kornatzki	A., 221, 191	48, 70
"	" =1.4.(2.6 or 3.5)	"	133; sf. 129	Limpricht	B., 18, 2179	48, 1233
Brombenzylsulphonylchloride	Br.(CH ₂ .SO ₂ Cl)=1.4	C ₇ H ₆ ClBrO ₂ S	107	Mohr	A., 221, 215	48, 69
"	" "	"	115	Jackson and Hartshorn	A. C. J., 5, 264	48, 665
Bromtoluenesulphonylchloride	Me.Br.SO ₂ Cl=?	"	A., 169, 385	Liquid	Hayduck	A., 177, 60	28, 1030
"	" =1.4.6	"	30-35	Jenssen	A., 172, 238	28, 78
"	" "	"	35	Hübner and Post	A., 169, 21	27, 57
"	" "	"	35	Hasselbarth	B., 6, 411	28, 886
"	" =1.3.5	"	52	Neville & Winther	B., 13, 1944	
"	" =1.2.3 or 5	"	52-53	Hübner and Post	A., 169, 40	27, 59
"	" "	"	53	Pagel	A., 176, 296	28, 898
"	" "	"	53	Limpricht	B., 7, 720	27, 991
"	" "	"	53	"	B., 7, 1393	28, 368
"	" "	"	53	Pechmann	A., 183, 195	28, 80
"	" =?	"	53	A., 173, 213	

(fr. 1'4 toluidine)

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromtoluenesulphonylchloride	Me.Br.SO ₂ Cl=1.2.4	C ₇ H ₆ ClBrO ₂ S	54	Hayduck and Limpricht	A., 172, 207; B., 7, 554	27, 905, 1095
"	" =1.2.3	"	55.6-56.6	Neville & Winther	B., 13, 1943	37, 628
"	" =1.4.5	"	A., 173, 208	61	Limpricht	B., 7, 719	27, 991
"	" "	"	A., 169, 9	61-62	Neville & Winther	B., 13, 1947	37, 631
p-Bromphenylmercaptan + chloral	C ₂ HCl ₃ O + C ₆ H ₄ Br.SH	C ₈ H ₆ Cl ₃ BrOS	72	Baumann	B., 18, 887	48, 749
Dibromxylenesulphonylchloride	Me ₂ .Br ₂ .SO ₂ Cl=1.3.(?) ₂ .2	C ₈ H ₇ ClBr ₂ O ₂ S	107	Jacobsen and Weinberg	B., 11, 1535	36, 62
Bromxylenesulphonylchloride	Me ₂ .Br.SO ₂ Cl=1 3.6.4	C ₈ H ₈ ClBrO ₂ S	61	Weinberg	B., 11, 1063	34, 725
"	" "	"	61	Limpricht	B., 18, 2188	
β-Chloride of ethylic sulphobrombenzoate	CO ₂ Et.Br.SO ₂ Cl or COCl.Br.SO ₃ Et=1.4	C ₉ H ₈ ClBrO ₄ S	90-90.5	Böttinger	B., 9, 1252	31, 82
"	" "	"	165	"	"	"
Dibrom-β-naphthalenesulphonylchloride	C ₁₀ H ₆ Br ₂ .SO ₂ Cl	C ₁₀ H ₆ ClBr ₂ O ₂ S	108-109	Jolin	B. S. [2], 28, 517	"
Bromnaphthalenesulphonylchloride	Br.SO ₂ Cl=α ₁ α ₂	C ₁₀ H ₆ ClBrO ₂ S	A., 147, 185	86-87	"	B. S. [2], 28, 516	32, 902
"	" =?α ₂	"	90	"	B. S. [2], 28, 517	"
Chlornaphthalenesulphonylbromide	Cl.SO ₂ Br=?	"	115-116	Gessner	B., 9, 1504	31, 317
Bromcymenesulphonylchloride	Me.Pr.Br.SO ₂ Cl=?	C ₁₀ H ₁₂ ClBrO ₂ S	80-81	Paterno and Canzeroni	G. I., 11, 124	40, 594
Chlordibromacetamide	CClBr ₂ .CO.NH ₂	C ₂ H ₂ ClBr ₂ ON	125	Neumeister	B., 15, 604	42, 944
Dichlorbromacetamide	CCl ₂ Br.CO.NH ₂	C ₂ H ₂ Cl ₂ BrON	253-255 d.	139	"	B., 15, 603	"
Chlorbromacetamide	CHClBr.CO.NH ₂	C ₂ H ₃ ClBrON	126	Cech and Steiner	B., 8, 1174	29, 373
Brompropylenecarbamide + HCl	CO:(NH):C ₃ H ₅ Br + HCl	C ₄ H ₆ ClBrON ₂	143	Andreasch	M. C., 5, 33	46, 732
Chlorbromalacetamide ...	CClBr ₂ .CH(OH).NHAc	C ₄ H ₆ ClBr ₂ O ₂ N	158	Jacobsen and Neumeister	B., 15, 601	42, 938
Bromchloralacetamide	CCl ₂ Br.CH(OH).NHAc	C ₄ H ₆ Cl ₂ BrO ₂ N	158	"	"	"
Dibromquinonechlorimide	C ₆ H ₂ Br ₂ .NCl.O	C ₆ H ₂ ClBr ₂ ON	d. 121	80	Möhlau	B., 16, 2845	46, 594
Nitrochlorbrombenzene	Cl.Br.NO ₂ =1.3.6	C ₆ H ₃ ClBrO ₂ N	J. [1875], 325	46.8	Körner	G. I., 4, 305	29, 220
"	" =1.3.4	"	"	49.5	"	"	"
"	" =1.4.6	"	"	68.6	"	"	"
"	" =1.3.5	"	"	82.5	"	"	29, 221
Nitrochlorbromaniline	NH ₂ .Cl.Br.NO ₂ =1.4.2.6	C ₆ H ₄ ClBrO ₂ N ₂	J. [1875], 352	106.4	"	"	29, 219
Dulcitolnitrochlorbromhydrin	C ₆ H ₈ ClBrO ₁₂ N ₄	115	A. C. [4], 27, 124	
Dibrompyridinebetaïne + HCl	C ₆ H ₃ Br ₂ .N.CH ₂ .CO.O + HCl	C ₇ H ₆ ClBr ₂ O ₂ N	begins d. 184	193	Gerichten	B., 15, 1253	42, 1110
Bromdichloramidoacetophenone	CHCl ₂ .CO.C ₆ H ₃ Br.NH ₂ =1.3.6	C ₈ H ₆ Cl ₂ BrON	110-120	Baeyer & Bloem	B., 17, 968	46, 1027
Bromamidoanisic acid + HCl	OMe.Br.NH ₃ Cl.CO ₂ H=?	C ₈ H ₉ ClBrO ₃ N	186	Balbiano	G. I., 14, 234	48, 530
Nitrosylchloridehesperidinedibromide	C ₁₀ H ₁₄ ClBr ₂ ON	130-131	Goldschmidt and Zürrer	B., 18, 2223	48, 1210
Dinitrotribromdiphenyltrichlorethane	CCl ₃ .CH(C ₆ H ₃ Br.NO ₂) ₂	C ₁₄ H ₇ Cl ₃ Br ₂ O ₄ N ₂	168-170	Zeidler	B., 7, 1181	28, 148
Chlornaphthaquinonebromanilide	C ₁₀ H ₄ ClO ₂ .NH.C ₆ H ₄ Br=1.4	C ₁₆ H ₉ ClBrO ₂ N	262	Plagemann	B., 15, 486	42, 973
Chlornaphthaquinonebromtoluide	C ₁₀ H ₄ ClO ₂ .NH.C ₆ H ₃ MeBr =4.1.? =2.1.?	C ₁₇ H ₁₁ ClBrO ₂ N	185	"	B., 15, 487	"
"	"	"	212	"	"	"
PCl ₅ on bromcodeïne	C ₁₈ H ₁₉ ClBrO ₂ N	131	Gerichten	A., 210, 113	42, 312
Diacetonephosphoruschlorobromide	C ₆ H ₁₀ O ₂ .PClBr ₂	C ₆ H ₁₀ ClBr ₂ O ₂ P	142	Michaelis	B., 18, 901	48, 747

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Allylthiocarbamidechlorobromide	$\text{NH}_2\text{CS.NH.C}_3\text{H}_5\text{ClBr}$	$\text{C}_4\text{H}_5\text{ClBrSN}_2$...	129-130	Maly	Z. C. [1867], 43 ; J. p., 100, 321	v., 782
Iodobenzenesulphonylchloride	$\text{C}_6\text{H}_4\text{I.SO}_2\text{Cl}=1.2$	$\text{C}_6\text{H}_4\text{ClIO}_2\text{S}$...	51	Limpricht and Bahlmann	B., 10, 321 ; A., 186, 326	32, 193, 611
" "	" =1.4	"	...	86-87	Lenz	B., 10, 1136	32, 770
Iodotoluenedisulphonylchloride	$\text{Me.I.}(\text{SO}_2\text{Cl})_2=?$	$\text{C}_7\text{H}_6\text{Cl}_2\text{IO}_4\text{S}_2$...	143	Limpricht	B., 18, 2179	48, 1233
Diiodoquinonechlorimide...	$\text{C}_6\text{H}_2\text{I}_2\text{O.NCl}=(?)_2.4.1$	$\text{C}_6\text{H}_2\text{ClI}_2\text{ON}$...	123	Seifert	J. p. [2], 28, 437	46, 431
Nitrochloriodobenzene	$\text{NO}_2\text{.ClI}=1.2.4(?)$	$\text{C}_6\text{H}_5\text{ClIO}_2\text{N}$	J. [1875], 328	?	Körner	G. I., 4, 305	29, 221
" "	" =1.3.6	"	"	63.3	"	"	"
" "	" =1.4.6	"	"	63.4	"	"	"
Caffeinechloriodide + HCl	$\text{C}_8\text{H}_{11}\text{Cl}_2\text{IO}_2\text{N}_4$	175	Ostermeyer	B., 18, 2299	48, 1250
Diiodohydroxyquinoline + HCl	$\text{C}_9\text{NH}_4(\text{OH})\text{I}_2 + \text{HCl}$	$\text{C}_9\text{H}_6\text{ClI}_2\text{ON}$	100	"	C. C. [1884], 937	48, 673
Chloriodocinchonic acid + HCl	$\text{C}_9\text{NH}_6\text{ClI.CO}_2\text{H} + \text{HCl}$	$\text{C}_{10}\text{H}_8\text{Cl}_2\text{IO}_2\text{N}$	190	"	"	"
Dimethylaminesulphonylchloride	$\text{NM}_2\text{.SO}_2\text{Cl}$	$\text{C}_2\text{H}_6\text{ClO}_2\text{SN}$	183-187	Liquid	Behrens	B., 14, 1810	42, 164
Chlortaurine	$\text{C}_2\text{H}_3\text{Cl}(\text{NH}_2).\text{SO}_3\text{H}$	$\text{C}_2\text{H}_6\text{ClO}_3\text{SN}$	191-201	Spring	B., 15, 446	42, 938
Nitrothiophenesulphonylchloride	$\text{C}_4\text{SH}_2(\text{NO}_2).\text{SO}_2\text{Cl}$	$\text{C}_4\text{H}_2\text{ClO}_4\text{S}_2\text{N}$	Liquid	Städler	B., 18, 535	48, 764
Diethylaminesulphonylchloride	$\text{NEt}_2.\text{SO}_2\text{Cl}$	$\text{C}_4\text{H}_{10}\text{ClO}_2\text{SN}$	208	Liquid	Behrend	B., 15, 1612	42, 1282
Dinitrobenzenesulphonylchloride	$(\text{NO}_2)_2.\text{SO}_2\text{Cl}=1.2.3$	$\text{C}_6\text{H}_3\text{ClO}_6\text{SN}_2$	89	Sachse	A., 187, 143	32, 752
" "	" "	"	97	Limpricht	B., 9, 554	30, 303
Nitrobenzenedisulphonylchloride	$\text{NO}_2.(\text{SO}_2\text{Cl})_2=1.2.4$	$\text{C}_6\text{H}_3\text{Cl}_2\text{O}_6\text{S}_2\text{N}$	Liquid f.m.	Heinzelmann	A., 188, 166	32, 772
" "	" =1.3.5	"	96	"	A., 188, 164	32, 771
" "	" "	"	96	Limpricht	B., 9, 551	30, 302
Nitrochlorthiophenol	$\text{SH.Cl.NO}_2=1.3.6$	$\text{C}_6\text{H}_4\text{ClO}_2\text{SN}$	171	Beilstein and Kurbatow	B., 10, 1993 ; 11, 2057 ; A., 197, 79	34, 139 ; 36, 231
" "	" =1.4.6	"	212-213	"	"	"
Nitrobenzenesulphonylchloride	$\text{NO}_2.\text{SO}_2\text{Cl}=1.4$	$\text{C}_6\text{H}_4\text{ClO}_4\text{SN}$	Liquid	Limpricht	B., 8, 433 ; A., 177, 74	28, 897, 1027
" "	" =1.3	"	60.5	"	"	"
" "	" "	"	61	"	B., 18, 2174, 2175
" "	" "	"	61	Glutz & Schrank	J. p. [2], 2, 223
" "	" "	"	61	Goslich	B., 8, 354 ; A., 186, 93	28, 765 ; 29, 930
" "	" "	"	61	Claus and Moser	B., 11, 762	34, 865
" "	" =1.2	"	67	Limpricht	B., 8, 433 ; A., 177, 77	28, 897, 1028 ; 32, 193
" "	" "	"	67	Bahlmann	A., 186, 307	32, 611
Nitramidobenzenesulphonylchloride	$\text{NO}_2.\text{NH}_2.\text{SO}_2\text{Cl}=1.2.?$	$\text{C}_6\text{H}_6\text{ClO}_4\text{SN}_2$	59-60	Goslich	B., 8, 354 ; A., 180, 103	28, 765 ; 29, 930
Nitrochlorbenzenesulphonamide	$\text{Cl.NO}_2.(\text{SO}_2\text{NH}_2)=1.3.4$	"	158-159 u. c.	Laubenheimer	B., 15, 599	42, 953
Chlorbenzenesulphonamide	$\text{Cl.}(\text{SO}_2.\text{NH}_2)=1.4$	$\text{C}_6\text{H}_6\text{ClO}_2\text{SN}$	142	Beckurts & Otto	B., 11, 2064	36, 229
" "	" "	"	143-144	Goslich	A., 180, 107	29, 930
" "	" "	"	A., 143, 181	144	Otto and Brunner	A., 143, 100 ; 145, 326	vi., 273
" "	" =1.3	"	148	Limpricht	B., 8, 1071	29, 82
" "	" "	"	148	Goslich	A., 180, 110	29, 930
" "	" "	"	148	Hybbeneth	A., 221, 204	46, 72
" "	" =1.2	"	182.5	Limpricht	B., 8, 1071	29, 82
" "	" "	"	A., 180, 110	188	Bahlmann	A., 186, 325	32, 610

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ammonium chlorphenol-sulphonate	$\text{OH.Cl.SO}_3\text{NH}_4=?$	$\text{C}_6\text{H}_5\text{ClO}_4\text{SN}$	230	Petersen and Predari	A., 157, 121	24, 243
Nitromethenylamidothiophenolchloride	$\text{C}_6\text{H}_3(\text{NO}_2)_2.\text{N}:\text{CCL.S}$	$\text{C}_7\text{H}_3\text{ClO}_2\text{SN}_2$	192	Hofmann	B., 13, 10	38, 388
Dinitrotoluenesulphonylchloride	$\text{Me.}(\text{NO}_2)_2.\text{SO}_2\text{Cl}=1.(?)_2.4$	$\text{C}_7\text{H}_5\text{ClO}_6\text{SN}_2$	125 ; sf. 123	Schwanert	B., 10, 31 ; A., 186, 359	32, 471, 612
Nitrotoluenesulphonylchloride	$\text{Me.}\text{NO}_2.\text{SO}_2\text{Cl}=1.2.6$	$\text{C}_7\text{H}_6\text{ClO}_4\text{SN}$	36	Hesse	B., 14, 489	40, 596
"	" =1.4.6	"	44	"	B., 14, 488	"
"	" "	"	43-44.5	Jenssen	B., 7, 56 ; A., 172, 232	27, 479 ; 28, 77
"	" =1.2.4	"	?	A., 145, 23	
"	" =1.2.5	"	50	Limpricht	B., 18, 2184	48, 1234
Chlortoluene sulphonamide	$\text{Me.Cl.}(\text{SO}_2.\text{NH}_2)=1.2.4$	$\text{C}_7\text{H}_5\text{ClO}_2\text{SN}$	135	Paysan	A., 221, 210	46, 72
"	" =1.4.6	"	138	Heffter	"	46, 73
Ammonium sulphaminechlorbenzoate	$\text{CO}_2\text{NH}_4.\text{Cl.}(\text{SO}_2.\text{NH}_2)=1.4.?$	$\text{C}_7\text{H}_9\text{ClO}_4\text{SN}_2$	230-245	Cöllen and Böttinger	B., 9, 1251	31, 82
Dinitroxylensulphonylchloride	$\text{Me}_2.\text{(NO}_2)_2.\text{SO}_2\text{Cl}=1.3.6.?.4$	$\text{C}_8\text{H}_7\text{ClO}_6\text{SN}_2$	123	Limpricht	B., 18, 2192	48, 1235
Nitroxylensulphonylchloride	$\text{Me}_2.\text{NO}_2.\text{SO}_2\text{Cl}=1.3.6.4$	$\text{C}_8\text{H}_8\text{ClO}_4\text{SN}$	98	"	B., 18, 2174, 2191	
Chlorxylenesulphonamide	$\text{Me}_2.\text{Cl.}(\text{SO}_2.\text{NH}_2)=1.3.4.6$	$\text{C}_8\text{H}_{10}\text{ClO}_2\text{SN}$	195	Jacobsen	B., 18, 1761	48, 1053
"	" =1.2.3.6	"	199	Krüger	B., 18, 1757	
"	" =1.2.4.5	"	207	"	"	
Dinitroxylensulphonamide	$\text{Me}_2.\text{NO}_2.\text{(SO}_2.\text{NH}_2)=1.3.6.4$	$\text{C}_8\text{H}_{10}\text{ClO}_4\text{SN}_2$	193	Limpricht	B., 18, 2192	48, 1235
Ethylchlorphenylthiocarbamate	$\text{Cl.}(\text{NH.CSOEt})=1.4$	$\text{C}_9\text{H}_{10}\text{ClOSN}$	102.5	A., 176, 52	
Chlorphenylcystin....	$\text{C}_9\text{H}_{10}\text{ClO}_2\text{SN}$	182-184	Jaffe	B., 12, 1097	36, 796
Dinitronaphthalenedisulphonylchloride	$\text{C}_{10}\text{H}_4(\text{NO}_2)_2(\text{SO}_2\text{Cl})_2$	$\text{C}_{10}\text{H}_4\text{Cl}_2\text{O}_6\text{S}_2\text{N}_2$	218.5-219.5	Alén	B. S. [2], 39, 63 ; B., 16, 570	44, 596
Nitronaphthalenedisulphonylchloride	$\text{C}_{10}\text{H}_5(\text{NO}_2)(\text{SO}_2\text{Cl})_2$	$\text{C}_{10}\text{H}_5\text{Cl}_2\text{O}_6\text{S}_2\text{N}$	140-141	"	"	"
"	"	"	185-187	"	"	"
Nitronaphthalenesulphonylchloride	$\text{NO}_2.\text{SO}_2\text{Cl}=a_1a_2$	$\text{C}_{10}\text{H}_6\text{ClO}_4\text{SN}$	113	Cleve	B. S. [2], 24, 510 ; B., 10, 1723	34, 153
"	" =?	"	B., 10, 1723	125.5	"	B. S. [2], 26, 446	34, 154
"	" =?	"	169	"	B. S. [2], 29, 414 ; B., 12, 1714	34, 676 ; 38, 47
Dichlornaphthalene- β -sulphonamide	$\text{C}_{10}\text{H}_5\text{Cl}_2.\text{(SO}_2.\text{NH}_2)$	$\text{C}_{10}\text{H}_7\text{Cl}_2\text{O}_2\text{SN}$	245 d.	Widmann	B., 12, 966	36, 722
Dichlornaphthalene- α -sulphonamide	"	"	250 d.	"	B., 12, 2233	38, 168
Chlorphenylmercapturic acid	$\text{C}_{11}\text{H}_{12}\text{ClO}_3\text{SN}$	153-154	Jaffe	B., 12, 1096	36, 796
Dinitrodichlorphenylsulphide	$\text{S}(\text{C}_6\text{H}_3\text{Cl.NO}_2)_2=1.4.6$	$\text{C}_{12}\text{H}_6\text{Cl}_2\text{O}_4\text{SN}_2$	149-150	Beilstein and Kurbatow	B., 10, 1994 ; 11, 2056 ; A., 197, 79	34, 139 ; 38, 231
Dinitrodiphenyldisulphonylchloride	$(\text{C}_6\text{H}_3.\text{NO}_2.\text{SO}_2\text{Cl})_2$	$\text{C}_{12}\text{H}_6\text{Cl}_2\text{O}_6\text{S}_2\text{N}_2$	166	Gabriel and Dambergis	B., 13, 1411	38, 890
Azobenzenedisulphonylchloride	$\text{N}_2[\text{C}_6\text{H}_3.\text{(SO}_2\text{Cl})_2]_2$	$\text{C}_{12}\text{H}_6\text{Cl}_4\text{O}_8\text{S}_4\text{N}_2$	58	Reiche	A., 203, 71	38, 806
Nitrodiphenyldisulphonylchloride	$\text{C}_6\text{H}_4(\text{SO}_2\text{Cl}).\text{C}_6\text{H}_3(\text{NO}_2).\text{SO}_2\text{Cl}$	$\text{C}_{12}\text{H}_7\text{Cl}_2\text{O}_6\text{S}_2\text{N}$	130-131	Gabriel and Dambergis	B., 13, 1411	38, 890
Dichlorazobenzenesulphonylchloride	$\text{C}_6\text{H}_4\text{Cl.N}_2.\text{C}_6\text{H}_3\text{ClSO}_2\text{Cl}$ =1.4 ; 1.4.?	$\text{C}_{12}\text{H}_7\text{Cl}_3\text{O}_2\text{SN}_2$	161	Calm	B., 15, 2559	44, 341
Hydroxyazobenzene trisulphonylchloride	$\text{C}_6\text{H}_4(\text{SO}_2\text{Cl}).\text{N}_2.\text{C}_6\text{H}_2(\text{OH})(\text{SO}_2\text{Cl})_2=1.4 ; 1.4.(?)_2$	$\text{C}_{12}\text{H}_7\text{Cl}_3\text{O}_7\text{S}_3\text{N}_2$	217-220	Limpricht	B., 15, 1297 ; A., 215, 235	42, 1075
Nitrodiphenylsulphonylchloride	$\text{C}_6\text{H}_4(\text{NO}_2).\text{C}_6\text{H}_4.\text{SO}_2\text{Cl}$ =(1.4) ₂	$\text{C}_{12}\text{H}_8\text{ClO}_4\text{SN}$	178	Gabriel and Dambergis	B., 13, 1409	38, 890
Azobenzenedisulphonylchloride	$\text{N}_2(\text{C}_6\text{H}_4.\text{SO}_2\text{Cl})_2=1.3 ; 1.4$	$\text{C}_{12}\text{H}_8\text{Cl}_2\text{O}_4\text{S}_2\text{N}_2$	120	Rodatz	A., 215, 215	44, 478

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Azobenzendisulphonylchloride	$N_2(C_6H_4.SO_2Cl)_2=1.3; 1.4$	$C_{12}H_8Cl_2O_4S_2N_2$	123-125	Limpricht	B., 14, 1358	42, 517
"	" = (1.3) ₂	"	143	Janovsky	M. C., 3, 243	42, 834
"	" "	"	145	Claus and Moser	B., 11, 763	34, 865
"	" "	"	166	Mahrenholz	A., 202, 335	38, 804
"	" "	"	166-167	Limpricht	B., 11, 1046	34, 722
"	" "	"	166	"	B., 18, 1469	
"	" = (1.4) ₂	"	170	Janovsky	M. C., 3, 242	42, 834
"	" "	"	215-218	Laar	B., 14, 1932	
"	" "	"	220-222	Limpricht	B., 14, 1375	42, 517
"	" "	"	222	Laar	B., 14, 1930	42, 195
"	" "	"	222	Bauer	A., 229, 353	48, 1141
"	" "	"	222	Limpricht	B., 18, 1474	
"	" "	"	222	Rodatz	A., 215, 214	44, 478
Azoxybenzendisulphonylchloride	$ON_2(C_6H_4.SO_2Cl)_2=(1.3)_2$	$C_{12}H_8Cl_2O_5S_2N_2$	138	Limpricht	B., 11, 1045	34, 722
"	" "	"	138	Brunnemann	A., 202, 343	38, 807
Azobenzenesulphonylchloride	$Ph.N_2.C_6H_4.SO_2Cl=1.4$	$C_{12}H_9ClO_2SN_2$	82	Janovsky	M. C., 3, 238	42, 834
Azophenolbenzenesulphonylchloride	$HO.C_6H_4.N_2.C_6H_4.SO_2Cl=1.4; 1.?$	$C_{12}H_9ClO_3SN_2$	122	Limpricht	B., 15, 1296	42, 1075
"	" "	"	?	Rodatz	A., 215, 231	
Phenamido benzene-sulphonylchloride	$NHPh.SO_2Cl=1.4$	$C_{12}H_{10}ClO_2SN$	104	Wallach & Huth	B., 9, 426	
Chlorbenzenesulphonanilide	$Cl.(SO_2.NHPh)=1.4$	"	J. [1879], 417	120-121	"	B., 9, 425	
Hydrazobenzene-sulphonylchloride	$(.NH.C_6H_4.SO_2Cl)_2=(1.3)_2$	$C_{12}H_{11}ClO_2SN_2$	a. 240	Limpricht	B., 11, 1048	34, 723
Amidodiphenylsulphone + HCl	$Ph.SO_2.C_6H_4.NH_3Cl$	$C_{12}H_{12}ClO_2SN$	90	Gencke	A., 100, 207	vi., 277
Thiodiphenylcarbamic chloride	$C_{12}H_9SN.COCl$	$C_{13}H_9ClOSN$	167.5	Fraenkel	B., 18, 1846	48, 1130
Benzenesulphamidobenz-enylchloride	$Ph.SO_2.N : ClPh$	$C_{13}H_{10}ClO_2SN$	A., 108, 214	73-75	Wolkoff	B., 5, 140	25, 413
"	"	"	79-80	Wallach and Gossmann	B., 11, 754; A., 214, 212	44, 48
Nitroanthraquinone-sulphonylchloride	$C_{14}H_6O_2.NO_2.SO_2Cl$	$C_{14}H_6ClO_6SN$	194	Claus	B., 15, 1516	42, 1105
Azotoluenetetrasulphonylchloride	$N_2[C_6H_2Me(SO_2Cl)_2]_2$	$C_{14}H_{10}Cl_4O_8S_4N_2$	91	Perl	C. C. [1884], 468	48, 391
Nitrotoluenesulphobenzamide chloride	$Me.NO_2.(SO_2.NClBz)=1.4.6$	$C_{14}H_{11}ClO_4SN_2$	122-123	Wolkoff	Z. C. [2], 6, 422	vii., 1169
"	" "	"	125	"	B., 5, 141	25, 413
Toluenesulphobenzamide chloride	$Me.(SO_2.NClBz)=1.4$	$C_{14}H_{12}ClO_2SN$	100	"	Z. C. [2], 6, 577; B., 5, 140	25, 413; vii., 1168
Azobenzylidisulphonylchloride	$N_2(CH_2.C_6H_4.SO_2Cl)_2=(1.4)_2$	$C_{14}H_{13}Cl_2O_4S_2N_2$	149	Mohr	A., 221, 215	46, 70
Azotoluenedisulphonylchloride	$N_2(C_6H_3Me.SO_2Cl)_2=(4.1.2)_2$	"	194	Neale	A., 203, 81	38, 807
"	" = (2.1.3 or 5) ₂	"	218	Kornatzki	A., 221, 179	46, 71
"	" = (2.1.4) ₂	"	220	Neale	A., 203, 76	38, 806
Phenyltaurineanilide + HCl	$NHPh.(CH_2)_2.SO_2.NHPh + HCl$	$C_{14}H_{17}ClO_2SN_2$	169 u.c.	Leymann	B., 18, 870	48, 786
Chloranisidinetiociarbamide	$CS(NH.C_6H_3Cl.OMe)_2 = (1.?.2)_2$	$C_{15}H_{14}Cl_2O_2SN_3$	152.5	Herold	B., 15, 1687	42, 1287
Azoxylendisulphonylchloride	$N_2.(C_6H_2Me_2.SO_2Cl)_2$	$C_{16}H_{16}Cl_2O_4S_2N_2$	86	Limpricht	B., 18, 2191	
Di(phenylsulphonethylamine) + HCl	$NH_2Cl(C_2H_4.SO_2.Ph)_2$	$C_{16}H_{20}ClO_4S_2N$	192	Otto and Damköhler	J. p. [2], 30, 321	48, 537
α -Naphthalenesulphobenzamide chloride	$C_{10}H_7(SO_2.NClBz)$	$C_{17}H_{12}ClO_2SN$	92-94	Wolkoff	B., 5, 142	25, 414

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Oxytriseleniocarbamide +2HCl	C ₃ H ₁₄ Cl ₂ OSe ₃ N ₆	d. 100	crystalline	Verneuil	C. R., 99, 1154	48, 377
?	POCl ₂ .NH.CCl ₂ .CO ₂ Et	C ₄ H ₆ Cl ₄ O ₃ NP	128-130	Wallach	B., 8, 303; A., 184, 17	28, 884; 32, 183
?	POCl ₂ .NEt.CCl ₂ .CHCl ₂	C ₄ H ₆ Cl ₆ ONP	140-150	Liquid	Wallach and Kamenski	B., 13, 517; A., 214, 224	38, 547
?	EtO.CH ₂ .CN + PCl ₃	C ₄ H ₇ Cl ₃ ONP	100-105	Liquid	Henry	B., 6, 261	28, 879
SbCl ₃ and quinine....	SbCl ₃ .C ₂₀ H ₂₄ O ₂ N ₂ .2HCl	C ₂₀ H ₂₆ Cl ₅ O ₂ N ₂ Sb	80	Godeffroy	A. P. [3], 9, 434	32, 366
Nitrobromiodobenzene	Br.I.NO ₂ =1.3.2(?)	C ₆ H ₃ BrIO ₂ N	?	Körner	J. [1875], 330	
" "	" =1.3.4	"	J. [1875], 329	83.5	"	G. I., 4, 305	29, 222
" "	" =1.4.5	"	"	90.4	"	"	29, 221
" "	" =1.2.5	"	"	103	"	"	"
" "	" =1.3.6	"	"	126.8	"	"	29, 222
Nitrobromiodophenol	OH.Br.I.NO ₂ =1.4.2.6	C ₆ H ₃ BrIO ₃ N	J. [1877], 549	104.2	"	J. [1867], 617	vi., 915
" "	" =1.2.6.4	"	crystalline	"	"	"
Nitrodibromdiiodotoluene	Me.Br ₂ .I ₂ .NO ₂ =1.3.5.2.4.6	C ₇ H ₃ Br ₂ I ₂ O ₂ N	129	Wroblewsky	B., 9, 1055; A., 192, 212	30, 511
Nitrodibromiodotoluene	Me.Br ₂ .I.NO ₂ =1.3.5.4.6	C ₇ H ₄ Br ₂ IO ₂ N	69	"	"	30, 511; 34, 978
Nitrobromiodotoluene	Me.Br.I.NO ₂ =1.2.3.?	C ₇ H ₅ BrIO ₂ N	86	"	Z. C., 2, 7, 240	24, 713
" "	" =1.3.2.?	"	solid	"	A., 168, 165	27, 52
" "	" =1.3.4.5(?)	"	118	"	A., 168, 160	27, 51
Dibromiodoacetylolide	Me.Br ₂ .I.NHAc=1.(?) ₂ .2	C ₉ H ₃ Br ₂ ION	121	"	A., 192, 211	
Bromtarconium methiodide	C ₁₁ H ₃ BrO ₃ N.MeI	C ₁₂ H ₁₁ BrIO ₃ N	203-204 d.	Gerichten	A., 212, 171	42, 870
Bromtarconium ethiodide	C ₁₁ H ₃ BrO ₃ N.EtI	C ₁₃ H ₁₃ BrIO ₃ N	205-206 d.	"	A., 212, 173	"
Dibromthiohydantoin	NH.CS.NH.CBr ₂ .CO	C ₃ H ₂ Br ₂ OSN ₂	B., 13, 789	d.w.m. 130-140	Mülder	B., 8, 1263	
Dibrom-β-thiophene-sulphonamide	C ₄ SHBr ₂ (SO ₂ .NH ₂)	C ₄ H ₃ Br ₂ O ₂ S ₂ N	146.5-147	Langer	B., 18, 553	48, 765
Dibrom-β-thiophenedi-sulphonamide	C ₄ SBr ₂ (SO ₂ .NH ₂) ₂	C ₄ H ₄ Br ₂ O ₂ S ₂ N ₂	a., 270 p.d.	"	B., 18, 557	48, 766
Dibrom-β-thiophenamide	C ₄ SHBr ₂ (CO.NH ₂)	C ₅ H ₃ Br ₂ OSN	identical ?	165.5	Bonz	B., 18, 2313	48, 1206
" " " " " " " "	" " " " " " " "	" " " " " " " "	" " " " " " " "	167	"	"	"
Nitrotribrombenzene-sulphonic acid	Br ₃ .NO ₂ .SO ₃ H=1.3.5.2.4	C ₆ H ₂ Br ₃ O ₅ SN	100+	Reinke	A., 186, 278	32, 463
" " " " " " " "	" " " " " " " "	" " " " " " " "	124-125	Knuth	A., 186, 296	
" " " " " " " "	" " " " " " " "	" " " " " " " "	202	Limpricht	A., 191, 196, 215	34, 496
" " " " " " " "	" =1.2.4.3.5	" " " " " " " "	140-141	Spiegelberg	A., 197, 284	
" " " " " " " "	" " " " " " " "	" " " " " " " "	+ 3H ₂ O	125	"	"	
" " " " " " " "	" =1.2.3.4.5	" " " " " " " "	?	A., 181, 40	
Dinitrotribrombenzene-sulphonamide	Br ₃ (NO ₂) ₂ (SO ₂ .NH ₂)	C ₆ H ₂ Br ₃ O ₆ SN ₃	255-260 d.	Limpricht	A., 191, 243	34, 497
Nitrotetrambrombenzene-sulphonamide	Br ₄ .NO ₂ (SO ₂ .NH ₂)	C ₆ H ₂ Br ₄ O ₄ SN ₂	a. 300	Limpricht and Beckurts	B., 9, 478; A., 181, 209	30, 202, 305
" " " " " " " "	" =1.2.4.5.3.6	" " " " " " " "	crystalline	Limpricht	A., 191, 203	34, 495
" " " " " " " "	" =1.2.3.5.4.6	" " " " " " " "	crystalline	Spiegelberg	A., 197, 302	36, 802
" " " " " " " "	" =1.2.3.4.5.6	" " " " " " " "	crystalline	Spiegelberg	A., 197, 302	36, 802
Pentabrombenzene-sulphonamide	C ₆ Br ₅ (SO ₂ .NH ₂)	C ₆ H ₂ Br ₅ O ₂ SN	A., 181, 228	d.w.m. 250	Limpricht and Beckurts	B., 9, 479; A., 191, 205	30, 202, 305; 34, 497
" " " " " " " "	" " " " " " " "	" " " " " " " "	nf. 290	Spiegelberg	A., 197, 312	36, 803
Nitrodibrombenzenesulphonic acid	Br ₂ .NO ₂ .SO ₃ H=1.3.4.6	C ₆ H ₃ Br ₂ O ₆ SN	200	Limpricht	A., 191, 235	
Nitrotribrombenzene-sulphonamide	Br ₃ .NO ₂ (SO ₂ .NH ₂)=1.3.5.2.4	C ₆ H ₃ Br ₃ O ₄ SN ₂	175; sf. 175	"	B., 9, 477; A., 191, 198, 218	30, 201; 34, 494
" " " " " " " "	" " " " " " " "	" " " " " " " "	sf. 175	Knuth	A., 186, 297	32, 467
" " " " " " " "	" =1.3.5.2.4	" " " " " " " "	d.w.m. 210	Reinke	A., 186, 280	32, 463
" " " " " " " "	" =1.2.3.4.5	" " " " " " " "	202	Limpricht	B., 8, 1068	29, 82
" " " " " " " "	" " " " " " " "	" " " " " " " "	202	Lenz	A., 181, 43	30, 200

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrotribrombenzene sulphonamide	$\text{Br}_3\text{NO}_2(\text{SO}_2\text{NH}_2)=1.2.4.3.5$	$\text{C}_6\text{H}_3\text{Br}_3\text{O}_4\text{SN}_2$	260	Spiegelberg	A., 197, 288	36, 800
Tetrabrombenzenesulphonamide	$\text{Br}_4(\text{SO}_2\text{NH}_2)=1.2.3.4.5$	$\text{C}_6\text{H}_3\text{Br}_4\text{O}_2\text{SN}$	181	Lenz	A., 181, 46	30, 200
"	"	"	?	Spiegelberg	A., 197, 295	36, 801
"	" =1.2.4.5.6	"	a. 250	Limpricht and Beckurts	B., 9, 477; A., 181, 219	30, 201, 305
"	" =1.2.3.5.6	"	A., 191, 201, 227	d.w.m. 250; melts on Pt	Reinke	A., 186, 271	32, 464
"	"	"	a. 300	Knuth	A., 186, 300	32, 468
Amidotetrabrombenzenesulphonic acid	$\text{Br}_4\text{NH}_2\text{SO}_3\text{H}=1.2.3.4.5.6$	$\text{C}_6\text{H}_3\text{Br}_4\text{O}_3\text{SN}$	d. 130	Spiegelberg	A., 197, 302	36, 802
"	" =1.2.3.5.6.4	"	A., 191, 204	?	Limpricht	A., 181, 223	
Nitrobrombenzenesulphonic acid	$\text{BrNO}_2\text{SO}_3\text{H}=1.4.6$	$\text{C}_6\text{H}_4\text{BrO}_5\text{SN}$	+2H ₂ O	130-135 d.	Limpricht and Reinke	B., 10, 319; A., 186, 316	32, 192, 609
Nitrodibrombenzenesulphonamide	$\text{Br}_2\text{NO}_2(\text{SO}_2\text{NH}_2)=1.4.(?)_2$	$\text{C}_6\text{H}_4\text{Br}_2\text{O}_4\text{SN}_2$	178	Borns	A., 187, 362	32, 769
"	" =1.2.4	"	210-211	Limpricht and Goslich	B., 9, 1862; A., 186, 154	31, 595; 32, 461
"	" =1.3.4.6	"	nf. 240	Limpricht	A., 191, 237	34, 496
"	" =1.3.4.5	"	d.w.m. 300	"	B., 8, 1067	29, 81
"	"	"	d.w.m. 300	Lenz	A., 181, 36	30, 199
Tribrombenzenesulphonamide	$\text{Br}_3(\text{SO}_2\text{NH}_2)=1.2.?4$	$\text{C}_6\text{H}_4\text{Br}_3\text{O}_2\text{SN}$	152	Limpricht and Goslich	B., 9, 1862; A., 186, 155	31, 596; 32, 461
"	" =1.(?) ₂ .2	"	187	Bahnmann	A., 181, 208	30, 306
"	" =1.(?) ₂ .2	"	202	"	"	"
"	" =1.2.3.5	"	210	Limpricht	B., 8, 1068	29, 82
"	"	"	210	Lenz	A., 186, 31	30, 199
"	" =1.4.(?) ₂	"	identical ?	d.w.m. 200	Borns	A., 187, 365	32, 769
"	" =1.2.4.6	"	"	?	Lenz	A., 181, 40	
"	" =1.3.4.6	"	223	Spiegelberg	A., 197, 284	36, 799
"	"	"	225	Reinke	A., 186, 289	32, 465
"	"	"	225	Limpricht	A., 191, 191	34, 493
"	"	"	d. 220-230	Knuth	A., 186, 304	32, 469
"	" =1.3.5.6	"	d.w.m. 210-220	Reinke	A., 186, 277	32, 462
"	"	"	d.w.m. 220	Limpricht	B., 9, 550	30, 302
"	"	"	v. 228 d.	d. 220	Knuth	A., 186, 295	32, 467
"	"	"	d.w.m. 220	Limpricht	A., 191, 196, 213	34, 494
"	" =?	"	nf. 260	"	B., 8, 1070	29, 82
"	" =1.2.5.6	"	v. 228	d. 220	"	B., 9, 476	30, 201
Amidotribrombenzenesulphonic acid	$\text{NH}_2\text{Br}_3\text{SO}_3\text{H}=1.2.4.6.3$	$\text{C}_6\text{H}_4\text{Br}_3\text{O}_3\text{SN}$	d.w.m. 200	Reinke	A., 186, 298	32, 463
Nitrobrombenzenesulphonamide	$\text{BrNO}_2(\text{SO}_2\text{NH}_2)=1.3.6$	$\text{C}_6\text{H}_5\text{BrO}_4\text{SN}_2$	166	Limpricht	B., 18, 2186	48, 1234
"	" =1.4.5	"	A., 186, 126	169-170	"	B., 9, 1867	31, 596
"	" =1.2.4	"	176-177	Andrews	B., 13, 2129	40, 174
"	"	"	177	Goslich	A., 180, 100; B., 8, 353	28, 764; 29, 929
"	" =1.4.6	"	205	Limpricht and Bahlmann	B., 10, 320; A., 186, 318	32, 192, 609
"	" =1.?6	"	215	"	"	32, 192, 610
Dibrombenzenesulphonamide	$\text{Br}_2(\text{SO}_2\text{NH}_2)=1.2.4$	$\text{C}_6\text{H}_5\text{Br}_2\text{O}_2\text{SN}$	167; 170	Limpricht and Goslich	B., 9, 1859, 1861; A., 186, 147	31, 595; 32, 460
"	"	"	175	Sachse	A., 188, 143	32, 752
"	"	"	175	Limpricht	A., 191, 180	34, 492
"	"	"	175	Spiegelberg	A., 197, 257	36, 798
"	" =1.3.4	"	188-190	Limpricht	B., 8, 1070	29, 82
"	"	"	190	"	A., 191, 234	34, 493
"	" =1.4.5	"	192	Limpricht and Bahlmann	B., 8, 1072; A., 181, 207	29, 82; 30, 306

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibrombenzenesulphonamide	Br ₂ .(SO ₂ NH ₂)=1.4.5	C ₆ H ₃ Br ₂ O ₂ SN	193	Limpricht and Bahlmann	B., 9, 1862, 1868; A., 186, 132, 314	31, 596; 32, 460, 610
"	"	"	193	Sachse	A., 188, 143	32, 752
"	"	"	193	Borns	A., 187, 350	32, 768
"	" =1.3.5	"	201.5	Limpricht	B., 8, 1066	29, 81
"	"	"	203	Lenz	A., 181, 28	30, 199
"	"	"	203	Limpricht	A., 181, 202	30, 307
"	"	"	203	Sachse	A., 188, 143	32, 752
"	" =1.2.3	"	215	"	A., 188, 155	"
"	" =?	"	252	Limpricht and Bahlmann	B., 9, 1862; A., 181, 207	30, 306; 31, 596
Amidodibrombenzenesulphonic acid	NH ₂ .Br ₂ .SO ₃ H=1.2.4.5	C ₆ H ₃ Br ₂ O ₃ SN	d.w.m. 260	Reinke	A., 186, 286	32, 465
"	"	"	d.w.m.	Knuth	A., 186, 301	32, 468
Brombenzenesulphonamide	Br.(SO ₂ NH ₂)=1.3	C ₆ H ₅ BrO ₂ SN	149; 156	Limpricht	B., 7, 1352	28, 268
"	"	"	153-154	Berndsen	A., 177, 95	28, 1029
"	"	"	154	Limpricht	A., 186, 134	32, 459
"	" =1.4	"	160-161	Goslich	B., 8, 352; A., 180, 98	28, 764; 29, 929
"	"	"	166	Nölting	B., 7, 1310; 8, 597	28, 264
"	" =1.2	"	180	Limpricht	B., 7, 1352	28, 268
"	"	"	186	Berndsen	A., 177, 102	28, 1030
"	"	"	186	Bahlmann	A., 181, 203, 307	30, 306, 611
"	" =?	"	225-230	Limpricht	B., 14, 1361	42, 518
"	" =?	"	252	Bahlmann	A., 181, 207	"
Amidobrombenzenesulphonic acid	NH ₂ .Br.SO ₃ H=1.2.5	C ₆ H ₄ BrO ₃ SN	nf. 170	Andrews	B., 13, 2126	40, 174
Dibrombenzenedisulphonamide	Br ₂ .(SO ₂ NH ₂) ₂ =1.4.5.?	C ₆ H ₃ Br ₂ O ₄ S ₂ N ₂	solid	Borns	A., 187, 367	32, 770
Brombenzenedisulphonamide	Br.(SO ₂ NH ₂) ₂ =1.3.2	C ₆ H ₄ BrO ₄ S ₂ N ₂	210	Zander	A., 198, 29	38, 125
"	" =1.3.4	"	238	"	A., 198, 11	38, 123
"	"	"	239	Heinzelmann	A., 192, 222	34, 410
"	" =1.2.6	"	245	"	A., 188, 179	32, 773
Amidodibrombenzenedisulphonamide	NH ₂ .Br ₂ .(SO ₂ NH ₂) ₂ =?.1.4.(?) ₂	C ₆ H ₃ Br ₂ O ₄ S ₂ N ₃	206	Borns	A., 187, 350	32, 770
β-Sulphaminebrombenzoic acid	Br.(SO ₂ NH ₂).CO ₂ H or Br.SO ₃ H.(CONH ₂)=1.?.4	C ₇ H ₅ BrO ₄ SN	229-230	Böttinger	B., 9, 1252; A., 191, 20	31, 82; 34, 730
α- "	"	"	252-254	"	B., 9, 1252	31, 82
α- "	"	"	262 d.	"	A., 191, 23	34, 730
Nitrobromtoluenesulphonamide	Me.Br.NO ₂ .(SO ₂ NH ₂)=1.2.?.4	C ₇ H ₇ BrO ₄ SN ₂	nf. 200	Hayduck	A., 174, 348	28, 461
Disulphaminebrombenzoic acid	CO ₂ H.Br.(SO ₂ NH ₂) ₂ =1.4.(?) ₂	C ₇ H ₇ BrO ₆ S ₂ N ₂	a. 250	Kornatzki	A., 221, 191	46, 70
Bromtoluenesulphonamide	Me.Br.(SO ₂ NH ₂)=1.2.?	C ₇ H ₃ BrO ₂ SN	133-134	Hübner and Retschy	Z. C. [2], 7, 618	25, 697; vii., 1173
"	"	"	133-134	Hübner and Post	A., 169, 41	27, 59
"	"	"	134-137	Limpricht	B., 7, 1392	28, 368
"	"	"	fr. CHCl ₃	134-136	Pagel	A., 176, 296	28, 898
"	"	"	fr. H ₂ O	135-136	"	"	"
"	"	"	fr. Et ₂ O	136-137	"	"	"
"	"	"	fr. EtOH	137	"	"	"
"	" =1.4.5 (?)	"	134	Limpricht and Pechmann	B., 7, 720; A., 173, 214	27, 991; 28, 80
"	" =1.3.5	"	138-139	Neville and Winther	B., 13, 1944	"
"	" =1.2.3	"	146.3-147.2	"	B., 13, 1943	37, 628
"	" =1.4.5 (?)	"	147	Limpricht	B., 7, 719	27, 991
"	" =1.2.4	"	151	Limpricht and Hayduck	B., 7, 554; A., 172, 207	27, 905, 1095

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Bromtoluenesulphonamide	Me.Br.(SO ₂ NH ₂)=1.4.5	C ₇ H ₅ BrO ₂ SN	151.5	Hübner&Retschy	Z. C. [2], 7, 618	25, 697
"	" "	"	151-152	Hübner and Post	Z. C. [2], 6, 390 ; A., 169, 9	27, 56 ; vii., 1171
"	" "	"	?	Pechmann	A., 173, 209	
"	" "	"	151.5-152.3	Neville&Winther	B., 13, 1947	37, 631
"	" =1.2.?	"	156-157	Limpricht and Gever	B., 6, 1010 ; A., 169, 385	27, 74, 68
"	" =1.3.6	"	162-165	Limpricht	B., 7, 451	27, 902
"	" "	"	162-165	Weckwurth	A., 172, 199	27, 1094
"	" =1.4.6	"	166-167	Hübner and Post	Z. C. [2], 6, 390 ; A., 169, 7, 22	27, 57 ; vii., 1172
"	" "	"	166.5	Hübner&Retschy	Z. C. [2], 7, 618	25, 697
"	" "	"	fr. H ₂ O	165.5	Jenssen	A., 172, 238	28, 78
"	" "	"	fr. EtOH	167-168	"	"	"
"	" =?	"	260-267	Hübner & Terry	Z. C. [2], 7, 232	25, 1006
"	" "	"	d.w.m. 230	Hayduck	A., 177, 60	28, 1031
β-Ammonium sulphamine- brombenzoate	Br.(SO ₂ NH ₂).CO ₂ NH ₄ or Br.SO ₃ NH ₄ .(CONH ₂)=1.?.4	C ₇ H ₅ BrO ₄ SN ₂	125-126	Böttinger	B., 9, 1252	31, 82
α- " "	" "	"	203	"	"	"
Bromtoluenedisulphon- amide	Me.Br.(SO ₂ NH ₂) ₂ =1.2.3.5	C ₇ H ₅ BrO ₄ S ₂ N ₂	236-238	Limpricht	B., 18, 2177	48, 1233
"	" =1.4(2.6 or 3.5)	"	240	"	B., 18, 2179	"
"	" =1.4(?) ₂	"	a. 260	Kornatzki	A., 221, 191	46, 70
Dibromxylenesulphon- amide	Me ₂ .Br ₂ .(SO ₂ NH ₂)=1.3.4.6.2	C ₈ H ₉ Br ₂ O ₂ SN	220	Jacobsen and Weinberg	B., 11, 1535	36, 62
Bromxylenesulphonamide	Me ₂ .Br.(SO ₂ NH ₂)=1.3.6.2	C ₈ H ₁₀ BrO ₂ SN	161	"	B., 11, 1536	"
"	" =1.3.6.4	"	194	"	B., 11, 1063	34, 725
"	" "	"	194	Limpricht	B., 18, 2188	
"	" =1.4.5.?	"	206	Jacobsen	B., 17, 2379	48, 144
"	" =1.2.4.5	"	213	"	B., 17, 2374	48, 143
Bromphenyleystoin	C ₉ H ₈ BrOSN	152-153	Z. P. C., 5, 332	
Fr. bromphenylmercap- turic acid	C ₉ H ₈ BrO ₂ SN	181	Baumann	B., 12, 809	36, 804
Ethylie bromphenylthio- carbamate	Br.(NH.CS.OEt)=1.4	C ₉ H ₁₀ BrOSN	105	Dennstedt	B., 13, 231	38, 634
Bromphenyleystin....	Br.[S.CMe(NH ₂).CO ₂ H]	C ₉ H ₁₀ BrO ₂ SN	180-182	Baumann	Z. P. C., 5, 317	42, 756
"	" "	"	180-184	Jaffe	B., 12, 1096	36, 796
Ethylie β-sulphaminebrom- benzoate	Br.(SO ₂ NH ₂).CO ₂ Et or Br.(SO ₃ Et).(CONH ₂)=1.?.4	C ₉ H ₁₀ BrO ₄ SN	128	Böttinger	A., 191, 22	34, 730
Acetylphenylthiocarb- amide + HBr	NHAc.CS.NH ₂ BrPh	C ₉ H ₁₁ BrOSN ₂	270 d.	Miquel	A. C. [5], 11, 289	32, 870
Dibrom-β-naphthalene- sulphonamide	C ₁₀ H ₅ Br ₂ .SO ₂ NH ₂	C ₁₀ H ₇ Br ₂ O ₂ SN	237-238	Jolin	B. S. [2], 28, 517	32, 902
Bromnaphthalenesulphon- amide	Br.(SO ₂ NH ₂)=α ₁ α ₂	C ₁₀ H ₈ BrO ₂ SN	190	"	B. S. [2], 28, 516	"
"	" "	"	195	A., 147, 186	
"	" =?	"	205	Jolin	B. S. [2], 28, 516	
Bromcyanesulphonamide	Me.Pr ^α .Br.(SO ₂ NH ₂)=?	C ₁₀ H ₁₄ BrO ₂ SN	191	Paterno	G. I., 11, 124	40, 594
"	" =1.4.2.?	"	197 c.	Remsen and Day	A. C. J., 5, 149	46, 456
p-Bromphenylmercapturic acid	B., 15, 1732	C ₁₁ H ₁₂ BrO ₃ SN	152	Baumann and Preusse	B., 12, 806 ; Z. P. C., 5, 311	36, 803
"	"	"	152	Jaffe	B., 12, 1094	36, 796
Di(nitrobromhydroxy- phenyl)sulphone	SO ₂ (C ₆ H ₂ Br.OH.NO ₂) ₂	C ₁₂ H ₆ Br ₂ O ₃ SN ₂	284-285	Annheim	B., 9, 660	30, 296
Tetrabromazobenedi- sulphonamide	N ₂ (C ₆ H ₂ Br ₂ .SO ₂ NH ₂) ₂ =(1.2.4.5) ₂	C ₁₂ H ₈ Br ₄ O ₄ S ₂ N ₄	nf.	A., 215, 220	
"	" =1.2.6.4) ₂	"	nf.	A., 215, 224	
Brombenzenesulphon- anilide	Br.(SO ₂ .NHPh)=1.4	C ₁₂ H ₁₀ BrO ₂ SN	119	Nölting	B., 8, 597	
Dibromazotoluenedisulph- onamide	N ₂ (C ₆ H ₂ Me.Br.SO ₂ NH ₂) ₂ = (4.1.?.2) ₂	C ₁₄ H ₁₄ Br ₂ O ₄ S ₂ N ₄	260	Kornatzki	A., 221, 179	46, 71

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Dibromanisidine sulphate	OMe.Br ₂ .NH ₂ =1.(?) ₂ .2	C ₁₄ H ₁₆ Br ₄ O ₆ SN ₂	177 p.d.	Staedel & Damm	B., 11, 1750 ; A., 217, 55	36, 239 ; 44, 663
Tri(amidodibromphenyl)-phosphine oxide	OP(C ₆ H ₂ Br ₂ .NH ₂) ₃	C ₁₈ H ₁₂ Br ₆ O ₃ P	205 d.	Michaelis and Soden	A., 229, 334	48, 1136
Phosphoric hexabromanilide	OP(NH.C ₆ H ₃ Br ₂) ₃	"	252	"	"	48, 1134
Nitroiodothiophene	C ₄ SH ₂ I.NO ₂	C ₄ H ₂ IO ₂ SN	74	Kreis	B., 17, 2074	46, 1314
Iodobenzensulphonamide....	I.(SO ₂ NH ₂)=1.2	C ₆ H ₆ IO ₂ SN	170	Limpricht and Bahlmann	B., 10, 321 ; A., 186, 326	32, 193, 611
"	" =1.4	"	183	Lenz	B., 10, 1136	32, 770
Methylpropaminethiocyanate + HI	CH ₂ (SCN).CMe : NMe.HI	C ₆ H ₉ IOSN ₂	159.5	Tscherniac and Norton	A. C. J., 5, 227	46, 665
Iodotoluenesulphonamide	Me.I.(SO ₂ NH ₂)=1.4.?	C ₇ H ₅ IO ₂ SN	178-179	Glassner	B., 8, 561	28, 897
Iodotoluenedisulphonamide	Me.I.(SO ₂ NH ₂) ₂ =?	C ₇ H ₅ IO ₄ S ₂ N ₂	130-132	Limpricht	B., 18, 2179	48, 1233
Di(nitroiodohydroxyphenyl)sulphone	SO ₂ (C ₆ H ₂ I.OH.NO ₂) ₂	C ₁₂ H ₆ I ₂ O ₉ SN ₂	294-295	Annaheim	B., 9, 661	30, 297
Cinchoninesulphatoperiodide	8C ₂₀ H ₂₄ ON ₂ +6H ₂ SO ₄ +6HI+I ₁₀	C ₁₆₀ H ₂₁₀ I ₁₆ O ₃₂ S ₆ N ₁₆	+12H ₂ O	140-145	Jørgensen	J. p. [2], 14, 356	31, 714
Trimethylphosphanilidosulphonic acid	SO ₃ Me.[NH.PO(OMe) ₂]=1.4	C ₉ H ₁₄ O ₆ SNP	...	114	Laar	J. p. [2], 20, 251	
Triethylphosphanilidosulphonic acid	SO ₃ Et.[NH.PO(OEt) ₂]=1.4	C ₁₂ H ₂₀ O ₆ SNP	102	"	"	
Dinitrotribrombenzenesulphonylchloride	SO ₂ Cl.Br ₃ (NO ₂) ₂ =1.2.4.6.3.5	C ₆ ClBr ₃ O ₆ SN ₂	203 d.	Limpricht	A., 191, 175	34, 497
Nitrotetrabrombenzenesulphonylchloride	SO ₂ Cl.Br ₄ .NO ₂ =1.2.3.4.6.5	C ₆ ClBr ₄ O ₄ SN	146-147	Limpricht and Beckurts	B., 9, 478 ; A., 181, 201	30, 202, 305
"	" =1.2.3.4.5.6	"	147.5	Limpricht	A., 191, 203	34, 495
"	" =1.2.3.4.5.6	"	172-173	Spiegelberg	A., 197, 301	36, 801, 802

VI.—COMPOUNDS CONTAINING SEVEN AND EIGHT ELEMENTS.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Nitrotribrombenzene-sulphonylchloride	Br ₃ .NO ₂ .SO ₂ Cl=1.2.3.4.5	C ₆ HClBr ₃ O ₄ SN	116	Limpricht & Lenz	B., 8, 1068 ; A., 181, 43	29, 82 ; 30, 200
" "	" =1.2.4.3.5	"	143	Spiegelberg	A., 197, 288	36, 800
" "	" =1.3.5.2.4	"	142	Limpricht	B., 9, 477	30, 201
" "	" "	"	brown 126	142	Reinke	A., 186, 280	32, 467
" "	" "	"	144-145	Limpricht	A., 191, 198, 218	34, 494
" "	" "	"	d.w.m. 180	Reinke	A., 186, 297	32, 463
Nitrodibrombenzene-sulphonylchloride	Br ₂ .NO ₂ .SO ₂ Cl=1.4.5.?	C ₆ H ₂ ClBr ₂ O ₄ SN	s. 0.	Limpricht and Borns	B., 8, 1072 ; A., 187, 362	29, 83 ; 32, 769
" "	" =1.2.4.?	"	98-99	Limpricht and Goslich	B., 9, 1862 ; A., 186, 154	31, 595 ; 32, 461
" "	" =1.3.4.6	"	115.5	Limpricht	A., 191, 237	34, 496
" "	" =1.3.4.5	"	121 ; sf. 118	Limpricht and Lenz	B., 8, 1067 ; A., 181, 36 ; 191, 193	29, 81 ; 30, 199, 308
Nitrobrombenzenesulphonylchloride	Br.NO ₂ .SO ₂ Cl=1.2.4	C ₆ H ₃ ClBrO ₄ SN	55	Goslich	B., 8, 353	28, 764
" "	" "	"	56-57	"	A., 180, 100	29, 929
" "	" "	"	sf. 40-50	Andrews	B., 13, 2128
" "	" =1.3.6	"	75	Limpricht	B., 18, 2186	48, 1234
" "	" =1.4.5	"	83	Limpricht and Thomas	B., 9, 1867 ; A., 186, 126	31, 596 ; 32, 459
" "	" =1.4.6	"	92	Limpricht and Bahlmann	B., 10, 319 ; A., 186, 318	32, 192, 609
" "	" =1.?.6	"	97	"	"	32, 192, 610
Amidodibrombenzenedisulphonylchloride	NH ₂ .Br ₂ .(SO ₂ Cl) ₂ =?1.4.(?) ₂	C ₆ H ₃ Cl ₂ Br ₂ O ₄ S ₂ N	148	Borns	A., 187, 350	32, 770
Nitrobromtoluenesulphonylchloride	Me.Br.NO ₂ .SO ₂ Cl=1.2.?.4	C ₇ H ₅ ClBrO ₄ SN	nf. 220	Hayduck	A., 174, 343	28, 461
Hexabromazobenzenedisulphonylchloride	N ₂ (C ₆ HBr ₃ .SO ₂ Cl) ₂ =(1.2.4.6.3) ₂	C ₁₂ H ₂ Cl ₂ Br ₆ O ₄ S ₂ N ₂	222-224	Rodatz	A., 215, 227	44, 479
Tetrabromazobenzenedisulphonylchloride	N ₂ (C ₆ H ₂ Br ₂ .SO ₂ Cl) ₂ =(1.2.4.5) ₂	C ₁₂ H ₄ Cl ₂ Br ₄ O ₄ S ₂ N ₂	232-233	"	A., 215, 220	"
" "	" =1.2.6.4) ₂	"	258-262	"	A., 215, 224	"
Tetrabromazotoluenedisulphonylchloride	N ₂ (C ₆ HMeBr ₂ .SO ₂ Cl) ₂ =[2.1.(?) ₂ .4] ₂	C ₁₄ H ₈ Cl ₂ Br ₄ O ₄ S ₂ N ₂	243 d.	Kornatzki	A., 221, 179	46, 72
Dibromazotoluenedisulphonylchloride	N ₂ (C ₆ H ₂ Me.Br.SO ₂ Cl) ₂ =(4.1.?.2) ₂	C ₁₄ H ₁₀ Cl ₂ Br ₂ O ₄ S ₂ N ₂	226	"	"	46, 71
Phosphanilidosulphonylchloride	C ₆ H ₄ .SO ₂ Cl.(NH.POCl ₂)	C ₆ H ₅ Cl ₃ O ₃ SNP	102 or 158	Laar	J. p. [2], 20, 250	38, 321
Benzenesulphondichlorophosphamide	Ph.SO ₂ .(NH.PCl ₂)	C ₆ H ₆ Cl ₂ O ₂ SNP	130-131	Wichelhaus	Z. C. [2], 6, 54 ; B., 2, 503	vi., 932
Ethyl chloride of dibromphosphanilidosulphonic acid	C ₁₀ H ₁₃ ClBr ₂ O ₃ SNP	170	Laar	J. p. [2], 20, 258

VII.—COMPOUNDS CONTAINING SPECIAL ELEMENTS.

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ag. Silver amyglycolate	$C_5H_{11}O.CH_2.CO_2Ag$	$C_7H_{13}O_3Ag$	110	Siemens	J. [1861], 449	ii., 918
„ hydroxy-?-ate	$C_3H_{15}O_3Ag$	120	Fossek	M. C., 4, 663	46, 38
„ triethoxybenzoate	$(OEt)_3.CO_2Ag=1.2.3.4$	$C_{13}H_{17}O_5Ag$	d. 130	Will & Albrecht	B., 17, 2102	46, 1335
„ „	„ =1.2.3.5	„	200 d.	„	B., 17, 2100	„
„ benzylsalicylate	$(O.CH_2Ph).CO_2Ag=1.2$	$C_{14}H_{11}O_3Ag$	100	Perkin	6, 122	vi., 1007
„ melissate	$C_{29}H_{59}.CO_2Ag$	$C_{30}H_{59}O_2Ag$	94-95	Pieverling	A., 183, 344	31, 587
Tetramethylammonium cyanide + AgCN	$NMe_4.CN + AgCN$	$C_6H_{12}N_3Ag$	211-212 u.c.	Thompson	B., 16, 2341	46, 287
Silver amarine	$C_{21}H_{17}N_2Ag$	218 u.c.	Claus & Kohlstock	B., 18, 1850	48, 1132
Silver α -dichlorpropionate	$CH_3.CCl_2.CO_2Ag$	$C_3H_3Cl_2O_2Ag$	d. 60	Beckurts & Otto	B., 18, 233	48, 507
Silver picramate	$C_6H_2.NH_2.(NO_2)_2.OAg$	$C_6H_4O_5N_3Ag$	165	Girard	C. R., 36, 421	iv., 407
Nitrotoluidine + AgNO ₃	$C_6H_3Me.NH_2.NO_2 + AgNO_3$	$C_7H_6O_5N_3Ag$	131-132	Mixter	A. C. J., 1, 239	40, 1130
Toluidine + AgNO ₃	$Me.NH_2=1.4$	$C_7H_9O_3N_2Ag$	101 d.	„	„	„
?	$C_{15}H_{16}O_4N_2Ag_2$	74-76	Golubeff	B., 7, 1651	28, 1203
Lepidine + AgNO ₃	$(C_{10}H_9N)_2 + AgNO_3$	$C_{20}H_{16}O_3N_3Ag$	b. 100	Hoogewerff	B., 13, 1640	40, 110
m-Nitraniline + AgNO ₃	$4(C_6H_4.NO_2.NH_2) + AgNO_3$	$C_{24}H_{24}O_{11}N_3Ag$	124-125	Mixter	A. C. J., 1, 239	40, 1130
Diamarine + AgNO ₃	$2(C_{21}H_{15}N_2) + AgNO_3$	$C_{42}H_{36}O_3N_5Ag$	+ H ₂ O	175 u.c.	Claus & Kohlstock	B., 18, 1850	48, 1132
Tetranitroethylenedi-bromide + Ag ₂ O	$C_2Br_2(NO_2)_4 + Ag_2O$	$C_2Br_2O_9N_4Ag_2$	d. 100	crystalline	Villiers	B. S. [2], 43, 322	48, 1044
Thiocarbamide + AgCl	$2CS(NH_2)_2 + AgCl$	$C_2H_3ClS_2N_4Ag$	175	Baumann	B., 8, 28	28, 632
Al. Aluminium trimethide	$AlMe_3$	C_3H_3Al	130	0+	Buckton & Odling	P. R., 14, 19 ; As., 4, 112	iii., 983
„ triethide (A., 114, 242 ; 109, 207)	$AlEt_3$	$C_6H_{15}Al$	194	Liquid -18	„	„	„
„ tripropide	$AlPr^{\alpha}_3$	$C_9H_{21}Al$	240-245	Liquid	Cahours	C. R., 76, 133	26, 366 ; vii., 1014
„ „ (J. [1873], 518)	„	„	248-252	Liquid	„	B. S. [2], 20, 190	„
Benzene + Al ₂ Cl ₆ (B., 11, 2152)	$Al_2Cl_6 + 6C_6H_6$	$C_{36}H_{36}Cl_6Al_2$	3	Gustavson	B. S. [2], 31, 71	36, 308, 461
Toluene + Al ₂ Cl ₆	$Al_2Cl_6 + 6C_6H_5Me$	$C_{42}H_{48}Cl_6Al_2$	Liquid -17	„	B., 11, 2152	36, 308
Butylene + AlBr ₃ (B., 14, 2620)	$AlBr_3 + C_4H_6$	$C_4H_8Br_3Al$	Liquid -15	Gustavson	C. C. [1881], 1353	42, 27, 374
Aluminium ethylate	$(EtO)_3Al.Al(OEt)_3$	$C_{12}H_{30}O_6Al_2$	360	115	Gladstone & Tribe	29, 161
„ „	„	„	120	„	39, 11
„ triethyl acetoacetate	$Al(CHAc.CO_2Et)_3$	$C_{18}H_{27}O_9Al$	76	Conrad	A., 188, 269	34, 26
„ propylate	$(Pr^{\alpha}O)_3Al.Al(OPr^{\alpha})_3$	$C_{18}H_{42}O_6Al_2$	60	Gladstone & Tribe	39, 12
„ isobutylate	$(Bu^{\beta}O)_3Al.Al(OBu^{\beta})_3$	$C_{24}H_{54}O_6Al_2$	140	„	39, 11
„ amylate	$(C_5H_{11}O)_3Al.Al(O.C_5H_{11})_3$	$C_{30}H_{66}O_6Al_2$	70	„	39, 12
Au. β -Collidine aurochloride	$C_5NH_2Me_3 + HAuCl_4$	$C_5H_{12}Cl_4Au$	112	Hantzsch	A., 215, 1	44, 84
Ethylmethylsulphine ethaurochloride	$SEtMe + EtAuCl_4$	$C_5H_{13}Cl_4SAu$	178	Krüger	J. p. [2], 14, 193	31, 187

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Diethylsulphine methaurochloride	$\text{SEt}_2 + \text{MeAuCl}_4$	$\text{C}_8\text{H}_{13}\text{Cl}_4\text{SAu}$	192 d.	Krüger	J. p. [2], 14, 193	31, 186
Trimethylamine aurochloride	$\text{NMe}_3 + \text{HAuCl}_4$	$\text{C}_3\text{H}_{10}\text{Cl}_4\text{NAu}$	220	Zay	G. I., 13, 420	48, 286
Butylamine aurochloride	$\text{NH}_2\text{Bu} + \text{HAuCl}_4$	$\text{C}_4\text{H}_{12}\text{Cl}_4\text{NAu}$	100	Wurtz	A., 93, 124	v., 737
Pyridine methaurochloride	$\text{C}_5\text{NH}_5 + \text{MeAuCl}_4$	$\text{C}_6\text{H}_8\text{Cl}_4\text{NAu}$	252-253	Ostermeyer	B., 18, 592	48, 813
Pipecoline aurochloride	$\text{C}_6\text{H}_{13}\text{N} + \text{HAuCl}_4$	$\text{C}_6\text{H}_{14}\text{Cl}_4\text{NAu}$	130-131	Hesekiel	B., 18, 913	48, 812
Vinyldiethylamine aurochloride	$\text{NEt}_2\text{C}_2\text{H}_3 + \text{HAuCl}_4$	"	138-140	Ladenburg	B., 15, 1148	42, 1194
Lutidine aurochloride	$\text{N.Me}_2=1.2.6$	$\text{C}_7\text{H}_{10}\text{Cl}_4\text{NAu}$	119	Epstein	B., 18, 883	48, 815
γ -Ethylpyridine aurochloride	$\text{N.Et}=1.4$	"	120	Ladenburg	B., 16, 2061	44, 1152
γ -Isopropylpyridine aurochloride	$\text{N.Pr}^\beta=1.4$	$\text{C}_8\text{H}_{12}\text{Cl}_4\text{NAu}$	79	"	B., 17, 1122	46, 1048
Pseudotropine aurochloride	$\text{C}_8\text{H}_{15}\text{N} + \text{HAuCl}_4$	$\text{C}_8\text{H}_{16}\text{Cl}_4\text{NAu}$	198	Ladenburg & Roth	B., 17, 151	46, 761
Copellidine "	$\text{C}_8\text{H}_{17}\text{N} + \text{HAuCl}_4$	$\text{C}_8\text{H}_{18}\text{Cl}_4\text{NAu}$	105	Dürkopf	B., 18, 923	48, 817
β -Methylquinoline "	$\text{C}_{10}\text{H}_9\text{N} + \text{HAuCl}_4$	$\text{C}_{10}\text{H}_{10}\text{Cl}_4\text{NAu}$	145	Döbner & Miller	B., 18, 1642	
Quinoline methaurochloride	$\text{C}_9\text{H}_7\text{N} + \text{MeAuCl}_4$	"	205	Ostermeyer	B., 18, 594	48, 814
p-Isopropylpyridine methiodide aurochloride	$\text{C}_5\text{NH}_4\text{Pr}^\beta + \text{MeI} + \text{HAuCl}_4$	$\text{C}_9\text{H}_{15}\text{Cl}_4\text{INAu}$	128	Ladenburg and Schrader	B., 17, 1122	46, 1048
? aurochloride	$\text{C}_5\text{H}_{11}\text{O}_2\text{N} + \text{HAuCl}_4$	$\text{C}_5\text{H}_{12}\text{Cl}_4\text{O}_2\text{NAu}$	$+\text{H}_2\text{O}?$	b. 100	Salkowski	B., 16, 1193	44, 925
Hydroxypicoline "	$\text{C}_6\text{H}_8(\text{OH})\text{N} + \text{HAuCl}_4$	$\text{C}_6\text{H}_{10}\text{Cl}_4\text{ONAu}$	154	Etard	C. R., 92, 460	40, 1046
Methyldiacetonamine aurochloride	$\text{C}_7\text{H}_{15}\text{ON} + \text{HAuCl}_4$	$\text{C}_7\text{H}_{16}\text{Cl}_4\text{ONAu}$	a. 90	Götschmann	A., 197, 27	36, 1036
Piperethylalkamine aurochloride	"	"	129	Ladenburg	C. R., 93, 338	40, 1158
? aurochloride	$\text{C}_5\text{H}_{15}\text{ON} + \text{HAuCl}_4$	$\text{C}_5\text{H}_{16}\text{Cl}_4\text{ONAu}$	198	"	A., 206, 274	40, 447
Tropine "	"	"	210-212	Schmidt	B., 13, 373	38, 482
Valerobetaïne "	$\text{C}_6\text{H}_{11}\text{O}_2\text{NMe}_3\text{Cl.AuCl}_3$	$\text{C}_9\text{H}_{20}\text{Cl}_4\text{O}_2\text{NAu}$	163	Körner & Menozzi	G. I., 13, 351	46, 425
Apoatropine "	$\text{C}_{17}\text{H}_{21}\text{O}_2\text{N} + \text{HAuCl}_4$	$\text{C}_{17}\text{H}_{22}\text{Cl}_4\text{O}_2\text{NAu}$	106-108	Pesci	G. I. [1882], 59	42, 635
Pseudoatropine "	$\text{C}_{17}\text{H}_{23}\text{O}_3\text{N} + \text{HAuCl}_4$	$\text{C}_{17}\text{H}_{24}\text{Cl}_4\text{O}_3\text{NAu}$	112-114	Ladenburg	A., 217, 87	44, 671
Atropine "	"	"	135	Ladenburg and Meyer	B., 13, 380	38, 482
" "	"	"	135	Ladenburg	B., 13, 110	38, 411
" "	"	"	135	Planta	A., 74, 252	
" (J. [1850]) aurochloride	"	"	135-137	Ladenburg	C. R., 90, 874	38, 561
" "	"	"	137-139	Pesci	G. I. [1882], 59	42, 634
Hyoscyamine "	"	"	159	Ladenburg	B., 13, 110	38, 411
" "	"	"	159	Ladenburg and Meyer	B., 13, 380	38, 482
Hyosaine "	"	"	196-198	Ladenburg	A., 206, 274	40, 57, 446
[B., 13, 1549]							
Methylphthalimide aurochloride	$(\text{C}_9\text{H}_9\text{ON})_2 + \text{HAuCl}_4$	$\text{C}_{18}\text{H}_{18}\text{Cl}_4\text{O}_2\text{N}_2\text{Au}$	195-196 d.	Gräbe and Pictet	B., 17, 1174	48, 1019
Cinchonine aurochloride ...	$\text{C}_{19}\text{H}_{22}\text{ON}_2 + \text{HAuCl}_4$	$\text{C}_{19}\text{H}_{23}\text{Cl}_4\text{ON}_2\text{Au}$	100+	Hesse	A., 122, 226	vi., 464
B. Boronglycide	$\text{B.CH}_2\text{CH}_2\text{CH}_2$	$\text{C}_3\text{H}_5\text{B}$	110-120	Liquid	Counciler	J. p. [2], 18, 371	36, 622
Trimethylboride	BMe_3	$\text{C}_3\text{H}_9\text{B}$	b. -16	Frankland	P. T. [1862], 176	iii., 986
[A., 124, 144]							
Triethylboride [A., 124, 135]	BEt_3	$\text{C}_6\text{H}_{15}\text{B}$	95	"	P. T. [1862], 167	ii., 526
" " " "	"	"	95-97	Frankland and Duppa	J., 13, 386	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Fluoborethylene (B., 12, 1586)	$\text{CH}_2 : \text{CH.BF}_2$	$\text{C}_2\text{H}_3\text{F}_2\text{B}$	124-125	Liquid	Landolph	B. S. [2], 31, 503 ; C. R., 86, 671	34, 483
Ethyleneborofluoride	$\text{C}_2\text{H}_4 + \text{BF}_3$	$\text{C}_2\text{H}_4\text{F}_3\text{B}$	125-127	C. R., 85, 40	32, 864
Phenylborochloride	Ph.BCl_2	$\text{C}_6\text{H}_5\text{Cl}_2\text{B}$	175	0	Michaelis and Becker	B., 13, 59 ; 15, 180	33, 395
Tolylborochloride	$\text{C}_6\text{H}_4\text{Me.BCl}_2=1.4$	$\text{C}_7\text{H}_7\text{Cl}_2\text{B}$	27	..	B., 15, 185	42, 732
Acetoneboric acid	$\text{C}_3\text{H}_6\text{O} + \text{B}_2\text{O}_3\text{H}_2$	$\text{C}_3\text{H}_5\text{O}_3\text{B}_2$	50	L.f.m.	Landolph	C. R., 89, 173 ; B., 12, 1582	36, 915
Trimethyl borate	B(OMe)_3	$\text{C}_3\text{H}_9\text{O}_3\text{B}$	65	Solidifies	Schiff	As., 5, 186	
" "	"	"	72	Liquid	Ebelmann and Bouquet	A. C. [3], 17, 59 ; A., 60, 252	i., 650 ; vi., 363
Ethyl ethylborate	BEt(OH).OEt	$\text{C}_4\text{H}_{11}\text{O}_2\text{B}$	J. [1876], 469	s.b. 8	Frankland	P. R., 25, 165	30, 620
Methyl diethyl borate	B(OMe)(OEt)_2	$\text{C}_5\text{H}_{13}\text{O}_3\text{B}$	100-105	Schiff	As., 5, 197	
Phenylboric oxide....	Ph.B : O	$\text{C}_6\text{H}_5\text{OB}$	a. 360	190	Michaelis and Becker	B., 15, 184	42, 732
Phenylboric acid	Ph.B(OH)_2	$\text{C}_6\text{H}_5\text{O}_2\text{B}$	204	..	B., 15, 181	42, 731
Ethyl diethylborate	$\text{BEt}_2\text{.OEt}$	$\text{C}_6\text{H}_{15}\text{OB}$	102-103	Liquid	Frankland	P. R., 25, 165 ; J. [1876], 469	30, 619
Diethyl ethylborate	BEt(OEt)_2	$\text{C}_6\text{H}_{16}\text{O}_2\text{B}$	125	A., 124, 139	..	P. T. [1862], 167	ii., 527
" "	"	"	95-125 p.d.	Liquid	..	P. R., 25, 165	30, 618
Triethyl borate	B(OEt)_3	$\text{C}_6\text{H}_{18}\text{O}_3\text{B}$	119	A., 60, 252	Ebelmann and Bouquet	J. P., 38, 215 ; J. [1856], 574	i., 650
" "	"	"	119	Counciler	B., 11, 1107	34, 775
" "	"	"	120 (760)	Schiff	As., 5, 161	vi., 361
" "	"	"	121	Bowmann	P. M. [3], 29, 548	
Triethylene borate	$\text{B(O.C}_2\text{H}_4\text{.OH)}_3$	$\text{C}_5\text{H}_{15}\text{O}_6\text{B}_2$	B., 11, 1106	161.7	Counciler	J. p. [2], 18, 392	34, 775
Tolylboric acid	$\text{C}_6\text{H}_4\text{Me.B(OH)}_2=1.4$	$\text{C}_7\text{H}_9\text{O}_2\text{B}$	240	Michaelis and Becker	B., 15, 185	42, 732
Triallylic borate (B., 9, 486)	$\text{B(O.C}_3\text{H}_5)_3$	$\text{C}_9\text{H}_{15}\text{O}_3\text{B}$	168-175	Liquid	Counciler	J. p. [2], 18, 376	30, 395
Diethyl isoamylic borate	$\text{B(OEt)}_2\text{.OC}_5\text{H}_{11}$	$\text{C}_9\text{H}_{21}\text{O}_3\text{B}$	173-175	Liquid	Schiff	As., 5, 193	vi., 364
Tripropylic borate....	$\text{B(OPr}^a)_3$	"	172-175	Liquid	Cahours	C. R., 76, 1383 ; J. [1874], 498	26, 872 ; vii., 1013
" "	"	"	175	C. C., 4, 482	
" "	"	"	174.5	Counciler	B., 11, 1107	34, 775
Triisopropylic borate	$\text{B(OPr}^b)_3$	"	140 c.	Liquid	..	J. p. [2], 18, 389 ; B., 11, 1107	"
Diethyl phenylborate	Ph.B(OEt)_2	$\text{C}_{10}\text{H}_{15}\text{O}_2\text{B}$	176	Liquid	Michaelis and Becker	B., 15, 184	42, 732
Diamylic tetraborate	$\text{B}_4\text{O}_7(\text{OC}_6\text{H}_{11})_2$	$\text{C}_{10}\text{H}_{22}\text{O}_7\text{B}_4$	a. 300	Ebelmann	A. C. [3], 16, 139	i., 649
Triisobutylic borate	$\text{B(OBu}^b)_3$	$\text{C}_{12}\text{H}_{27}\text{O}_3\text{B}$	212	Liquid	Counciler	J. p. [2], 18, 382 ; B., 10, 1656	34, 21
Ethyl diisoamylic borate	$\text{B(O.C}_5\text{H}_{11})_2\text{.OEt}$	"	210-215	Liquid	Schiff	As., 5, 193	vi., 363
Pentaethyl ethyldiborate	$\text{B}_2\text{Et(OEt)}_5$	$\text{C}_{12}\text{H}_{30}\text{O}_5\text{B}$	112	Liquid	Frankland	P. R., 25, 165 ; J. [1876], 468	30, 618
Triisoamylic borate	$\text{B(O.C}_5\text{H}_{11})_3$	$\text{C}_{15}\text{H}_{35}\text{O}_3\text{B}$	254 (760)	Schiff	As., 5, 189	vi., 363
" "	"	"	270-275	Liquid	Ebelmann and Bouquet	A. C. [3], 17, 61	i., 649
" "	"	"	272-275	Counciler	B., 11, 1107	
Cetyl metaborate	$(\text{C}_{16}\text{H}_{33}\text{O})_2\text{B : O}$	$\text{C}_{16}\text{H}_{32}\text{O}_2\text{B}$	58	Schiff	As., 5, 198	vi., 364
Tetraphenyl diborate	$\text{B}_2\text{O(OPh)}_4$	$\text{C}_{24}\text{H}_{20}\text{O}_5\text{B}_2$	a. 300	v., 365
Trimethylboride ammonia	$\text{BMe}_3\text{.NH}_3$	$\text{C}_3\text{H}_{12}\text{NB}$	110	56	Frankland	P. T. [1862], 176	iii., 986
Fluoracetone	$\text{C}_3\text{H}_5\text{F}_2\text{OB}$	130-140	Landolph	C. R., 86, 1463	34, 774
" " (B., 16, 962)	$\text{C}_3\text{H}_5\text{O.3HF.B}_4\text{O}_4$	$\text{C}_3\text{H}_5\text{F}_3\text{O}_5\text{B}_4$	120	Liquid - 15	..	C. R., 96, 580	44, 655
" "	"	"	120-122	Liquid	..	C. R., 89, 173 ; B. 12, 1580	36, 915

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
β -Fluoroacetone	$C_3H_6O \cdot 3HF \cdot B_4O_4$	$C_3H_9F_3O_5B_4$	90-92	36	Landolph	C. R., 89, 173; B. 12, 1580	36, 915
Fluorocamphor	J. [1878], 640	$C_{10}H_{16}F_3OB$	70	„	C. R., 86, 539	34, 586
Ba. Barium acetate	$(CH_3CO_2)_2Ba$	$C_4H_6O_4Ba$	abt. 450	Tilden and Shens- stone	P. T., 1884	
„ cœnanthylate	$(C_6H_{13}CO_2)_2Ba$	$C_{14}H_{26}O_4Ba$	238-239 d.	Mehlis	A., 185, 358	34, 135
„ isoxylate	$Me_2CO_2H=1.4.5$	$C_{18}H_{18}O_4Ba$	+4H ₂ O	100	Jacobsen	B., 14, 2111	42, 187
„ benzylphenoxy- propionate	$(CH_2Ph.C_6H_4.O.CHMe.CO_2)_2Ba$	$C_{32}H_{30}O_6Ba$	+H ₂ O	100 nearly	Mazzara	G. I. [1882], 261	42, 1072
„ o-naphthoylbenz- oate	$(C_{10}H_7.CO.C_6H_4.CO_2)_2Ba$	$C_{36}H_{22}O_6Ba$	160	Ador and Crafts	C. R., 88, 1355	36, 940
„ ricinostearolate	$C_{36}H_{62}O_6Ba$	135	Ulrich	B. S. [2], 9, 225	vi., 997
„ lithofellate	$C_{40}H_{70}O_6Ba$	185	Roster	G. I., 9, 364	38, 131
„ lithobilate	$(C_{30}H_{17}O_6)_2Ba$	$C_{60}H_{114}O_{12}Ba$	109	„	G. I., 9, 462	38, 270
Barium isethionate	$C_4H_{10}O_8S_2Ba$	320	iii., 413
„ phenylsulphon- acetate	$(Ph.SO_2.CH_2.CO_2)_2Ba$	$C_{16}H_{14}O_8S_2Ba$	d. 110	Otto	B., 18, 158	48, 537
Barium aceturate	$(NHAc.CH_2.CO_2)_2Ba$	$C_8H_{12}O_6N_2Ba$	+5H ₂ O	200 d. 250-260	Curtius	B., 17, 1670	46, 1307
„ „ „	„	„	„	„	„	„	„
„ hydrogen dinitro- resorcinol	$[C_6H_2(NO_2)_2.OH.O]_2Ba$	$C_{12}H_6O_{12}N_4Ba$	212.5	Typke	B., 16, 554	44, 917
Be. Beryllium diethide	BeEt ₂	$C_4H_{10}Be$	185-188	Liquid	Cahours	C. R., 76, 1383; J. [1873], 520	28, 871; vii., 1014
„ dipropide	BePr ₂	$C_6H_{14}Be$	244-246	Liquid — 17	„	„	„
Ca. Calcium succinate....	$(CH_3)_2 \cdot (CO_2)_2Ca$	$C_4H_4O_4Ca$	180	Goldschmidt	M. C., 3, 136	42, 602
„ levulate	$(C_4H_7O.CO_2)_2Ca$	$C_{10}H_{14}O_6Ca$	+2H ₂ O	abt. 100	Grote & Tollens	B., 7, 1375	28, 250
„ valerate	$(C_4H_9.CO_2)_2Ca$	$C_{10}H_{20}O_6Ca$	150 d.	v., 977
„ phenoxyacetate	$(PhO.CH_2.CO_2)_2Ca$	$C_{16}H_{14}O_6Ca$	+3½H ₂ O	120	Fritzsche	J. p. [2], 20, 267	38, 319
Cd. Cadmium diethide....	CdEt ₂	$C_4H_{10}Cd$	200 ?	Liquid	J. [1856], 553	
Ethyltetrahydroquinoline cadmiochloride	$(C_9H_{10}EtN.HCl)_2CdCl_2$	$C_{22}H_{32}Cl_4N_2Cd$	105	Claus and Stege- litz	B., 17, 1330	46, 1051
Ethylglyoxaline cadmio- methiodide	$(C_3H_3N : NEtMeI)_2CdI_2$	$C_{12}H_{22}I_4N_4Cd$	151-152	Wallach	B., 16, 535	44, 911
Pipeline cadmioiodide	$(C_6H_{13}N.HI)_2CdI_2$	$C_{12}H_{28}I_4N_2Cd$	+H ₂ O	144-145	Hesekiel	B., 18, 912	48, 812
Hydro- α -isopropylpyridine cadmioiodide	$(C_6H_6Pr^{\beta}N.HI)_2CdI_2$	$C_{16}H_{28}I_4N_2Cd$	132-133	Ladenburg	B., 18, 1589	48, 992
Cr. p-Phenylpyridine dichro- mate	$C_6H_4PhN + H_2Cr_2O_7$	$C_{11}H_{11}O_7NCr_2$	155 p.d.	Hantzsch	B., 17, 1519	46, 1194
Lutidine dichromate	$(C_7H_9N)_2 + H_2Cr_2O_7$	$C_{14}H_{20}O_7N_2Cr_2$	92	Epstein	B., 18, 883	48, 815
Butylacridine chromate	$C_{17}H_{17}N + H_2CrO_4$	$C_{17}H_{19}O_4NCr$	a. 100 d.	Bernthsen and Traube	B., 17, 1509	46, 1183
Phenylmethylhydroxy- pyrimidine dichromate	$(C_{11}H_{10}ON)_2 + H_2Cr_2O_7$	$C_{22}H_{22}O_9N_4Cr_2$	+5H ₂ O	177	Pinner	B., 18, 761	48, 752
Benzylamarine dichromate	$(C_{23}H_{24}N)_2 + H_2CrO_4$	$C_{36}H_{50}O_4N_4Cr$	90	Claus and Kohl- stock	B., 18, 1852	48, 1133
Chloridoquinoline chro- mate	$C_9H_7ClIN + H_2CrO_4$	$C_9H_9ClIO_4NCr$	160	Ostermeyer	C. C. [1884], 937	46, 673

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Cu. Copper hydrosorbate	(CH ₂ Me.CH ₂ .CH:CH. CO ₂) ₂ Cu	C ₁₂ H ₁₈ O ₄ Cu	p. d. 100	180-185	Barringer and Fittig	A., 161, 307	vii., 1092
„ ethylic acetoacetate	Cu(CHAc.CO ₂ Et) ₂	C ₁₂ H ₁₈ O ₆ Cu	182	Conrad	A., 188, 269	34, 26
„ amylyglycollate	(C ₆ H ₁₁ .O.CH ₂ .CO ₂) ₂ Cu	C ₁₄ H ₂₆ O ₆ Cu	110	Siemens	J. [1861], 449	ii., 918
„ phenylglyoxalate....	(Ph.CO.CO ₂) ₂ Cu	C ₁₆ H ₁₀ O ₆ Cu	p.d. 140-150	160-170 d.	Claisen	B. 12, 628	36, 648
„ ethylic acetylaceto- acetate	(C ₈ H ₁₁ O ₄) ₂ Cu	C ₁₆ H ₂₂ O ₈ Cu	148	James	47, 7
„ pelargonate	(C ₈ H ₁₇ .CO ₂) ₂ Cu	C ₁₈ H ₃₄ O ₄ Cu	258	Giesecke	Z. C. [2], 6, 429	vii., 898
„ ethylic benzyl- acetoacetate	(C ₁₃ H ₁₅ O ₄) ₂ Cu	C ₂₆ H ₂₆ O ₈ Cu	180-190 d.	James	47, 11
„ diheptylacetate	[(C ₇ H ₁₅ /2.CH.CO ₂) ₂ Cu	C ₃₀ H ₆₂ O ₄ Cu	227	Jourdan	A., 200	38, 314
„ oleate	(C ₁₇ H ₃₃ .CO ₂) ₂ Cu	C ₃₆ H ₆₆ O ₄ Cu	100	Chevreul	Recherches, 205	iv., 194
Copper o-brombenzoate	(C ₆ H ₄ Br.CO ₂) ₂ Cu	C ₁₄ H ₁₀ Br ₂ O ₅ Cu	+H ₂ O	257 d.	Rhalis	A., 198, 99	38, 119
Phenylthiocarbaniside + CuCl	3CSN ₂ H ₃ Ph.CuCl	C ₂₁ H ₂₄ ClS ₃ N ₆ Cu	144-145 d.	Rathke	B., 17, 297	46, 1018
Fe. Iron urushate	(C ₁₄ H ₁₇ O ₂) ₃ Fe.3(C ₁₄ H ₁₅ O ₂)	C ₈₄ H ₁₀₅ O ₁₂ Fe	105-110	Yoshida	43, 477
„ „	(C ₁₄ H ₁₇ O ₂) ₃ Fe.9(C ₁₄ H ₁₅ O ₂)	C ₁₆₈ H ₂₁₃ O ₂₄ Fe	+2H ₂ O	105-110	„	„
Ethylic ferritroso- sulphide	Et ₂ Fe ₂ (NO) ₄ S ₂	C ₄ H ₁₀ O ₄ S ₂ N ₄ Fe ₂	78	Pavel	B., 15, 2609	44, 298
Hg. Mercuric dimethide (A., 85, 361; 92, 79; 130, 108; Z. C. [1870], 25)	HgMe ₂	C ₂ H ₆ Hg	93-96	Liquid	Buckton	P. R., 9, 91; A., 108, 103	iii., 927
Mercuric diethide (A., 109, 218; 112, 220)	HgEt ₂	C ₄ H ₁₀ Hg	158-160	Liquid	„	A., 108, 103	iii., 925
„ diethide (A., 130, 109, 125)	„	„	159	Z. C. [1866], 376	Frankland and Duppa	17, 415	„
„ dipropide	HgPr ^α ₂	C ₆ H ₁₄ Hg	189-191	Liquid	Cahours	C. R., 76, 133; J. [1873], 517	26, 366; vii., 1014
„ diisobutide	HgBu ^β ₂	C ₈ H ₁₈ Hg	205-207	Liquid	„	C. R., 77, 1403; J. [1873], 521	27, 349
„ diisoamide	Hg(C ₅ H ₁₁) ₂	C ₁₀ H ₂₂ Hg	A., 130, 111	„
„ diphenide (A., 154, 93; 194, 148)	HgPh ₂	C ₁₂ H ₁₀ Hg	a. 300 d.	120	Dreher and Otto	Z. C. [2], 4, 685; B., 1, 234	vi., 819
„ dibenzide	Hg(CH ₂ Ph) ₂	C ₁₄ H ₁₄ Hg	a. 200	Campisi	C. R., 61, 86	vi., 821
„ ditolide	Hg(C ₆ H ₄ Me) ₂ =(1.2) ₂	„	107	Michaelis & Panek	A., 212, 203	42, 959
„ „ (B., 7, 389)	„ „	„	107	Ladenburg	A., 173, 165	„
„ „	„ „	„	107	Coste & Michaelis	B., 11, 1889	„
„ „ (A., 154, 171)	„ =(1.4) ₂	„	235	Dreher and Otto	Z. C. [2], 4, 685	vi., 826
„ „	„ „	„	223-225	„	B., 1, 235	„
„ „	„ „	„	235	Coste & Michaelis	B., 11, 1889	36, 163
„ „ (A., 173, 163)	„ „	„	238	Ladenburg	B., 7, 389	27, 803
„ dixylide	Hg(C ₆ H ₃ Me ₂) ₂ =(3.4.1) ₂	C ₁₆ H ₁₈ Hg	123	Jacobsen	B., 14, 2112	42, 187
„ „	„ =(4.2.1) ₂	„	150	„	B., 17, 2374	48, 144
„ dioctide	Hg(C ₈ H ₁₇) ₂	C ₁₆ H ₃₄ Hg	d. 200	Liquid	Eichler	B., 12, 1880	38, 229
„ diisopropyl- phenide	Hg(C ₆ H ₄ Pr ^β) ₂ =(1.4) ₂	C ₁₈ H ₂₂ Hg	109	Meyer & Muller	B., 15, 1906	44, 64
„ dinaphthide	Hg(C ₁₀ H ₇) ₂	C ₂₀ H ₁₄ Hg	A., 154, 188	243	Otto and Möries	A., 147, 166	vi., 819
„ dicyimide	Hg(C ₆ H ₃ MePr ^α) ₂	C ₂₀ H ₂₆ Hg	134	Paterno and Colombo	B., 10, 1749	34, 139
Mercuric methylechloride	HgClMe	CH ₃ ClHg	170	Seidel	J. p. [2], 29, 134	46, 1135
„ ethylechloride	HgClEt	C ₂ H ₅ ClHg	A., 111, 60	100	Dünhaupt	C. C. [1854], 263	iii., 925

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Mercuric ethylchloride	HgClEt	C ₂ H ₅ ClHg	190	Seidel	J. p. [2], 29, 134	46, 1135
„ isoamylchloride	HgCl.C ₅ H ₁₁	C ₅ H ₁₁ ClHg	A., 130, 114	86	Frankland and Duppa	17, 415	iii., 924
„ phenylchloride....	HgClPh	C ₆ H ₅ ClHg	245	Heumann	B., 16, 1626	44, 1051
„ „ (A., 154, 113)	„	„	250	Michaelis and Becker	B., 15, 182	42, 732
„ phenylchloride....	„	„	251-252	Otto	J. p. [2], 29, 136	46, 1135
„ tolylchloride	HgCl.C ₆ H ₄ Me=1.4	C ₇ H ₇ ClHg	B., 15, 185	187-188	J. p. [2], 1, 185	
Mercuric ethylbromide	HgBrEt	C ₂ H ₅ BrHg	A., 92, 375	
„ phenylbromide....	HgBrPh	C ₆ H ₅ BrHg	275	J. p. [2], 1, 186	
„ „	„	„	291	Otto	A., 154, 111	vi., 820
„ naphthylbromide	HgBr.C ₁₀ H ₇	C ₁₀ H ₇ BrHg	195-196	„	A., 154, 190	
Mercuric methyleneiodide	CH ₂ I.HgI	CH ₂ I ₂ Hg	108-109	Sakurai	B., 13, 2088	39, 485
Mercurous „	CH ₂ I.Hg.HgI	CH ₂ I ₂ Hg ₂	230 p.d.	„	„	39, 486
Mercuric methyl iodide	HgI.Me	CH ₃ I.Hg	143	„	„	„
„ „	„	„	143	Frankland	A., 85, 363	iii., 926
„ allyliodide	HgI.C ₃ H ₅	C ₃ H ₅ I.Hg	B., 4, 670	135	Zinin	A., 96, 393 ; 140, 180 ; As., 3, 262	i., 142 ; iii., 923
„ isoamyl iodide	HgI.C ₅ H ₁₁	C ₅ H ₁₁ I.Hg	A., 130, 113	122	Frankland and Duppa	17, 415	iii., 924
„ phenyliodide	HgI.Ph	C ₆ H ₅ I.Hg	A., 154, 109	265-266	Dreher and Otto	Z. C. [2], 4, 685	vi., 820
„ tolyliodide	HgI.C ₆ H ₄ Me=1.4	C ₇ H ₇ I.Hg	A., 154, 173	220	„	„	vi., 821
„ dinaphthyl iodide	C ₁₀ H ₇ .I.Hg.I.C ₁₀ H ₇	C ₂₀ H ₁₄ I ₂ Hg	185	Otto and Möries	A., 147, 164 ; 154, 189	vi., 819
Methylmercuric acetate	CH ₃ .CO ₂ .Hg.Me	C ₃ H ₆ O ₂ Hg	142-143	Otto	Z. C. [2], 6, 25	vi., 818
Ethylmercuric acetate	CH ₃ .CO ₂ .Hg.Et	C ₄ H ₈ O ₂ Hg	178	„	„	„
Mercuric phenylic acid	C ₆ H ₆ O ₂ Hg	251-252	„	A., 154, 126	„
Phenylmercuric formate	H.CO ₂ .Hg.Ph	C ₇ H ₆ O ₂ Hg	171	„	A., 154, 118	„
Mercurous amylglycollate	C ₅ H ₁₁ .O.CH ₂ .CO ₂ .Hg	C ₇ H ₁₃ O ₃ Hg	170 p.d.	Siemens	J. [1861], 449	ii., 918
Phenylmercuric acetate ...	CH ₃ .CO ₂ .Hg.Ph	C ₃ H ₅ O ₂ Hg	140	Dreher and Otto	Z. C. [2], 4, 685 ; 6, 9 ; A., 154, 117	vi., 820
„ „	„	„	148-149	J. p. [2], 1, 179, 186	„
Octylmercuric hydrate	C ₈ H ₁₇ .Hg.OH	C ₈ H ₁₈ OHg	75	Eichler	B., 12, 1882	38, 229
Phenylmercuric propionate	CH ₃ .CH ₂ .CO ₂ .Hg.Ph	C ₉ H ₁₀ O ₂ Hg	165-166	Otto	A., 154, 118	„
Tolylmercuric acetate	CH ₃ .CO ₂ .Hg.C ₆ H ₄ Me=1.4	„	153	Dreher and Otto	A., 173, 174 ; Z. C. [2], 4, 685 ; 6, 9	vi., 821
Naphthylmercuric acetate	CH ₃ .CO ₂ .Hg.C ₁₀ H ₇	C ₁₂ H ₁₀ O ₂ Hg	A., 154, 191	154	Otto and Möries	A., 147, 175	vi., 819
„ butyrate	C ₃ H ₇ .CO ₂ .Hg.C ₁₀ H ₇	C ₁₄ H ₁₄ O ₂ Hg	200	Otto	A., 154, 193	„
Mercuric dimethyleugenol	Hg[C ₉ H ₇ (OMe) ₂] ₂	C ₂₂ H ₂₆ O ₄ Hg	140	Wassermann	C. R., 88, 1206	38, 790
Mercuric thioethylate	Hg(SET) ₂	C ₄ H ₁₀ S ₂ Hg	76	Otto	B., 13, 1290	38, 796
„ „	„	„	77	„	B., 15, 125	„
„ „	„	„	82	Will	B., 15, 339	„
„ „	„	„	85	Debus	A., 72, 18	ii., 548
„ „	„	„	86	Handw.	„
„ thiopropylate	Hg(SPr ^a) ₂	C ₆ H ₁₄ S ₂ Hg	68	Römer	B., 6, 785	26, 1118 ; vii., 1014
„ thiobutylate ...	Hg(S.CHMeEt) ₂	C ₈ H ₁₈ S ₂ Hg	189	Reymann	B., 7, 1288	28, 141
„ thioisoamylate	Hg(S.C ₅ H ₁₁) ₂	C ₁₀ H ₂₂ S ₂ Hg	Liquid	„	i., 206
„ thiotolide	Hg(S.C ₆ H ₄ Me) ₂ =(1.3) ₂	C ₁₄ H ₁₄ S ₂ Hg	100	Hübner and Wallach	Z. C. [2], 5, 500	vi., 291
„ „	„	„	123-126	„	„	„
„ „	„ = (1.4) ₂	„	crystalline	Märcker	A., 136, 79	„
„ thymothiocymentene	Hg(S.C ₆ H ₃ MePr ^a) ₂ =(3.1.4) ₂	C ₂₀ H ₂₆ S ₂ Hg	abt. 78	Fittica	A., 172, 303	28, 60
„ camphorthio- cymene	„ = (2.1.4) ₂	„	109	„	„	„

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylmercuric cyanide	Ph.Hg.CN	C ₇ H ₅ NHg	203-204	J. p. [2], 1, 181	
Tetramethylammonium cyanide + HgCy ₂	(NMe ₄)Cy + HgCy ₂	C ₇ H ₁₂ N ₄ Hg	275 u.c.	Claus and Merck	B., 16, 2743	46, 338
Mercuric methylenechlor-iodide	Cl.CH ₂ .HgI	CH ₂ ClIHg	129	Sakurai	41, 361
Chloraldehyde + Hg ₂ Cl ₂	CH ₂ Cl.CO.H + Hg ₂ Cl ₂	C ₂ H ₃ Cl ₃ OHg ₂	96	Satzeff and Glinsky	Z. C. [2], 3, 675	vi., 76
Ethylsulphide + HgCl ₂	Et ₂ S + HgCl ₂	C ₄ H ₁₀ Cl ₂ SHg	90	Loir	C. R., 26, 195	ii., 545
?	SEtMe + EtCl + 2HgCl ₂	C ₅ H ₁₃ Cl ₃ SHg ₂	112	Krüger	J. p. [2], 14, 193	31, 187
?	SEt ₂ + MeCl + 6HgCl ₂	C ₅ H ₁₃ Cl ₁₃ SHg ₆	198	"	"	31, 186
?	SEt ₂ + EtCl + 4HgCl ₂	C ₆ H ₁₅ Cl ₉ SHg ₄	100+	Dehn	As., 4, 83	v., 882
Mercuric thioethylate iodoform	Hg(SEt) ₂ + CHI ₃	C ₉ H ₂₁ I ₃ S ₂ Hg ₂	85.5	Jackson and Oppenheim	B., 8, 1033	29, 364
Trichlorpyridine mercuriochloride	(C ₅ H ₂ Cl ₃ N).HHgCl ₃	C ₅ H ₃ Cl ₆ NHg	209	Königs & Geigy	B., 17, 1834	46, 1369
Dichlorpyridine "	(C ₅ H ₃ Cl ₂ N).HHgCl ₃	C ₅ H ₄ Cl ₅ NHg	183	"	B., 17, 1833	"
Lutidine mercuriochloride	(C ₅ NH ₃ Me ₂).HHgCl ₃ = ?	C ₇ H ₁₀ Cl ₃ NHg	155	Epstein	B., 18, 883	48, 815
" "	" = 1.2.6	"	186	Ladenburg & Roth	B., 18, 51	48, 558
" "	" "	"	188-189	Epstein	B., 18, 1749	
" "	(C ₅ NH ₃ Me ₂).HHg ₂ Cl ₅ = 1.2.4	C ₇ H ₁₀ Cl ₅ NHg ₂	129	Hantzsch	A., 215, 56	
" "	" "	"	129-130	Michael	B., 18, 2026	
" "	" "	"	130	Ladenburg & Roth	B., 18, 914	48, 815
Trimethylphenylammonium mercuriochloride	(Me ₃ PhNCl).HgCl ₂	C ₉ H ₁₄ Cl ₃ NHg	187	Hübner & others	A., 224, 331	46, 1318
Viridine "	(C ₁₂ H ₁₉ N).HHgCl ₃	C ₁₂ H ₂₀ Cl ₃ NHg	35	Thenius	J. [1861], 503	v., 1003
Valeritrine "	(C ₁₅ H ₂₇ N).HHgCl ₃	C ₁₅ H ₂₈ Cl ₃ NHg	86-88	Lubavin	B., 6, 566	26, 1023
Dimethaniline "	(Ph.NMe ₂) ₂ .H ₂ HgCl ₄	C ₁₆ H ₂₂ Cl ₄ N ₂ Hg	149 u.c.	Klein	B., 11, 1743	36, 232
Ethylenediphenyldimethylammonium mercuriochloride	(PhMe ₂ NCl) ₂ .C ₂ H ₄ + 2HgCl ₂	C ₁₈ H ₂₆ Cl ₆ N ₂ Hg ₂	175	Hübner, Tolle, and Athenstadt	A., 224, 331	46, 1318
Ethyltetrahydroquinoline mercuriochloride	(C ₉ H ₁₀ EtN) ₂ .H ₂ HgCl ₄	C ₂₂ H ₃₂ Cl ₄ N ₂ Hg	65	Claus & Stegelitz	B., 17, 1330	46, 1051
Aniline mercurobromide	(Ph.NH ₂) ₂ .HgBr ₂	C ₁₂ H ₁₄ Br ₂ N ₂ Hg	110-112	Klein	B., 13, 835	38, 633
o-Toluidine mercurobromide	(C ₆ H ₄ Me.NH ₂) ₂ .HgBr ₂	C ₁₄ H ₁₈ Br ₂ N ₂ Hg	103-104 d.	"	"	"
p- " "	"	"	120-121	"	"	"
Aniline mercuriodide	(Ph.NH ₂) ₂ .HgI ₂	C ₁₂ H ₁₄ I ₂ N ₂ Hg	J. [1871], 705	60	Klein	B., 13, 835	38, 633
o-Toluidine "	(C ₆ H ₄ Me.NH ₂) ₂ .HgBr ₂	C ₁₄ H ₁₈ I ₂ N ₂ Hg	d.w.m. 40-50	"	"	"
p- " "	"	"	81	"	"	"
?	C ₁₆ H ₂₀ I ₂ N ₂ Hg	150	ii., 563
Triethylmethylstibiumiodide mercuriodide	2(SbMeEt ₃ I).3HgI ₂	C ₁₄ H ₃₆ I ₃ Sb ₂ Hg ₃	b. 100	Friedländer	J. p., 70, 433	i., 347
Mercurioxyphenylxanthamide	Hg(NPh.CO.OEt) ₂	C ₁₈ H ₂₀ O ₂ S ₂ Hg	78	Stephanowitz	B., 7, 692	27, 992
Methylmercuric nitrate	Me.Hg.NO ₃	CH ₃ O ₃ NHg	100	Strecker	A., 92, 79	iii., 927
Phenylmercuric nitrate	Ph.Hg.NO ₃	C ₆ H ₅ O ₃ NHg	165-168 d.	J. p. [2], 1, 180	
Mercuric dibenzamide	(C ₆ H ₅ .CO.NH) ₂ Hg	C ₁₄ H ₁₂ O ₂ N ₂ Hg	222-224	Oppenheim	B., 6, 1392	27, 272
" acetanilide	(Ph.NAc) ₂ Hg	C ₁₆ H ₁₆ O ₂ N ₂ Hg	215	"	B., 7, 624	27, 891
" isononylamide	(C ₈ H ₁₇ .CO.NH) ₂ Hg	C ₁₈ H ₃₆ O ₂ N ₂ Hg	117-118	Kuhlhem	A., 173, 319	28, 354; vi., 898

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Phenylmercuric thiocyanate	Ph.Hg.S.CN	C ₇ H ₆ SNHg	226-227	J. p. [2], 1, 182	
?	(C ₃ H ₆ ClNO) ₂ .HgO	C ₆ H ₁₀ Cl ₄ O ₃ N ₂ Hg	100-110	Otto	R., 3, 257	iv., 729
Anthranil mercurchloride	C ₇ H ₅ ON + HgCl ₂	C ₇ H ₅ Cl ₂ ONHg	174	Friedländer	B., 15, 2107	44, 188
Narceine ethomercurochloride	(C ₂₃ H ₂₉ O ₉ N).EtHgCl ₃	C ₂₃ H ₃₄ Cl ₃ O ₉ NHg	127 u. c.	Claus & Ritzfeld	B., 18, 1571	48, 996
Dimethyltolylphosphine oxide mercurchloride	C ₆ H ₄ Me.POMe ₂ + HgCl ₂	C ₉ H ₁₃ Cl ₂ OPHg	+H ₂ O	156	Czimatis	B., 15, 2015	44, 57
?	SEtMe.EtCN.HgI ₂	C ₆ H ₁₃ I ₂ SNHg	98	Krüger	J. p. [2], 14, 193	31, 187
?	SEt ₂ .MeCN.HgI ₂	"	115	"	"	"
K. Potassium formate	H.CO ₂ K	CHO ₂ K	150	Souchay & Groll	G. J. C. [1859]	
„ diformate	H.CO ₂ K + H.CO ₂ H	C ₂ H ₃ O ₄ K	120 d.	Lorin	C. R., 82, 750	30, 59
„ valerate	C ₄ H ₉ .CO ₂ K	C ₅ H ₉ O ₂ K	140	Gibbs	A. J. S. [2], 15, 118	v., 977
„ triacetate	C ₆ H ₁₁ O ₆ K	d. 170	112	Lesœeur	C. R., 78, 1046	
„ hydroxyacetate	C ₆ H ₄ .OH.CO ₂ K	C ₇ H ₅ O ₃ K	200	Welden	J. p. [2], 15, 151	32, 338
„ amyglycollate	C ₅ H ₁₁ .O.CH ₂ .CO ₂ K	C ₇ H ₁₃ O ₃ K	200-210	Siemens	J. [1861], 449	ii., 918
„ lignocerate	C ₂₃ H ₄₇ .CO ₂ K	C ₂₄ H ₄₇ O ₂ K	sf. 190	Hell & Hermanns	B., 13, 1719	40, 250
„ tripimate	C ₁₉ H ₂₉ .CO ₂ K + 2C ₁₉ H ₂₉ .CO ₂ H	C ₆₀ H ₉₉ O ₆ K	121	Duverney	A., 148, 143	vi., 945
Potassium thiocyanate	K.S.CN	CSN K	161.2	Pohl	J., 4, 59	
Potassium brombenzoate....	C ₆ H ₄ Br.CO ₂ K=1.2	C ₇ H ₈ BrO ₄ K	+2H ₂ O	245	Rhalis	A., 198, 99	38, 119
Potassium isethionate	HO.C ₂ H ₄ .SO ₃ K	C ₂ H ₅ O ₄ SK	300-350	iii., 413
„ phenolsulphonate	C ₆ H ₄ (OH).SO ₃ K=1.3	C ₆ H ₅ O ₄ SK	200-210	Barth and Senhofer	B., 9, 971	30, 410
„ „	„ „	„	235-240	Solommanoff	Z. C. [2], 5, 294	vi., 924
„ „	„ „=1.2	„	240	Barth and Senhofer	B., 9, 973	30, 411
„ „	„ „	„	240	Solommanoff	Z. C. [2], 5, 294	vi., 924
„ „	„ „=1.4	„	nf. 240	„	„	„
„ „	„ „	„	nf. 260	Barth & Senhofer	B., 9, 973	30, 411
„ phenylsulphonacetate	Ph.SO ₂ .CH ₂ .CO ₂ K	C ₈ H ₇ O ₄ SK	+xH ₂ O	100 d.	Otto	B., 18, 159	48, 537
Ethylc potassiumcyanamidocarbonate	NK(CN).CO ₂ Et	C ₄ H ₅ O ₂ N ₂ K	199	Bässler	J. p. [2], 16, 125	34, 215
Potassium sodium tartarate	CO ₂ Na.(CH.OH) ₂ .CO ₂ K	C ₄ H ₄ O ₆ NaK	+4H ₂ O	70-80	Fresenius	A., 53, 234	v., 680
„ „ „	„ „	„	„	50; sf. 37.5	Brandes	Br. Arch., 9, 108	
Potassium chlorphenol-sulphonate	C ₆ H ₃ Cl.OH.SO ₃ K	C ₆ H ₄ ClO ₄ SK	245	Predari	Z. C. [2], 6, 246	vi., 924
Tetranitroethylenedichloride+2KHO	C ₂ (NO ₂) ₄ Cl ₂ .2KHO	C ₂ H ₂ Cl ₂ O ₉ N ₄ K ₂	detonates 147	Villiers	B. S. [2], 43, 322	48, 1044
Li. Lithium acetate	CH ₃ .CO ₂ Li+4H ₂ O	C ₂ H ₃ O ₂ Li	19	Berzelius	Lehrbuch	
Mg. Magnesium diethide	MgEt ₂	C ₄ H ₁₀ Mg	A., 114, 240	A., 109, 206	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Magnesium ethylic acetoacetate	Mg(CHAc.CO ₂ Et) ₂	C ₁₂ H ₁₈ O ₆ Mg	240 d.	Conrad	A., 188, 269	34, 26
Magnesium benolate	Mg(C ₂₂ H ₃₉ O ₂) ₂	C ₄₄ H ₇₈ O ₄ Mg	+3H ₂ O	130	Hausknecht	A., 143, 40	vi., 257
Chlorophyllan	C ₈ H ₆ O _c N _d P _e Mg _f	110	Hoppe-Seyler	B. C. [1880], 375	38, 894
Na. Sodium formate	H.CO ₂ Na	CHO ₂ Na	200	Souchay & Groll	G. J. C. [1859]	
" acetate	CH ₃ .CO ₂ Na	C ₂ H ₃ O ₂ Na	319	Schoffgotsch	G. J. C. [1857]	
" " " " " "	" + 2½H ₂ O	"	126	Zettnow	P. A., 142, 306	vii., 7
" " " " " "	" + 3H ₂ O	"	58.5	Tilden	45, 268
" " " " " "	" " " "	"	123	58	Jeannel	G. J. C. [1866]	
" " " " " "	" " " "	"	120	59	Zettnow	P. A., 142, 306	24, 230
" hydroxyacetate	C ₃ H ₅ O ₃ Na	142-143	Heintz	A., 158, 291	vii., 717
" " " " " "	HO.CH ₂ .CO ₂ Na	"	nf. 160	Wislesenus	B., 6, 1395	27, 249
Disodium glyceride	C ₃ H ₅ .OH.(ONa) ₂	C ₃ H ₆ O ₃ Na ₂	220	Loebisch & Looss	M. C., 2, 842	42, 377
Sodium glyceride	C ₃ H ₅ (OH) ₂ .ONa	C ₃ H ₇ O ₃ Na	245 d.	Letts	25, 452
" valerate	C ₄ H ₉ .CO ₂ Na	C ₄ H ₉ O ₂ Na	140	Zettnow	v., 977
" triacetate	CH ₃ .CO ₂ Na + 2CH ₃ .CO ₂ H	C ₆ H ₁₁ O ₆ Na	d. 150	127	Lesceur	C. R., 78, 1046	27, 870
" phenylic carbonate	PhO.CO ₂ Na	C ₇ H ₅ O ₃ Na	301-302	cryst.	Hentzschel	J. p. [2], 27, 39	44, 588
" amyglycollate	C ₅ H ₁₁ .O.CH ₂ .CO ₂ Na	C ₇ H ₁₃ O ₃ Na	190-200	Siemens	J. [1861], 449	ii., 918
" benzhydrilbenzoate	Ph.CH(OH).C ₆ H ₄ .CO ₂ Na =1.3	C ₁₄ H ₁₁ O ₃ Na	+4H ₂ O	90	Senff	A., 220, 225	46, 428
" lapachate	C ₅ H ₉ .C ₉ H ₄ .CO ₂ Na	C ₁₅ H ₁₃ O ₃ Na	+5H ₂ O	50	Paterno	G. I., 12, 337	44, 210
" brassidate	C ₂₁ H ₄₁ .CO ₂ Na	C ₂₂ H ₄₁ O ₂ Na	a. 200	Hausknecht	A., 143, 40	vi., 367
" cholesterate	C ₂₆ H ₄₃ ONa	150	vi., 448
" glucate	3Na ₂ O.4C ₁₂ H ₁₆ O ₉	C ₄₈ H ₆₄ O ₃₆ Na ₆	+9H ₂ O	100	Reichardt	V. p. P., 19, 516	vii., 557
Sodium chloracetate	CH ₂ Cl.CO ₂ Na	C ₂ H ₂ ClO ₂ Na	a. 100	Heintz	J. [1861], 144	vi., 19
" chloride + dextrose	2C ₆ H ₁₂ O ₆ .NaCl	C ₁₂ H ₂₄ ClO ₁₂ Na	+H ₂ O	120	Hunt	A. J. S. [2], 19, 416	
?	2C ₁₂ H ₂₂ O ₁₁ .3NaI	C ₂₄ H ₄₄ I ₃ O ₂₂ Na ₃	+3H ₂ O	90	Gill	24, 272
Sodium ethylic sulphate	EtO.SO ₂ .ONa	C ₂ H ₅ O ₄ SNa	+H ₂ O	86	v., 624
" isobutylmethylketonesulphonate	CH ₂ Ac.CMe ₂ .SO ₃ Na	C ₆ H ₁₁ O ₄ SNa	+H ₂ O	95	Pinner	B., 15, 593	42, 943
" phenylsulphonacetate	Ph.SO ₂ .CH ₂ .CO ₂ Na	C ₃ H ₇ O ₄ SNa	d. 120	Otto	B., 18, 159	48, 537
Ethylic potassiumcyanamidocarbonate	NNa(CN).CO ₂ Et	C ₄ H ₅ O ₂ N ₂ Na	241	Büssler	J. p. [2], 16, 125	34, 214
Sodium dithymylphosphate	(C ₁₀ H ₁₃) ₂ .NaPO ₄	C ₂₀ H ₂₆ O ₄ PNa	74	Kreysler	B., 18, 1706	48, 1055
Sodium bromdichloracetate	CCl ₂ .Br.CO ₂ Na	C ₂ Cl ₂ BrO ₂ Na	+5H ₂ O	100	Neumeister	B., 15, 603	42, 944
Carbamide + NaCl	CO(NH ₂) ₂ .NaCl	CH ₄ ClON ₂ Na	60-70	Richter	R. K. T., 11	
Sulphibrombenzaldehyde + NaHSO ₃	C ₆ H ₅ Br(SO ₂ H).COH + NaHSO ₃	C ₇ H ₆ BrO ₆ S ₂ Na	78	Böttinger	A., 191, 13	34, 731
Pb. Lead tetramethide	PbMe ₄	C ₄ H ₁₂ Pb	110	Liquid	Butlerow	J. [1863], 476	iii., 563
" " " "	"	"	160	Cahours	A., 122, 68	"
" tetraethide (A., 112, 226; 122, 66)	PbEt ₄	C ₈ H ₂₀ Pb	152	Richter	R. K. T., 179	35, 245
" tetraethide (J., 18, 212; A., 109, 224)	"	"	198-202 p.d.	Liquid	Buckton	P. M. [4], 17, 232	
Lead triethide (A., 88, 318)	Et ₃ Pb.PbEt ₃	C ₁₂ H ₃₀ Pb ₂	d.	Liquid	Klippel	J., 13, 381	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Lead acetate	$(\text{CH}_3\text{CO}_2)_2\text{Pb}$	$\text{C}_4\text{H}_6\text{O}_4\text{Pb}$	+3H ₂ O	57	Hassenfratz	A. C., 28, 302	
„ methylpropylacetate	$(\text{CHMePr}^a\text{CO}_2)_2\text{Pb}$	$\text{C}_{12}\text{H}_{22}\text{O}_4\text{Pb}$	43	Liebermann	B., 17, 920	46, 1120
„ cœnanthylate....	$[\text{CH}_3(\text{CH}_2)_5\text{CO}_2]_2\text{Pb}$	$\text{C}_{14}\text{H}_{26}\text{O}_4\text{Pb}$	78	Mehlis	A., 185, 358	34, 135
„ „	„	„	79-80	Franchimont	A., 165, 23	26, 1080
„ „	„	„	90	Grimshaw	26, 1080	vii., 870
„ „	„	„	94-96	„	„	„
„ anisate	$(\text{MeO.C}_6\text{H}_4\text{CO}_2)_2\text{Pb}$	$\text{C}_{16}\text{H}_{14}\text{O}_6\text{Pb}$	+H ₂ O	80-90 p.d.	Engelhardt	J. p., 24, 417	vi., 172
„ diallyloxalate	$[(\text{C}_3\text{H}_5)_2\text{C}(\text{OH})\text{CO}_2]_2\text{Pb}$	$\text{C}_{16}\text{H}_{22}\text{O}_6\text{Pb}$	+2H ₂ O	100	Saytzeff	A., 185, 183	32, 883
„ laurate	$(\text{C}_{11}\text{H}_{23}\text{CO}_2)_2\text{Pb}$	$\text{C}_{24}\text{H}_{46}\text{O}_4\text{Pb}$	b. 100	Muller	J. p., 58, 469	iii., 475
„ „	„	„	110-120	Heintz	A., 97, 271	„
Pb-salt fr. canuba wax	$\text{C}_{25}\text{H}_{46} : (\text{CO}_2)_2 : \text{Pb}$	$\text{C}_{25}\text{H}_{46}\text{O}_4\text{Pb}$	d. 125	Stürcke	A., 223, 283	46, 1281
Lead urushate	$(\text{C}_{13}\text{H}_{17}\text{CO}_2)_2\text{Pb}$	$\text{C}_{26}\text{H}_{34}\text{O}_4\text{Pb}$	110-115	Yoshida	43, 477
„ dibenzylcarboxylate	$(\text{CH}_2\text{Ph.CHPbCO}_2)_2\text{Pb}$	$\text{C}_{30}\text{H}_{26}\text{O}_4\text{Pb}$	146	Wurtz	C. R., 70, 350	vii., 427
„ ?-ate	$(\text{C}_{14}\text{H}_{29}\text{CO}_2)_2\text{Pb}$	$\text{C}_{30}\text{H}_{58}\text{O}_4\text{Pb}$	113.5-114	Thörner	B., 12, 1637	38, 44
„ benzyloxypropionate	$(\text{Ph.CH}_2\text{C}_6\text{H}_4\text{O.CHMeCO}_2)_2\text{Pb}$	$\text{C}_{32}\text{H}_{30}\text{O}_6\text{Pb}$	+H ₂ O	100 nearly	Mazzara	G. I. [1882], 261	42, 1072
„ ricinoleate	$(\text{C}_{17}\text{H}_{33}\text{O.CO}_2)_2\text{Pb}$	$\text{C}_{36}\text{H}_{66}\text{O}_6\text{Pb}$	100	Saalmüller	A., 64, 108	v., 111
„ stearate	$(\text{C}_{17}\text{H}_{35}\text{CO}_2)_2\text{Pb}$	$\text{C}_{36}\text{H}_{70}\text{O}_4\text{Pb}$	125	Chevreul	A. C. [2], 2, 354	v., 417
„ ?-ate	$(\text{C}_{23}\text{H}_{47}\text{CO}_2)_2\text{Pb}$	$\text{C}_{48}\text{H}_{94}\text{O}_4\text{Pb}$	110-111	Stürcke	A., 223, 283	46, 1281
„ lignocerate	„	„	117	Hell	B., 13, 1719	40, 250
„ melissate	$(\text{C}_{29}\text{H}_{59}\text{CO}_2)_2\text{Pb}$	$\text{C}_{60}\text{H}_{118}\text{O}_4\text{Pb}$	118-119	Stürcke	A., 223, 283	46, 1281
Lead thioethylate	$\text{Pb}(\text{SEt})_2$	$\text{C}_4\text{H}_{10}\text{S}_2\text{Pb}$	150	Otto	B., 13, 1290	38, 796
„ thiophenylate	$\text{Pb}(\text{SPh})_2$	$\text{C}_{12}\text{H}_{10}\text{S}_2\text{Pb}$	a. 230	iv., 418
„ thiotolylate	$\text{Pb}(\text{S.C}_6\text{H}_4\text{Me})_2 = (1.3)_2$	$\text{C}_{14}\text{H}_{14}\text{S}_2\text{Pb}$	70	Hübner & Wallach	Z. C. [2], 5, 500	vi., 291
„ „	„	„	76-78	„	„	„
Lead brombenzoate + Et.OH	$(\text{C}_6\text{H}_4\text{Br.CO}_2)_2\text{Pb} = (1.2)_2$	$\text{C}_{16}\text{H}_{14}\text{Br}_2\text{O}_5\text{Pb}$	176-180	Rbalis	A., 198, 99	38, 119
Lead acetonesulphonate	$(\text{CH}_3\text{CO.CH}_2\text{SO}_3)_2\text{Pb}$	$\text{C}_6\text{H}_{10}\text{O}_8\text{S}_2\text{Pb}$	+H ₂ O	140; d. 170	Bender	B., 4, 518	24, 703; vii., 16
„ diethyl diphosphate	$[(\text{EtO})_2\text{PO.O}]_2\text{Pb}$	$\text{C}_8\text{H}_{20}\text{O}_8\text{P}_2\text{Pb}$	180	Vögeli	A., 69, 180	iv., 592
„ glucosodiphosphate ...	$\text{O} : [\text{PO}(\text{O.C}_6\text{H}_{11}\text{O}_5)_2\text{O}]_2\text{Pb}$	$\text{C}_{12}\text{H}_{22}\text{O}_{17}\text{P}_2\text{Pb}$	187	Amatto	G. I., 1, 56	24, 925; vii., 562
Lead chlorhippurate	$(\text{C}_8\text{H}_7\text{ClON.CO}_2)_2\text{Pb}$	$\text{C}_{18}\text{H}_{14}\text{Cl}_2\text{O}_6\text{N}_2\text{Pb}$	110-120	Otto	A., 122, 129	iii., 160
Lead diamylic dithiophosphate	$[\text{PS}(\text{O.C}_5\text{H}_{11})_2\text{S}]_2\text{Pb}$	$\text{C}_{20}\text{H}_{44}\text{O}_4\text{S}_4\text{P}_2\text{Pb}$	b. 70	Korvalevsky	A., 119, 303	vii., 1123
Pt. Triethylamine platino- cyanide	$\text{PtCy}_2(\text{NHEt}_3\text{CN})_2$	$\text{C}_{16}\text{H}_{32}\text{N}_6\text{Pt}$...	80	Scholtz	W. A., 82, 1233	40, 708
Platinocarbonylchloride	$\text{CO} : \text{PtCl}_2$	CCl_2OPt	195	Schützenberger	A. C. [4], 21, 350; J. [1870], 381	24, 1012; vii., 986
Platinodicarbonylchloride	$:(\text{CO})_2 : \text{PtCl}_2$	$\text{C}_2\text{Cl}_2\text{O}_2\text{Pt}$	142	„	„	„
Diplatinotricarbonyltetra- chloride	$\text{CO.CO.PtCl}_2\text{CO.PtCl}_2$	$\text{C}_3\text{Cl}_4\text{O}_3\text{Pt}_2$	130	„	„	„
„	„	„	130-150	„	A. C. [2], 15, 100	vi., 952
Ethylsulphide platinichloride	$\text{Et}_2\text{S.PtCl}_2$	$\text{C}_4\text{H}_{10}\text{Cl}_2\text{SPT}$	108	Loir	C. R., 26, 195	ii., 545
Diethylmethylsulphine platinichloride	$(\text{SEtMe.Et})_2\text{PtCl}_6$	$\text{C}_{10}\text{H}_{26}\text{Cl}_6\text{S}_2\text{Pt}$	186 d.	Krüger	J. p. [2], 14, 193	31, 187
„	$(\text{SEt}_2\text{Me})_2\text{PtCl}_6$	„	214 d.	„	„	31, 186
Allylamine platinichloride	$(\text{C}_3\text{H}_5\text{NH}_2).\text{HPtCl}_3$	$\text{C}_3\text{H}_9\text{Cl}_3\text{NPt}$	cryst.	Liebermann	B., 16, 530	44, 909
Ethylallylamine platinichloride	$(\text{C}_3\text{H}_5\text{NHET}).\text{HPtCl}_3$	$\text{C}_6\text{H}_{12}\text{Cl}_3\text{NPt}$	220	„	„	„

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Propionamide platinochloride	$(C_3H_5N_2)_2.H_2PtCl_6$	$C_6H_{15}Cl_6N_4Pt$	199-200 d.	Pinner	B., 17, 178	46, 723
Diethylallylamine platinochloride	$(C_3H_5.NEt_2).HPtCl_3$	$C_7H_{16}Cl_3NPt$	189	Liebermann	B., 16, 530	44, 909
Dipropylallylamine platinochloride	$(C_3H_5.NPr^2).HPtCl_3$	$C_9H_{20}Cl_3NPt$	152-153	"	B., 16, 529	"
Ethylallylamine platinochloride	$(C_3H_5.NHEt)_2.H_2PtCl_6$	$C_{10}H_{24}Cl_6N_2Pt$	154-156	"	B., 16, 526	"
Diethylformamide platinochloride	$(NEt_2.CH:NH)_2.H_2PtCl_6$	$C_{16}H_{26}Cl_6N_4Pt$	208-209	Pinner	B., 17, 180	46, 724
Pyridine methoplatinochloride	$(C_5NH_3)_2.Me_2PtCl_6$	$C_{12}H_{16}Cl_6N_2Pt$	186-188	Ostermeyer	B., 18, 592	48, 813
Ethylglyoxaline methoplatinochloride	$(C_5H_5N:NEt).Me_2PtCl_6$	$C_{12}H_{22}Cl_6N_4Pt$	194-195	Wallach	B., 16, 535	44, 911
Pipecoline platinochloride	$(C_6H_{13}N)_2.H_2PtCl_6$	$C_{12}H_{25}Cl_6N_2Pt$	192	Hesekiel	B., 18, 912	48, 812
Capronamide platinochloride	$(C_6H_{14}N_2)_2.H_2PtCl_6$	$C_{12}H_{30}Cl_6N_4Pt$	199 d.	Pinner	B., 17, 178	46, 723
Lutidine platinochloride	$(C_7H_9N)_2PtCl_4$	$C_{14}H_{19}Cl_4N_2Pt$	204-205	Coninck	C. R., 96, 437	44, 740
" "	$(C_7H_9N)_2.H_2PtCl_6$	$C_{14}H_{20}Cl_6N_2Pt$	179-180	"	"	"
" "	$N.Me_2=1.2.4$	"	216	Epstein	B., 18, 883	48, 815
" "	" "	"	216-217	Hantzsch	B., 17, 2909	48, 397
" "	" "	"	217	"	A., 215, 56	"
" "	" "	"	217	Michael	B., 18, 2025	"
" "	" "	"	219-220	Ladenburg	B., 18, 1593	48, 816
" "	" "	"	error	230	"	B., 18, 915	"
Diethylallylamine platinochloride	$(C_3H_5.NEt)_2.H_2PtCl_6$	$C_{14}H_{32}Cl_6N_2Pt$	128-130	Liebermann	B., 16, 526	44, 909
Piperidine base platinochloride	$(C_7H_{16}N)_2.H_2PtCl_6$	"	212	Ladenburg	B., 18, 50	48, 558
Isopropylpyridine platinochloride	$N.Pr^2=1.2$	$C_{16}H_{24}Cl_6N_2Pt$	169-170	"	B., 18, 1589	48, 992
" " " =1.4	" =1.4	"	203-204	"	"	"
" " " "	" "	"	206	"	B., 17, 1122	48, 1048
Hydroisopropylpyridine platinochloride	$(C_5H_{13}N)_2.H_2PtCl_6$ $N.Pr^2=1.2$	$C_{16}H_{29}Cl_6N_2Pt$	193-193.5	"	B., 18, 1589	48, 992
Copellidine platinochloride	$(C_5H_{17}N).H_2PtCl_6$	$C_{16}H_{36}Cl_6N_2Pt$	145-147	Dürkopf	B., 18, 924	48, 817
" " " "	" "	"	+ xH ₂ O	105	"	"	"
Tetrahydroquinoline platinochloride	$(C_5H_{11}N)_2.H_2PtCl_6$	$C_{15}H_{24}Cl_6N_2Pt$	200	Hoffmann	B., 16, 729	44, 1143
Methyltropidine "	$(C_5H_{15}N)_2.H_2PtCl_6$	$C_{15}H_{32}Cl_6N_2Pt$	120	Roth	B., 17, 158	46, 761
Methylquinoline "	$(C_5H_6NMe)_2.H_2PtCl_6$	$C_{20}H_{20}Cl_6N_2Pt$	226-230	Fischer & Kuzel	B., 16, 165	44, 588
Quinoline methoplatinochloride	$(C_5H_7N)_2.Me_2PtCl_6$	"	230 d.	Ostermeyer	B., 18, 594	48, 814
Methyltetrahydroquinoline platinochloride	$(C_5H_{10}MeN)_2.H_2PtCl_6$	$C_{20}H_{28}Cl_6N_2Pt$	177 d.	Hoffmann	B., 16, 732	44, 1144
Dimethylcopellidine platinochloride	$(C_5H_{15}Me_2N)_2.H_2PtCl_6$	$C_{20}H_{44}Cl_6N_2Pt$	93	Dürkopf	B., 18, 928	48, 817
Methylcopellidine methoplatinochloride	$(C_5H_{16}MeN)_2.Me_2PtCl_6$	"	d. 254	"	B., 18, 924	"
Quinoline ethoplatinochloride	$(C_5H_7N)_2.Et_2PtCl_6$	$C_{22}H_{24}Cl_6N_2Pt$	226	Claus and Tosse	B., 16, 1278	44, 1009
" ?	$(C_{11}H_{11}N)_2.H_2PtCl_6$	"	227	Beyer	J. p. [2], 31, 47	48, 672
Ethyltetrahydroquinoline platinochloride	$(C_5H_{10}EtN)_2.H_2PtCl_6$	$C_{22}H_{32}Cl_6N_2Pt$	160 d.	Claus & Stegelitz	B., 17, 1330	46, 1051
Methylamylpiperidine platinochloride	$[C_6H_9Me(C_6H_{11}N)]_2.H_2PtCl_6$	$C_{22}H_{45}Cl_6N_2Pt$	140; sf. 100	Schotten	B., 15, 422	42, 982
Ethyltetrahydroquinoline methoplatinochloride	$(C_5H_{10}EtN)_2.Me_2PtCl_6$	$C_{24}H_{36}Cl_6N_2Pt$	215	Claus & Stegelitz	B., 17, 1331	48, 1051
Ethylamylaniline platinochloride	$(Ph.NEt.C_6H_{11})_2.H_2PtCl_6$	$C_{26}H_{44}Cl_6N_2Pt$	100	Hofmann	A., 74, 156	iv., 452

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Quinoline amyloplatinochloride	$(C_9H_7N)_2(C_6H_{11})_2PtCl_6$	$C_{28}H_{36}Cl_6N_2Pt$	220	Claus and Tosse	B., 16, 1279	44, 1009
Methyldiphenylpyrazene platinumochloride	$(C_3N_2HMePh)_2.H_2PtCl_6$	$C_{32}H_{30}Cl_6N_4Pt$	+ H ₂ O	160-200 d.	Knorr & Blank	B., 18, 314	48, 556
Diamidoamarine "	$[C_{21}H_{16}N_2(NH_2)_2].H_2PtCl_6$	$C_{42}H_{42}Cl_6N_8Pt$	d.a. 250	Claus and Witt	B., 18, 1676	
Benzylamarine "	$[C_{21}H_{17}(CH_2Ph)N_2].H_2PtCl_6$	$C_{66}H_{50}Cl_6N_4Pt$	d. 240	236; sf. 166	Claus and Elbs	B., 16, 1273	44, 983
" ethoplatinochloride	$[C_{21}H_{17}(CH_2Ph)N_2].Et_2PtCl_6$	$C_{60}H_{58}Cl_6N_4Pt$	d. 200	152	Claus and Kohlstock	B., 18, 1854	48, 1133
Triethylphosphine platinumochloride	$(Et_3P)_2PtCl_2$	$C_{12}H_{30}Cl_2P_2Pt$	150	Cahours and Gal	Z. C., 13, 437	
Trimethyltolylphosphonium platinumochloride	$(C_6H_4Me_tPMe_3)_2PtCl_6$ =(1.4) ₂	$C_{20}H_{32}Cl_6P_2Pt$	230	Czimatis	B., 15, 2015	44, 57
Triethylphenylphosphonium platinumochloride	$(PPhEt_3)_2PtCl_6$	$C_{24}H_{40}Cl_6P_2Pt$	b. 100	Ananoff	B., 8, 497	28, 1204
Methyldiethylxylylphosphonium platinumochloride	$(C_6H_3Me_2PEt_2Me)_2PtCl_6$	$C_9H_{44}Cl_6P_2Pt$	202	Czimatis	B., 15, 2016	44, 58
Diphenyldimethylphosphonium platinumochloride	$(PPh_2Me_2)_2PtCl_6$	$C_{28}H_{32}Cl_6P_2Pt$	218	Michaelis & Link	A., 207, 210	42, 306
Diphenylmethylethylphosphonium platinumochloride	$(PPh_2MeEt)_2PtCl_6$	$C_{30}H_{36}Cl_6P_2Pt$	220	"	"	"
Diphenyldiethylphosphonium platinumochloride	$(PPh_2Et_2)_2PtCl_6$	$C_{32}H_{40}Cl_6P_2Pt$	218	"	"	"
Dimethyltolylphosphine benzylplatinochloride	$(C_6H_4Me.PMe_2)_2(CH_2Ph)_2PtCl_6=(1.4)_2$	"	226	Czimatis	B., 15, 2016	44, 57
Phenyltrimethylarsonium platinumochloride	$(AsPhMe_3)_2PtCl_6$	$C_{18}H_{28}Cl_6As_2Pt$	219	Michaelis & Link	A., 207, 193	42, 306
Diphenyldimethylarsonium platinumochloride	$(AsPh_2Me)_2PtCl_6$	$C_{28}H_{32}Cl_6As_2Pt$	219	"	A., 207, 204	42, 305
Diphenylethylmethylarsonium platinumochloride	$(AsPh_2EtMe)_2PtCl_6$	$C_{30}H_{36}Cl_6As_2Pt$	214 s.d.	"	A., 207, 193	"
Quinine platinicyanide ...	$(C_{20}H_{24}N_2O_2)_2.H_2PtCy_4$	$C_{44}H_{50}O_4N_3Pt$	150-160 d.	Burg	J. [1865], 440	vi., 984
Ammonium platinithiocyanate	$(NH_3)_2Pt(CNS)_2$	$C_2H_6S_2N_4Pt$	100-110	Buckton	7, 22	v., 513
Lutidinedicarboxylic acid platinumochloride	$C_5NHMe_2(CO_2H).H_2PtCl_6$	$C_9H_{11}Cl_6O_4NPt$	+ 6H ₂ O	nf. 290	Michael	A., 225, 121	48, 62
Collidinedicarboxylic acid platinumochloride	$C_5NHMe_3(CO_2H).H_2PtCl_6$	$C_9H_{13}Cl_6O_2NPt$	+ H ₂ O	198	"	"	"
Dimethylpsendoquinoyl platinumochloride	$C_{11}H_{11}ON.H_2PtCl_6$	$C_{11}H_{13}Cl_6ONPt$	215	Knorr & Antrick	B., 17, 2877	48, 274
Ethyl collidinedicarboxylate platinumochloride	$C_5NHMe_3(CO_2Et).H_2PtCl_6$	$C_{11}H_{17}Cl_6O_2NPt$	193	Michael	A., 225, 121	48, 62
m-Ethoxy pyridine platinumochloride	$C_5NH_4(OEt).H_2PtCl_6$	$C_{14}H_{20}Cl_6O_2N_2Pt$	192	Fischer & Renouf	B., 17, 1897	48, 1370
Diethyl collidine dicarboxylate platinumochloride	$C_5NMe_3(CO_2Et)_2.H_2PtCl_6$	$C_{14}H_{21}Cl_6O_4NPt$	184	Hantzsch	A., 215, 1	44, 83
Nitrodiphenylmethylpyrazene platinumochloride	$C_{16}H_{13}O_2N_3.H_2PtCl_6=1.2$	$C_{16}H_{15}Cl_6O_2N_3Pt$	198	Knorr & Jödicke	B., 18, 2261	48, 1248
Lutidine carboxylic acid platinumochloride	$N.Me_2.CO_2H=1.2.4.3$	$C_{16}H_{20}Cl_6O_4N_2Pt$	+ 2H ₂ O	216	Michael	B., 18, 2024	48, 1245
Tropine platinumochloride	$(C_8H_{16}ON)_2.H_2PtCl_6$	$C_{16}H_{32}Cl_6O_2N_2Pt$	198-200 d.	Schmidt	B., 13, 373	38, 482
m-Hydroxyquinoline platinumochloride	$(C_8NH_6OH)_2.H_2PtCl_6$	$C_{18}H_{16}Cl_6O_2N_2Pt$	244-245	Skraup	M. C., 3, 531	44, 95
Ethyl lutidinedicarboxylate platinumochloride	$N.Me_2.CO_2Et=1.2.4.3$	$C_{20}H_{28}Cl_6O_4N_2Pt$	191	Michael	B., 18, 2023	48, 1244

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyllic collidinecarboxylate platinumchloride	$(C_9NHMe_3.CO_2Et)_2.H_2PtCl_6$	$C_{22}H_{32}Cl_6O_4N_2Pt$	194	Hantzsch	A., 215, 1	44, 84
?-platinumchloride	$(C_{12}H_{16}O_2N)_2.H_2PtCl_6$	$C_{24}H_{32}Cl_6O_4N_2Pt$	195-196	Caizoneri	G. I., 14, 448	48, 751
Dimethyllic collidinecarboxylate platinumchloride	$[C_5NMe_3(CO_2Me)_2]_2.H_2PtCl_6$	$C_{24}H_{32}Cl_6O_8N_2Pt$	200 d.	Hantzsch	B., 16, 1948	44, 1082
Ethylenediethyltolnylenamidine platinumchloride	$(C_9H_{10}Et_2ON)_2.H_2PtCl_6$	$C_{26}H_{42}Cl_6O_2N_4Pt$	218	A., 210, 376	
Phenyllutidine carboxylic acid platinumchloride	$(C_9NHPhMe_2.CO_2H)_2.H_2PtCl_6$	$C_{23}H_{29}Cl_6O_4N_2Pt$	+H ₂ O	110-115	Hantzsch	B., 17, 2913	
Benzylamidobenzoic acid platinumchloride	$NH(CH_2Ph).CO_2H=1.2$	158 u.c.	Claus & Glyckherr	B., 16, 1285	44, 1010
Ethyllic phenyllutidine carboxylate platinumchloride	$(C_{16}H_{17}O_2N)_2.H_2PtCl_6$	$C_{32}H_{36}Cl_6O_4N_2Pt$	196	Hantzsch	B., 17, 2912	48, 397
Fr. methylidiphenylpyrazene	$(C_{17}H_{17}ON)_2.H_2PtCl_6$	$C_{34}H_{36}Cl_6O_2N_4Pt$	241	Knorr & Blank	B., 18, 315	48, 556
Atropine platinumchloride	$(C_{17}H_{23}O_3N)_2.H_2PtCl_6$	$C_{34}H_{43}Cl_6O_6N_2Pt$	208	Schmidt	B., 13, 370	38, 481
?-platinumchloride	$(C_{20}H_{26}ON)_2.H_2PtCl_6$	$C_{40}H_{42}Cl_6O_2N_4Pt$	190	Ostermeyer	B., 18, 595	48, 814
Dinitroamarine platinumchloride	$[C_{21}H_{16}N_2(NO_2)_2]_2.H_2PtCl_6$	$C_{42}H_{34}Cl_6O_3N_5Pt$	d.w.m. 220	Claus and Witt	B., 18, 1673	
Papaverine ethoplatinchloride	$(C_{21}H_{21}O_4N)_2.Et_2PtCl_6$	$C_{46}H_{62}Cl_6O_3N_2Pt$	223 d ; u.c.	Claus & Huetlin	B., 18, 1578	48, 996
Hydrodimethylamarine methoplatinchloride	$(C_{21}H_{13}Me_2N_2O)_2.Me_2PtCl_6$	$C_{43}H_{64}Cl_6O_2N_4Pt$	244	Claus	B., 15, 2329	44, 203
Hydrotrimethylamarine platinumchloride	$(C_{21}H_{17}Me_3N_2O)_2.H_2PtCl_6$	195
Narceine methoplatinchloride	$(C_{23}H_{29}O_9N)_2.Me_2PtCl_6$	$C_{46}H_{64}Cl_6O_{13}N_2Pt$	189	Claus & Ritzfeld	B., 18, 1572	48, 997
.. ethoplatinchloride	$(C_{23}H_{29}O_9N)_2.Et_2PtCl_6$	$C_{50}H_{68}Cl_6O_{19}N_2Pt$	170 u.c.	..	B., 18, 1570	48, 996
Hydromethylbenzylamarine platinumchloride	$[C_{21}H_{18}Me(CH_2Ph)N_2O]_2.H_2PtCl_6$	$C_{68}H_{58}Cl_6O_2N_4Pt$	168	Claus	B., 15, 2327	44, 203
Benzylnarceine platinumchloride	$(C_{23}H_{23}(CH_2Ph)O_9N)_2.H_2PtCl_6$	$C_{60}H_{72}Cl_6O_{18}N_2Pt$	+2H ₂ O	128 u.c.	Claus & Ritzfeld	B., 18, 1575	48, 997
Narceine benzylplatinumchloride	$(C_{23}H_{29}O_9N)_2.(CHPh)_2PtCl_6$	165	..	B., 18, 1573	..
Triethyllic phosphochlorplatinate	$(EtO)_3P : PtCl_2$	$C_6H_{15}Cl_2O_3PPt$	83	Schutzenberger and Fontaine	B. S. [2], 18, 101, 148	25, 1088 ; vii., 988
Ethylthiocarbanilide platinumchloride	$(C_{15}H_{16}SN)_2.H_2PtCl_6$	$C_{30}H_{34}Cl_6S_2N_4Pt$	+2H ₂ O	b. 100	Rathke	B., 14, 1777	42, 167
Phenylimidoethylphenylcarbaminthiethyl platinumchloride	$[NPh : C(NEtPh).SEt]_2.H_2PtCl_6$	$C_{34}H_{42}Cl_6S_2N_4Pt$	110	Bernthsen and Friese	B., 15, 567	42, 966
?	$C_{12}H_{45}Cl_4O_6N_5P_2Pt_2$	150	Schutzenberger	B. S. [2], 18, 101, 148	vii., 989
Si. Silicontetramethide	SiMe ₄	C ₄ H ₁₂ Si	30	Liquid	Ladenburg	A., 164, 300	28, 50
.. (A., 136, 203)	30-31	Friedel & Crafts	B. S. [1863], 468	v., 266
Silicontriethylhydride	SiH ₃ Et ₃	C ₆ H ₁₆ Si	107	Liquid	Ladenburg	A., 164, 327 ; B., 5, 565	25, 806 ; 28, 50 ; vii., 1082
Silicontetraethide	SiEt ₄	C ₃ H ₂₀ Si	152.5	Liquid	Friedel & Crafts	B. S. [1863], 468	v., 266
.. (A., 127, 31)	150-154	Friedel and Ladenburg	A. C. [5], 19, 390	38, 609
.. (A., 138, 19)	152.5	Ladenburg	B., 4, 731	24, 1039
..	150	B., 5, 565	25, 806
..	151-153	A., 164, 330	28, 52 ; vii., 1084

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Silicontripropylhydride	SiHPr ₃	C ₉ H ₂₇ Si	170-171	Liquid	Pape	B., 14, 1873	42, 154
Siliconphenyltriethide	SiPhEt ₃	C ₁₂ H ₂₀ Si	230	Liquid	Ladenburg	B., 7, 388; A., 173, 159	27, 803
Silicontetrapropide	SiPr ₄	C ₁₂ H ₂₈ Si	213	Liquid	Pape	B., 14, 1874	42, 154
Siliconhexethide	Et ₃ Si.SiEt ₃	C ₁₂ H ₃₀ Si ₂	250-253	Liquid	Friedel and Ladenburg	A. [5], 19, 401; C. R., 68, 920	38, 609; vi., 1022
Silicontetraphenyl	SiPh ₄	C ₂₄ H ₂₀ Si	a. 360	228	Polis	B., 18, 1542	46, 973
Silicontetrabenzyl....	Si(CH ₂ Ph) ₄	C ₂₈ H ₂₈ Si	127.5	"	B., 18, 1544	"
Silicontetratolyl	Si(C ₆ H ₄ Me) ₄ =(1.4) ₄	"	228	"	B., 18, 1543	"
Siliconethyltrichloride	SiEtCl ₃	C ₂ H ₅ Cl ₃ Si	100	Liquid	Ladenburg	A., 164, 306	26, 49; vii., 1082
Silicondiethyldichloride	SiEt ₂ Cl ₂	C ₄ H ₁₀ Cl ₂ Si	129	Liquid	"	B., 4, 728	24, 1038
" "	"	"	128-130	Liquid	"	A., 164, 310	26, 50; vii., 1082
Siliconphenyltrichloride	SiPhCl ₃	C ₆ H ₅ Cl ₃ Si	197	Liquid	"	A., 173, 153; B., 6, 380	26, 1026
Silicontriethylchloride ...	SiEt ₃ Cl	C ₆ H ₁₅ ClSi	143.5	Liquid	"	A., 164, 315; B., 4, 902	25, 156; 26, 50
Silicontolylchloride	Si(C ₆ H ₄ Me)Cl ₃ =1.4	C ₇ H ₇ Cl ₃ Si	218-220	Liquid	"	A., 173, 165; B., 7, 390	27, 803
Silicononylchloride	SiH ₂ (C ₃ H ₁₇)Cl	C ₉ H ₁₉ ClSi	180-190	Friedel	B. S. [2], 7, 322	vi., 1020
" "	"	"	185	A., 138, 20	
Silicontriethylchlorphenyl	SiEt ₃ .C ₆ H ₄ Cl	C ₁₂ H ₁₉ ClSi	260-265	Ladenburg	A., 173, 161	
Silicontriethylbromide	SiEt ₃ Br	C ₆ H ₁₅ BrSi	161	Ladenburg	A., 164, 330	26, 52
" "	"	"	159-163	"	B., 5, 566	25, 807
Silicontripropylbromide	SiPr ₃ Br	C ₉ H ₁₁ BrSi	213	Liquid	Pape	B., 14, 1875	42, 154
Silicondiethyloxide	Et ₂ SiO	C ₄ H ₁₀ OSi	a. 350	Liquid -15	Ladenburg	A., 164, 31	26, 50; vii., 1083
Diethyllic silicate	(EtO) ₂ SiO	C ₄ H ₁₀ O ₃ Si	350	Liquid	Ebelmann	A. C. [3], 16, 144	26, 746; v., 263
" "	"	"	360	A., 57, 338	
" "	"	"	358-360	Hertkorn	B., 18, 1683	
Tetramethyllic orthosilicate	(MeO) ₄ Si	C ₄ H ₁₂ O ₄ Si	120-122	Liquid	Friedel & Crafts	A. C. [4], 9, 36	v., 265
Trimethyllic orthosilicopropionate	Et.Si(OMe) ₃	C ₅ H ₁₄ O ₃ Si	125-126	Liquid	Ladenburg	A., 173, 145; B., 5, 1081	26, 488; vii., 1087
Trimethyllic ethylic orthosilicate	(MeO) ₃ (EtO)Si	C ₅ H ₁₄ O ₄ Si	133-135	Friedel & Crafts	A. C. [4], 9, 43	v., 265
Silicobenzoic acid	Ph.SiO.OH	C ₆ H ₅ O ₂ Si	92	Ladenburg	A., 173, 155	
Triethylsilicol	SiEt ₃ .OH	C ₆ H ₁₀ OSi	153.5	Liquid	"	B., 4, 902	25, 156
" "	"	"	154	"	A., 164, 316	26, 50; vii., 1083
Silicontriethylate	SiH(OEt) ₃	C ₆ H ₁₆ O ₃ Si	134	Friedel and Ladenburg	A., 143, 124; B. S. [2], 7, 322	vi., 1020
Diethyllic dimethyllic orthosilicate	(MeO) ₂ (EtO) ₂ Si	C ₆ H ₁₆ O ₄ Si	143-144	Friedel & Crafts	A. C. [4], 9, 44	v., 265
Hexamethyllic disilicate ...	O[Si(OMe) ₂] ₂	C ₆ H ₁₈ O ₇ Si ₂	201-202.5	"	A. C. [4], 9, 36	"
Silicotoluic acid	C ₆ H ₄ Me.(SiO.OH)=1.4	C ₇ H ₅ O ₂ Si	150	Ladenburg	A., 173, 166	
Triethyllic orthosilicoacetate	Me.Si(OEt) ₃	C ₇ H ₁₈ O ₃ Si	145-151	Liquid	"	B., 6, 1030; A., 173, 149	27, 40
Triethyllic methyllic orthosilicate	(EtO) ₃ (MeO)Si	C ₇ H ₁₈ O ₄ Si	155-157	Friedel & Crafts	A. C. [4], 9, 45	v., 265
Silicacetic anhydride	Si(OAc) ₄	C ₈ H ₁₂ O ₃ Si	148 (5-6)	110	Friedel and Ladenburg	A. C. [4], 27, 428; A., 145, 174	26, 53; vii., 1084
Triethylsilicol acetate	SiEt ₃ .OAc	C ₅ H ₁₅ O ₂ Si	168	Liquid	Ladenburg	A., 164, 317; B., 5, 319	25, 609; 26, 51
Triethyllic acetylsilicate	(EtO) ₃ Si.OAc	C ₈ H ₁₈ O ₅ Si	192-197	J. [1866], 491	v., 264
Triethylsilicol ethylate	Et ₃ Si.OEt	C ₈ H ₂₀ OSi	153	Liquid	Ladenburg	B., 4, 730; A., 164, 313	24, 1039; 26, 50; vii., 1082

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Silicononyl alcohol	$C_8H_7SiH_2.OH$	$C_8H_{20}OSi$	190	Friedel and Ladenburg	B. S. [2], 7, 322; A., 138, 23	vi., 1020
Silicondiethyldiethylate	$SiEt_2(OEt)_2$	$C_8H_{20}O_2Si$	155-156	"	C. R., 66, 316; A., 159, 259	24, 918; vi., 1021
"	"	"	155.5; 155.8	Ladenburg	B., 4, 728; A., 164, 300	24, 1038; 26, 49; vii., 1082
Triethylic orthosilicopropionate	$Et.Si(OEt)_3$	$C_8H_{20}O_3Si$	159	"	A., 164, 300	26, 49; vii., 1082, 1087
"	"	"	158.5	Friedel	A., 159, 259	24, 918
"	"	"	159-162	"	C. R., 66, 816	vi., 1020
Tetraethylic orthosilicate	$Si(OEt)_4$	$C_8H_{20}O_4Si$	162-163	Ebelmann	A., 52, 334	
" (B., 8, 713)	"	"	165.5	Friedel & Crafts	S. J. [2], 43, 158	
" (B., 5, 327)	"	"	166.5	"	A. C. [4], 9, 45	24, 1039
"	"	"	166.5	Ebelmann	A. C. [3], 16, 144	v., 263
" (J. [1875], 462)	"	"	166.5	Ladenburg	A., 164, 300	26, 50
" (B. S., 32, 118)	"	"	165-169	Friedel	A. C. [4], 23, 430	25, 155
Tripropylsilicol	$Pr^a_3Si.OH$	$C_9H_{22}OSi$	205-208	Pape	B., 14, 1875	42, 154
Silicononylic acetate	$C_8H_{17}SiH_2.OAc$	$C_{10}H_{22}O_2Si$	208-214	Friedel and Ladenburg	B. S. [2], 7, 322; A., 138, 22	vi., 1020
Tripropylsilicol acetate	$Pr^a_3Si.OAc$	$C_{11}H_{24}O_2Si$	212-216	Pape	B., 14, 1875	42, 154
Isoamylic triethylic orthosilicate	$(EtO)_3(C_5H_{11}O)Si$	$C_{11}H_{26}O_4Si$	216-225	Friedel & Crafts	A. C. [4], 9, 17	v., 264
Triethylic orthophenylsilicate	$Ph.Si(OEt)_3$	$C_{12}H_{20}O_3Si$	235	Ladenburg	A., 173, 155	
"	"	"	237	Liquid	"	B., 6, 380	26, 1026
Tetrapropyl orthosilicate	$(Pr^aO)_4Si$	$C_{12}H_{28}O_4Si$	225-227	J. [1874], 49	Cahours	C. R., 76, 1383	26, 871
Diisoamylic dimethylic orthosilicate	$(MeO)_2(C_6H_{11}O)_2Si$	"	225-235	Friedel & Crafts	A. C. [4], 9, 46	v., 265
Silicoheptyl oxide	$O(SiEt_3)_2$	$C_{12}H_{30}OSi_2$	224-229	Ladenburg	B., 4, 730	24, 1039
"	"	"	230-235	"	A., 147, 364	vii., 1084
"	"	"	231	"	A., 164, 326	26, 52
Hexethylic disilicate	$O[Si(OEt)_3]_2$	$C_{12}H_{30}O_7Si_2$	125-130	A., 57, 341	v., 264
" (J., 19, 489)	"	"	233-238	Friedel & Crafts	A. C. [5], 7, 472	
"	"	"	235-237	Friedel and Ladenburg	B. S. [2], 9, 358; A., 147, 362	vi., 1021
Diisoamylic diethylic orthosilicate	$(EtO)_2(C_5H_{11}O)_2Si$	$C_{14}H_{32}O_4Si$	245-250	Friedel & Crafts	A. C. [4], 9, 19	v., 264
Tetraisobutyl orthosilicate	$(Bu^aO)_4Si$	$C_{16}H_{36}O_4Si$	256-260	J. [1874], 349	Cahours	C. R., 77, 1403	27, 349
Diethylic silicate	$[(EtO)_2SiO]_4$	$C_{16}H_{40}O_{12}Si_4$	270-290	Liquid	Troost	A. C. [5], 7, 472	30, 599
Triisoamylic ethylic orthosilicate	$(EtO)(C_5H_{11}O)_3Si$	$C_{17}H_{38}O_4Si$	280-285	Friedel & Crafts	A. C. [4], 9, 19	v., 264
Tetraisoamylic orthosilicate	$(C_5H_{11}O)_4Si$	$C_{20}H_{44}O_4Si$	324; 322-325	Ebelmann	A. C. [3], 16, 144; A., 57, 344	v., 263
Tetraphenyl	$(PhO)_4Si$	$C_{24}H_{20}O_4Si$	417-420	47-48	Hertkorn	B., 18, 1680	48, 1056
Tetratolylic	$(C_6H_4Me.O)_4Si=(1.2)_4$	$C_{28}H_{28}O_4Si$	435-438	L. f. m.	"	B., 18, 1687	48, 1056
"	" = (1.3) ₄	"	443-446(720)	Liquid	"	B., 18, 1688	"
"	" = (1.4) ₄	"	442-445	69-70	"	B., 18, 1689	"
Tetraxylic	$(C_6H_3Me_2.O)_4Si=(1.3.?)_4$	$C_{32}H_{36}O_4Si$	453-457	L.f.m.	"	B., 18, 1690	"
"	" = (1.2.?) ₄	"	460 (760); 350-360(120)	s.f.m.; n.f. ord. temp.	"	B., 18, 1691	"
Tetra- α -naphthyl orthosilicate	$(C_{10}H_7.O)_4Si$	$C_{40}H_{28}O_4Si$	425-430 (130)	crystalline	"	B., 18, 1696	48, 1057
Tetra- β -naphthyl orthosilicate	"	"	430 (133)	crystalline	"	B., 18, 1697	"
Tetraisobutylphenyl orthosilicate	$(C_6H_4Bu^a.O)_4Si$	$C_{40}H_{62}O_4Si$	380 (120)	s.f.m.	"	B., 18, 1692	48, 1056
Tetrathymyl orthosilicate	$(C_6HMePr^a.O)_4Si=(1.4.5)_4$	"	450 (760)	47-48	"	B., 18, 1694	48, 1057
"	"	"	340-345(69.5)	"	"	"
Tetracarvacrylic	" = (1.4.6) ₄	"	380-390 (118)	L.f.m.	"	"	"

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tetramethyl ortho-silicate	(C ₁₀ H ₁₈ O) ₄ Si	C ₄₀ H ₇₆ O ₄ Si	350 (155)	82	Hertkorn	B., 18, 1695	48, 1057
Tetraisoamylphenylic orthosilicate	(C ₅ H ₁₁ .C ₆ H ₄ .O) ₄ Si	C ₄₄ H ₆₀ O ₄ Si	390-397 (118)	s.f.m.	"	B., 18, 1693	"
Silicon tetrathiocyanate	Si(S.CN) ₄	C ₄ S ₄ N ₄ Si	300	142	Miquel	A. C. [5], 11, 343 ; C. C. [1876], 516	31, 706 ; 32, 872
Methoxysilicontrichloride	MeO.SiCl ₃	CH ₃ Cl ₃ OSi	82-86	Friedel and Crafts	A. C. [4], 9, 41	v., 265
Ethoxysilicontrichloride	EtO.SiCl ₃	C ₂ H ₅ Cl ₃ OSi	104	"	A. C. [4], 9, 15	v., 264
" " " " " " " "	"	"	104	Ladenburg	A., 164, 300	26, 52
Dimethoxysilicondichloride	(MeO) ₂ SiCl ₂	C ₂ H ₆ Cl ₂ O ₂ Si	98-103	Friedel and Crafts	A. C. [4], 9, 40	v., 265
Trimethoxysiliconchloride	(MeO) ₃ SiCl	C ₃ H ₉ ClO ₃ Si	114.5-115.5	"	"	"
Diethoxysilicondichloride	(EtO) ₂ SiCl ₂	C ₄ H ₁₀ Cl ₂ O ₂ Si	136-138	"	A. C. [4], 9, 14	v., 264
" " " " " " " "	"	"	137	Ladenburg	A., 164, 300	26, 52
Dipropoxysilicondichloride	(Pr ^o O) ₂ SiCl ₂	C ₆ H ₁₄ Cl ₂ O ₂ Si	185-188	J. [1874], 498	Cahours	C. R., 76, 1383	26, 871
Ethoxysilicondiethylchloride	EtO.SiEt ₂ Cl	C ₆ H ₁₆ ClOSi	146-148 ; 148	Liquid	Ladenburg	B., 4, 728 ; A., 164, 309	24, 1038 ; 26, 50 ; vii., 1082
Diethoxysiliconethylchloride	(EtO) ₂ SiEtCl	C ₆ H ₁₆ ClO ₂ Si	148-153	"	A., 164, 307	26, 52 ; vii., 1082
Triethoxysiliconchloride	(EtO) ₃ SiCl	C ₆ H ₁₈ ClO ₃ Si	156	"	A., 164, 300	26, 52
" " " " " " " "	"	"	156	Friedel	B. S. [2], 7, 322	vi., 1020
" " " " " " " "	"	"	155-157	Friedel and Crafts	A. C. [4], 9, 11	v., 264
Tripropoxysiliconchloride	(Pr ^o O) ₃ SiCl	C ₉ H ₂₁ ClO ₃ Si	208-210	J. [1874], 497	Cahours	C. R., 76, 1383	26, 871
?	(EtO) ₅ (NH ₂)Si ₂ O	C ₁₀ H ₂₇ O ₆ NSi ₂	280 (i.v.)	Troost	A. C. [5], 7, 453	30, 599
Sn. Tin diethide	SnEt ₂	C ₄ H ₁₀ Sn	150 d.	Liquid -12	Frankland	P. T. [1852]	v., 827
" " " " " " " "	"	"	176-180	Buckton	J., 11, 392	
" tetramethide (B., 3, 358)	SnMe ₄	C ₄ H ₁₂ Sn	78	Liquid	Ladenburg	As., 8, 77	vii., 1160
" " (J., 12, 427)	"	"	140-145	Cahours	A., 114, 369	v., 834
" ethotrimethide	SnEtMe ₃	C ₅ H ₁₄ Sn	125-128	"	A., 122, 59	"
" diethodimethide	SnEt ₂ Me ₂	C ₆ H ₁₆ Sn	144-146	Liquid -13	Frankland	A., 144, 157 ; P. T. [1852]	"
" triethomethide	SnEt ₃ Me	C ₇ H ₁₈ Sn	162-163	Cahours	A., 122, 60	"
" tetrethide (A., 112, 223)	SnEt ₄	C ₈ H ₂₀ Sn	179-180	Ladenburg	B., 3, 355	
" " (A., 111, 46)	"	"	180	Cahours	J., 12, 420	
" " (A., 109, 226)	"	"	181	Liquid -13	Frankland	P. T. [1852]	v., 831
" phenyltriethide	SnPhEt ₃	C ₁₂ H ₂₀ Sn	254	Liquid	Ladenburg	A., 159, 251 ; B., 4, 17	24, 225
" tetrapropide	SnPr ^o ₄	C ₁₂ H ₂₈ Sn	222-225	J. [1873], 519	Cahours	B. S., 20, 190	
" triethide	Et ₃ Sn.SnEt ₃	C ₁₂ H ₃₀ Sn ₂	240-245	"	A., 114, 244, 361	
" " " " " " " "	"	"	265-270 <i>p.d.</i>	Ladenburg	As., 8, 63	vii., 1159
" " (B., 3, 355, 647)	"	"	268-272	"	Z. C., 13, 604	
Tin dimethylchloride	SnMe ₂ Cl ₂	C ₂ H ₆ Cl ₂ Sn	188-190	90	Cahours	A., 114, 227, 354	v., 832
" diethylchloride ...	SnEt ₂ Cl ₂	C ₄ H ₁₀ Cl ₂ Sn	220	60	"	"	v., 827
" " " " " " " "	"	"	84.5	Ladenburg	As., 8, 60 ; B., 4, 19	24, 223 ; vii., 1160
" diisopropylchloride	SnPr ^o ₂ Cl ₂	C ₆ H ₁₄ Cl ₂ Sn	56.5-57.5	Cahours	C. R., 88, 1112	36, 919
" dipropylchloride	SnPr ^o ₂ Cl ₂	"	80	"	C. R., 88, 725, 1112	36, 622, 918
" triethylchloride	SnEt ₃ Cl	C ₆ H ₁₅ ClSn	205-208	Ladenburg	B., 4, 17	24, 225
" " " " " " " "	"	"	208-210	0	Cahours	J., 12, 425	v., 829
" phenylethylchloride	SnPhEtCl ₂	C ₈ H ₁₀ Cl ₂ Sn	B., 4, 18	45	Ladenburg	A., 159, 258	24, 225
" diisobutylchloride	SnBu ^o ₂ Cl ₂	C ₈ H ₁₈ Cl ₂ Sn	260-262	s. 5-6	Cahours	C. R., 89, 68	36, 919
" diphenylchloride	SnPh ₂ Cl ₂	C ₁₂ H ₁₀ Cl ₂ Sn	333-337 d.	42	Aronheim	A., 194, 159	36, 249
" triphenylchloride	SnPh ₃ Cl	C ₁₈ H ₁₅ ClSn	105	"	B., 12, 509	
" " " " " " " "	"	"	106	"	A., 194, 172	36, 250

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tin dimethyldibromide	SnMe_2Br_2	$\text{C}_2\text{H}_6\text{Br}_2\text{Sn}$	208-210	Cahours	A., 114, 227, 354	v., 832
„ diethyldibromide	SnEt_2Br_2	$\text{C}_4\text{H}_{10}\text{Br}_2\text{Sn}$	232-233	„	„	v., 827
„ triethyldibromide	SnEt_3Br	$\text{C}_6\text{H}_{15}\text{BrSn}$	222-224	„	„	v., 829
„ diphenyldibromide	SnPh_2Br_2	$\text{C}_{12}\text{H}_{10}\text{Br}_2\text{Sn}$	38	Aronheim	A., 194, 166	36, 250
Tin dimethyliodide	SnMe_2I_2	$\text{C}_2\text{H}_6\text{I}_2\text{Sn}$	228	28	Cahours	A., 114, 369	v., 833
„ trimethyliodide	SnMe_3I	$\text{C}_3\text{H}_9\text{ISn}$	170	Ladenburg	As., 8, 77	vii., 1160
„ „ (A., 122, 56) „	„	„	188-190	Cahours	A., 114, 377	v., 833
„ diethyliodide ...	SnEt_2I_2	$\text{C}_4\text{H}_{10}\text{I}_2\text{Sn}$	245	42	Frankland	P. T. [1852]	v., 827
„ „	„	„	245-246	42	Cahours	J., 12, 421	
„ „ (A., 85, 335) „	„	„	245	44.5	Ladenburg	As., 8, 60	
„ diisopropyldiiodide	$\text{SnPr}^{\beta}_2\text{I}_2$	$\text{C}_6\text{H}_{14}\text{I}_2\text{Sn}$	265-268	Cahours	C. R., 88, 1112	36, 919
„ dipropyldiiodide	$\text{SnPr}^{\alpha}_2\text{I}_2$	„	270-273	Liquid -20	„	C. R., 88, 725, 1112	36, 622, 918
„ triethyliodide	SnEt_3I	$\text{C}_6\text{H}_{15}\text{ISn}$	180-200	A., 84, 326	Löwig	J., 5, 588	
„ „	„	„	231	Ladenburg	As., 8, 64	vii., 1159
„ „	„	„	235-238	Cahours	A., 114, 248, 361	v., 830
„ diisobutyldiiodide	$\text{SnBu}^{\beta}_2\text{I}_2$	$\text{C}_8\text{H}_{18}\text{I}_2\text{Sn}$	290-295	Liquid	„	C. R., 89, 68	36, 919
„ triisopropyliodide	$\text{SnPr}^{\beta}_3\text{I}$	$\text{C}_9\text{H}_{21}\text{ISn}$	256-258	„	C. R., 88, 1112	„
„ tripropyliodide	$\text{SnPr}^{\alpha}_3\text{I}$	„	260-262	Liquid	„	„	36, 918
„ „	„	„	262-264	„	C. R., 88, 725	36, 622
„ „	„	„	269-270	„	C. R., 76, 133; J. [1873], 519	26, 366; vii., 1015
„ triisobutyliodide	$\text{SnBu}^{\beta}_3\text{I}$	$\text{C}_{12}\text{H}_{27}\text{ISn}$	284-286	Liquid	„	C. R., 89, 68	36, 919
„ tributyliodide ...	$\text{SnBu}^{\alpha}_3\text{I}$	„	292-296	Liquid	„	C. R., 77, 1403	27, 349
„ tripenlyliodide	$\text{Sn}(\text{C}_3\text{H}_7)_3\text{I}$	$\text{C}_{15}\text{H}_{33}\text{ISn}$	302-305	Liquid	„	C. R., 89, 68	36, 919
Tin trimethylethylate	SnMe_3OEt	$\text{C}_5\text{H}_{14}\text{OSn}$	66	Ladenburg	B., 3, 358	
„ triethylhydroxide	SnEt_3OH	$\text{C}_6\text{H}_{16}\text{OSn}$	269-273	43	„	As., 8, 74	vii., 1160
„ „ ...	„	„	271	66	„	B., 4, 19	
„ „	„	(„) _n	100	„	As., 8, 74	vii., 1160
„ triethylic formate	$\text{H.CO}_2.\text{SnEt}_3$	$\text{C}_7\text{H}_{16}\text{O}_2\text{Sn}$	56-60	v., 830
„ „ acetate	$\text{CH}_3.\text{CO}_2.\text{SnEt}_3$	$\text{C}_8\text{H}_{18}\text{O}_2\text{Sn}$	230	„
„ triethylethylate	SnEt_3OEt	$\text{C}_8\text{H}_{20}\text{OSn}$	190-192	Liquid	Ladenburg	As., 8, 66	vii., 1160
„ triisopropylhydroxide	$\text{SnPr}^{\alpha}_3\text{OH}$	$\text{C}_9\text{H}_{22}\text{OSn}$	cryst.	Cahours	C. R., 88, 1112	36, 918
„ triisobutylhydroxide...	$\text{SnBu}^{\beta}_3\text{OH}$	$\text{C}_{12}\text{H}_{28}\text{OSn}$	311-314	„	C. R., 89, 68	36, 919
„ triethylic benzoate	$\text{Ph.CO}_2.\text{SnEt}_3$	$\text{C}_{13}\text{H}_{20}\text{O}_2\text{Sn}$	80	Kulnicz	J. p., 80, 60	v., 830
„ tripenlylhydroxide	$\text{Sn}(\text{C}_3\text{H}_7)_3\text{OH}$	$\text{C}_{15}\text{H}_{34}\text{OSn}$	335-338 p.d.	Liquid	Cahours and Demarçay	C. R., 89, 68	36, 919
„ diphenyldiethylate	$\text{SnPh}_2(\text{OEt})_2$	$\text{C}_{16}\text{H}_{20}\text{O}_2\text{Sn}$	124	Aronheim	A., 194, 172	
„ triphenylhydroxide	SnPh_3OH	$\text{C}_{18}\text{H}_{16}\text{OSn}$	117-118	„	A., 194, 174	
Tin tetrathioethylate	$\text{Sn}(\text{SEt})_4$	$\text{C}_8\text{H}_{20}\text{S}_4\text{Sn}$	200 (i.v.)	Liquid -40	Claesson	B. S. [2], 25, 183; J. p. [2], 15, 193	31, 585; 32, 295
Tin diphenylchlorobromide	SnPh_2ClBr	$\text{C}_{12}\text{H}_{10}\text{ClBrSn}$	39	Aronheim	A., 194, 160	36, 250
Tin diphenylchloriodide	SnPh_2ClI	$\text{C}_{12}\text{H}_{10}\text{ClISn}$	69	Aronheim	A., 194, 162	36, 250
Tin tetrachloride + ethyl-oxide	$\text{SnCl}_4 + \text{Et}_2\text{O}$	$\text{C}_4\text{H}_{10}\text{Cl}_4\text{OSn}$	80	Lewy	C. R., 21, 371	v., 809
„ „ + amyl-alcohol	$\text{SnCl}_4 + 2(\text{C}_5\text{H}_{11}\text{OH})$	$\text{C}_{10}\text{H}_{24}\text{Cl}_4\text{O}_2\text{Sn}$	-10 to -17	Bauer and Klein	J. p. [2], 4, 376	vi., 110
„ diphenylhydroxy-chloride	$\text{SnPh}_2\text{Cl.OH}$	$\text{C}_{12}\text{H}_{11}\text{ClOSn}$	187	Aronheim	A., 194, 154	36, 249
Fr. 4th amidobenzoic acid	$\text{C}_6\text{H}_4.\text{NH}_3\text{Cl.CO}_2\text{H} + \text{SnCl}_2$	$\text{C}_7\text{H}_8\text{Cl}_3\text{O}_2\text{NSn}$	143	Fittica	B., 8, 710, 742	28, 1195
Fr. m-amidobenzoic acid	„	„	250	„	„	„

	Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ti.	Titanium tetrachloride + acetylchloride	TiCl ₄ +AcCl	C ₂ H ₃ Cl ₅ OTi	25-30	Bertrand	B. S. [2], 33, 403	38, 624
	„ ethoxytrichloride	TiCl ₃ .OEt	C ₂ H ₅ Cl ₃ OTi	186-188	76-78	Bedson	29, 313
	„ tetrachloride + ethyloxide	TiCl ₄ +Et ₂ O	C ₄ H ₁₀ Cl ₄ OTi	118-120	42-45	„	„
	„ tetrachloride + benzoylchloride	TiCl ₄ +BzCl	C ₇ H ₅ Cl ₅ OTi	65	Bertraud	B. S. [2], 34, 631	40, 273
Tl.	Thallium diethylchloride....	TlEt ₂ Cl	C ₄ H ₁₀ ClTl	B., 7, 301	d. 190	Hartwig	A., 176, 257	28, 1003
	„ „	„	„	d. 225	Hansen	B., 3, 10	
	Thallium diethyliodide	TlEt ₂ I	C ₄ H ₁₀ ITl	B., 7, 301	d. 195	Hartwig	A., 176, 257	23, 1003
	Thallium formate	H.CO ₂ Tl	CHO ₂ Tl	b. 100	Kuhlmann	C. R., 58, 1037	v., 754
	„ ethylate....	Tl.OEt	C ₂ H ₅ OTl	- 3	Lamy	C. R., 55, 286	v., 757
	Dithallium mallate	CO ₂ Tl.CH ₂ .CH(OH).CO ₂ Tl	C ₄ H ₄ O ₅ Tl ₂	b. 100	Kuhlmann	C. R., 58, 1037	v., 754
	Thallium diethylhydroxide	TlEt ₂ .OH	C ₄ H ₁₁ OTl	B., 7, 301	d. 211	Hartwig	A., 176, 257	28, 1004
	„ isoamylate	Tl(O.C ₅ H ₁₁)	C ₅ H ₁₁ OTl	Liquid 20	Lamy	C. R., 55, 286	v., 757
	„ diethylacetate	TlEt ₂ .OAc	C ₆ H ₁₃ O ₂ Tl	245 s.d.	212	Hartwig	A., 176, 257; B., 7, 300	27, 675; 28, 1003
	Thallium diethylsulphate	(TlEt ₂) ₂ SO ₄	C ₈ H ₂₀ O ₄ STl ₂	B., 3, 11; 7, 300	d. 205	Hartwig	A., 176, 257	28, 1003
	Thallium diethylnitrate	(TlEt ₂)NO ₃	C ₄ H ₁₀ O ₃ NTl	B., 3, 11; 7, 300	d. 236	Hartwig	A., 176, 257	28, 1003
	Thallium diethylphosphate	(TlEt ₂) ₂ PO ₄	C ₁₂ H ₃₀ O ₄ PTl ₃	B., 7, 300	d. 189	Hartwig	A., 176, 257	
Thallium thiocarbamide sulphate	CS(NH ₂) ₂ TlSO ₄	CH ₄ O ₂ S ₂ N ₂ Tl	140-145 p.d.	Prätorius and Seidler	J. p. [2], 21, 129	38, 372	
V.	Vanadium oxychloride + Et ₂ O	Et ₂ O+VOCl ₃	C ₄ H ₁₀ Cl ₃ O ₂ V	b. 20	Bedson	29, 311
W.	Tungsten tetramethyldiiodide	WMe ₄ I ₂	C ₄ H ₁₂ I ₂ W	J.[1856], 373	110	Cahours	A., 122, 70; J. [1861], 353	v., 915
Zn.	Zinc dimethide (A., 85, 347)	ZnMe ₂	C ₂ H ₆ Zn	46	A., 173, 147	Frankland and Duppa	A., 130, 119	17, 30; v., 1078
	„ „ (A., 111, 62; 144, 2)	„	„	47	Liquid	Ladenburg	B., 6, 1030	27, 41
	„ diethide (A., 95, 28; 123, 245; 126, 248; 152, 220, 321; 174, 302; B. S., 2, 51)	ZnEt ₂	C ₄ H ₁₀ Zn	118	Liquid -22	Frankland and Duppa	J., 8, 577	v., 1076
	Zinc dipropide	ZnPr ₂	C ₆ H ₁₄ Zn	142-143	Gladstone & Tribe	B. S., 19, 552; 21, 130	
	„ „ (B., 6, 1137)	„	„	146	Liquid	„	J. [1873], 518	26, 968; 39, 6
	„ „	„	„	148	Schtscherbakow	B., 14, 1711	
	„ „	„	„	150	Pape	B., 14, 1873	
	„ „	„	„	158-160	Cahours	B. S. [2], 20, 190	
	„ diisobutide	ZnBu ₂	C ₈ H ₁₈ Zn	166	Thurnlackh	A., 223, 166	46, 1117
	„ „ (B. S., 21, 357)	„	„	185-188	Liquid	Cahours	C. R., 77, 1403	27, 349
„ diisoamyl (A., 130, 122)	Zn(C ₅ H ₁₁) ₂	C ₁₀ H ₂₂ Zn	220	Frankland	J., 16, 473	v., 1075	
„ „ (A., 85, 360)	„	„	220	Gladstone & Tribe	26, 680	

Name.	Constitution.	Formula.	Boiling Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Zinc ethylbromide	ZnEtBr	C ₂ H ₅ BrZn	62	Gladstone & Tribe	27, 411	vii., 478
Zinc acetate	Zn(OAc) ₂	C ₄ H ₆ O ₄ Zn	190-195	Larocque	B., 12, 13	
" " (A., 34, 220)....	"	"	241-242	Franchimont	"	36, 452
" " ...	"	"	+2H ₂ O	235-237	"	"	"
" methoxysuccinate	CO ₂ .CH(OMe).CH ₂ .CO ₂ .Zn	C ₅ H ₆ O ₆ Zn	d. 220	Purdie	47, 864, 872
" β-hydroxypropionate	[CH ₂ (OH).CH ₂ .CO ₂] ₂ Zn	C ₆ H ₁₀ O ₆ Zn	+4H ₂ O	b. 60	Wislicenus	J. p. [2], 7, 44	24, 236
" valerate	(C ₄ H ₉ .CO ₂) ₂ Zn	C ₁₀ H ₁₈ O ₄ Zn	140	v., 977
" methylpropylacetate	(CHMePr ^α .CO ₂) ₂ Zn	C ₁₂ H ₂₂ O ₄ Zn	72	Liebermann	B., 17, 920	46, 1120
" " "	"	"	72	Kelbe & Warth	B., 15, 310	
" œnanthylate	(C ₆ H ₁₃ .CO ₂) ₂ Zn	C ₁₄ H ₂₆ O ₄ Zn	130	Grimshaw	26, 1079	vii., 870
" " " "	"	"	131-132	Franchimont	A., 165, 237	"
" octylate	(C ₇ H ₁₅ .CO ₂) ₂ Zn	C ₁₆ H ₃₀ O ₄ Zn	135-136	Remsen	A., 171, 380	27, 1155
" caprylate	"	"	136	"	"	"
" β-benzoylbenzoate	(C ₆ H ₄ Bz.CO ₂) ₂ Zn	C ₂₅ H ₁₈ O ₆ Zn	+2H ₂ O	140	Plascuda	B., 7, 987	26, 75
" oleate	(C ₁₇ H ₃₃ .CO ₂) ₂ Zn	C ₃₆ H ₆₆ O ₄ Zn	b. 100	Chevreul	Recherches, 205	iv., 194
Oxalmethyline + ZnCl ₂	(C ₄ H ₆ N ₂ .HCl) ₂ .ZnCl ₂	C ₈ H ₁₄ Cl ₄ N ₄ Zn	128	Wallach and Schulze	B., 14, 423	40, 572
Ethylglyoxaline methyl-zincochloride	(C ₃ H ₃ N : NEt.MeCl) ₂ .ZnCl ₂	C ₁₂ H ₂₂ Cl ₄ N ₄ Zn	157-159	Wallach	B., 16, 535	44, 911
Oxalpropyline + ZnCl ₂ ...	(C ₃ H ₁₄ N ₂ .HCl) ₂ .ZnCl ₂	C ₁₆ H ₃₀ Cl ₄ N ₄ Zn	92	Wallach and Schulze	B., 14, 424	40, 573
Oxalisoamyliisoamyline + ZnCl ₂	[C ₇ H ₁₁ (C ₅ H ₁₁)N ₂ .HCl] ₂ .ZnCl ₂	C ₂₄ H ₄₆ Cl ₄ N ₄ Zn	86-87	Radziszewsky and Szul	B., 17, 1296	46, 986
Malachite green zincochloride	3(C ₂₃ H ₂₄ N ₂ .HCl).2ZnCl ₂	C ₆₉ H ₇₅ Cl ₇ N ₆ Zn ₂	130 d.	Doebner	B., 13, 2224	40, 165
Triethylphosphine oxide + ZnI ₂	2(Et ₃ PO).ZnI ₂	C ₁₂ H ₃₀ I ₂ O ₂ P ₂ Zn	99	iv., 613

PART III.

1. Vapour tension and boiling point tables of simple substances.
2. Ditto of mixed substances, such as mixed liquids and saline solutions.
3. Freezing and melting points of mixtures, including cryohydrates.
4. Miscellaneous melting and boiling point data, such as melting and boiling points of fats, oils, &c.
5. Volumes and corresponding years of issue of the more important chemical and physical periodicals.
6. Alphabetical index of root carbon compounds.

N.B.—When there are several series of observations of the vapour tensions or boiling points of the same substance the series which is considered the most reliable is frequently indicated by an asterisk.

I.—VAPOUR TENSION AND BOILING POINT TABLES OF SIMPLE SUBSTANCES.

Mercury.—*Regnault*, M.A.S. 21, 502; 26, 520; P.A. 111, 411; *Watts' Dict.*, iii., 94. *Ramsay and Young*, 47, 656; 49, 37. *Carnelley*. Results obtained in 1880, but not yet published.

°	Ramsay and Young.	Regnault.	Carnelley.	Hagen.	Hertz.	°	Ramsay and Young.	Regnault.	Carnelley.
	mm.	mm.	mm.	mm.	mm.		mm.	mm.	mm.
0	...	0.0200	[0.00021]	0.015	0.00019	360	785.107	797.74	800.
10	...	0.0268		0.018	0.00050	365	855.223		
20	...	0.0372		0.021	0.0013	370	930.335	954.65	960.
30	*	0.0530		0.026	0.0029	375	1010.47		
40	0.008	0.0767		0.033	0.0063	380	1096.22	1139.65	1120.
50	0.015	0.1120		0.042	0.013	385	1186.67		
60	0.029	0.1643		0.055	0.026	390	1283.71	1346.71	1390.
70	0.052	0.2410		0.074	0.050	395	1386.60		
80	0.092	0.3528		0.102	0.093	400	1495.60	1587.96	1629.
90	0.160	0.5142		0.144	0.165	405	1611.19		
100	0.270	0.7455		0.210	0.285	410	1733.79	1863.73	1830.
107	...	1.000				415	1863.36		
110	0.445	1.0734		...	0.478	420	2000.21	2177.53	2120.
120	0.719	1.5341	[0.51]	...	0.779	425	2145.57		
130	1.137	2.1752		...	1.24	430	2298.80	2533.01	2420.
135	1.409					435	2459.41		
140	1.754	3.0592		...	1.93	440	2628.79	2933.99	2800.
145	2.172			...		445	2807.53		
150	2.680	4.2664		...	2.93	450	2996.06	3384.35	3179.
155	3.287			...		455	3192.69		
160	4.013	5.9002		...	4.38	460	3399.50	3888.14	3530.
165	4.879			...		465	3616.22		
170	5.904	8.0912		...	6.41	470	3843.68	4449.45	3950.
175	7.116			...		475	4080.10		
180	8.535	11.00		...	9.23	480	4327.14	5072.43	4500.
185	10.204			...		485	4585.95		
190	12.137	14.84		...	13.07	490	4856.74	5761.32	4950.
195	14.403					495	5139.89		
200	17.015	19.90		16.0	18.25	500	5434.99	6520.25	5446.
205	20.028					505	5741.86		
210	23.482	26.35		...	25.12	510	6059.16	7353.44	5930.
215	27.447					515	6391.49		
220	31.957	34.70		...	34.90	520	6736.60	8264.96	6553.
225	37.083	...		W., 16, 618; N., 26, 167	W., 17, 199				
230	42.919	45.35							
235	49.466								
240	56.919	58.82							
245	65.241								
250	74.592	75.75							
255	85.010								
260	96.661	96.73							
265	109.556								
270	123.905	123.01	122.3						
275	139.802								
280	157.378	155.17	157.8						
285	176.733								
290	197.982	194.46	201.0						
295	221.251								
300	246.704	242.15	254.0						
305	274.443								
310	304.794	299.69							
315	337.753	...	333.0						
320	373.528	368.73	350.0						
325	412.249								
330	454.277	450.91	425.0						
335	499.656								
340	548.715	548.35	525.0						
345	601.583								
350	658.515	663.18	650.0						
355	719.772								

Bromine.
Ramsay and Young.
49, 458.

° s.	mm.
-16.65	20
-14.	25
-12.	30
-10.05	35
- 8.4	40
- 7.0	45
- 7.1 m.p.	
- 5.05 l.	50
+ 8.20	100
16.95	150
23.45	200
33.05	300
40.45	400
46.80	500
51.95	600
56.30	700
58.75	760

Hydrogen.

c.t.—174.2 (98.9 ats.)
calc^d Sarrau, W. 20,
254; b.p.—215 (760)
calc^d Mills, C.N. 50,
179; compressed—140
(650 ats.), and pressure
released gives momen-
tary liquefaction and
solidification. Pictet,
C.R. 86, 106; viii., 857;
liquefies in boiling O
(100—200 ats.). Wroblew-
ski and Olzewski;
approaches liquefac-
tion—200. Wroblew-
ski, M.C. 6, 204; 48,
715; grey cloud—208
to —211, *ibid.*; C.R.
100, 982; 48, 861; does
not obey Charles' Law,
b. — 193, *ibid.*; still
gaseous—220 (180 ats.).
Olzewski, C.R. 101,
238; 48, 1101.

Iodine.—Ramsay and
Young. 49, 460.

°	mm.
85 s.	20
92.2	30
102.15	50
109.05	70
114.15	90
114.2 m.p.	
117.0 l.	100
128.9	150
137.05	200
150.7	300
160.9	400
169.05	500
176.0	600
182.0	700
185.3	700

The following have been obtained by
Ramsay and Young.

P.	T.	T.
mm.	°	°
10	177.0	184.3
50	233.9	235.5
100	261.3	261.2
150	278.5	277.97
200	291.3	290.44
300	310.0	309.21
400	324.0	323.44
500	335.2	335.03
600	344.7	344.87
700	352.9	353.48
800	360.1	361.0
900	366.8	368.0
1000	372.4	374.2
1500	396.2	400.1
2000	...	420.0
3000	...	450.1
5000	...	492.6
	P. M. [5], 20, 524	P. M. [5], 21, 51

<p>Nitrogen.</p> <p>c.—29 (300 ats.) and suddenly released. Cailletêt, C.R. 85; A.C. [5], 15, 132.</p> <hr/> <p>b.p.—123·8 (42·1 ats.), calcd. Sarrau, C.R. [1882].</p> <hr/> <p>Olzewski, C.R. 99, 133; 100, 350; 101, 238; B. r. 18, 136; 48, 1257; 48, 475; 48, 1101 :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—225</td><td>4</td></tr> <tr><td>s.—214</td><td>60</td></tr> <tr><td>—213</td><td>(i.v.)</td></tr> <tr><td>—194·4</td><td>760</td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—160·5</td><td>17</td></tr> <tr><td>—148·2</td><td>31</td></tr> <tr><td>c.t.—146</td><td>35</td></tr> </table> <hr/> <p>Wroblewski, C.R. 100, 979; 102, 1011; M.C. 6, 204; B. r. 18, 312; 48, 715, 861 :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—206</td><td>42</td></tr> <tr><td>—204</td><td>60</td></tr> <tr><td>s.—203</td><td>65</td></tr> <tr><td>—202·5</td><td>70</td></tr> <tr><td>—202·</td><td>79·8</td></tr> <tr><td>—201·7</td><td>80</td></tr> <tr><td>—201·25</td><td>100</td></tr> <tr><td>—201·</td><td>120</td></tr> <tr><td>—193·</td><td>740</td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—193·2</td><td>1</td></tr> <tr><td>—153·7</td><td>20·7</td></tr> <tr><td>—146·6</td><td>32·2</td></tr> <tr><td>c.t.—146·35</td><td>32·08</td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—146·45</td><td>32·40</td></tr> <tr><td>—146·55</td><td>32·28</td></tr> <tr><td>—146·5</td><td>32·14</td></tr> <tr><td>—146·7</td><td>31·98</td></tr> </table> <hr/> <table border="0"> <tr><td>°</td><td>ats.</td></tr> <tr><td>—146·81</td><td>31·25</td></tr> <tr><td>—147·0</td><td>30·905</td></tr> <tr><td>—147·45</td><td>30·59</td></tr> <tr><td>—147·65</td><td>30·305</td></tr> <tr><td>—147·72</td><td>30·025</td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—146·85</td><td>31·47</td></tr> <tr><td>—147·3</td><td>30·556</td></tr> <tr><td>—147·67</td><td>29·945</td></tr> <tr><td>—148·02</td><td>29·322</td></tr> <tr><td>—148·205</td><td>28·657</td></tr> </table>	°	mm.	—225	4	s.—214	60	—213	(i.v.)	—194·4	760	°	ats.	—160·5	17	—148·2	31	c.t.—146	35	°	mm.	—206	42	—204	60	s.—203	65	—202·5	70	—202·	79·8	—201·7	80	—201·25	100	—201·	120	—193·	740	°	ats.	—193·2	1	—153·7	20·7	—146·6	32·2	c.t.—146·35	32·08	°	ats.	—146·45	32·40	—146·55	32·28	—146·5	32·14	—146·7	31·98	°	ats.	—146·81	31·25	—147·0	30·905	—147·45	30·59	—147·65	30·305	—147·72	30·025	°	ats.	—146·85	31·47	—147·3	30·556	—147·67	29·945	—148·02	29·322	—148·205	28·657	<p>Nitrogen (continued) :—</p> <table border="0"> <tr><td>°</td><td>ats.</td></tr> <tr><td>—148·91</td><td>27·465</td></tr> <tr><td>—149·15</td><td>26·867</td></tr> <tr><td>—149·925</td><td>26·414</td></tr> <tr><td>—150·05</td><td>25·93</td></tr> <tr><td>—150·4</td><td>25·093</td></tr> <tr><td>—150·9</td><td>24·896</td></tr> <tr><td>—151·01</td><td>24·465</td></tr> <tr><td>—151·2</td><td>23·578</td></tr> <tr><td>—151·55</td><td>23·217</td></tr> <tr><td>—151·79</td><td>23·087</td></tr> <tr><td>—151·925</td><td>22·877</td></tr> <tr><td>—153·24</td><td>21·462</td></tr> <tr><td>—153·46</td><td>21·103</td></tr> <tr><td>—153·67</td><td>20·672</td></tr> <tr><td>—153·95</td><td>19·521</td></tr> <tr><td>—154·15</td><td>19·027</td></tr> <tr><td>—154·35</td><td>18·693</td></tr> <tr><td>—154·85</td><td>18·573</td></tr> <tr><td>—155·04</td><td>18·193</td></tr> </table> <p>The following observations were obtained with rising pressure :—</p> <table border="0"> <tr><td>°</td><td>ats.</td></tr> <tr><td>—160·22</td><td>14·09</td></tr> <tr><td>—159·61</td><td>14·48</td></tr> <tr><td>—158·85</td><td>14·93</td></tr> <tr><td>—158·125</td><td>15·26</td></tr> <tr><td>—157·675</td><td>15·46</td></tr> <tr><td>—157·54</td><td>15·395</td></tr> <tr><td>—158·57</td><td>15·00</td></tr> <tr><td>—159·51</td><td>14·605</td></tr> <tr><td>—160·06</td><td>14·07</td></tr> <tr><td>—147·5</td><td>30·845</td></tr> <tr><td>—147·45</td><td>30·945</td></tr> <tr><td>—147·35</td><td>31·04</td></tr> <tr><td>—147·2</td><td>31·145</td></tr> </table> <p>Oxygen.</p> <p>—140 (320 ats.) and pressure suddenly released produces momentary liquefaction. Pictêt, C.R. 85, 1214, 1276; 86, 37, 106; C.N. 37, 1, 83; viii., 857.</p> <p>—29 (300 ats.) and pressure suddenly released produces liquefaction.</p>	°	ats.	—148·91	27·465	—149·15	26·867	—149·925	26·414	—150·05	25·93	—150·4	25·093	—150·9	24·896	—151·01	24·465	—151·2	23·578	—151·55	23·217	—151·79	23·087	—151·925	22·877	—153·24	21·462	—153·46	21·103	—153·67	20·672	—153·95	19·521	—154·15	19·027	—154·35	18·693	—154·85	18·573	—155·04	18·193	°	ats.	—160·22	14·09	—159·61	14·48	—158·85	14·93	—158·125	15·26	—157·675	15·46	—157·54	15·395	—158·57	15·00	—159·51	14·605	—160·06	14·07	—147·5	30·845	—147·45	30·945	—147·35	31·04	—147·2	31·145	<p>Oxygen (continued) :—</p> <p>Cailletêt, C.R. 85; A.C. [5], 15, 132. c.t.—113 (<i>ibid.</i>). C.R. 86, 97; N. 32, 584.</p> <p>c.t.—113 (50 ats.) quoted by Dewar, P.M. [5], 18, 214=Wroblewski, C.R. 97, 309.</p> <table border="0"> <tr><td>m.b.</td><td>°</td><td>* mm.</td></tr> <tr><td>—211·5</td><td></td><td>4·</td></tr> <tr><td>—211·5</td><td></td><td>9·</td></tr> <tr><td>—181·4</td><td></td><td>760·</td></tr> <tr><td>—175·4</td><td></td><td>2·16</td></tr> <tr><td>—166·1</td><td></td><td>4·25</td></tr> <tr><td>—159·9</td><td></td><td>6·23</td></tr> <tr><td>—155·6</td><td></td><td>8·23</td></tr> <tr><td>—151·6</td><td></td><td>10·24</td></tr> <tr><td>—148·6</td><td></td><td>12·3</td></tr> <tr><td>—146·8</td><td></td><td>13·7</td></tr> <tr><td>—130·3</td><td></td><td>32·6</td></tr> <tr><td>—129·0</td><td></td><td>34·4</td></tr> <tr><td>—128·0</td><td></td><td>36·3</td></tr> <tr><td>—126·8</td><td></td><td>38·1</td></tr> <tr><td>—125·6</td><td></td><td>40·4</td></tr> <tr><td>—124·0</td><td></td><td>43·0</td></tr> <tr><td>—122·6</td><td></td><td>45·5</td></tr> <tr><td>—121·6</td><td></td><td>46·7</td></tr> <tr><td>—120·7</td><td></td><td>47·6</td></tr> <tr><td>—119·5</td><td></td><td>49·7</td></tr> <tr><td>c.t.—118·8</td><td></td><td>50·8</td></tr> </table> <p>Olzewski, C.R. 100, 351; B. r. 18, 137.</p> <p>Wroblewski, C.R. 100, 981; 102, 1010; M.C. 6, 204; B. r. 18, 312; 19, 382; 48, 715, 861 :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—200·4 is still liquid</td><td>20</td></tr> <tr><td>—199·95</td><td>22</td></tr> <tr><td>—199·4</td><td>26</td></tr> <tr><td>—199·25</td><td>28</td></tr> <tr><td>—198·7</td><td>30</td></tr> <tr><td>—198·7</td><td>32</td></tr> <tr><td>—198·3</td><td>36</td></tr> <tr><td>—198·</td><td>38</td></tr> <tr><td>—197·7</td><td>40</td></tr> <tr><td>—197·5</td><td>42</td></tr> <tr><td>—196·6</td><td>44</td></tr> <tr><td>—196·3</td><td>47</td></tr> <tr><td>—196·2</td><td>50</td></tr> <tr><td>—196·0</td><td>52</td></tr> <tr><td>—195·5</td><td>54</td></tr> <tr><td>—195·44</td><td>56</td></tr> <tr><td>—195·3</td><td>58</td></tr> </table>	m.b.	°	* mm.	—211·5		4·	—211·5		9·	—181·4		760·	—175·4		2·16	—166·1		4·25	—159·9		6·23	—155·6		8·23	—151·6		10·24	—148·6		12·3	—146·8		13·7	—130·3		32·6	—129·0		34·4	—128·0		36·3	—126·8		38·1	—125·6		40·4	—124·0		43·0	—122·6		45·5	—121·6		46·7	—120·7		47·6	—119·5		49·7	c.t.—118·8		50·8	°	mm.	—200·4 is still liquid	20	—199·95	22	—199·4	26	—199·25	28	—198·7	30	—198·7	32	—198·3	36	—198·	38	—197·7	40	—197·5	42	—196·6	44	—196·3	47	—196·2	50	—196·0	52	—195·5	54	—195·44	56	—195·3	58	<p>Oxygen (continued) :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—195·13</td><td>59</td></tr> <tr><td>—194·4</td><td>60</td></tr> <tr><td>—194·2</td><td>62</td></tr> <tr><td>—193·58</td><td>64</td></tr> <tr><td>—193·1</td><td>68</td></tr> <tr><td>—192·71</td><td>71</td></tr> <tr><td>—192·53</td><td>74</td></tr> <tr><td>—192·31</td><td>76</td></tr> <tr><td>—192·3</td><td>77</td></tr> <tr><td>—192·13</td><td>78</td></tr> <tr><td>—191·98</td><td>80</td></tr> <tr><td>—191·88</td><td>82</td></tr> <tr><td>—191·6</td><td>84</td></tr> <tr><td>—191·35</td><td>86</td></tr> <tr><td>—190·8</td><td>90</td></tr> <tr><td>—190·5</td><td>100</td></tr> <tr><td>—190·05</td><td>140</td></tr> <tr><td>—190·0</td><td>160</td></tr> <tr><td>—181·5</td><td>740</td></tr> <tr><td>c.t.—118·0</td><td>ats. 50</td></tr> </table> <hr/> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—123·7</td><td>43·5</td></tr> <tr><td>—124·3</td><td>42·4</td></tr> <tr><td>—124·85</td><td>41·47</td></tr> <tr><td>—125·2</td><td>41·15</td></tr> <tr><td>—125·4</td><td>40·75</td></tr> <tr><td>—125·55</td><td>40·34</td></tr> <tr><td>—125·9</td><td>39·91</td></tr> <tr><td>—126·3</td><td>39·41</td></tr> <tr><td>—126·8</td><td>39·09</td></tr> <tr><td>—127·1</td><td>38·68</td></tr> <tr><td>—127·5</td><td>38·25</td></tr> <tr><td>—127·85</td><td>37·94</td></tr> <tr><td>—128·0</td><td>37·53</td></tr> <tr><td>—128·6</td><td>37·03</td></tr> </table> <hr/> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—129·0</td><td>36·61</td></tr> <tr><td>—129·2</td><td>36·22</td></tr> <tr><td>—129·3</td><td>35·91</td></tr> <tr><td>—129·5</td><td>35·55</td></tr> <tr><td>—129·8</td><td>35·28</td></tr> <tr><td>—130·1</td><td>34·86</td></tr> <tr><td>—130·05</td><td>34·65</td></tr> <tr><td>—130·8</td><td>34·32</td></tr> <tr><td>—131·1</td><td>34·07</td></tr> <tr><td>—131·45</td><td>33·75</td></tr> <tr><td>—131·7</td><td>33·49</td></tr> <tr><td>—131·8</td><td>33·19</td></tr> <tr><td>—132·0</td><td>32·94</td></tr> <tr><td>—132·3</td><td>32·65</td></tr> <tr><td>—132·6</td><td>32·4</td></tr> </table> <hr/> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—133·2</td><td>31·675</td></tr> <tr><td>—134·1</td><td>30·51</td></tr> <tr><td>—135·1</td><td>29·46</td></tr> <tr><td>—135·85</td><td>28·395</td></tr> <tr><td>—136·8</td><td>27·35</td></tr> <tr><td>—137·65</td><td>26·45</td></tr> </table>	°	mm.	—195·13	59	—194·4	60	—194·2	62	—193·58	64	—193·1	68	—192·71	71	—192·53	74	—192·31	76	—192·3	77	—192·13	78	—191·98	80	—191·88	82	—191·6	84	—191·35	86	—190·8	90	—190·5	100	—190·05	140	—190·0	160	—181·5	740	c.t.—118·0	ats. 50	°	mm.	—123·7	43·5	—124·3	42·4	—124·85	41·47	—125·2	41·15	—125·4	40·75	—125·55	40·34	—125·9	39·91	—126·3	39·41	—126·8	39·09	—127·1	38·68	—127·5	38·25	—127·85	37·94	—128·0	37·53	—128·6	37·03	°	mm.	—129·0	36·61	—129·2	36·22	—129·3	35·91	—129·5	35·55	—129·8	35·28	—130·1	34·86	—130·05	34·65	—130·8	34·32	—131·1	34·07	—131·45	33·75	—131·7	33·49	—131·8	33·19	—132·0	32·94	—132·3	32·65	—132·6	32·4	°	mm.	—133·2	31·675	—134·1	30·51	—135·1	29·46	—135·85	28·395	—136·8	27·35	—137·65	26·45	<p>Oxygen (continued) :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—138·15</td><td>25·65</td></tr> <tr><td>—138·7</td><td>25·04</td></tr> <tr><td>—140·46</td><td>23·28</td></tr> <tr><td>—140·69</td><td>22·09</td></tr> <tr><td>—141·17</td><td>21·21</td></tr> <tr><td>—141·58</td><td>20·63</td></tr> <tr><td>—142·48</td><td>19·97</td></tr> <tr><td>—142·97</td><td>19·39</td></tr> <tr><td>—143·27</td><td>19·10</td></tr> <tr><td>—143·85</td><td>18·61</td></tr> <tr><td>—144·17</td><td>18·22</td></tr> <tr><td>—144·4</td><td>17·98</td></tr> <tr><td>—144·63</td><td>17·74</td></tr> <tr><td>—144·97</td><td>17·38</td></tr> <tr><td>—145·2</td><td>17·20</td></tr> <tr><td>—145·3</td><td>17·02</td></tr> <tr><td>—145·52</td><td>16·83</td></tr> <tr><td>—145·72</td><td>16·62</td></tr> <tr><td>—145·89</td><td>16·37</td></tr> </table> <hr/> <p>Ramsay and Young, P.M. [5], 21, 42–44. Calculated from Olzewski and Wroblewski's numbers :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—209·5</td><td>9</td></tr> <tr><td>—201·4</td><td>50</td></tr> <tr><td>—197·2</td><td>100</td></tr> <tr><td>—194·4</td><td>150</td></tr> <tr><td>—189·5</td><td>300</td></tr> <tr><td>—187·5</td><td>400</td></tr> <tr><td>—185·5</td><td>500</td></tr> <tr><td>—184·0</td><td>600</td></tr> <tr><td>—182·6</td><td>700</td></tr> <tr><td>—181·4</td><td>800</td></tr> <tr><td>—179·3</td><td>1000</td></tr> <tr><td>—175·1</td><td>1500</td></tr> <tr><td>—172·0</td><td>2000</td></tr> <tr><td>—167·1</td><td>3000</td></tr> <tr><td>—160·0</td><td>5000</td></tr> <tr><td>—148·6</td><td>10000</td></tr> <tr><td>—140·8</td><td>15000</td></tr> <tr><td>—134·5</td><td>20000</td></tr> <tr><td>—125·1</td><td>30000</td></tr> <tr><td>—117·4</td><td>40000</td></tr> </table> <hr/> <p>Air.</p> <p>(Mixture of N and O.) Cailletêt, C.R. 85, 1016; J. [1877], 68 :—</p> <table border="0"> <tr><td>°</td><td>ats.</td></tr> <tr><td>c.—27</td><td>300</td></tr> <tr><td>suddenly released.</td><td></td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—140</td><td>200</td></tr> </table>	°	mm.	—138·15	25·65	—138·7	25·04	—140·46	23·28	—140·69	22·09	—141·17	21·21	—141·58	20·63	—142·48	19·97	—142·97	19·39	—143·27	19·10	—143·85	18·61	—144·17	18·22	—144·4	17·98	—144·63	17·74	—144·97	17·38	—145·2	17·20	—145·3	17·02	—145·52	16·83	—145·72	16·62	—145·89	16·37	°	mm.	—209·5	9	—201·4	50	—197·2	100	—194·4	150	—189·5	300	—187·5	400	—185·5	500	—184·0	600	—182·6	700	—181·4	800	—179·3	1000	—175·1	1500	—172·0	2000	—167·1	3000	—160·0	5000	—148·6	10000	—140·8	15000	—134·5	20000	—125·1	30000	—117·4	40000	°	ats.	c.—27	300	suddenly released.		°	ats.	—140	200	<p>Air (continued) :—</p> <p>Waals, W.B. 1, 10 :—</p> <table border="0"> <tr><td>°</td><td>ats.</td></tr> <tr><td>c.t.—158</td><td>14·5</td></tr> </table> <p>Wroblewski, C.N. 51, 174; M.C. 6, 204; C.R. 102, 1011; 48, 715 :—</p> <table border="0"> <tr><td>°</td><td>ats.</td></tr> <tr><td>—191·2</td><td>1</td></tr> <tr><td>°</td><td>mm.</td></tr> <tr><td>—187 to</td><td>740</td></tr> <tr><td>—191·4</td><td></td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—146·6</td><td>45</td></tr> </table> <p>Olzewski, C.R. 99, 184; 101, 239; 46, 1257; 48, 1101 :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—220</td><td>10</td></tr> <tr><td>—205</td><td>(i. v.)</td></tr> <tr><td>°</td><td>mm.</td></tr> <tr><td>—191·4</td><td>760</td></tr> <tr><td>°</td><td>ats.</td></tr> <tr><td>—176</td><td>40</td></tr> <tr><td>—169</td><td>6·8</td></tr> <tr><td>—160·5</td><td>12·5</td></tr> <tr><td>—158·5</td><td>14·0</td></tr> <tr><td>—152·0</td><td>20·</td></tr> <tr><td>—146</td><td>27·5</td></tr> <tr><td>—142</td><td>33·</td></tr> <tr><td>c.t.—140</td><td>39·</td></tr> </table> <hr/> <p>Mixture of 1 vol. Air and 1 vol. N. Olzewski, C.R. 101, 239; 48, 1101 :—</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>—220</td><td>13</td></tr> <tr><td>Still liquid</td><td>4</td></tr> </table> <hr/> <p>Mixture of 2 vols. H and 1 vol. O. <i>Ibid.</i> :— Remains liquid at —213° and under high pressure.</p>	°	ats.	c.t.—158	14·5	°	ats.	—191·2	1	°	mm.	—187 to	740	—191·4		°	ats.	—146·6	45	°	mm.	—220	10	—205	(i. v.)	°	mm.	—191·4	760	°	ats.	—176	40	—169	6·8	—160·5	12·5	—158·5	14·0	—152·0	20·	—146	27·5	—142	33·	c.t.—140	39·	°	mm.	—220	13	Still liquid	4	<p>Phosphorus.</p> <p>Joubert, C.R. [1874]; B., 7, 1038.</p> <table border="0"> <tr><td>°</td><td>mm.</td></tr> <tr><td>5</td><td>·03</td></tr> <tr><td>10</td><td>·05</td></tr> <tr><td>20</td><td>·11</td></tr> <tr><td>30</td><td>·25</td></tr> <tr><td>40</td><td>·48</td></tr> <tr><td>100</td><td>3·44</td></tr> </table>	°	mm.	5	·03	10	·05	20	·11	30	·25	40	·48	100	3·44
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—225	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
s.—214	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—213	(i.v.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—194·4	760																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—160·5	17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—148·2	31																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
c.t.—146	35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—206	42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—204	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
s.—203	65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—202·5	70																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—202·	79·8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—201·7	80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—201·25	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—201·	120																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—193·	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—193·2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—153·7	20·7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·6	32·2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
c.t.—146·35	32·08																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·45	32·40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·55	32·28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·5	32·14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·7	31·98																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·81	31·25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·0	30·905																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·45	30·59																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·65	30·305																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·72	30·025																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·85	31·47																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·3	30·556																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·67	29·945																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—148·02	29·322																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—148·205	28·657																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—148·91	27·465																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—149·15	26·867																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—149·925	26·414																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—150·05	25·93																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—150·4	25·093																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—150·9	24·896																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—151·01	24·465																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—151·2	23·578																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—151·55	23·217																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—151·79	23·087																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—151·925	22·877																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—153·24	21·462																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—153·46	21·103																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—153·67	20·672																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—153·95	19·521																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—154·15	19·027																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—154·35	18·693																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—154·85	18·573																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—155·04	18·193																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—160·22	14·09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—159·61	14·48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—158·85	14·93																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—158·125	15·26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—157·675	15·46																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—157·54	15·395																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—158·57	15·00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—159·51	14·605																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—160·06	14·07																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·5	30·845																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·45	30·945																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·35	31·04																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—147·2	31·145																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
m.b.	°	* mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—211·5		4·																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—211·5		9·																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—181·4		760·																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—175·4		2·16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—166·1		4·25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—159·9		6·23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—155·6		8·23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—151·6		10·24																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—148·6		12·3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—146·8		13·7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—130·3		32·6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—129·0		34·4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—128·0		36·3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—126·8		38·1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—125·6		40·4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—124·0		43·0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—122·6		45·5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—121·6		46·7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—120·7		47·6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
—119·5		49·7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
c.t.—118·8		50·8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—200·4 is still liquid	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—199·95	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—199·4	26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—199·25	28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—198·7	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—198·7	32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—198·3	36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—198·	38																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—197·7	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—197·5	42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—196·6	44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—196·3	47																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—196·2	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—196·0	52																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—195·5	54																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—195·44	56																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—195·3	58																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—195·13	59																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—194·4	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—194·2	62																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—193·58	64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—193·1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—192·71	71																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—192·53	74																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—192·31	76																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—192·3	77																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—192·13	78																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·98	80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·88	82																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·6	84																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·35	86																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—190·8	90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—190·5	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—190·05	140																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—190·0	160																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—181·5	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
c.t.—118·0	ats. 50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—123·7	43·5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—124·3	42·4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—124·85	41·47																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—125·2	41·15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—125·4	40·75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—125·55	40·34																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—125·9	39·91																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—126·3	39·41																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—126·8	39·09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—127·1	38·68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—127·5	38·25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—127·85	37·94																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—128·0	37·53																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—128·6	37·03																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—129·0	36·61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—129·2	36·22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—129·3	35·91																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—129·5	35·55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—129·8	35·28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—130·1	34·86																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—130·05	34·65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—130·8	34·32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—131·1	34·07																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—131·45	33·75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—131·7	33·49																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—131·8	33·19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—132·0	32·94																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—132·3	32·65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—132·6	32·4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—133·2	31·675																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—134·1	30·51																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—135·1	29·46																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—135·85	28·395																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—136·8	27·35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—137·65	26·45																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—138·15	25·65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—138·7	25·04																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—140·46	23·28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—140·69	22·09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—141·17	21·21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—141·58	20·63																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—142·48	19·97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—142·97	19·39																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—143·27	19·10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—143·85	18·61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—144·17	18·22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—144·4	17·98																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—144·63	17·74																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—144·97	17·38																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—145·2	17·20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—145·3	17·02																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—145·52	16·83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—145·72	16·62																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—145·89	16·37																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—209·5	9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—201·4	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—197·2	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—194·4	150																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—189·5	300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—187·5	400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—185·5	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—184·0	600																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—182·6	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—181·4	800																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—179·3	1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—175·1	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—172·0	2000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—167·1	3000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—160·0	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—148·6	10000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—140·8	15000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—134·5	20000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—125·1	30000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—117·4	40000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
c.—27	300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
suddenly released.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—140	200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
c.t.—158	14·5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—187 to	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146·6	45																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—220	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—205	(i. v.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—191·4	760																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	ats.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—176	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—169	6·8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—160·5	12·5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—158·5	14·0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—152·0	20·																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—146	27·5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—142	33·																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
c.t.—140	39·																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
—220	13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Still liquid	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
°	mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
5	·03																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
10	·05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
20	·11																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
30	·25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
40	·48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
100	3·44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—				
°	mm.	°	mm.	°	ats.	°	mm.	c.t. 370 (195 ats.), calcd., Strauss, W.B. [1883], 676.	°	mm.	°	mm.		
153	3879.18	214	15497.17	133.91	3	83.0	400		-14.2			1.5366		
154	3982.77	215	15801.33	144.00	4	88.7	500			.1		1.5492		
155	4088.56	216	16109.94	152.22	5	93.5	600		-14.0			1.5618		
156	4196.59	217	16423.15	159.22	6	97.7	700		-13.9			1.5745		
157	4306.88	218	16740.90	165.34	7	100.0	760			.8		1.5874		
158	4419.45	219	17063.29	170.81	8	101.45	800			.7		1.6004		
159	4534.36	220	17390.36	175.77	9	104.8	900			.6		1.6135		
160	4651.62	221	17722.13	180.31	10	107.85	1000			.5		1.6267		
161	4771.28	222	18058.64	184.50	11	120.2	1500			.4		1.6399		
162	4893.36	223	18399.94	188.41	12	129.5	2000			.3		1.6532		
163	5017.91	224	18746.07	192.08	13	143.5	3000			.2		1.6667		
164	5144.97	225	19097.04	195.53	14	154.2	4000			.1		1.6803		
165	5274.54	226	19452.92			162.85	5000			*		1.6939		
166	5406.69	227	19813.76			170.1	6000			°	mm.	1.7076		
167	5541.43	228	20179.61			177.0	7000			-19.0	1.0288	-12.9	1.7214	
168	5678.82	229	20550.48			182.9	8000			-18.9	1.0376		.8	1.7353
169	5818.90	230	20926.40			189.65	10000			.8	1.0465		.7	1.7493
170	5961.66					192.65	15000			.7	1.0555		.6	1.7634
171	6107.19					212.3	20000			.6	1.0646		.5	1.7776
172	6255.48					227.5				.5	1.0737		.4	1.7920
173	6406.60									.4	1.0828		.3	1.8065
174	6560.55									.3	1.0920		.2	1.8210
175	6717.43									.2	1.1013		.1	1.8357
176	6877.22									.1	1.1107		-12.0	1.8504
177	7039.97									-18.0	1.1202		-11.9	1.8653
178	7205.72									-17.9	1.1298		.8	1.8802
179	7374.52									.8	1.1394		.7	1.8953
180	7546.39									.7	1.1491		.6	1.9105
181	7721.37									.6	1.1588		.5	1.9258
182	7899.52									.5	1.1686		.4	1.9412
183	8080.84									.4	1.1785		.3	1.9567
184	8265.40									.3	1.1885		.2	1.9723
185	8453.23									.2	1.1985		.1	1.9880
186	8644.35									.1	1.2086		-11.0	2.0038
187	8838.82									-17.0	1.2187		-10.9	2.0198
188	9036.68									-16.9	1.2290		.8	2.0359
189	9237.95									.8	1.2393		.7	2.0520
190	9442.70									.7	1.2497		.6	2.0683
191	9650.93									.6	1.2602		.5	2.0847
192	9862.71									.5	1.2707		.4	2.1012
193	10078.04									.4	1.2814		.3	2.1178
194	10297.01									.3	1.2922		.2	2.1346
195	10519.63									.2	1.3030		.1	2.1514
196	10745.95									.1	1.3139		-10.0	2.1683
197	10975.00									-16.0	1.3248		- 9.9	2.1854
198	11209.82									-15.9	1.3358		.8	2.2026
199	11447.46									.8	1.3470		.7	2.2199
200	11688.96									.7	1.3582		.6	2.2374
201	11934.37									.6	1.3695		.5	2.2550
202	12183.69									.5	1.3809		.4	2.2727
203	12437.00									.4	1.3924		.3	2.2905
204	12694.30									.3	1.4039		.2	2.3085
205	12955.66									.2	1.4155		.1	2.3266
206	13221.12									.1	1.4272		- 9.0	2.3448
207	13490.75									-15.0	1.4390		- 8.9	2.3632
208	13764.53									-14.9	1.4509		.8	2.3816
209	14042.52									.8	1.4629		.7	2.4002
210	14324.80									.7	1.4750		.6	2.4189
211	14611.32									.6	1.4872		.5	2.4378
212	14902.22									.5	1.4994		.4	2.4567
213	15197.48									.4	1.5117		.3	2.4758
										.3	1.5241		.2	2.4950

Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
-8.1	2.4950	-2.0	3.9499	4.1	6.1118	10.2	9.2623	16.3	13.7705	22.4	20.1130
-8.0	2.5143	-1.9	3.9790	4.2	6.1546	10.3	9.3241	16.4	13.8582	22.5	20.2355
-7.9	2.5338	8	4.0082	4.3	6.1977	10.4	9.3863	16.5	13.9464	22.6	20.3586
8	2.5534	7	4.0376	4.4	6.2410	10.5	9.4488	16.6	14.0351	22.7	20.4824
7	2.5731	6	4.0672	4.5	6.2846	10.6	9.5117	16.7	14.1243	22.8	20.6068
6	2.5930	5	4.0970	4.6	6.3285	10.7	9.5750	16.8	14.2141	22.9	20.7319
5	2.6130	4	4.1271	4.7	6.3727	10.8	9.6387	16.9	14.3043	23.0	20.8576
4	2.6332	3	4.1574	4.8	6.4171	10.9	9.7027	17.0	14.3950	23.1	20.9840
3	2.6535	2	4.1878	4.9	6.4618	11.0	9.7671	17.1	14.4862	23.2	21.1110
2	2.6740	1	4.2185	5.0	6.5067	11.1	9.8318	17.2	14.5779	23.3	21.2388
1	2.6946	-1.0	4.2493	5.1	6.5519	11.2	9.8969	17.3	14.6702	23.4	21.3672
-7.0	2.7153	-0.9	4.2803	5.2	6.5974	11.3	9.9624	17.4	14.7630	23.5	21.4964
-6.9	2.7362	8	4.3116	5.3	6.6432	11.4	10.0283	17.5	14.8563	23.6	21.6262
8	2.7572	7	4.3430	5.4	6.6893	11.5	10.0946	17.6	14.9501	23.7	21.7567
7	2.7784	6	4.3747	5.5	6.7357	11.6	10.1614	17.7	15.0444	23.8	21.8879
6	2.7997	5	4.4065	5.6	6.7824	11.7	10.2285	17.8	15.1392	23.9	22.0198
5	2.8211	4	4.4385	5.7	6.8293	11.8	10.2960	17.9	15.2345	24.0	22.1524
4	2.8427	3	4.4708	5.8	6.8765	11.9	10.3639	18.0	15.3304	24.1	22.2857
3	2.8644	2	4.5032	5.9	6.9240	12.0	10.4322	18.1	15.4268	24.2	22.4196
2	2.8863	1	4.5359	6.0	6.9718	12.1	10.5009	18.2	15.5237	24.3	22.5543
1	2.9083	0.0	4.5687	6.1	7.0198	12.2	10.5700	18.3	15.6212	24.4	22.6898
-6.0	2.9304	+0.1	4.6017	6.2	7.0682	12.3	10.6394	18.4	15.7192	24.5	22.8259
-5.9	2.9527	2	4.6350	6.3	7.1168	12.4	10.7093	18.5	15.8178	24.6	22.9628
8	2.9751	3	4.6685	6.4	7.1658	12.5	10.7796	18.6	15.9169	24.7	23.1003
7	2.9977	4	4.7022	6.5	7.2150	12.6	10.8503	18.7	16.0166	24.8	23.2386
6	3.0205	5	4.7361	6.6	7.2646	12.7	10.9214	18.8	16.1168	24.9	23.3777
5	3.0434	6	4.7703	6.7	7.3145	12.8	10.9928	18.9	16.2176	25.0	23.5174
4	3.0665	7	4.8047	6.8	7.3647	12.9	11.0647	19.0	16.3189	25.1	23.6579
3	3.0898	8	4.8393	6.9	7.4152	13.0	11.1370	19.1	16.4208	25.2	23.7991
2	3.1132	9	4.8741	7.0	7.4660	13.1	11.2097	19.2	16.5233	25.3	23.9411
1	3.1368	1.0	4.9091	7.1	7.5171	13.2	11.2829	19.3	16.6263	25.4	24.0838
-5.0	3.1605	1	4.9443	7.2	7.5685	13.3	11.3564	19.4	16.7299	25.5	24.2272
-4.9	3.1844	2	4.9798	7.3	7.6202	13.4	11.4304	19.5	16.8341	25.6	24.3714
8	3.2084	3	5.0155	7.4	7.6722	13.5	11.5048	19.6	16.9388	25.7	24.5164
7	3.2326	4	5.0515	7.5	7.7246	13.6	11.5797	19.7	17.0441	25.8	24.6620
6	3.2570	5	5.0877	7.6	7.7772	13.7	11.6550	19.8	17.1499	25.9	24.8084
5	3.2815	6	5.1240	7.7	7.8302	13.8	11.7307	19.9	17.2563	26.0	24.9556
4	3.3062	7	5.1606	7.8	7.8834	13.9	11.8069	20.0	17.3632	26.1	25.1035
3	3.3310	8	5.1975	7.9	7.9370	14.0	11.8835	20.1	17.4707	26.2	25.2523
2	3.3560	9	5.2346	8.0	7.9909	14.1	11.9605	20.2	17.5789	26.3	25.4018
1	3.3812	2.0	5.2719	8.1	8.0452	14.2	12.0380	20.3	17.6877	26.4	25.5521
-4.0	3.4065	1	5.3094	8.2	8.0998	14.3	12.1159	20.4	17.7971	26.5	25.7032
-3.9	3.4320	2	5.3472	8.3	8.1547	14.4	12.1943	20.5	17.9071	26.6	25.8551
8	3.4576	3	5.3852	8.4	8.2099	14.5	12.2731	20.6	18.0176	26.7	26.0077
7	3.4834	4	5.4235	8.5	8.2655	14.6	12.3523	20.7	18.1288	26.8	26.1612
6	3.5095	5	5.4620	8.6	8.3214	14.7	12.4320	20.8	18.2406	26.9	26.3155
5	3.5357	6	5.5008	8.7	8.3777	14.8	12.5122	20.9	18.3529	27.0	26.4705
4	3.5620	7	5.5398	8.8	8.4342	14.9	12.5928	21.0	18.4659	27.1	26.6263
3	3.5886	8	5.5790	8.9	8.4911	15.0	12.6739	21.1	18.5795	27.2	26.7830
2	3.6153	9	5.6185	9.0	8.5484	15.1	12.7554	21.2	18.6937	27.3	26.9405
1	3.6422	3.0	5.6582	9.1	8.6061	15.2	12.8374	21.3	18.8085	27.4	27.0987
-3.0	3.6693	1	5.6981	9.2	8.6641	15.3	12.9198	21.4	18.9240	27.5	27.2578
-2.9	3.6966	2	5.7383	9.3	8.7224	15.4	13.0027	21.5	19.0400	27.6	27.4177
8	3.7240	3	5.7788	9.4	8.7810	15.5	13.0861	21.6	19.1567	27.7	27.5784
7	3.7516	4	5.8195	9.5	8.8400	15.6	13.1700	21.7	19.2740	27.8	27.7399
6	3.7794	5	5.8605	9.6	8.8993	15.7	13.2543	21.8	19.3920	27.9	27.9023
5	3.8074	6	5.9017	9.7	8.9589	15.8	13.3392	21.9	19.5105	28.0	28.0654
4	3.8355	7	5.9432	9.8	9.0189	15.9	13.4245	22.0	19.6297	28.1	28.2294
3	3.8638	8	5.9850	9.9	9.0792	16.0	13.5103	22.1	19.7496	28.2	28.3942
2	3.8923	9	6.0270	10.0	9.1398	16.1	13.5965	22.2	19.8701	28.3	28.5599
1	3.9210	4.0	6.0693	10.1	9.2009	16.2	13.6832	22.3	19.9912	28.4	28.7265

Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
28·5	28·8939	34·6	40·8664	40·7	56·9540	46·8	78·2696	52·9	106·1351	59·0	142·0973
·6	29·0622	·7	41·0942	·8	57·2580	·9	78·6697	53·0	106·6546	·1	142·7640
·7	29·2313	·8	41·3231	·9	57·5633	47·0	79·0714	·1	107·1764	·2	143·4334
·8	29·4013	·9	41·5531	41·0	57·8700	·1	79·4749	·2	107·7005	·3	144·1054
·9	29·5722	35·0	41·7842	·1	58·1781	·2	79·8802	·3	108·2268	·4	144·7801
29·0	29·7439	·1	42·0164	·2	58·4877	·3	80·2874	·4	108·7553	·5	145·4575
·1	29·9165	·2	42·2498	·3	58·7988	·4	80·6963	·5	109·2860	·6	146·1376
·2	30·0900	·3	42·4843	·4	59·1113	·5	81·1071	·6	109·8190	·7	146·8204
·3	30·2644	·4	42·7199	·5	59·4252	·6	81·5197	·7	110·3542	·8	147·5059
·4	30·4396	·5	42·9567	·6	59·7406	·7	81·9341	·8	110·8916	·9	148·1940
·5	30·6157	·6	43·1946	·7	60·0575	·8	82·3503	·9	111·4312	60·0	148·8848
·6	30·7928	·7	43·4337	·8	60·3758	·9	82·7684	54·0	111·9730	·1	149·5784
·7	30·9707	·8	43·6739	·9	60·6955	48·0	83·1883	·1	112·5171	·2	150·2747
·8	31·1494	·9	43·9152	42·0	61·0167	·1	83·6100	·2	113·0634	·3	150·9738
·9	31·3291	36·0	44·1577	·1	61·3394	·2	84·0336	·3	113·6120	·4	151·6757
30·0	31·5096	·1	44·4013	·2	61·6636	·3	84·4590	·4	114·1629	·5	152·3804
·1	31·6910	·2	44·6462	·3	61·9893	·4	84·8862	·5	114·7161	·6	153·0879
·2	31·8734	·3	44·8922	·4	62·3164	·5	85·3153	·6	115·2716	·7	153·7982
·3	32·0567	·4	45·1394	·5	62·6450	·6	85·7462	·7	115·8293	·8	154·5112
·4	32·2410	·5	45·3878	·6	62·9751	·7	86·1789	·8	116·3893	·9	155·2270
·5	32·4262	·6	45·6374	·7	63·3067	·8	86·6135	·9	116·9516	61·0	155·9456
·6	32·6124	·7	45·8882	·8	63·6398	·9	87·0499	55·0	117·5162	·1	156·6671
·7	32·7995	·8	46·1402	·9	63·9744	49·0	87·4882	·1	118·0831	·2	157·3914
·8	32·9875	·9	46·3934	43·0	64·3104	·1	87·9284	·2	118·6524	·3	158·1186
·9	33·1765	37·0	46·6477	·1	64·6479	·2	88·3705	·3	119·2241	·4	158·8486
31·0	33·3664	·1	46·9032	·2	64·9870	·3	88·8146	·4	119·7982	·5	159·5815
·1	33·5573	·2	47·1600	·3	65·3277	·4	89·2606	·5	120·3746	·6	160·3173
·2	33·7491	·3	47·4180	·4	65·6700	·5	89·7086	·6	120·9534	·7	161·0559
·3	33·9419	·4	47·6773	·5	66·0138	·6	90·1586	·7	121·5346	·8	161·7974
·4	34·1356	·5	47·9378	·6	66·3593	·7	90·6105	·8	122·1182	·9	162·5417
·5	34·3303	·6	48·1996	·7	66·7063	·8	91·0644	·9	122·7042	62·0	163·2889
·6	34·5259	·7	48·4626	·8	67·0549	·9	91·5202	56·0	123·2925	·1	164·0390
·7	34·7225	·8	48·7268	·9	67·4050	50·0	91·9780	·1	123·8832	·2	164·7921
·8	34·9201	·9	48·9923	44·0	67·7568	·1	92·4378	·2	124·4764	·3	165·5482
·9	35·1186	38·0	49·2590	·1	68·1101	·2	92·8995	·3	125·0720	·4	166·3073
32·0	35·3181	·1	49·5270	·2	68·4650	·3	93·3632	·4	125·6700	·5	167·0693
·1	35·5186	·2	49·7963	·3	68·8215	·4	93·8289	·5	126·2705	·6	167·8342
·2	35·7201	·3	50·0668	·4	69·1796	·5	94·2966	·6	126·8734	·7	168·6021
·3	35·9226	·4	50·3386	·5	69·5393	·6	94·7662	·7	127·4788	·8	169·3730
·4	36·1261	·5	50·6117	·6	69·9006	·7	95·2378	·8	128·0866	·9	170·1468
·5	36·3307	·6	50·8861	·7	70·2636	·8	95·7114	·9	128·6968	63·0	170·9236
·6	36·5363	·7	51·1618	·8	70·6281	·9	96·1869	57·0	129·3095	·1	171·7034
·7	36·7429	·8	51·4388	·9	70·9942	51·0	96·6644	·1	129·9247	·2	172·4863
·8	36·9505	·9	51·7170	45·0	71·3619	·1	97·1439	·2	130·5424	·3	173·2722
·9	37·1592	39·0	51·9965	·1	71·7313	·2	97·6255	·3	131·1627	·4	174·0611
33·0	37·3689	·1	52·2773	·2	72·1024	·3	98·1093	·4	131·7855	·5	174·8531
·1	37·5796	·2	52·5595	·3	72·4751	·4	98·5951	·5	132·4108	·6	175·6481
·2	37·7914	·3	52·8430	·4	72·8495	·5	99·0830	·6	133·0386	·7	176·4461
·3	38·0042	·4	53·1279	·5	73·2256	·6	99·5730	·7	133·6689	·8	177·2472
·4	38·2180	·5	53·4141	·6	73·6034	·7	100·0651	·8	134·3017	·9	178·0513
·5	38·4329	·6	53·7016	·7	73·9829	·8	100·5594	·9	134·9371	64·0	178·8585
·6	38·6488	·7	53·9905	·8	74·3641	·9	101·0557	58·0	135·5750	·1	179·6688
·7	38·8657	·8	54·2807	·9	74·7469	52·0	101·5541	·1	136·2154	·2	180·4822
·8	39·0837	·9	54·5722	46·0	75·1314	·1	102·0547	·2	136·8585	·3	181·2988
·9	39·3027	40·0	54·8651	·1	75·5176	·2	102·5573	·3	137·5042	·4	182·1185
34·0	39·5228	·1	55·1594	·2	75·9056	·3	103·0621	·4	138·1525	·5	182·9414
·1	39·7440	·2	55·4550	·3	76·2953	·4	103·5690	·5	138·8034	·6	183·7674
·2	39·9663	·3	55·7521	·4	76·6867	·5	104·0780	·6	139·4569	·7	184·5965
·3	40·1897	·4	56·0505	·5	77·0799	·6	104·5891	·7	140·1131	·8	185·4288
·4	40·4142	·5	56·3503	·6	77·4748	·7	105·1023	·8	140·7719	·9	186·2642
·5	40·6398	·6	56·6515	·7	77·8713	·8	105·6176	·9	141·4333	65·0	187·1028

Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
65·1	187·9446	71·2	245·7230	77·3	317·7607	83·4	406·7006	89·5	515·5583	95·6	647·8118
·2	188·7896	·3	246·7821	·4	319·0747	·5	408·3157	·6	517·5275	·7	650·1966
·3	189·6378	·4	247·8451	·5	320·3933	·6	409·9362	·7	519·5031	·8	652·5889
·4	190·4893	·5	248·9120	·6	321·7165	·7	411·5621	·8	521·4849	·9	654·9885
·5	191·3440	·6	249·9828	·7	323·0442	·8	413·1934	·9	523·4731	96·0	657·3956
·6	192·2020	·7	251·0575	·8	324·3765	·9	414·8301	90·0	525·4676	·1	659·8101
·7	193·0632	·8	252·1361	·9	325·7134	84·0	416·4721	·1	527·4685	·2	662·2321
·8	193·9277	·9	253·2185	78·0	327·0549	·1	418·1196	·2	529·4757	·3	664·6616
·9	194·7954	72·0	254·3048	·1	328·4010	·2	419·7725	·3	531·4893	·4	667·0985
66·0	195·6663	·1	255·3950	·2	329·7518	·3	421·4309	·4	533·5093	·5	669·5430
·1	196·5405	·2	256·4892	·3	331·1073	·4	423·0948	·5	535·5358	·6	671·9951
·2	197·4180	·3	257·5874	·4	332·4674	·5	424·7642	·6	537·5687	·7	674·4547
·3	198·2989	·4	258·6895	·5	333·8321	·6	426·4390	·7	539·6080	·8	676·9219
·4	199·1831	·5	259·7955	·6	335·2016	·7	428·1194	·8	541·6538	·9	679·3967
·5	200·0707	·6	260·9055	·7	336·5757	·8	429·8053	·9	543·7062	97·0	681·8791
·6	200·9616	·7	262·0194	·8	337·9546	·9	431·4968	91·0	545·7650	·1	684·3692
·7	201·8558	·8	263·1373	·9	339·3382	85·0	433·1938	·1	547·8303	·2	686·8669
·8	202·7534	·9	264·2591	79·0	340·7265	·1	434·8964	·2	549·9022	·3	689·3723
·9	203·6543	73·0	265·3849	·1	342·1196	·2	436·6046	·3	551·9807	·4	691·8854
67·0	204·5586	·1	266·5148	·2	343·5174	·3	438·3184	·4	554·0657	·5	694·4062
·1	205·4662	·2	267·6488	·3	344·9200	·4	440·0378	·5	556·1573	·6	696·9348
·2	206·3773	·3	268·7869	·4	346·3274	·5	441·7628	·6	558·2555	·7	699·4712
·3	207·2918	·4	269·9290	·5	347·7396	·6	443·4935	·7	560·3604	·8	702·0153
·4	208·2097	·5	271·0752	·6	349·1566	·7	445·2298	·8	562·4719	·9	704·5673
·5	209·1311	·6	272·2254	·7	350·5784	·8	446·9719	·9	564·5900	98·0	707·1271
·6	210·0559	·7	273·3798	·8	352·0051	·9	448·7196	92·0	566·7149	·1	709·6947
·7	210·9841	·8	274·5382	·9	353·4366	86·0	450·4730	·1	568·8465	·2	712·2702
·8	211·9158	·9	275·7008	80·0	354·8730	·1	452·2321	·2	570·9847	·3	714·8536
·9	212·8509	74·0	276·8675	·1	356·3143	·2	453·9969	·3	573·1297	·4	717·4449
68·0	213·7895	·1	278·0383	·2	357·7604	·3	455·7675	·4	575·2815	·5	720·0442
·1	214·7316	·2	279·2133	·3	359·2115	·4	457·5438	·5	577·4400	·6	722·6514
·2	215·6772	·3	280·3925	·4	360·6675	·5	459·3260	·6	579·6053	·7	725·2665
·3	216·6264	·4	281·5758	·5	362·1284	·6	461·1139	·7	581·7775	·8	727·8897
·4	217·5791	·5	282·7633	·6	363·5943	·7	462·9077	·8	583·9564	·9	730·5209
·5	218·5353	·6	283·9550	·7	365·0651	·8	464·7073	·9	586·1422	99·0	733·1602
·6	219·4950	·7	285·1509	·8	366·5409	·9	466·5127	93·0	588·3349	·1	735·8075
·7	220·4583	·8	286·3510	·9	368·0217	87·0	468·3240	·1	590·5344	·2	738·4629
·8	221·4250	·9	287·5554	81·0	369·5075	·1	470·1412	·2	592·7408	·3	741·1265
·9	222·3953	75·0	288·7640	·1	370·9983	·2	471·9644	·3	594·9542	·4	743·7981
69·0	223·3691	·1	289·9769	·2	372·4941	·3	473·7934	·4	597·1744	·5	746·4779
·1	224·3464	·2	291·1940	·3	373·9950	·4	475·6284	·5	599·4016	·6	749·1659
·2	225·3274	·3	292·4154	·4	375·5009	·5	477·4693	·6	601·6358	·7	751·8621
·3	226·3121	·4	293·6411	·5	377·0119	·6	479·3162	·7	603·8770	·8	754·5665
·4	227·3005	·5	294·8711	·6	378·5279	·7	481·1619	·8	606·1251	·9	757·2791
·5	228·2925	·6	296·1054	·7	380·0491	·8	483·0278	·9	608·3804	100·0	760·0000
·6	229·2882	·7	297·3440	·8	381·5753	·9	484·8927	94·0	610·6426	·1	762·7272
·7	230·2876	·8	298·5870	·9	383·1067	88·0	486·7635	·1	612·9119	·2	765·4666
·8	231·2907	·9	299·8343	82·0	384·6432	·1	488·6403	·2	615·1883	·3	768·2124
·9	232·2975	76·0	303·0860	·1	386·1848	·2	490·5232	·3	617·4718	·4	770·9666
70·0	233·3079	·1	302·3421	·2	387·7316	·3	492·4121	·4	619·7624	·5	773·7291
·1	234·3220	·2	303·6025	·3	389·2836	·4	494·3071	·5	622·0602	·6	776·5000
·2	235·3399	·3	304·8674	·4	390·8407	·5	496·2083	·6	624·3651	·7	779·2793
·3	236·3615	·4	306·1367	·5	392·4031	·6	498·1155	·7	626·6772	·8	782·0670
·4	237·3867	·5	307·4104	·6	393·9706	·7	500·0288	·8	628·9965	·9	784·8632
·5	238·4157	·6	308·6885	·7	395·5434	·8	501·9483	·9	631·3230	101·0	787·6678
·6	239·4484	·7	309·9711	·8	397·1214	·9	503·8740	95·0	633·6567		
·7	240·4848	·8	311·2582	·9	398·7047	89·0	505·8059	·1	635·9976		
·8	241·5249	·9	312·5497	83·0	400·2933	·1	507·7439	·2	638·3459		
·9	242·5687	77·0	313·8457	·1	401·8872	·2	509·6881	·3	640·7014		
71·0	243·6163	·1	315·1462	·2	403·4863	·3	511·6386	·4	643·0642		
·1	244·6677	·2	316·4512	·3	405·0908	·4	513·5953	·5	645·4343		

Boiling Points of Water
at different pressures.
Ibid. 46 [1881].

°	mm.
96·9243	680·0
·9284	·1

Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
96·9324	680·2	97·1813	686·4	97·4284	692·6	97·6736	698·8	97·9169	705·0	98·1585	711·2
·9364	·3	·1853	·5	·4323	·7	·6775	·9	·9208	·1	·1624	·3
·9404	·4	·1893	·6	·4363	·8	·6814	699·0	·9247	·2	·1662	·4
·9445	·5	·1933	·7	·4403	·9	·6854	·1	·9286	·3	·1701	·5
·9485	·6	·1973	·8	·4442	693·0	·6893	·2	·9326	·4	·1740	·6
·9525	·7	·2013	·9	·4482	·1	·6933	·3	·9365	·5	·1779	·7
·9566	·8	·2053	687·0	·4522	·2	·6972	·4	·9404	·6	·1818	·8
·9606	·9	·2093	·1	·4561	·3	·7011	·5	·9443	·7	·1856	·9
·9646	681·0	·2133	·2	·4601	·4	·7051	·6	·9482	·8	·1895	712·0
·9686	·1	·2173	·3	·4641	·5	·7090	·7	·9521	·9	·1934	·1
·9727	·2	·2213	·4	·4680	·6	·7129	·8	·9560	706·0	·1973	·2
·9767	·3	·2253	·5	·4720	·7	·7169	·9	·9599	·1	·2012	·3
·9807	·4	·2293	·6	·4760	·8	·7208	700·0	·9638	·2	·2050	·4
·9847	·5	·2333	·7	·4799	·9	·7247	·1	·9677	·3	·2089	·5
·9888	·6	·2373	·8	·4839	694·0	·7287	·2	·9716	·4	·2128	·6
·9928	·7	·2413	·9	·4879	·1	·7326	·3	·9755	·5	·2167	·7
·9968	·8	·2453	688·0	·4918	·2	·7365	·4	·9794	·6	·2205	·8
97·0008	·9	·2493	·1	·4958	·3	·7405	·5	·9833	·7	·2244	·9
·0049	682·0	·2532	·2	·4997	·4	·7444	·6	·9872	·8	·2283	713·0
·0089	·1	·2572	·3	·5037	·5	·7483	·7	·9911	·9	·2322	·1
·0129	·2	·2612	·4	·5077	·6	·7523	·8	·9950	707·0	·2360	·2
·0169	·3	·2652	·5	·5116	·7	·7562	·9	·9989	·1	·2399	·3
·0209	·4	·2692	·6	·5156	·8	·7601	701·0	98·0028	·2	·2438	·4
·0250	·5	·2732	·7	·5195	·9	·7641	·1	·0067	·3	·2476	·5
·0290	·6	·2772	·8	·5235	695·0	·7680	·2	·0106	·4	·2515	·6
·0330	·7	·2812	·9	·5275	·1	·7719	·3	·0145	·5	·2554	·7
·0370	·8	·2852	689·0	·5314	·2	·7758	·4	·0184	·6	·2592	·8
·0410	·9	·2891	·1	·5354	·3	·7798	·5	·0223	·7	·2631	·9
·0451	683·0	·2931	·2	·5393	·4	·7837	·6	·0262	·8	·2670	714·0
·0491	·1	·2971	·3	·5433	·5	·7876	·7	·0301	·9	·2709	·1
·0531	·2	·3011	·4	·5472	·6	·7915	·8	·0340	708·0	·2747	·2
·0571	·3	·3051	·5	·5512	·7	·7955	·9	·0379	·1	·2786	·3
·0611	·4	·3091	·6	·5551	·8	·7994	702·0	·0418	·2	·2825	·4
·0651	·5	·3130	·7	·5591	·9	·8033	·1	·0457	·3	·2863	·5
·0691	·6	·3170	·8	·5631	696·0	·8072	·2	·0496	·4	·2902	·6
·0732	·7	·3210	·9	·5670	·1	·8112	·3	·0535	·5	·2941	·7
·0772	·8	·3250	690·0	·5710	·2	·8151	·4	·0574	·6	·2979	·8
·0812	·9	·3290	·1	·5749	·3	·8190	·5	·0613	·7	·3018	·9
·0852	684·0	·3330	·2	·5789	·4	·8229	·6	·0652	·8	·3057	715·0
·0892	·1	·3369	·3	·5828	·5	·8269	·7	·0691	·9	·3095	·1
·0932	·2	·3409	·4	·5868	·6	·8308	·8	·0730	709·0	·3134	·2
·0972	·3	·3449	·5	·5907	·7	·8347	·9	·0769	·1	·3172	·3
·1012	·4	·3489	·6	·5947	·8	·8386	703·0	·0808	·2	·3211	·4
·1052	·5	·3529	·7	·5986	·9	·8425	·1	·0846	·3	·3250	·5
·1092	·6	·3568	·8	·6026	697·0	·8465	·2	·0885	·4	·3288	·6
·1133	·7	·3608	·9	·6065	·1	·8504	·3	·0924	·5	·3327	·7
·1173	·8	·3648	691·0	·6105	·2	·8543	·4	·0963	·6	·3366	·8
·1213	·9	·3688	·1	·6144	·3	·8582	·5	·1002	·7	·3404	·9
·1253	685·0	·3727	·2	·6184	·4	·8621	·6	·1041	·8	·3443	716·0
·1293	·1	·3767	·3	·6223	·5	·8660	·7	·1080	·9	·3481	·1
·1333	·2	·3807	·4	·6262	·6	·8700	·8	·1119	710·0	·3520	·2
·1373	·3	·3847	·5	·6302	·7	·8739	·9	·1158	·1	·3558	·3
·1413	·4	·3886	·6	·6341	·8	·8778	704·0	·1196	·2	·3597	·4
·1453	·5	·3926	·7	·6381	·9	·8817	·1	·1235	·3	·3636	·5
·1493	·6	·3966	·8	·6420	698·0	·8856	·2	·1274	·4	·3674	·6
·1533	·7	·4006	·9	·6460	·1	·8895	·3	·1313	·5	·3713	·7
·1573	·8	·4045	692·0	·6499	·2	·8934	·4	·1352	·6	·3751	·8
·1613	·9	·4085	·1	·6539	·3	·8974	·5	·1391	·7	·3790	·9
·1653	686·0	·4125	·2	·6578	·4	·9013	·6	·1429	·8	·3829	717·0
·1693	·1	·4165	·3	·6617	·5	·9052	·7	·1468	·9	·3867	·1
·1733	·2	·4204	·4	·6657	·6	·9091	·8	·1507	711·0	·3906	·2
·1773	·3	·4244	·5	·6696	·7	·9130	·9	·1546	·1	·3944	·3

Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—		Water (continued):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
98·3983	717·4	98·6363	723·6	98·8726	729·8	99·1073	736·0	99·3402	742·2	99·5715	748·4
·4021	·5	·6401	·7	·8764	·9	·1110	·1	·3440	·3	·5752	·5
·4060	·6	·6440	·8	·8802	730·0	·1148	·2	·3477	·4	·5790	·6
·4098	·7	·6478	·9	·8840	·1	·1186	·3	·3514	·5	·5827	·7
·4137	·8	·6516	724·0	·8878	·2	·1223	·4	·3552	·6	·5864	·8
·4175	·9	·6554	·1	·8916	·3	·1261	·5	·3589	·7	·5901	·9
·4214	718·0	·6593	·2	·8954	·4	·1299	·6	·3627	·8	·5938	749·0
·4252	·1	·6631	·3	·8992	·5	·1336	·7	·3664	·9	·5975	·1
·4291	·2	·6669	·4	·9030	·6	·1374	·8	·3702	743·0	·6013	·2
·4329	·3	·6707	·5	·9068	·7	·1412	·9	·3739	·1	·6050	·3
·4368	·4	·6745	·6	·9106	·8	·1449	737·0	·3776	·2	·6087	·4
·4406	·5	·6784	·7	·9144	·9	·1487	·1	·3814	·3	·6124	·5
·4445	·6	·6822	·8	·9182	731·0	·1525	·2	·3851	·4	·6161	·6
·4483	·7	·6860	·9	·9220	·1	·1562	·3	·3889	·5	·6198	·7
·4522	·8	·6898	725·0	·9258	·2	·1600	·4	·3926	·6	·6235	·8
·4560	·9	·6936	·1	·9295	·3	·1638	·5	·3963	·7	·6273	·9
·4599	719·0	·6975	·2	·9333	·4	·1675	·6	·4001	·8	·6310	750·0
·4637	·1	·7013	·3	·9371	·5	·1713	·7	·4038	·9	·6347	·1
·4676	·2	·7051	·4	·9409	·6	·1751	·8	·4075	744·0	·6384	·2
·4714	·3	·7089	·5	·9447	·7	·1788	·9	·4113	·1	·6421	·3
·4752	·4	·7127	·6	·9485	·8	·1826	738·0	·4150	·2	·6458	·4
·4791	·5	·7165	·7	·9523	·9	·1863	·1	·4187	·3	·6495	·5
·4829	·6	·7204	·8	·9561	732·0	·1901	·2	·4225	·4	·6532	·6
·4868	·7	·7242	·9	·9599	·1	·1939	·3	·4262	·5	·6569	·7
·4906	·8	·7280	726·0	·9637	·2	·1976	·4	·4299	·6	·6606	·8
·4945	·9	·7318	·1	·9674	·3	·2014	·5	·4337	·7	·6643	·9
·4983	720·0	·7356	·2	·9712	·4	·2051	·6	·4374	·8	·6681	751·0
·5021	·1	·7394	·3	·9750	·5	·2089	·7	·4412	·9	·6718	·1
·5060	·2	·7432	·4	·9788	·6	·2127	·8	·4449	745·0	·6755	·2
·5098	·3	·7471	·5	·9826	·7	·2164	·9	·4486	·1	·6792	·3
·5137	·4	·7509	·6	·9864	·8	·2202	739·0	·4523	·2	·6829	·4
·5175	·5	·7547	·7	·9902	·9	·2239	·1	·4561	·3	·6866	·5
·5213	·6	·7585	·8	·9939	733·0	·2277	·2	·4598	·4	·6903	·6
·5252	·7	·7623	·9	·9977	·1	·2315	·3	·4635	·5	·6940	·7
·5290	·8	·7661	727·0	99·0015	·2	·2352	·4	·4673	·6	·6977	·8
·5329	·9	·7699	·1	·0053	·3	·2390	·5	·4710	·7	·7014	·9
·5367	721·0	·7737	·2	·0091	·4	·2427	·6	·4747	·8	·7051	752·0
·5405	·1	·7775	·3	·0128	·5	·2465	·7	·4785	·9	·7088	·1
·5444	·2	·7813	·4	·0166	·6	·2502	·8	·4822	746·0	·7126	·2
·5482	·3	·7852	·5	·0204	·7	·2540	·9	·4859	·1	·7162	·3
·5520	·4	·7890	·6	·0242	·8	·2577	740·0	·4896	·2	·7199	·4
·5559	·5	·7928	·7	·0280	·9	·2615	·1	·4934	·3	·7236	·5
·5597	·6	·7966	·8	·0318	734·0	·2652	·2	·4971	·4	·7273	·6
·5635	·7	·8004	·9	·0355	·1	·2690	·3	·5008	·5	·7310	·7
·5674	·8	·8042	728·0	·0393	·2	·2728	·4	·5045	·6	·7347	·8
·5712	·9	·8080	·1	·0431	·3	·2765	·5	·5083	·7	·7384	·9
·5750	722·0	·8118	·2	·0469	·4	·2803	·6	·5120	·8	·7421	753·0
·5789	·1	·8156	·3	·0506	·5	·2840	·7	·5157	·9	·7458	·1
·5827	·2	·8194	·4	·0544	·6	·2878	·8	·5194	747·0	·7495	·2
·5865	·3	·8232	·5	·0582	·7	·2915	·9	·5232	·1	·7532	·3
·5904	·4	·8270	·6	·0620	·8	·2953	741·0	·5269	·2	·7569	·4
·5942	·5	·8308	·7	·0658	·9	·2990	·1	·5306	·3	·7606	·5
·5980	·6	·8346	·8	·0695	735·0	·3028	·2	·5343	·4	·7643	·6
·6019	·7	·8384	·9	·0733	·1	·3065	·3	·5381	·5	·7680	·7
·6057	·8	·8422	729·0	·0771	·2	·3102	·4	·5418	·6	·7717	·8
·6095	·9	·8460	·1	·0808	·3	·3140	·5	·5455	·7	·7754	·9
·6133	723·0	·8498	·2	·0846	·4	·3177	·6	·5492	·8	·7791	754·0
·6172	·1	·8536	·3	·0884	·5	·3215	·7	·5529	·9	·7828	·1
·6210	·2	·8574	·4	·0922	·6	·3252	·8	·5567	748·0	·7865	·2
·6248	·3	·8612	·5	·0959	·7	·3290	·9	·5604	·1	·7902	·3
·6287	·4	·8650	·6	·0997	·8	·3327	742·0	·5641	·2	·7938	·4
·6325	·5	·8688	·7	·1035	·9	·3365	·1	·5678	·3	·7975	·5

Water (continued):-		Water (continued):-		Water (continued):-		Water (continued):-		Water (continued):-		Water (continued):-	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
99·8012	754·6	100·0293	760·8	100·2559	767·0	100·4809	773·2	100·7043	779·4	100·9263	785·6
·8049	·7	·0330	·9	·2595	·1	·4845	·3	·7079	·5	·9299	·7
·8086	·8	·0367	761·0	·2632	·2	·4881	·4	·7115	·6	·9334	·8
·8123	·9	·0403	·1	·2668	·3	·4917	·5	·7151	·7	·9370	·9
·8160	755·0	·0440	·2	·2704	·4	·4953	·6	·7187	·8	·9406	786·0
·8197	·1	·0477	·3	·2741	·5	·4989	·7	·7223	·9	·9441	·1
·8234	·2	·0513	·4	·2777	·6	·5026	·8	·7259	780·0	·9477	·2
·8271	·3	·0550	·5	·2814	·7	·5062	·9	·7295	·1	·9513	·3
·8308	·4	·0587	·6	·2850	·8	·5098	774·0	·7331	·2	·9548	·4
·8344	·5	·0623	·7	·2886	·9	·5134	·1	·7366	·3	·9584	·5
·8381	·6	·0660	·8	·2923	768·0	·5170	·2	·7402	·4	·9620	·6
·8418	·7	·0696	·9	·2959	·1	·5206	·3	·7438	·5	·9655	·7
·8455	·8	·0733	762·0	·2995	·2	·5242	·4	·7474	·6	·9691	·8
·8492	·9	·0770	·1	·3032	·3	·5278	·5	·7510	·7	·9727	·9
·8529	756·0	·0806	·2	·3068	·4	·5315	·6	·7546	·8	·9762	787·0
·8566	·1	·0843	·3	·3105	·5	·5351	·7	·7582	·9	·9798	·1
·8603	·2	·0880	·4	·3141	·6	·5387	·8	·7618	781·0	·9833	·2
·8639	·3	·0916	·5	·3177	·7	·5423	·9	·7653	·1	·9869	·3
·8676	·4	·0953	·6	·3214	·8	·5459	775·0	·7689	·2	·9905	·4
·8713	·5	·0989	·7	·3250	·9	·5495	·1	·7725	·3	·9940	·5
·8750	·6	·1026	·8	·3286	769·0	·5531	·2	·7761	·4	·9976	·6
·8787	·7	·1062	·9	·3323	·1	·5567	·3	·7797	·5	101·0011	·7
·8824	·8	·1099	763·0	·3359	·2	·5603	·4	·7833	·6	·0047	·8
·8860	·9	·1136	·1	·3395	·3	·5639	·5	·7868	·7	·0083	·9
·8897	757·0	·1172	·2	·3432	·4	·5675	·6	·7904	·8	·0118	788·0
·8934	·1	·1209	·3	·3468	·5	·5712	·7	·7940	·9	·0154	·1
·8971	·2	·1245	·4	·3504	·6	·5748	·8	·7976	782·0	·0189	·2
·9008	·3	·1282	·5	·3540	·7	·5784	·9	·8012	·1	·0225	·3
·9044	·4	·1318	·6	·3577	·8	·5820	776·0	·8048	·2	·0261	·4
·9081	·5	·1355	·7	·3613	·9	·5856	·1	·8083	·3	·0296	·5
·9118	·6	·1392	·8	·3649	770·0	·5892	·2	·8119	·4	·0332	·6
·9155	·7	·1428	·9	·3686	·1	·5928	·3	·8155	·5	·0367	·7
·9192	·8	·1465	764·0	·3722	·2	·5964	·4	·8191	·6	·0403	·8
·9228	·9	·1501	·1	·3758	·3	·6000	·5	·8227	·7	·0438	·9
·9265	758·0	·1538	·2	·3794	·4	·6036	·6	·8262	·8	·0474	789·0
·9302	·1	·1574	·3	·3831	·5	·6072	·7	·8298	·9	·0509	·1
·9339	·2	·1611	·4	·3867	·6	·6108	·8	·8334	783·0	·0545	·2
·9376	·3	·1647	·5	·3903	·7	·6144	·9	·8370	·1	·0581	·3
·9412	·4	·1684	·6	·3940	·8	·6180	777·0	·8406	·2	·0616	·4
·9449	·5	·1720	·7	·3976	·9	·6216	·1	·8441	·3	·0652	·5
·9486	·6	·1757	·8	·4012	771·0	·6252	·2	·8477	·4	·0687	·6
·9523	·7	·1793	·9	·4048	·1	·6288	·3	·8513	·5	·0723	·7
·9559	·8	·1830	765·0	·4085	·2	·6324	·4	·8549	·6	·0758	·8
·9596	·9	·1866	·1	·4121	·3	·6360	·5	·8584	·7	·0794	·9
·9633	759·0	·1903	·2	·4157	·4	·6396	·6	·8620	·8	·0829	790·0
·9670	·1	·1939	·3	·4193	·5	·6432	·7	·8656	·9	·0865	·1
·9706	·2	·1976	·4	·4230	·6	·6468	·8	·8692	784·0	·0900	·2
·9743	·3	·2012	·5	·4266	·7	·6504	·9	·8727	·1	·0936	·3
·9780	·4	·2049	·6	·4302	·8	·6540	778·0	·8763	·2	·0971	·4
·9816	·5	·2085	·7	·4338	·9	·6576	·1	·8799	·3	·1007	·5
·9853	·6	·2122	·8	·4374	772·0	·6612	·2	·8835	·4	·1042	·6
·9890	·7	·2158	·9	·4411	·1	·6648	·3	·8870	·5	·1078	·7
·9927	·8	·2194	766·0	·4447	·2	·6684	·4	·8906	·6	·1113	·8
·9964	·9	·2231	·1	·4483	·3	·6720	·5	·8942	·7	·1149	·9
100·0000	760·0	·2267	·2	·4519	·4	·6756	·6	·8977	·8	·1184	791·0
·0037	·1	·2304	·3	·4555	·5	·6792	·7	·9013	·9	·1220	·1
·0073	·2	·2340	·4	·4592	·6	·6828	·8	·9049	785·0	·1255	·2
·0110	·3	·2377	·5	·4628	·7	·6864	·9	·9085	·1	·1291	·3
·0147	·4	·2413	·6	·4664	·8	·6900	779·0	·9120	·2	·1326	·4
·0183	·5	·2450	·7	·4700	·9	·6936	·1	·9156	·3	·1361	·5
·0220	·6	·2486	·8	·4736	773·0	·6971	·2	·9192	·4	·1397	·6
·0257	·7	·2522	·9	·4773	·1	·7007	·3	·9227	·5	·1432	·7

<p>Methane, CH₄. Wroblewski, C.R. 99, 136; B.R. 17, 412; C.N. 51, 174; 48, 1275:—</p>	<p>Acetylene (cont.):— ° ats. 36·9 67·96 c.t. 37·05 —</p>	<p>Ethylene (cont.):— Seelig [1886]:— ° ats. c. 15 42·5</p>	<p>Benzene (cont.):— ° mm. 75 643·18 80 751·86 85 874·63 90 1012·75 95 1167·46 100 1340·05 105 1531·83 110 1744·12 115 1978·22 120 2235·44 125 2517·06 130 2824·35 135 3158·51 140 3520·73 145 3912·11 150 4333·71 155 4786·51 160 5271·43 165 5683·03 170 6340·72</p>	<p>Benzene (cont.):— ° mm. 20·1 75 79·1 725 80·1 760 Sajotschewski, W.B. 3, 741; 45, 138:— ° ats. c.t. 280·6 49·5 Dewar, P.M. [5], 18, 214; C.N. 51, 29:— ° ats. c.t. 291·7 60·4</p>	<p>Naphthalene (cont.):— ° mm. 210 639 218 760 220 808 230 1008 240 1244 250 1519 256 1704 260 [1836] 270 [2198] 280 [2606] 290 [3065] 300 [3574]</p>
<p>—155 mm. 760 —130·9 ats. 6·7 —113·4 16·4 —113 16·0 —98·2 24·9 —98 25 —86 40 —75·9 52·5 c.t. —73·5 56·8</p>	<p>Dewar, P.M. [5], 18, 214; C.N. 51, 29:— ° ats. c.t. 37 68</p>	<p>Ramsay and Young, P.M. [5], 20, 524; 21, 41:— ° mm. —150 10 —133·5 50 —126·25 100 —121·6 150 —118·1 200 —113·0 300 —109·0 400</p>	<p>175 6886·81 180 7380·00 185 7883·19 190 8386·38 195 8889·57 200 9392·76 205 9895·95 210 10399·14 215 10902·33 220 11405·52 225 11908·71 230 12411·90 235 12915·09 240 13418·28 245 13921·47 250 14424·66 255 14927·85 260 15431·04 265 15934·23 270 16437·42 275 16940·61 280 17443·80 285 17947·00 290 18450·19 295 18953·38 300 19456·57</p>	<p>Dewar, P.M. [5], 18, 214; C.N. 51, 29:— ° ats. c.t. 291·7 60·4</p>	<p>280 [3065] 290 [3065] 300 [3574]</p>
<p>Remains liquid at —160</p>	<p>Ethylene, C₂H₄. Faraday, P.T., 135, 155; C.N., 51, 174:— ° ats. —76·1 4·6 —73·3 4·82 —67·8 5·44 [—62·0 6·5] —59·4 6·89 —51·1 9·14 —45·6 11·10 —40·0 13·46 —31·7 17·75 —23·3 22·94 —17·8 26·90 c.—1·0 42·0</p>	<p>Ethane, C₂H₆. Cailletêt, C.R. 85, 851:— ° ats. 4 46 Dewar, P.M. [5], 18, 214; C.N. 51, 29:— ° ats. c.t. 35 45·2</p>	<p>Ramsay and Young, P.R., 31, 194; P.T. [1884], 464; 45, 138:— ° mm. —5·21 s. 17·60 —4·80 s. 17·90 —3·77 s. 19·60 —2·80 s. 20·80 —1·72 s. 22·35 —1·28 s. 23·40 —0·20 s. 25·50 +0·90 s. 26·70 1·20 s. 27·30 2·60 s. 29·90 2·98 l. 31·90 3·00 s. 31·40 m.p. 3·30 3·60 l. 32·55 4·01 l. 32·40 4·08 l. 33·35 4·46 l. 34·05 4·50 l. 33·20 6·32 l. 37·10 8·20 l. 40·90 9·60 l. 44·40 80·0 755·7 c.t. 291·5 ats. 90·5</p>	<p>Toluene, C₇H₈. Kahlbaum, B., 17, 1261:— ° mm. —2·2 0 +4·5 5 10·0 10 15·0 15 19·3 20 22·7 25 34·5 50 42·4 75 111·0 760</p>	<p>Turpentine, C₁₀H₁₆. Regnault, M.A.S., 26, 339; iii., 94:— ° * 0 mm. 2·07 +10 2·94 20 4·45 30 6·87 40 10·80 50 16·98 60 26·46 70 40·64 80 61·30 90 90·61 100 131·11 110 185·62 120 257·21 130 348·98 140 464·02 150 605·20 155 686·37 160 775·09 165 871·27 170 975·42 175 1090·11 180 1207·92 185 1336·45 190 1473·24</p>
<p>Olzewski, C.R. 100, 941; B.R. 18, 313; 48, 860:—</p>	<p>Olzewski, C.R. 99, 133; 101, 238; 46, 1257; 48, 1101:—</p>	<p>Amylene, C₅H₁₀. Guthrie, P.M. [5], 18, 517:— ° mm. 18·4 356·5 Dewar, P.M. [5], 18, 214; C.N. 51, 29:— ° ats. c.t. 191·6 33·9</p>	<p>Schall, B., 17, 2202, 2568:— ° mm. —3·3 0 —0·6 5 +1·3 10 3·3 15 5·1 20 6·4 25 13·8 50</p>	<p>Octane, C₈H₁₈. Lemoine, B.S. 41, 161; 48, 1106:— ° mm. 31 27 63 110 82 212 121 779</p>	<p>190 1473·24 200 19456·57 210 24179·76 215 24682·95 220 25186·14 225 25689·33 230 26192·52 235 26695·71 240 27198·90 245 27702·09 250 28205·28 255 28708·47 260 29211·66 265 29714·85 270 30218·04 275 30721·23 280 31224·42 285 31727·61 290 32230·80 295 32734·00 300 33237·19</p>
<p>—201·5 mm. 5 s. —185·8 80 —164·0 ats. 1·0 —153·8 2·24 —138·5 6·2 —126·8 11·0 —110·6 21·4 —105·8 26·3 —93·3 40·0 —85·4 49·0 c.t. —81·8 54·9</p>	<p>l.—162 mm. 1 —150·4 9·8 —148·0 12 —139·0 31 —132·0 56 —129·7 72 —126·0 107 —122 146 —115·5 246 —111 346 —108 441 —105 546 —103 750</p>	<p>Benzene, C₆H₆. Regnault, M.A.S. 26, 339; P.A. 111, 408; iii., 94:— ° mm. —20 5·79 —15 8·82 —10 12·92 —5 18·33 0 25·31 +5 34·17 10 45·25 15 58·93 20 75·65 25 95·91 30 120·24 35 149·26 40 183·62 45 224·06 50 271·37 55 326·41 60 390·10 65 463·43 70 547·42</p>	<p>Naphthalene. Carnelley. Not yet published:— ° mm. 42 [1·0] 50 [1·54] 60 [2·7] 70 [4·4] m.p. 79 [6·9] 80 [7·2] 90 [11·6] 100 [17·9] 106 23·0 110 27·1 120 40·3 130 58·6 140 83·7 150 118 160 163 170 219 180 292 190 386 200 500</p>	<p><i>Ibid.</i>, P.M. [4], 8, 271:— ° mm. 0 2·1 10 2·3 20 4·3 30 7·0 40 11·2 50 17·2 60 26·9 70 41·9 80 61·2 90 91·0 100 134·9 110 187·3 120 257·0 130 347·0 140 462·3</p>	
<p>Dewar, N. 28, 551:— ° ats. c.t. b. —100 39</p> <p><i>Ibid.</i>, P.M. [5], 18, 214; C.N. 51, 29:— ° ats. c.t. —99·5 50</p> <p>Sarrau, C.R. 94, 720:— ° ats. —75·7 46·8</p>	<p>Cailletêt, N. 32, 584:— ° mm. —103 760 Waals, P.R. 37, 354; W.B. 4, 704:— ° ats. c.t. 9·2 58</p> <p>Sarrau, C.R. 94, 846:— ° ats. c.t. 1·5 43·5 Dewar, P.M. [5], 18, 212; C.N. 51, 29:— ° ats. c.t. 10·1 51 ° mm. —140 25</p>	<p>70 547·42 75 623·71 80 709·00 85 804·29 90 909·58 95 1024·87 100 1150·16 105 1285·45 110 1430·74 115 1586·03 120 1752·32 125 1928·61 130 2114·90 135 2312·19 140 2520·48 145 2738·77 150 2967·06 155 3216·35 160 3485·64 165 3774·93 170 4085·22 175 4416·51 180 4768·80 185 5143·09 190 5544·38 195 5970·67 200 6423·96 205 6944·25 210 7501·54 215 8095·83 220 8727·12 225 9395·41 230 10100·70 235 10844·00 240 11626·30 245 12447·60 250 13308·90 255 14210·20 260 15152·50 265 16134·80 270 17157·10 275 18220·40 280 19332·70 285 20485·00 290 21687·30 295 22949·60 300 24221·90</p>	<p>210 639 218 760 220 808 230 1008 240 1244 250 1519 256 1704 260 [1836] 270 [2198] 280 [2606] 290 [3065] 300 [3574]</p>	<p>210 639 218 760 220 808 230 1008 240 1244 250 1519 256 1704 260 [1836] 270 [2198] 280 [2606] 290 [3065] 300 [3574]</p>	
<p>Acetylene, C₂H₂. Cailletêt, C.R. 85, 851:— ° ats. 1 48 10 63 18 83 25 94 31 103</p>	<p>—140 mm. 25</p>	<p>70 547·42</p>	<p>13·8 50</p>	<p>200 500</p>	<p>140 462·3</p>
<p>Ansdell, P.R. 29, 209:— ° ats. —23 11·01 —10 17·06 0 21·53 13·5 32·77 20·15 39·76 31·6 56·20</p>	<p>—140 mm. 25</p>	<p>70 547·42</p>	<p>13·8 50</p>	<p>200 500</p>	<p>140 462·3</p>

Turpentine (cont.):—		Carbon tetrachloride (continued):—		Carbon tetrachloride (continued):—		Hexachlorethane, C ₂ Cl ₆ .		Carbon tetrabromide (continued):—		Carbon monoxide (continued):—			
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	ats.		
150	604·5	115	2129·15	Winkelmann, W. 9, 372, 385 :—		Staedel and Hahn, B. 11, 1736, 1738 :—		150·0 (1)	280	—155·80	15·54		
160	777·2	120	2393·67	°	mm.	°	mm.	150·5 (2)		380	—155·35	15·70	
170	989·0	125	2682·41	6·69	47·5	185·5	776·73	160·25 (1)	430		—155·10	15·87	
180	1225·0	130	2996·88	20·86	95·0	186·4	787·70	161·0 (2)		482	—154·84	16·12	
190	1514·7	135	3338·56	28·20	123·6	187·0	800·66	165·5 (2)	558		—154·73	16·21	
200	1865·6	140	3709·04	28·56	127·9	188·7	820·60	169·5 (2)		760	—		
210	2251·2	145	4109·99	29·09	131·5	189·0	826·45	175·0 (2)	—		—151·95	18·6	
220	2690·3	150	4543·13	34·69	166·7	189·6	839·54	189·5		—	—151·6	18·91	
222	2778·5	155	5010·21	36·84	190·0	189·8	847·42	Carbon monoxide, CO.			—151·29	19·39	
Oil of lemon, C₁₀H₁₆.		160	5513·14	44·86	250·7	191	872·21	Olzewski, C.R. 99, 706 ; 48, 14 :—			—151·15	19·74	
Regnault, P.A. 111, 410 :—		165	6053·83	52·89	336·8	191·5	881·40	Solidifies —211 (i.v.).			—150·85	19·98	
°	mm.	170	6634·37	55·26	380·0	192·4	893·22	°	mm.	—190·0	760	—150·38	20·48
100	70·0	175	7256·87	59·58	427·9	193	913·21	—172·6	ats.	—172·6	4·6	—150·03	20·80
115·1	129·1	180	7923·55	68·38	574·1	193·7	919·31	—168·2	6·3	—168·2	6·3	—149·63	20·84
115·4	129·4	185	8636·78	77·16	757·5	194·4	939·25	—155·7	14·8	—155·7	14·8	—149·25	21·6
124·8	178·3	190	9399·02	ats.		194·4	939·25	—154·4	16·1	—154·4	16·1	—149·1	21·92
125·0	179·0	<i>Ibid.</i> , P.A. 111, 408 :—		76·52	1	195·5	964·18	—152·0	18·1	—152·0	18·1	—148·63	22·38
137·0	263·4	°	mm.	101·37	2	195·6	973·15	—148·8	21·5	—148·8	21·5	—148·25	22·97
147·4	357·0	0	30·5	117·90	3	196·7	992·05	—147·7	23·4	—147·7	23·4	—147·73	23·58
155·5	449·2	5	40·1	130·50	4	197	1001·00	—145·3	25·7	—145·3	25·7	—147·50	24·1
165·1	576·5	10	52·1	141·18	5	197·4	1005·06	c.t. —139·5	35·5	—145·3	25·7	—146·53	25·12
174·2	753·7	15	67·1	150·19	6	197·8	1010·05	—150·0	20·4	—150·0	20·4	—146·08	26·55
201·6	1439·7	20	85·5	158·12	7	198	1021·85	—148·8	21·5	—148·8	21·5	—145·55	27·42
223·3	2328·0	25	108	Ramsay and Young, P.M. [5], 20, 524 :—		185·0	765·02	—147·7	23·4	—147·7	23·4	—145·17	28·09
236·6	3213·5	30	135	°	mm.	185·5	779·08	—145·3	25·7	—145·3	25·7	—144·47	29·27
239·7	4374·4	35	168	8	50	185·9	790·04	—143·87	29·99	—143·87	29·99	—143·87	29·99
Carbon tetrachloride, CCl₄.		40	207	22	100	186·3	801·99	—143·55	30·63	—143·55	30·63	—143·2	31·31
Regnault, M.A.S. 26, 339 :—		45	252	31	150	187·2	820·86	—143·2	31·31	—143·2	31·31	—142·62	32·0
°	* mm.	50	305	38	200	188·0	835·86	—142·1	32·97	—142·1	32·97	—142·1	32·97
— 20	9·80	55	368	48·8	300	190·0	865·56	—141·53	33·67	—141·53	33·67	—141·26	34·42
— 15	13·55	60	440	57	400	190·2	869·76	—141·26	34·42	—141·26	34·42	—141·1	34·6 to 35·2
— 10	18·47	65	522	63·3	500	191·0	882·76	—141·1	34·6 to 35·2	—141·1	34·6 to 35·2	—140·2	39·0
— 5	24·83	70	616	69	600	193·2	930·86	<i>Ibid.</i> , C. R. 100, 351 ; 48, 476 :—			—140·2	39·0	
0	32·95	75	723	73·8	700	195·0	964·43	°	mm.	—150·0	100	Carbon dioxide, CO₂.	
+ 5	43·19	80	844	78	800	196·3	991·45	begins	°	—148·8	21·5	Faraday, P.T. 135, 155 ; i., 772 :—	
10	55·97	85	979	82	900	197·0	1009·28	s. —207	mm.	—147·7	23·4	°	ats.
15	71·73	90	1129	86	1000	198·5	1033·30	complete	b. 100	—145·3	25·7	—79·4	1·14
20	90·99	95	1296	100·9	1500	199·0	1044·16	s. —211	4	—143·87	29·99	—77·2	1·36
25	114·30	100	1481	112·3	2000	Staedel, B. 15, 2563 :—		—220·5	4	—143·55	30·63	—70·5	2·28
30	142·27	105	1684	130·1	3000	°	mm.	<i>Ibid.</i> , C. R. 100, 351 ; 48, 476 :—			—63·2	3·60	
35	175·55	110	1907	154·9	5000	186·601	800	°	mm.	—143·2	31·31	—62·0	3·75
40	214·81	115	2150	Dewar, P.M. [5], 18, 214 ; C.N. 51, 29 :—		188·0	835·86	—201·6	40	—142·62	32·0	—59·4	4·60
45	260·82	120	2415	°	ats.	188·8	853·86	—201·5	60	—142·1	32·97	—57·0	5·33
50	314·38	125	2702	c.t. 282	57·6	190·0	865·56	—199	90 to 100	—141·53	33·67	—51·0	6·75
55	376·29	130	3013	Avenarius, P.A. 151, 303 :—		191·0	882·76	—198·83	100	—141·26	34·42	—48·8	7·70
60	447·43	135	3349	°	ats.	193·2	930·86	—198·75	112	—141·1	34·6 to 35·2	—45·5	8·88
65	528·74	140	3711	c.t. 292·5	?	195·0	964·43	—198·5	120	—140·2	39·0	—40·0	11·00
70	621·15	145	4101	Hannay and Hogarth, P.R. 30, 178 ; C.N. 41, 103 :—		196·3	991·45	—198·4	140	—140·2	39·0	—36·6	12·50
75	725·66	150	4520	°	ats.	197·0	1009·28	—197·5	160	—140·2	39·0	—30·5	15·45
80	843·29	155	4970	c.t. 277·9	58·1	198·5	1033·30	—197·0	735	—140·2	39·0	—26·1	17·80
85	975·12	160	5454	Carbon tetrabromide, CBr₄.		199·0	1044·16	—190·0	735	—140·2	39·0	—23·0	19·38
90	1122·26	165	5974	Bolas and Groves, 24, 780 :—		Carbon tetrabromide, CBr₄.		—159·7	12·8	—140·2	39·0	—20·0	21·50
95	1286·86	170	6535	°	ats.	(1) From CS₂.		—159·15	13·14	—140·2	39·0	—17·8	22·84
100	1467·09	175	7139	°	ats.	(2) From brompicrin.		—158·23	13·47	—140·2	39·0	—15·0	24·70
105	1667·19	180	7792	°	mm.	101·75	50	—157·96	13·95	—140·2	39·0	—12·2	26·80
110	1887·44	185	8501	c.t. 277·9	58·1	120·5 (1)	100	—157·43	14·38	—140·2	39·0		
		190	9273			121 (2)			—156·78	14·65	—140·2	39·0	
		195	10117			143 (1)	228	—156·58	14·83	—140·2	39·0		
						143·5 (2)			—156·31	15·19	—140·2	39·0	

Carbon dioxide (continued) :—		Carbon dioxide (continued) :—		Carbon dioxide (continued) :—		Carbon disulphide (continued) :—		Carbon disulphide (continued) :—		Cyanogen, C ₂ N ₂ , Faraday, P.T. 135, 155; N. Bibl. Univ., 59, 162; ii., 276 :—	
°	ats.	°	ats.	°	i.v.	°	mm.	°	mm.	°	ats.
— 9.4	29.10	Sarrau, C.R. 94, 719 :—	77	—140		— 6.37	95	41	638.7	m.p.—34.4	b. 1.0
— 5.0	33.15					+ 8.90	190	42	660.5	—17.8	1.25
0	{ 38.50	Dewar, P.M. [5], 18, 212, 214; C.N. 51, 174 :—		Seelig [1886] :—		26.38	380	43	682.9	—12.2	1.53
	36.00							44	705.9	— 6.7	1.89
Mareska and Donny, i., 772 :—		°	mm.	°	ats.		ats.	45	729.5	— 2.8	2.20
°	ats.	—115	25	c. 15	52	46.25	1	46	753.75	0	2.37
—20.0	23.6	c.t. 31.9	77			69.25	2	47	778.6	+ 3.6	2.72
—15.0	25.3	Carbon disulphide, CS₂.				84.45	3	48	804.1	6.9	3.00
—10.0	27.5	The three following series of observations are by Regnault :—				96.17	4	49	830.25	8.9	3.17
— 5.0	36.0	M.A.S. 26,	P.M. [4], 8,	P.A. 111,	105.86	5	50	857.1	10.0	3.28	
0	42	339	271	407; iii., 94	114.21	6	<i>Ibid.</i> , P.M. [5], 20, 524; 21, 35 :—				
+ 6.3	46	°	* mm.	mm.	mm.	121.59	7	°	mm.	11.1	3.36
10.0	52	—20	47.30	43.5	128.25	8	— 18.95	50	17.2	4.00
15.5	57	—16	58.8		134.34	9	— 5.3	100	21.1	4.50
19.0	63	—15	61.64	60.9	139.97	10	+ 3.5	150	23.3	4.79
23.5	68	—10	79.44	79.0	81.0	Ramsay and Young, 47, 653 :—				34.2	6.50
27.0	74	— 5	101.29	104.4	°	mm.	10.2	200	35.0	6.64
30.7	80	0	127.91	127.3	132.0	0	127.9	20.2	300	39.4	7.50
Regnault, M.A.S. 26, 535; J. [1863], 66 :—		+ 5	160.01		132.0	1	133.85	27.75	400	Bunsen, P.A. 46, 101 :—	
°	ats.	10	198.46	199.3	203.0	2	140.05	33.9	500	°	ats.
—25	17.12	15	244.13			3	146.45	39.15	600	—20.7	1.00
—20	19.93	20	298.03	298.2	301.8	4	153.1	43.75	700	—20	1.05
—15	23.14	25	361.13			5	160.0	47.8	800	—15	1.45
—10	26.76	30	434.62	434.6		6	167.15	51.5	900	—10	1.85
— 5	30.84	35	519.66			7	174.6	55.0	1000	— 5	2.30
0	35.40	40	617.53	617.5	617.0	8	182.25	68.9	1500	0	2.7
+ 5	40.47	45	729.53			9	190.2	79.3	2000	+ 5	3.2
10	46.05	50	857.07	852.7		10	198.45	95.7	3000	10	3.8
15	52.17	55	1001.57			11	207.0	118.7	5000	15	4.4
20	58.84	60	1164.51	1162.6	1163.7	12	215.8	Cagliard de la Tour, P.R. 30, 183 :—			
25	66.07	65	1347.52			13	224.95	°	ats.	Dewar, P.M. [5], 18, 214 :—	
30	73.84	70	1552.09	1549.0		14	234.4	c.t. 275	77.8	°	ats.
35	82.17	75	1779.88			15	244.15			c.t. 124	61.7
40	91.03	80	2032.53	2030.5	2033.8	16	254.25	Hannay and Hogarth, P.R. 30, 183; C.N. 41, 103 :—			
45	100.41	85	2311.70			17	264.65	°	ats.	Seelig [1886] :—	
Cailliet, Arch. de Gen. 66, 16 [1878] :—		90	2619.08	2623.1		18	275.4			°	ats.
°	ats.	95	2966.34			19	286.55	c.t. 272.96	77.9	c. 15	4
—80	1.00	100	3325.15	3321.3	3329.5	20	298.05	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—			
—74	1.55	105	3727.19			21	309.9	°	mm.	Chloroform, CHCl ₃ , Herwig, P.A. 137 and 141 :—	
—70	2.08	110	4164.06	4136.3		22	322.1	30.4	243.08	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
—64	3.10	115	4637.41			23	334.7	39.8	354.77	Guthrie, P.M. [5], 18, 512 :—	
—60	3.90	120	5148.79	5121.6	5145.4	24	347.7	49.8	514.07	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
—54	5.46	125	5699.69			25	361.1	Guthrie, P.M. [5], 18, 512 :—			
—50	6.80	130	6291.60	6260.6	6895.0	26	374.95	°	mm.	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
—44	8.72	135	6925.90		27	389.2	13.8	251.6	Guthrie, P.M. [5], 18, 511 :—	
—40	10.25	136	7029.2		28	403.9	16.0	264.8	Coleman, C.N. 51, 174 :—	
—34	12.70	140	7603.96		7556.9	29	419.0	19.02	284.5	Solidifies —116	
Andrews, C.N. 4, 158; P.T. 159, 575; P.M. [4], 39, 150; P.A. Erg. 5, 64; J. [1861], 40 :—		145	8326.92			30	434.6	Cyanogen, C ₂ N ₂ , Faraday, P.T. 135, 155; N. Bibl. Univ., 59, 162; ii., 276 :—			
°	ats.	150	9095.94			31	450.65	°	mm.	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
c.t. 30.92	77	Herwig, P.A. 137 and 141; vi., 682 :—				32	467.15	13.8	251.6	Guthrie, P.M. [5], 18, 511 :—	
		°	mm.	°	mm.	33	484.15	16.0	264.8	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
		8.5	183.09	35.9	531.59	34	501.65	19.02	284.5	Guthrie, P.M. [5], 18, 511 :—	
		14.2	234.45	40.0	614.45	35	519.65	Cyanogen, C ₂ N ₂ , Faraday, P.T. 135, 155; N. Bibl. Univ., 59, 162; ii., 276 :—			
		20.1	294.12	50.0	856.50	36	538.15	°	mm.	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
		32.0	461.54			37	557.15	13.8	158.4	Guthrie, P.M. [5], 18, 511 :—	
						38	576.75	16.0	169.2	Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	
						39	596.85	19.02	190.7	Guthrie, P.M. [5], 18, 511 :—	
						40	617.5			Dewar, P.M. [5], 18, 214; C.N. 51, 29 :—	

Chloroform (continued) :— Regnault gives the following results: (1) by ebullition; (2) by tension :—				Methylechloride, CH ₃ Cl. Regnault, M.A.S. 26, 535 :—		Ethyl chloride (cont.) :—		Chlorbenzene (cont.) :—		Chlorbenzene (cont.) :—	
°	M.A.S. 26, 339. mm.	P.M. [4], 8, 271. mm.	P.A. 111, 407; iii., 94. mm.	°	ats.	°	mm.	°	mm.	°	mm.
+ 10	130.4 (2)	160.5	-30	0.762	70	4405.03	18.1	5	101	302.5
20	160.47	190.2 (2)		-20	1.16	75	4982.72	22.6	7.5	102	312.5
25	200.18			-10	1.72	80	5614.11	26.3	10	103	322.8
30	247.51	276.1 (2)		0	2.49	85	6301.61	29.7	12.5	104	333.35
35	303.49			+10	3.51	90	7047.51	32.6	15	105	344.15
36	{ 342.2 (2) 313.4 (1)		20	4.83	95	7853.92	35.6	17.5	106	355.25
40	369.26	364.0 (1)	366.2	30	6.50	100	8722.76	37.2	20	107	366.65
45	446.01			35	7.49	Sajotschewski, W.B. 3, 741 :—		39.1	22.5	108	378.3
50	535.05	524.3 (1)		Vincent and Chappuis, C.R. 100, 1218; 101, 428; 48, 861, 1105 :—		110	14.81	41.0	25	109	390.25
55	637.71			°	ats.	120	17.35	52.3	50	109.8	400.0
60	755.44	738.0 (1)	751.0	-23.7	1	130	20.92	59.0	75	110	402.55
65	889.72			+35	7.5	140	25.27	129.0	760	111	415.1
70	1042.11	976.2 (1)		40	8.75	150	30.22	Ramsay and Young, 47, 646, 654; P.M. [5], 20, 524; 21, 39 :—		112	427.95
75	1214.20			50	11.2	160	35.85	°	*	113	441.15
80	1407.64	1367.8 (1)	1404.6	60	14.3	170	42.00	25.0	11.4	114	454.65
85	1624.10			70	17.87	c.t. 182.6		30	14.95	115	468.5
90	1865.22	1811.5 (1)		80	22.15	Vincent and Chappuis, C.R. 101, 428; 48, 1105 :—		35	19.45	116	482.65
95	2132.85			90	27.65	°	ats.	40	25.1	117	497.2
100	2428.54	2354.6 (1)	2426.5	100	33.90	- 12.5	1	45	32.1	117.2	500.0
105	2754.03			110	41.0	c.t. 182.5		50	40.75	118	512.05
110	3110.99	3020.4 (1)		120	49.8	Ramsay and Young, P.M. [5], 20, 524; 21, 38 :—		55	51.35	119	527.25
115	3501.03			130	61.0	°	mm.	60	64.2	120	542.8
120	3925.74	3818.0 (1)	3916.2	140	70.6	-24.3	150	65	79.6	121	558.7
125	4386.60			141	72.0	-18.7	200	70	97.9	122	575.05
130	4885.10	4721.0 (1)		c.t. 141.5		-10.1	300	70.5	100.0	123	591.7
135	5422.53			Ethyl chloride, C ₂ H ₅ Cl. Drion, A.C. [3], 56, 33 :—		- 3.6	400	71	101.95	124	608.75
140	6000.16	5965.8	°	ats.	+ 1.9	500	72	106.1	125	626.15
145	6619.20			c.t. 170	?	6.3	600	73	110.41	126	643.95
150	7280.62	7226.5	Regnault, M.A.S. 26, 339; P.A. 111, 408 :—		10.3	700	74	114.85	127	662.15
155	7985.35			°	mm.	14.0	800	75	119.45	128	680.75
160	8734.20			-20	187.55	17.1	900	76	124.2	129	699.65
165	9527.82			-15	239.60	20.0	1000	77	129.1	129.0	700.0
Winkelmann, W. 9, 369 :—				Ramsay and Young, P.M. [5], 20, 517, 524 :—		32.0	1500	78	134.15	130	718.95
°	mm.	°	mm.	°	mm.	41.3	2000	79	139.4	131	738.65
23.79	190	25.0	200	0	465.18	55.5	3000	80	144.8	132	758.8
40.67	380	34.7	300	+ 5	569.32	75.1	5000	80.9	150	135	822.0
60.18	1	42.0	400	10	691.11	Propyl chloride, Pr ⁿ Cl. Vincent and Chappuis, C.R. 103, 379; B.r. 19, 733 :—		81	150.3	Benzylchloride, Ph.CH ₂ Cl. Kahlbaum, B. 17, 1261; 18, 2107 :—	
82.59	2	48.0	500	15	832.56	°	ats.	82	156.05	°	mm.
97.55	3	53.2	600	20	996.23	57.5	1	83	161.95	48.3	0
109.04	4	57.9	700	25	1184.17	c.t. 221		84	168.0	58.7	5
118.56	5	61.0	760	30	1398.99	Chlorbenzene, C ₆ H ₅ Cl. Kahlbaum, B. 17, 1261; 18, 2107, 3149 :—		85	174.25	63.5	7.5
126.78	6	61.8	800	35	1643.24	°	mm.	86	181.7	66.1	10
134.08	7	65.3	900	40	1919.58	57.5	0	87	187.3	68.8	12.5
140.66	8	68.7	1000	45	2230.71	c.t. 221		88	194.1	71.3	15
146.70	9	82.1	1500	50	2579.40	Chlorbenzene (cont.) :—		88.8	200.0	73.8	17.5
152.34	10	92.5	2000	55	2968.43	°	mm.	89	201.15	76.1	20
		108.3	3000	60	3400.54	57.5	0	90	208.35	78.3	22.5
		121.0	4000	65	3878.52	c.t. 221		91	215.8	80.5	25
		131.2	5000			Chlorbenzene (cont.) :—		92	223.45	94.2	50
		140.0	6000			°	mm.	93	231.3	102.8	75
		148.0	7000			6.8	0	94	239.35	179.0	760
		155.0	8000					95	247.7		
								96	256.2		
								97	265.0		
								98	274.0		
								99	283.25		
								100	292.75		
								100.7	300.0		

<p>p-Chlortoluene, $C_6H_4MeCl.$ Kahlbaum, B. 17, 1261; 18, 2107 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>28·1</td><td>0</td></tr> <tr><td>40·3</td><td>5</td></tr> <tr><td>45·1</td><td>7·5</td></tr> <tr><td>48·9</td><td>10</td></tr> <tr><td>52·1</td><td>12·5</td></tr> <tr><td>54·9</td><td>15</td></tr> <tr><td>57·7</td><td>17·5</td></tr> <tr><td>59·6</td><td>20</td></tr> <tr><td>61·7</td><td>22·5</td></tr> <tr><td>63·7</td><td>25</td></tr> <tr><td>77·7</td><td>50</td></tr> <tr><td>84·9</td><td>75</td></tr> <tr><td>161·5</td><td>760</td></tr> </tbody> </table>	°	mm.	28·1	0	40·3	5	45·1	7·5	48·9	10	52·1	12·5	54·9	15	57·7	17·5	59·6	20	61·7	22·5	63·7	25	77·7	50	84·9	75	161·5	760	<p>Ethylenebromide (continued) :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>25</td><td>13·51</td></tr> <tr><td>30</td><td>17·20</td></tr> <tr><td>35</td><td>21·80</td></tr> <tr><td>40</td><td>27·49</td></tr> <tr><td>45</td><td>34·47</td></tr> <tr><td>50</td><td>42·99</td></tr> <tr><td>55</td><td>53·31</td></tr> <tr><td>60</td><td>65·75</td></tr> <tr><td>65</td><td>80·64</td></tr> <tr><td>70</td><td>98·36</td></tr> <tr><td>75</td><td>119·34</td></tr> <tr><td>80</td><td>144·02</td></tr> <tr><td>85</td><td>172·92</td></tr> <tr><td>90</td><td>206·58</td></tr> <tr><td>95</td><td>245·51</td></tr> <tr><td>100</td><td>290·43</td></tr> <tr><td>105</td><td>342·11</td></tr> <tr><td>110</td><td>401·08</td></tr> <tr><td>115</td><td>468·13</td></tr> <tr><td>120</td><td>544·06</td></tr> <tr><td>125</td><td>629·66</td></tr> <tr><td>130</td><td>725·77</td></tr> <tr><td>135</td><td>833·26</td></tr> <tr><td>140</td><td>953·00</td></tr> <tr><td>145</td><td>1085·89</td></tr> <tr><td>150</td><td>1232·83</td></tr> <tr><td>155</td><td>1394·73</td></tr> <tr><td>160</td><td>1572·49</td></tr> <tr><td>165</td><td>1766·99</td></tr> <tr><td>170</td><td>1979·14</td></tr> <tr><td>175</td><td>2209·77</td></tr> <tr><td>180</td><td>2459·73</td></tr> <tr><td>185</td><td>2729·84</td></tr> <tr><td>190</td><td>3020·83</td></tr> </tbody> </table>	°	mm.	25	13·51	30	17·20	35	21·80	40	27·49	45	34·47	50	42·99	55	53·31	60	65·75	65	80·64	70	98·36	75	119·34	80	144·02	85	172·92	90	206·58	95	245·51	100	290·43	105	342·11	110	401·08	115	468·13	120	544·06	125	629·66	130	725·77	135	833·26	140	953·00	145	1085·89	150	1232·83	155	1394·73	160	1572·49	165	1766·99	170	1979·14	175	2209·77	180	2459·73	185	2729·84	190	3020·83	<p>Ethyl bromide, $C_2H_5Br.$ Regnault, M.A.S. 26, 339 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>—20</td><td>59·16</td></tr> <tr><td>—15</td><td>78·09</td></tr> <tr><td>—10</td><td>101·54</td></tr> <tr><td>— 5</td><td>130·58</td></tr> <tr><td>0</td><td>165·57</td></tr> <tr><td>+ 5</td><td>207·21</td></tr> <tr><td>10</td><td>257·40</td></tr> <tr><td>15</td><td>316·92</td></tr> <tr><td>20</td><td>387·03</td></tr> <tr><td>25</td><td>469·07</td></tr> <tr><td>30</td><td>564·51</td></tr> <tr><td>35</td><td>674·92</td></tr> <tr><td>40</td><td>801·92</td></tr> <tr><td>45</td><td>947·28</td></tr> <tr><td>50</td><td>1112·79</td></tr> <tr><td>55</td><td>1300·35</td></tr> <tr><td>60</td><td>1511·92</td></tr> <tr><td>65</td><td>1749·47</td></tr> <tr><td>70</td><td>2015·06</td></tr> <tr><td>75</td><td>2310·73</td></tr> <tr><td>80</td><td>2638·57</td></tr> <tr><td>85</td><td>3000·63</td></tr> <tr><td>90</td><td>3398·95</td></tr> <tr><td>95</td><td>3835·53</td></tr> <tr><td>100</td><td>4312·32</td></tr> <tr><td>105</td><td>4831·22</td></tr> <tr><td>110</td><td>5394·01</td></tr> <tr><td>115</td><td>6002·41</td></tr> <tr><td>120</td><td>6658·00</td></tr> <tr><td>125</td><td>7362·25</td></tr> <tr><td>130</td><td>8116·49</td></tr> <tr><td>135</td><td>8921·92</td></tr> <tr><td>140</td><td>9779·56</td></tr> </tbody> </table>	°	mm.	—20	59·16	—15	78·09	—10	101·54	— 5	130·58	0	165·57	+ 5	207·21	10	257·40	15	316·92	20	387·03	25	469·07	30	564·51	35	674·92	40	801·92	45	947·28	50	1112·79	55	1300·35	60	1511·92	65	1749·47	70	2015·06	75	2310·73	80	2638·57	85	3000·63	90	3398·95	95	3835·53	100	4312·32	105	4831·22	110	5394·01	115	6002·41	120	6658·00	125	7362·25	130	8116·49	135	8921·92	140	9779·56	<p>Ethyl bromide (cont.) :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>125</td><td>7339</td></tr> <tr><td>130</td><td>8101</td></tr> <tr><td>135</td><td>8919</td></tr> <tr><td>140</td><td>9794</td></tr> </tbody> </table>	°	mm.	125	7339	130	8101	135	8919	140	9794	<p>Brombenzene (cont.) :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>58·1</td><td>22·5</td></tr> <tr><td>60·1</td><td>25</td></tr> <tr><td>70·7</td><td>50</td></tr> <tr><td>77·3</td><td>75</td></tr> <tr><td>156·0</td><td>760</td></tr> </tbody> </table>	°	mm.	58·1	22·5	60·1	25	70·7	50	77·3	75	156·0	760	<p>Brombenzene (cont.) :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>148</td><td>615·75</td></tr> <tr><td>149</td><td>632·25</td></tr> <tr><td>150</td><td>649·05</td></tr> <tr><td>151</td><td>666·25</td></tr> <tr><td>152</td><td>683·8</td></tr> <tr><td>152·9</td><td>700·0</td></tr> <tr><td>153</td><td>701·65</td></tr> <tr><td>154</td><td>719·95</td></tr> <tr><td>155</td><td>738·55</td></tr> <tr><td>156</td><td>757·55</td></tr> <tr><td>157</td><td>776·95</td></tr> <tr><td>158</td><td>796·7</td></tr> <tr><td>158·2</td><td>800·0</td></tr> <tr><td>159</td><td>816·9</td></tr> <tr><td>160</td><td>837·45</td></tr> </tbody> </table>	°	mm.	148	615·75	149	632·25	150	649·05	151	666·25	152	683·8	152·9	700·0	153	701·65	154	719·95	155	738·55	156	757·55	157	776·95	158	796·7	158·2	800·0	159	816·9	160	837·45										
°	mm.																																																																																																																																																																																																																																										
28·1	0																																																																																																																																																																																																																																										
40·3	5																																																																																																																																																																																																																																										
45·1	7·5																																																																																																																																																																																																																																										
48·9	10																																																																																																																																																																																																																																										
52·1	12·5																																																																																																																																																																																																																																										
54·9	15																																																																																																																																																																																																																																										
57·7	17·5																																																																																																																																																																																																																																										
59·6	20																																																																																																																																																																																																																																										
61·7	22·5																																																																																																																																																																																																																																										
63·7	25																																																																																																																																																																																																																																										
77·7	50																																																																																																																																																																																																																																										
84·9	75																																																																																																																																																																																																																																										
161·5	760																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
25	13·51																																																																																																																																																																																																																																										
30	17·20																																																																																																																																																																																																																																										
35	21·80																																																																																																																																																																																																																																										
40	27·49																																																																																																																																																																																																																																										
45	34·47																																																																																																																																																																																																																																										
50	42·99																																																																																																																																																																																																																																										
55	53·31																																																																																																																																																																																																																																										
60	65·75																																																																																																																																																																																																																																										
65	80·64																																																																																																																																																																																																																																										
70	98·36																																																																																																																																																																																																																																										
75	119·34																																																																																																																																																																																																																																										
80	144·02																																																																																																																																																																																																																																										
85	172·92																																																																																																																																																																																																																																										
90	206·58																																																																																																																																																																																																																																										
95	245·51																																																																																																																																																																																																																																										
100	290·43																																																																																																																																																																																																																																										
105	342·11																																																																																																																																																																																																																																										
110	401·08																																																																																																																																																																																																																																										
115	468·13																																																																																																																																																																																																																																										
120	544·06																																																																																																																																																																																																																																										
125	629·66																																																																																																																																																																																																																																										
130	725·77																																																																																																																																																																																																																																										
135	833·26																																																																																																																																																																																																																																										
140	953·00																																																																																																																																																																																																																																										
145	1085·89																																																																																																																																																																																																																																										
150	1232·83																																																																																																																																																																																																																																										
155	1394·73																																																																																																																																																																																																																																										
160	1572·49																																																																																																																																																																																																																																										
165	1766·99																																																																																																																																																																																																																																										
170	1979·14																																																																																																																																																																																																																																										
175	2209·77																																																																																																																																																																																																																																										
180	2459·73																																																																																																																																																																																																																																										
185	2729·84																																																																																																																																																																																																																																										
190	3020·83																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
—20	59·16																																																																																																																																																																																																																																										
—15	78·09																																																																																																																																																																																																																																										
—10	101·54																																																																																																																																																																																																																																										
— 5	130·58																																																																																																																																																																																																																																										
0	165·57																																																																																																																																																																																																																																										
+ 5	207·21																																																																																																																																																																																																																																										
10	257·40																																																																																																																																																																																																																																										
15	316·92																																																																																																																																																																																																																																										
20	387·03																																																																																																																																																																																																																																										
25	469·07																																																																																																																																																																																																																																										
30	564·51																																																																																																																																																																																																																																										
35	674·92																																																																																																																																																																																																																																										
40	801·92																																																																																																																																																																																																																																										
45	947·28																																																																																																																																																																																																																																										
50	1112·79																																																																																																																																																																																																																																										
55	1300·35																																																																																																																																																																																																																																										
60	1511·92																																																																																																																																																																																																																																										
65	1749·47																																																																																																																																																																																																																																										
70	2015·06																																																																																																																																																																																																																																										
75	2310·73																																																																																																																																																																																																																																										
80	2638·57																																																																																																																																																																																																																																										
85	3000·63																																																																																																																																																																																																																																										
90	3398·95																																																																																																																																																																																																																																										
95	3835·53																																																																																																																																																																																																																																										
100	4312·32																																																																																																																																																																																																																																										
105	4831·22																																																																																																																																																																																																																																										
110	5394·01																																																																																																																																																																																																																																										
115	6002·41																																																																																																																																																																																																																																										
120	6658·00																																																																																																																																																																																																																																										
125	7362·25																																																																																																																																																																																																																																										
130	8116·49																																																																																																																																																																																																																																										
135	8921·92																																																																																																																																																																																																																																										
140	9779·56																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
125	7339																																																																																																																																																																																																																																										
130	8101																																																																																																																																																																																																																																										
135	8919																																																																																																																																																																																																																																										
140	9794																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
58·1	22·5																																																																																																																																																																																																																																										
60·1	25																																																																																																																																																																																																																																										
70·7	50																																																																																																																																																																																																																																										
77·3	75																																																																																																																																																																																																																																										
156·0	760																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
148	615·75																																																																																																																																																																																																																																										
149	632·25																																																																																																																																																																																																																																										
150	649·05																																																																																																																																																																																																																																										
151	666·25																																																																																																																																																																																																																																										
152	683·8																																																																																																																																																																																																																																										
152·9	700·0																																																																																																																																																																																																																																										
153	701·65																																																																																																																																																																																																																																										
154	719·95																																																																																																																																																																																																																																										
155	738·55																																																																																																																																																																																																																																										
156	757·55																																																																																																																																																																																																																																										
157	776·95																																																																																																																																																																																																																																										
158	796·7																																																																																																																																																																																																																																										
158·2	800·0																																																																																																																																																																																																																																										
159	816·9																																																																																																																																																																																																																																										
160	837·45																																																																																																																																																																																																																																										
<p>Bromoform, $CHBr_3.$ Kahlbaum, B. 17, 1259; 18, 2107 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>25·7</td><td>0</td></tr> <tr><td>34·2</td><td>5</td></tr> <tr><td>37·8</td><td>7·5</td></tr> <tr><td>40·9</td><td>10</td></tr> <tr><td>43·5</td><td>12·5</td></tr> <tr><td>45·8</td><td>15·0</td></tr> <tr><td>48·1</td><td>17·5</td></tr> <tr><td>50·2</td><td>20</td></tr> <tr><td>52·3</td><td>22·5</td></tr> <tr><td>54·3</td><td>25</td></tr> <tr><td>66·0</td><td>50</td></tr> <tr><td>73·4</td><td>75</td></tr> <tr><td>150·0</td><td>760</td></tr> </tbody> </table>	°	mm.	25·7	0	34·2	5	37·8	7·5	40·9	10	43·5	12·5	45·8	15·0	48·1	17·5	50·2	20	52·3	22·5	54·3	25	66·0	50	73·4	75	150·0	760	<p>Kahlbaum, B. 17, 1260 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>9·7</td><td>0</td></tr> <tr><td>19·0</td><td>5</td></tr> <tr><td>26·0</td><td>10</td></tr> <tr><td>31·4</td><td>15</td></tr> <tr><td>36·1</td><td>20</td></tr> <tr><td>39·3</td><td>25</td></tr> <tr><td>58·2</td><td>75</td></tr> <tr><td>129·0</td><td>760</td></tr> </tbody> </table>	°	mm.	9·7	0	19·0	5	26·0	10	31·4	15	36·1	20	39·3	25	58·2	75	129·0	760	<p><i>Ibid.</i>, P.A. 111, 408, 409 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>+20</td><td>380</td></tr> <tr><td>25</td><td>463</td></tr> <tr><td>30</td><td>560</td></tr> <tr><td>35</td><td>671</td></tr> <tr><td>40</td><td>799</td></tr> <tr><td>45</td><td>946</td></tr> <tr><td>50</td><td>1112</td></tr> <tr><td>55</td><td>1299</td></tr> <tr><td>60</td><td>1511</td></tr> <tr><td>65</td><td>1747</td></tr> <tr><td>70</td><td>2011</td></tr> <tr><td>75</td><td>2305</td></tr> <tr><td>80</td><td>2630</td></tr> <tr><td>85</td><td>2989</td></tr> <tr><td>90</td><td>3384</td></tr> <tr><td>95</td><td>3817</td></tr> <tr><td>100</td><td>4290</td></tr> <tr><td>105</td><td>4806</td></tr> <tr><td>110</td><td>5267</td></tr> <tr><td>115</td><td>5974</td></tr> <tr><td>120</td><td>6631</td></tr> </tbody> </table>	°	mm.	+20	380	25	463	30	560	35	671	40	799	45	946	50	1112	55	1299	60	1511	65	1747	70	2011	75	2305	80	2630	85	2989	90	3384	95	3817	100	4290	105	4806	110	5267	115	5974	120	6631	<p>Herwig, P.A. 137 and 141; vi., 683 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>25</td><td>474·8</td></tr> <tr><td>35</td><td>689·5</td></tr> <tr><td>43</td><td>904·0</td></tr> </tbody> </table>	°	mm.	25	474·8	35	689·5	43	904·0	<p>Ramsay and Young, 47, .647, 655; P.M. [5], 20, 524; 21, 39 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>45</td><td>12·4</td></tr> <tr><td>50</td><td>16·0</td></tr> <tr><td>55</td><td>20·5</td></tr> <tr><td>60</td><td>26·1</td></tr> <tr><td>65</td><td>33·0</td></tr> <tr><td>70</td><td>41·4</td></tr> <tr><td>74·0</td><td>50·0</td></tr> <tr><td>75</td><td>51·6</td></tr> <tr><td>80</td><td>63·9</td></tr> <tr><td>85</td><td>78·6</td></tr> <tr><td>90</td><td>96·0</td></tr> <tr><td>91·3</td><td>100·0</td></tr> <tr><td>95</td><td>116·4</td></tr> <tr><td>100</td><td>140·1</td></tr> <tr><td>101·9</td><td>150·0</td></tr> <tr><td>105</td><td>167·4</td></tr> <tr><td>110</td><td>198·7</td></tr> <tr><td>110·2</td><td>200·0</td></tr> <tr><td>115</td><td>234·4</td></tr> <tr><td>120</td><td>274·9</td></tr> <tr><td>121</td><td>283·65</td></tr> <tr><td>122</td><td>292·6</td></tr> <tr><td>122·8</td><td>300·0</td></tr> <tr><td>123</td><td>301·75</td></tr> <tr><td>124</td><td>311·15</td></tr> <tr><td>125</td><td>320·8</td></tr> <tr><td>126</td><td>330·7</td></tr> <tr><td>127</td><td>340·8</td></tr> <tr><td>128</td><td>351·15</td></tr> <tr><td>129</td><td>361·8</td></tr> <tr><td>130</td><td>372·65</td></tr> <tr><td>131</td><td>383·75</td></tr> <tr><td>132</td><td>395·1</td></tr> <tr><td>132·4</td><td>400·0</td></tr> <tr><td>133</td><td>406·7</td></tr> <tr><td>134</td><td>418·6</td></tr> <tr><td>135</td><td>430·75</td></tr> <tr><td>136</td><td>443·2</td></tr> <tr><td>137</td><td>455·9</td></tr> <tr><td>138</td><td>468·9</td></tr> <tr><td>139</td><td>482·2</td></tr> <tr><td>140</td><td>495·8</td></tr> <tr><td>140·3</td><td>500·0</td></tr> <tr><td>141</td><td>509·7</td></tr> <tr><td>142</td><td>523·9</td></tr> <tr><td>143</td><td>538·4</td></tr> <tr><td>144</td><td>553·2</td></tr> <tr><td>145</td><td>568·35</td></tr> <tr><td>146</td><td>583·85</td></tr> <tr><td>147</td><td>599·65</td></tr> <tr><td>147</td><td>600·0</td></tr> </tbody> </table>	°	mm.	45	12·4	50	16·0	55	20·5	60	26·1	65	33·0	70	41·4	74·0	50·0	75	51·6	80	63·9	85	78·6	90	96·0	91·3	100·0	95	116·4	100	140·1	101·9	150·0	105	167·4	110	198·7	110·2	200·0	115	234·4	120	274·9	121	283·65	122	292·6	122·8	300·0	123	301·75	124	311·15	125	320·8	126	330·7	127	340·8	128	351·15	129	361·8	130	372·65	131	383·75	132	395·1	132·4	400·0	133	406·7	134	418·6	135	430·75	136	443·2	137	455·9	138	468·9	139	482·2	140	495·8	140·3	500·0	141	509·7	142	523·9	143	538·4	144	553·2	145	568·35	146	583·85	147	599·65	147	600·0	<p>p-Bromtoluene, $C_6H_4MeBr.$ Kahlbaum, B. 17, 1261; 18, 2107 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>44·4</td><td>0</td></tr> <tr><td>55·4</td><td>5</td></tr> <tr><td>59·6</td><td>7·5</td></tr> <tr><td>63·4</td><td>10·0</td></tr> <tr><td>66·7</td><td>12·5</td></tr> <tr><td>69·8</td><td>15</td></tr> <tr><td>72·6</td><td>17·5</td></tr> <tr><td>75·2</td><td>20</td></tr> <tr><td>77·4</td><td>22·5</td></tr> <tr><td>79·6</td><td>25</td></tr> <tr><td>95·7</td><td>50</td></tr> <tr><td>104·4</td><td>75</td></tr> <tr><td>183·0</td><td>760</td></tr> </tbody> </table>	°	mm.	44·4	0	55·4	5	59·6	7·5	63·4	10·0	66·7	12·5	69·8	15	72·6	17·5	75·2	20	77·4	22·5	79·6	25	95·7	50	104·4	75	183·0	760
°	mm.																																																																																																																																																																																																																																										
25·7	0																																																																																																																																																																																																																																										
34·2	5																																																																																																																																																																																																																																										
37·8	7·5																																																																																																																																																																																																																																										
40·9	10																																																																																																																																																																																																																																										
43·5	12·5																																																																																																																																																																																																																																										
45·8	15·0																																																																																																																																																																																																																																										
48·1	17·5																																																																																																																																																																																																																																										
50·2	20																																																																																																																																																																																																																																										
52·3	22·5																																																																																																																																																																																																																																										
54·3	25																																																																																																																																																																																																																																										
66·0	50																																																																																																																																																																																																																																										
73·4	75																																																																																																																																																																																																																																										
150·0	760																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
9·7	0																																																																																																																																																																																																																																										
19·0	5																																																																																																																																																																																																																																										
26·0	10																																																																																																																																																																																																																																										
31·4	15																																																																																																																																																																																																																																										
36·1	20																																																																																																																																																																																																																																										
39·3	25																																																																																																																																																																																																																																										
58·2	75																																																																																																																																																																																																																																										
129·0	760																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
+20	380																																																																																																																																																																																																																																										
25	463																																																																																																																																																																																																																																										
30	560																																																																																																																																																																																																																																										
35	671																																																																																																																																																																																																																																										
40	799																																																																																																																																																																																																																																										
45	946																																																																																																																																																																																																																																										
50	1112																																																																																																																																																																																																																																										
55	1299																																																																																																																																																																																																																																										
60	1511																																																																																																																																																																																																																																										
65	1747																																																																																																																																																																																																																																										
70	2011																																																																																																																																																																																																																																										
75	2305																																																																																																																																																																																																																																										
80	2630																																																																																																																																																																																																																																										
85	2989																																																																																																																																																																																																																																										
90	3384																																																																																																																																																																																																																																										
95	3817																																																																																																																																																																																																																																										
100	4290																																																																																																																																																																																																																																										
105	4806																																																																																																																																																																																																																																										
110	5267																																																																																																																																																																																																																																										
115	5974																																																																																																																																																																																																																																										
120	6631																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
25	474·8																																																																																																																																																																																																																																										
35	689·5																																																																																																																																																																																																																																										
43	904·0																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
45	12·4																																																																																																																																																																																																																																										
50	16·0																																																																																																																																																																																																																																										
55	20·5																																																																																																																																																																																																																																										
60	26·1																																																																																																																																																																																																																																										
65	33·0																																																																																																																																																																																																																																										
70	41·4																																																																																																																																																																																																																																										
74·0	50·0																																																																																																																																																																																																																																										
75	51·6																																																																																																																																																																																																																																										
80	63·9																																																																																																																																																																																																																																										
85	78·6																																																																																																																																																																																																																																										
90	96·0																																																																																																																																																																																																																																										
91·3	100·0																																																																																																																																																																																																																																										
95	116·4																																																																																																																																																																																																																																										
100	140·1																																																																																																																																																																																																																																										
101·9	150·0																																																																																																																																																																																																																																										
105	167·4																																																																																																																																																																																																																																										
110	198·7																																																																																																																																																																																																																																										
110·2	200·0																																																																																																																																																																																																																																										
115	234·4																																																																																																																																																																																																																																										
120	274·9																																																																																																																																																																																																																																										
121	283·65																																																																																																																																																																																																																																										
122	292·6																																																																																																																																																																																																																																										
122·8	300·0																																																																																																																																																																																																																																										
123	301·75																																																																																																																																																																																																																																										
124	311·15																																																																																																																																																																																																																																										
125	320·8																																																																																																																																																																																																																																										
126	330·7																																																																																																																																																																																																																																										
127	340·8																																																																																																																																																																																																																																										
128	351·15																																																																																																																																																																																																																																										
129	361·8																																																																																																																																																																																																																																										
130	372·65																																																																																																																																																																																																																																										
131	383·75																																																																																																																																																																																																																																										
132	395·1																																																																																																																																																																																																																																										
132·4	400·0																																																																																																																																																																																																																																										
133	406·7																																																																																																																																																																																																																																										
134	418·6																																																																																																																																																																																																																																										
135	430·75																																																																																																																																																																																																																																										
136	443·2																																																																																																																																																																																																																																										
137	455·9																																																																																																																																																																																																																																										
138	468·9																																																																																																																																																																																																																																										
139	482·2																																																																																																																																																																																																																																										
140	495·8																																																																																																																																																																																																																																										
140·3	500·0																																																																																																																																																																																																																																										
141	509·7																																																																																																																																																																																																																																										
142	523·9																																																																																																																																																																																																																																										
143	538·4																																																																																																																																																																																																																																										
144	553·2																																																																																																																																																																																																																																										
145	568·35																																																																																																																																																																																																																																										
146	583·85																																																																																																																																																																																																																																										
147	599·65																																																																																																																																																																																																																																										
147	600·0																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
44·4	0																																																																																																																																																																																																																																										
55·4	5																																																																																																																																																																																																																																										
59·6	7·5																																																																																																																																																																																																																																										
63·4	10·0																																																																																																																																																																																																																																										
66·7	12·5																																																																																																																																																																																																																																										
69·8	15																																																																																																																																																																																																																																										
72·6	17·5																																																																																																																																																																																																																																										
75·2	20																																																																																																																																																																																																																																										
77·4	22·5																																																																																																																																																																																																																																										
79·6	25																																																																																																																																																																																																																																										
95·7	50																																																																																																																																																																																																																																										
104·4	75																																																																																																																																																																																																																																										
183·0	760																																																																																																																																																																																																																																										
<p>Tribromethane, $CHBr_2·CH_2Br.$ Anschütz, A. 221, 133; B. 16, 2918 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>73</td><td>11·5</td></tr> <tr><td>83</td><td>18</td></tr> <tr><td>187</td><td>751</td></tr> </tbody> </table>	°	mm.	73	11·5	83	18	187	751	<p>Ramsay and Young, P.T. [1884] 470 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>—1·9 s.</td><td>1·35</td></tr> <tr><td>—1·9 l.</td><td>1·25</td></tr> <tr><td>—1·7 l.</td><td>1·35</td></tr> <tr><td>130—132</td><td>ats. 1</td></tr> </tbody> </table> <p>Sample not quite pure.</p>	°	mm.	—1·9 s.	1·35	—1·9 l.	1·25	—1·7 l.	1·35	130—132	ats. 1	<p><i>Ibid.</i>, P.A. 111, 408, 409 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>+20</td><td>380</td></tr> <tr><td>25</td><td>463</td></tr> <tr><td>30</td><td>560</td></tr> <tr><td>35</td><td>671</td></tr> <tr><td>40</td><td>799</td></tr> <tr><td>45</td><td>946</td></tr> <tr><td>50</td><td>1112</td></tr> <tr><td>55</td><td>1299</td></tr> <tr><td>60</td><td>1511</td></tr> <tr><td>65</td><td>1747</td></tr> <tr><td>70</td><td>2011</td></tr> <tr><td>75</td><td>2305</td></tr> <tr><td>80</td><td>2630</td></tr> <tr><td>85</td><td>2989</td></tr> <tr><td>90</td><td>3384</td></tr> <tr><td>95</td><td>3817</td></tr> <tr><td>100</td><td>4290</td></tr> <tr><td>105</td><td>4806</td></tr> <tr><td>110</td><td>5267</td></tr> <tr><td>115</td><td>5974</td></tr> <tr><td>120</td><td>6631</td></tr> </tbody> </table>	°	mm.	+20	380	25	463	30	560	35	671	40	799	45	946	50	1112	55	1299	60	1511	65	1747	70	2011	75	2305	80	2630	85	2989	90	3384	95	3817	100	4290	105	4806	110	5267	115	5974	120	6631	<p>Isoamyl bromide, $C_5H_{11}Br.$</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>5·0</td><td>0</td></tr> <tr><td>12·4</td><td>5</td></tr> <tr><td>17·6</td><td>10</td></tr> <tr><td>22·4</td><td>15</td></tr> <tr><td>27·0</td><td>20</td></tr> <tr><td>30·6</td><td>25</td></tr> <tr><td>43·5</td><td>50</td></tr> <tr><td>50·8</td><td>75</td></tr> <tr><td>118·6</td><td>760</td></tr> </tbody> </table>	°	mm.	5·0	0	12·4	5	17·6	10	22·4	15	27·0	20	30·6	25	43·5	50	50·8	75	118·6	760	<p>Brombenzene, $C_6H_5Br.$ Kahlbaum, B. 17, 1261; 18, 2107, 3149 :—</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>15·8</td><td>0</td></tr> <tr><td>29·8</td><td>5</td></tr> <tr><td>36·3</td><td>7·5</td></tr> <tr><td>41·5</td><td>10</td></tr> <tr><td>45·7</td><td>12·5</td></tr> <tr><td>49·6</td><td>15</td></tr> <tr><td>52·8</td><td>17·5</td></tr> <tr><td>55·7</td><td>20</td></tr> </tbody> </table>	°	mm.	15·8	0	29·8	5	36·3	7·5	41·5	10	45·7	12·5	49·6	15	52·8	17·5	55·7	20	<p>Carnelley, not yet published :— (para—)</p> <table border="1"> <thead> <tr> <th>°</th> <th>mm.</th> </tr> </thead> <tbody> <tr><td>80</td><td>28·9</td></tr> <tr><td>90</td><td>42·0</td></tr> <tr><td>100</td><td>60·6</td></tr> <tr><td>110</td><td>85·9</td></tr> <tr><td>120</td><td>120·1</td></tr> <tr><td>130</td><td>165·8</td></tr> <tr><td>140</td><td>226</td></tr> <tr><td>150</td><td>304</td></tr> <tr><td>160</td><td>406</td></tr> <tr><td>170</td><td>535</td></tr> <tr><td>180</td><td>698</td></tr> <tr><td>190</td><td>901</td></tr> <tr><td>200</td><td>1152</td></tr> <tr><td>210</td><td>1459</td></tr> <tr><td>220</td><td>1831</td></tr> <tr><td>230</td><td>2278</td></tr> </tbody> </table>	°	mm.	80	28·9	90	42·0	100	60·6	110	85·9	120	120·1	130	165·8	140	226	150	304	160	406	170	535	180	698	190	901	200	1152	210	1459	220	1831	230	2278																																																																																																
°	mm.																																																																																																																																																																																																																																										
73	11·5																																																																																																																																																																																																																																										
83	18																																																																																																																																																																																																																																										
187	751																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
—1·9 s.	1·35																																																																																																																																																																																																																																										
—1·9 l.	1·25																																																																																																																																																																																																																																										
—1·7 l.	1·35																																																																																																																																																																																																																																										
130—132	ats. 1																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
+20	380																																																																																																																																																																																																																																										
25	463																																																																																																																																																																																																																																										
30	560																																																																																																																																																																																																																																										
35	671																																																																																																																																																																																																																																										
40	799																																																																																																																																																																																																																																										
45	946																																																																																																																																																																																																																																										
50	1112																																																																																																																																																																																																																																										
55	1299																																																																																																																																																																																																																																										
60	1511																																																																																																																																																																																																																																										
65	1747																																																																																																																																																																																																																																										
70	2011																																																																																																																																																																																																																																										
75	2305																																																																																																																																																																																																																																										
80	2630																																																																																																																																																																																																																																										
85	2989																																																																																																																																																																																																																																										
90	3384																																																																																																																																																																																																																																										
95	3817																																																																																																																																																																																																																																										
100	4290																																																																																																																																																																																																																																										
105	4806																																																																																																																																																																																																																																										
110	5267																																																																																																																																																																																																																																										
115	5974																																																																																																																																																																																																																																										
120	6631																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
5·0	0																																																																																																																																																																																																																																										
12·4	5																																																																																																																																																																																																																																										
17·6	10																																																																																																																																																																																																																																										
22·4	15																																																																																																																																																																																																																																										
27·0	20																																																																																																																																																																																																																																										
30·6	25																																																																																																																																																																																																																																										
43·5	50																																																																																																																																																																																																																																										
50·8	75																																																																																																																																																																																																																																										
118·6	760																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
15·8	0																																																																																																																																																																																																																																										
29·8	5																																																																																																																																																																																																																																										
36·3	7·5																																																																																																																																																																																																																																										
41·5	10																																																																																																																																																																																																																																										
45·7	12·5																																																																																																																																																																																																																																										
49·6	15																																																																																																																																																																																																																																										
52·8	17·5																																																																																																																																																																																																																																										
55·7	20																																																																																																																																																																																																																																										
°	mm.																																																																																																																																																																																																																																										
80	28·9																																																																																																																																																																																																																																										
90	42·0																																																																																																																																																																																																																																										
100	60·6																																																																																																																																																																																																																																										
110	85·9																																																																																																																																																																																																																																										
120	120·1																																																																																																																																																																																																																																										
130	165·8																																																																																																																																																																																																																																										
140	226																																																																																																																																																																																																																																										
150	304																																																																																																																																																																																																																																										
160	406																																																																																																																																																																																																																																										
170	535																																																																																																																																																																																																																																										
180	698																																																																																																																																																																																																																																										
190	901																																																																																																																																																																																																																																										
200	1152																																																																																																																																																																																																																																										
210	1459																																																																																																																																																																																																																																										
220	1831																																																																																																																																																																																																																																										
230	2278																																																																																																																																																																																																																																										

Methyl alcohol(cont.):—		Acetic acid (cont.):—		Acetic acid (cont.):—		Acetic acid (cont.):—		Acetic acid (cont.):—		Acetic acid (cont.):—	
°	mm.	°	mm.	Solid acid :—		°	mm.	°	mm.	°	mm.
21·8	100	—5·11	3·35	0	3·23	60	107·3	4·70	4·75	68·5	127·5
29·0	150	—2·40	3·90	3·57	4·06	70	155·2	6·01	5·00†	69·1	131·9
35·9	200	—0·69	4·27	6·92	5·08	80	232·9	7·06	5·25	70·0	137·1†
40·5	250	+1·36	5·23	9·96	6·28	90	346·7	7·13	5·40	71·6	146·3
44·4	300	1·53	4·83	11·49	6·97	100	473·0	8·56	5·95	72·4	150·0†
47·9	350	3·09	5·27	12·43	7·48	cf. Kahlbaum, B. 18, 3148.		9·14	6·00†	73·2	156·2
51·0	400	3·81	5·99	13·14	7·86	Ramsay and Young, 47,		9·70	6·20	76·4	177·3
54·0	450	5·52	5·97	Landolt, As. 6, 129 :—		44; 49, 805; P.T.[1884],		10·00	6·34†	78·8	194·4
56·5	500	7·21	6·64	°	mm.	44; 49, 805; P.T.[1884],		10·60	6·50	79·8	199·5
58·5	550	8·19	7·01	0	7·6	464; [1886], 112; B.r.		10·70	6·75	79·9	200·0†
60·5	600	9·09	7·81	5	9·6	18, 136; B. 19, 71;		11·64	7·00†	80·0	202·1†
62·4	650	10·91	8·12	10	12·1	P.M. [5], 21, 45; cf.		12·30	7·30	81·65	215·2
64·1	700	10·95	8·48	15	15·1	Kahlbaum, 19, 2863.		13·91	8·00†	83·4	228·0
65·9	750	13·13	9·29	20	18·9	Solid acid :—		13·70	8·10	83·9	236·3
		14·74	10·23	25	23·5	°		14·20	8·30	84·6	242·1
		15·92	10·87	30	29·1	* mm.		14·39	8·45	87·5	267·8
		18·23	12·34	35	35·9	—5·68		14·72	8·50	90·0	292·8†
				40	44·1	1·3		14·90	8·55	90·75	300·0†
				45	54·0	—0·60		15·88	9·00†	91·4	307·9
				50	66·0	—0·11		15·50	9·10	94·5	344·3
				55	80·3	+1·85		15·60	9·15	97·4	376·4
				60	97·4	2·86		15·70	9·35	98·6	396·3
				65	117·8	4·10		16·75	10·45	98·9	400·0†
				70	142·0	5·32		17·00	9·75	100·0	416·5†
				75	170·6	6·30		17·60	10·00†	100·6	425·2
				80	204·3	6·41		18·60	11·10	103·3	460·3
				85	244	6·68		19·20	11·05	105·15	500·0†
				90	290·6	7·14		20·00	11·80†	105·45	501·8
				95	345·2	7·20		20·10	12·00	107·45	540·0
				100	408·5	8·40		20·90	12·45	110·0	582·6†
				105	482·5	8·50		21·40	12·65	110·4	587·1
				110	567·8	8·72		21·68	12·85	111·0	600·0†
				115	667·0	9·16		22·05	13·05	112·4	623·8
				120	781·1	9·60		22·4	12·90	113·4	642·6
				125	912·3	10·40		23·0	13·65	114·1	657·5
				130	1062·8	11·39		23·4	13·80	116·45	700·0†
				135	1234·9	11·67		25·6	15·95	117·15	717·9
				140	1431·3	11·70		27·2	16·80	120·0	794·0†
				cf. Horstmann, B. 3, 80;		12·15		27·3	17·45	130·0	1040·0†
				11, 1292 :—		12·60		30·0	19·9	140·0	1381·0†
				Bineau, quoted by		13·30		31·3	21·8	Richardson, 49, 765,	
				Ramsay, 47, 45 :—		13·37		32·7	22·9	776 :—	
				°	mm.	13·96		36·1	28·3	°	mm.
				15	7·7	14·30		36·9	28·9	2·72	4·0
				22	14·5	14·58		40·0	34·0†	5·59	4·9
				32	23·0	14·80		40·1	34·3	6·11	5·0
				Naumann, A. 155, 325 :—		15·15		43·8	41·7	6·87	5·1
				°	mm.	15·40		48·0	50·0†	7·06	5·25
				78	185	15·60		48·2	51·3	7·62	5·50
				Wüllner, P.A. 103, 529 :—		15·80		48·5	51·7	8·27	5·90
				°	mm.	16·09		49·2	53·7	9·70	6·20
				14	15·7	16·08		49·65	55·6	10·60	6·50
				20	19·0	16·20		50·0	56·2†	10·7	6·75
				30	30·5	16·32		50·5	58·1	14·72	8·5
				40	45·5	16·41		53·5	66·7	15·5	9·1
				50	72	Liquid acid :—		57·4	78·7	17·0	9·75
						°		59·6	87·6	20·1	12·0
						0		60·0	88·3†	25·6	15·95
						2·72		61·8	96·3	31·3	21·8
						4·20		62·9	100·0†		

† Obtained by interpolation.

Acetic acid (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
36.1	28.3	40	133.69	140	5637.7	5.0	17.70	11.2	25.91	17.4	37.68
40.1	34.3	45	172.18	150	7257.8	.1	17.80	.3	26.07	.5	37.91
48.1	50.0	50	219.90	152	7617.3	.2	17.93	.4	26.23	.6	38.14
48.5	51.7	55	278.59	Vap. tension of absolute alcohol calculated from Regnault's measurements (M.A.S. 26, 349, see above) by Bunsen, Gasomet. Meth. Tab. 3. :—		.3	18.04	.5	26.39	.7	38.36
57.4	78.7	60	350.21			.4	18.16	.6	26.55	.8	38.59
59.6	87.6	65	436.90			.5	18.27	.7	26.71	.9	38.82
62.5	100.0	70	541.15			.6	18.38	.8	26.87	18.0	39.05
68.5	127.5	75	665.54			.7	18.50	.9	27.03	.1	39.29
69.1	131.9	80	812.91			.8	18.61	12.0	27.19	.2	39.53
72.3	150.0	85	986.40			.9	18.73	.1	27.36	.3	39.77
73.2	156.2	90	1189.30			.0	18.84	.2	27.53	.4	40.01
79.5	200.0	95	1425.13			.1	18.96	.3	27.70	.5	40.25
81.65	215.2	100	1697.55			.2	19.08	.4	27.87	.6	40.49
85.5	250.0	105	2010.38	.3	19.20	.5	28.04	.7	40.73		
90.7	300.0	110	2367.64	.4	19.32	.6	28.21	.8	40.97		
91.4	307.9	115	2773.40	.5	19.44	.7	28.38	.9	41.21		
95.1	350.0	120	3231.73	.6	19.56	.8	28.55	19.0	41.45		
98.9	400.0	125	3746.88	.7	19.68	.9	28.72	.1	41.71		
100.6	425.0	130	4323.00	.8	19.80	13.0	28.89	.2	41.96		
102.2	450.0	135	4964.22	.9	19.92	.1	29.07	.3	42.22		
105.4	500.0	140	5674.59	.0	20.04	.2	29.25	.4	42.47		
105.45	501.8	145	6458.10	.1	20.17	.3	29.43	.5	42.73		
108.3	550.0	150	7318.40	.2	20.30	.4	29.61	.6	42.98		
110.4	587.1	155	8259.19	.3	20.43	.5	29.79	.7	43.24		
111.2	600.0	<i>Ibid.</i> , C.R. 50, 1067; P.A.		.4	20.55	.6	29.97	.8	43.49		
113.8	650.0	111, 407; iii., 94 :—		.5	20.68	.7	30.15	.9	43.75		
114.1	657.5	mm.		.6	20.81	.8	30.33	20.0	44.00		
116.5	700.0	0	12.83	.7	20.93	.9	30.51	.1	44.27		
117.15	717.9	10	24.30	.8	21.06	14.0	30.69	.2	44.54		
119.0	750.0	20	44.48	.9	21.19	.1	30.88	.3	44.81		
Dimethyl oxide, C_2H_6O . Regnault, M.A.S. 26, 535 :—		30	78.49	.0	21.31	.2	31.07	.4	45.08		
		40	133.64	.1	21.45	.3	31.26	.5	45.35		
		50	219.88	.2	21.58	.4	31.45	.6	45.61		
		60	350.26	.3	21.72	.5	31.64	.7	45.88		
		70	541.21	.4	21.85	.6	31.84	.8	46.15		
		80	812.76	.5	21.99	.7	32.03	.9	46.42		
		90	1188.43	.6	22.12	.8	32.22	21.0	46.69		
		100	1694.92	.7	22.25	.9	32.41	.1	46.98		
		110	2361.63	.8	22.39	15.0	32.60	.2	47.26		
		120	3219.68	.9	22.52	.1	32.80	.3	47.55		
Ethyl alcohol, C_2H_6O . Regnault, M.A.S. 26, 339 :—		130	4301.04	.0	22.66	.2	33.01	.4	47.83		
		140	5637.00	.1	22.80	.3	33.21	.5	48.12		
		150	7258.73	.2	22.94	.4	33.41	.6	48.40		
		<i>Ibid.</i> , P.M. [4], 8, 271 :—		.3	23.08	.5	33.61	.7	48.69		
		°	mm.	.4	23.23	.6	33.82	.8	48.97		
		—21	3.12	.5	23.37	.7	34.02	.9	49.26		
		—20	3.34	.6	23.51	.8	34.22	22.0	49.54		
		—10	6.50	.7	23.65	.9	34.42	.1	49.84		
		0	12.73	.8	23.79	16.0	34.62	.2	50.14		
		+10	24.08	.9	23.94	.1	34.84	.3	50.44		
Ethyl alcohol, C_2H_6O . Regnault, M.A.S. 26, 339 :—		20	44.0	10.0	24.08	.2	35.05	.4	50.74		
		30	78.4	.1	24.23	.3	35.27	.5	51.04		
		40	134.1	.2	24.38	.4	35.48	.6	51.34		
		50	220.3	.3	24.53	.5	35.70	.7	51.64		
		60	350.0	.4	24.68	.6	35.91	.8	51.94		
		70	539.2	.5	24.83	.7	36.13	.9	52.24		
		80	812.8	.6	24.99	.8	36.34	23.0	52.54		
		90	1190.4	.7	25.14	.9	36.56	.1	52.86		
		100	1685.0	.8	25.29	17.0	36.77	.2	53.17		
		110	2351.8	.9	25.44	.1	37.00	.3	53.49		
120	3207.8	.0	25.59	.2	37.23	.4	53.81				
130	4331.2	.1	25.75	.3	37.45	.5	54.12				

Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Ethyl alcohol (cont.):—		Acetone, CO(CH ₃) ₂ .	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	Regnault, M.A.S. 26, 339; P.A. 111, 408:—	
23·6	54·44	29·8	77·55	5·43	17·75	52	242·05	27·3	71·11	20	197·63
·7	54·75	·9	77·98	6·55	18·85	53	253·8	29·6	80·61	25	226·27
·8	55·07	30·0	78·41	7·65	20·15	54	265·9	30·7	82·86	30	281·00
·9	55·38	Herwig, P.A. 137 and 141; vi., 682. Contained a trace of water:—		9·15	22·15	55	278·6	34·0	100	35	345·15
24·0	55·70			10·72	24·90	56	291·85	32·8	95·1	40	420·15
·1	56·04			12·39	27·60	56·8	300	34·8	104·81	45	507·52
·2	56·37			14·09	30·60	57	305·65	35·3	107·22	50	602·86
·3	56·70	°	mm.	15·87	34·00	58	319·95	36·6	114·59	55	725·95
·4	57·03	23	50·23	16·69	35·90	59	334·85	37·3	119·97	60	860·48
·5	57·37	30·5	77·58	17·65	37·90	60	350·3	40·1	138·41	65	1014·32
·6	57·70	36·4	108·0	18·55	40·00	61	366·4	41·8	150	70	1189·38
·7	58·03	41·9	144·7	19·96	43·95	62	383·1	42·2	155·59	75	1387·62
·8	58·36	47·8	196·5	20·86	46·55	63	400	43·1	162·96	80	1611·05
·9	58·70	57·8	315·8	22·55	51·45	64	418·35	43·8	165·41	85	1861·81
25·0	59·03	62·9	396·83	23·43	53·95	65	437	46·5	189·56	90	2141·66
·1	59·38	69·9	537·63	24·46	57·60	66	456·35	47·2	199·18	95	2452·81
·2	59·73	Kahlbaum, B. 16, 2480; 17, 1259; 18, 2856:—		25·37	60·50	67	476·45	47·4	200	100	2797·27
·3	60·08			26·46	64·70	68	497·25	49·6	222·87	105	3177·00
·4	60·43			27·25	67·60	68·1	500	50·05	226·99	110	3593·96
·5	60·78			28·03	69·90	69	518·85	52·1	250	115	4050·02
·6	61·13	°	mm.	29·36	75·75	70	541·2	52·8	257·52	120	4546·86
·7	61·48	−4·5	0	32·60	90·6	71	564·35	53·7	269·83	125	5086·25
·8	61·83	+1·5	5	0	12·24	72	588·35	55·5	258·49	130	5669·72
·9	62·18	6·5	10	10	23·77	72·45	600	56·0	300	135	6298·68
26·0	62·53	9·5	15	10	44·00	73	613·2	57·3	320·87	140	6974·43
·1	62·90	12·4	20	20	78·06	74	638·95	59·8	349·02	Winkelmann, W. 9, 366; 38, 692:—	
·2	63·27	12·8	20·5	30	90	75	665·55	59·5	350		
·3	63·64	14·4	25	90	1194·3	76	693·1	61·0	370·12		
·4	64·01	17·4	30·86	110	2356	76·1	700	62·5	400		
·5	64·37	21·0	41·32	130	4320	77	721·55	65·5	450	°	ats.
·6	64·74	23·5	50	140	5666	78	751·0	65·8	451·48	21·17	$\frac{1}{4}$
·7	65·11	24·4	54·86	150	7326	79	781·45	68·3	500	37·32	$\frac{1}{2}$
·8	65·48	24·8	56·86	160	9366	79·65	800	68·8	513·76	56·32	1
·9	65·85	26·2	61·96	170	11856	80	812·9	70·5	550	78·03	2
27·0	66·22	29·0	75	180	14763	82·6	900	71·1	569·64	92·30	3
·1	66·60	78·2	760	190	18178	85·4	1000	72·5	600	103·26	4
·2	66·99	* Ramsay and Young, P.T. [1886], 127, 154:—		200	22164	96·8	1500	73·8	642·98	112·30	5
·3	67·38			210	26821	105	2000	74·1	650	120·08	6
·4	67·77			220	32097	117·6	3000	76·1	700	126·95	7
·5	68·15			°	mm.	230	38176	135·3	5000	78·0	750
·6	68·54	−5	8·60	240	45504	162·7	10000	78·2	760	138·81	9
·7	68·93	−4·67	8·75	c.t. 243·6		ats.	62·8	Sajotschewski, W.B.		144·05	10
·8	69·31	−4·27	9·20	<i>Ibid.</i> , 47, 654; P.M. [5], 20, 524; 21, 36:—		180·5	15000	3, 741:—			
·9	69·70	−3·36	9·80	°	mm.	194·1	20000	°	ats.		
28·0	70·02	−2·50	10·25	3·75	10	Richardson, 49, 762, 775; B.R. 19, 808:—		c.t. 234·3	62·1		
·1	70·49	−1·63	10·75	22	50	°	mm.	Hannay and Hogarth, P.R. 30, 183, 484:—			
·2	70·89	−1·60	10·90	34·5	100	−3·3	10·23	°	ats.		
·3	71·29	−1·10	11·05	40	133·7	+4·2	16·89	c.t. 234·6	65		
·4	71·69	−0·92	11·35	41	140·75	4·8	17·94	°	ats.		
·5	72·09	−0·79	11·60	42	148·1	7·3	22·39	c.t. 234·6	65		
·6	72·49	−0·39	11·85	43	155·8	8·8	23·31	Strauss, W.B. 6, 282:—			
·7	72·89	−0·13	12·05	44	163·8	9·8	24·51	°	ats.		
·8	73·29	+0·09	12·45	45	172·2	10·7	25·80	c.t. 240·6	?		
·9	73·69	0·54	12·70	46	181·0	13·6	30·67	De la Tour, P.R. 30, 184:—			
29·0	74·09	0·70	12·85	47	190·1	17·2	38·57	°	ats.		
·1	74·53	0·99	13·00	48	200	19·8	45·22	c.t. 258·7	119		
·2	74·96	1·28	13·15	49	209·6	21·8	50·0	Ramsay, P.R. 38, 330; 48, 1178:—			
·3	75·39	1·63	13·75	50	220·0	22·6	51·96	°	ats.		
·4	75·82	2·31	14·20	51	230·8	23·1	54·86	c.t. 243·6	64·3		
·5	76·25	2·78	14·85			23·5	56·25				
·6	76·68	3·47	15·45			25·3	62·48				
·7	77·12	4·67	16·90			26·8	68·96				

Propylic formate (continued) :—		Methyl propionate (continued) :—		Isobutyric acid (cont.) :—		Butyric acid (cont.) :—		Butyric acid (cont.) :—		Diethyloxyde (cont.) :—		
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	
49·5	240	24·9	82	Richardson, 49, 761 ; B.r. 19, 808 :—		35	12·2	° mm. 70·9 17·5		Olzewski, C.N. 51, 174 :— Solidifies —129°.		
53·9	282	33·2	125	°	°	40	14·5	73·0	20·0	Regnault, M.A.S. 26, 339 :—		
56·7	312	35·5	141	23·8	0·996	45	17·2	75·2	21·48	°	* mm.	
64·9	437	38·5	161	32·6	2·195	50	20·4	74·8	22·0	—20	68·9	
72·9	580	41·2	182	34·55	2·798	55	24·2	75·0	22·5	—15	89·31	
76·2	652	43·7	200	37·55	3·584	60	28·6	76·9	25·0	—10	114·72	
79·9	730	45·6	216	38·8	3·787	65	33·7	80·5	30·0	— 5	146·06	
81·0	760	50·0	260	44·05	5·873	70	39·9	81·4	31·94	0	184·39	
82·5	796	55·0	318	48·55	7·366	75	47·1	83·2	35·0	+ 5	230·89	
86·3	905	59·4	377	51·8	12·158	80	55·6	85·9	40·0	10	286·83	
90·4	1027	63·7	439	64·8	18·436	85	65·5	87·5	43·12	15	353·62	
92·5	1097	67·1	496	67·2	20·9	90	77·3	87·8	45·0	20	432·78	
95·3	1192	70·0	550	70·6	24·73	95	91·0	89·8	48·9	25	525·93	
98·2	1298	74·3	633	76·4	34·78	100	107·1	90·3	50·0	30	634·80	
98·3	1300	78·4	733	84·8	50·0 †	105	125·9	91·7	55·0	35	761·20	
101·1	1412	79·9	760	89·8	66·37	110	148·1	92·9	60	40	807·04	
		82·0	824	92·3	72·71	115	173·0	94·0	65	45	1074·15	
		89·9	1052	96·3	89·09	120	204·1	95·9	70	50	1264·83	
		93·1	1159	98·8	97·79	125	240·0	97·1	75	55	1481·06	
		96·3	1275	99·2	100 †	130	281·2	97·9	80	60	1725·01	
		97·0	1300	103·8	129·75	135	329·3	98·7	85	65	1998·87	
		99·7	1398	104·8	127·90	140	386·1	99·9	90	70	2304·90	
				107·3	147·09	145	450·8	101·0	95	75	2645·41	
				107·8	150·0 †	150	529·1	102·1	100	80	3022·79	
				110·3	160·0	155	617·9	161·5	760	85	3439·53	
				111·8	177·24	160	723·1	Ramsay and Young, B. 19, 2110 :—				
				111·8	177·24	165	844·4					
				114·5	200·0 †	170	986·2	°	mm.	90	3898·26	
				115·8	205·29	175	1151·4	20·3	0·35	95	4401·81	
				119·3	236·03	180	1342·0	50	5·2	100	4953·30	
				120·8	250·0 †	Schall, B. 17, 2569 :—				105	5556·23	
				123·0	279·04	°	mm.	60	9·5	110	6214·63	
				124·3	283·66	63·4	10	70	16·3	115	6933·26	
				125·9	300·0 †	68·7	15	80	27·5	120	7719·20	
				126·8	308·57	73·0	20	90	44·5	Ibid., P.M. [4], 8, 271 :—		
				126·8	308·57	76·9	25	100	73·1			
				130·4	350·0 †	90·3	50	110	110·2	°	mm.	
				130·55	358·76	97·1	75	120	164·3	— 20	69·2	
				131·20	358·84	157·0	760	130	241·5	— 10	113·2	
				134·5	400 †	Schumann, B. 18, 2085 :—				0	182·3	
				133·80	406·59	°	mm.	140	345·7	10	286·5	
				136·05	411·19	15·8	6·5	150	488·5	20	434·8	
				138·0	450 †	84·0	36·0	160	676·3	30	637·0	
				141·0	500 †	155·5–160 u.c.]	730	163·8	760 1	40	913·6	
				141·0	500 †	Kahlbaum, B. 16, 2480 ; 17, 1259, 1267, 1271 ; 18, 2107, 3147 ; 19, 2864 ; 46, 141 :—				50	1268·0	
				139·8	522·03			Diethyloxyde, C ₄ H ₁₀ O.				
				143·8	550 †			Drion, A.C. [3], 56, 133 :—				
				146·1	600 †			° ats. c.t. 190·5 ?				
				148·7	650 †			Ladenburg, B. 11, 828 ; 34, 633 :—				
				150·8	700 †			° ats. c.t. 196.				
				153·0	750 †			Strauss, W.B. 6, 282 :—				
				153·3	761·27			° ats. c.t. 195·5 ?				
				† Interpolated.				De la Tour and Wolf, B. 11, 822 :—				
				Butyric acid, C ₄ H ₈ O ₂ .		°	mm.	° mm.				
				Landolt, As. 6, 129 :—	°	°	49·0	0	94 :—			
				°	mm.	57·3	5	°	mm.	— 20	67·5	
				10	5·2	60·6	7·5	°	mm.	— 15	87·9	
				15	6·2	63·6	10·0	°	mm.	— 10	113·3	
				20	7·3	63·5	10·06	°	mm.	— 5	144·8	
				25	8·7	66·3	12·5					
				30	10·3	67·9	14·0					
						68·7	15·0					

Ethylic acetate,
C₄H₈O₂.
Schumann, W. 12, 47 ;
B. 14, 1273 :—

°	mm.
13·0	53
20·1	73
22·0	81
30·6	123
33·3	139
36·2	158
38·9	177
41·4	200
42·1	202
45·2	233
48·3	266
52·9	318
56·7	371
60·3	422
67·3	545
70·3	605
72·9	665
75·7	729
77·1	760
77·7	772
80·2	849
87·2	1051
89·2	1117
91·8	1208
94·0	1292
94·3	1300
95·5	1347
97·0	1403

**Methyl propion-
ate, C₄H₈O₂.**
Schumann, W. 12, 47 ;
B. 14, 1273 :—

°	mm.
4·5	34
17·1	58
23·4	77

Isobutyric acid,
C₄H₈O₂.
Schumann, W. 12, 47 ;
B. 14, 1273 :—

°	mm.
113·8	200
153·3	760
168·9	1300
Kahlbaum, B. 16, 2480 ; 17, 1259 ; 18, 2107 ; 19, 2864 ; 46, 141 :—	
°	mm.
39·9	0
49·3	5
52·9	7·5
55·8	10
57·5	11·36
58·5	12·5
60·8	15·0
63·2	17·5
69·2	18·14
65·4	20·0
67·5	22·5
69·8	25·0
72·8	28·84
73·8	30·0
76·9	35·0
78·8	39·36
79·0	40·0
81·4	45·0
83·0	50·0
85·0	61·4
88·3	75·0
152·0	760·0

Butyric acid,
C₄H₈O₂.
Landolt, As. 6, 129 :—

°	mm.
10	5·2
15	6·2
20	7·3
25	8·7
30	10·3

Ramsay and Young, B.
19, 2110 :—

°	mm.
20·3	0·35
50	5·2
60	9·5
70	16·3
80	27·5
90	44·5
100	73·1
110	110·2
120	164·3
130	241·5
140	345·7
150	488·5
160	676·3
163·8	760 1

Diethyloxyde,
C₄H₁₀O.

°	ats.
c.t. 190·5	?
Ladenburg, B. 11, 828 ; 34, 633 :—	
°	ats.
c.t. 196.	

°	ats.
c.t. 195·5	?
De la Tour and Wolf, B. 11, 822 :—	
°	ats.
c.t. 200.	

Ibid., P.A. 111, 407 ; iii.,
94 :—

°	mm.
— 20	67·5
— 15	87·9
— 10	113·3
— 5	144·8

Diethyloxide (cont.):—		Isobutyl alcohol, Bu ^β .OH.		Isobutyl alcohol (continued):—		Isobutylic formate (continued):—		Propylic acetate (continued):—		Methylic butyrate (continued):—	
°	mm.	°	mm.	°	mm.	°	mm.	°	mm.	°	mm.
0	183·3	Kahlbaum, B. 16, 2480 ; 17, 1259 ; 46, 141 :—		90·3	378·12	59·4	200	11·8	15	82·3	398
+ 5	230·1			91·55	399·35	59·6	203	16·2	20	84·2	423
10	286·4	°	mm.	91·8	400†	63·5	236	21·2	25	87·3	467
15	353·6	7·6	0	92·8	418·12	68·5	286	33·8	50	89·6	509
20	433·3	17·9	5	92·95	428·94	73·0	336	39·1	75	91·7	543
30	637·0	25·2	9·46	94·4	450†	77·2	392	100·8	760	94·2	590
40	909·6	26·4	10	95·4	468·98	80·9	448	Ethylic propionate, CH ₃ .CH ₂ .CO ₂ .Et. Schumann, W. 12, 47 ; B. 14, 1273 :—		98·3	673
50	1268·0	33·5	15	95·8	478·12	83·9	491	°	mm.	100·8	732
60	1728·5	38·0	20	97·0	500†	87·2	548	26·0	39	101·6	743
70	2309·5	42·0	25	98·05	524·86	89·9	594	31·5	52	102·3	760
80	3024·4	45·2	30·2	96·80	527·36	93·1	654	35·4	66	104·4	807
90	3899·0	50·0	42·48	99·4	550†	96·3	733	38·8	77	108·5	913
100	4950·8	52·2	50	100·7	575·65	97·9	760	41·9	89	109·6	944
110	6249·0	56·0	75	101·55	593·86	102·1	863	43·5	97	113·1	1044
120	7702·2	106·4	760	101·4	600†	105·8	958	47·7	117	116·1	1140
				102·75	626·26	109	1067	51·2	138	119·7	1256
Herwig, P.A. 137 and 141 ; vi., 683 :—		Richardson, 49, 763 ; B.r. 19, 808 :—		102·8	630·89	112·3	1178	54·7	158	120·9	1300
°	mm.	°	mm.	103·3	650†	115·1	1279	58·3	183	122·3	1350
18·2	405·16	25·3	11·21	104·8	669·11	115·8	1300	58·7	188	123·4	1390
25·0	530·16	32·8	18·44	104·8	680·83	118·5	1396	60·7	200	Methylic isobuty- rate, CHMe ₂ .CO ₂ Me. Schumann, W. 12, 47 ; B. 14, 1273 :—	
35·0	769·73	35·4	21·42	105·3	700†	Propylic acetate, CH ₃ .CO ₂ .Pr ^α . Schumann, W. 12, 47 ; B. 14, 1273 :—		61·8	207	°	mm.
Winkelmann, W. 9. 364 ; 38, 692 :—		37·9	26·16	105·8	708·36	°	mm.	65·9	243	23	48
°	ats.	42·0	33·12	107·0	750†	21·0	31	70·0	283	26	56
— 13·86	$\frac{1}{8}$	46·7	44·07	107·7	755·11	28·8	47	73·2	323	32·3	75
0·50	$\frac{1}{4}$	46·8	42·92	Pawlewski, B. 16, 2634 ; 46, 252 :—		37·1	65	76·2	361	37·5	94
+ 16·70	$\frac{1}{2}$	49·0	50·0†	°	ats.	39·8	74	79·0	402	41·6	113
34·96	1	50·8	55·66	c.t. 234·9	?	43·7	87	83·0	461	44·6	130
55·87	2	52·8	62·68	83	o.p.	47·6	104	86·7	522	47·5	150
69·61	3	54·9	71·61	Propylmethyl ketone, C ₃ H ₇ .CO.CH ₃ . Kahlbaum, B. 17, 1260 :—		52·0	126	90·6	597	51·1	172
80·21	4	58·8	85·86	°	mm.	59·9	175	94·2	668	55·0	200
88·96	5	57·8	88·76	2·1	0	63·1	200	97·2	734	57·3	221
96·47	6	61·3	98·68	7·6	5	64·7	215	98·3	760	61·9	264
103·08	7	61·8	100·0†	11·9	10	67·8	240	100·5	812	65·6	306
109·00	8	62·3	103·04	14·8	15	71·4	277	105·7	954	69·3	348
114·37	9	62·3	103·04	17·9	20	75·4	322	109·6	1066	72·3	387
119·39	10	66·0	116·29	20·9	25	79·3	372	113·1	1178	76·1	445
Ramsay, P.M. [5], 20, 524 ; 21, 37 ; P.R. 31, 194 ; 42, 136 :—		68·8	134·11	32·1	50	83·8	436	115·3	1250	80·6	520
°	mm.	69·8	150†	38·4	75	87·3	493	116·9	1300	84·4	592
— 12·7	100	69·9	151·2	88·9	760	90·8	552	117·9	1331	87·6	658
— 4·5	150	71·8	166·62	Isobutylic formate, H.CO ₂ Bu ^β . Schumann, W. 12, 47 ; B. 14, 1273 :—		95·7	649	Methylic butyrate, CH ₃ .(CH ₂) ₂ .CO ₂ Me. Schumann, W. 12, 47 ; B. 14, 1273 :—		91·0	734
+ 1·8	200	73·8	182·38	°	mm.	99·7	733	°	mm.	92·3	760
11·0	300	74·8	194·68	29·8	51	100·8	760	43·0	81·6	99·7	946
18·0	400	75·5	200†	33·5	64	104·6	851	47·3	105	102·5	1035
23·7	500	75·9	204·09	37·8	76	108·3	956	52·1	127	105·9	1137
28·5	600	77·2	213·77	40·4	88	112·3	1069	55·4	141	108·7	1242
32·7	700	78·7	226·82	44·3	104	114·3	1138	63·0	192	110·6	1300
36·3	800	78·7	229·45	50·6	138	117·3	1230	63·9	200	111·1	1316
39·9	900	80·55	244·61	55·3	169	119·2	1300	66·9	225	112·7	1370
43·0	1000	80·5	250†	Isobutylic formate, H.CO ₂ Bu ^β . Schumann, W. 12, 1259 :—		119·8	1317	70·3	258	Isovaleric acid, CHMe ₂ .CH ₂ .CO ₂ H. Landolt, As. 6, 129 :—	
55·5	1500	81·0	259·56	°	mm.	121·9	1391	73·0	281	°	mm.
65·0	2000	81·3	259·00	— 13·2	0	Propylic acetate, CH ₃ .CO ₂ .Pr ^α . Schumann, W. 12, 47 ; B. 14, 1273 :—		77·0	327	10	4·6
79·8	3000	83·6	284·30	— 2·4	5	°	mm.	78·4	347	15	5·4
100·4	5000	84·8	297·59	+ 5·6	10	21·0	31	81·0	376		
		85·0	300†			28·8	47				
		85·3	304·47			37·1	65				
		87·3	332·32			39·8	74				
		87·8	347·47			43·7	87				
		88·8	350†			47·6	104				
						52·0	126				
						59·9	175				
						63·1	200				
						64·7	215				
						67·8	240				
						71·4	277				
						75·4	322				
						79·3	372				
						83·8	436				
						87·3	493				
						90·8	552				
						95·7	649				
						99·7	733				
						100·8	760				
						104·6	851				
						108·3	956				
						112·3	1069				
						114·3	1138				
						117·3	1230				
						119·2	1300				
						119·8	1317				
						121·9	1391				
						Propylic acetate, CH ₃ .CO ₂ .Pr ^α . Schumann, W. 12, 47 ; B. 14, 1273 :—					
						°	mm.				
						— 13·2	0				
						— 2·4	5				
						+ 5·6	10				

† Interpolated.

Propionic anhydride (continued):—	Amylic formate (cont.):—	Isobutylic acetate (continued):—	Ethyl butyrate, $\text{CH}_3(\text{CH}_2)_2\text{CO}_2\text{Et}$. Schumann, W. 12, 47 ; B. 14, 1273 :—	Ethyl isobutyrate (continued):—	Benzaldehyde (cont.):—
° mm.	° mm.	° mm.	° mm.	° mm.	° mm.
85·0 44·02	108·2 482	135·5 1300	42·0 39	116·9 923	77·1 25
86·7 50	109·7 506	135·9 1313	45·3 46	120·3 1015	88·3 50
93·2 75	110·9 523	137·4 1364	46·4 50	123·1 1098	94·8 75
167·0 760	111·4 589		49·8 59	126·0 1180	180 760
	117·0 627	Kahlbaum, B. 17, 1259 ;	53·3 69	128·8 1277	
Diethyl oxalate, $(\text{CO}_2\text{Et})_2$.	118·8 664	18, 2107 :—	58·0 82	129·3 1300	Benzoic acid, $\text{C}_7\text{H}_6\text{O}_2$.
Schall, B. 17, 2570 :—	119·8 685	° mm.	62·4 99	131·6 1374	Carnelley, not yet pub- lished :—
° mm.	120·2 697	5·4 0	67·6 125		° mm.
83·9 10	121·8 726	12·7 5	73·7 161	Methyl valerate, $\text{C}_4\text{H}_9\text{CO}_2\text{Me}$.	140 17
91·6 15	122·8 748	16·1 7·5	75·4 173	Schumann, W. 12, 47 ; B. 14, 1273 :—	150 24
96·5 20	123·3 760	18·8 10	78·2 193	° mm.	160 36
100·8 25	123·5 764	21·2 12·5	79·2 200	45·4 50	170 57
113·2 50	124·9 794	23·3 15	81·2 216	48·5 58	180 88
118·6 75	125·9 818	25·2 17·5	83·8 234	51·9 67	190 129
185·3 760	127·2 851	27·0 20	87·2 267	54·6 79	200 176
	128·7 885	28·7 22·5	89·8 290	58·1 91	210 249
	130·1 923	30·4 25	92·1 316	60·7 103	220 346
Kahlbaum, B. 17, 1260 ; 18, 2107 :—	131·7 960	42·5 50	95·1 346	63·0 116	230 474
° mm.	132·8 986	49·7 75	101·3 430	67·8 137	240 609
59·1 0	134·1 1025	112·0 760	105·2 485	75·3 187	250 773
73·6 5	135·5 1067		108·8 540	77·2 200	260 930
79·6 7·5	136·9 1105	Propyl propionate, $\text{CH}_3\text{CH}_2\text{CO}_2\text{Pr}^a$.	112·4 612	78·0 207	270 1107
83·9 10	140·5 1209	Schumann, W. 12, 47 ; B. 14, 1273 :—	115·5 676	81·2 230	280 1347
87·8 12·5	143·7 1300	° mm.	118·2 729	83·6 251	290 1580
91·0 15		52·9 57	119·9 760	86·0 275	300 1827
93·7 17·5	Isobutylic acetate, $\text{CH}_3\text{CO}_2\text{CH}_2\text{CHMe}_3$.	58·1 74	121·7 806	89·3 309	
96·5 20	Schumann, W. 12, 47 ; B. 14, 1273 :—	61·3 85	125·4 894	92·7 352	ϕEnanthol, $\text{C}_8\text{H}_{13}\text{COH}$.
98·6 22·5	° mm.	64·7 98	127·9 961	94·9 382	Kahlbaum, B. 17, 1260 ; 18, 2107 :—
100·8 25	21·8 17	67·7 114	132·8 1098	100·0 453	° mm.
113·2 50	36·8 33	70·7 129	136·2 1202	102·6 496	31·7 0
118·6 75	50·6 67	74·2 149	139·1 1300	108·9 594	39·6 5
185·3 760	54·2 78	78·5 174	140·9 1361	111·2 650	42·7 7·5
	56·7 87	82·0 200	142·3 1406	115·4 731	45·5 10
Amylic formate.	60·2 102	82·2 202		116·4 757	48·1 12·5
Schumann, W. 12, 47 ; B. 14, 1273 :—	62·9 114	86·0 231	Ethyl isobutyrate, $\text{CHMe}_2\text{CH}_2\text{CO}_2\text{Et}$.	116·7 760	50·5 15
° mm.	64·8 125	89·0 262	Schumann, W. 12, 47 ; B. 14, 1273 :—	121·3 860	52·5 17·5
21·0 12	69·3 150	92·1 294	° mm.	128·7 1063	54·4 20
31·3 22	75·9 196	95·5 327	30·1 34	131·5 1146	56·2 22·5
41·8 39	76·6 200	99·3 372	43·8 61	133·9 1227	57·8 25
49·0 50	79·2 221	102·3 411	48·2 76	135·7 1286	69·7 50
54·9 63	85·3 275	105·7 460	58·9 121	136·0 1300	76·9 75
66·0 102	92·1 349	110·1 529	63·6 148	138·0 1366	155·0 760
71·8 127	96·6 406	113·5 588	67·2 172		
74·0 140	98·3 433	118·2 676	71·1 200	Benzaldehyde, $\text{C}_7\text{H}_6\text{O}$.	Isobutylic propion- ate, $\text{CH}_3\text{CH}_2\text{CO}_2\text{Bu}^\beta$.
77·6 160	101·2 477	120·9 730	72·1 209	Kahlbaum, B. 17, 1260 ; 18, 2107 ; cf. Schall, B. 17, 2570 :—	Schumann, W. 12, 47 ; B. 14, 1273 :—
80·1 178	103·3 513	122·2 760	76·3 243	° mm.	° mm.
83·2 200	106·6 570	123·5 792	80·3 284	46·6 0	65·8 52
85·9 221	110·2 630	126·4 858	83·5 322	57·3 5	68·2 60
87·9 238	115·1 737	129·3 935	87·2 366	61·2 7·5	71·8 70
89·8 256	116·3 760	133·4 1049	90·8 412	64·3 10	76·8 96
93·0 286	117·1 780	136·2 1131	95·2 474	66·9 12·5	80·0 109
95·8 318	119·9 842	140·1 1247	99·1 542	69·3 15	90·7 170
96·2 321	122·1 905	141·7 1300	103·7 628	71·6 17·5	94·4 198
98·7 350	125 975	143·3 1357	108·7 732	73·7 20	95·0 200
100·0 368	127·2 1036	144·9 1401	110·1 760	75·7 22·5	
102·3 397	129·4 1108		112·9 823		
104·5 426	131·5 1167				
105·8 445	134·6 1275				

II.—VAPOUR TENSIONS AND BOILING POINTS OF MIXED SUBSTANCES, e.g., MIXED LIQUIDS AND SALINE SOLUTIONS.

°C.=temperature or boiling point. mm.=tension in millimetres of Mercury. Ats.=ditto in atmospheres. W = parts of *anhydrous* salt in 100 parts of water. Sat.=saturated.

A.—VAPOUR TENSIONS OF AQUEOUS SOLUTIONS.

Potassium fluoride, KF. Tammann, W. 24, 535.			Potassium fluoride (continued):—			Barium chloride (continued):—			Calcium chloride (continued):—				
Tension of pure H ₂ O.	Tension of Solution.		mm.	mm.	mm.	mm.	mm.	mm.	°	ats.	W.		
	8·5 W.	19·41 W.											
mm.	mm.	mm.	268·5	164·8	127·4	221·2	216·5	203·2	104	1	25·8		
22·0	20·6	19·1	302·2	187·0	145·4	240·5	234·2	221·4	105	"	29·4		
34·5	32·3	30·1	330·2	204·2	158·8	272·6	266·8	251·2	106	"	32·6		
41·7	39·3	36·2	379·1	237·9	185·4	305·0	297·9	281·5	107	"	35·6		
53·7	50·9	46·9	386·3	239·8	188·7	353·4	345·4	326·1	108	"	38·5		
65·3	62·1	56·8	436·4	273·5	215·1	398·3	388·3	367·4	109	"	41·3		
78·6	74·9	69·0	501·1	314·8	249·5	431·7	421·2	398·4	110	"	44·0		
90·1	85·9	79·1	565·4	359·9	487·6	477·7	450·9	111	"	46·8		
104·4	99·7	92·5	628·4	398·8	527·4	516·0	487·5	112	"	49·7		
114·9	109·8	101·5	Aluminium chloride, Al₂Cl₆. Gerlach, Sp. gw. Salzlösungen, 103:—			577·0	564·5	532·5	113	"	52·6		
133·1	126·5	117·8				°	ats.	W.	642·3	627·7	594·4	114	"
151·2	144·6	133·6	103·4	1	23·7	705·0	687·0	652·4	115	"	58·6		
168·8	161·2	149·3	112·8	"	62·1	775·0	755·3	715·3	116	"	61·6		
178·8	170·1	157·9	Barium chloride, BaCl₂. Legrand, A.C. [2], 59, 432; iii, 89:—			39·93 W. 50·97 W.		95·0	mm.	mm.	117	"	64·6
198·8	189·1	174·6						°	ats.	W.	121·5	87·4	86·1
220·4	210·5	195·0	100·5	1	11·0	143·2	112·1	110·4	119	"	70·6		
243·8	232·2	215·4	101·0	"	19·6	158·3	132·5	130·8	120	"	73·6		
268·5	256·2	237·5	101·5	"	26·2	183·7	146·0	144·0	121	"	76·7		
302·2	287·7	267·8	102·0	"	32·5	221·2	168·8	166·2	122	"	79·8		
330·2	314·1	292·0	102·5	"	38·6	240·5	203·7	200·3	123	"	82·9		
379·1	362·2	336·6	103·0	"	44·5	272·6	222·6	216·1	124	"	86·0		
386·3	368·3	342·0	103·5	"	50·3	305·0	250·9	245·6	125	"	89·1		
436·4	416·7	386·9	104·0	"	56·0	353·4	280·6	275·1	126	"	92·2		
501·1	478·4	443·4	104·4	"	60·1 sat.	398·3	325·2	319·0	128	"	98·4		
565·4	539·1	506·0	Griffiths, Q.J.S. [1825], 18, 90:—			431·7	366·9	359·1	130	"	104·6		
628·4	559·4				°	ats.	W.	487·6	397·7	389·7	132	"
763·5	725·1	674·4	104·4	"	81·81 sat.	527·4	449·3	441·1	134	"	117·2		
54·73 W. 73·42 W.			Gerlach, Sp. gw. Salzlösungen, 102:—			577·0	532·2	520·3	136	"	123·5		
						°	ats.	W.	592·3	580·1	580·1	138	"
22·0	mm.	mm.	100·6	1	11·1	642·3	649·5	635·7	140	"	136·3		
34·5	19·0	13·3	101·9	"	25·0	705·0	713·8	699·5	142	"	142·8		
41·7	23·2	16·5	Tammann, W. 24, 549:—			775·0	713·8	699·5	144	"	149·4		
53·7	31·1	22·6				°	ats.	W.	527·4	486·1	476·2	146	"
65·3	38·4	27·9	100·6	1	11·1	577·0	532·2	520·3	148	"	163·2		
78·6	46·7	34·6	101·9	"	25·0	642·3	592·3	580·1	150	"	170·5		
90·1	53·1	40·1	Tammann, W. 24, 549:—			705·0	649·5	635·7	152	"	178·1		
104·4	61·7	46·3				°	ats.	W.	775·0	713·8	699·5	154	"
114·9	69·0	52·0	100·6	1	11·1	Calcium chloride, CaCl₂. Gerlach, Sp. gw. Salzlösungen, 101:—			156	"	194·3		
133·1	80·2	60·5	101·9	"	25·0				°	ats.	W.	158	"
151·2	91·1	69·5	Tammann, W. 24, 549:—			101·4	1	11·1	160	"	212·1		
168·8	102·5	78·5				°	ats.	W.	104·2	"	25·0	162	"
178·8	108·2	82·7	100·6	1	11·1	109·7	"	42·9	164	"	231·5		
198·8	120·5	93·1	101·9	"	25·0	118·0	"	66·6	166	"	241·9		
220·4	134·4	103·8	Tammann, W. 24, 549:—			Legrand, A.C. [2], 59, 437:—			168	"	252·8		
243·8	149·2	115·9							°	ats.	W.	°	ats.
Tension of pure H ₂ O.			Tension of Solution.			101·4	1	11·1	172	"	276·1		
						mm.	mm.	mm.	104·2	"	25·0	174	"
mm.	mm.	mm.	13·27 W.	39·10 W.	87·0	109·7	"	42·9	176	"	301·4		
95·0	93·0	87·0	mm.	mm.	87·0	118·0	"	66·6	178	"	314·8		
121·5	119·6	112·3	95·0	93·0	87·0	°	ats.	W.	179·5	"	325·0 sat.		
143·2	140·6	132·3	121·5	119·6	112·3	101	1	10·0					
158·3	155·4	145·9	143·2	140·6	132·3	102	"	16·5					
183·7	179·5	169·0	158·3	155·4	145·9	103	"	21·6					
			183·7	179·5	169·0								

Calcium chloride (continued):— Lescaeur, B. 14, 1392; C.R. 92, 1158:—			Calcium chloride (continued):— Regnault, P.M. [4], 8, 276; C.R. 39, 309:		
°	mm.	W.	°	mm.	W.
100	14 (?)	1340·6	52·0 †	82·52	
100	26 (?)	708·8	61·58	136·61	
100	59	598·7	71·80	219·44	
100	60	309·9	87·54	434·19	
100	132	295·0	129·86	1807·15	
100	132	197·6	136·30	2182·35	
100	134	156·1	142·79	2702·13	
100	132	152·6	147·91	3123·69	
100	133	140·8			
100	204	117·5	78·45	198·41	
100	433	62·0	79·1	282·92	
100	580	44·9	85·1	362·49	
100	740	7·6	91·1	479·17	
			102·2	754·71	

Calcium chloride (continued):— Hammerl, W.A. 72, 8; viii., 947.		
°	ats.	W.
102·7	1	16·69
110·9	"	40·05
120·5	"	70·94
131·8	"	107·9
140·3	"	140·4
151·2	"	182·5
162·4	"	242·4

Cæsium chloride, CsCl. Tammann, W. 24, 537; B.r. 18, 313.	
Tension of pure H ₂ O.	Tension of Solution, 28·92 W.
mm.	mm.
32·2	30·3
71·6	66·8
84·6	78·1
99·8	93·1
112·4	105·0
127·0	118·4
160·4	150·4
188·6	176·9
212·1	199·2
244·7	230·0
285·3	269·4
336·7	317·4
382·5	360·2
415·0	390·8
488·4	460·0
527·3	496·8
599·2	564·9
652·1	613·2
760·1	715·0

°C.	Tension of pure H ₂ O.	Wullner, P.A. 110, 575:— Tension of Solutions.			
		1 W.	7·5 W.	15 W.	30 W.
		mm.	mm.	mm.	mm.
16·2	13·71	13·678	13·212	12·738	10·915
18·4	15·747	15·709	15·050	14·651	12·454
19·84	17·212	17·170	16·515	15·867	13·579
20·4	17·826	17·783	16·384	14·193
21·85	19·479	19·426	18·383	17·638	15·298
23·28	21·272	21·211	19·977	19·132	16·594
26·05	25·058	24·992	23·866	22·830	19·834
28·35	28·684	28·609	27·296	26·105	22·632
32·22	35·8	35·709	34·215	32·725	28·358
34·9	41·595	41·495	39·960	38·125	33·360
37·5	48·261	48·138	46·079	43·893	38·430
38·93	51·866	51·734	49·385	47·400	41·140
40·66	56·708	56·564	54·030	51·752	45·150
43·05	64·496	64·330	61·519	58·359	51·496
45·55	73·274	73·098	70·298	67·338	58·752
48·69	86·21	86·008	83·092	79·279	69·360
51·7	100·078	99·837	96·116	91·959	80·035
53	106·636	106·384	102·476	98·324	85·529
55·69	121·514	121·232	117·155	112·267	97·532
58·3	137·458	137·141	132·509	126·986	110·694
58·7	140·062	139·724	134·974	128·513	111·680
60	148·791	148·451	143·514	137·541	120·093
60·6	153·019	152·667	147·643	140·974	123·662
62·28	165·456	165·057	159·191	151·813	132·200
63·13	171·583	171·184	165·417	157·981	138·330
64·10	179·537	179·123	173·124	165·741	144·640
65·64	191·075	190·612	183·482	175·100	151·939
68·45	217·902	217·395	210·113	200·954	175·180
70·60	239·273	238·726	230·852	220·571	192·571
72·20	256·287	255·702	247·655	236·415	206·976
74·38	281·908	281·280	272·657	260·738	228·752
76·83	311·429	310·719	300·483	287·417	251·954
78·80	337·747	336·985	326·062	312·235	273·511
80·60	363·427	362·621	351·489	336·419	295·245
82·63	393·831	392·950	380·622	364·369	319·333
84·80	429·516	428·547	415·097	396·421	348·160
86·50	459·212	458·191	443·861	424·990	372·988
87·65	480·175	479·102	464·175	443·954	389·703
89·93	524·150	522·989	506·098	484·150	427·868
92·2	571·031	569·799	552·288	528·193	468·730
94·65	625·630	624·270	605·282	578·777	511·913
96·85	678·310	676·830	645·962	627·454	554·587
99·30	741·280	739·698	718·280	687·332	607·766

Tammann, W. 24, 550; B.r. 18, 313:— Tension of pure H ₂ O.		
mm.	mm.	mm.
45·5	43·0	40·9
54·2	51·0	48·6
88·1	84·3	80·8
104·7	100·2	95·9
127·4	122·3	116·9
136·6	131·3	126·0
156·5	150·3	144·6
184·4	177·3	170·2
221·9	214·0	205·6
243·2	234·8	224·9
273·2	264·1	253·4
306·0	296·1	284·6
347·8	336·0	322·9
375·7	363·5	349·4
408·8	395·2	380·1
453·2	438·6	421·7
496·4	479·9	461·6
550·8	532·6	512·1
604·7	584·4	561·0
704·7	679·5	654·5
765·1	739·1	711·4

Tension of Solution.	
8·74 W.	16·70 W.
mm.	mm.
45·5	40·5
54·2	48·1
88·1	79·1
104·7	94·3
127·4	115·3
136·6	124·0
156·5	142·3
184·4	167·1
221·9	202·1
243·2	221·2
273·2	248·8
306·0	279·0
347·8	317·1
375·7	342·8
408·8	372·3
453·2	414·0
496·4	453·2
550·8	503·2
604·7	551·7
704·7	644·1
765·1	700·3

Hydrochloric acid, HCl. Kirwan, quoted by Dalton. New System, 2, 295:—		
°	ats.	W.
15·56	1	91·57
48·89 ?	"	34·41
62·78 ?	"	30·55
76·67	"	27·55
87·78	"	25·00
100·0	"	23·00
102·78	"	21·21
105·56	"	19·62
108·89	"	18·34
111·11	"	13·76
108·89	"	11·00
107·22	"	9·17
105·56	"	6·94
103·89	"	5·50
102·22	"	2·72
101·11	"	1·38

Roscoe and Dittmar, 12, 146:—		
°	mm.	W.
62	100	29·53
77	210	28·37
85	300	27·71
91	380	27·06
97	490	26·42
103	620	25·94

Mercuric chloride, HgCl ₂ . Griffiths, Q.J.S. [1825], 18, 90:—		
°	ats.	sat.
101·1	1	sat.

Hannay, 26, 573:—		
°	ats.	sat.
100·8	1	sat.

Magnesium chloride (continued) :—

Tension of pure H ₂ O.	Tension of Solutions.	
	12·22 W.	24·24 W.
mm.	mm.	mm.
125·9	118·7	109·0
139·4	131·1	120·3
154·1	144·9	132·0
175·6	164·5	151·3
213·8	201·3	184·1
241·8	228·0	208·9
270·4	254·5	233·7
299·8	282·4	258·9
329·0	309·7	284·6
383·4	360·1	331·8
419·7	395·2	363·6
463·5	436·4	402·0
497·4	468·4	431·2
539·5	509·0	469·6
592·4	557·5	514·7
669·3	631·6	582·5
762·1	717·0	663·5

33·14 W. 61·23 W.

	mm.	mm.
28·0	22·3	17·1
46·5	36·8	29·5
55·0	43·8	35·0
65·0	51·7	41·5
75·0	59·2	47·4
85·7	67·9	53·8
97·8	77·8	62·3
111·8	89·6	72·2
125·9	100·8	81·0
139·4	111·5	90·1
154·1	123·0	98·5
175·6	140·7	113·8
213·8	171·5	138·7
241·8	194·4	157·0
270·4	218·0	176·8
299·8	241·6	196·0
329·0	265·1	215·5
383·4	309·3	252·5
419·7	339·3	277·2
463·5	374·8	307·3
497·4	402·9	329·7
539·5	438·7	359·9
592·4	480·7	395·1
669·3	545·0	449·1
762·1	621·2	514·7

Sodium chloride, NaCl:

Legrand, Gm. 1, 269 ; iii., 89 :—

°	ats.	W.
108·4	1	41·2

Griffiths, Q.J.S. [1825], 18, 90 :—

°	ats.	W.
106	1	30 sat.

Gerlach, Sp. gw. Salzlösungen, 93 :—

°	ats.	W.
100·9	1	5·26
101·9	„	11·1

Sodium chloride (continued) :—

°	ats.	W.
103·3	1	17·7
105·3	„	25·0
107·6	„	33·3

Bischoff, Storer's Dict. Sol. 182 :—

°	ats.	W.
101·50	1	5·26
103·03	„	11·1
104·63	„	17·7
106·26	„	25·0
107·93	„	33·3
107·9 to 108·99	„	41·6

See also Pauchon, C.R. 89, 753 ; 38, 211.

Karsten, Archiv. 20, 45 ; v., 337 :—

°	ats.	W.
100·21	1	1·01
101·10	„	5·26
102·38	„	11·1
103·83	„	17·7
103·99	„	17·7
105·46	„	25·0
107·27	„	33·3
108·83	„	40·8

Sodium chloride (continued) :—

Jones, 33, 182 :—

°	ats.	sat.
108·25	1	

Legrand, A.C. [2], 59, 431 :—

°	ats.	W.
100·5	1	4·4
101	„	7·7
101·5	„	10·8
102	„	13·4
102·5	„	15·9
103	„	18·3
103·5	„	20·7
104	„	23·1
104·5	„	25·5
105	„	27·7
105·5	„	29·8
106	„	31·8
106·5	„	33·9
107	„	35·8
107·5	„	37·7
108	„	39·7
108·4	„	41·2

Sodium chloride (continued) :—

Raoult, C.R. 87, 167 ; 36, 4 :—

°	mm.	W.
100	755·41	1

Guthrie, P.M. [4], 49, 6 and 17 :—

°	ats.	W.
100·4	1	0
101·0	„	5·55
101·2	„	7·03
101·7	„	8·55
102·0	„	10·12
102·4	„	11·74
102·6	„	13·41
103·0	„	15·11
103·4	„	16·89
104·0	„	18·71
104·2	„	20·59
104·7	„	22·53
108·8	„	35·6 sat.

Sea-water from Dover, and containing 6·58 per cent. solid matter, boiled at 100°·6 (760).

Wüllner, P.A. 103, 542 :—

Tension of Solutions.

° C.	Tension of pure water.	1 W.	5 W.	10 W.	15 W.	20 W.	25 W.	30 W.
	mm.							
19·9	17·28	17·13	16·30	15·81	15·01	13·22
24·2	22·45	22·26	21·27	20·37	19·48	17·29
29·9	31·36	31·15	30·25	29·31	27·88	24·97
30·8	33·02	32·75	30·14	28·85	27·75	26·06
35·0	41·82	41·52	40·03	38·71	37·12	33·69
35·4	42·74	42·43	39·40	37·97	36·73	34·99
39·5	53·43	53·06	49·66	47·97	46·28	44·10
40·9	57·61	57·23	55·54	54·05	51·86	46·00
40·9	57·61	57·23	55·59	54·09	52·39	50·13	45·76
42·6	62·97	62·55	58·81	57·02	54·64	51·96
44·8	70·27	69·82	68·08	66·15	63·47	59·18
45·7	73·98	73·50	69·11	67·13	64·56	61·58
48·4	84·36	83·80	81·49	79·20	76·43	72·74	66·52
49·1	87·93	87·36	82·29	79·81	76·44	73·07
49·8	91·09	90·50	88·25	85·28	82·11	79·73	72·89
52·5	104·49	103·87	101·41	98·34	95·82	92·05	83·57
53·8	110·87	110·18	103·84	101·27	96·62	93·15
54·1	112·59	111·88	109·12	105·95	101·98	99·03	90·41
56·6	126·84	126·04	118·33	115·15	110·69	106·65
57·9	134·88	134·05	130·83	126·77	123·80	118·26	108·04
59·0	142·01	141·18	137·89	134·03	129·48	125·33
60·6	152·99	152·07	142·61	139·22	130·34
60·9	155·09	154·15	145·00	142·81	136·30	131·55
61·2	157·29	156·34	152·54	143·83	137·60
62·2	165·07	164·04	154·80	144·56	139·17
63·8	177·11	176·08	167·18	162·33	156·35	149·73
64·7	184·45	183·40	173·28	169·54	158·60
64·8	185·27	184·18	175·39	170·25	163·82	157·30
67·8	211·73	210·52	198·79	193·95	181·66
67·9	212·67	211·44	200·82	194·60	186·23	182·41
68·6	219·36	218·00	212·53	206·52	201·56	191·87

Potassium iodide, KI.
Baup, iv., 705 :—

°	ats.	sat.
120	1	

Gay Lussac in Thomson's system, 1831 :—

°	ats.	sat.
120	1	

Kremers, P.A. 97, 15, 20 :—

°	ats.	sat.
119	1	

Raoult, C.R. 87, 169 ; 36, 4 :—

°	mm.	1 W.
100	758.3	

Tammann, W. 24, 531; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solutions.	
	13.09 W.	35.97 W.
mm.	mm.	mm.
37.1	36.3	34.6
60.2	59.0	56.2
77.5	76.0	72.4
98.0	95.7	91.2
107.3	104.8	99.8
132.4	123.6
158.8	154.3	147.4
250.9	245.3	232.7
295.5	289.3	274.3
343.4	335.0	316.9
410.9	401.9	380.7
529.6	518.2	490.7
601.8	589.2	558.4
676.2	628.5
778.1	759.0	720.0

	66.61 W.	96.34 W.
mm.	mm.	mm.
37.1	32.7	30.6
60.2	52.8	48.9
77.5	67.4	62.4
98.0	84.6	77.9
107.3	93.2	85.9
132.4	115.5	106.5
158.8	137.1	125.8
250.9	215.7	198.2
295.5	253.9	233.3
343.4	293.5	269.6
410.9	351.9	323.2
529.6	451.2	415.4
601.8	511.7	471.0
676.2	578.5	530.4
778.1	663.8

Lithium iodide, LiI.
Tammann, *ibid.* :—

Tension of pure H ₂ O.	Tension of Solutions.	
	11.16 W.	32.7 W.
mm.	mm.	mm.
41.3	40.0	37.1
63.0	60.9	56.4
84.8	82.4	76.4
120.7	117.1	108.8

Lithium iodide (continued) :—

Tension of pure H ₂ O.	Tension of Solutions.	
	11.16 W.	32.7 W.
mm.	mm.	mm.
150.6	146.2	135.9
183.1	177.3	165.6
209.9	203.9	189.9
253.6	245.9	229.8
290.5	282.4	263.7
326.4	317.0	295.8
369.3	358.4	334.8
423.2	411.8	384.1
458.7	445.7	416.4
508.0	491.9	459.7
581.0	564.7	527.4
660.4	641.1	599.2
760.9	738.9	690.7

	57.65 W.	64.43 W.
mm.	mm.	mm.
41.3	33.5	31.2
63.0	51.1	49.2
84.8	69.1	66.7
120.7	99.3	95.9
150.6	124.8	119.5
183.1	152.9	145.7
209.9	173.5	167.8
253.6	207.2	202.8
290.5	240.9	233.0
326.4	270.8	262.0
369.3	307.5	296.6
423.2	352.4	340.0
458.7	381.5	369.1
508.0	421.7	408.2
581.0	483.9	467.7
660.4	550.3	531.8
760.9	634.3	613.4

Sodium iodide, NaI.
Kremers, P.A. 97, 14 ; v., 340 :—

°	ats.	sat.
141	1	

Tammann, W. 24, 539 ; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solutions.	
	13.22 W.	43.97 W.
mm.	mm.	mm.
50.5	48.6	44.5
72.3	69.7	63.9
84.3	81.5	74.5
92.0	89.5	81.7
108.9	105.4	96.2
125.6	110.6
138.2	134.0	132.1
155.2	150.2	137.9
181.3	176.2	160.0
217.3	211.0	191.4
240.2	233.5	212.0
265.2	258.2	234.1
296.7	288.2	261.3
360.2	350.3	318.6
392.1	381.8	346.1

Sodium iodide (continued) :—

Tension of pure H ₂ O.	Tension of Solutions.	
	13.22 W.	43.97 W.
mm.	mm.	mm.
430.9	419.7	379.5
470.9	458.0	415.0
529.2	515.7	467.2
582.3	566.2	513.1
643.6	626.6	567.7
693.5	673.1	609.9
731.2	642.0
771.5	748.1	677.8

	57.48 W.	86.86 W.
mm.	mm.	mm.
34.1	28.7	24.9
39.5	33.2	28.7
50.5	42.2	36.7
72.3	60.3	52.3
84.3	70.7	61.0
92.0	77.7	67.0
108.9	91.3	79.0
125.6	105.2	91.3
138.2	115.9	100.3
155.2	129.9	112.5
181.3	151.8	131.6
217.3	181.6	158.3
240.2	201.0	174.1
265.2	221.7	192.2
296.7	247.5	214.3
360.2	300.9	261.1
392.1	327.8	284.0
430.9	359.7	312.3
470.9	392.7	341.3
529.2	442.7	384.9
582.3	485.7	422.8
643.6	537.7	468.4
693.5	578.7	503.0
731.2	609.1	529.3
771.5	643.0	560.8

Ammonia, NH₃.
Dalton, New System, 2, 422.

°	ats.	W.
— 3.3	1	54.5
+ 3.3	"	48.3
10.0	"	42.6
16.6	"	37.6
23.3	"	32.8
30.0	"	28.5
36.6	"	24.7
43.3	"	21.1
50.0	"	17.8
56.6	"	14.7
63.3	"	11.7
70	"	9.0
78.3	"	6.6
86.1	"	4.3
91.1	"	2.1

Sodium silicofluoride, Na₂SiF₆.
Stolba, J. p., 90, 193 ; v., 271.

°	ats.	sat.
101	1	

Potassium hydroxide, KOH.
Griffiths, Q.J.S. [1825], 18, 90 :—

°	ats.	sat.
begins 158	1	

Dalton, New System, 2, 476 ; cf. Storer, Dict. Sol. 452 :—

°	ats.	* W.
100.56	1	4.9
101.11	"	10.5
101.66	"	14.9
103.33	"	19.3
104.44	"	24.2
106.66	"	30.5
109.44	"	35.7
112.22	"	41.6
115.56	"	47.9
118.89	"	52.4
123.89	"	58.2
129.44	"	65.5
135.56	"	75.1
143.33	"	87.6
160	"	104.5
188.22	"	131.5
215.56	"	174.7
315.56	"	262.3
red heat	"	525.0

Cf. also Wüllner, P.A. 110, 566, 568, where a large number of data are given.
* Of K₂O to 100 pts. water.

Sodium hydroxide, NaOH.
Griffiths, Q.J.S. [1825], 18, 91 :—

°	ats.	sat.
216	1	

Osann, v., 339 ; cf. Storer, Dict. Sol. 454 :—

°	ats.	* W.
130	1	58.2

Dalton, New System, 2, 496 ; cf. Storer, Dict. Sol. 454 :—

°	ats.	* W.
100.56	1	4.9
101.11	"	9.7
102.78	"	14.9
104.44	"	19.0
106.66	"	23.4
108.89	"	29.9
112.78	"	35.1
116.66	"	40.8
120.00	"	44.9
123.89	"	51.5
129.44	"	58.2
137.78	"	70.1
148.89	"	87.3

Sodium hydroxide (continued):—			Sodium chlorate, NaClO₃.			Sodium chlorate (continued):—			Potassium bromate, KBrO₃.		
°	ats.	W.	Kremers, P.A. 92, 499; 97, 21:—			Tammann, W. 24, 543; B.r. 13, 313:—			Kremers, P.A. 92, 500; 97, 5, 21:—		
204.44	1	116.5	°	ats.		Tension of	Tension of Solution.		°	ats.	
315.56	"	174.7	a. 125	1	sat.	pure H ₂ O.	24.66 W.	53.15 W.	102	1	sat.
red heat	"	350.5	132	"	sat.	mm.	mm.	mm.	104	"	sat.
			135	"	supersat.	16.6	15.4	13.8	106	"	supersat.
Cf. also Wüllner, P.A. 110, 571, 573, where a large number of data are given.			Wüllner, P.A. 110, 579:—								
* Of Na ₂ O to 100 pts. water.			Temp.	Tension of pure H ₂ O.	Tension of Solution.				Sodium bromate, NaBrO₃.		
				mm.	mm.				Kremers, P.A. 97, 5:—		
Barium chlorate, Ba(ClO₃)₂.			37.4	48.73	47.58				°	ats.	
Kremers, P.A. 99, 43:—			39.75	54.16	54.56				109	1	sat.
°	ats.	sat.	41.0	57.91	56.16						
111	1		43.2	64.20	62.25				Potassium iodate, KIO₃.		
			45.7	73.98	71.80				Kremers, P.A. 94, 271; 95, 121; 97, 5; iii., 303:—		
Perchloric acid, HClO₄.			47.5	81.14	78.95				°	ats.	
Serrullas, A.C. [2], 46, 296:—			49.4	89.21	86.76				102	1	sat.
°	ats.	sp. gr.	51.2	97.62	94.77						
200	1	1.65*	53.3	108.75	105.50				Sodium iodate, NaIO₃.		
* Most concentrated solution.			55.65	120.89	117.29				Kremers, 97, 5, 8; 99, 444; iii., 306:—		
			57.45	131.73	127.73				°	ats.	W.
Potassium chlorate, KClO₃.			59.3	144.69	140.59				102	1	34 sat.
Griffiths, Q.J.S. [1825], 18, 90:—			62.7	169.25	164.50						
°	ats.	W.	64.25	180.37	175.07				Silver sulphate, Ag₂SO₄.		
103.3	1	66.67 sat.	65.1	187.79	182.39				Kremers, P.A. 92, 499:—		
Kremers, P.A. 97, 19:—			67.6	209.89	203.59				°	ats.	
°	ats.		69.4	217.12	210.27				100	1	sat.
105	1	sat.	71.07	244.09	236.69						
Legrand, A.C. [2], 59, 434; iii., 89:—			73.2	267.42	259.02				Aluminium sulphate, Al₂(SO₄)₃.		
°	ats.	W.	75.3	291.17	283.12				Tammann, W. 24, 558; B.r. 18, 313:—		
101	1	14.64	78.2	329.53	319.13				Tension of	Tension of Solutions.	
102	"	29.28	81.62	378.34	367.34				pure H ₂ O.	10.54 W.	20.81 W.
103	"	43.92	84.5	424.61	412.61				mm.	mm.	mm.
104	"	58.56							66.6	65.7	65.7
104.2	"	61.50							83.6	82.5	82.2
Raoult, C.R. 87, 169; 36, 4:—									99.3	97.8	97.6
°	mm.	W.							126.4	124.7	124.1
100	758.18	1							149.7	147.8	147.1
Tammann, W. 24, 533; B.r. 18, 313:—									175.4	173.6	172.6
Tension of	Tension of Solution.								208.7	206.6	205.2
pure H ₂ O.	11.41 W.	16.58 W.							230.8	228.4	227.2
mm.	mm.	mm.							286.7	284.6	282.8
183.5	180.9	...							302.9	300.7	298.6
203.5	200.2	200.0							346.9	344.7	342.7
243.6	238.6	...							372.4	370.1	368.2
275.3	270.2	270.0							422.3	418.7	416.5
298.4	292.9	292.4							507.6	503.0	...
344.3	337.5	337.1							567.2	562.4	558.4
377.5	368.3	367.3							634.6	629.8	624.9
432.3	421.6	420.1							689.0	684.8	678.6
488.2	476.3	474.8							765.7	759.5	754.0
553.9	540.6	538.3							45.24 W. 72.18 W.		
605.9	590.3	588.4							mm.	mm.	mm.
677.1	660.7	657.1							66.6	62.5	61.0
771.6	751.2	746.8							83.6	78.8	76.3
									99.3	93.2	90.2
									126.4	119.0	115.0

Aluminium sulphate (continued) :—

Tension of pure H ₂ O.	Tension of Solution.	
	45·24 W.	72·18 W.
mm.	mm.	mm.
149·7	140·8	136·0
175·4	165·8	159·3
208·7	196·5	189·2
230·8	218·3	210·8
286·7	272·9	263·8
302·9	288·0	278·2
346·9	330·4	319·0
372·4	356·1	343·2
422·3	402·4	389·1
507·6	482·8	466·5
567·2	541·5	524·3
634·6	606·9	588·4
689·0	661·2	639·1
765·7	734·5	710·4

Beryllium sulphate, BeSO₄.

Tammann, W. 24, 558; B.r. 18, 313:—

Tension of pure H ₂ O.	Tension of Solutions.	
	14·96 W.	33·0 W.
mm.	mm.	mm.
17·4	16·1
34·5	31·9
51·8	50·6	48·1
76·1	74·0	71·6
85·4	83·0	79·9
126·3	123·2	118·7
142·9	139·1	135·0
163·3	159·8	154·5
200·1	195·7	189·9
228·8	223·7	216·9
255·3	249·3	242·7
296·3	289·0	281·1
347·6	339·5	330·3
401·9	393·9	383·5
444·8	436·6	425·5
502·3	491·2	478·7
540·7	529·1	516·2
589·6	563·7
637·6	609·8
775·0	759·4	740·0

43·89 W. 64·01 W.

	mm.	mm.
17·4	15·7	14·7
34·5	30·3	29·2
51·8	45·9	43·8
76·1	68·6	65·0
85·4	77·4	72·9
126·3	114·3	108·8
142·9	129·3	123·5
163·3	148·2	141·9
200·1	182·2	174·4
228·8	208·1	199·6
255·3	232·7	223·9
296·3	270·5	259·7

Beryllium sulphate (continued) :—

Tension of pure H ₂ O.	Tension of Solution.	
	43·89 W.	64·01 W.
mm.	mm.	mm.
347·6	318·2	305·9
401·9	369·0	356·0
444·8	409·6	394·7
502·3	461·6	444·6
540·7	498·0	479·8
589·6	544·0	524·0
637·6	588·4	566·8
775·0	717·1	692·5

Cobalt sulphate, CoSO₄.

Tammann, *ibid.* :—

Tension of pure H ₂ O.	Tension of Solution.	
	33·04 W.	63·86 W.
mm.	mm.	mm.
24·7	24·0	22·8
39·4	37·1
61·9	59·6	56·4
79·4	76·4	73·2
107·6	104·2	99·7
154·0	150·2	143·6
188·1	182·3	174·9
220·5	213·5	203·8
261·6	253·7	243·0
296·8	288·4	277·3
344·1	333·6	321·7
399·6	388·1	373·8
459·1	444·9	428·8
528·6	512·9	494·6
604·9	587·5	567·9
682·4	665·6	644·2
763·1	743·4	720·7

Copper sulphate, CuSO₄.

Griffiths, Q.J.S. [1825], 18, 90 :—

°	ats.	W.
102·2	1	81·82 sat.

Brandes and Gruner, Archiv, 22, 169 :—

°	ats.	W.
103·7	1	130·4 sat.

Tammann, W. 24, 557; B.r., 18, 313 :—

Tension of pure H ₂ O.	Tension of Solution.	
	23·16 W.	33·19 W.
mm.	mm.	mm.
76·2	73·9	73·1
112·0	108·8	107·6
122·9	119·5	117·7
176·6	172·4	170·0
177·0	172·9	170·8
207·1	201·7	199·6
234·4	228·9	227·6
275·6	269·1	265·9
323·6	317·1	313·3
361·0	352·3	48·0

Copper sulphate (continued) :—

Tension of pure H ₂ O.	Tension of Solution.	
	23·16 W.	33·19 W.
mm.	mm.	mm.
408·8	399·6	394·8
463·2	449·2
519·5	509·2	503·1
573·1	561·4	555·2
627·9	613·9	607·4
682·6	669·7	661·3
759·5	744·9	736·6

Ferrous sulphate, FeSO₄.

Griffiths, Q.J.S. [1825], 18, 90 :—

°	ats.	W.
102·2	1	177·78 sat.

Nicol, P.M. [5], 18, 367; 48, 331 :—

°	mm.	sat.
65	165·7	}
	169·9	
75	259·3	}
	263·5	
85	392·7	}
	394·7	
95	587·8	"

Tammann, W. 24, 557; B.r., 18, 313 :—

Tension of pure H ₂ O.	Tension of Solution.	
	26·47 W.	58·47 W.
mm.	mm.	mm.
76·2	73·7	70·7
112·0	108·7	104·2
122·9	119·1	114·1
144·6	140·5	134·6
176·6	171·5	165·3
177·0	172·0	165·5
207·1	201·1	193·6
234·4	226·8	219·4
275·6	267·8	259·3
323·6	314·5	304·4
361·0	349·6	339·0
408·8	397·1	385·2
463·2	450·6	437·4
519·5	505·0	489·7
573·1	559·0	541·3
627·9	610·2	593·9
682·6	663·6	645·9
759·5	740·1	719·3

Sulphuric acid, H₂SO₄.

Dalton, New System, 2, 404; cf.

Storer, Dict. Sol. 581 :—

B.P.	Sp. gr. at 15°-56.	% SO ₃
°		
103·33	1·10	10
106·66	1·20	20
115·56	1·30	30
126·66	1·408	40
143·33	1·52	50
176·66	1·65	58·6

Sulphuric acid (continued) :—

B.P.	Sp. gr. at 15°-56.	% SO ₃
°		
182·33	1·67	60
186·11	1·684	61
190·0	1·699	62
194·44	1·715	63
199·44	1·73	64
204·44	1·744	65
210·0	1·757	66
216·33	1·769	67
223·89	1·78	68
230·56	1·791	69
237·78	1·801	70
245	1·81	71
252·78	1·819	72
260·56	1·827	73
268·33	1·833	74
276·66	1·838	75
285	1·842	76
293·33	1·845	77
301·66	1·847	78
310	1·848	79
318·33	1·849	80
326·66	1·85	81

Lunge, B 11, 373, 374 :—

B.P.	ats.	% H ₂ SO ₄
°		
101	1	5
102	"	10
103·5	"	15
105	"	20
106·5	"	25
108	"	30
110	"	35
114	"	40
118·5	"	45
124	"	50
128·5	"	53
133	"	56
141·5	"	60
147	"	62·5
153·5	"	65
161	"	67·5
170	"	70
174·5	"	72
180·5	"	74
189	"	76
199	"	78
207	"	80
218·5	"	82
227	"	84
238·5	"	86
251·5	"	88
262·5	"	90
268	"	91
274·5	"	92
281·5	"	93
288·5	"	94
295	"	95

Sulphuric acid (continued):—
Regnault, A.C. [3], 15, 179:—

Temperature.	Tension of H ₂ SO ₄ .								
	+H ₂ O	+2H ₂ O	+3H ₂ O	+4H ₂ O	+5H ₂ O	+7H ₂ O	+9H ₂ O	+11H ₂ O	+17H ₂ O
°	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
5	0.105	0.388	0.861	1.294	2.137	3.168	4.120	4.428	5.478
6	0.106	0.409	0.922	1.399	2.296	3.398	4.416	4.787	5.879
7	0.108	0.430	0.985	1.510	2.464	3.643	4.728	5.164	6.300
8	0.110	0.452	1.053	1.628	2.641	3.902	5.059	5.562	6.745
9	0.112	0.476	1.125	1.753	2.829	4.176	5.408	5.980	7.216
10	0.115	0.501	1.200	1.885	3.029	4.466	5.777	6.420	7.712
11	0.118	0.527	1.280	2.025	3.240	4.773	6.166	6.883	8.237
12	0.121	0.556	1.364	2.173	3.463	5.098	6.578	7.371	8.790
13	0.124	0.586	1.454	2.331	3.699	5.443	7.013	7.885	9.374
14	0.127	0.617	1.548	2.498	3.950	5.808	7.473	8.425	9.991
15	0.131	0.651	1.648	2.674	4.215	6.194	7.958	8.995	10.641
16	0.135	0.687	1.753	2.861	4.495	6.603	8.471	9.592	11.329
17	0.139	0.725	1.865	3.059	4.793	7.036	9.014	10.222	12.054
18	0.144	0.765	1.983	3.270	5.107	7.495	9.586	10.885	12.820
19	0.149	0.808	2.108	3.492	5.440	7.980	10.191	11.583	13.628
20	0.154	0.853	2.241	3.728	5.792	8.494	10.831	12.317	14.482
21	0.159	0.901	2.380	3.977	6.166	9.039	11.506	13.090	15.383
22	0.165	0.952	2.528	4.243	6.561	9.615	12.220	13.904	16.334
23	0.171	1.006	2.684	4.523	6.979	10.226	12.974	14.760	17.338
24	0.177	1.064	2.849	4.820	7.422	10.872	13.771	15.661	18.397
25	0.184	1.125	3.024	5.135	7.892	11.557	14.613	16.610	19.516
26	0.191	1.190	3.209	5.469	8.388	12.282	15.503	17.608	20.697
27	0.199	1.258	3.405	5.822	8.914	13.050	16.443	18.659	21.944
28	0.207	1.331	3.611	6.197	9.471	13.862	17.436	19.765	23.260
29	0.216	1.408	3.830	6.594	10.060	14.723	18.485	20.929	24.650
30	0.225	1.490	4.061	7.014	10.684	15.635	19.594	22.154	26.117
31	0.235	1.577	4.305	7.459	11.345	16.600	20.765	23.443	27.666
32	0.245	1.670	4.564	7.933	12.045	17.622	22.003	24.800	29.300
33	0.256	1.767	4.838	8.432	12.785	18.704	23.311	26.228	31.025
34	0.268	1.871	5.127	8.962	13.569	19.850	24.692	27.732	32.847
35	0.280	1.981	5.432	9.524	14.400	21.063	26.152	29.314	34.770

Potassium sulphate, K₂SO₄.

Kremers, P.A. 99, 43; v., 608:—
° | ats. | sat.
103 | 1 |

Griffiths, Q.J.S. [1825], 18, 90:—

° | ats. | W.
101.7 | 1 | 21.21 sat.

Penny, P.M. [4], 10, 406:—

° | ats. | W.
102.8 | 1 | 29 sat.

Gerlach, Sp. gw. Salzlösungen, 21:—

° | ats. | W.
100.3 | 1 | 9.9

Potassium sulphate (continued):—

Brandes and Brunner; Brandes,
Archiv, 22, 147:—

°	ats.	W.
100.38	1	1
100.63	"	2
100.75	"	3
100.88	"	4
101	"	5
101.12	"	6
101.25	"	7
101.25	"	8
101.38	"	9
101.5	"	10
102.88	"	sat.

Raoult, C.R. 87, 169; 86, 4:—

°	mm.	W.
100	758.47	1

See also Pauchon, C.R., 89, 754;
88, 211.

Potassium sulphate (continued):—

Wüllner, P.A. 103, 546:—

Temperature.	Tension of pure H ₂ O.	Tension of Solution.		
		1 W.	5 W.	10 W.
°	mm.	mm.	mm.	mm.
28	28.10	27.976	27.51	26.82
32.2	35.76	35.589	34.87	34.08
34.9	41.59	41.392	40.60	39.61
36.7	45.94	45.702	44.75	43.56
39.3	52.79	52.563	51.59	50.59
40.1	55.21	54.972	54.02	52.83
42.7	63.35	63.101	62.17	60.79
45.6	73.74	73.398	72.05	70.27
47.2	79.91	79.554	78.13	76.35
49.5	89.73	89.341	87.85	85.77
51.6	99.59	99.202	97.62	95.74
53.1	107.16	106.739	104.99	103.01
56.0	123.24	122.818	121.16	118.99
57.6	133.06	132.620	130.90	128.62
60.3	150.90	150.413	148.53	145.96
61.5	159.50	158.966	154.16
63.4	173.95	173.398	171.19	168.43
65.7	192.93	192.305	189.87	186.62
68.5	220.29	219.547	216.64	212.79

Potassium sulphate (continued):—

Temperature.	Tension of pure H ₂ O.	Tension of Solutions.		
		1 W.	5 W.	10 W.
69.3	226.14	225.436	222.59	219.14
73.5	270.88	270.025	266.54	262.40
76.3	304.66	303.730	300.12	295.29
77.7	322.84	321.795	317.62	312.39
80.4	360.49	359.390	355.08	349.39
81.4	375.34	374.280	370.33	364.44
83.6	403.81	402.516	397.21	391.00
88.5	496.15	494.725	489.35	481.37
89.4	513.56	512.105	505.99	499.30
90.9	543.72	542.230	536.33	528.76
95.1	636.12	634.405	627.73	618.78
100.8	782.08	780.274	773.08	763.98
100.9	785.12	783.280	775.62	767.02

Tammann, W. 24, 533; B.r. 18, 313:—

Tension of pure H ₂ O.	Tension of Solutions.	
	11.92 W.	14.68 W.
mm.	mm.	mm.
183.5	179.9	179.4
203.5	199.6	199.2
243.6	238.6	238.2
275.3	269.9	269.5
298.4	292.4	291.2
344.3	337.5	336.8
377.5	369.8	367.5
432.3	423.0	420.0
488.2	477.8	474.9
553.9	542.7	539.4
605.9	593.1	589.6
677.1	664.1	659.3
771.6	753.3	749.7

Lithium sulphate, Li₂SO₄.
Kremers, P.A. 99, 43:—

Tension of pure H ₂ O.	Tension of Solutions.	
	5.20 W.	8.74 W.
mm.	mm.	mm.
187.6	183.9	182.1
258.7	253.5	250.9
305.2	300.5	296.9
325.0	319.9	316.2
360.9	354.8	350.8
416.1	409.3	404.8
476.1	468.6	463.1
531	522.5	515.9
582.5	573.2	566.7

Tammann, W. 24, 548; B.r. 18, 313:—

Tension of pure H ₂ O.	Tension of Solutions.	
	11.42 W.	14.09 W.
mm.	mm.	mm.
187.6	179.4	177.0
258.7	247.8	245.7

Lithium sulphate (continued):—

Tension of pure H ₂ O.	Tension of Solutions.	
	11.42 W.	14.09 W.
mm.	mm.	mm.
305.2	293.4	290.3
325.0	312.0	309.4
360.9	346.7	343.3
416.1	399.9	396.3
476.1	458.2	453.6
531.0	511.8	505.7
582.5	559.9	555.0

Magnesium sulphate, MgSO₄.
Griffiths, Q.J.S. [1825], 18, 90:—

Tension of pure H ₂ O.	Tension of Solutions.	
	10.55 W.	22.16 W.
mm.	mm.	mm.
72.3	71.0	69.8
117.2	115.7	113.7
144.4	142.5	140.5
177.2	174.6	171.9
211.2	208.6	204.9
246.0	242.9	239.0
299.7	296.0	292.2
346.5	342.5	337.4
409.8	404.9	399.8
453.3	448.6	442.3
523.2	517.7	—
576.2	569.5	562.0
649.4	640.5	633.9
770.0	760.3	751.4

Tammann, W. 24, 554; B.r. 18, 313:—

Tension of pure H ₂ O.	Tension of Solutions.	
	23.67 W.	31.63 W.
mm.	mm.	mm.
72.3	69.4	68.8
117.2	113.4	111.8
144.4	139.8	138.5
177.2	171.7	169.2
211.2	204.4	202.1

Magnesium sulphate (continued):—

Tension of pure H ₂ O.	Tension of Solutions.	
	23.67 W.	31.63 W.
mm.	mm.	mm.
246.0	238.7	235.8
299.7	291.7	287.7
346.5	336.8	333.1
409.8	398.5	393.9
453.3	440.6	436.5
523.2	508.2	504.2
576.2	560.7	—
649.4	632.4	626.9
770.0	750.0	743.2

Manganese sulphate, MnSO₄.
Brandes, P.A. 20, 575:—

Tension of pure H ₂ O.	Tension of Solutions.	
	42.15 W.	85.12 W.
mm.	mm.	mm.
58.9	56.5	51.9
65.9	63.2	57.3
88.9	85.3	78.5
103.6	99.5	91.7
140.9	135.5	127.8
155.3	148.5	138.9
200.0	192.5	180.8
241.0	231.7	217.2
244.1	235.0	220.3
281.9	271.7	255.2
303.7	293.0	275.4
242.7	330.9	311.0
400.5	386.6	367.1
430.1	415.9	393.3
473.0	456.9	436.1
526.9	510.5	485.2
575.5	557.0	529.1
620.0	600.6	572.5
684.6	663.7	639.5
766.4	743.0	720.1

Nicol, P.M. [5], 18, 367; 48, 331:—

Tension of pure H ₂ O.	Tension of Solutions.	
	102.1	140.9 W.
mm.	mm.	mm.
65	167.2	sat.
75	256.5	"
85	394.7	"
95	591.8	"

Tammann, W. 24, 556; B.r. 18, 313:—

Tension of pure H ₂ O.	Tension of Solutions.	
	102.1	140.9 W.
mm.	mm.	mm.
102.1	1	sat. (?)

Sodium sulphate, Na₂SO₄.
Griffiths, Q.J.S. [1825], 18, 90:—

Tension of pure H ₂ O.	Tension of Solutions.	
	13.31 W.	20.22 W.
mm.	mm.	mm.
60.2	58.5	57.0
70.3	68.3	66.4
85.8	83.2	81.3
94.8	91.7	90.0
126.5	122.9	120.4
139.5	135.2	132.4
149.6	145.1	142.3
186.5	180.3	177.0
218.8	211.7	207.8
239.7	232.7	228.1

Kremers, P.A. 99, 43:—

Tension of pure H ₂ O.	Tension of Solutions.	
	13.31 W.	20.22 W.
mm.	mm.	mm.
100.6	1	45.98 sat.

Sodium sulphate (continued):—
Gerlach, Sp. gw. Salzlösungen, 104:—

Tension of pure H ₂ O.	Tension of Solutions.	
	100.3	100.8
mm.	mm.	mm.
100.3	1	5.26
100.8	"	11.1

Löwel, A.C. [3], 49, 32; v., 612:—

Tension of pure H ₂ O.	Tension of Solutions.	
	103.7	103.7
mm.	mm.	mm.
103.7	1	sat.

See also Ponchon, C.R. 89, 759; 38, 211:—

Brandes and Gruner. Brandes's Archiv [1827], 22, 148:—

Tension of pure H ₂ O.	Tension of Solutions.	
	100.5	100.62
mm.	mm.	mm.
100.5	1	1
100.62	"	2
100.62	"	3
100.75	"	4
100.75	"	5
100.87	"	6
100.87	"	7
101	"	8
101	"	9
101	"	10
101.12	"	11
101.12	"	12
101.25	"	13
101.25	"	14
101.25	"	15
101.25	"	16
101.25	"	17
101.37	"	18
101.37	"	19
101.37	"	20
101.37	"	21
101.5	"	22
101.5	"	23
101.5	"	24
101.5	"	25
101.5	"	26
101.63	"	27
101.63	"	28
101.63	"	29
101.75	"	30
105.12	"	sat

Tammann, W. 24, 540; B.r. 18, 313:—

Tension of pure H ₂ O.	Tension of Solutions.	
	13.31 W.	20.22 W.
mm.	mm.	mm.
60.2	58.5	57.0
70.3	68.3	66.4
85.8	83.2	81.3
94.8	91.7	90.0
126.5	122.9	120.4
139.5	135.2	132.4
149.6	145.1	142.3
186.5	180.3	177.0
218.8	211.7	207.8
239.7	232.7	228.1

Sodium sulphate (continued) :—			Sodium sulphate (continued) :—			Sodium sulphate (continued) :—			Ammonium sulphate, (NH ₄) ₂ SO ₄ .		
Tension of pure H ₂ O.	Tension of Solutions.		Tension of pure H ₂ O.	Tension of Solutions.		Tension of pure H ₂ O.	Tension of Solutions.		Raoult, C.R. 87, 169 ; 36, 4 :—		
	13·31 W.	20·22 W.		37·34 W.	48·84 W.		37·34 W.	48·84 W.	°	mm.	W.
mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	100	758·25	1
293·4	284·0	278·7	60·2	54·8	53·7	293·4	266·4	261·6	Tammann, W. 24, 545 ; B.r. 18, 313 :—		
328·8	319·1	313·5	70·3	63·9	62·5	328·8	299·8	294·0	Tension of		
368·8	357·4	351·2	85·8	77·9	76·0	368·8	335·3	329·1	pure H ₂ O.		
414·2	400·6	393·3	94·8	86·1	83·8	414·2	376·5	369·4	13·93 W.	32·89 W.	
457·9	444·0	436·1	126·5	115·4	113·0	457·9	416·9	409·4	mm.	mm.	mm.
504·9	489·1	480·8	139·5	127·0	124·4	504·9	460·0	451·3	35·6	34·6	32·9
548·5	531·3	522·2	149·6	136·2	132·9	548·5	500·2	490·2	48·3	47·1	44·7
602·2	585·3	574·8	186·5	169·3	166·0	602·2	550·3	539·4	58·7	56·5	54·0
691·4	669·7	657·8	218·8	198·4	195·0	691·4	630·3	619·3	66·0	...	60·7
769·5	744·8	732·2	239·7	218·1	213·7	769·5	702·6	689·7	75·8	73·5	70·0
Willner, P.A. 103, 543 :—											
Tension of Solutions.											
Temperature.	Tension of pure H ₂ O.	1 W.	5 W.	10 W.	15 W.	20 W.	25 W.				
°	mm.	mm.	mm.	mm.	mm.	mm.	mm.				
26·3	25·43	25·35	25·03	24·73	24·23	23·83	...				
27·9	27·93	27·843	...	27·08	26·58				
28·7	29·57	29·17	28·68	28·19	27·69	27·29	26·90				
32·2	35·76	35·65	35·07	34·57	33·98	33·49	32·99				
35·7	43·43	43·29	42·69	41·99	41·30	40·71	40·21				
39·5	53·46	53·303	52·68	51·89	51·09	50·19	49·50				
40·2	54·50	54·345	52·02	51·53	50·84				
42·7	63·35	63·195	62·47	61·67	60·88	60·09	59·25				
44·7	70·31	70·112	69·23	68·23	67·33	...	65·49				
45·4	72·58	72·377	...	70·50	69·31	68·52	67·73				
47·2	79·90	79·684	78·80	77·80	76·90	75·90	75·00				
47·6	81·53	81·315	80·35	79·35	78·36	77·27	76·18				
49·6	90·18	89·95	85·48	84·54				
50·6	93·88	93·639	90·22	89·13	87·84				
52·5	104·01	103·739	102·63	101·14	99·95	98·67	97·28				
55·1	118·04	117·715	116·46	114·84	...	111·53	109·89				
57·1	129·88	129·571	128·30	126·81	125·22	123·64	122·36				
58·4	138·14	137·731	136·66	135·08	133·39	131·91	130·43				
60·6	152·61	152·249	150·83	148·99	146·98	145·39	143·81				
61·7	160·96	160·54	158·99	156·76	154·57	152·51	...				
63·9	177·92	177·49	...	173·38	171·20	169·62	167·54				
65·8	193·74	193·231	185·84	183·66	181·74				
67·3	205·13	204·63	202·66	199·98	197·42	195·04	192·68				
69·8	231·10	230·547	222·61	220·04	217·48				
72·5	259·57	258·929	256·12	253·15	250·09	246·74	243·77				
73·9	275·47	274·849	...	269·26	266·00	263·04	260·08				
76·2	303·37	302·672	300·02	296·07	292·69	289·45	286·21				
78·7	336·38	335·61	324·36	320·90	317·45				
79·5	347·53	346·724	343·43	339·25	335·31	331·76	327·42				
81·1	370·79	369·912	366·49	362·03	357·59	353·15	...				
84·0	416·29	415·365	...	406·84	401·81	398·27	393·44				
86·5	459·21	458·085	...	447·99	442·18	436·81	430·81				
86·8	464·64	463·529	459·14	453·44	447·92	442·50	...				
87·1	470·04	468·865	...	459·12	453·70	448·68	443·26				
89·9	523·45	522·232	517·35	511·57	504·85	499·05	491·95				
91·0	545·78	544·57	...	533·63	527·68	521·68	515·48				
93·2	592·82	591·43	585·98	578·47	571·97	564·87	558·31				
95·8	657·73	656·205	649·59	642·50	634·73	628·83	619·69				
96·5	679·55	678·02	671·75	664·35				
100·1	761·40	759·519	732·70	723·80	714·40				
100·2	764·80	762·963	755·27	746·43	736·41	728·25	...				
100·6	776·71	774·877	...	758·05	749·21	740·37	731·04				
								33·20 W.	40·91 W.		
								mm.	mm.		
								35·6	32·7		
								48·3	44·7		
								58·7	53·7		
								66·0	60·6		
								75·8	69·9		
								89·2	81·9		
								102·0	94·0		
								117·4	107·8		
								133·6	121·8		
								155·3	142·7		
								172·6	158·6		
								204·3	187·2		
								235·8	216·6		
								262·6	241·6		
								281·2	258·6		
								305·3	281·2		
								344·4	316·7		
								373·1	343·1		
								402·0	370·0		
								441·3	407·1		
								482·7	445·7		
								543·5	501·6		
								589·6	543·2		
								630·0	580·9		
								683·9	630·5		
								762·3	704·8		
								35·6	32·1		
								48·3	43·6		
								58·7	52·6		
								66·0	59·9		
								75·8	68·2		
								89·2	79·9		
								102·0	91·7		
								117·4	105·0		
								133·6	118·9		
								155·3	139·1		
								172·6	155·1		
								204·3	183·4		
								235·8	211·4		
								262·6	236·1		
								281·2	253·2		
								305·3	274·9		
								344·4	309·9		
								373·1	336·1		
								402·0	362·2		
								441·3	398·2		
								482·7	436·5		
								543·5	491·5		

Ammonium sulphate (continued):—

Tension of pure H ₂ O.	Tension of Solutions.	
	33·20 W.	40·91 W.
mm.	mm.	mm.
589·6	544·2	531·6
630·0	581·0	568·5
683·9	629·9	617·1
762·3	704·7	691·5

Nickel sulphate, NiSO₄.

Griffiths, Q.J.S. [1825], 18, 90 :—

o	ats.	W.
112·5	1	185·71 sat.

Wüllner, P.A. 110, 578 :—

Temperature.	Tension of Solution.	
	pure H ₂ O.	10 W.
o	mm.	mm.
48·69	86·21	84·48
51·70	100·07	98·44
58·63	140·06	137·09
60·80	153·29	150·37
62·28	165·45	162·19
65·64	191·07	187·12
68·45	217·90	213·71
70·60	239·27	235·13
74·38	281·90	277·67
78·80	337·74	332·03
82·63	393·83	386·43
84·80	429·51	421·46
86·50	459·21	450·56
89·93	524·15	514·82
92·20	571·03	560·51
94·65	625·63	614·32
96·85	678·31	666·00
99·30	741·28	728·08

Temperature.	Tension of Solution.	
	pure H ₂ O.	20 W.
o	mm.	mm.
48·69	86·21	83·09
51·70	100·07	96·12
55·63	140·06	134·26
60·80	153·29	147·49
62·28	165·45	158·98
65·64	191·07	183·36
68·45	217·90	209·90
70·60	239·27	230·64
74·38	281·90	272·24
78·80	337·74	326·10
82·63	393·83	379·58
84·80	429·51	413·64
86·50	459·21	443·20
89·93	524·15	505·10
92·20	571·03	550·38
94·65	625·63	603·01
96·85	678·31	653·60
99·30	741·28	715·38

Nickel sulphate (continued):—

Tammann, W. 24, 555 ; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solution.		
	31·07 W.	62·17 W.	
mm.	mm.	mm.	mm.
24·7	24·2	22·6	22·6
39·4	38·5	36·6	36·6
61·9	60·5	57·3	57·3
79·4	77·4	73·4	73·4
107·6	105·0	100·4	100·4
154·0	151·1	143·2	143·2
188·1	182·8	175·6	175·6
220·5	213·8	204·5	204·5
261·6	254·4	244·9	244·9
296·8	288·8	277·9	277·9
344·1	334·3	322·2	322·2
399·6	388·8	375·2	375·2
459·1	446·3	430·9	430·9
528·6	514·4	496·5	496·5
604·9	588·5	569·4	569·4
682·4	665·6	643·4	643·4
763·1	742·9	723·1	723·1

Zinc sulphate, ZnSO₄.

Griffiths, Q.J.S. [1825], 18, 90 :—

o	ats.	W.
104·4	1	81·81 sat.

Tammann, W. 24, 556 ; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solutions.		
	39·34 W.	84·49 W.	
mm.	mm.	mm.	mm.
58·9	56·5	53·6	53·6
65·9	63·4	59·3	59·3
88·9	84·9	79·8	79·8
103·6	99·2	93·5	93·5
140·9	135·3	127·5	127·5
155·3	148·9	140·2	140·2
200·0	192·4	182·2	182·2
241·0	232·4	220·2	220·2
244·1	235·6	223·3	223·3
281·9	271·5	258·2	258·2
303·7	293·2	278·9	278·9
342·7	330·9	315·3	315·3
400·5	386·5	368·6	368·6
430·1	416·0	396·3	396·3
473·0	457·8	436·8	436·8
526·9	510·3	488·1	488·1
575·5	556·5	531·7	531·7
620·0	599·7	574·7	574·7
684·6	663·8	636·2	636·2
766·4	743·5	714·4	714·4

Sodium thiosulphate, Na₂S₂O₃.

Tammann, *ibid.* :—

Tension of pure H ₂ O.	Tension of Solutions.		
	19·35 W.	32·44 W.	
mm.	mm.	mm.	mm.
53·2	50·1	48·3	48·3
72·6	69·0	66·8	66·8
86·6	82·2	79·3	79·3
104·5	99·1	95·5	95·5
125·5	119·6	115·0	115·0
145·5	138·5	133·4	133·4
173·9	164·8	158·5	158·5
203·1	193·4	186·2	186·2
228·4	217·6	208·8	208·8
261·9	248·5	240·2	240·2
307·9	293·3	282·2	282·2
336·4	319·5	309·5	309·5
369·5	352·1	338·9	338·9
429·4	409·0	394·3	394·3
478·0	455·5	439·0	439·0
516·7	491·3	474·3	474·3
561·3	533·5	514·5	514·5
619·6	588·4	567·0	567·0
690·0	654·7	630·9	630·9
759·2	723·5	697·8	697·8

Tension of pure H ₂ O.	Tension of Solutions.	
	50·66 W.	76·71 W.
mm.	mm.	mm.
17·2	15·0	12·4
32·7	28·3	24·0
43·4	37·7	32·1
53·2	45·9	39·1
72·6	62·9	54·0
86·6	74·7	65·0
104·5	89·8	77·3
125·5	108·1	93·7
145·5	125·7	109·1
173·9	149·8	129·9
203·1	175·8	153·5
228·4	196·9	172·4
261·9	225·6	197·5
307·9	266·0	233·8
336·4	290·5	255·1
369·5	318·7	280·6
429·4	372·1	328·7
478·0	413·6	365·1
516·7	445·3	394·9
561·3	485·7	429·1
619·6	535·1	473·5
690·0	595·6	527·3
759·2	659·3	585·9

Barium dithionate, BaS₂O₆.

Baker, C.N. 36, 203 ; 34, 112 :—

o	ats.	sat.
102	1	sat.

Potassium chromate, K₂CrO₄.

Kremers, P.A. 99, 43 :—

o	ats.	sat.
107	1	sat.

Raoult, C.R. 87, 169 ; 36, 4 :—

o	mm.	W.
100	758·38	1

Tammann, W. 24, 533 ; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solutions.	
	25·35 W.	38·04 W.
mm.	mm.	mm.
64·8	61·7	59·7
77·9	73·4	70·8
91·2	86·4	83·4
131·9	124·5	120·4
144·0	137·2	132·2
165·2	157·2	152·0
187·3	177·5	171·6
215·1	204·7	197·5
231·3	219·6	211·9
259·2	246·6	239·1
285·2	270·9	261·9
311·9	296·2	286·8
393·0	372·7	360·8
423·2	402·1	389·5
473·5	...	437·8
484·9	459·8	446·0
516·1	490·9	475·0
558·0	530·3	513·5
600·5	572·2	555·3
645·7	614·6	596·1
754·3	715·5	695·2

Tension of pure H ₂ O.	Tension of Solutions.	
	48·9 W.	67·83 W.
mm.	mm.	mm.
64·8	57·1	...
77·9	69·1	...
91·2	81·2	...
131·9	117·2	...
144·0	128·7	...
165·2	147·6	...
187·3	166·5	...
215·1	191·9	...
231·3	206·3	...
259·2	231·3	...
285·2	255·3	...
311·9	279·5	265·3
393·0	350·9	332·9
423·2	377·8	358·3
473·5	424·6	406·1
484·9	434·8	412·9
516·1	461·9	438·8
558·0	499·9	474·8
600·5	540·2	514·1
645·7	580·2	550·5
754·3	675·5	642·4

Potassium dichromate, $K_2Cr_2O_7$.			Calcium nitrate (continued) :—			Calcium nitrate (continued) :—			Potassium nitrate (continued) :— Faraday, Storer Dict. Sol. 390 :—		
Kremers, P.A. 92, 499 :—			°	ats.	W.	Temperature.	Tension of pure H_2O .	Tension of Solution. 40 W.	°	ats.	sat.
104	1	sat.	117	"	130.0	—	—	—	115.6	1	sat.
Alluard, A. 133, 292 ; vi., 453 :—			118	"	136.1	43.2	64.20	55.95	Legrand, A.C. [2], 59, 434 ; iii., 89 :—		
103.4	1	sat.	119	"	142.1	45.7	73.98	64.89	101	ats.	W.
Sodium borate, $Na_2B_4O_7$.			120	"	148.1	47.5	81.14	71.14	102	"	26.4
Griffiths, Q.J.S. [1825], 18, 90 :—			122	"	160.1	49.4	89.21	78.35	103	"	42.2
105.5	1	110.54 sat.	124	"	172.2	51.2	97.62	85.70	104	"	59.6
Silver nitrate, $AgNO_3$.			126	"	184.5	53.4	108.75	95.75	105	"	78.3
Kremers, P.A. 92, 499 :—			128	"	197.0	55.65	120.89	105.89	106	"	98.2
a. 125	1	sat.	130	"	209.5	57.45	131.73	115.34	107	"	119.0
Raoult, C.R. 87, 169 ; 36, 4 :—			132	"	222.2	59.4	144.69	127.21	108	"	140.6
100	mm.	W.	134	"	235.1	62.8	169.25	149.38	109	"	163.0
100	758.78	1	136	"	248.1	64.22	180.37	159.22	110	"	185.9
Barium nitrate, $Ba(NO_3)_2$.			138	"	261.3	65.1	187.79	165.96	111	"	209.2
Griffiths, Q.J.S. [1825], 18, 90 :—			140	"	274.7	67.6	209.89	184.08	112	"	233.0
101.1	1	36.05 sat.	142	"	288.4	69.4	227.12	199.07	113	"	257.6
Kremers, P.A. 99, 43 :—			144	"	302.6	Copper nitrate, $Cu(NO_3)_2$.			114	"	283.3
102.5	1	sat.	146	"	317.4	Griffiths, Q.J.S. [1825], 18, 91 :—			115	"	310.2
Raoult, C.R. 87, 169 ; 36, 4 :—			148	"	333.2	173	1	sat.	115.9	"	335.1 sat.
100	mm.	W.	150	"	351.2	Nitric acid, HNO_3 .			Guthrie, P.M. [5], 18, 113, 116 :—		
100	758.96	1	151	"	362.2 sat.	Roscoe, A. 116, 204 ; B. 3, 973 :—			101.5	ats.	W.
Calcium nitrate, $Ca(NO_3)_2$.			Wüllner, P.A. 110, 579 :—			°	mm.	% HNO_3 .	102.83	1	25.0
Kremers, P.A. 99, 43 :—			Temperature.	Tension of pure H_2O .	Tension of Solution. 20 W.	—	—	—	103.41	"	33.3
152 p.d.	1	sat.	°	mm.	mm.	70	75	66.7	104.02	"	42.9
Berzelius, Lehrbuch :—			25.0	23.55	22.05	?	150	67.6	104.5	"	66.7
151	1	362.8 sat.	27.62	26.45	24.65	120.5	735	68.0	106.56	"	81.8
Legrand, A.C. [2], 59, 439 ; iii., 89 :—			29.8	31.14	29.14	?	1220	68.6	107.22	"	100.0
101	1	15.0	31.8	35.00	32.66	Storer, Dict. Sol. 374 :—			108.85	"	122.2
102	"	25.3	33.6	38.62	36.27	°	ats.	% N_2O_5 .	110.16	"	150.0
103	"	34.4	36.0	44.20	41.11	— 1.11 ?	1	100	110.81	"	185.7
104	"	42.6	37.43	48.73	45.64	+ 37.78 ?	"	82.7	113.0	"	233.3
105	"	50.4	39.75	54.16	50.82	79.44	"	72.5	114.92	"	300.0
106	"	57.8	41.0	57.91	54.18	98.89	"	68.0	Nicol, P.M. [5], 18, 367 ; 46, 33 :—		
107	"	64.9	43.2	64.20	59.55	115.56	"	58.4	°	mm.	sat.
108	"	71.8	45.7	73.98	69.28	120	"	54.4	65	152.9	
109	"	78.6	47.5	81.14	76.14	119.44	"	51.2	75	{ 221.0 }	"
110	"	85.3	49.4	89.21	83.88	116.66	"	44.3	85	{ 231.5 }	"
111	"	91.9	51.2	97.62	91.66	113.33	"	37.4	95	{ 314.7 }	"
112	"	98.4	53.4	108.75	102.20	111.11	"	32.3		{ 341.7 }	"
113	"	104.8	55.65	120.89	113.34	109.44	"	28.5		{ 427.1 }	"
114	"	111.2	57.45	131.73	123.33	107.78	"	25.4		{ 499.3 }	"
115	"	117.5	59.4	144.69	135.95	106.11	"	23.0	Raoult, C.R. 87, 169 ; 36, 4 :—		
116	"	123.8	62.8	169.25	159.12	105	"	21.0	°	mm.	W.
			64.22	180.37	169.45	104.44	"	19.3	100	757.87	1
			65.1	187.79	176.53	103.89	"	17.8	See also Pauchon, C.R. 89, 753 ; 36, 211.		
			69.4	227.12	212.71	103.89	"	16.6	Tammann, W. 24, 532 ; B.r. 18, 313 :—		
			40 W.			Potassium nitrate, KNO_3 .			Tension of pure H_2O .		
			mm.			Griffiths, Q.J.S. [1825], 18, 90 :—			Tension of Solutions. 12.68 W. 41.08 W.		
			25.0	23.55	20.25	°	ats.	W.	mm.	mm.	mm.
			27.62	26.45	22.60	114.5	1	284.61 sat.	187.0	181.0	174.9
			29.8	31.14	26.74	Graham Otto :—			210.1	202.8	195.7
			31.8	35.00	30.35	°	ats.	sat.	231.5	223.4	215.4
			33.6	38.62	33.50	116	1		265.3	255.9	247.1
			36.0	44.20	38.20	Kremers, P.A. 97, 19 :—			289.3	279.7	270.1
			37.43	48.73	42.63	°	ats.				
			39.75	54.16	47.39	118	1	sat.			
			41.0	57.91	50.64						

Potassium nitrate (continued) :—			Potassium nitrate (continued) :—			Potassium nitrate (continued) :—			Lithium nitrate, LiNO ₃ .		
Tension of pure H ₂ O.	Tension of Solutions.		Tension of pure H ₂ O.	Tension of Solutions.		Tension of pure H ₂ O.	Tension of Solutions.		Storer, Dict. Sol. 385 :—		
	12·68 W.	41·08 W.		86·03 W.	115·64 W.		86·03 W.	115·64 W.	°	ats.	sat.
mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	200	1	sat.
322·6	310·9	300·2	187·0	160·0	151·1	509·5	430·0	403·6	Tammann, W. 24, 548; B.r. 18, 313 :—		
366·4	354·8	342·5	210·1	179·4	168·4	557·6	469·3	440·0	Tension of pure H ₂ O.	Tension of Solutions.	
414·5	400·3	386·8	231·5	197·4	185·2	641·5	540·0	506·2	15·92 W.	35·01 W.	
457·1	442·0	427·1	265·3	225·7	212·1	723·8	604·3	565·0	mm.	mm.	mm.
509·5	491·3	474·0	289·3	246·0	231·6	759·0	636·3	596·1	33·2	29·2	24·6
557·6	537·6	518·5	322·6	273·2	256·7				49·8	44·6	37·4
641·5	617·2	597·6	366·4	310·6	291·5				78·1	71·0	60·9
723·8	671·1	414·5	351·1	329·2				94·1	85·7	73·5
759·0	705·3	457·1	387·1	363·0				120·2	109·9	94·5
									146·0	132·6	114·3
									174·7	159·3	137·0
									205·7	188·0	161·9
									271·4	248·2	213·8
									310·7	284·7	244·9
									361·9	331·3	286·0
									391·2	357·8	308·9
									479·2	438·2	378·6
									571·9	523·1	452·1
									777·9	710·3	615·5

Wüllner, P.A. 103, 547 :—

Tempera- ture.	Tension of pure H ₂ O.	Tension of Solutions.						
		1 W.	5 W.	10 W.	15 W.	20 W.	25 W.	30 W.
°	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
38·4	50·38	50·28	49·89	49·39	48·90	48·50	48·00
42·4	62·33	62·20	61·64	61·04	60·25	59·66	59·06
46·7	78·07	77·91	77·18	76·29	75·40	74·70	74·11
47·0	79·09	78·92	78·10	77·31	76·61	75·72	74·63
50·7	95·29	95·05	94·01	92·82	91·53	90·84
53·1	107·16	106·92	105·88	104·69	103·40	102·70	101·31
53·9	111·41	111·18	110·13	109·15	107·56	107·17	105·78
60·9	155·13	154·80	153·25	151·57	149·89	148·61	146·82
61·3	158·62	158·24	156·94	155·26	153·28	152·19	150·51
61·6	160·06	159·68	158·09	156·11	153·93	152·94
61·7	160·94	160·58	157·38	153·58	149·97
65·2	188·64	188·21	184·10	179·68	175·99
65·8	193·74	193·30	191·62	189·25	186·83	185·05	182·58
65·8	193·74	193·29	191·47	189·20	186·53	185·25
69·6	229·13	228·61	223·60	218·86	213·43
70·3	234·18	233·65	231·42	228·76	226·13	224·16	221·33
70·6	239·45	238·90	236·79	234·32	230·37
72·3	257·37	256·81	254·51	252·04	248·59	246·12	243·46
72·7	263·77	263·15	260·42	258·06	253·81	251·63	248·20
75·9	299·60	298·99	296·15	293·39	289·05	286·63	282·69
76·3	304·64	303·96	300·90	297·93	294·29	291·34	287·78
78·6	334·97	334·21	327·59	312·12
81·0	369·28	368·47	364·85	361·40	356·18	353·28	349·68
81·6	378·36	377·52	374·13	368·91	364·76	362·40	358·17
82·6	393·72	392·74	388·80	383·87	378·94
83·0	400·10	399·14	390·45	371·33
86·3	455·68	454·68	450·37	445·44	439·73	436·48	431·52
87·9	484·81	483·70	473·99	451·05
91·4	554·09	552·87	542·78	516·61
93·3	595·00	593·71	588·21	581·32	574·64	567·36	560·37
94·2	615·29	613·76	600·34	566·98
95·3	640·83	639·35	626·09	618·22	611·42
97·0	682·03	680·41	665·52	633·78
100·6	776·48	774·33	765·19	755·27	744·27	736·02
100·8	782·04	779·88	760·42

Sodium nitrate, NaNO ₃ .		
Griffiths, Q.J.S. [1825], 18, 90 :—		
°	ats.	W.
119	1	150 sat.
Kremers, P.A. 97, 19, 21; iv., 105 :—		
°	ats.	sat.
122	1	sat.
123	„	supersat.
Legrand, A.C. [2], 59, 435; iii., 89 :—		
°	ats.	W.
101	1	9·3
102	„	18·7
103	„	28·2
104	„	37·9
105	„	47·7
106	„	57·6
107	„	67·7
108	„	77·9
109	„	88·3
110	„	98·8
111	„	109·5

Sodium nitrate (continued) :—			Sodium nitrate (continued) :— Willner, P.A. 103, 544 :—					Lead nitrate, $\text{Pb}(\text{NO}_3)_2$. Griffiths, Q.J.S. [1825], 18, 90 :—				
°	ats.	W.	Temperature. °	Tension of pure H_2O . mm.	Tension of Solutions.				°	ats.	W.	
112	1	120.3			1 W.	10 W.	20 W.	30 W.	102.2	1	110.53 sat.	
113	"	131.3	23.1	21.01	20.955	20.51	19.82	19.42	Kremers, P.A. 92, 499 :—			
114	"	142.4	27.1	26.66	26.597	26.06	25.32	24.77	°	ats.		
115	"	153.7	29.1	29.95	29.873	29.16	28.41	27.62	103.5	1	sat.	
116	"	165.2	31.5	34.36	34.256	33.27	32.28	31.28	Raoult, C.R. 87, 169; 36, 4 :—			
117	"	176.8	37.5	48.25	48.106	46.86	45.37	43.88	°	mm.	W.	
118	"	188.6	39.4	53.14	52.979	51.46	49.87	48.38	100	759.16	1	
119	"	200.5	41.5	59.48	59.298	57.69	55.76	54.03				
120	"	212.6	44.0	67.79	67.570	65.66	63.33	61.22	Strontium nitrate, $\text{Sr}(\text{NO}_3)_2$. Griffiths, Q.J.S. [1825], 18, 90 :—			
121	"	224.8 sat.	47.3	80.33	80.051	77.56	74.74	71.96	°	ats.	W.	
Nicol, P.M. [5], 18, 364; 48, 331 :—			49.1	87.93	87.649	85.25	82.28	79.41	106.5	1	112.98 sat.	
°	mm.	sat.	51.5	99.10	98.771	95.83	92.57	89.20	Kremers, P.A. 92, 499; 99, 43 :—			
65	129.9		55.1	118.04	117.649	114.19	110.26	106.24	°	ats.	W.	
75	179.5	"	56.5	126.24	125.829	122.18	117.93	113.92	107.5	1	sat.	
85	256.4	"	58.5	138.76	138.321	134.40	130.06	125.50	108.0	"	"	
95	362.8	"	62.5	166.98	166.387	160.85	154.92	149.58				
Raoult, C.R. 87, 169; 36, 4 :—			64.5	182.12	181.473	175.60	169.08	162.85				
°	mm.	W.	65.6	201.07	200.385	194.30	187.34	180.42				
100	757.1	1	68.9	222.29	221.525	214.69	206.79	199.48				
See also Pauchon, C.R. 89, 753; 38, 211.			70.5	238.24	237.375	229.56	220.97	212.28				
Tammann, W. 24, 544; B.r. 18, 313 :—			72.5	260.60	259.717	251.72	242.83	234.24				
Tension of pure H_2O .	Tension of Solutions.		75.4	293.00	291.944	281.76	271.69	261.82				
mm.	15.2 W.	26.34 W.	78.7	336.33	335.154	324.41	312.57	301.42	Potassium carbonate, K_2CO_3 . Poggiale, A.C. [3], 8, 468 :—			
35.0	mm.	mm.	81.5	376.85	375.480	363.05	349.15	336.15	°	ats.	sat.	
53.4	33.7	32.4	83.4	406.57	405.063	391.50	376.24	361.55	135	1		
70.2	51.1	48.0	86.0	450.34	449.694	433.80	417.35	401.11	Gerlach, Sp. gw. Salzlösungen :—			
118.7	67.0	63.8	88.7	499.98	499.184	481.38	463.96	446.83	°	ats.	W.	
141.7	112.5	108.3	92.6	579.67	577.593	559.21	537.77	517.41	100.8	1	11.1	
175.7	134.6	129.0	94.9	631.44	629.237	609.34	586.74	566.06	102.2	"	25.0	
219.9	166.6	159.6	100.3	768.20	765.524	740.92	714.00	689.13	104.5	"	42.9	
254.0	208.1	199.2	Ammonium nitrate (NH_4) NO_3 .			Ammonium nitrate (continued) :—			108.6	"	66.6	
303.9	240.1	230.7	Griffiths, Q.J.S. [1825], 18, 91 :—	°	ats.	W.	119	1	256.8	108.6	"	100.0
367.9	287.3	275.1	°	182	1	sat.	120	"	275.3	115.2	"	
391.7	347.9	333.4	°	Raoult, C.R. 87, 169; 36, 4 :—			122	"	314.0	Dalton, New System, 2, 481 :—		
468.4	370.5	355.9	°	100	mm.	W.	124	"	354.0	°	ats.	W.
529.1	442.9	424.7	°	Legrand, A.C. [2], 59, 435 :—			126	"	396.0	100.56	1	4.93
580.1	500.0	480.0	°	101	mm.	mm.	128	"	440.2	100.56	"	9.89
642.3	548.1	525.2	°	102	52.47 W.	91.11 W.	130	"	487.4	101.11	"	15.21
767.3	606.5	581.6	°	103	mm.	mm.	132	"	537.3	101.11	"	20.19
	725.9	694.9	°	104	mm.	mm.	134	"	590.0	101.66	"	25.78
			°	105	mm.	mm.	136	"	645.0	102.22	"	31.58
			°	106	mm.	mm.	138	"	705.5	102.78	"	37.55
			°	107	mm.	mm.	140	"	770.5	103.33	"	43.88
			°	108	mm.	mm.	142	"	840.6	104.44	"	50.60
			°	109	mm.	mm.	144	"	915.5	105.56	"	56.74
			°	110	mm.	mm.	146	"	995.5	107.22	"	63.93
			°	111	mm.	mm.	148	"	1081.5	108.33	"	71.53
			°	112	mm.	mm.	150	"	1173.5	109.44	"	76.36
			°	113	mm.	mm.	152	"	1273	111.11	"	84.50
			°	114	mm.	mm.	154	"	1383	112.78	"	95.31
			°	115	mm.	mm.	156	"	1504	114.44	"	108.8
			°	116	mm.	mm.	158	"	1637	116.11	"	127.3
			°	117	mm.	mm.	160	"	1775	117.78	"	152.5
			°	118	mm.	mm.	162	"	1923	119.44	"	190.7
			°		mm.	mm.	164	"	2084	122.22	"	254.6
			°		mm.	mm.	166	"	∞	125.56	"	380.8
			°		mm.	mm.	180	"	∞	129.44	"	762.1
			°		mm.	mm.		"	∞	137.78	"	∞

Potassium carbonate (continued) :—
Legrand, A.C. [2], 59, 438; iii., 89 :—

°	ats.	W.
101	1	13
102	"	22.5
103	"	31.0
104	"	38.8
105	"	46.1
106	"	53.1
107	"	59.6
108	"	65.9
109	"	71.9
110	"	77.6
111	"	83.0
112	"	88.2
113	"	93.2
114	"	98.0
115	"	102.8
116	"	107.5
117	"	112.3
118	"	117.1
119	"	122.0
120	"	127.0
121	"	132.0
122	"	137.0
123	"	142.0
124	"	147.1
125	"	152.2
126	"	157.3
127	"	162.5
128	"	167.7
129	"	172.9
130	"	178.1
131	"	183.4
132	"	188.8
133	"	194.2
134	"	199.6
135	"	205.0 sat.

Nicol, P.M. [5], 18, 367; 48, 331 :—

°	mm.	sat.
75	123.5	
85	172.7	"
95	244.8	"

Tammann, W. 24, 534; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solutions.	
mm.	24.43 W.	48.7 W.
18.1	16.8	15.1
27.5	25.7	22.9
35.3	32.8	29.3
49.7	45.7	41.2
57.9	52.6	47.6
71.9	65.9	59.2
91.2	83.8	75.9
102.0	93.6	84.8
115.2	105.8	95.2
130.2	119.9	108.2
145.0	133.8	120.8
165.0	153.0	138.2
188.0	174.6	157.6
217.8	201.8	182.9

Potassium carbonate (continued) :—
Tension of pure H₂O.

Tension of pure H ₂ O.	Tension of Solutions.	
mm.	24.43 W.	48.7 W.
234.1	217.2	196.2
264.3	244.5	221.3
280.3	259.7	235.0
305.4	282.9	255.5
326.2	302.5	273.9
363.9	338.0	306.4
398.6	370.4	336.2
429.8	399.7	362.8
477.9	444.7	403.6
511.8	476.5	432.8
559.8	521.0	473.2
628.7	585.2	532.2
756.2	638.1

Lithium carbonate, Li₂CO₃.
Kremers, P.A. 92, 499; 99, 43, 48; J. [1856], 294 :—

°	ats.	W.
100	1	0.66 sat.
102	"	0.78

Sodium carbonate, Na₂CO₃.
Griffiths, Q.J.S. [1825], 18, 90 :—

°	ats.	sat.
104.4	1	

Sodium carbonate (continued) :—
Gerlach, Sp. gw. Salzlösungen,

°	ats.	W.
100.5	1	5.26
101.1	"	11.1
101.8	"	17.6

Kremers, P.A. 99, 43 :—

°	ats.	sat.
106	1	

Payen, A.C. [3], 43, 233 :—

°	ats.	sat.
104	1	

Poggiale, A.C. [3], 8, 468 :—

°	ats.	W.
104.6	1	48.5 sat.

Dalton, New System, 2, 501 :—

°	ats.	W.
101.11	1	19.6
102.78	"	29.4
104.44	"	40.45

Legrand, A.C. [2], 59, 433; iii., 89 :—

°	ats.	W.
100.5	1	7.5
101	"	14.4
101.5	"	20.8
102	"	26.7
102.5	"	32.0
103	"	36.8
103.5	"	41.0
104	"	44.7
104.5	"	47.9
104.63	"	48.5

Nicol, P.M. [5], 18, 367; 48, 331 :—

°	mm.	sat.
65	154.9	
75	239.5	"
85	364.4	"
95	536.8	"

Tammann, W. 24, 541; B.r. 18, 313 :—

Tension of pure H ₂ O.	Tension of Solutions.	
mm.	10.16 W.	21.86 W.
29.5	28.1	26.9
39.1	37.4	36.1
49.2	47.3	45.5
55.9	54.1	51.3
70.9	68.7	65.3
88.1	84.7	81.2
103.9	100.2	95.9
121.7	118.1	112.2
140.7	135.8	130.0
156.9	151.3	144.7
175.6	170.3	162.2
196.8	190.8	182.6
226.8	219.0	209.6
258.4	249.8	238.8
286.3	276.2	264.2
325.5	314.5	300.7
360.7	348.4	333.6

Sodium carbonate (continued) :—
Tension of pure H₂O.

Tension of pure H ₂ O.	Tension of Solutions.	
mm.	10.16 W.	21.86 W.
398.9	385.8	369.3
450.3	435.5	416.8
510.3	491.5	471.5
580.7	560.9	537.0
669.2	645.6	619.3
762.1	733.7	704.6

Potassium aluminium sulphate (Alnm), AlK(SO₄)₂.
Griffiths, Q.J.S. [1825], 18, 90 :—

°	ats.	W.
104.4	1	108.33 sat.

Copper potassium sulphate, CuK₂(SO₄)₂.
Griffiths, *ibid.* :—

°	ats.	W.
102.8	1	66.67 sat.

Hydrogen potassium sulphate, HKSO₄.
Griffiths, *ibid.* :—

°	ats.	sat.
105.5	1	

Kremers, P.A. 92, 499 :—

°	ats.	sat.
108	1	

Hydrogen disodium phosphate, NaH_2PO_4 .			Formic acid (continued):—			Acetic acid (continued):—			Ethylalcohol (continued):—		
Griffiths, Q.J.S. [1825], 18, 90:—			Konovaloff, W. 14, 45; 40, 1093:—			° mm. W.			Boils. Sp. gr. of alcohol at 15°=56.		
°	ats.	sat.	°	mm.	W.	80·55	352·5	22·2	°	ats.	Sp. gr.
105·5	1		18·9	15·3	29·3	100·0	750·2	"	82·44	1	·9420
Legrand, A.C. [2], 59, 433; iii., 89:—			° mm. W.			16·45 12·5 100·4			83·33 " ·9516		
°	ats.	W.	42·35	58·0	"	49·95 85·0 "			84·11 " ·9600		
100·5	1	11·0	61·35	147·4	"	80·2 335·6 "			85·33 " ·9665		
101	"	21·0	80·8	343·6	"	100·0 724·0 "			87·22 " ·9729		
101·5	"	31·0	100·0	719·8	"	16·0 11·8 405·5			88·78 " ·9786		
102	"	40·8	16·95	11·7	100·1	49·85 78·2 "			91·33 " ·9850		
102·5	"	50·3	31·8	29·1	"	80·0 300·7 "			94·44 " ·9920		
103	"	59·4	42·9	51·7	"	100·05 645·7 "					
103·5	"	68·1	54·9	102·7	"	Melts at 16°.					
104	"	76·4	70·1	166·9	"						
104·5	"	84·2	80·95	309·4	"						
105	"	91·5	90·7	457·85	"						
105·5	"	98·4	99·65	644·0	"						
106	"	105·0	18·0	14·5	394·5						
106·5	"	111·4	42·15	54·5	"						
106·6	"	112·6	61·05	130·5	"						
			59·9	123·3	"						
			80·7	290·9	"						
			80·8	292·1	"						
			99·8	590·7	"						
			Melts at 7°.								
Benzene (and Water), C_6H_6 .			Methylalcohol, CH_3O .			Ethylalcohol, $\text{C}_2\text{H}_5\text{O}$.			Casoria, J. Chim. Méd. [1846], 467; cited by Pohl, and by Storer:—		
° mm. W.			Konovaloff, W. 14, 40; 40, 1093:—			° mm. W.			Boils. Sp. gr.		
10·10	54·92		°	mm.	W.	Temp. of vapour. % by vol. of alcohol.			° ats. Sp. gr.		
10·53	56·03		17·25	30·15	32·5	In still. In distillate.			75·8 1 ·7939		
12·38	61·93		29·9	62·6	"	°			75·5 " ·8034		
15·26	72·34		43·2	126·2	"	77·2 92 93			75·8 " ·8118		
18·01	83·00		53·6	207·25	"	77·5 90 92			76·1 " ·8194		
19·88	91·49		64·9	345·7	"	77·81 85 91			78 " ·8265		
22·53	104·28		84·25	750·8	"	78·12 80 90·5			78·6 " ·8332		
Carbon hexachloride (and Water), C_2Cl_6 .			° mm. W.			78·75 75 90			79·4 " ·8397		
° mm. W.			17·0 44·5 97·1			79·38 70 89			80·5 " ·8458		
7·79	63·49		29·9	90·6	"	80 65 87			81·7 " ·8518		
11·39	75·37		43·3	177·3	"	81·25 50 85			82·8 " ·8630		
16·75	97·25		53·5	284·0	"	82·5 40 82			84 " ·8765		
20·49	115·69		65·5	479·9	"	83·75 35 80			86·1 " ·8875		
25·66	146·58		76·7	747·6	"	85 30 78			87·8 " ·8892		
29·12	170·77		12·55	39·8	175·4	86·25 25 76			90 " ·9013		
34·42	214·67		29·75	104·2	"	87·5 20 71			91·7 " ·9126		
38·59	256·42		43·7	206·2	"	88·75 18 68			92·8 " ·9234		
44·59	328·38		54·0	330·2	"	90 15 66			94 " ·9335		
Carbon disulphide (and Water), CS_2 .			18·65 63·7 261·0			91·25 12 61			Pohl, W. A. [1851], 2, 12:—		
° mm. W.			29·25 112·8 "			92·50 10 55			Boils. Sp. gr. at 15°; sp. gr. of H_2O at 15°=1.		
8·85	196·81		43·2	224·6	"	93·75 7 50			° ats. Sp. gr.		
12·07	225·93		53·5	357·8	"	95 5 42			15°; sp. gr. of H_2O at 15°=1.		
14·10	247·43		65·5	591·7	"	96·25 3 36			Boils. Sp. gr.		
18·85	299·52		71·15	747·7	"	97·5 2 28			° ats. Sp. gr.		
22·43	347·17		Oxalic acid, $\text{C}_2\text{H}_2\text{O}_4$.			98·75 1 13			15°; sp. gr. of H_2O at 15°=1.		
26·87	412·28		Griffiths, Q.J.S. [1825], 18, 91:—			° mm. W.			Boils. Sp. gr. of alcohol at 15°=56.		
31·80	498·74		112 and rises to 121 sb.			112 and rises to 121 sb.			° mm. W.		
38·35	634·60		ats. 1 sat.			112 and rises to 121 sb.			17·4 35·9 599·3		
Formic acid, CH_2O_2 .			Acetic acid, $\text{C}_2\text{H}_4\text{O}_2$.			Ure, Dict. of Arts, Boston, 1853, quoted from P.J. 7, 166:—			Konovaloff, W. 14, 34; 40, 1093:—		
° mm. W.			Konovaloff, W. 14, 34; 40, 1093:—			Boils. Sp. gr. of alcohol at 15°=56.			° mm. W.		
107·1	760	344	°	mm.	W.	° mm. W.			° mm. W.		
124·1	1350	400	16·65	13·35	22·2	81·44 1 ·9200			17·4 35·9 599·3		
134·6	1830	495	49·85	87·7	"	82·08 " ·9821			40·7 133·3 "		
									60·45 346·35 "		
									70·2 532·5 "		
									79·65 782·9 "		
									79·95 789·5 "		
									18·1 34·2 213·0		

Ethylalcohol (continued):—

°	mm.	W.
40.45	123.0	213.0
60.65	327.8	"
70.35	509.7	"
80.5	768.7	"
15.3	27.4	101.6
15.5	27.7	"
40.6	117.5	"
59.65	295.7	"
60.05	301.4	"
70.15	470.7	"
70.3	473.4	"
80.5	720.0	"
80.55	720.9	"
21.15	85.1	49.5
40.9	107.1	"
60.45	281.6	"
70.4	436.7	"
80.25	654.0	"

Propyl alcohol (continued):—

°	mm.	W.
33.0	54.6	56.0
42.35	91.8	"
50.65	141.75	"
60.5	231.5	"
70.9	368.8	"
80.3	546.0	"
88.0	745.3	"
19.65	24.5	111.8
32.35	52.9	"
40.15	82.6	"
51.55	149.8	"
60.95	237.5	"
71.4	382.8	"
81.4	579.8	"
87.7	749.9	"
19.4	25.1	164.9
33.0	56.8	"
42.7	94.8	"
51.05	148.7	"
60.5	234.8	"
71.43	384.1	"
81.4	586.0	"
87.6	749.0	"
19.4	19.4	792.9
32.55	42.7	"
42.2	74.1	"
51.2	119.2	"
61.35	195.0	"
70.85	295.5	"
80.65	455.8	"
89.4	649.6	"
90.55	751.2	"

Butyric acid, C₄H₈O₂.
Konovaloff, W.A. 14, 45; 40,
1093:—

°	mm.	W.
18.3	15.15	34.2
49.85	90.4	"
80.5	364.9	"
99.7	766.4	"
15.0	14.2	100
31.25	35.6	"
42.75	65.5	"
52.25	109.4	"
60.35	152.3	"
70.3	237.3	"
79.6	350.8	"
99.0	741.1	"
19.45	16.4	234.4
50.2	90.8	"
80.45	351.3	"
100.0	740.8	"
163	748.1	pure acid

Isobutyl alcohol (continued):—

°	mm.	W.
95.1	784.0	1580
18.1	18.9	6.5
40.3	71.7	"
59.4	193.9	"
70.9	331.3	"
81.55	516.15	"
91.0	746.05	"
12.1	14.3	"
41.65	82.2	"
46.8	107.9	"
59.9	207.6	"
71.4	355.6	"
71.5	356.15	"
80.85	530.8	"
81.2	537.4	"
81.6	550.0	"
88.55	722.4	"
88.75	728.3	"
89.1	738.6	"

Water and alcohol mixed in such proportion as to form two layers, whilst in the previous series the mixture formed a clear homogeneous liquid.

Propionic acid, C₃H₆O₂.
Konovaloff, *ibid.*:—

°	mm.	W.
16.85	14.1	33.2
46.85	76.6	"
62.9	167.7	"
81.25	370.8	"
99.25	746.9	"
15.95	12.8	97.5
46.35	73.2	"
64.0	173.8	"
70.2	229.5	"
81.5	379.3	"
90.0	528.6	"
99.5	739.6	"
17.3	13.7	311.2
46.7	69.6	"
63.4	151.4	"
81.45	336.7	"
99.6	676.3	"
139.0	741.5	pure acid

Diethyl oxide, C₄H₁₀O.
Regnault, C.R. 39, 401; P.M. [4],
9, 19:—

°	Tension of pure water.	Tension of mixture.
15.56	13.16	362.95
20.40	17.83	440.32
24.21	25.30	510.08
26.73	26.09	562.79
27.99	27.58	589.38
33.08	28.08	710.02

°	mm.	W.
16.65	19.0	
40.8	78.8	
59.9	207.0	
71.78	360.5	
81.6	548.0	
89.0	731.6	
97.2	991.9	

Water saturated with the alcohol at 40°.

Isobutyl alcohol, C₄H₁₀O.
Konovaloff, W. 14, 43; 40, 1093:—

°	mm.	W.
16.9	17.6	1580
40.3	65.5	"
59.9	176.5	"
71.4	299.9	"
81.5	457.6	"

Citric acid, C₆H₈O₇.
Gerlach, Sp. gw. Salzlösungen,
111:—

°	ats.	W.
101.8	1	30.4
105.8	"	91.4

Propyl alcohol, C₃H₈O.
Konovaloff, *ibid.*:—

°	mm.	W.
17.65	20.8	6.6
40.3	79.4	"
51	138.7	"
59.8	214.2	"
69.35	334.1	"
80.85	540.3	"
88.5	740.4	"
16.25	19.0	27.8
32.6	51.2	"
42.9	91.2	"
51.45	144.2	"
52.1	149.0	"
61.4	235.1	"
70.55	357.2	"
80.75	547.5	"
88.6	747.0	"
16.25	19.2	56.0

Glycerol, C₃H₈O₃.
Gerlach, C.C. [1884], 884; Jour.
Chem. Ind. 7, 277; B.r. 17, 523;
48, 499:—

°	mm.	% glycerol.
100.9	760	10
101.8	"	20
102.8	"	30
104	"	40
106	"	50
109	"	60
113.3	"	70
121	"	80
138	"	90
164	"	95
290	"	100

Sugar, C₁₂H₂₂O₁₁.
Wüllner, P.A. 103, 548:—

Tempera- ture.	Tension of pure H ₂ O.	Tension of Solutions.			
		1 W.	50 W.	100 W.	150 W.
°	mm.	mm.	mm.	mm.	mm.
29.2	30.13	30.103	28.64	27.45	26.16
34.9	41.59	41.552	39.71	37.82	36.03
39.3	52.89	52.850	90.81	88.92	86.74
40.1	55.20	55.154	52.82	50.54	48.35
42.7	63.35	63.303	61.07	58.59	56.16
44.2	69.59	69.532	66.92	64.14	61.36
47.2	79.91	79.848	76.94	73.67	70.50
51.6	99.58	99.505	95.72	92.35	88.29
53.8	110.88	110.808	103.66	99.89
56.0	123.24	123.141	118.20	113.49	108.20
61.5	159.50	159.379	153.57	147.54	141.01
66.8	202.60	202.457	195.59	188.67	181.06
69.3	226.14	225.978	217.95	210.34	201.26
73.1	266.29	266.115	257.31	249.30	239.62

Sodium acetate (continued):—

°	ats.	W.
120	1	156.1
121	"	167.4
122	"	179.3
123	"	191.6
124	"	204.5
124.37	"	209 sat.

Lead acetate, $Pb(C_2H_3O_2)_2$.
Griffiths, Q.J.S. [1825], 18, 90:—

°	ats.	W.
101.7	1	70.94 sat.

Miscellaneous.
Guthrie, P.M. [5], 2, 221; 31, 6:—

Gum arabic	20%	boils	100
Gelatine	20%	"	99.9
"	45%	"	97.5
"	50%	"	97.5
20% Gelatine + 20% Gum arabic + 60% H_2O			boils	97.7.
Albumen decomposes.				

B.—VAPOUR TENSIONS OF SOLUTIONS OTHER THAN THOSE IN WATER.

Mixtures of carbonic and hydrochloric acids.			Mixtures of ethyl bromide and ethyl iodide (continued):—			Mixtures of chloroform and carbon-disulphide (continued):—			Mixtures of diethyloxyde and carbon-disulphide (continued):—					
°	ats.	% CO_2	°	mm.	% ethyl bromide.	°	mm. at 13°-8.	% $CHCl_3$ by weight.	°	mm.				
0	27.84	17.18	16.7	276.4	30	13.8	202.3	80	4.72	207.58				
15	40.66	"	"	306.4	40	"	214.0	70	9.31	252.33				
27	54.22	"	"	332.3	50	"	227.8	60	12.60	288.96				
37.5	70.28	"	"	360.9	60	"	235.0	50	17.00	344.14				
46	82.26	"	"	380.4	70	"	240.6	40	20.54	395.52				
47.2 c.t.	92.21	"	"	405.2	80	"	245.4	30	24.07	451.79				
0	28.86	19.37	"	428.2	90	"	248.6	20	27.19	506.63				
13.8	39.86	"	"	452.2	100	"	250.3	15	30.79	575.90				
25.5	52.77	"	"	Solution of sulphur in carbon disulphide.			"	251.5	10	33.28	627.82			
38.0	67.36	"	"	Cossa, B. 1, 139; vi., 1061:—			"	255.7	5	36.01	688.73			
44.0	76.23	"	"	°			°	251.6	0	39.44	772.49			
45.5 c.t.	80.52	"	"	ats.			mm. at 16°.			°	mm.			
0	33.17	25.48	"	W.			16.0	169.2	100	8.01	253.76			
16.3	50.09	"	"	181.34 sat.			"	206.6	90	9.46	268.81			
25.4	63.98	"	"	Mixtures of carbon hexachloride, (C_2Cl_6) and CS_2 .			"	221.4	80	11.17	288.55			
34.0	77.02	"	"	Regnault, P.M. [4], 9, 21; C.R. 39, 404:—			"	234.6	70	12.88	309.50			
43.2	90.03	"	"	°			"	243.7	60	16.22	353.33			
45.1 c.t.	"	"	mm.			"	254.0	50	18.62	388.42			
0	31.89	42.44	"	151.24			"	259.7	40	21.12	434.88			
19.0	51.93	"	"	183.32			"	263.7	30	23.68	478.38			
25.6	60.46	"	"	229.15			"	266.9	20	26.89	538.77			
39.5 c.t.	80.28	"	"	267.53			"	266.8	15	30.09	603.93			
0	32.72	45.67	"	307.41			"	266.1	10	32.65	659.45			
17.5	50.73	"	"	358.81			"	270.4	5	35.61	730.33			
26.6	63.31	"	"	400.47			"	266.2	3	38.18	795.80			
35.0	76.64	"	"	444.34			"	264.8	0					
37.6	79.14	"	"	542.21			Mixtures of diethyloxyde and carbondisulphide.			Guthrie, P.M. [5], 18, 512:—				
38.0 c.t.	81.35	"	"	661.95			Regnault, P.M. [4], 9, 19; C.R. 39, 402:			°				
0	34.56	74.18	"	11.98			°			mm. at 18°-88.				
18.8	55.79	"	"	13.16			-16.71			°				
25.5	65.68	"	"	18.70			-11.36			18.88				
33.5 c.t.	77.69	"	"	21.09			-11.02			284.5				
0	34.65	82.14	"	35.12			-8.94			346.3				
18.8	56.44	"	"	41.50			-8.53			374.3				
24.9	67.27	"	"	Mixture of 60 vols. CS_2 and 145 vols. C_2Cl_6 .			-8.44			387.3				
32.4 c.t.	77.23	"	"	Mixture of nearly equal weights of CS_2 and Et_2O .			-7.15			410.1				
Ansdell, P.R. 34, 116.			Mixtures of ethyl bromide and ethyl iodide.			Mixtures of chloroform and carbondisulphide.			Guthrie, P.M. [5], 18, 513, 514:—			419.3		
			Guthrie, P.M. [5], 18, 517:—			Guthrie, P.M. [5], 18, 513, 514:—			°			424.6		
			°			°			+ 8.93			429.8		
			mm.			mm. at 13°-8.			8.94			433.0		
			% ethyl bromide.			% $CHCl_3$ by weight.			8.96			437.5		
			0			100			9.07			432.1		
			10			90						100		
			20											

Mixtures of methylocyanide and methylalcohol.			Mixtures of amylene and ethylalcohol.			Mixtures of methylocyanide and ethylalcohol.			Mixtures of chloroform and diethyloxide.		
Vincent, C.R. 90, 747; 38, 525 :—			Guthrie, P.M. [5], 18, 517 :—			Vincent, C.R. 90, 747; 38, 525 :—			Guthrie, P.M. [5], 18, 511 :—		
°	ats.	% MeCN.	°	mm. at 18°4.	% C ₅ H ₁₀ by weight.	°	ats.	% MeCN.	°	mm. at 19°02.	% CHCl ₃ by weight.
81·6	1	100	18·4	41·9	0	81·6	1	100	19·02	190·7	100
74·0	"	90	"	124·1	10	76·8	"	90	"	196·0	90
69·2	"	80	"	227·4	20	74·8	"	80	"	211·7	80
67·1	"	70	"	277·3	30	73·8	"	70	"	226·4	70
65·7	"	60	"	309·0	40	73·2	"	60	"	233·1	63
64·8	"	50	"	323·7	50	72·7	"	50	"	236·4	61·76*
64·2	"	40	"	330·0	60	72·6	"	44	"	241·4	60
63·8	"	30	"	334·5	70	72·7	"	40	"	278·2	50
63·7	"	20	"	334·8	80	73·2	"	30	"	312·2	40
64·0	"	10	"	338·1	90	74·1	"	20	"	344·8	30
64·8	"	0	"	356·5	100	75·4	"	10	"	377·9	20
						75·4	"	5	"	408·8	10
						78·4	"	0	"	437·8	0
									* = (C ₄ H ₁₀ O + CH ₃ Cl ₃).		
Manganous chloride in ethylalcohol.			Mixtures of benzene and ethylalcohol.			Mixture of benzene and diethyl oxide (equal weights).			Suberic acid, C ₈ H ₁₄ O ₄ .		
Brandes, P.A. 22, 271 :—			Regnanlt, P.M. [4], 9, 21; C.R. 39, 405 :—			Ramsay, P.R. 31, 194; 42, 136.			Brandes, Sch. J. 32, 409, 410 :—		
°	ats.	% MnCl ₂ .	°	mm.	Proportion of mixture not stated.				(a) In diethyloxide.		
76·25	1	36·2*	7·22	43·17					°	ats.	W.
87·5	"	32·2†	9·98	50·22					35	1	16·6
			13·11	59·66					(b) In turpentine.		
			16·05	69·43					°	ats.	W.
			18·59	79·35					174·44	1	100

* Absolute alcohol.

† Alcohol of 75 %.

III.—FREEZING (AND MELTING) POINTS OF MIXTURES, INCLUDING CRYOHYDRATES.

I. placed after a freezing point indicates that ice separates; ch., that a cryohydrate separates; sch., that a subcryohydrate separates; S., that only the substance itself separates. W = number of parts of the substance to 100 parts of the solvent. p.c. = percentage of substance in 100 parts of the mixture. Sat. = saturated. A number placed before the symbol H_2O in the 3rd column indicates that so many molecules of water are present to 1 molecule of the substance. By "Temperature of Cryogen" is meant the lowest temperature which can be produced by mixing the substance with the solvent.

A.—MIXTURES WITH WATER, H_2O .

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Sodium fluoride	NaF	?	-5.63	-3.2	Guthrie	P. M. [5], 6, 40	36, 428
Aluminium chloride	Al_2Cl_6	1 W.	-0.481	Raoult	C. R., 99, 324	46, 1248
Barium chloride	$BaCl_2$	23.2 p.c.	-8 ch.	-7.2	Guthrie	P. M. [4], 49, 267; [5], 6, 105	29, 336; 36, 429; viii., 1005
"	"	5 p.c.	-0.9 I.	"	P. M. [5], 2, 211	31, 36
"	"	10 "	-2.2 I.	"	"	"
"	"	15 "	-4.0 I.	"	"	"
"	"	20 "	-6.0 I.	"	"	"
"	"	21.83 p.c.	-7.5 ch.	-7.3	"	"	"
"	"	23.98 "	0.0 S + H_2O	"	"	"
"	"	30 "	+25 "	"	"	"
"	"	1 W.	-0.233	Raoult	C. R., 93, 1047	46, 808
Calcium chloride	$CaCl_2$	21.8 "	-10	Rudorff	P. A., 114, 63	v., 1012
"	"	Saturated	-21	"	"	"
"	"	1 W.	-0.42	Raoult	C. R., 98, 1047	"
"	"	20 p.c.	-15	Guthrie	P. M. [5], 1, 50	viii., 1006
"	"	1 "	-0.2 I.	"	P.M. [5], 1, 361, 455	30, 169
"	"	2 "	-0.5 I.	"	"	"
"	"	3 "	-1.1 I.	"	"	"
"	"	4 "	-1.6 I.	"	"	"
"	"	5 "	-2.1 I.	"	"	"
"	"	7 "	-3.3 I.	"	"	"
"	"	10 "	-5.5 I.	"	"	"
"	"	15 "	-10.5 I.	"	"	"
"	"	20 "	-17.5 I.	"	"	"
"	"	28 "	-27.5 ch.	"	"	"
"	"	36.45 p.c.	-37 hydrate	-33	"	"	"
"	"	39 p.c.	0 $CaCl_2 \cdot 6H_2O$	"	"	"
"	"	45 "	-15.5 "	"	"	"
"	"	" + H_2O	33.3 to 50 p.c.	"	P. M. [5], 1, 51	"
"	"	" + 3 H_2O	61.5 p.c.	"	P. M. [5], 1, 50	"
"	"	" + 6 H_2O	8.45 H_2O	?	Hammerl	W. A., 73, 59	36, 689
Cadmium chloride	$CdCl_2$?	?	-8.3	Guthrie	P. M. [5], 6, 44	36, 428
Cobalt	$CoCl_2$?	?	-15.35	"	"	"
Chromic (violet)	Cr_2Cl_6	1 W.	-0.408	Raoult	C. R., 99, 324	46, 1248
Cesium	$CsCl$	1 W.	-0.211	"	C. R., 98, 510; B.r. 17, 196	46, 701
Cupric	$CuCl_2$	1 W.	-0.36	"	C. R., 98, 1047	46, 808
Ferric	Fe_2Cl_6	1 W.	-0.396	"	C. R., 99, 324	46, 1248
Hydrochloric acid	HCl	1 W.	-1.006	"	"	"
"	"	1 W.	-1.071	"	A. C. [6], 2, 66	46, 953
Mercuric chloride	$HgCl_2$	1 W.	-0.048	"	C. R., 87, 169	36, 4
"	"	1 W.	-0.076	"	C. R., 98, 1047	46, 808
"	"	3.24 p.c. (sat.)	-0.2 ch.	-0.2	Guthrie	P. M. [4], 49, 268	29, 336; viii., 1005
Potassium chloride	KCl	1 W.	-0.446	Raoult	C.R., 87, 169	36, 4
"	"	1 W.	-0.451	B.r., 17, 196	"	C.R., 98, 509	46, 701
"	"	20.03 p.c.	-11.4 ch.	Guthrie	P.M. [4], 49, 17, 212	28, 531; viii., 1005

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Lithium chloride	LiCl	1 W.	- 0.866	B.r., 17, 196	Raoult	C.R., 98, 510	46, 701
Magnesium	MgCl ₂	1 W.	- 0.514	"	C.R., 98, 1047	46, 808
Manganese	MnCl ₂	?	?	-28	Guthrie	P.M. [5], 6, 44	36, 428
Sodium	NaCl	10 p.c.	- 6	Rudorff	P.A., 114, 63	v., 1012
"	"	1 "	- 0.76	Karsten	v., 337
"	"	5 "	- 3.78	"	"
"	"	10 "	- 7.44	"	"
"	"	15 "	-10.99	"	"
"	"	20 "	-14.42	"	"
"	"	25 "	-17.77	"	"
"	"	1 W.	- 0.6	B.r., 17, 196	Raoult	C.R., 87, 169; 98, 510; 99, 324	36, 4; 46, 701, 1248
"	"	23.6 p.c.	-22	-23	Guthrie	P.M. [4], 49, 9	viii., 1005
"	"	1 "	- 0.3 I.	"	P.M. [5], 1, 359	26, 334, 531
"	"	2 "	- 0.9 I.	"	"	"
"	"	3 "	- 1.5 I.	"	"	"
"	"	4 "	- 2.2 I.	"	"	"
"	"	7 "	- 4.2 I.	"	"	"
"	"	10 "	- 6.6 I.	"	"	"
"	"	13 "	- 9.1 I.	"	"	"
"	"	15 "	-11.0 I.	"	"	"
"	"	16 "	-11.9 I.	"	"	"
"	"	19 "	-15.5 I.	"	"	"
"	"	20 "	-17.0 I.	"	"	"
"	"	22 "	-20.0 I.	"	"	"
"	"	23.6 "	-22.0 ch.	"	"	"
"	"	25 "	-12.0 sch.	"	"	"
"	"	26.27 "	0.0 S.	"	"	"
"	"	26.5 "	+25.0 S.	Poggiale	"	"
"	"	26.8 "	+40.0 S.	"	"	"
Ammonium	(NH ₄)Cl	10 p.c.	- 6.5	Rudorff	P.A., 114, 63	v., 1012
"	"	1 W.	- 0.639	Raoult	C.R., 87, 169	36, 4
"	"	1 W.	- 0.650	B.r., 17, 196	"	C.R., 98, 510	46, 701
"	"	19.27 p.c.	-15 to -16	-16	Guthrie	P.M. [4], 49, 13, 211	viii., 1005
"	"	1 "	- 0.4 I.	"	P.M. [5], 1, 360, 455	28, 531
"	"	3 "	- 1.6 I.	"	"	"
"	"	5 "	- 3.1 I.	"	"	"
"	"	7 "	- 4.6 I.	"	"	"
"	"	10 "	- 7.1 I.	"	"	"
"	"	13 "	- 9.9 I.	"	"	"
"	"	15 "	-12.0 I.	"	"	"
"	"	16 "	-13.0 I.	"	"	"
"	"	17 "	-14.0 I.	"	"	"
"	"	18 "	-15.0 I.	"	"	"
"	"	19 "	-15.8 I.	"	"	"
"	"	19.27 "	-16.0 ch.	"	"	"
"	"	20 "	-15 S.	"	"	"
"	"	22 "	- 5 S.	"	"	"
"	"	23.2 "	0 S.	"	"	"
"	"	25 "	+ 8 S.	"	"	"
"	"	30 "	+32 S.	"	"	"
Nickel chloride	NiCl ₂	?	?	-10.35	"	P. M. [5], 6, 44	36, 428
Stannic	SnCl ₄	1 W.	- 0.37	Raoult	C. R., 99, 324	46, 1248
Strontium chloride	SrCl ₂	1 W.	- 0.32	"	C. R., 98, 1047	46, 808
"	"	27.57 p.c.	-17	-18	Guthrie	P. M. [4], 49, 267	29, 336
Potassium bromide	KBr	1 W.	- 0.295	B.r., 17, 196	Raoult	C. R., 87, 169; 98, 510	36, 4; 46, 701

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Potassium bromide	KBr	32.15 p.c.	-13	Guthrie	P. M. [4], 49, 17, 211	viii., 1005
" "	"	10 "	- 3.0 I.	"	P. M. [5], 1, 363	28, 531
" "	"	20 "	- 7.1 I.	"	"	"
" "	"	30 "	-12.0 I.	"	"	"
" "	"	32.15 "	-13.0 ch.	-13	"	"	"
" "	"	33 "	- 9.8 S.	"	"	"
" "	"	34 "	- 5.0 S.	"	"	"
" "	"	35.03 "	0 S.	"	"	"
" "	"	39.7 "	+20 S.	Kremers	"	"
" "	"	43.2 "	+40	"	"	"
Sodium "	NaBr	41.33 "	-24	-28	"	P. M. [4], 49, 214	"
Ammonium "	NH ₄ Br	32.12 "	-17	-17	"	P. M. [4], 49, 213	viii., 1005
Barium iodide	BaI ₂	1 W.	- 0.13	Raoult	C. R., 98, 1047	48, 808
Potassium iodide	KI	1 W.	- 0.215	"	C. R., 87, 169	36, 4
" "	"	1 W.	- 0.212	B.r., 17, 196	"	C. R., 98, 510	46, 701
" "	"	52.07 p.c.	-23	-22	Guthrie	P. M. [4], 49, 17, 211	viii., 1005
" "	"	10 "	- 2.2 I.	"	P. M. [5], 1, 363	28, 531
" "	"	20 "	- 5.1 I.	"	"	"
" "	"	30 "	- 9.0 I.	"	"	"
" "	"	40 "	-14.4 I.	"	"	"
" "	"	52.07 "	-22 ch.	"	"	"
" "	"	55.93 "	0 S.	"	"	"
" "	"	58.9 "	+20 S.	Kremers	"	"
" "	"	61.4 "	+40 S.	"	"	"
Sodium iodide	NaI	59.45 "	-15 ch.	-26.5	Guthrie	P. M. [4], 49, 214	viii., 1005
" "	"	5 "	- 0.7 I.	"	P. M. [5], 1, 452	28, 531
" "	"	10 "	- 2.1 I.	"	"	"
" "	"	15 "	- 3.9 I.	"	"	"
" "	"	20 "	- 6.0 I.	"	"	"
" "	"	25 "	- 8.5 I.	"	"	"
" "	"	30 "	-11.8 I.	"	"	"
" "	"	35 "	-15.2 I.	"	"	"
" "	"	40 "	-20.5 I.	"	"	"
" "	"	45 "	-26.0 I.	"	"	"
" "	"	49.2 "	-30.0 ch.	-26.5	"	"	"
" "	"	50 "	and -15 ch.	"	"	"
" "	"	55 "	-29.5 sch.	"	"	"
" "	"	55 "	-20.0 sch.	"	"	"
" "	"	60 "	-14.7 sch.	"	"	"
" "	"	61.6 "	0.0 S.	"	"	"
" "	"	63.6 "	+13.0 S.	"	"	"
Ammonium iodide	NH ₄ I	55.49 "	-27 to -28 ch.	-27	"	P. M. [4], 49, 213	28, 531; viii., 1005
Arsenic trioxide	As ₂ O ₃	?	-0.5	-0.3	Guthrie	P. M. [5], 6, 44	36, 428
Sulphur dioxide	SO ₂	?	-1.5	"	"	"
Ammonia	NH ₃	1 W.	-1.117	B., 15, 1749; 16, 3054	Raoult	C. R., 94, 1518; 97, 941; A. C. [3], 28, 133	44, 7, 952; 46, 255
" "	"	1 p.c.	- 0.8 I.	Guthrie	P. M. [5], 18, 23	48, 337
" "	"	3 "	- 3.2 I.	"	"	"
" "	"	5 "	- 5.6 I.	"	"	"
" "	"	10 "	-12.8 I.	"	"	"
" "	"	15 "	-21.4 I.	"	"	"
" "	"	20 "	-43.4 I.	"	"	"
" "	"	33.3 "	L.-80	"	"	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Barium and strontium chlorides	BaSrCl ₄	?	-18 ch.	-16.7	Guthrie	P. M. [5], 1, 55	30, 170
Cupric and potassium chlorides	CuK ₂ Cl ₄	1 W.	-0.412	Raoult	C. R., 99, 915	48, 122
Mercuric and ammonium chlorides....	Hg(NH ₄) ₂ Cl ₄	1 W.	-0.181	"	"	"
Potassium and magnesium chlorides	K ₂ MgCl ₄	1 W.	-0.480	"	"	"
Potassium and sodium chlorides	KNaCl ₂	?	-21 ch.	-21	Guthrie	P. M. [5], 1, 53	30, 169
Potassium and ammonium chlorides	K(NH ₄)Cl ₂	23.57 p.c.	-17 ch.	-18	"	P. M. [5], 1, 55	"
Sodium and platinum chlorides	Na ₂ PtCl ₆	1 W.	-0.119	Raoult	C. R., 99, 915	48, 122
Mercuric and potassium iodides	K ₂ HgI ₄	1 W.	-0.065	"	"	"
Barium hydrate	BaH ₂ O ₂	1 W.	-0.290	B., 16, 3054	Raoult	C. R., 97, 941	46, 255, 1248
" "	"	1.65 p.c.	-0.5	-0.5	Guthrie	P. M. [5], 6, 35	36, 428
Calcium "	CaH ₂ O ₂	0.362 p.c.	-0.15	-0.18	"	"	"
" "	"	1 W.	-0.648	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
Cesium "	CsHO	1 W.	-0.237	"	"	"	"
Potassium "	KHO	1 W.	-0.630	"	"	"	"
Lithium "	LiHO	1 W.	-1.558	"	"	"	"
Sodium "	NaHO	1 W.	-0.905	"	"	"	"
Rubidium "	RbHO	1 W.	-0.360	"	"	"	"
Strontium hydrate	SrH ₂ O ₂	1 W.	-0.396	"	"	"	"
" "	"	0.46 p.c.	-0.1 ch.	-0.09	Guthrie	P. M. [5], 6, 36	36, 428
Thallium "	TlHO	1 W.	-0.150	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
Sodium sulphhydrate	NaHS	1 W.	-0.648	B.r., 17, 196	"	C. R., 98, 510	46, 701
Ammonium "	(NH ₄)HS	1 W.	-0.703	"	"	"	"
Sodium hypochlorite	NaClO	1 W.	-0.454	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
Barium chlorate	Ba(ClO ₃) ₂	1 W.	-0.145	"	C. R., 98, 1047	46, 808
Potassium "	KClO ₃	1 W.	-0.215	"	C. R., 87, 169	36, 4
" "	"	2.93 p.c.	-0.5 ch.	-0.7	Guthrie	P. M. [4], 49, 15	28, 334; viii., 1005
Ammonium perchlorate	(NH ₄)ClO ₄	1 W.	-0.252	B.r., 17, 196	Raoult	C. R., 98, 509	46, 701
Sodium iodate	NaIO ₃	1 W.	-0.153	"	"	"	"
Potassium permanganate	KMnO ₄	1 W.	-0.197	"	"	"	"
" "	"	2.836 p.c.	-0.57 ch.	-0.52	Guthrie	P. M. [5], 6, 37	36, 428
Potassium sulphite	K ₂ SO ₃	1 W.	-0.285	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
Aluminium sulphate	Al ₂ (SO ₄) ₃	1 W.	-0.129	"	C. R., 99, 324	46, 1248
Chromium " (violet)	Cr ₂ (SO ₄) ₃	1 W.	-0.115	"	"	"
Copper "	CuSO ₄	1 W.	-0.113	"	C. R., 98, 1047	46, 808
" "	"	16.89 p.c.	-2 ch.	-2	Guthrie	P. M. [4], 49, 15	28, 334; viii., 1005
Ferrous sulphate	FeSO ₄	16.92 "	-2.2 ch.	-1.7	"	P. M. [4], 49, 267	29, 336
" "	"	5.0 "	-0.2 I.	"	P. M. [5], 2, 212	31, 36
" "	"	10.0 "	-0.8 I.	"	"	"
" "	"	14.5 "	-2.0 ch.	"	"	"
" "	"	14.9 "	0 S+7H ₂ O	"	"	"
Ferric sulphate	Fe ₂ (SO ₄) ₃	1 W.	-0.115	Raoult	C. R., 99, 324	46, 1248
Sulphuric acid	H ₂ SO ₄	1 W.	-0.390	"	"	"
Potassium sulphate	K ₂ SO ₄	1 W.	-0.210	"	C. R., 87, 169	36, 4
" "	"	1 W.	-0.224	A. C. [6], 2, 66 ; B.r., 17, 196	"	C. R., 98, 510 ; 99, 324	46, 701, 952, 1248
" "	"	7.8 p.c.	-1.2	-1.5	Guthrie	P. M. [4], 49, 217	28, 532; viii., 1005
Magnesium "	MgSO ₄	21.86 p.c.	-6 ch.	-5.3	"	P. M. [4], 49, 14	28, 334
" "	"	5.0 "	-0.6 I.	"	P. M. [5], 1, 365	viii., 1005
" "	"	10 "	-1.5 I.	"	"	"
" "	"	15 "	-3.0 I.	"	"	"
" "	"	20 "	-4.8 I.	"	"	"
" "	"	21.86 "	-5.0 ch.	"	"	"
" "	"	21.9 "	0 S+7H ₂ O	"	"	"
" "	"	25 "	+15.0 "	"	"	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Magnesium sulphate	MgSO ₄	30 p.c.	+31.0 S. +H ₂ O	Guthrie	P. M. [5], 1, 365	viii., 1005
" "	"	1 W.	-0.160	Raoult	C. R., 98, 1047	46, 808
Sodium sulphate	Na ₂ SO ₄	1 W.	-0.249	B.r., 17, 196	"	C. R., 98, 510	46, 701
" "	"	Sat. at 5°	-1.85	Coppet	A. C. [4], 23, 374	
" "	"	4.55 p.c.	-0.7 ch.	-0.7	Guthrie	P. M. [4], 49, 15, 217	28, 334, 532; viii., 1005
Ammonium sulphate	(NH ₄) ₂ SO ₄	1 W.	-0.273	A. C. [6], 2, 66	Raoult	C. R., 87, 169	36, 4; 46, 952
" "	"	1 W.	-0.280	B.r., 17, 196	"	C. R., 98, 510	46, 701
" "	"	41.7 p.c.	-17 ch.	Guthrie	P.M. [4], 49, 217	28, 532
" "	"	10 p.c.	-2.6 I.	"	P.M. [5], 1, 364	viii., 1005
" "	"	20 "	-6.0 I.	"	"	"
" "	"	28.6 p.c.	-10.8 I.	"	"	"
" "	"	40 p.c.	-16.0 I.	"	"	"
" "	"	41.7 p.c.	-17.0 ch.	"	"	"
" "	"	41.9 "	0 S.	"	"	"
" "	"	43.2 "	+19.0 S.	"	"	"
Zinc sulphate....	ZnSO ₄	30.84 p.c.	-7	-5	"	P.M. [4], 49, 14	28, 334; viii., 1005
" "	"	1 W.	-0.112	Raoult	C.R., 98, 1047	46, 808
Sodium thiosulphate	Na ₂ S ₂ O ₃	1 p.c.	-0.1 I.	Guthrie	P.M. [5], 6, 41	36, 428
" "	"	2 "	-0.4 I.	"	"	"
" "	"	3 "	-0.65 I.	"	"	"
" "	"	5 "	-1.2 I.	"	"	"
" "	"	6 "	-1.5 sch. ?	"	"	"
" "	"	10 "	-2.5 "	"	"	"
" "	"	15 "	-3.9 "	"	"	"
" "	"	20 "	-5.45 "	"	"	"
" "	"	30 "	-9.5 to 11.0 sch. ?	"	"	"
" "	"	30 "	-11 ch.	-10	"	"	"
" "	"	33.55 p.c.	0 S + 5 H ₂ O	Kremers	"	"
" "	"	41 p.c.	+20 "	"	"	"
" "	"	1 W.	-0.252	B.r., 17, 196	Raoult	C.R., 98, 510	46, 701
Barium dithionate	BaS ₂ O ₆	1 W.	-0.075	"	C.R., 98, 1047	46, 808
Ammonium selenate....	(NH ₄) ₂ SeO ₄	1 W.	-0.215	B.r., 17, 196	"	C.R., 98, 510	46, 701
Potassium chromate....	K ₂ CrO ₄	1 W.	-0.200	B.r., 17, 196; A. C. [6], 2, 66	"	C.R., 87, 169; 98, 510	36, 4; 46, 701, 952
" "	"	36.27 p.c.	-11	-10.2	Guthrie	P.M. [4], 49, 267	29, 336; viii., 1005
" dichromate	K ₂ Cr ₂ O ₇	5.3 p.c.	-1.0	-1.0	"	P.M. [4], 49, 16	28, 334; 29, 336; viii., 1005
" "	"	1 W.	-0.146	B.r., 17, 196	Raoult	C.R., 98, 510	46, 701
Magnesium chromate	MgCrO ₄	1 W.	-0.139	"	C.R., 98, 1047	46, 808
Sodium tungstate	Na ₂ WO ₄	1 W.	-0.148	B.r., 17, 196	"	C.R., 98, 510	46, 701
Boracic acid	H ₃ BO ₃	?	-0.7	-0.8	Guthrie	P.M. [5], 6, 44	36, 428
Silver nitrate....	AgNO ₃	1 W.	-0.145	Raoult	C.R., 87, 169	36, 4
" "	"	1 W.	-0.174	B.r., 17, 196	"	C.R., 98, 509	46, 701
" "	"	10 p.c.	-0.8 I.	Guthrie	P.M. [5], 1, 367	viii., 1007
" "	"	20 "	-2.7 I.	"	"	"
" "	"	30 "	-4.7 I.	"	"	"
" "	"	40 "	-6.0 I.	"	"	"
" "	"	48.3 p.c.	-6.5 ch.	-6.5	"	P.M. [5], 1, 455	"
" "	"	50 p.c.	-5.5 S.	"	P.M. [5], 1, 367	"
" "	"	53 "	-2.2 S.	"	"	"
" "	"	55 "	0 S.	"	"	"
" "	"	69.4 p.c.	+19.5 S.	Kremers	"	"
Aluminium nitrate	Al ₂ (NO ₃) ₆	1 W.	-0.458	Raoult	C.R., 99, 324	46, 1248
Barium nitrate	Ba(NO ₃) ₂	1 W.	-0.145	"	C.R., 87, 169	36, 4
" "	"	1 W.	-0.155	"	C.R., 98, 1047	46, 808

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Barium nitrate	Ba(NO ₃) ₂	5.3 p.c.	-0.8	Guthrie	P.M. [4], 49, 17, 267	29, 336
"	"	3.0 "	-0.4	"	P.M. [5], 2, 214	viii., 1005
Chromic	Cr ₂ (NO ₃) ₆	1 W.	-0.115	Raoult	C.R., 99, 324	48, 1248
Nitric acid	HNO ₃	1 W.	-0.568	"	"	"
Potassium nitrate	KNO ₃	Saturated	-2.8	B., 2, 70	Rudorff	P.A., 122, 341	"
"	"	1 W.	-0.245	Raoult	C.R., 87, 169	36, 4
"	"	1 W.	-0.305	Br., 17, 196	"	C.R., 98, 509	46, 701
"	"	?	-2.5 S.	Guthrie	P.M. [4], 49, 14	viii., 1005
"	"	11.2 p.c.	2.7 ch.	"	"	28, 334, 532
"	"	11.2 "	2.6 ch.	"	P.M. [4], 49, 218	"
"	"	1 "	-0.1 I.	"	P.M. [5], 1, 361	"
"	"	2 "	-0.3 I.	"	"	"
"	"	3 "	-0.7 I.	"	"	"
"	"	4 "	-1.1 I.	"	"	"
"	"	5 "	-1.5 I.	"	"	"
"	"	7 "	-2.2 I.	"	"	"
"	"	8.5 "	-2.6 I.	"	"	"
"	"	10 "	-2.9 I.	"	"	"
"	"	11.2 "	-3.0 ch.	-3.0	"	P.M. [5], 1, 455	"
"	"	12 "	0 S.	"	P.M. [5], 1, 361	"
"	"	13 "	+2.0 S.	"	"	"
"	"	15 "	6 S.	"	"	"
"	"	20 "	14 S.	"	"	"
"	"	25 "	21 S.	"	"	"
"	"	35 "	35 S.	"	"	"
"	"	40 "	41 S.	"	"	"
Sodium nitrate	NaNO ₃	+7H ₂ O	-15.7	m.p.-15	Ditte	B., 8, 699	"
"	"	1 W.	-0.347	Raoult	C.R., 87, 169	36, 4
"	"	1 W.	-0.396	Br., 17, 196	"	C.R., 98, 509	46, 701
"	"	40.8 p.c.	-17.5 ; -16.5 ch.	-16.5	Guthrie	P.M. [4], 49, 218	28, 532 ; viii., 1005
"	"	5 p.c.	-2 I.	"	P.M. [5], 2, 213	31, 36
"	"	10	-4.2 I.	"	"	"
"	"	15	-6.3 I.	"	"	"
"	"	20	-8.4 I.	"	"	"
"	"	25	-10.8 I.	"	"	"
"	"	30	-13 I.	"	"	"
"	"	35	-15.5 I.	"	"	"
"	"	40.8	-17.5 ch.	"	"	"
"	"	42.34	0 S or sch.	"	"	"
Ammonium nitrate	(NH ₄)NO ₃	Sat.	-16.7	B., 2, 70	Rudorff	P. A., 122, 341	"
"	"	1 W.	-0.378	Raoult	C. R., 87, 169	36, 4
"	"	1 W.	-0.400	Br., 17, 196	"	C. R., 98, 509	46, 701
"	"	43.7 p.c.	-17.2	-17.2	Guthrie	P. M. [4], 49, 217	28, 532
"	"	10 p.c.	-3.5 I.	"	P. M. [5], 1, 365	viii., 1005
"	"	20	-7.0 I.	"	"	"
"	"	30	-11.5 I.	"	"	"
"	"	40	-17.0 I.	"	"	"
"	"	43.7	-17.2 ch.	"	"	"
"	"	47	-12.0 S.	"	"	"
"	"	51	-5.7 S.	"	"	"
"	"	54.1	0 S.	"	"	"
"	"	66.5	+18.1 S.	"	"	"
Lead nitrate	Pb(NO ₃) ₂	1 W.	-0.104	Raoult	C. R., 87, 169	36, 4
"	"	1 W.	-0.113	"	C. R., 98, 1047	46, 808
"	"	5 p.c.	-0.3 I.	Guthrie	P. M. [5], 2, 214	viii., 1008
"	"	10 "	-0.5 I.	"	"	"
"	"	15 "	-0.7 I.	"	"	"
"	"	20 "	-1.2 I.	"	"	"
"	"	26.23 "	-2.5 ch.	-2.5	"	"	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Lead nitrate	$Pb(NO_3)_2$	29.89 p.c.	0 S.	Guthrie	P. M. [5], 2, 214	viii., 1008
Strontium nitrate	$Sr(NO_3)_2$	1 W.	- 0.195	Raoult	C. R., 98, 1047	46, 808
" "	"	25.99 p.c.	- 6.0 ch.	-6.0	Guthrie	P. M. [4], 49, 267	29, 336
" "	"	5 "	- 0.5 I.	"	P. M. [5], 2, 214	31, 36
" "	"	10 "	- 1.2 I.	"	"	"
" "	"	15 "	- 2.3 I.	"	"	"
" "	"	20 "	- 3.8 I.	"	"	"
" "	"	26 "	- 6.0 ch.	"	"	"
" "	"	29.62 "	0 S.	"	"	viii., 1005
Trisodium phosphate	Na_3PO_4	1 W.	- 0.298	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
Tetrasodium pyrophosphate	$Na_4P_2O_7$	1 W.	- 0.172	"	"	"	"
Potassium carbonate	K_2CO_3	1 W.	- 0.303	A. C. [6], 2, 66	Raoult	C. R., 98, 510 ; B.r., 17, 196	46, 701 ; 952
Sodium "	Na_2CO_3	Sat.	- 2.0 ch.	B., 2, 70	Rudorff	P. A., 122, 341	
" "	"	8 W.	- 2.8	Coppet	A. C. [4], 23, 373	
" "	"	1 W.	- 0.380	B.r., 17, 196	Raoult	C. R. 98, 510	46, 952
" "	"	?	- 2.0 ch.	Guthrie	P. M. [4], 49, 17	29, 336
" "	"	5.97 p.c.	- 2.0 ch.	-2.2	"	P. M. [4], 49, 268	viii., 1005
Potassium hydrogensulphite	$KHSO_3$	1 W.	- 0.270	B., 17, 196	Raoult	C. R., 98, 510	46, 701
Aluminium ammonium sulphate	$Al(NH_4)(SO_4)_2$	47 p.c.	- 0.2 ch.	-0.7	Guthrie	P. M. [4], 49, 268	29, 336 ; viii., 1005
" potassium "	$AlK(SO_4)_2$	1 W.	- 0.159	Raoult	C. R., 99, 915	48, 122
Chromium " "	$CrK(SO_4)_2$	1 W.	- 0.147	"	"	"
Copper " "	$CuK_2(SO_4)_2$	1 W.	- 0.175	"	"	"
Ferrous " "	$FeK_2(SO_4)_2$	1 W.	- 0.173	"	"	"
Ferric " "	$FeK(SO_4)_2$	1 W.	- 0.148	"	"	"
Hydrogen potassium sulphate	$HKSO_4$	1 W.	- 0.334	B.r., 17, 196	"	C. R., 98, 510	46, 701
Magnesium " "	$MgK_2(SO_4)_2$	1 W.	- 0.196	"	C. R., 99, 914	48, 122
Zinc " "	$ZnK_2(SO_4)_2$	1 W.	- 0.173	"	"	"
" " " "	"	8.25 p.c.	- 1.25 ch.	- 1.01	Guthrie	P. M. [5], 6, 38	36, 428
Sodium ammonium " "	$Na(NH_4)SO_4$	12.24 p.c. $(NH_4)_2SO_4$; 4.84 Na_2SO_4 ; 82.92 H_2O	- 7.0 ch.	-16.0	"	P. M. [5], 1, 57	30, 170
Potassium sodium nitrate	$KNa(NO_3)_2$?	-7 to -17 ch.	-16.8	Guthrie	P. M. [5], 1, 53	30, 169
Barium strontium " "	$BaSr(NO_3)_4$?	-4.3 ch.	- 5.8	"	P. M. [5], 1, 55	30, 170
" hypophosphite	$Ba(H_2PO_3)_2$	1 W.	-0.190	Raoult	C. R.; 98, 1047	46, 808
Disodium phosphite	$HN_{a_2}PO_3$	1 W.	-0.327	B.r., 17, 196	"	C. R., 98, 510	46, 701
Mono-sodium " "	H_2NaPO_3	1 W.	-0.307	"	"	"	"
Disodium phosphate	$HN_{a_2}PO_4$	1 W.	-0.260	"	"	"	"
" " " "	"	1.83 p.c.	-0.9 ch.	-1.0	Guthrie	P. M. [5], 2, 213	31, 36
Monosodium " "	H_2NaPO_4	1 W.	-0.225	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
Monopotassium arsenate	H_2KAsO_4	1 W.	-0.168	"	"	"	"
Sodium chloride and potassium sulphate	$NaCl.K_2SO_4$?	-10 ch.	Guthrie	P. M. [5], 1, 59	30, 171
" " " " " "	$2NaCl.K_2SO_4$?	-12.5 ch.	"	"	"
Sodium nitrate and potassium sulphate	$2NaNO_3.K_2SO_4$?	-5 ch.	"	"	"
Potassium nitrate and sodium sulphate	$2KNO_3.Na_2SO_4$?	-5 ch.	"	"	"
Formic acid	CH_2O_2	1 W.	-0.419	B., 15, 1749	Raoult	C. R., 94, 1518 ; A. C. [3], 28, 133	44, 7, 952
Methyl alcohol	CH_4O	1 W.	-0.541	"	"	"	"
Oxalic acid	$C_2H_2O_4 + 2Aq$	1 W.	-0.182	"	"	"	"
" " " " " "	"	?	-0.5 ch.	Guthrie	P. M. [4], 49, 17	"
Ethyl aldehyde	C_2H_4O	0.779 p.c.	-0.32	Paterno	B., 19, 2529	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl aldehyde	C_2H_4O	3.229 p.c.	-1.38	Paterno	B., 19, 2529	
"	"	3.249 "	-1.39	"	"	
"	"	9.887 "	-4.32	"	"	
"	"	1 W.	-0.426	"	"	
Acetic acid	$C_2H_4O_2$	100 pts. HAc + 24 pts. H_2O	-7.4	Rudorff	B., 3, 392	24, 1093
"	"	" 21 "	-5.1	"	"	"
"	"	" 18 "	-2.6	"	"	"
"	"	" 15 "	-0.2	"	"	"
"	"	" 12 "	+2.7	"	"	"
"	"	" 11 "	3.6	"	"	"
"	"	" 10 "	4.3	"	"	"
"	"	" 9 "	5.3	"	"	"
"	"	" 8 "	6.25	"	"	"
"	"	" 7 "	7.1	"	"	"
"	"	" 6 "	8.2	"	"	"
"	"	" 5 "	9.4	"	"	"
"	"	" 4 "	10.5	"	"	"
"	"	" 3 "	11.95	"	"	"
"	"	" 2 "	13.25	"	"	"
"	"	" 1.5 "	14.0	"	"	"
"	"	" 1.0 "	14.8	"	"	"
"	"	" 0.5 "	15.65	"	"	"
"	"	" 0 "	16.7	"	P. J. [2], 2, 241	"
"	"	0 p.c.	+ 0.8	Grimaux	C. R., 76, 486	26, 614
"	"	16.21 "	- 5.4	"	B., 6, 566	"
"	"	18.11 "	- 6.2	"	"	"
"	"	20.78 "	- 7.2	"	"	"
"	"	23.77 "	- 8.3	"	"	"
"	"	30.77 "	-10.8	"	"	"
"	"	38.32 "	-14.5	"	"	"
"	"	43.46 "	-16.4	"	"	"
"	"	50.62 "	-19.8	"	"	"
"	"	55.50 "	-22.3	"	"	"
"	"	61.86 "	-24.0	"	"	"
"	"	66.44 "	-20.5	"	"	"
"	"	68.82 "	-18.9	"	"	"
"	"	76.48 "	-11.7	"	"	"
"	"	86.75 "	- 1.4	"	"	"
"	"	92.69 "	+ 5.4	"	"	"
"	"	100.0 "	+16.7	"	"	"
"	"	1 W.	- 0.317	B., 15, 1749	Raoult	C. R., 94, 1518 ; A. C. [3], 28, 133	44, 7, 952
Ethyl alcohol	C_2H_6O	50 p.c.	-30 viscid	Melsens	P. M. [4], 49, 274	29, 337
"	"	20 "	- 8	Marchand	J. p., 25, 253	
"	"	30 "	-13	"	"	
"	"	40 "	-16	"	"	
"	"	50 "	-17.5	"	"	
"	"	60 "	-19	"	"	
"	"	70 "	-21	"	"	
"	"	90 "	-22	"	"	
"	"	5 "	- 2 begins	Guthrie	P. M. [4], 49, 273	29, 337
"	"	10 "	- 4.3 "	"	"	"
"	"	15 "	- 7.2 "	"	"	"
"	"	20 "	-10.7 "	"	"	"
"	"	25 "	-14.7 "	"	"	"
"	"	30 "	-19.4 "	"	"	"
"	"	35 "	-23.3 "	"	"	"
"	"	40 "	-27 "	"	"	"
"	"	45 "	-31 "	"	"	"
"	"	50 "	-37 "	"	"	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethyl alcohol....	C_2H_6O	55 p.c.	-42 begins	Guthrie	P.M. [4], 49, 273	29, 337
" "	"	60 "	-45 "	"	"	"
" "	"	65 "	-53 "	"	"	"
" "	"	70 "	-65 (not)	"	"	"
" "	"	39.07 p.c.	-34 ch.	"	P.M. [4], 49, 274	"
" "	"	1 W.	-0.376	B., 15, 1749	Raoult	C.R., 94, 1518	44, 7, 952
" "	"	0 W.	0	"	A. C. [5], 20, 207	38, 523
" "	"	1.32 W.	-0.5	"	B., 13, 1883	"
" "	"	2.65 W.	-1.0	"	C. R., 90, 866	"
" "	"	3.97 W.	-1.5	"	"	"
" "	"	5.50 W.	-2.0	"	"	"
" "	"	6.62 W.	-2.5	"	"	"
" "	"	7.95 W.	-3.0	"	"	"
" "	"	9.27 W.	-3.5	"	"	"
" "	"	10.60 W.	-4.0	"	"	"
" "	"	11.90 W.	-4.5	"	"	"
" "	"	13.00 W.	-5.0	"	"	"
" "	"	15.30 W.	-6.0	"	"	"
" "	"	17.80 W.	-7.0	"	"	"
" "	"	19.80 W.	-8.0	"	"	"
" "	"	21.90 W.	-9.0	"	"	"
" "	"	23.60 W.	-10.0	"	"	"
" "	"	27.60 W.	-12.0	"	"	"
" "	"	31.30 W.	-14.0	"	"	"
" "	"	35.10 W.	-16.0	"	"	"
" "	"	39.00 W.	-18.0	"	"	"
" "	"	42.80 W.	-20.0	"	"	"
" "	"	46.60 W.	-22.0	"	"	"
" "	"	50.60 W.	-24.0	"	"	"
" "	"	54.80 W.	-26.0	"	"	"
" "	"	59.20 W.	-28.0	"	"	"
" "	"	64.60 W.	-30.0	"	"	"
" "	"	70.00 W.	-32.0	"	"	"
" "	"	48 p.c.	-32	Pictét	C. N., 51, 174	"
" "	"	60 "	-52	Coleman	"	"
" "	"	80 "	-75	"	"	"
" "	"	Hollands gin	-47	"	"	"
" "	"	French brandy	-47	"	"	"
" "	"	Extra strong whisky	-52	"	"	"
Acetone	C_3H_6O	1 W.	-0.294	B., 15, 1749	Raoult	C. R., 94, 1518 ; A. C. [3], 28, 133	44, 7, 952
Lactic acid	$C_3H_6O_3$	1 W.	-0.213	"	"	"	"
Glycerol	$C_3H_8O_3$	1 W.	-0.186	"	"	"	"
" (cf. Storer, Dict. Sol. 291)	"	9.8 p.c.	-1.25	Fabian	D. P., 155, 347	"
"	"	19.6 "	-2.5	"	"	"
"	"	29.4 "	-6.25	"	"	"
"	"	39.2 "	-17.5	"	"	"
"	"	44.1 "	-26.25	"	"	"
"	"	49.0 "	-31.25 to -33.75	"	"	"
"	"	58.8 "	L.-35	"	"	"
"	"	68.6 "	L.-35	"	"	"
"	"	78.4 "	L.-35	"	"	"
"	"	88.2 "	L.-35	"	"	"
"	"	98.0 "	L.-35	"	"	"
Malic acid	$C_4H_6O_5$	1 W.	-0.139	B., 15, 1749	Raoult	C. R., 94, 1518	44, 7, 952
Tartaric acid	$C_4H_6O_6$	1 W.	-0.130	"	"	A. C. [3], 28, 133	"
"	"	5 p.c.	-0.7 I.	Guthrie	P. M. [5], 2, 218	31, 36
"	"	10 "	-1.4 I.	"	"	"
"	"	15 "	-2.5 I.	"	"	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Tartaric acid	$C_4H_6O_6$	20 p.c.	-3.7 I.	Guthrie	P. M. [5], 2, 218	31, 36
" "	"	25 "	-4.7 I.	"	"	"
" "	"	30 "	-6.3 I.	"	"	"
" "	"	35 "	-7.6 I.	"	"	"
" "	"	40 "	-10.1 I.	"	"	"
" "	"	45 "	-13.0 I.	"	"	"
" "	"	46.6 p.c.	-8 ch.	-8	"	"	"
" "	"	50 p.c.	16.5 ?	"	"	"
" "	"	55 "	-17.6 s.	"	"	"
Ethyl acetate	$C_4H_8O_2$	1 W.	-0.202	B., 15, 1749	Raoult	A. C. [3], 28, 133	44, 7, 952
Butyric acid	"	1 W.	-0.212	"	"	C. R., 94, 1518	"
Butyl alcohol	$C_4H_{10}O$	1 W.	-0.232	"	"	C. R., 94, 1518	"
Diethyl oxide	"	1 W.	-0.224	"	"	"	"
" "	"	?	-2.0 ch.	Guthrie	P. M. [4], 49, 276	"
Phenol	C_6H_6O	1 W.	-0.165	B., 15, 1749	Raoult	A. C. [3], 28, 133	44, 7, 952
Pyrogallol	$C_6H_6O_3$	1 W.	-0.129	"	"	C. R., 94, 1518	"
Citric acid	$C_6H_8O_7 + H_2O$	1 W.	-0.092	"	"	"	"
" "	$C_6H_8O_7$	10 p.c.	-1.1 I.	Guthrie	P. M. [5], 6, 42	36, 428
" "	"	20 "	-2.8 I.	"	"	"
" "	"	30 "	-5.0 I.	"	"	"
" "	"	40 "	-8.5 I.	"	"	"
" "	"	42.62 p.c.	-9.2 ch.	-9.3	"	"	"
" "	"	45 p.c.	-11.3	} At these temperatures ord. hydrate, sch., or even ice may be formed	"	"	"
" "	"	45.93 p.c.	-11.7		"	"	"
" "	"	47.06 "	-12.2		"	"	"
" "	"	50.7 "	-13.7		"	"	"
" "	"	51.5 "	-15.0		"	"	"
Paraldehyde	$C_6H_{12}O_3$	2.469 W.	-0.36	Paterno	B., 19, 2529	"
" "	"	4.957 W.	-0.75	"	"	"
" "	"	1 W.	-0.1485	"	"	"
Dextrose	$C_6H_{12}O_6$	1 W.	-0.107	B. 15, 1749	Raoult	C. R., 94, 1518 ; A. C. [3], 28, 133	44, 7, 952
Mannitol	$C_6H_{14}O_6$	1 W.	-0.099	"	"	"	"
Saccharose	$C_{12}H_{22}O_{11}$	1 W.	-0.054	"	"	"	"
" "	"	5 p.c.	-0.3 I.	Guthrie	P. M. [5], 2, 216	31, 36
" "	"	10 "	-0.5 I.	"	"	viii., 1008
" "	"	15 "	-0.9 I.	"	"	"
" "	"	20 "	-1.3 I.	"	"	"
" "	"	25 "	-1.8 I.	"	"	"
" "	"	30 "	-2.4 I.	"	"	"
" "	"	35 "	-3.2 I.	"	"	"
" "	"	40 "	-4.1 I.	"	"	"
" "	"	45 "	-5.4 I.	"	"	"
" "	"	50 "	-7.0 I.	"	"	"
" "	"	51.4 p.c.	-8.5 ch.	"	"	"
" "	"	67.33 "	0 S.	"	"	"
Lactose (A. C. [3], 28, 133)	"	1 W.	-0.050	B., 15, 1749	Raoult	C. R., 94, 1518	44, 7, 952
Salicine " "	$C_{13}H_{23}O_7$	1 W.	-0.060	"	"	"	"
Hydrocyanic acid	CHN	1 W.	-0.718	B., 15, 1749	Raoult	C. R., 94, 1518	44, 7, 952
Cyanamide	CH_2N_2	0.9803 W.	-0.38	Paterno	B., 19, 2529	"
" "	"	1 W.	-0.3876	"	"	"
Methylamine	CH_5N	1 W.	-0.638	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
Acetonitril	C_2H_3N	2.489 W.	-1.13	Paterno	B., 19, 2529	"
" "	"	2.952 W.	-1.28	"	"	"
" "	"	7.824 W.	-3.30	"	"	"
" "	"	1 W.	-0.4364	"	"	"
Dicyandiamide	$C_2H_4N_4$	1.57 W.	-0.29	"	"	"
" "	"	1 W.	-0.185	"	"	"
Ethylamine (A. C. [3], 28, 133)	C_2H_7N	1 W.	-0.411	{ B., 15, 1749 ; 16, 3054 }	Raoult	{ C. R., 94, 1518 ; 97, 941 }	44, 7, 952 ; 46, 255

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Ethylamine (b.p. 18°)	C ₂ H ₇ N	0.99 p.c.	-0.4 I.	Guthrie	P. M. [5], 18, 24	44, 337
"	"	5.0 "	-2.0 I.	"	"	"
"	"	10 "	-4.7 I.	"	"	"
"	"	15 "	-8.4 I.	"	"	"
"	"	20 "	-13.3 I.	"	"	"
"	"	20.64 "	-13.9 ch.	"	"	"
"	"	25 "	-9.5 sch.	"	"	"
"	"	30 "	-8.1 sch.	"	"	"
"	"	32.4 "	-8.0 sch.	"	"	"
"	"	35 "	-8.2 sch.	"	"	"
"	"	40 "	-10.1 sch.	"	"	"
"	"	50 "	-16.4 sch.	"	"	"
Trimethylamine	C ₃ H ₉ N	1 W.	-0.342	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
Propylamine (A. C. [3], 28, 133)	"	1 W.	-0.312	{ B., 15, 1749 ; 16, 3054 }	"	{ C. R., 94, 1518 ; 97, 941 }	44, 7, 952 ; 46, 255
Diethylamine (b.p. 54°)	C ₄ H ₁₁ N	5 p.c.	-1.1 I.	Guthrie	P. M. [5], 18, 27	48, 337
"	"	10 "	-2.9 I.	"	"	"
"	"	15 "	-5.2 I.	"	"	"
"	"	20 "	-8.4 I.	"	"	"
"	"	21 "	-9.1 I.	"	"	"
"	"	22 "	-9.9 I.	"	"	"
"	"	22.5 "	-11.0 ch.	"	"	"
"	"	23 "	-9.9 sch.	"	"	"
"	"	25 "	-9.1 sch.	"	"	"
"	"	30 "	-8.3 sch.	"	"	"
"	"	35 "	-8.0 sch.	pure	"	"	"
"	"	40 "	-8.2 sch.	"	"	"
"	"	45 "	-8.6 sch.	"	"	"
"	"	50 "	-9.1 sch.	"	"	"
"	"	60 "	-12.2 sch.	"	"	"
"	"	70 "	-23.4 sch.	"	"	"
Aniline	C ₆ H ₇ N	1 W.	-0.164	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
"	"	(?)	-0.7 ch.	Guthrie	P. M. [5], 18, 105	48, 337
Cyanmethine	C ₆ H ₉ N ₃	0.6553 W.	-0.04	Paterno	B., 19, 2529	
"	"	0.6651 W.	-0.04	"	"	
"	"	1.1095 W.	-0.07	"	"	
"	"	1.6528 W.	-0.13	"	"	
"	"	2.1684 W.	-0.16	"	"	
"	"	3.7103 W.	-0.26	"	"	
"	"	4.1646 W.	-0.28	"	"	
"	"	7.6970 W.	-0.42	"	"	
"	"	13.8540 W.	-0.64	"	"	
Triethylamine (b.p. 88°)	C ₆ H ₁₅ N	5 p.c.	-1.0 I.	Guthrie	P. M. [5], 18, 28	48, 337
"	"	10 "	-2.0 I.	"	"	"
"	"	15 "	-2.9 I.	"	"	"
"	"	18 "	-3.4 I.	"	"	"
"	"	19.1 p.c.	-3.8 ch.	"	"	"
"	"	20 "	-3.5 sch.	"	"	"
"	"	30 "	-4.1 sch.	"	"	"
"	"	40 "	-5.1 sch.	"	"	"
"	"	50 "	-6.7 sch.	"	"	"
"	"	70 "	-13.6 sch.	"	"	"
"	"	80 "	-20.6 sch.	"	"	"
Nicotine	C ₁₀ H ₁₄ N ₂	1 W.	-0.124	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
Chloral hydrate	C ₂ H ₃ Cl ₃ O ₂	1 W.	-0.114	B., 15, 1749	Raoult	C. R., 94, 1518	44, 7, 952
Chloethyl alcohol	C ₂ H ₅ ClO	+4H ₂ O	-11 to -17	CH ₂ Cl.CH ₂ OH	Bouchardat	C. R., 100, 454	48, 499
Aniline hydrochloride	C ₆ H ₅ ClN	1 p.c.	-0.2 I.	Guthrie	P. M. [5], 18, 105	48, 337
"	"	4 "	-1.0 I.	"	"	"
"	"	5 "	-1.3 I.	"	"	"
"	"	6 "	-1.6 I.	"	"	"

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Aniline hydrochloride	C_6H_5ClN	7 p.c.	-1.9 I.	Guthrie	P. M. [5], 18, 105	48, 337
"	"	8 "	-2.2 I.	"	"	"
"	"	9 "	-2.5 I.	"	"	"
"	"	10 "	-2.8 I.	"	"	"
"	"	11 "	-3.0 I.	"	"	"
"	"	12 "	-3.3 I.	"	"	"
"	"	13 "	-3.6 I.	"	"	"
"	"	20 "	-5.7 I.	"	"	"
"	"	25 "	-7.2 I.	"	"	"
"	"	30 "	-9.0 I.	"	"	"
"	"	31.86 p.c.	-10.7 ch.	-10.5	"	"	"
"	"	35 "	-8.0 S.	"	"	"
"	"	40.35 "	0 S.	"	"	"
"	"	46.72 "	+13.1 S.	"	"	"
Trimethylethylammoniumiodide	$C_6H_{14}IN$	1 W.	-0.160	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
Carbamide (urea)	CH_4ON_2	1 W.	-0.286	B., 15, 1749	"	C. R., 94, 1518	44, 7, 952
" nitrate	$CH_5O_4N_3$	8.57 p.c.	-4.0 ch.	-4.5	Guthrie	P. M. [5], 6, 39	36, 428
Acetamide	C_2H_5ON	1 W.	-0.301	B., 15, 1749	Raoult	C. R., 94, 1518	44, 7, 952
Diammonim oxalate	$C_2H_8O_4N_2$	2.8 p.c.	-0.2 ch.	Guthrie	P. M. [4], 49, 268	
Tetramethylammonium hydroxide	$C_4H_{13}ON$	1 W.	-0.404	B., 16, 3054	Raoult	C. R., 97, 941	46, 255
Trimethylethylammonium	$C_6H_{16}ON$	1 W.	-0.353	"	"	"	"
Aniline nitrate	$C_6H_5O_3N_2$	2 p.c.	-0.4 I.	Guthrie	P. M. [5], 18, 106	48, 337
"	"	4 "	-0.8 I.	"	"	"
"	"	6 "	-1.1 I.	"	"	"
"	"	8 "	-1.5 I.	"	"	"
"	"	10 "	-2.0 I.	"	"	"
"	"	10.61 "	-2.2 ch.	-2.2	"	"	"
"	"	10.94 "	0 S.	"	"	"
"	"	15.58 "	+13.1 S.	"	"	"
Ditetramethylammonium oxide	$C_8H_{24}ON_2$	10 "	-16	"	P. M. [5], 18, 501	
Aniline salicylate	$C_{13}H_{13}O_3N$	0.24 "	-0.06 ch.	"	P. M. [5], 18, 108	48, 337
"	"	0.28 "	0 S.	"	"	"
"	"	0.65 "	+6.2 S.	"	"	"
"	"	0.77 "	+16.8 S.	"	"	"
Dianiline oxalate	$C_{14}H_{16}O_4N_2$	0.14 "	-0.4 ch.	"	P. M. [5], 18, 107	"
"	"	0.29 "	0 S.	"	"	"
"	"	1.29 "	+14.5 S.	"	"	"
Aniline pyrogallate	9.09 "	-1.0 I.	"	P. M. [5], 18, 109	"
"	20.00 "	-2.7 I.	"	"	"
"	23.98 "	-4.6 ch.	-4.6	"	"	"
"	33.65 "	0 S.	"	"	"
"	46.00 "	+17.8 S.	"	"	"
Dianiline sulphate	$C_{12}H_{16}O_4SN_2$	1 p.c.	-0.1 I.	Guthrie	P. M. [5], 18, 107	48, 337
"	"	2 "	-0.2 I.	"	"	"
"	"	4.5 "	-0.6 I.	"	"	"
"	"	4.83 "	-0.9 ch.	-0.8	"	"	"
"	"	4.91 "	0 S.	"	"	"
"	"	5.84 "	+13.1 S.	"	"	"
"	"	15.35 "	+100 S.	"	"	"
Silver potassium cyanide	$AgK(CN)_2$	1 W.	-0.156	Raoult	C. R., 99, 915	48, 122
Barium formate	$Ba(CHO_2)_2$	1 W.	-0.215	"	C. R., 98, 1047	46, 808
" acetate	$Ba(C_2H_3O_2)_2$	1 W.	-0.193	"	"	"
" malate	$BaC_4H_5O_5$	1 W.	-0.075	"	"	"
" cobalticyanide	$Ba_3(CoCy_6)_2$	1 W.	-0.063	"	C. R., 98, 1048	"
Calcium acetate	$Ca(C_2H_3O_2)_2$?	?	-11.8	Guthrie	P. M. [5], 6, 44	36, 428
Copper	$Cu(C_2H_3O_2)_2$	1 W.	-0.171	Raoult	C. R., 98, 1047	46, 808
Mercuric cyanide	$Hg(CN)_2$	7.44 p.c.	-0.45 ch.	-0.6	Guthrie	P. M. [5], 6, 40	36, 428
"	"	1 W.	-0.059	Raoult	C. R., 87, 169	36, 4

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Mercuric cyanide	Hg(CN) ₂	1 W.	-0.069	Raoult	C. R., 98, 1047	46, 808
" potassium cyanide	HgK ₂ (CN) ₄	1 W.	-0.150	"	C. R., 99, 915	46, 122
Potassium oxalate	K ₂ C ₂ O ₄	1 W.	-0.271	B.r., 17, 196	"	C. R., 98, 510	46, 701
" "	"	17.62 p.c.	-6.3 ch.	-6.2	Guthrie	P. M. [5], 6, 40	36, 428
" cyanide	KCN	?	-33.0	-21.1	"	P. M. [5], 6, 44	"
" "	"	1 W.	-0.495	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
" formate	KCHO ₂	1 W.	-0.419	"	"	C. R., 98, 509	"
" acetate	KC ₂ H ₃ O ₂	1 W.	-0.352	"	"	"	"
" tartarate	K ₂ C ₄ H ₄ O ₆	1 W.	-0.160	"	"	C. R., 98, 510	"
" thiocyanate	KCSN	1 W.	-0.342	"	"	"	"
" methylic sulphate	KCH ₃ O ₄ S	10 p.c.	-2.3 I.	Illingworth	P. M. [5], 18, 125	48, 1339
" "	"	15 "	-3.6 I.	"	"	"
" "	"	20 "	-5.0 I.	"	"	"
" "	"	30 "	-8.0 I.	"	"	"
" "	"	39.84 p.c.	-11.8 ch.	-11.3	"	"	"
" "	"	40 p.c.	-11.5 S.	"	"	"
" "	"	47.08 p.c.	0 S.	"	"	"
" "	"	54.8	+12.3 S.	"	"	"
" ethylic sulphate	KC ₂ H ₅ O ₄ S	10 p.c.	-2.2 I.	"	"	"
" "	"	20 "	-4.9 I.	"	"	"
" "	"	30 "	-8.2 I.	"	"	"
" "	"	40 "	-12.1 I.	"	"	"
" "	"	45.01 p.c.	-14.2 ch.	-13.9	"	"	"
" "	"	50 p.c.	-6.0 S.	"	"	"
" "	"	53.71 p.c.	0 S.	"	"	"
" "	"	62.35 "	-15.0 S.	"	"	"
" amylic sulphate	KC ₅ H ₁₁ O ₄ S	10 p.c.	-1.9 I.	"	"	"
" "	"	20 "	-4.3 I.	"	"	"
" "	"	24.03 p.c.	-5.4 ch.	-5	"	"	"
" "	"	25 p.c.	-4.8 S.	"	"	"
" "	"	33.44 p.c.	0 S.	"	"	"
" "	"	59.46 "	+17.3 S.	"	"	"
" cobalticyanide	K ₃ CoCy ₆	1 W.	-0.146	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
" ferricyanide	K ₃ FeCy ₆	1 W.	-0.146	"	C. R., 87, 169	36, 4
" "	"	1 W.	-0.144	B.r., 17, 196	"	C. R., 98, 511	46, 701
" "	"	19.8 to 24 p.c.	-3.9 ch.	-3.9	Guthrie	P. M. [5], 6, 39	36, 428
" ferrocyanide	K ₄ FeCy ₆	11.9 p.c.	-1.7 ch.	-1.61	"	"	"
" "	"	1 W.	-0.110	B.r., 17, 196	Raoult	C. R., 98, 511	46, 701
" antimonious tartarate	KSbC ₄ H ₄ O ₇	1 W.	-0.055	"	C. R., 98, 1047	46, 808
Magnesium acetate	Mg(C ₂ H ₃ O ₂) ₂	1 W.	-0.344	"	"	"
" succinate	MgC ₄ H ₄ O ₄	1 W.	-0.171	"	"	"
" malate	MgC ₄ H ₄ O ₆	1 W.	-0.124	"	"	"
" citrate	Mg ₃ (C ₆ H ₅ O ₇) ₂	1 W.	-0.022	"	C. R., 98, 1048	"
Sodium oxalate	Na ₂ C ₂ O ₄	?	-1.7 ch.	Guthrie	P. M. [5], 6, 44	36, 428
" formate	NaCHO ₂	?	viscid-14	-14.3	"	"	"
" acetate	NaC ₂ H ₃ O ₂	5 p.c.	-2.2 I.	"	P. M. [5], 2, 215	viii., 1008
" "	"	10 "	-5.1 I.	"	"	"
" "	"	15 "	-9.1 I.	"	"	"
" "	"	20 "	-14.0 I.	"	"	"
" "	"	22 "	-16.0 I.	"	"	"
" "	"	23.3 p.c.	-18.0 ch.	-18	"	"	"
" "	"	26.6 "	0S+2H ₂ O	"	"	"
" "	"	1 W.	-0.390	B.r., 17, 196	Raoult	C. R., 98, 509	46, 701
Monosodium tartarate	NaC ₄ H ₅ O ₆	1 W.	-0.181	"	"	C. R., 98, 510	"
Monosodium citrate	NaC ₆ H ₇ O ₇	1 W.	-0.125	"	"	"	"
Disodium citrate	Na ₂ C ₆ H ₅ O ₇	1 W.	-0.161	"	"	"	"
Trisodium "	Na ₃ C ₆ H ₅ O ₇	1 W.	-0.186	"	"	"	"
" "	"	?	-11.3	Guthrie	P. M. [5], 6, 44	36, 428
Sodium nitroprusside	Na ₂ FeCy ₅ (NO)	1 W.	-0.179	B.r., 17, 196	Raoult	C. R., 98, 510	46, 701
Lead acetate	Pb(C ₂ H ₃ O ₂) ₂	1 W.	-0.068	"	C. R., 98, 1047	46, 808

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Lead acetate	$Pb.(C_2H_3O_2)_2$	18.0 p.c.	-1.4 ch.	-1.7	Guthrie	P. M. [5], 6, 38	36, 428
Zinc ,,	$Zn(C_2H_3O_2)_2$	23.0 ,,	-5.9 ch.	P. M. [5], 6, 41	..
Gum arabic	1 to 30 p.c.	0 I.	Guthrie	P. M. [5], 2, 220	31, 36
..	35 p.c.	0 to -0.5 I.
..	45 ,,	-1.2 I.
Gelatine	5 to 20 p.c.	0 I.	P. M. [5], 2, 222	..
Albumen	5 p.c.	0 to 0.2 I.	P. M. [5], 2, 221	..
..	10 ,,	0 to 0.3 I.
..	13.37 p.c.	0 to -0.5 I.
20 p.c. gelatine + 20 p.c. gum arabic + 20 p.c. H ₂ O	0	P. M. [5], 2, 222	..

B.—MIXTURES WITH BENZENE, C₆H₆.

(See Raoult, C.R., 95, 1031 ; 102, 1307 ; A.C. [6], 2, 66 ; Jour. Chem. Soc., 44, 278 ; 46, 952 ; 50, 763.)

Hexane	C ₆ H ₁₄	1 W.	-0.597	Raoult	C. R., 95, 188	42, 1260
Naphthalene (46, 952)	C ₁₀ H ₈	1 W.	-0.391	A. C. [6], 2, 66
Terebenthenes	C ₁₀ H ₁₆	1 W.	-0.366
Anthracene	C ₁₄ H ₁₀	1 W.	-0.287
Carbon tetrachloride	CCl ₄	1 W.	-0.333
.. disulphide	CS ₂	1 W.	-0.654
Trichloromethane	CHCl ₃	1 W.	-0.428
Ethylene dichloride	C ₂ H ₄ Cl ₂	1 W.	-0.491
Ethyl bromide	C ₂ H ₅ Br.	1 W.	-0.461
Methyl iodide (46, 952)	CH ₃ I	1 W.	-0.335	A. C. [6], 2, 66
Ethyl ..	C ₂ H ₅ I	1 W.	-0.331
Formic acid	CH ₂ O ₂	1 W.	-0.504	A. C. [6], 2, 66	46, 952
Methyl alcohol	CH ₄ O	1 W.	-0.791
Ethyl aldehyde	C ₂ H ₄ O	1 W.	-1.107	C. R., 95, 188	42, 1260
Acetone	C ₃ H ₆ O	1 W.	-0.850
Ethyl formate (46, 952)	C ₃ H ₆ O ₂	1 W.	-0.666	A. C. [6], 2, 66
Dimethyl oxalate	C ₄ H ₆ O ₄	1 W.	-0.417
Diethyl oxide....	C ₄ H ₁₀ O	1 W.	-0.671
Benzoic aldehyde	C ₇ H ₆ O	1 W.	-0.473
Ethyl valerate	C ₇ H ₁₄ O ₂	1 W.	-0.384
Methyl methylsalicylate	C ₉ H ₁₀ O ₃	1 W.	-0.339
Valerone	C ₉ H ₁₈ O	1 W.	-0.359
Camphor	C ₁₀ H ₁₆ O	1 W.	-0.338
Lapachone	C ₁₅ H ₁₄ O ₃	1.796 W.	-0.32	Paterno	B., 19, 2529	..
Lapachic acid....	..	1.096 W.	-0.21
Santonide	C ₁₅ H ₁₈ O ₃	2.182 W.	-0.42
Glycerol tributyrat....	C ₁₅ H ₂₆ O ₆	1 W.	-0.161	Raoult	C. R., 95, 188	42, 1260
.. trioleate	C ₅₇ H ₁₀₄ O ₆	1 W.	-0.056
Diethyl sulphide	C ₄ H ₁₀ S	1 W.	-0.576
Ethyl cyanide	C ₃ H ₅ N	1 W.	-0.938
Chloral	C ₂ HCl ₃ O	1 W.	-0.342
Methyl nitrate	CH ₃ O ₃ N	1 W.	-0.640
Trinitroglycerol	C ₃ H ₅ O ₉ N ₃	1 W.	-0.220
Nitrobenzine	C ₆ H ₅ O ₂ N	1 W.	-0.390
Allyl thiocarbimide	C ₄ H ₅ SN	1 W.	-0.519

C.—MIXTURES WITH NAPHTHALENE, $C_{10}H_8$.

(See Raoult, C. R., 102, 1307 ; A. C. [6], 2, 66 ; Jour. Chem. Soc., 46, 952 ; 50, 763.)

Name.	Formula.	Composition.	Freezing Point.	Temperature of Cryogen.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Acetic acid	$C_2H_4O_2$	1 W.	-0.306	Raoult	A. C. [6], 2, 66	46, 952
Stearic acid	$C_{18}H_{36}O_2$	100 acid	56	Courtonne	C. R., 95, 923	44, 177
"	"	" + 7.5	53.5	"	"	"
		$C_{10}H_8$					
"	"	" + 15 "	51.5	"	"	"
"	"	" + 22.5 "	50.0	"	"	"
"	"	" + 40 "	47.0	"	"	"
"	"	" + 45 "	47.5	"	"	"
"	"	" + 50 "	47.6	"	"	"
"	"	" + 79 "	55.6	"	"	"
"	"	" + 90 "	58.5	"	"	"
"	"	" + 135 "	66.0	"	"	"
"	"	" + 270 "	73.0	"	"	"
"	"	0 " + 100 "	79.0	"	"	"

D.—CARBON DISULPHIDE AND ETHYL ALCOHOL.

Carbon disulphide and ethyl alcohol	C_2H_6O	5.06 p.c.	clear -18.4	Guthrie	P. M. [5], 18, 504	
"	"	10.46 "	turbid -14.4	"	"	
"	"	15.11 "	" -15.9	"	"	
"	"	20.04 "	" -16.1	"	"	
"	"	34.89 "	" -17.7	"	"	
"	"	40.42 "	clear -20	"	"	
"	"	50.09 "	" "	"	"	
"	"	60.04 "	" "	"	"	
"	"	70.08 "	" "	"	"	

E.—MIXTURES WITH ETHYLENE DIBROMIDE, $C_2H_4Br_2$.

(See Raoult, C. R., 95, 1030 ; 102, 1307 ; A. C. [6], 2, 66 ; Jour. Chem. Soc., 44, 278 ; 46, 952 ; 50, 763.)

F.—MIXTURES WITH FORMIC ACID, CH_2O_2 .

(See Raoult, C. R., 95, 1031 ; A. C. [6], 2, 66 ; Jour. Chem. Soc., 44, 278 ; 46, 953.)

G.—MIXTURES WITH ACETIC ACID, $C_2H_4O_2$.

(See Raoult, C. R., 95, 1031 ; A. C. [6], 2, 66 ; Jour. Chem. Soc., 44, 278 ; 46, 952.)

Hydrochloric acid	HCl	1 W.	-0.471	Raoult	A. C. [6], 2, 66	46, 952
Sulphuric acid	H_2SO_4	1 W.	-0.189	"	"	"
"	"	0.5 W.	+16.4	Rüdorff	B., 3, 393	"
Methyl iodide	CH_3I	1 W.	-0.273	Raoult	A. C. [6], 2, 66	46, 952
Formic acid	CH_2O_2	1 W.	-0.793	"	"	"
Ethyl alcohol	C_2H_6O	1.8 W.	+15.25	Rüdorff	B., 3, 393	"
Picrotoxin hydrate	$C_{15}H_{18}O_7$	1.0339 W.	-0.15	Paterno	B., 19, 2529	
"	"	1.2106 W.	-0.16	"	"	
Picrotoxin	$C_{30}H_{34}O_{13}$	0.9926 W.	-0.18	"	"	
"	or $C_{12}H_{14}O_5$	1.046 W.	-0.19	"	"	
Cyaumethine	$C_6H_9N_3$	1.342 W.	-0.26	"	"	

H.—MISCELLANEOUS MIXTURES.

Name.	Formula.	Composition.	Melting Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Thymol and various compounds	Details not given	Raoult	C. R., 102, 1307	50, 763
β -Naphthol and iodoform	$C_{10}H_8O$ & CHI_3	pure CHI_3	119	Brügelmann	B., 17, 2363	
" "	"	from 10 to 90 p.c. CHI_3	102	"	"	
" "	"	pure $C_{10}H_8O$	122	"	"	
Suberic and azelaic acids	$C_8H_{14}O_4$ & $C_9H_{16}O_4$	pure $C_9H_{16}O_4$	106	Gauntner & Hell	B., 14, 1547	
" "	"	95 p.c. "	104	"	"	
" "	"	90 " "	103.5	"	"	
" "	"	86 " "	98.5	"	"	
" "	"	81 " "	98	"	"	
" "	"	76 " "	96	"	"	
" "	"	72 " "	98-100	"	"	
" "	"	66 " "	99-101	"	"	
" "	"	62 " "	106-109	"	"	
" "	"	57 " "	108-109	"	"	
" "	"	51 " "	115	"	"	
" "	"	42 " "	123	"	"	
" "	"	31 " "	124-128	"	"	
" "	"	21 " "	125-130	"	"	
" "	"	10 " "	135-136	"	"	
" "	"	pure $C_8H_{14}O_4$	140	"	"	
Benzoic and cinnamic acids	$C_7H_6O_2$ & $C_9H_8O_2$	pure $C_9H_8O_2$	133.3	Kachler	B., 2, 515	
" "	"	99 p.c. "	131.8	"	"	
" "	"	90 " "	126.6	"	"	
" "	"	80 " "	118.0	"	"	
" "	"	70 " "	108.2	"	"	
" "	"	60 " "	98.7	"	"	
" "	"	50 " "	84.3	"	"	
" "	"	40 " "	87.1	"	"	
" "	"	30 " "	101.4	"	"	
" "	"	20 " "	106.4	"	"	
" "	"	10 " "	111.5	"	"	
" "	"	1 " "	118.2	"	"	
" "	"	pure $C_7H_6O_2$	123.3	"	"	
Phenylacetic and hydrocinnamic acids	$C_8H_8O_2$ & $C_9H_{10}O_2$	pure $C_8H_8O_2$	melts completely 77	Salkowski	B., 18, 323	48, 602
" "	"	90 p.c. "	" 71.5	"	"	"
" "	"	80 " "	" 65.5	"	"	"
" "	"	70 " "	" 58	"	"	"
" "	"	60 " "	" 50	"	"	"
" "	"	50 " "	" 39.5	"	"	"
" "	"	47.6, "	" 37.5	"	"	"
" "	"	40 " "	" 26.5	"	"	"
" "	"	37.5, "	" 25.5	"	"	"
" "	"	35 " "	" 21.0	"	"	"
" "	"	32.5, "	" 25.5	"	"	"
" "	"	30 " "	" 27.0	"	"	"
" "	"	20 " "	" 33.0	"	"	"
" "	"	10 " "	" 41.5	"	"	"
" "	"	pure $C_9H_{10}O_2$	" 47.5	"	"	"
Nitrobenzene and various compounds	A. C. [6], 2, 66	C. R., 95, 1030 ; 102, 1307	44, 278 ; 46, 953 ; 50, 763
		1.2 & 1.3	1.2 & 1.4	1.3 & 1.4			
		m.p.	m.p.	m.p.			
Mixtures of nitrobenzoic acids proportion 10:10	92-98	200	165-205	Widmann	B., 10, 1159	32, 783
" "	" 10:5	125	142-190	127-185	"	"	"
" "	" 10:1	140	141	130-155	"	"	"
" "	" 10:0.5	144	145	132-133	"	"	"
" "	" 10:0.2	146	147	134-135	"	"	"

Name.	Formula.	Composition.	Melting Point.	Melting Point.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
		1·2 and 1·3.	1·2 and 1·4.	1·3 and 1·4.			
		m.p.	m.p.	m.p.			
Mixtures of nitrobenzoic acids proportion 10:0:1	146	145	135-136	Widmann	B., 10, 1159	32, 783
"	" 0·1:10	132-135	233-237	236-238	"	"	"
"	" 0·2:10	132-134	228-235	232-237	"	"	"
"	" 0·5:10	132-140	222-235	215-234	"	"	"
"	" 1:10	132-133	200-225	205-230	"	"	"
"	" 5:10	112	210-216	195-208	"	"	"
"	... pure acid	140-141 (m)	238 (p)	149 (o)	"	"	"
Sodium acetate and nitrate $C_2H_3NaO_2$	pure $C_2H_3NaO_2$	319	Brügelmann	B., 17, 2364	
" "	50 p.c. $NaNO_3$	complete 100	"	"	
" "	pure $NaNO_3$	310-330	"	"	
Acetic and sulphuric acids and water	100 pts. HAc	+10 pts. H_2O	5·8	Rüdorff	B., 3, 393	
"	+2 pts. H_2SO_4						
"	100 pts. HAc	+10 pts. H_2O	10·7	"	"	
"	+20 pts. H_2SO_4						
Chlorethyl alcohol, hydrochloric acid, and water	$2(CH_2Cl.CH_2OH)$	+8 H_2O	10·6	Bouchardat	C. R., 100, 454	48, 499
		+HCl					

IV.—MISCELLANEOUS MELTING AND BOILING POINT DATA (FATS, OILS, &c.).

m.p. = melting point. s.p. = solidifying point. b.p. = boiling point. r.s. = resolidifies. sp. gr. = specific gravity.

Name.	Melting, Boiling, and Solidifying Point.	Remarks.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Hatchettine	m.p. 54-64	Mineral	Dewalque	Jahr. f. Mineralogie	48, 220
Picropodophyllin	m.p. 200-210	Comp. unknown	Podwissotsky	B., 15, 337; P.J. [3], 12, 1011	42, 976
Sikimine	m.p. 175	" "	Eykmann	B., 14, 1721; P.J. [3], 11, 1046	40, 919
Paraffin oil....	s.p.—35	sp. gr. 0·810	Coleman	C. N., 51, 174	
" wax	m.p. 38—52; b.p. 350-390	soft; sp. gr. 0·87-0·88	Landolt	Phys.-Chem. Tabellen, 139	
" "	m.p. 52-56; b.p. 390-430	hard; sp. gr. 0·88-0·93	"	" "	
" "	m.p. 49·6-53·2; r.s. 49·6-53	Rüdorff	P. A., 145, 279	28,238; vii.,605
" "	m.p. 49·5	Wolf	D. P., 217, 411	viii., 937
Petroleum	s.p.—52	sp. gr. 0·790	Coleman	C. N., 51, 174	
"	b.p. 40-70	sp. gr. 0·65-0·66	Landolt	Phys.-Chem. Tabellen, 139	
Ligroin (for lamps) ..	b.p. 110-120	sp. gr. 0·7-0·73	"	" "	
Photogen ..	b.p. 170-245	sp. gr. 0·76-0·8	"	" "	
Solar oil ..	b.p. 245-310	sp. gr. 0·80-0·83	"	" "	
Gasolin (for oil extraction)	b.p. 70-90	sp. gr. 0·66-0·69	"	" "	
Benzin	b.p. 90-110	sp. gr. 0·69-0·70	"	" "	
Putzöl, Lacköl	b.p. 120-170	sp. gr. 0·73-0·76	"	" "	
Schmieröl	b.p. 310-350	sp. gr. 0·83-0·87	"	" "	
Cider	s.p.—2·0	= 4·8 p.c. alcohol	Raoult	C. R., 90, 867; A. C. [5], 20, 207; B., 13, 1883	38, 523
Beer	s.p.—2·8	= 6·3 " "	"	" "	"
Vin ordinaire (rouge) ..	s.p.—2·7	= 6·8 " "	"	" "	"
" " (blanc) ..	s.p.—3·0	= 7·0 " "	"	" "	"
Beaujolaïs	s.p.—4·4	= 10·3 " "	"	" "	"
Bordeaux rouge	s.p.—5·2	= 11·8 " "	"	" "	"
Bourgogne rouge	s.p.—5·7	= 13·1 " "	"	" "	"
Roussillon rouge	s.p.—6·9	= 15·2 " "	"	" "	"
Marsala	s.p.—10·1	= 20·7 " "	"	" "	"
Palm oil (fresh, soft) ..	m.p. 30; r.s. 21	sp. gr. 0·905	Wimmel	P. A., 133, 121	
" (fresh, hard) ..	m.p. 38; r.s. 24	"	"	
" (old) ..	m.p. 42; r.s. 38	"	"	
Tea oil	does not solidify—13·3	sp. gr. 0·9175 at 15·5°	Davies	P. J. [3], 15, 634	48, 1022
Wood oil	" " —13·3	sp. gr. 0·9401 at 15·5°	"	"	"
Cabbage oil	s.p.—12	sp. gr. 0·914 at 15·5°	"	"	"
Spermaceti....	m.p. 44-44·5; r.s. 44	sp. gr. 0·88-0·94	Wimmel	P. A., 133, 121	
"	m.p. 43·5-44·3; r.s. 43·4-44·2	Rüdorff	P. A., 145, 279	28,238; vii.,605
"	m.p. 45·2	Wolf	D. P., 217, 411	viii., 937
Beeswax (yellow)	m.p. 62-62·5; r.s. 62	sp. gr. 0·96-0·965	Wimmel	P. A., 133, 121	
" (white) ..	m.p. 63-63·5; r.s. 63	sp. gr. 0·96-0·969	"	"	
" (yellow)....	m.p. 63·4; r.s. 61·5-62·6	Rüdorff	P. A., 145, 279	28,238; vii.,605
" (white) ..	m.p. 61·8; r.s. 61·6	"	"	"
" (yellow)....	m.p. 64	Wolf	D. P., 217, 411	viii., 937
" (white) ..	m.p. 62·8	"	"	"
Ceresin	m.p. 71·35	"	"	"
Japan wax....	m.p. 53·5-54·5; r.s. 40·5-41	sp. gr. 0·992	Wimmel	P. A., 133, 121	
" " ..	m.p. 50·4-51·0	Rüdorff	P. A., 145, 279	vii., 605
" " ..	m.p. 41·3	Wolf	D. P., 217, 411	viii., 937
Butter (fresh)	m.p. 31-31·5; r.s. 19-20	sp. gr. 0·865-0·868	Wimmel	P. A., 133, 121	

Name.	Melting, Boiling, and Solidifying Point.	Remarks.	Authority.	Reference.	Watts' Dict. & J. Ch. Soc.
Butter (tub)	m.p. 32.5; 32-37; r.s. 24	sp. gr. 0.94	Wimmel	P. A., 133, 121	
"	m.p. 26.4; r.s. 23.8	Gives 87.5-88 per cent. of insoluble fat acids; s.p. 37.5	Dubois and Padé	B. S., 43, 207	48, 844
" (pure)	r.s. 34		Münzel	B., 14, 1125	
"	r.s. 37	+10 p.c. horse fat	"	"	
"	r.s. 40	+20 "	"	"	
"	r.s. 44	+30 "	"	"	
"	r.s. 40	+10 p.c. sebum tabulat	"	"	
"	r.s. 43	+20 " "	"	"	
"	r.s. 46	+30 " "	"	"	
"	r.s. 38	+10 p.c. adeps suillus	"	"	
"	r.s. 41	+20 " "	"	"	
"	r.s. 43	+30 " "	"	"	
"	r.s. 40	+25 p.c. margarin butter	"	"	
"	r.s. 48	+50 " "	"	"	
Margarin butter	r.s. 56		"	"	
Nutmeg "	m.p. 43.5-44; r.s. 33		Wimmel	P. A., 133, 121	
" "	m.p. 70-80		Rüdorff	P. A., 145, 279	vii., 605
Beef fat (fresh)	m.p. 43; r.s. 33	sp. gr. 0.968	Wimmel	P. A., 133, 121	
" (old)	m.p. 43.5; r.s. 34		"	"	
"	m.p. 43.5-45; r.s. 27-35		Rüdorff	P. A., 145, 279	vii., 605
"	m.p. 42.2; r.s. 41.5	Gives 94.2 per cent. of insoluble fat acids; s.p. 44.2	Dubois	B. S., 43, 207	48, 844
Mutton fat (fresh)	m.p. 47; r.s. 36	sp. gr. 0.92	Wimmel	P. A., 133, 121	
" (old)	m.p. 50.5; r.s. 39.5		"	"	
"	m.p. 46.5-47.4; r.s. 32-36		Rüdorff	P. A., 145, 279	vii., 605
"	m.p. 45.6		Wolff	D. P., 217, 411	viii., 937
"	m.p. 46.6; r.s. 44	Gives 94.5 per cent. of insoluble fat acids; s.p. 49.4	Dubois	B. S., 43, 207	48, 844
Veal fat	m.p. 37.2; r.s. 35.9	Gives 94.54 per cent. of insoluble fat acids; s.p. 42.7	"	"	"
Lard	m.p. 33.2; r.s. 33	Gives 93.4 per cent. of insoluble fat acids; s.p. 42	"	"	"
"	m.p. 41.5-42; r.s. 30	sp. gr. 0.92-0.94	Wimmel	P. A., 133, 121	
Margarin	m.p. 39.6; r.s. 38.4	Gives 95.6 per cent. of insoluble fat acids; s.p. 95.6	Dubois	B. S., 43, 207	48, 844
Cocoa butter	m.p. 33.5-34; r.s. 20.5	sp. gr. 0.89-0.91	Wimmel	P. A., 133, 121	
" "	m.p. 33.5		Rüdorff	P. A., 145, 279	vii., 605
" "	m.p. 31.8		Wolff	D. P., 217, 411	viii., 937
" "	m.p. 31.6; r.s. 30.2	Gives 94.73 per cent. of insoluble fat acids; s.p. 48.8	Dubois	B. S., 43, 207	48, 844
Cocosöl	m.p. 24.5; r.s. 20-20.5		Wimmel	P. A., 133, 121	
Illipé fat	m.p. 32.8; r.s. 31	Gives 95.64 per cent. of insoluble fat acids; s.p. 50.6	Dubois	B. S., 43, 207	48, 844
Nitromolasses	b.p. 180-200	Explodes 220-250	Gilles	D. P., 255, 337	48, 852

Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.		
5th Series.		1875-78	9	2nd Series.		1886	25	1822	4, 5	1880	19, 20		
1876	1, 2	1878-80	10	1860	1	1887	26	1823	6	1881	21, 22		
1877	3, 4	1880-82	11	1861	2	<i>The Analyst.</i> (Ed. by Wigner & Muter, London.)		1824	7, 8	1882	23, 24		
1878	5, 6	1882-84	12	1862	3			1825	9	1883	25, 26		
1879	7, 8	1884-86	13	1863	4			1826	10, 11	1884	27, 28		
1880	9, 10	<i>Journal of the Society of Chemical Industry.</i>		1864	5			1827	12	1885	29, 30		
1881	11, 12			1865	6			1828	13, 14	1886	31, 32		
1882	13, 14			1866	7	1829	15, 16	<i>Memoirs of the American Academy of Arts and Sciences. (Boston.)</i>					
1883	15, 16			1867	8	1830	17, 18						
1884	17, 18			1868	9	1831	19, 20						
1885	19, 20	1869	10	1832	21, 22								
1886	21, 22	1870	11	1833	23, 24								
1887	23	<i>Quarterly Journal of Science (Royal Institution, London).</i>		3rd Series.		1834	25-27	1835	28, 29	1833	1		
<i>Transactions of the Royal Society of Edinburgh.</i>				1882	1	1871	1	1835	28, 29	1836	30, 31	1846	2
				1883	2	1872	2	1837	32, 33	1837	32, 33	1848	3
				1884	3	1873	3	1838	34, 35	1838	34, 35	1849	4
				1885	4	1874	4	1839	36, 37	1839	36, 37	1855	5
		1886	5	1875	5	1840	38, 39	1840	38, 39	1857	6		
1887	6	1876	6	1876	6	1841	40, 41	1860	7	1861	8		
<i>Proceedings of the Manchester Literary and Philosophical Society.</i>		1816	1	1877	7	1842	42, 43	1843	44, 45	1867	9 n.s.		
		1817	2, 3	1878	8	1844	46, 47	1844	46, 47	1868	10		
		1818	4, 5	1879	9	1845	48, 49	1845	48, 49	1876	11		
		1819	6, 7	1880	10	<i>American Chemical Jour- nal. (Ed. Remsen, Boston.)</i>		2nd Series.		1877	12	1877	12
		1820	8, 9	1881	11					1878	13	1878	13
1821	10, 11	1882	12	1879-80	1					1879	14		
1822	12, 13	1883	13	1881	2					1880	15		
1823	14, 15	1884	14	1882	3					1881	16		
1824	16, 17	1885	15	1883	4	1882	17	1882	17				
1825	18, 19	1886	16	1884	5	1883	18	1883	18				
1826	20, 21	1887	17	1885	6	1884	19	1884	19				
1827	22, 23	<i>Proceedings of the Man- chester Literary and Philosophical Society.</i>		1886	7	1885	20	1885	20	1885	20		
1828	24, 25			1857-60	1	1886	8	1886	21	1886	21		
1829	26, 27			1862	2	1887	8	1887	22	1886	21		
1830	28, 29			1864	3	<i>Journal of the American Chemical Society. (New York.)</i>		1854	17, 18	1887	22		
1831	30, 31			1865	4			1855	19, 20	1855	19, 20		
<i>Pharmaceutical Journal and Transactions. (London.)</i>		1866	5	1856	21, 22			1856	21, 22				
		1867	6	1857	23, 24			1857	23, 24				
		1868	7	1858	25, 26			1858	25, 26				
		1869	8	1859	27, 28	1859	27, 28						
		1872	9	1860	29, 30	1860	29, 30						
<i>Proceedings of the Royal Society of Edinburgh.</i>		1st Series.		1861	31, 32	1861	31, 32	1861	31, 32	<i>Annalen der Chemie und Pharmacie, continued from Vol. 169 [1873] under the title "Justus Liebig's Annalen der Chemie und Phar- macie."</i>			
		1841-2	1	1862	33, 34	1862	33, 34	1862	33, 34				
		1842-3	2	1863	35, 36	1863	35, 36	1863	35, 36				
		1843-4	3	1864	37, 38	1864	37, 38	1864	37, 38				
		1844-5	4	1865	39, 40	1865	39, 40	1865	39, 40				
1845-6	5	1866	41, 42	1866	41, 42	1866	41, 42	1832	1-4				
1846-7	6	1867	43, 44	1867	43, 44	1867	43, 44	1833	5-8				
1848	7	1868	45, 46	1868	45, 46	1868	45, 46	1834	9-12				
1849	8	1869	47, 48	1869	47, 48	1869	47, 48	1835	13-16				
1850	9	1870	49, 50	1870	49, 50	1870	49, 50	1836	17-20				
1851	10	<i>American Journal of Science and Arts (Silliman's Journal).</i>		3rd Series.		1871	1, 2	1837	21-24				
1852	11			1871	1, 2	1838	25-28						
1853	12			1872	3, 4	1839	29-32						
1854	13			1873	5, 6	1840	33-36						
1855	14			1874	7, 8	1841	37-40						
1856	15	1875	9, 10	1842	41-44								
1857	16	1876	11, 12	1843	45-48								
1858	17	1877	13, 14	1844	49-52								
1859	18	1878	15, 16	1845	53-56								
<i>Proceedings of the Royal Society of Edinburgh.</i>		1818	1	1846	57-60								
		1820	2	1847	61-64								
		1821	3	1848	65-68								
		1832-44	1	<i>Annalen der Chemie und Pharmacie, continued from Vol. 169 [1873] under the title "Justus Liebig's Annalen der Chemie und Phar- macie."</i>									
		1844-50	2										
1850-57	3												
1857-62	4												
1862-66	5												
1866-69	6	<i>Annalen der Chemie und Pharmacie, continued from Vol. 169 [1873] under the title "Justus Liebig's Annalen der Chemie und Phar- macie."</i>											
1869-72	7												
1872-75	8												

Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.			
1862	163-166	1852	23	1883	3	1868	4	1861	14	1851	5			
1863	167-170	1853	24	1884	4	1869	5	1862	15	1854	6			
1864	171-174	1854	25	1885	5	1870	6	1863	16	1859	7			
1865	175-178	1856	26 n.s.	1886	6	1871	7	Engelbach and Will.		1861	8			
1866	179-182	1857	27	1887	7	1872	8	1864	17	1864	9			
1867	183-186	1858	28	<i>Jenaische Zeitschrift für Medicin und Naturwis- senschaft. (Leipzig.)</i>		1873	9	1865	18	1850	Suppl.-bd.			
1868	187-190	1859	29			1874	10	1866	19	<i>Neues Handwörterbuch der Chemie. (Fehling.)</i>				
1869	191-194	1860	30			1875	11	1867	20					
1870	195-198	1861	31			1876	12	Strecker.		<i>Sitzungsberichte der Kai- serlichen Akademie der Wissenschaften zu Wien, Math.-Natur. Classe.</i>				
1871	199-202	1862	32			1877	13	1868	21					
1872	203-206	1863	33			1878	14	1869	22	1871	1			
1873	207-210	1864	34			1879	15	Naumann.		1875	2			
1874	211-214	1865	35			1880	16	1870	23	1878	3			
1875	215-218	1866	36			1881	17	1871	24	1886	4, 5			
1876	219-222	1867	37			1882	18	1872	25	<i>Sitzungsberichte der Kai- serlichen Akademie der Wissenschaften zu Wien, Math.-Natur. Classe.</i>				
1877	223-226	1868	38	1883	19	1873	26							
1878	227-230	1869	39	1884	20	1874	27							
1879	231-234	1870	40 n.s.	1885	21	Fittica.								
1880	235-238	1871	41	1886	22	1875	28							
1881	239-242	1872	42	1887	23	1876	29							
1882	243-246	1873	43	<i>Jahresbericht der Reinen Chemie. (Staedel, Tü- bingen.)</i>		1877	30							
1883	247-250	1874	44			1878	31							
1884	251-254	1875	45			1879	32							
1885	255-258	1876	46			1880	33							
1886	259-262	1877	47			1881	34							
1887	263	1878	48			1882	35							
Registers:—		1879	49			1883	36	1883	36					
1843	1-78	1880	50			1884	37	1884	37					
1850	79-118	1881	51			1885	38	1885	38					
1860	119-158	1882	52			1886	39	1886	39					
<i>Chemisches Centralblatt. (Leipzig.)</i>		1883	53	1887	57	Registers:—		1847/56	1-9					
		1884	54	<i>Sitzungsberichte d. Math.- Phys. Classe d. Kgl. Bair. Akad. d. Wiss. zu München.</i>		1873	1	1857/66	10-19					
		1885	55			1874	2	1867/76	20-29					
		1886	56			1875	3	<i>Zeitschrift für Physiolo- gische Chemie. (Hoppe- Seyler, Strassburg.)</i>						
		1887	57			1876	4							
		Register:—				1877	5				1877	1		
		1870/81	1-12.			1878	6				1878	2		
		Up to Vol. 20 (1849), entitled "Pharmaceu- tisches Centralblatt."				1879	7				1879	3		
						1880	8				1880	4	1880	4
						1881	9				1881	5	1881	5
1882	10					1882	6				1882	6		
1883	11			1883	7	1883	7							
1884	12			1884	8	1884	8							
1885	13			1885	9	1885	9							
1886	14			1886	10	1886	10							
1887	15			1887	11	1887	11							
1888	16			<i>Carl, Repertorium der Experimental-Physik.</i>		<i>Jahresbericht der Reinen, Pharmaceutischen und Technischen Chemie. (Giessen.)</i>		<i>Liebig and Kopp.</i>		<i>Handwörterbuch der Chemie. (Liebig, Pog- gendorff, and Wöhler.)</i>				
1889	17	1871	1									1847/8	1	
1890	18	1872	2									1849	2	
1891	19	1873	3									1850	3	
1892	20	1874	4									1851	4	
1893	21 n.s.	1875	5									1852	5	
1894	22	1876	6									1853	6	
<i>Repertorium der Analy- tischen Chemie. (Skal- weit, Hannover.)</i>		1877	7									1854	7	
		1878	8									1855	8	
		1879	9									1856	9	
		1880	10	Kopp and Will.										
		1881	11	1857	10									
		1882	12	1858	11									
		1883	13	1859	12									
		1884	14	1860	13									
		1885	15	1865	1									
		1886	16	1866	2									
1887	17	1867	3											
1888	18	1868	4											
1889	19	1869	5											
1890	20	1870	6											
1891	21	1871	7											
1892	22	1872	8											
1893	23	1873	9											
1894	24	1874	10											
1895	25	1875	11											
1896	26 n.s.	1876	12											
1897	27	1877	13											
1898	28	1878	14											
1899	29	1879	15											
1900	30	1880	16											
1901	31	1881	17											
1902	32	1882	18											
1903	33	1883	19											
1904	34	1884	20											
1905	35	1885	21											
1906	36	1886	22											
1907	37	1887	23											
1908	38	1888	24											
1909	39	1889	25											
1910	40 n.s.	1890	26											
1911	41	1891	27											
1912	42	1892	28											
1913	43	1893	29											
1914	44	1894	30											
1915	45	1895	31											
1916	46	1896	32											
1917	47	1897	33											
1918	48	1898	34											
1919	49	1899	35											
1920	50	1900	36											
1921	51	1901	37											
1922	52	1902	38											
1923	53	1903	39											
1924	54	1904	40											
1925	55	1905	41											
1926	56	1906	42											
1927	57	1907	43											
1928	58	1908	44, 45											
1929	59	1909	46-48											
1930	60	1910	49											
1931	61	1911	50-52											
1932	62	1912	53, 54											
1933	63	1913	55, 56											
1934	64	1914	57, 58											
1935	65	1915	59, 60											
1936	66	1916	61, 62											
1937	67	1917	63, 64											
1938	68	1918	65, 66											
1939	69	1919	67, 68											
1940	70	1920	69, 70											
1941	71	1921	71, 72											
1942	72	1922	73, 74											
1943	73	1923	75, 76											
1944	74	1924	77, 78											
1945	75	1925	79, 80											
1946	76	1926	81, 82											
1947	77	1927	83, 84											
1948	78	1928	85, 86											
1949	79	1929	87, 88											
1950	80	1930	89, 90											
1951	81	1931												
1952	82	1932												
1953	83	1933												
1954	84	1934												
1955	85	1935												
1956	86	1936												
1957	87	1937												
1958	88	1938												
1959	89	1939												
1960	90	1940												
1961	91	1941												
1962	92	1942												
1963	93	1943												
1964	94	1944												
1965	95	1945												
1966	96	1946												
1967	97	1947												
1968	98	1948												
1969	99	1949												
1970	100	1950												

Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.	Year.	Volume.
4th Series.		1867	9	<i>Journal de Physique théor. et appliqué publ. par d'Almeida.</i>		<i>Gazzetta Chimica Italiana. (Paterno, Palermo.)</i>		<i>Recueil des Travaux Chimiques des Pays-Bas. (Van Dorp and others, Leide.)</i>		1871	3
1852	1	1868	10			1872	4				
Followed by :—		1869	11			1873	5				
		1870	12			1874	6				
		3rd Series.		1st Series.		1875	7	1875	5	1875	7
<i>Moniteur Scientifique. (Paris.)</i>		1871	13	1872	1	1876	6	1876	6	1876	8
		1872	14	1873	2	1877	7	1877	7	1877	9
		1873	15	1874	3	1878	8	1878	8	1878	10
1st Series.		1874	16	1875	4	1879	9	1879	9	1879	11
1857	1	1875	17	1876	5	1880	10	1880	10	1880	12
	2	1876	18	1877	6	1881	11	1881	11	1881	13
	3	1877	19	1878	7	1882	12	1882	12	1882	14
	4	1878	20	1879	8	1883	13	1883	13	1883	15
1863	5	1879	21	1880	9	1884	14	1884	14	1884	16
2nd Series.		1880	22	1881	10	1885	15	1885	15	1885	17
1864	6	1881	23	2nd Series.		1886	16	1886	16	1886	18
1865	7	1882	24	1882	1					1886	18
1866	8	1883	25	1883	2					1869	1
		1884	26	1884	3					1870	2

VI.—ALPHABETICAL INDEX OF THE ROOT-COMPOUNDS OF CARBON.

Compounds with the prefixes iso-, pseudo-, alpha-, beta-, ortho-, meta-, para-, dextro-, lævo-, &c., will be found under the primitive name, unless they are non-isomeric with the compound indicated by the latter, in which case they are given under their proper letter. Brom-compounds and iodo-compounds will be found under the corresponding chlor-compounds.

Abietic acid, $C_{44}H_{64}O_5$.	Aescinic acid, $C_{24}H_{40}O_{12}$.	Amalic acid, $C_{12}H_{14}O_8N_4$.	Anisine, $C_{24}H_{24}O_3N_2$.
Abietin, $C_{44}H_{60}$; $C_{83}H_{76}O_8$.	Aescioxalic acid, $C_7H_6O_4$.	Amanitin, $C_5H_{15}O_2N$.	Anisoic acid, $C_{10}H_{18}O_6$.
Absinthin, $C_{20}H_{28}O_4$; $C_{40}H_{55}O_9$.	Aescorcein, $C_9H_7O_5N$.	Amaric acid, $C_{46}H_{42}O_6$.	Anisoïn, $C_{10}H_{12}O$; $C_{16}H_{16}O_4$.
Absinthol, $C_{10}H_{16}O$.	Aescorcin, $C_9H_8O_4$.	Amarine, $C_{21}H_{18}N_2$.	Anisol, C_7H_8O .
Accaffèine, $C_8H_{11}O_2N_3$.	Aesculetin, $C_9H_6O_4$.	Amarone, $C_{16}H_{11}N$.	Anisolquinine, $C_{50}H_{60}O_5N_4$.
Aceconitic acid, $C_6H_6O_6$; $C_5H_3O_6$.	Aesculetic acid, $C_9H_{12}O_7$.	Amasatin, $C_{16}H_{14}O_3N_4$.	Anisuric acid, $C_{10}H_{11}O_3N$.
Acenaphthene, $C_{12}H_{10}$.	Aesculin, $C_{15}H_{16}O_9$; $C_{21}H_{24}O_{13}$.	Ambrain, $C_{25}H_{45}O$.	Anisuramic acid, $C_9H_{15}O_4N_2$.
Acenaphthylene, $C_{12}H_8$.	Aesthesin, $C_{25}H_{69}O_3N$.	Amenthic acid, $C_7H_1O_2$.	Anol, $C_9H_{10}O$.
Acetal, $C_6H_{14}O$.	Agaric acid, $C_{15}H_{30}O_5$; $C_xH_fO_z$.	Amisatin, $C_{48}H_{39}O_9N_{11}$.	Anthemol, $C_{10}H_{16}O$.
Acetic acid, $C_2H_4O_2$.	Agaricin, $C_xH_fO_z$.	Ammelide, $C_6H_9O_3N_9$.	Anthracene, $C_{14}H_{10}$.
Acetoglyceral, $C_5H_{10}O_3$.	Agarythrin, B., 16, 244.	Ammelin, $C_3H_5ON_5$.	Anthracene orange, $C_6H_4O_2C_6N_4$.
Acetoguanamine, $C_4H_7N_5$.	Agoniadin, $C_{10}H_{14}O_6$.	Amydecylenic acid, $C_{10}H_{15}O_2$.	Anthrachryson, $C_{14}H_8O_6$.
Acetone, C_3H_6O .	Alacreatinine, $C_4H_7ON_3$.	Amygdalin, $C_{20}H_{27}O_{11}N$.	Anthracylamine, $C_{14}H_{11}N$.
Acetone ether, $C_{17}H_{16}O_4$.	Alanine, C_3H_7ON .	Amygdalinic acid, $C_{20}H_{26}O_{12}$.	Anthraflavic acid, $C_{14}H_5O_4$.
Acetonine, $C_9H_{18}N_2$.	Alantic acid, $C_{15}H_{22}O_3$.	Amylan, $C_6H_{10}O_5$.	Anthragallol, $C_{14}H_8O_5$.
Acetonitril, C_2H_3N .	Alantol, $C_{10}H_{16}O$.	Amylene, C_5H_{16} .	Anthramine, $C_{14}H_{11}N$.
Acetonuramic acid, $C_5H_{10}O_5N_2$.	Alban, $C_{10}H_{16}O$; $C_{20}H_{30}O$.	Amylin, $C_3H_{18}O_3$.	Anthranil, C_7H_5ON .
Acetyl carbamide, $C_5H_8O_2N_2$.	Albumin, $C_{72}H_{112}O_{22}SN_{18}$; $C_{304}H_{322}O_{66}S_2N_{52}$.	Amylenguanamine, $C_8H_{15}N_5$.	Anthranilic acid, $C_7H_7O_2N$.
Acetophenine, $C_{24}H_{18}N$.	Aldehyde green, $C_{22}H_{27}OS_2N_3$.	Amylodextrin, $C_{36}H_{62}O_{31}$.	Anthranol, $C_{14}H_{10}O$.
Acetophenone, C_8H_8O .	„ ammonia, $C_4H_{11}O_2N$.	Amylum, $C_{24}H_{38}O_{19}$.	Anthrapurpurin, $C_{14}H_5O_3$.
Acetotannic acid, $C_{17}H_{20}O_9$.	Aldehydine, $C_3H_{11}N$.	Amyrin, $C_{20}H_{34}O$; $C_{25}H_{42}O$; $C_{47}H_{78}O_2$.	Anthraquinoline, $C_{17}H_{11}N$.
Acetothienone, C_6H_6OS .	Aldehydocollidine, $C_5H_{11}N$.	Anacardic acid, $C_{22}H_{32}O_3$; $C_{44}H_{64}O_7$.	Anthraquinone, $C_{14}H_8O_2$.
Acetoxime, C_3H_7ON .	Aldol, $C_4H_8O_2$.	Anamirtic acid, $C_{35}H_{70}O_4$.	Anthrarufin, $C_{14}H_8O_4$.
Acetoximic acid, $C_3H_6O_2N_2$.	Alizarin, $C_{14}H_8O_4$.	Anamirtin, $C_{19}H_{24}O_{10}$; $C_{19}H_{36}O_2$.	Anthrol, $C_{14}H_{10}O$.
Acetulmic acid, $C_{17}H_{12}O_2$.	Alizarin blue, $C_{17}H_9O_4N$.	Andromedotoxin, B., 16, 429, 798.	Anthropocholic acid, $C_{18}H_{28}O_4$.
Aceturic acid, $C_4H_7O_3N$.	Alkannin, $C_{15}H_{14}O_4$.	Anchoic acid, $C_9H_{16}O_4$.	Anthropodyslysin, $C_{18}H_{26}O_3$.
Acetylene, C_2H_2 .	Allanic acid, $C_4H_5O_5N_5$.	Anemonin, $C_{15}H_{12}O_6$.	Anthroxanic acid, $C_8H_5O_3N$.
Acetylglycine, $C_4H_7O_3N$.	Allantoïn, $C_4H_6O_3N_4$.	Anemonic acid, $C_{15}H_{14}O_7$.	Antiarin, $C_{14}H_{20}O_6$.
Acetylde, $C_{16}H_{18}O_4$.	Allantoic acid, $C_4H_8O_4N_4$.	Anethenol, $C_{10}H_{16}O$.	Antiar resin, $C_{16}H_{24}O$.
Achilleïn, $C_{20}H_{38}O_{15}N_2$.	Allantozaïdine, $C_3H_3O_2N_3$.	Anethol, $C_{10}H_{12}O$.	Antronol, $C_{16}H_{14}$.
Achilletin, $C_{11}H_{17}O_4N$.	Allantoxanic acid, $C_4H_3O_4N_3$.	Angelic acid, $C_5H_8O_2$.	Apachoic acid, $C_{15}H_{14}O_3$.
Achrodextrin, $C_6H_{10}O_5$.	Allanturic acid, $C_3H_4O_3N_2$.	Angelin, $C_{10}H_{13}O_3N$.	Aphrodäscin, $C_{55}H_{82}O_{23}$.
Achroglycogen, Z. P. C., 6, 74.	Allituric acid, $C_6H_6O_4N_4$.	Anhydrodiacetylacetamidil, $C_6H_8ON_2$.	Apigenin, $C_{15}H_{10}O_5$.
Aconic acid, $C_5H_4O_4$.	Allocaffèine, $C_8H_9O_5N_3$.	Anhydrolupinin, $C_{21}H_{38}ON_2$.	Apiin, $C_{24}H_{28}O_{13}$; $C_{27}H_{32}O_{16}$.
Aconine, $C_{26}H_{39}O_{11}N$.	Allophanic acid, $C_2H_4O_2N_2$.	Anhydrotolyketamine, $C_{27}H_{180}N_4$.	Apiol, $C_{12}H_{14}O_4$.
Aconitanilic acid, $C_{12}H_9O_4N$.	Alloxan, $C_4H_2O_2N_2$.	Aniline, C_6H_7N .	Apoaconitine, $C_{33}H_{41}O_{11}N$.
Aconitdianil, $C_{18}H_{14}O_3N_2$.	Alloxanic acid, $C_4H_4O_5N_2$.	Aniline black, $C_{30}H_{25}N_5$.	Apoatropine, $C_{17}H_{21}O_2N$.
Aconitic acid, $C_6H_6O_6$.	Alloxantin, $C_8H_4O_7N_4$.	Aniline blue, $C_{33}H_{31}N_3$.	Apocaffèine, $C_7H_7O_5N_3$.
Aconitine, $C_{30}H_{47}O_7N$; $C_{33}H_{43}O_{12}N$.	Alluranic acid, $C_5H_4O_4N_4$.	Aniline brown, J. [1863], 785; [1865], 857.	Apochinine, $C_{18}H_{17}O_2N$.
Acridine, $C_{12}H_9N$.	Allylene, C_3H_4 .	Aniline gray, J. [1866], 906.	Apocinchene, $C_{15}H_{17}ON$.
Acridinic acid, $C_{11}H_7O_4N$.	Allylene digalleïn, $C_{15}H_{12}O_6$.	Aniluvitonic acid, $C_{11}H_9O_2N$.	Apocinchonidine, $C_{19}H_{22}ON_2$.
Acroleïn, C_3H_4O .	Aloëresinic acid, $C_7H_3O_6N$; $C_{15}H_{16}O_7$.	Anisamine, $C_8H_{11}ON$; $C_{16}H_{19}O_2N$.	Apocinone, $C_{18}H_{19}O_2N$.
„ ammonia, C_6H_9ON .	Aloëretinic acid, $C_{30}H_{34}O_{15}$.	Anishumin, $C_{15}H_{14}O_3$.	Apocoldhiceïne, M. C., 4, 163.
„ resin, C_3H_4O .	Aloëtinic acid, $C_7H_2O_5N_2$.	Anishydramide, $C_{24}H_{24}O_3N_2$.	Apoconquinine, $C_{19}H_{22}O_2N_2$.
Acropinacone, $C_6H_{10}O_2$.	Aloëxanthin, $C_{15}H_{10}O_6$.	Anishydroxamic acid, $C_3H_9O_3N$.	Apocyneïn, B., 16, 255.
Acrothialdine, $C_5H_{15}S_2N$.	Aloïn, $C_{15}H_{16}O_7$; $C_{16}H_{15}O_7$; $(C_{15}H_{17}O)_n$.	Anisic acid, $C_3H_8O_3$.	Apocynin, B., 16, 255.
Acrycolloid, $C_3H_4O_3$.	Aloïsol, $C_6H_8O_3$; $C_6H_{16}O_3$.	„ camphor, $C_{10}H_{16}O$.	Apoglucinic acid, $C_9H_{10}O_5$; $C_{15}H_{22}O_{11}$.
Acryldiureide, $C_5H_{10}O_2N_4$.	Aloreinic acid, $C_9H_{10}O_3$.	Anisidine, C_7H_9ON .	Apomorphine, $C_{17}H_{17}O_2N$.
Acrylic acid, $C_3H_4O_2$.	Alpinin, $C_{17}H_{12}O_6$; $C_{17}H_{12}O_6$.	Anisil, $C_{16}H_{14}O_4$.	Apophyllic acid, $C_5H_7O_4N$.
Adipic acid, $C_6H_{10}O_4$.	Alstonidin, $C_8H_5O_2N_4$.	Anisilic acid, $C_{16}H_{16}O_5$.	Apopseudaconine, $C_{27}H_{33}O_8N$.
Adipomalic acid, $C_6H_{10}O_5$.	Alstonin, $C_{21}H_{20}O_4N_2$.		Apopseudaconitine, $C_{36}H_{47}O_{11}N$.

- Apoquinamine, $C_{19}H_{22}ON_2$.
 Apoquinine, $C_{19}H_{22}O_2N_2$.
 Aposorbic acid, $C_5H_5O_7$.
 Apotheobromine, $C_6H_5O_5N_3$.
 Arabin, $C_{12}H_{22}O_{11}$.
 Arabinose, $C_6H_{12}O_6$.
 Arabinic acid, $C_{12}H_{22}O_{11}$.
 Arachidic acid, $C_{20}H_{40}O_2$.
 Araliin, B., 14, 1112; 15, 2746.
 Arbutin, $C_{12}H_{16}O_7$.
 Arcyldiglycolic acid, $C_{11}H_{12}O_6$.
 Argyraescetin, $C_{21}H_{30}O_6$.
 Argyraescin, $C_{27}H_{42}O_{12}$.
 Aribine, $C_{23}H_{30}N_4$.
 Aricine, $C_{28}H_{26}O_4N_2$.
 Arnicin, $C_{20}H_{30}O_4$.
 Arsenobenzene, $C_{12}H_{10}As_2$.
 Asarin, $C_{20}H_{26}O_5$.
 Asarone, $C_{12}H_{16}O_3$; $C_{20}H_{26}O_6$.
 Aselepione, $C_{25}H_{34}O_3$.
 Asebotoxin, $C_2H_7O_2$.
 Aserpetin, $C_{15}H_{22}O_4$.
 Asparagine, $C_4H_8O_3N_2$.
 Asparaginic acid, $C_4H_7O_4N$.
 Aspidosamine, $C_{22}H_{23}O_2N_2$.
 Aspidospermatine, $C_{22}H_{23}O_2N_2$; not
 $C_{22}H_{23}O_2N_2$.
 Aspidospermine, $C_{22}H_{30}O_2N_2$.
 Assamar, A., 49, 3.
 Athamantin, $C_{24}H_{30}O_7$.
 Atherosperma resin, $C_{21}H_{32}O_5$.
 Atisine, $C_{46}H_{74}O_5N_2$.
 Atractyligenin, $C_4H_7O_2$.
 Atractylin, $C_{26}H_{30}O_6$.
 Atractylic acid, $C_{20}H_{54}O_{18}S_2$.
 Atraic acid, $C_{16}H_{18}O_5$.
 Atranoric acid, $C_{19}H_{18}O_8$.
 Atranorinic acid, $C_9H_{10}O_4$.
 Atraric acid, $C_{10}H_{16}O_8$; $C_{10}H_{10}O_5$.
 Atroglyceric acid, $C_9H_{10}O_4$.
 Atrolactic acid, $C_9H_{10}O_3$.
 Atrolactyltropoëine, $C_{17}H_{23}ON$.
 Atrolic acid, $C_{16}H_{15}O_5$.
 Atronic acid, $C_{17}H_{14}O_2$.
 Atronine sulphone, $C_{16}H_{10}O_2S$.
 Atronol, $C_{16}H_{14}$.
 Atronylene, $C_{16}H_{12}$.
 Atropatropocine, $C_{17}H_{21}O_2N$.
 Atropic acid, $C_9H_8O_2$.
 Atropine, $C_{17}H_{23}O_3N$; not $C_{17}H_{23}ON$.
 Atroxindole, C_9H_9ON .
 Aurantia, $C_{12}H_5O_{12}N_7$.
 Aurantiin, $C_{23}H_{26}O_{12}$.
 Aurin, $C_{19}H_{14}O_3$.
 Australene, $C_{10}H_{16}$.
 Austrapyrolene, $C_{10}H_{16}$.
 Axinic acid, $C_{15}H_{22}O_2$.
 Axlepione, $C_{20}H_{34}O_3$.
 Azelaic acid, $C_9H_{16}O_4$.
 Azimidobenzene, $C_6H_5N_3$.
 Azobenzene, $C_{12}H_{10}N_2$.
 Azobenzoflide, $C_{42}H_{33}N_5$.
 Azobenzoyl, $C_{22}H_{16}N_2$.
 Azodioxindole, $C_8H_6O_2N_2$.
 Azodiphenyl blue, $C_{16}H_{15}N_3$.
 Azoerythrin, A., 39, 40.
 Azolitmin, A., 39, 57.
 Azoncarbonic acid, $C_6H_3O_3N$.
 Azophenine, $C_{35}H_{29}ON_5$; not
 $C_{36}H_{29}N_5$.
 Azoxindole, $C_8H_6ON_2$.
 Azuline, $C_{26}H_{22}O_2N_2$.
 Azulmic acid, $C_4H_5ON_6$.
 Azulmoxine, $C_4H_3O_2N_6$.
 Azurine, $C_{35}H_{32}O_3N_4$.
 Balata, $C_{16}H_{16}$.
 Baphic acid, $C_{24}H_{22}O_{10}$.
 Baphiin, $C_{12}H_{10}O_4$.
 Baphinitin, C_4H_4O .
 Baphinitone, $C_{26}H_{26}O_6$.
 Barbaloin, $C_{16}H_{18}O_7$.
 Barbatic acid, $C_{19}H_{20}O_7$.
 Barbituric acid, $C_4H_4O_3N_2$.
 Basilicum camphor, $C_{10}H_{22}O$.
 Bassorin, $C_6H_{10}O_5$.
 Bebirine, $C_{19}H_{21}O_3N$.
 Beech wax, $C_{27}H_{54}O_2$.
 Behenic acid, $C_{22}H_{44}O_2$.
 Belladonnine, $C_{17}H_{23}O_3N$.
 Benylene, $C_{15}H_{28}$.
 Benolic acid, $C_{22}H_{40}O_2$.
 Benomargaric acid, $C_{15}H_{30}O_2$.
 Benostearic acid, $C_{22}H_{44}O_2$.
 Benzacine, $C_{32}H_{27}ON_3$.
 Benzacrylic acid, $C_8H_6O_2$.
 Benzamarone, $C_{70}H_{66}O_4$.
 Benzamil, $C_{23}H_{20}O_2N_2$ (?).
 Benzamsuccinic acid, $C_{11}H_{11}O_5N$.
 Benzaurin, $C_{19}H_{14}O_2$.
 Benzcreatine, $C_9H_{11}O_2N_3$.
 Benzcyanidine, $C_{24}H_{19}O_2N$.
 Benzdioxyanthraquinone, $C_{14}H_8O_4$.
 Benzene, C_6H_6 .
 Benzeneresorcimphthaleïn, $C_{26}H_{14}O_4$.
 Benzenylamidoxime, C_7H_8ON .
 Benzenylazoxime carbinol, $C_8H_6O_2N_2$.
 Benzerythrene, $C_{24}H_{18}$.
 Benzfural, $C_{12}H_8O_3$.
 Benzfuralic acid, $C_{12}H_{10}O_4$.
 Benzfuroïn, $C_{12}H_{10}O_3$.
 Benzglycocoyamine, $C_8H_9O_2N_3$.
 Benzhydramide, $C_{22}H_{18}ON_2$.
 Benzhydrol, $C_{13}H_{12}O$.
 Benzhydrolene, $C_{13}H_{10}$.
 Benzhydroxamic acid, $C_7H_7O_2N$.
 Benzhydrylpropionic acid, $C_{10}H_{12}O_3$.
 Benzidine, $C_{12}H_{12}N_2$.
 Benzil, $C_{14}H_{10}O_2$.
 Benzilam, $C_{42}H_{52}O_2N_2$.
 Benzilamine, $C_{14}H_9N$.
 Benzilic acid, $C_{14}H_{12}O_3$.
 Benzilimide, $C_{14}H_{11}ON$; $C_{25}H_{22}O_2N_2$;
 $C_{42}H_{32}O_4N_2$.
 Benzimide, $C_{23}H_{15}O_2N_2$.
 Benzoic acid, $C_7H_6O_2$.
 Benzoicin, $C_{24}H_{20}O_6$.
 Benzoin, $C_{14}H_{12}O_2$.
 Benzoinamide, $C_{21}H_{16}N_2$.
 Benzoinamine, $C_{28}H_{24}ON_2$.
 Benzoinimide, $C_{14}H_{11}N$.
 Benzolone, $C_{21}H_{15}O_2$; $C_{22}H_{16}O_2$.
 Benzonaphthone, C_9H_4O .
 Benzophenone, $C_{13}H_{10}O$.
 Benzostearic acid, $C_{21}H_{42}O_2$; $C_{22}H_{44}O_2$.
 Benzostilbene, $C_{14}H_{10}O$; $C_{31}H_{22}O_2$.
 Benzosuccinin, $C_{14}H_{14}O_6$.
 Benzotannic acid, $C_{27}H_{44}O_9$.
 Benzoylammeline, $C_{10}H_9O_2N_5$.
 Benzoylglycerol, $C_{10}H_{12}O_3$.
 Benzoylazotide, $C_{15}H_{12}N_2$.
 Benzoylhyperoxide, $C_{14}H_{10}O_4$.
 Benzpinacolin, $C_{26}H_{20}O$.
 Benzpinacone, $C_{26}H_{22}O_2$.
 Benzylaldoxime, C_7H_7ON .
 Benzylidenebenzidine, $C_{26}H_{20}N_2$.
 Berberine, $C_{20}H_{17}O_4N$.
 Berberic acid, $C_8H_5O_4$.
 Berberonic acid, $C_8H_5O_6N$.
 Bergamot camphor ($C_8H_6O_2$)ⁿ.
 Bergapten, $C_9H_6O_3$.
 Bergenitol, $C_8H_{10}O_5$.
 Beronic acid, $C_7H_5O_4N$.
 Betaïn, $C_6H_{11}O_2N$.
 Betaorcinol, $C_5H_{10}O_2$.
 Betulin, $C_{36}H_{60}O_3$.
 Betulinamaric acid, $C_{36}H_{62}O_{16}$.
 Betulinic acid, $C_{36}H_{54}O_6$.
 Betuloretinic acid, $C_{36}H_{66}O_6$.
 Bilianic acid, $C_{25}H_{36}O_9$.
 Bilic acid, $C_{16}H_{22}O_6$.
 Bilifuscin, $C_{16}H_{10}O_4N_2$.
 Bilihumin, A., 132, 341.
 Bilineurin, $C_5H_{15}O_2N$.
 Biliprasin, $C_{16}H_{22}O_6N_2$.
 Bilirubin, $C_9H_9O_2N$; $C_{32}H_{36}O_6N_4$.
 Biliverdin, $C_{32}H_{36}O_3N_4$.
 Bitter almond oil green, $C_{23}H_{26}ON_2$.
 Biuret, $C_2H_5O_2N_3$.
 Bixin, $C_{28}H_{34}O_5$.
 Boheic acid, $C_7H_{10}O_6$.
 Borneene, $C_{10}H_{16}$.
 Borneocamphene, $C_{10}H_{16}$.
 Borneol, $C_{10}H_{18}O$.
 Borneodambrose, $C_8H_{12}O_6$.
 Bornesite, $C_7H_{14}O_6$.
 Branchite, C_9H_{16} .
 Brasileïn, $C_{16}H_{15}O_6$.
 Brasilin, $C_{16}H_{14}O_5$.
 Brassidic acid, $C_{22}H_{42}O_2$.
 Brassylic acid, $C_{11}H_{20}O_4$.
 Breat, $C_{26}H_{44}O$.
 Bromdichroic acid, $C_{18}H_7Br_{11}O_{11}$.
 Bromanil, $C_6Br_4O_2$.
 Bromoxaform, $C_2HBr_6O_2$.
 Bromocodide, $C_{18}H_{20}BrO_2N$.
 Bromroquinol, $C_{12}H_6Br_4O_2$.
 Brucine, $C_{33}H_{26}O_4N_2$.
 Bryoidine, $C_{20}H_{38}O_3$.
 Bryonine, $C_{46}H_{80}O_{19}$.
 Bryoretine, $C_{21}H_{35}O_7$.
 Butane, C_4H_{10} .
 Butine, C_4H_6 .
 Butylene, C_4H_8 .
 Butylidene, $C_{11}H_{20}$.
 Butylene, $C_4H_{13}N_3$.
 Butyral, C_4H_8O .
 Butyric acid, $C_4H_8O_2$.
 Butyrolactone, $C_9H_{12}O_6$.
 Butyrolactone, $C_4H_6O_2$.
 Butyryne, $C_{14}H_{30}O_2$.
 Butyropinacone, $C_{14}H_{30}O_2$.
 Buxin, $C_{16}H_{21}O_3N$.
 Cacodyl, $C_4H_{12}As_2$.
 Cacodylic acid, $C_2H_7O_2As$.
 Cacostrychnine, $C_{21}H_{22}O_{11}N_5$.
 Cacotheleine, $C_{20}H_{22}O_3N_4$.
 Caffetannic acid, $C_{15}H_{18}O_8$.
 Caffic acid, $C_9H_9O_4$.
 Caffidine, $C_7H_{12}ON_4$.
 Caffeine, $C_8H_{10}O_2N_4$.
 Caffiol, $C_8H_{10}O_2$.
 Caffoline, $C_9H_9O_2N_3$.
 Caffuric acid, $C_6H_9O_4N_3$.
 Caïneic acid, $C_{40}H_{64}O_{16}$.
 Caïnecetin, $C_{22}H_{34}O_3$.
 Caïnecigenin, $C_{14}H_{24}O_2$.
 Caïncin, $C_{40}H_{64}O_{18}$.
 Cajepentene, $C_{10}H_{16}$; $C_{10}H_{22}O_3$.
 Cajeputul, $C_{10}H_{13}O$.
 Calamene, $C_{10}H_{16}$.
 Calutannic acid, $C_{14}H_{14}O_9$.
 Calluxanthin, $C_{14}H_{10}O_7$.
 Calycin, $C_{18}H_{12}O_5$.
 Camellin, $C_{53}H_{84}O_{19}$.
 Camomillene, $C_{10}H_{16}$.
 Camphene, $C_{10}H_{16}$.
 Campheride, $C_{16}H_{12}O_6$.
 Campheramic acid, $C_{10}H_{17}O_3N$.
 Campheramide, $C_{10}H_{15}O_2N$.
 Campherol, $C_{10}H_{16}O_2$.
 Camphilene, $C_{10}H_{16}$.
 Camphimide, $C_{10}H_{15}N$.
 Camphine, C_9H_{16} ; $C_{10}H_{18}$; $C_{13}H_{32}$.
 Camphinic acid, $C_{15}H_{16}O_2$.
 Camphocarbonic acid, $C_{11}H_{16}O_3$.
 Camphocarbonyl chloride, $C_{22}H_{28}Cl_8$.
 Camphocarboxylic acid, $C_{22}H_{32}O_6$.
 Camphoglycuronic acid, $C_{16}H_{24}O_8$.
 Camphol, $C_{10}H_{18}O$.
 Campholene, C_8H_{14} ; C_9H_{16} .
 Campholic acid, $C_{10}H_{18}O_2$.
 Camphor, $C_{10}H_{16}O$.
 Camphoranil, $C_{16}H_{19}O_2N$.
 Camphoranilic acid, $C_{16}H_{21}O_3N$.
 Camphoric acid, $C_{10}H_{16}O_4$.
 Camphorone, $C_9H_{14}O$.
 Camphoronic acid, $C_9H_{12}O_6$; $C_9H_{14}O_6$.
 Camphoroxime, $C_{10}H_{17}ON$.
 Camphorylchloride, $C_9H_{13}Cl$.
 Camphorylcodeïne, $C_{23}H_{35}O_6N$.

- Camphorylmorphine, $C_{27}H_{33}O_6N$.
 Camphorylsuperoxide, $C_{10}H_{14}O_4$.
 Camphoterebene, $C_{20}H_{32}$.
 Camphoterpene, $C_{20}H_{32}$.
 Camphrene, $C_9H_{14}O$; $C_8H_{12}O$.
 Camphrone, $C_{30}H_{44}O$.
 Camphryl chloride, $C_9H_{13}Cl$.
 Cannabene, C_9H_{10} .
 Cantharene, C_8H_{12} .
 Cantharic acid, $C_{10}H_{12}O_4$.
 Cantharidine, $C_8H_{12}O_2$; $C_{10}H_{12}O_4$.
 Cantharidic acid, $C_{10}H_{14}O_5$; $C_{10}H_{16}O_6$.
 Caoutchene, C_4H_8 ; $C_{10}H_{16}$; $C_{10}H_{22}O_3$.
 Capnomor, $C_xH_yO_z$.
 Capric acid, $C_{10}H_{20}O_2$.
 Caprinone, $C_{10}H_{18}O$.
 Caproic acid, $C_6H_{12}O_2$.
 Caprolactone, $C_6H_{10}O_2$.
 Caprone, $C_{11}H_{22}O$.
 Caprylic acid, $C_8H_{16}O_2$.
 Caprylidene, C_8H_{14} .
 Caprylone, $C_{15}H_{30}O$.
 Capsaicin, $C_9H_{14}O_2$.
 Capsulæic acid, $C_{13}H_{12}O_8$.
 Caramelan, $C_{12}H_{48}O_9$; $C_{24}H_{26}O_{13}$.
 Caramelen, $C_6H_{50}O_{25}$.
 Caramelin, $C_6H_4O_2$; $C_{24}H_{30}O_{15}$.
 Carbacetoxyllic acid, $C_3H_4O_4$.
 Carbamide, CH_4ON_2 .
 Carbamic acid, CH_3O_2N .
 Carbanil, C_7H_5ON .
 Carbanilic acid, $C_7H_7O_2N$.
 Carbazole, $C_{12}H_9N$.
 Carbazolic acid, $C_{13}H_9O_2N$.
 Carbazoline, $C_{12}H_{16}N$.
 Carbobenzonic acid, $C_{14}H_{10}O_2$.
 Carbocamphoric acid, $C_{20}H_{32}O_6$.
 Carbocapro lactonic acid, $C_7H_{10}O_4$.
 Carbocymolic acid, $C_{11}H_{14}O_2$.
 Carboisobutyraldine, $C_9H_{15}S_2N_2$.
 Carbomesyl, $C_{10}H_{11}ON$.
 Carbonaphtholic acid, $C_{11}H_8O_3$.
 Carbopetrocene, $C_{24}H_{18}$ and $(C_5H_2)_n$.
 Carbopyrottritic acid, $C_3H_8O_5$.
 Carbopyrrollic acid, $C_5H_5O_2N$.
 Carbostyryl, C_9H_7ON .
 Carbostyrylic acid, $C_9H_7O_2N$.
 Carbothialdine, $C_8H_{10}S_2N_2$.
 Carbovaleraldine, $C_{11}H_{22}S_2N_2$.
 Carbovalerolactonic acid, $C_6H_8O_4$.
 Carbollic acid, C_6H_6O .
 Carbusnetic acid, $C_{18}H_{16}O_7$.
 Carbusnic acid, $C_9H_{16}O_8$.
 Carboxethylfurfurine, $C_{18}H_{16}O_5N_2$.
 Carboxamidhippuric acid,
 $C_{19}H_{18}O_7N_4$.
 Carboxylcornicularic acid, $C_{19}H_{14}O_5$.
 Carboxytartronic acid, $C_4H_4O_7$.
 Cardol, $C_{21}H_{30}O_2$.
 Carmine red, $C_{11}H_{12}O_7$.
 Carmine sugar, $C_8H_{10}O_6$.
 Carminic acid, $C_{17}H_{15}O_{16}$.
 Carmufelic acid, $C_{12}H_{20}O_{16}$.
 Carnine, $C_7H_8O_8N_4$.
 Carotin, $C_{13}H_{21}O$.
 Carpene, C_9H_{14} .
 Carthamin, $C_{14}H_{16}O_7$.
 Carvaerol, $C_{10}H_{14}O$.
 Carvacrolic acid, $C_{11}H_{14}O_3$.
 Carvene, $C_{10}H_{16}$.
 Carvol, $C_{10}H_{14}O$.
 Carvoxime, $C_{10}H_{15}ON$; $C_{10}H_{17}ON$.
 Caryophyllin, $C_{20}H_{32}O_2$.
 Caryophyllic acid, $C_{20}H_{32}O_6$.
 Cascarrillin, $C_{12}H_{13}O_4$.
 Cassonic acid, $C_8H_8O_7$.
 Catechin, $C_{15}H_{18}O_8$; $C_{21}H_{18}O_8$;
 $C_{21}H_{20}O_9$; $C_{40}H_{35}O_{16}$; $C_{42}H_{34}O_{16}$;
 $C_{42}H_{36}O_{16}$; $C_{42}H_{38}O_{16}$.
 Catechinazobenzene, $C_{30}H_{26}O_8N_4$.
 Catecholcarbonate, $C_7H_4O_3$.
 Catechuic acid, $C_{15}H_{14}O_7$.
 Catechutannic acid, $C_{36}H_{34}O_{15}$.
 Catechuretlin, $C_{42}H_{30}O_{13}$.
 Cattelagic acid, $C_{14}H_{10}O_7$.
 Caulosterin, $C_{26}H_{44}O$.
 Cedar camphor, $C_{15}H_{20}O$.
 Cedrene, $C_{15}H_{24}$; $C_{16}H_{24}$.
 Cellulose, $(C_6H_{10}O_5)_n$.
 Cephalin, $C_{42}H_{79}O_{13}NP$.
 Cerasinose, $C_6H_{12}O_6$.
 Ceratophyllin, $C_xH_yO_z$.
 Cerebrin, $C_{17}H_{33}O_3N$; $C_{57}H_{110}O_{25}N_2$;
 $C_{80}H_{160}O_{15}N$.
 Cerebrose, $C_6H_{12}O_6$.
 Cerebrovic acid, $C_6H_{12}O_6$.
 Cerin, $C_{17}H_{28}O$; $C_{39}H_{48}O_4$.
 Cerinic acid, $C_{13}H_{20}O_4$.
 Ceropinic acid, $C_{36}H_{68}O_3$.
 Cerosin, $C_{24}H_{48}O$.
 Cerosinic acid, $C_{24}H_{48}O_2$.
 Cerotene, $C_{27}H_{54}$.
 Cerotic acid, $C_{27}H_{54}O_2$.
 Cerotinone, $C_{53}H_{106}O$.
 Ceroxylin, $C_{20}H_{32}O$.
 Cerylalcohol, $C_{27}H_{56}O$.
 Cespitine, $C_5H_{13}N$.
 Cetene, $C_{16}H_{32}$.
 Cetic acid, $C_{15}H_{30}O_2$.
 Cetin, $C_{16}H_{30}$.
 Cetin, $C_{32}H_{64}O_2$.
 Cetraric acid, $C_{18}H_{16}O_8$.
 Cetylidene, $C_{22}H_{42}O_6$.
 Cevadilline, $C_{34}H_{58}O_8N$.
 Cevadine, $C_{32}H_{49}O_9N$.
 Cevine, $C_{27}H_{43}O_8N$.
 Chairamidine, $C_{22}H_{26}O_4N_2$.
 Chairamine, $C_{22}H_{26}O_4N_2$.
 Chamomile oil, $C_{16}H_{16}O$.
 Chelamide, C_5H_5ON .
 Chelerythrine, $C_{17}H_{15}O_4N$.
 Chelidonic acid, $C_7H_4O_6$.
 Chelidonine, $C_{19}H_{17}O_3N_3$.
 Chelidoninic acid, $C_7H_{10}O_6$.
 Chenocholic acid, $C_{27}H_{44}O_4$.
 Chenopodine, $C_{12}H_{13}O_8N$.
 China red, $C_{12}H_{14}O_7$; $C_{28}H_{22}O_{14}$.
 Chinine, $C_{20}H_{25}ON_2$.
 Chinochromin, $C_{26}H_{38}O_2$.
 Chinovatannic acid, $C_{14}H_{18}O_8$.
 Chinova red, $C_{28}H_{26}O_{12}$.
 Chinovic acid, $C_{24}H_{35}O_4$.
 Chinovin, $C_{38}H_{62}O_{11}$.
 Chinvic acid, $C_{32}H_{48}O_6$.
 Chiratin, $C_{26}H_{48}O_{15}$.
 Chiratogenin, $C_{13}H_{24}O_3$.
 Chitenidine, $C_{19}H_{22}O_4N_2$.
 Chitenine, $C_{19}H_{22}O_4N_2$.
 Chitine, $C_{15}H_{26}O_{10}N_2$.
 Chlorhydrinimide, $C_{12}H_{23}Cl_2O_4N_3$.
 Chloral, C_2HCl_3O .
 Chloralbin, $C_6H_6Cl_2$.
 Chloralcarbamide, $C_2H_5Cl_2ON_3$;
 $C_3H_6Cl_6O_3N_2$.
 Chloralhydrate camphor, $C_{12}H_{19}Cl_3O_3$.
 Chloralide, $C_5H_2Cl_6O_3$.
 Chloralimide, $C_5H_2Cl_3N$.
 Chlornicene, C_5H_5Cl .
 Chlorocodide, $C_{18}H_{20}ClO_2N$.
 Chloroform, $CHCl_3$.
 Chlorogenine, $C_{21}H_{20}O_4N_2$.
 Chloropicrin, CCl_3O_2N .
 Chlorothioform, $C_2Cl_2S_3$.
 Chloroxethide, $C_8H_{16}O_7$.
 Chloroxethose, C_4Cl_6O .
 Cholanic acid, $C_{20}H_{28}O_6$; $C_{24}H_{36}O_7$;
 $C_{28}H_{36}O_7$.
 Cholecamphoric acid, $C_{10}H_{16}O_4$.
 Cholestenic acid, $C_{25}H_{40}O_4$.
 Cholesterilene, $C_{26}H_{42}$.
 Cholesterin, $C_{26}H_{44}O$.
 Cholesteric acid, $C_8H_{10}O_5$; $C_{12}H_{16}O_7$.
 Cholestrone, $C_{26}H_{42}$.
 Cholestrophane, $C_5H_6O_3N_2$.
 Choleteline, $C_{15}H_{18}O_6N_2$.
 Cholic acid, $C_{24}H_{40}O_5$.
 Choline, $C_5H_{15}O_2N$.
 Chologlycollic acid, $C_{26}H_{42}O_7$.
 Choloïdanic acid, $C_{17}H_{25}O_7$.
 Choloïdic acid, $C_{24}H_{38}O_4$; $C_{48}H_{78}O_9$.
 Cholposphinic acid, $C_{72}H_{114}O_{15}P_2$.
 Chrysidine, $C_{28}H_9O_4N_3$.
 Chrysammic acid, $C_{34}H_{20}O_{12}N_4$.
 Chrysaniline, $C_{20}H_{17}N_3$.
 Chrysanic acid, $C_7H_5O_6N_3$.
 Chrysarobin, $C_{30}H_{26}O_7$.
 Chrystatinic acid, $C_{24}H_{20}O_{19}N_6$.
 Chryszazin, $C_{14}H_8O_4$.
 Chryszazol, $C_{14}H_{10}O_2$.
 Chrysean, $C_4H_5S_2N_3$.
 Chrysene, $C_{18}H_{12}$.
 Chrysezarin, $C_{18}H_{10}O_4$.
 Chrysin, $C_{15}H_{10}O_4$.
 Chrysocammic acid, $C_{18}H_6O_{12}N_6$.
 Chrysoïdine, $C_{12}H_{12}N_4$.
 Chrysophanic acid, $C_{15}H_{10}O_4$.
 Chrysotoluidine, $C_{21}H_{21}N_3$.
 Ciutene, $C_{10}H_{16}$.
 Cimic acid, $C_{15}H_{28}O_2$.
 Cinacrol, $C_{10}H_{18}O_2$.
 Cinchamidine, $C_{19}H_{24}ON_2$;
 $C_{20}H_{26}ON_2$.
 Cinchene, $C_{19}H_{20}N_2$.
 Cinchocerotic acid, $C_{10}H_{22}O_2$.
 Cinchocerotin, $C_{27}H_{46}O_2$.
 Cincholepidine, $C_{10}H_9N$.
 Cinchomeronic acid, $C_7H_5O_4N$.
 Cinchonamine, $C_{19}H_{24}ON_2$.
 Cinchonidine, $C_{19}H_{22}ON_2$.
 Cinchonine, $C_{19}H_{22}ON_2$.
 Cinchononic acid, $C_7H_6O_5$.
 Cincnoninic acid, $C_{10}H_7O_2N$.
 Cinchotenicine, $C_{18}H_{20}O_3N_2$.
 Cinchotenicidine, $C_{18}H_{20}O_3N_2$.
 Cinchotenine, $C_{18}H_{20}O_3N_2$.
 Cinchotine, $C_{10}H_{24}ON_2$.
 Cinnoline, $C_8H_6N_2$.
 Cinnamene, C_8H_8 .
 Cinnamic acid, $C_9H_8O_2$.
 Cinnyl tribromide, $C_9H_9Br_3$.
 Cinœbene, $C_{10}H_{16}$.
 Cinœphene, $C_{20}H_{32}$.
 Citracetic acid, $C_6H_6O_6$.
 Citraconic acid, $C_8H_6O_4$.
 Citramalic acid, $C_5H_8O_5$.
 Citramethane, $C_8H_{14}O_6N_2$.
 Citratartaric acid, $C_5H_8O_6$.
 Citrazinic acid, $C_6H_6O_4N$.
 Citrene, $C_{10}H_{16}$.
 Citric acid, $C_6H_8O_7$.
 Citromannitol, $C_{12}H_{14}O_7$.
 Citronellol, $C_{10}H_{16}O$.
 Cladonic acid, $C_{18}H_{18}O_7$.
 Cnicin, $C_{42}H_{56}O_{18}$.
 Cocaine, $C_{17}H_{21}O_4N$.
 Coccinin, $C_{14}H_{12}O_5$.
 Coccognin, $C_{20}H_{22}O_8$.
 Cochlearin, $C_6H_{14}O_2$ (?).
 Cocinin, $C_{42}H_{80}O_6$.
 Codamine, $C_{19}H_{23}O_3N$; $C_{20}H_{25}O_4N$.
 Codeïne, $C_{18}H_{21}O_3N$.
 Codethyline, $C_{19}H_{23}O_3N$.
 Coerulein, $C_{20}H_{10}O_6$.
 Cœrulignol, $C_{10}H_{14}O_2$.
 Cœrulim, $C_{20}H_{12}O_6$.
 Colchiceïne, $C_{17}H_{19}O_5N$; $C_{17}H_{21}O_5N$;
 $C_{35}H_{42}O_{11}N_2$.
 Colchicine, $C_{17}H_{19}O_5N$; $C_{17}H_{23}O_6N$.
 Colchicoresin, $C_{24}H_{39}O_{10}N$.
 Coleïn, $C_{10}H_{10}O_5$.
 Collidine, $C_9H_{11}N$.
 Collinic acid, $C_6H_4O_2$.
 Colloïdine, $C_{18}H_{30}O_{12}N_2$.
 Colloturine, $C_8H_6O_2N_4$.
 Colocynthein, $C_{34}H_{64}O_{13}$.
 Colocynthin, $C_{56}H_{84}O_{23}$.
 Colophanthrene, C_xH_y .
 Colophene, $C_{10}H_{16}$.
 Colophene, $C_{20}H_{32}O$.
 Colophonone, $C_{11}H_{18}O_2$.
 Colophthalin, $C_{11}H_{10}$.

- Colophthalmine, $C_{10}H_6O_2$.
 Colophthalmic acid, $C_{10}H_6O_4$.
 Columbin, $C_{21}H_{22}O_7$.
 Columbic acid, $C_{21}H_{22}O_8$.
 Comenic acid, $C_6H_4O_5$.
 Conchairamidine, $C_{22}H_{26}O_4N_2$.
 Conchairamine, $C_{22}H_{26}O_4N_2$.
 Concusconidine, $C_{23}H_{26}O_4N_2$.
 Concusconine, $C_{23}H_{26}O_4N_2$.
 Conessin, $C_{26}H_{42}ON_2$.
 Conethylalkine, $C_{10}H_{21}ON$.
 Conhydrin, $C_8H_{17}ON$.
 Coniferin, $C_{16}H_{22}O_8$.
 Coniferyl alcohol, $C_{10}H_{12}O_3$.
 Coniine, $C_8H_{15}N$; $C_8H_{17}N$.
 Coniinic acid, $C_7H_{15}O_2N$.
 Conilinephthamic acid, $C_{16}H_{21}O_3N$.
 Conimene, $C_{15}H_{24}$.
 Conquinamine, $C_{19}H_{24}O_2N_2$.
 Conquinine, $C_{20}H_{24}O_2N_2$.
 Convallamaretin, $C_{20}H_{36}O_8$.
 Convallamarin, $C_{23}H_{44}O_2$.
 Convallarin, $C_{34}H_{62}O_{11}$.
 Convicine, $C_{10}H_{14}O_7N_3$.
 Convolvulin, $C_{34}H_{50}O_{16}$.
 Convolvulinic acid, $C_{31}H_{52}O_{17}$.
 Convolvulinol, $C_{26}H_{50}O_7$.
 Convolvulinolic acid, $C_{13}H_{24}O_3$.
 Conylene, C_8H_{14} .
 Conylene glycol, $C_8H_{16}O_2$.
 Copabene, $C_{10}H_{16}$.
 Copaibic acid, $C_{20}H_{30}O_2$.
 Copaibaol hydrate, $C_{60}H_{98}O$.
 Corallin, $C_{19}H_{14}O_3$; $C_{40}H_{38}O_{11}$.
 Corallinphthalein, $C_{20}H_{14}O_4$.
 Coriamyrtin, $C_{30}H_{36}O_{10}$.
 Coridine, $C_{10}H_{15}N$.
 Corine, $C_6H_{10}O_3N_2$.
 Cornicularic acid, $C_{17}H_{14}O_3$.
 Corticinic acid, $C_{12}H_{10}O_6$.
 Corydalin, $C_{15}H_{19}O_4N$.
 Cotarnine, $C_{12}H_{13}O_3N$.
 Cotarninic acid, $C_{11}H_{12}O_4$.
 Cotogenin, $C_{14}H_{14}O_5$.
 Cotoin, $C_{21}H_{20}O_6$; $C_{22}H_{18}O_6$.
 Coumaric acid, $C_9H_8O_3$.
 Conmarilic acid, $C_9H_8O_3$.
 Coumarin, $C_9H_6O_2$.
 Coumarone, C_9H_6O .
 Creatine, $C_4H_9O_2N_3$.
 Creatinine, $C_4H_7ON_3$.
 Cressol, $C_8H_{10}O_2$.
 Cresol, C_7H_8O .
 Cresolaurin, $C_{22}H_{26}O_3$.
 Cresolphthalein, $C_{22}H_{18}O_4$.
 Cresolphthalin, $C_{22}H_{20}O_4$.
 Cresoreinol, $C_7H_8O_3$.
 Cresoreinfluorescein, $C_{22}H_{16}O_5$.
 Cresylpurpuric acid, $C_9H_7O_6N_5$.
 Crocetin, $C_{34}H_{46}O_{11}$.
 Crocin, $C_{16}H_{18}O_6$; $C_{33}H_{36}O_{31}$.
 Crocinhydrate, $C_{32}H_{38}O_{13}$.
 Croconic acid, $C_5H_2O_5$.
 Crotaconic acid, $C_6H_6O_4$.
 Crotonic acid, $C_4H_6O_2$.
 Crotonylene, C_4H_6 .
 Cryptidine, $C_{11}H_{11}N$.
 Cryptophanic acid, $C_5H_9O_5N$.
 Cryptopine, $C_{21}H_{23}O_5N$; $C_{23}H_{25}O_5N$.
 Cubebic acid, $C_{13}H_{14}O_7$; $C_{14}H_{16}O_4$; $C_{23}H_{32}O_8$.
 Cubebin, $C_{10}H_{10}O_3$; $C_{17}H_{16}O_5$.
 Cubebs camphor, $C_{15}H_{26}O$.
 Cumene, C_9H_{12} .
 Cumidic acid, $C_{10}H_{10}O_4$.
 Cumidine, $C_9H_{13}N$.
 Cuminic acid, $C_{10}H_{12}O_2$.
 Cuminilic acid, $C_{20}H_{24}O_3$.
 Cuminylic acid, $C_{20}H_{22}O_2$.
 Cummin oil, $C_{20}H_{34}O$.
 Cuminoil, $C_{10}H_{24}O_2$.
 Cuminol, $C_{10}H_{12}O$.
 Cuminuric acid, $C_{12}H_{15}O_3N$.
 Cumostyryl, $C_{12}H_{13}ON$.
 Cupreine, $C_{11}H_7O_3N$.
 Cupronine, $C_{20}H_{15}O_6N_2$; $C_{21}H_{15}O_6N_2$.
 Curarine, $C_{18}H_{35}N$.
 Curcumine, $C_{15}H_{10}O_3$; $C_{14}H_{14}O_4$.
 Cuscamine, $C_8H_8O_4N_4$.
 Cusconine, $C_{23}H_{26}O_4N_2$.
 Cusparine, $C_{19}H_{17}O_3N$.
 Cyalbidin, $C_{76}H_{112}O_{26}SN_{22}$.
 Cyamelide, $CHON$.
 Cyamehric acid, $C_6H_5O_3N_7$.
 Cyamidoamic acid, $C_{13}H_{14}O_7N_6$.
 Cyananiline, C_6H_7N .
 Cyanbenzine, $C_{24}H_{21}N_3$.
 Cyancamphor, $C_{11}H_{15}ON$.
 Cyanconiine, $C_9H_{14}N_2$.
 Cyanethine, $C_9H_{15}N_3$.
 Cyanic acid, $CHON$.
 Cyanilic acid, $C_5H_5O_3N_3$.
 Cyanine, $C_{30}H_{39}IN_2$.
 Cyanmethine, $C_8H_9N_3$.
 Cyanoforn, C_4HN_3 .
 Cyanogen, C_2N_2 .
 Cyanuromalic acid, $C_6H_6O_4N_4$.
 Cyanuric acid, $C_3H_3O_3N_3$.
 Cyaphenine, $C_{21}H_{16}N_3$; $(C_7H_2N)_n$.
 Cyclamin, $C_{20}H_{34}O_{10}$; $C_{32}H_{54}O_{18}$.
 Cyclamiretin, $C_{15}H_{22}O_2$.
 Cyclopia red, $C_{19}H_{22}O_{10}$.
 Cyclopin, $C_{25}H_{28}O_{13}$.
 Cyclopic acid, $C_7H_8O_4$.
 Cymene, $C_{10}H_{14}$.
 Cymidine, $C_{10}H_{15}N$.
 Cymophenol, $C_{10}H_{14}O$.
 Cymothymol, $C_{10}H_{14}O$.
 Cynanchin, $C_{15}H_{24}O$.
 Cynanchocerin, $C_{15}H_{24}O$.
 Cynanchol, $C_{15}H_{14}O$.
 Cynene, $C_{10}H_{16}$; $C_{12}H_{18}$.
 Cystine, $C_3H_7O_2SN$.
 Cytisine, $C_{20}H_{27}ON_3$.
 Damaluric acid, $C_6H_{10}O_2$; $C_7H_{12}O_2$.
 Dambonite, $C_4H_5O_3$; $C_8H_{16}O_6$.
 Dambose, $C_6H_{12}O_6$.
 Dammaran, $C_{40}H_{62}O_6$.
 Danmaranic acid, $C_{40}H_{62}O_7$.
 Dammaryl, $C_{45}H_{72}$.
 Dammarylic acid, $C_{45}H_{72}O_3$.
 Damiolic acid, $C_{12}H_{22}O_2$.
 Daphnetin, $C_9H_6O_4$; $C_{19}H_{14}O_9$.
 Daphnin, $C_{15}H_{16}O_9$; $C_{31}H_{24}O_{19}$.
 Datisctin, $C_{15}H_{10}O_6$.
 Patiscin, $C_{21}H_{22}O_{12}$.
 Daturine, $C_{17}H_{23}ON$.
 Decacrylic acid, $C_{10}H_{18}O_2$.
 Decane, $C_{10}H_{22}$.
 Decanaphthene, $C_{10}H_{20}$.
 Decarbusnein, $C_{17}H_{18}O_6$.
 Decarbusnic acid, $C_9H_{10}O_3$; $C_{15}H_{16}O_5$.
 Decenylene, $C_{10}H_{18}$.
 Decin, $C_{10}H_{18}$.
 Decone, $C_{10}H_{16}$.
 Decylene, $C_{10}H_{20}$.
 Dehydracetic acid, $C_8H_8O_4$.
 Dehydrocamphor, $C_{10}H_{14}O$.
 Dehydrocholalic acid, $C_{25}H_{36}O_5$.
 Dehydromucic acid, $C_6H_4O_5$.
 Delphinine, $C_{22}H_{35}O_6N$; $C_{24}H_{35}O_2N$.
 Delphinoidin, $C_{42}H_{68}O_7N_2$.
 Delphisin, $C_{27}H_{46}O_4N_2$.
 Deoxyamalic acid, $C_{12}H_{14}O_6N_4$.
 Deoxyanisoil, $C_{18}H_{16}O_3$.
 Deoxybenzoipinacone, $C_{28}H_{26}O_2$.
 Deoxyphorone, $C_{18}H_{22}O$.
 Desoxalic acid, $C_5H_6O_8$.
 Dextran, $C_6H_{10}O_5$.
 Dextrin, $(C_6H_{10}O_5)_n$.
 Dextroglucose, $C_6H_{12}O_6$.
 Dextronic acid, $C_6H_{12}O_7$.
 Dextrose, $C_6H_{12}O_6$.
 Diacetonealkamine, $C_6H_{15}ON$.
 Diacetoneamine, $C_6H_{13}ON$.
 Diacetic alcohol, $C_6H_{12}O_2$.
 Diacrylic acid, $C_6H_8O_4$.
 Dialactamidic acid, $C_6H_{11}O_4N$.
 Diallyl, C_3H_5 .
 Diallylene, C_6H_8 .
 Diallylidenediphenamine, $C_{18}H_{18}N_2$.
 Dialuric acid, $C_4H_4O_4N_2$.
 Diamylene, $C_{10}H_{20}$.
 Diamylin, $C_{13}H_{28}O_3$.
 Dianhydrolupinine, $C_{21}H_{36}N_2$.
 Dianilinhydrin, $C_{15}H_{18}ON_2$.
 Dianishydroxamic acid, $C_{16}H_{15}O_5N$.
 Dianisotriureide, $C_{19}H_{24}O_5N_6$.
 Diantipyrine, $C_{22}H_{22}O_2N_4$.
 Diapocinchonin, $C_{38}H_{44}O_2N_4$.
 Diapotetramorphine, $C_{138}H_{148}O_{22}N_8$.
 Diarachin, $C_{43}H_{84}O_5$.
 Diarbutin, $C_{25}H_{32}O_{14}$.
 Diaterbic acid, $C_7H_{12}O_6$.
 Diaterpenylic acid, $C_8H_{14}O_5$.
 Diazoacetamide, $C_2H_3ON_3$.
 Diazobenzoimide, $C_7H_5O_2N_3$.
 Diazobenzolamide, $C_6H_5N_3$.
 Diazocamphor, $C_{10}H_{14}ON_2$.
 Diazoethoxan, $C_4H_{10}O_2N_2$.
 Diazoorsorcin, $C_{18}H_{10}O_6N_2$.
 Diazoorsorufin, $C_{36}H_{18}O_9N_4$.
 Diazorosanine, $C_{20}H_{10}N_6$.
 Diazothymol, $C_{10}H_{12}ON_2$.
 Dibarbituric acid, $C_8H_6O_4N_4$.
 Dibenzhydrylamine, $C_{26}H_{23}N$.
 Dibenzyl, $C_{14}H_{14}$.
 Dibutylactinic acid, $C_8H_{14}O_3$.
 Dibutyraldine, $C_8H_{17}ON$.
 Dibutyl, $C_8H_{14}O_2$.
 Dicamphorilimide, $C_{20}H_{31}O_2N$.
 Dicarboxylprolactonic acid, $C_8H_{10}O_6$.
 Dicarbothionic acid, $C_2H_2O_4S$.
 Dicarboxethylamidamarine, $C_{27}H_{27}O_3N_3$.
 Dichromatic acid, $C_{20}H_{34}O_3$.
 Dichonchine, $C_{40}H_{46}O_3N_4$.
 Diconic acid, $C_9H_{10}O_6$.
 Diconylene alcohol, $C_{16}H_{30}O_3$.
 Dicoitin, $C_{44}H_{34}O_{11}$.
 Dicumyl, $C_{22}H_{26}$.
 Didenactamidic acid, $C_6H_{11}O_4N$.
 Diepinic acid, $C_7H_4O_4$.
 Diethoxalic acid, $C_6H_{12}O_3$.
 Diethylcarbobenzoic acid, $C_{18}H_{18}O_2$.
 Diethylidaphnetilic acid, $C_{13}H_{14}O_5$.
 Diethylin, $C_7H_{16}O_3$.
 Diethylsemicarbazide, $C_{15}H_{13}ON_3$.
 Diffuan, $C_3H_4O_3N_2$.
 Difrangulic acid, $C_{28}H_{18}O_9$.
 Digallic acid, $C_{14}H_{10}O_9$.
 Digitalacrin, $C_{11}H_{22}O_2$.
 Digitalin, $C_{22}H_{38}O_9$.
 Digitalin, $C_6H_5O_2$; $C_{21}H_{23}O_9$; $C_{27}H_{45}O_{15}$.
 Digitaliretin, $C_{16}H_{26}O_3$.
 Digitin $(C_4H_5O_2)_n$.
 Digitonin, $C_{31}H_{52}O_{17}$.
 Digitoxin, $C_{21}H_{32}O_7$ (?).
 Diguamide, $C_2H_7N_6$.
 Dihydrocarboxylic acid, $C_{10}H_8O_{11}$.
 Diimidoisatin, $C_{16}H_{12}O_2N_4$.
 Diisatogen, $C_{16}H_8O_4N_2$.
 Diisoprene, $C_{10}H_{16}$.
 Dimethylacetal, $C_4H_{10}O_2$.
 Dimethylsulphone, $C_2H_6O_2S$.
 Dimetoxybenzoid, $C_{14}H_{10}O_5$.
 Dinaphthyl, $C_{20}H_{14}$.
 Dinaphthylanthrylene, $C_{22}H_{12}$.
 Dienanthylidenediphenamine, $C_{26}H_{38}N_2$.
 Dioxaethylin, $C_{12}H_{18}N_4$.
 Dioxindole, $C_8H_7O_2N$.
 Dioxymorphine, $C_{17}H_{19}O_2N$.
 Dioxyretistene, $C_{16}H_{14}O_2$.
 Diphenanthrenazotide, $C_{28}H_{16}N_2$.
 Diphenic acid, $C_{14}H_{10}O_4$.
 Diphenine, $C_{12}H_{14}N_4$.
 Diphenic phthalein, $C_{26}H_{18}O_4$.

- Diphenylaminacrolein, $C_{27}H_{24}N_2$.
 Diphenylhydrazine, $C_{12}H_{12}N_2$.
 Diphenylene, $C_{12}H_{12}N_2$.
 Diphthalimidodiphenyl, $C_{28}H_{16}O_4N_2$.
 Diphthalyl, $C_{16}H_8O_4$.
 Diphthalylaldehydic acid, $C_{16}H_{10}O_5$.
 Diphthalic acid, $C_{16}H_{10}O_6$.
 Dipiperityltetrazene, $C_{10}H_{16}N_4$.
 Dipropargyl, C_6H_6 .
 Dipyridyl, $C_{10}H_8N_2$.
 Dipyrrogallopropionic acid, $C_{15}H_{14}O_8$.
 Dipyrotacetone, $C_8H_{12}O_2$.
 Dipyrvintriureid, $C_9H_{12}O_5N_6$.
 Diquinoline, $C_{18}H_{14}N_2$.
 Diquinolyline, $C_{18}H_{12}N_2$.
 Disacryl, C_5H_4O .
 Disacryl resin ($C_{10}H_{13}O_3$)_n.
 Dispoline, $C_{11}H_{11}N$.
 Distyrenic acid, $C_{17}H_{16}O_2$.
 Ditaïne, $C_{22}H_{23}O_4N_2$.
 Ditamine, $C_{19}H_{19}O_2N$.
 Ditartrylic acid, $C_8H_{10}O_{11}$.
 Dithiodiprussamic acid, $C_6H_7S_2N_9$.
 Ditolyl, $C_{14}H_{14}$.
 Ditolylphthalid, $C_{22}H_{18}O_2$.
 Diureidbenzoic acid, $C_9H_{10}O_4N_4$.
 Divicin, $C_{22}H_{38}O_9N_{20}$; $C_{31}H_{50}O_{16}N_{30}$.
 Divinyl, C_4H_6 .
 Docosane, $C_{22}H_{46}$.
 Dodecanaphthene, $C_{12}H_{24}$.
 Dodecane, $C_{12}H_{26}$.
 Doeglic acid, $C_{19}H_{36}O_2$.
 Drupose, $C_{12}H_{20}O_8$.
 Dulcamaretin, $C_{16}H_{26}O_6$.
 Dulcamarin, $C_{22}H_{34}O_{10}$.
 Dulcid, $C_6H_{12}O_4$.
 Dulcitol, $C_6H_{14}O_6$.
 Dulcitamine, $C_6H_{15}O_5N$.
 Dulcitan, $C_6H_{12}O_5$.
 Dulcitoltartaric acid, $C_{14}H_{20}O_{15}$.
 Dumasine, $C_6H_{10}O$.
 Duodecane, $C_{12}H_{26}$.
 Duodecine, $C_{12}H_{22}$.
 Duodecylene, $C_{12}H_{24}$.
 Duodecylic acid, $C_{12}H_{24}O_2$.
 Duplothiacetone, $C_6H_{12}S_2$.
 Durene, $C_{10}H_{14}$.
 Duorylbenzoic acid, $C_{18}H_{18}O_3$.
 Duric acid, $C_{10}H_{12}O_2$.
 Dyslysin, $C_{24}H_{36}O_3$.
 Dyslyte, $C_3H_6O_6N_4$.
 Ecgonine, $C_9H_{15}O_3N$.
 Echicauschin, $C_{25}H_{40}O_2$.
 Echiceric acid, $C_{30}H_{46}O_4$.
 Echicerin, $C_{30}H_{48}O_2$.
 Echiretin, $C_{35}H_{56}O_2$.
 Echitamine, $C_{22}H_{28}O_4N_2$.
 Echiteïn, $C_{42}H_{70}O_2$.
 Echitenine, $C_{20}H_{27}O_4N$.
 Echitin, $C_{32}H_{52}O_2$.
 Eicosane, $C_{20}H_{42}$.
 Eicosylene, $C_{20}H_{38}$.
 Elaïdic acid, $C_{18}H_{34}O_2$.
 Elaïdin, $C_5H_{10}O_6$.
 Elaldhyde (C_2H_4O)_n.
 Elaterin, $C_{20}H_{28}O_5$.
 Elemic acid, $C_{35}H_{56}O_4$.
 Eleomargaric acid, $C_{17}H_{30}O_2$.
 Eleostearic acid, $C_{17}H_{30}O_2$.
 Ellagene, $C_{14}H_{10}$.
 Ellagentannic acid, $C_{14}H_6O_3$; $C_{14}H_{10}O_{10}$.
 Ellagic acid, $C_{14}H_6O_3$; $C_{14}H_8O_9$; $C_{13}H_{10}O_{10}$; $C_{14}H_{16}O_8$.
 Emetine, $C_{30}H_{44}O_4N_2$.
 Emodin, $C_{15}H_{10}O_5$; $C_{40}H_{30}O_{13}$.
 Encephaline, $C_{102}H_{206}O_{19}N_{14}$.
 Endecanaphthene, $C_{11}H_{22}$.
 Eosin, $C_{20}H_8O_5Br_4$.
 Epichlorhydrin, C_3H_5ClO .
 Epicyanhydrin, C_3H_5ON .
 Epiphydrin alcohol, $C_3H_6O_2$.
 Epiphydrincarboxylic acid, $C_4H_6O_3$.
 Epioxyphenylhydrin, $C_9H_{10}O_2$.
 Ergotinine, $C_{25}H_{40}O_6N_4$.
 Ericinol, $C_{10}H_{16}O$.
 Ericinone, $C_{24}H_{24}O_9$.
 Ericoline, $C_{34}H_{56}O_{21}$.
 Erlen red, $C_{25}H_{22}O_8$.
 Erucic acid, $C_{22}H_{42}O_2$.
 Erythrin, $C_{12}H_4O_6$; $C_{20}H_{22}O_{10}$.
 β- „ „ $C_{21}H_{24}O_{10}$.
 Erythric acid, $C_{20}H_{22}O_{10}$; $C_{28}H_{30}O_{14}$.
 Erythrocentaurin, $C_{27}H_{24}O_8$.
 Erythrol, $C_4H_{10}O_4$.
 Erythroltartaric acid, $C_{12}H_{16}O_{14}$.
 Erythroprocatechol, $C_{18}H_2Br_{10}O$.
 Erythroglucinic acid, $C_4H_8O_5$.
 Eserine, $C_{15}H_{21}O_2N_3$.
 Ethal, $C_{16}H_{34}O$.
 Ethane, C_2H_6 .
 Ethenylamidoxime, $C_2H_6ON_2$.
 Etherin (C_2H_4)_n.
 Etherol (C_2H_4)_n.
 Ethionic acid, $C_2H_6O_2S_2$.
 Ethylalldoxime, C_3H_5ON .
 Ethylazaurolic acid, $C_4H_8O_2N_4$; $C_6H_{12}O_2N_4$.
 Ethyleumazonic acid, $C_{13}H_{15}O_3N$.
 Ethylene, C_2H_4 .
 Ethylic carbamate, $C_3H_7O_2N$.
 Ethylisatoxime, $C_{10}H_{10}O_2N_2$.
 Ethyllencazone, $C_4H_7ON_3$.
 Ethylperoxide, $C_8H_{20}O_3$.
 Ethylpicrazide, $C_8H_9O_6N_3$.
 Ethylquinazole, $C_{10}H_{12}N_2$.
 Ethylsalidine, $C_{27}H_{30}O_3N_2$.
 Ethylideneurethane, $C_3H_6O_4N_2$.
 Ettidine, $C_{15}H_{19}N$.
 Eucalyn, $C_6H_{12}O_6$.
 Eucalyptene, $C_{10}H_{16}$; $C_{12}H_{18}$.
 Eucalyptolene, $C_{12}H_{18}$.
 Eucalyptol, $C_{10}H_{16}O$; $C_{12}H_{18}O_8$.
 Euehroic acid, $C_{12}H_4O_8N_2$.
 Eugenol, $C_{10}H_{12}O_2$.
 Eugetic acid, $C_{11}H_{12}O_4$.
 Eulysin, $C_{24}H_{36}O_3$.
 Eulyte, $C_6H_6O_7N_4$.
 Euodic aldehyde, $C_{11}H_{22}O$.
 Euosmite, $C_{34}H_{58}O_2$.
 Enphorbone, $C_{13}H_{22}O$; $C_{15}H_{24}O$.
 Eupione, C_6H_{12} .
 Eupittonic acid, $C_{25}H_{26}O_9$.
 Enthiochronic acid, $C_6H_4O_{10}S_2$.
 Euxanthic acid, $C_{19}H_{18}O_{11}$.
 Euxanthone, $C_{13}H_8O_4$.
 Euxanthonic acid, $C_{13}H_{10}O_5$.
 Everniin, $C_6H_{14}O_7$.
 Evernic acid, $C_9H_{10}O_4$.
 Evernic acid, $C_{17}H_{16}O_7$.
 Excretin, $C_{20}H_{36}O$.
 „ „ $C_{73}H_{156}O_2S$.
 Felicic acid, $C_{13}H_{16}O_5$.
 Ferulic acid, $C_{10}H_{10}O_4$.
 Fibroïn, $C_{15}H_{23}O_6N_5$.
 Fichtelite, $C_{40}H_{70}$.
 Filix acid, $C_{14}H_{18}O_5$.
 Fiscic acid, $C_2H_7O_2$.
 Fisetin, $C_{15}H_{10}O_6$.
 Flavaneline, $C_{16}H_{14}N_2$.
 Flaveanhydride, $C_2H_2SN_2$.
 Flavonol, $C_{16}H_{13}ON$.
 Flavol, $C_{14}H_{10}O_2$.
 Flavoline, $C_6H_{13}N$.
 Flavopurpurin, $C_{14}H_8O_5$.
 Fluavil, $C_{20}H_{32}O$.
 Fluoranthene, $C_{15}H_{10}$.
 Fluorene, $C_{13}H_{10}$.
 Fluorenic acid, $C_{14}H_{10}O_2$.
 Fluorenic alcohol, $C_{13}H_{10}O$.
 Fluoresceïn, $C_{20}H_{12}O_5$.
 Fluoresceincarboxylic acid, $C_{21}H_{12}O_7$.
 Fluorescin, $C_{20}H_{14}O_5$.
 Fluoresorcin, $C_{20}H_{14}O_6$.
 Formic acid, CH_2O_2 .
 Formoguanamine, $C_3H_5N_5$.
 Formomelamine, $C_4H_6ON_6$.
 Formonetin, $C_{24}H_{20}O_6$.
 Frangulic acid, $C_{14}H_8O_4$.
 Frangulin, $C_{20}H_{20}O_{10}$.
 Fraxetin, $C_{10}H_8O_5$.
 Fraxin, $C_{16}H_{18}O_{10}$; $C_{21}H_{22}O_{13}$; $C_{27}H_{30}O_{17}$.
 Fraxitannic acid, $C_{13}H_{16}O_7$.
 Fucsamide, $C_{13}H_{12}O_3N_2$.
 Fucusine, $C_{16}H_{12}O_3N_2$.
 Fucosol, $C_5H_4O_2$; $C_5H_{10}O_2$.
 Fulminuric acid, $C_3H_3O_3N_3$.
 Fulmitetraguanurate, $C_7H_{13}O_3N_{11}$.
 Fulmitriguanurate, $C_5H_{11}O_3N_9$.
 Fumaric acid, $C_4H_4O_4$.
 Fumerol, $C_{19}H_{28}O$.
 Furfuracroleïn, $C_7H_6O_2$.
 Furfuracrylic acid, $C_7H_6O_3$.
 Furfuraldoxime, $C_6H_5O_2N$.
 Furfuramide, $C_{15}H_{12}O_3N_2$.
 Furfurangelic acid, $C_9H_{10}O_3$.
 Furfuraniline, $C_{17}H_{18}O_2N_2$.
 Furfurbenzidine, $C_{22}H_{16}ON_2$.
 Furfurbutylene, $C_{10}H_{12}$.
 Furfurine, $C_{15}H_{12}O_3N_2$.
 Furfurool, $C_5H_4O_2$.
 Furfurpropionic acid, $C_7H_8O_3$.
 Furfurtoluidine, $C_{18}H_{22}O_2N_2$.
 Furfuryl alcohol, $C_5H_6O_2$.
 Furi!, $C_{10}H_6O_4$.
 Furilic acid, $C_{10}H_8O_5$.
 Furoïn, $C_{10}H_8O_4$.
 Furonic acid, $C_7H_8O_5$.
 Fuscophlobaphene, $C_{27}H_{26}O_{12}$.
 Gaïdic acid, $C_{16}H_{30}O_2$; $C_{18}H_{34}O_2$.
 Galactin, $C_6H_{10}O_5$; $C_5H_7O_4N_4$.
 Galactose, $C_6H_{12}O_6$.
 Galangin, $C_{16}H_{10}O_5$.
 Galbanum oil, $C_{10}H_{16}O$.
 Galipeïne, $C_{20}H_{21}O_3N$.
 Gallacetone, $C_9H_{10}O_3$.
 Gallacetophenone, $C_9H_8O_4$.
 Gallactucone, $C_{14}H_{24}O$.
 Gallactic acid, $C_{14}H_{10}O_9$.
 Galleïn, $C_{20}H_{10}O_7$.
 Gallic acid, $C_7H_6O_5$.
 Gallin, $C_{20}H_{14}O_7$.
 Gallol, $C_{20}H_{16}O_6$.
 Gallomalotannic acid, $C_{14}H_{10}O_9$.
 Gardenic acid, $C_{14}H_{16}O_6$.
 Gardenin, $C_{14}H_{12}O_6$; $C_{23}H_{30}O_{10}$.
 Gaultheriline, $C_{10}H_{16}$.
 Geisopermin, $C_{19}H_{22}O_2N_2$.
 Gelsemine ($C_{11}H_{19}O_2N$)_n; $C_{24}H_{28}O_4N_2$.
 Gentianin, $C_{14}H_{10}O_5$.
 Gentianose, $C_{36}H_{66}O_{31}$.
 Gentiogenin, $C_{14}H_{16}O_5$.
 Gentiopicrin, $C_{20}H_{30}O_{12}$.
 Gentsin, $C_{14}H_{10}O_5$.
 Gentsic acid, $C_7H_6O_4$.
 Geoceraïn, $C_{28}H_{56}O_2$.
 Geoceric acid, $C_{28}H_{56}O_2$.
 Geocerinone, $C_{55}H_{110}O$.
 Geomyricin, $C_{34}H_{68}O_2$.
 Georetinic acid, $C_{12}H_{22}O_4$.
 Geraniène, $C_{10}H_{16}$.
 Geraniol, $C_{10}H_{18}O$.
 Gingkoic acid, $C_{21}H_{42}O_2$.
 Glaucohydroellagic acid, $C_{14}H_{10}O_7$.
 Glaucomelanin acid, $C_{12}H_6O_7$.
 Globularetin, C_9H_6O ; $C_{12}H_{14}O_3$.
 Globularin, $C_{15}H_{20}O_8$; $C_{30}H_{44}O_{14}$.
 Glucinic acid, $C_{12}H_{22}O_{12}$.
 Gluconic acid, $C_6H_{12}O_7$.
 Glucoprotein, $C_6H_{12}O_4N_2$; $C_7H_{14}O_4N_2$; $C_8H_{16}O_4N_2$.
 Glucosan, $C_6H_{10}O_5$.
 Glucose, $C_6H_{12}O_6$.
 Glutamic acid, $C_5H_9O_4N$.
 Glutamine, $C_5H_{10}O_3N_2$.
 Glutaric acid, $C_5H_8O_4$.
 Glutimid, $C_5H_8O_2N_2$.
 Glutimic acid, $C_5H_7O_3N$.

- Glutonic acid, $C_6H_6O_4$.
 Glyceric acid, $C_3H_6O_4$.
 Glycerol, C_2 .
 Glycide, $C_3H_6O_2$.
 Glycidic acid, $C_3H_4O_3$.
 Glycin, $C_2H_5O_2N$.
 Glycocholic acid, $C_{26}H_{43}O_6N$.
 Glycocholonic acid, $C_{26}H_{41}O_5N$.
 Glycoeinimide anhydride, C_2H_3ON .
 Glycocol, $C_2H_5O_2N$.
 Glycoxyamidine, $C_3H_5ON_3$.
 Glycodrupose, $C_{24}H_{36}O_{16}$.
 Glycodyslysin, $C_{26}H_{39}O_4N$.
 Glycogen, $C_6H_{10}O_5$; $C_{18}H_{32}O_{16}$.
 Glycogenic acid, $C_6H_{12}O_7$.
 Glycol, $C_2H_6O_2$.
 Glycolignose, $C_{30}H_{46}O_{21}$.
 Glycoline, $C_6H_{10}N_2$.
 Glycollic acid, $C_2H_4O_3$.
 Glycollide, $C_2H_5O_2$.
 Glycoluril, $C_4H_6O_2N_4$.
 Glycosamine, $C_6H_{13}O_5N$.
 Glycosanilide, $C_{12}H_{17}O_5N$.
 Glycosine, $C_6H_6N_4$.
 Glycotannin, $C_{34}H_{29}O_{22}$.
 Glycuronic acid, $C_6H_{10}O_7$.
 Glycuvic acid, $C_8H_{10}O_6$.
 Glycyphyllin, $C_{13}H_{14}O_6$.
 Glycyphyllic acid, $C_9H_{10}O_3$.
 Glycyrrhizinic acid, $C_{44}H_{63}O_{18}N$.
 Glyoxal, $C_2H_2O_2$.
 Glyoxaline, $C_3H_4N_2$.
 Glyoxalmethylene, $C_4H_6N_2$.
 Glyoxime, $C_2H_4O_2N_2$.
 Glyoxylic acid, $C_2H_4O_4$.
 Gnoscopine, $C_{34}H_{36}O_{11}N_2$.
 Granattannic acid, $C_{20}H_{16}O_{13}$.
 Graphitic acid, $C_{11}H_4O_6$.
 Gratioleretin, $C_{17}H_{23}O_3$.
 Gratiolelin, $C_{17}H_{25}O_6$.
 Gratiolin, $C_{20}H_{34}O_3$.
 Gratiolosoleretin, $C_{34}H_{62}O_9$.
 Gratiosolelin, $C_{40}H_{68}O_{17}$.
 Gratiosolin, $C_{45}H_{84}O_{25}$.
 Greenhartin, $C_{30}H_{26}O_6$.
 Guajacol, $C_7H_8O_2$.
 Guajaconic acid, $C_{19}H_{20}O_6$; $C_{19}H_{22}O_3$.
 Guajaretic acid, $C_{20}H_{26}O_4$.
 Guajene, $C_{12}H_{12}$.
 Guajol, C_8H_8O ; $C_9H_{14}O_2$.
 Guanidine, CH_6N_3 .
 Guanamine, $C_3H_5N_6$.
 Guanine, $C_5H_5ON_5$.
 Guanoline, $C_4H_9O_2N_3$; $C_8H_{18}O_4N_6$.
 Gummic acid, $C_3H_2O_5$; $C_6H_{10}O_{10}$.
 Gurjunic acid, $C_{22}H_{34}O_4$.
 Guyaquillite, $C_{20}H_{26}O_3$.
 Gyrophoric acid, $C_{35}H_{36}O_{15}$.

 Hæmatein, $C_{16}H_{12}O_6$; $C_{48}H_{29}O_{18}N$.
 Hæmatin, $C_{34}H_{35}O_6N_4Fe$.
 Hæmathionic acid, $C_{14}H_{14}O_{15}S$.
 Hæmatoïdin, $C_{14}H_{18}O_3N_2$.
 Hæmatoline, $C_{68}H_{78}O_7N_6$.
 Hæmatoporphyrin, $C_{34}H_{37}O_6N_4$.
 Hæmatoxylin, $C_{16}H_{14}O_6$.
 Harmaline, $C_{13}H_{14}ON_2$.
 Harmalol, $C_{12}H_{13}ON_2$.
 Harmine, $C_{13}H_{12}ON_2$.
 Harminic acid, $C_{10}H_8O_4N_2$.
 Hartin, $C_{10}H_{16}O$; $(C_{10}H_{17}O)_n$; $C_{20}H_{34}O_2$.
 Hartite, C_6H_{10} ; $(C_{12}H_5)_n$.
 Hederic acid, $C_{16}H_{26}O_4$.
 Helenene, $C_{15}H_{26}$.
 Helenin, C_6H_8O ; $C_{16}H_{14}O_6$; $C_{21}H_{26}O_3$.
 Helianthic acid, $C_{14}H_{18}O_6$.
 Helicin, $C_{13}H_{10}O_7$.
 Helicoïdin, $C_{26}H_{34}O_{14}$.
 Helleborein, $C_{26}H_{44}O_{15}$.
 Helleboresin, $C_{30}H_{38}O_4$.
 Helleboretin, $C_{14}H_{20}O_3$.
 Helleborin, $C_{36}H_{42}O_6$.
 Hemialbumen, $C_{24}H_{40}O_{10}N_6$.
 Hemibromhydrin, $C_6H_9BrO_2$.
 Hemicolline, $C_{47}H_{70}O_{19}N_4$.
 Hemimellitene, C_9H_{12} .
 Hemimellitic acid, $C_9H_6O_6$.
 Hemipinic acid, $C_{10}H_{10}O_6$.
 Heniproteïdin, $C_{24}H_{42}O_{12}N_6$.
 Heneicosane, $C_{21}H_{44}$.
 Hentriacontane, $C_{31}H_{64}$.
 Heptacosane, $C_{27}H_{56}$.
 Heptadecane, $C_{17}H_{36}$.
 Heptane, C_7H_{16} .
 Heptinic acid, $C_{21}H_{36}O_6$.
 Heptolactone, $C_7H_{12}O_2$.
 Heptone, C_7H_{10} .
 Heptylene, C_7H_{14} .
 Heptylic acid, $C_7H_{14}O_2$.
 Heptylidene, C_7H_{12} .
 Heraclin, $C_{32}H_{22}O_{10}$.
 Hesperetic acid, $C_{10}H_{10}O_4$.
 Hesperetin, $C_{16}H_{14}O_6$.
 Hesperetol, $C_9H_{16}O_2$.
 Hesperidene, $C_{10}H_{16}$.
 Hesperidin, $C_{22}H_{26}O_{12}$; $C_{23}H_{26}O_{12}$.
 Heveene, $C_{15}H_{24}$; $C_{20}H_{32}$.
 Hexacosane, $C_{26}H_{54}$.
 Hexacrollic acid, $C_{18}H_{24}O_6$.
 Hexadecane, $C_{16}H_{34}$.
 Hexadecylic acid, $C_{16}H_{32}O_2$.
 Hexadecylidene, $C_{16}H_{30}$.
 Hexane, C_6H_{14} .
 Hexepinic acid, $C_6H_{12}O_3$.
 Hexerinic acid, $C_6H_{12}O_4$.
 Hexine, C_6H_{10} .
 Hexic acid, $C_{15}H_{26}O_7$.
 Hexone, C_6H_8 .
 Hexylene, C_6H_{10} .
 Hexylene acid, $C_6H_{10}O_2$.
 Hexylidene, C_6H_{12} .
 Hipparaffin, $C_{16}H_{16}O_2N_2$.
 Hipparin, $C_3H_5O_2N$.
 Hippuric acid, $C_9H_9O_3N$.
 Homatropine, $C_{16}H_{21}O_3N$.
 Homocerebrin, $C_{80}H_{155}O_{14}N_2$.
 Homocinchonidine, $C_{19}H_{22}ON_2$.
 Homocreatine, $C_5H_{11}O_2N_3$.
 Homocumaric acid, $C_{16}H_{10}O_3$.
 Homocuminic acid, $C_{11}H_{14}O_2$.
 Homoferulic acid, $C_{11}H_{12}O_4$.
 Homofluoresceïn, $C_{23}H_{18}O_5$.
 Homohydroapoatropine, $C_{16}H_{21}O_2N$.
 Homoitacnic acid, $C_6H_8O_4$.
 Homoisophthalic acid, $C_9H_8O_4$.
 Homoprotocatechnic acid, $C_8H_8O_4$.
 Homopyrocatechol, $C_7H_6O_2$.
 Homopyrrol, C_5H_7N .
 Homoquinine, $C_{19}H_{22}O_2N_2$; $C_{20}H_{24}O_2N_2$.
 Homosaligenin, $C_8H_{10}O_2$.
 Homoterephthalic acid, $C_9H_8O_4$.
 Homovanillic acid, $C_9H_{10}O_4$.
 Homoveratric acid, $C_{10}H_{12}O_4$.
 Hop-bitters, $C_{16}H_{26}O_4$.
 Hop-phlobaphene, $C_{50}H_{46}O_{25}$.
 Hop-red, $C_{38}H_{26}O_{15}$.
 Hordeïnic acid, $C_{12}H_{24}O_2$.
 Humic acid, $C_{24}H_{10}O_{10}$; $C_{60}H_{64}O_{27}$.
 Humic acid, $C_{24}H_{18}O_9$.
 Hyænic acid, $C_{25}H_{50}O_2$.
 Hydantoïn, $C_4H_6O_2N_2$.
 Hydantoic acid, $C_3H_6O_3N_2$.
 Hydræsenletin, $C_{18}H_{14}O_8$.
 Hydrastin, $C_{22}H_{23}O_6N$.
 Hydrazoïndol, $C_{16}H_{13}N_3$.
 Hydrazine, $C_{22}H_{28}O_4N$.
 Hydrazulmine, $C_4H_6N_6$.
 Hydrimidotetrazaresorufin, $C_{36}H_{29}O_9N_{14}$.
 Hydrindine, $C_{32}H_{22}O_5N_4$.
 Hydrindic acid, $C_8H_7O_2N$.
 Hydrindonaphthalene carboxylic acid, $C_{10}H_{10}O_2$.
 Hydrisoalizarin, $C_{28}H_{16}O_8$.
 Hydrobenzamide, $C_{21}H_{18}N_2$.
 Hydrobenzauric acid, $C_{18}H_{24}O_6N_2$.
 Hydrobenzyluric acid, $C_{16}H_{21}O_4N$.
 Hydrobryotin, $C_{21}H_{37}O_8$.
 Hydrocaffuric acid, $C_6H_9O_3N_3$.
 Hydrocarboxylic acid, $C_{10}H_6O_{10}$.
 Hydrocarpol, $C_{16}H_{20}O$.
 Hydrocellulose, $C_{12}H_{22}O_{11}$.
 Hydrocholalic acid, $C_{25}H_{40}O_4$.
 Hydrocinchonidine, $C_{19}H_{23}O_3N$.
 Hydrocinnamide, $C_{27}H_{24}N_2$.
 Hydrocinnamocarboxylic acid, $C_{10}H_{10}O_3$.
 Hydrocerulignone, $C_{15}H_{16}O_6$; $C_{16}H_{18}O_6$.
 Hydrocotoïn, $C_{15}H_{14}O_4$.
 Hydrocotone, $C_{18}H_{24}O_6$.
 Hydrocoumarinic acid, $C_{15}H_{16}O_6$.
 Hydrocoumarin, $C_{18}H_{14}O_4$.
 Hydrocuminamide, $C_{30}H_{36}N_2$.
 Hydrocuminoin dichloride, $C_{50}H_{24}Cl_2$.
 Hydrocyanaldine, $C_9H_{12}N_4$.
 Hydrocyanbenzide, $C_{23}H_{17}N_3$.
 Hydrocyanic acid, CHN .
 Hydrocyanrosaniline, $C_{20}H_{18}N_4$; $C_{21}H_{20}N_4$.
 Hydrocyanrosolic acid, $C_{21}H_{17}O_3N$.
 Hydrocyansalide, $C_{22}H_{16}O_3N_2$.
 Hydrogratiosoleretin, $C_{34}H_{56}O_{11}$.
 Hydrokynurin, $C_{15}H_{20}O_2N_2$.
 Hydroxanthamide, $C_{33}H_{24}N_2$.
 Hydroxanthamide, $C_{21}H_{14}N_2$.
 Hydrophthalide, $C_8H_8O_2$.
 Hydripiperoin, $C_{11}H_{14}O_6$.
 Hydriolyporic acid ($C_9H_9O_2$)_n.
 Hydroquinidine, $C_{26}H_{26}O_2N_2$.
 Hydroquinizarol, $C_{14}H_{12}O_3$.
 Hydroquinoline, $C_{18}H_{18}N_2$.
 Hydroquinone, $C_6H_6O_2$.
 Hydroquinonequinoline, $C_{24}H_{20}O_2N_2$.
 Hydroquinonephthalic acid, $C_{26}H_{12}O_5$.
 Hydroquinonephthalic acid, $C_{20}H_{14}O_6$.
 Hydroquinonephthalin, $C_{30}H_{14}O_5$.
 Hydrosalicylamide, $C_{21}H_{18}O_2N_2$.
 Hydrosantonamide, $C_{15}H_{23}O_3N$.
 Hydrotarnin, $C_{12}H_{15}O_3N$.
 Hydrotinic acid, $C_6H_8O_3N$.
 Hydrovanilloïn, $C_{16}H_{18}O_6$.
 Hydroxonic acid, $C_8H_{10}O_7N_6$.
 Hydroxybenzyluric acid, $C_{16}H_{21}O_5N$.
 Hydroxyglutarilactone, $C_8H_8O_4$.
 Hydroxypentinic acid, $C_6H_8O_3$; $C_7H_{12}O_3$.
 Hydroxytetrinic acid, $C_4H_6O_3$.
 Hydrvinic acid, $C_8H_{10}O_7$.
 Hydurilic acid, $C_8H_6O_6N_4$.
 Hyochoic acid, $C_{25}H_{40}O_4$.
 Hyodyslysin, $C_{25}H_{38}O_3$.
 Hyoglycocholic acid, $C_{27}H_{43}O_5N$.
 Hyoscine, $C_{17}H_{23}O_3N$; not $C_{17}H_{23}ON$.
 Hyoscinic acid, $C_9H_{10}O_3$.
 Hyoscyamine, $C_{17}H_{23}O_3N$; not $C_{17}H_{23}ON$.
 Hyotanrocholic acid, $C_{27}H_{45}O_6SN$.
 Hypocaffeine, $C_6H_7O_3N_3$.
 Hypogœic acid, $C_{16}H_{30}O_2$.
 Hypoquebrachine, $C_{21}H_{26}O_2N_2$.
 Hypoxanthin, $C_5H_4ON_4$.

 Icacin, $C_{45}H_{74}O$; $C_{46}H_{76}O$; $C_{47}H_{78}O$.
 Iccan, $C_{20}H_{34}O$.
 Idrialin, $C_{80}H_{64}O_2$.
 Idrioline, $C_{10}H_9N$.
 Idryl, $C_{15}H_{10}$.
 Ilixanthin, $C_{17}H_{22}O_{11}$.
 Imabenzil, $C_{14}H_{11}ON$; $C_{42}H_{32}O_4N_2$.
 Imasatin, $C_{16}H_{11}O_3N_3$.
 Imesatin, $C_8H_6ON_2$.
 Imperatorin, $C_{12}H_{12}O_3$; $C_{16}H_{16}O_4$.
 Indazole, $C_7H_6N_2$.
 Indifulvin, $C_{22}H_{20}O_3N_2$.
 Indifuscin, $C_{24}H_{20}O_9N_2$.
 Indifuscon, $C_{22}H_{20}O_5N_2$.
 Indiglucin, $C_6H_{10}O_6$.

- Indigo blue, $C_{16}H_{10}O_2N_2$.
 Indigopurpurin, C_8H_5ON .
 Indigotin, $C_{16}H_{10}O_2N_2$.
 Indigwhite, $C_{16}H_{12}O_2N_2$.
 Indigo white, $C_{16}H_{14}O_2N_2$.
 Indihumin, $C_{10}H_9O_3N$.
 Indicanin, $C_{20}H_{23}O_{12}N$; $C_{26}H_{31}O_{17}N$.
 Indin, $C_{16}H_{10}O_2N_2$.
 Indiretin, $C_{16}H_{16}O_4N_2$; $C_{18}H_{17}O_5N$.
 Indirubin, C_8H_5ON ; $C_{16}H_{10}O_2N_2$.
 Indoïn, $C_{32}H_{20}O_5N_4$.
 Indole, C_8H_7N ; $C_{16}H_{14}N_2$.
 Indoline, $C_{16}H_{14}N_2$.
 Indophane, $C_{22}H_{10}O_4N_4$.
 Indophenin, $C_{20}H_{15}ON$.
 Indoxy, C_8H_7ON .
 Indoxylic acid, $C_9H_7O_3N$.
 Inosinic acid, $C_{10}H_{14}O_{11}N_4$.
 Inosite, $C_6H_{12}O_6$.
 Inulin, $C_6H_{10}O_5$; $C_{36}H_{62}O_{31}$.
 Inuloïd, $C_6H_{10}O_5$; $C_{12}H_{20}O_{10}$.
 Inulol, $C_{10}H_{16}O$.
 Iodal, C_2H_3O .
 Ipecacuanhic acid, $C_{14}H_{18}O_7$.
 Ipomoeic acid, $C_{10}H_{18}O_4$.
 Iridoline, $C_{16}H_9N$.
 Iriscamphor, $C_8H_{16}O_2$.
 Isæthionic acid, $C_2H_6O_4S$.
 Isamide, $C_{16}H_{14}O_3N_4$.
 Isamic acid, $C_{16}H_{13}O_4N_3$.
 Isatamidobenzoic acid, $C_{15}H_{12}O_4N_2$.
 Isatan, $C_{32}H_{26}O_6N_4$.
 Isatide, $C_{16}H_{12}O_4N_2$.
 Isatylim, $C_{24}H_{16}O_3N_4$.
 Isatimide, $C_{24}H_{17}O_4N_5$.
 Isatin, $C_8H_5O_2N$.
 Isatindiamide, $C_{16}H_{12}O_2N_4$.
 Isatinic acid, $C_8H_7O_3N$.
 Isatochlorin, $C_{32}H_{24}O_5N_4$.
 Isatogenic acid, $C_9H_9O_4N$.
 Isatoic acid, $C_8H_5O_3N$.
 Isatone, $C_{32}H_{24}O_3N_4$.
 Isatopurpurin, $C_{32}H_{28}O_3N_4$.
 Isatropic acid, $C_{18}H_{16}O_4$.
 Isobutylal, $C_{16}H_{32}O_4$.
 Isobutyraldin, $C_{15}H_{26}S_2N$.
 Isodibutol, $C_8H_{18}O$.
 Isodibutolic acid, $C_8H_{16}O_2$.
 Isodulcitic acid, $C_6H_{10}O_9$.
 Isodurenol, $C_{10}H_{14}O$.
 Isoindileucine, $C_{16}H_{12}ON_2$.
 Isoline, $C_{14}H_{17}N$.
 Isophlorylchloride, $C_9H_{13}Cl$.
 Isopinic acid, $C_{14}H_{10}O_6$.
 Isoprene, C_5H_8 .
 Isosaccharic acid, $C_6H_{10}O_3$.
 Isovaleroglyceral, $C_8H_{16}O_3$.
 Isovalerylrosehin, $C_{19}H_{20}O_5$.
 Isuretine, CH_4ON_2 .
 Itapyrotartaric acid, $C_4H_6O_3$.
 Itacoanilic acid, $C_{11}H_{11}O_3N$.
 Itaconic acid, $C_6H_6O_4$.
 Itamalic acid, $C_5H_5O_6$.
 Itatartaric acid, $C_5H_8O_6$.
 Ivaïn, $C_{24}H_{42}O_3$.
 Ivaol, $C_{12}H_{20}O$; $C_{24}H_{40}O_2$.
 Jaborandin, $C_{10}H_{12}O_2S$.
 Jalapic acid, $C_{28}H_{50}O_{13}$; $C_{34}H_{60}O_{18}$; $C_{68}H_{118}O_{35}$.
 Jalapin, $C_{34}H_{56}O_{16}$.
 Jalapinol, $C_{35}H_{62}O_7$.
 Jalapinic acid, $C_{16}H_{30}O_3$.
 Jambosin, $C_{10}H_5O_3N$.
 Japaconine, $C_{26}H_{41}O_{10}N$.
 Japaconitine, $C_{66}H_{83}O_{21}N_2$.
 Jervaic acid, $C_{14}H_{12}O_{12}$.
 Jervine, $C_{26}H_{37}O_3N$; $C_{26}H_{43}O_2N$; $C_{30}H_{46}O_3N_2$.
 Juglone, $C_{18}H_{12}O_5$.
 Jugloxime, $C_{10}H_7O_3N$.
 Kairine, $C_{11}H_{15}ON$.
 Kairocoll, $C_{11}H_{11}O_2N$.
 Ketine, $C_6H_3N_2$.
 Ketolactonic acid, $C_6H_{10}O_4$.
 Kinoïn, $C_{14}H_{12}O_6$.
 Kino-red, $C_{28}H_{22}O_{11}$.
 Koenlite $(CH)_n$; $(C_6H_6)_n$.
 Kosin, $C_{31}H_{38}O_{10}$.
 Kussin, $C_{26}H_{44}O_5$.
 Kynuric acid, $C_9H_7O_5N$; $C_{10}H_7O_3N$; $C_{20}H_{14}O_6N_2$.
 Kynurine, C_9H_7ON ; $C_{18}H_{14}O_2N_2$.
 Lactic acid, $C_3H_6O_3$.
 Lactide, $C_6H_8O_4$.
 Lactocaramel, $C_6H_{10}O_5$.
 Lactoglucose, $C_6H_{12}O_6$.
 Lactose, $C_{12}H_{22}O_{11}$.
 Lactosetartaric acid, $C_{17}H_{26}O_{19}$; $C_{22}H_{42}O_{28}$.
 Lactucerin, $C_{20}H_{32}O_2$; $C_{40}H_{66}O_3$.
 Lactuceryl alcohol, $C_{18}H_{30}O$.
 Lactucone, $C_{14}H_{24}O$; $C_{15}H_{24}O$; $C_{40}H_{66}O_3$.
 Lacturamic acid, $C_4H_8O_3N_2$.
 Lanthanic acid, $C_3H_4O_3N_2$.
 Lanthopine, $C_{23}H_{26}O_4N$.
 Lanuginic acid, $C_{19}H_{30}O_{10}N_5$.
 Lapachic acid, $C_{15}H_{14}O_3$.
 Lapacone, $C_{30}H_{28}O_6$.
 Larixinic acid, $C_{10}H_{10}O_5$.
 Laserol, $C_{14}H_{22}O_4$.
 Laserpitin, $C_{15}H_{22}O_4$; $C_{24}H_{36}O_7$.
 Laudanine, $C_{20}H_{25}O_4N$.
 Laudanosine, $C_{21}H_{27}O_4N$.
 Laurene, $C_{10}H_{14}$; $C_{11}H_{16}$.
 Lauric acid, $C_{12}H_{24}O_2$.
 Laurin, $C_{22}H_{30}O_3$.
 Laurone, $C_{23}H_{46}O$.
 Laurostearic acid, $C_{12}H_{24}O_2$.
 Laurostearin, $C_{27}H_{50}O_4$; $C_{39}H_{74}O_6$.
 Lauroxylic acid, $C_9H_{10}O_2$.
 Lecanoric acid, $C_{16}H_{14}O_7$; $C_{36}H_{36}O_{15}$.
 Lecithin, $C_{42}H_{84}O_9NP$.
 Ledum camphor, $C_{25}H_{44}O_2$.
 Leken, C_4H_9 .
 Lepamine, $C_{20}H_{32}N_2$.
 Lepargylic acid, $C_9H_{16}O_4$.
 Lepidene, $C_{28}H_{20}O$.
 Lepidine, $C_{10}H_9N$.
 Leucaniline, $C_{19}H_{19}N_3$; $C_{20}H_{21}N_3$.
 Leucanisidine, $C_{21}H_{23}O_2N_3$.
 Leucaurin, $C_{19}H_{14}O_2$.
 Lencic acid, $C_6H_{12}O_3$.
 Leucine, $C_6H_{13}O_2N$.
 Leucogallol, $C_{18}H_6Cl_{12}O_{12}$.
 Leucoline, C_9H_7N .
 Lencolinic acid, $C_9H_9O_3N$.
 Leuconic acid, $C_2H_8O_9$.
 Leucopetrin, $C_{50}H_{42}O_3(?)=C_{50}H_{84}O_3?$
 Leucophenylsaffranin, $C_{18}H_{18}N_4$.
 Leucophthal green, $C_{24}H_{24}ON_2$.
 Lencorosolic acid, $C_{20}H_{18}O_3$.
 Leucotin, $C_{21}H_{20}O_6$; $C_{34}H_{32}O_{10}$.
 Leucotolylen blue, $C_{15}H_{20}N_4$.
 Leucoturic acid, $C_6H_6O_6N_4$.
 Levinulin, $C_6H_{10}O_5$.
 Levulan, $C_6H_{10}O_6$.
 Levulin, $C_6H_{10}O_6$.
 Levulinic acid, $C_5H_8O_3$.
 Levulosan, $C_6H_{10}O_5$.
 Levulose, $C_6H_{12}O_6$.
 Licarene, $C_{10}H_{16}$.
 Lichenin, $C_6H_{10}O_5$.
 Lichenstearic acid, $C_{14}H_{24}O_3$.
 Lignin, $C_{18}H_{24}O_{10}$.
 Lignoceric acid, $C_{24}H_{48}O_2$.
 Lignose, $C_{18}H_{26}O_{11}$.
 Limetic acid, $C_{11}H_8O_6$.
 Limonin, $C_{22}H_{26}O_7$; $C_{42}H_{50}O_{13}$; $C_{26}H_{30}O_3$.
 Linoleic acid, $C_{18}H_{34}O_2$.
 Linoxyn, $C_{32}H_{54}O_{11}$.
 Lipic acid, $C_5H_6O_4$; $C_5H_8O_4$.
 Lithobilic acid, $C_{30}H_{38}O_6$.
 Lithofellic acid, $C_{20}H_{36}O_4$.
 Lithuric acid, $C_{15}H_{19}O_9N$.
 Lobaric acid, $C_{17}H_{16}O_6$.
 Locaëtin, $C_9H_9O_5$.
 Locain, $C_{28}H_{34}O_{17}$.
 Lophine, $C_{21}H_{16}N_2$.
 Loturin, $C_8H_9O_6N_4$.
 Loxoterygine, $C_{26}H_{34}O_2N_2$.
 Lupigenin, $C_{17}H_{12}O_6$.
 Lupinine, $C_{21}H_{40}O_2N_2$; $C_{29}H_{32}O_{16}$.
 Luteolin, $C_{15}H_8O_5$; $C_{20}H_{14}O_9$.
 Luteic acid, $C_{20}H_{20}O_{12}$.
 Lutidinbetaïn, $C_5H_{11}O_2N$.
 Lutidine, C_7H_9N .
 Lutidinic acid, $C_7H_9O_4N$.
 Lutorein, $C_7H_9O_2$.
 Lycoctonine, $C_{36}H_{49}O_{12}N$.
 Lycopodine, $C_{32}H_{52}O_3N_2$.
 Lycocresin, $C_9H_{16}O$.
 Lycostearone, $C_{15}H_{30}O_2$.
 Macene, $C_{10}H_{16}$.
 Machromin, $C_{14}H_{10}O_5$.
 Macleyine, $C_{20}H_{19}O_5N$.
 Maclurin, $C_{13}H_{10}O_6$.
 Mairogallol, $C_{18}H_7Cl_{11}O_{10}$.
 Malachite green, $C_{23}H_{26}ON_2$.
 Malanil, $C_{10}H_9O_3N$.
 Malanilide, $C_{16}H_{16}O_3N_2$.
 Maleic acid, $C_4H_4O_4$.
 Malic acid, $C_4H_6O_5$.
 Malobiuric acid, $C_5H_6O_4N_3$.
 Malonic acid, $C_3H_4O_4$.
 Maltic acid, $C_6H_{10}O_5$.
 Maltose, $C_{12}H_{22}O_{11}$.
 Maltylureide, $C_5H_7O_3N_3$.
 Maltylureidic acid, $C_5H_6O_4N_2$.
 Mandelic acid, $C_9H_8O_3$.
 Mangostin, $C_{20}H_{22}O_5$.
 Mannide, $C_6H_{10}O_4$.
 Mannitane, $C_6H_{12}O_5$.
 Mannitic acid, $C_6H_{12}O_7$.
 Mannitic ether, $C_{12}H_{26}O_{11}$.
 Mannitine, $C_6H_8N_2$.
 Mannitol, $C_6H_{14}O_6$.
 Mannitolide, $C_4H_9O_{11}N_6$.
 Mannitose, $C_6H_{12}O_6$.
 Margaric acid, $C_{17}H_{34}O_2$.
 Margarolic acid, $C_{17}H_{30}O_3$.
 Masopin, $C_{12}H_{18}O_2$; $C_{22}H_{36}O$.
 Mitezite, $C_{10}H_{20}O_9$.
 Mitezodambose, $C_6H_{12}O_6$; $C_9H_{15}O_9$.
 Maticocamphor, $C_{12}H_{20}O$.
 Mauvaniline, $C_{19}H_{17}N_3$.
 Maveïne, $C_{27}H_{24}N_4$.
 Maynos resin, $C_{14}H_{18}O_4$.
 Meconidine, $C_{21}H_{28}O_4N$.
 Meconin, $C_{10}H_{10}O_4$.
 Meconinic acid, $C_{10}H_{12}O_5$.
 Meconoisin, $C_8H_{10}O_2$.
 Meconic acid, $C_7H_9O_7$.
 Medullic acid, $C_{21}H_{42}O_2$.
 Melam, $C_6H_9N_{11}$.
 Melamine, $C_3H_6N_6$.
 Melaniline, $C_{13}H_{13}N_3$.
 Melanine, $C_9H_{10}O_4N_2$.
 Melanoximide, $C_{15}H_{11}O_2N_3$.
 Melanic acid, $C_6H_4O_3$.
 Melanthin, $C_{20}H_{33}O_7(?)$.
 Melanurenic acid, $C_5H_4O_2N_4$.
 Melassinic acid, $C_{12}H_{10}O_5$.
 Melene, $C_{30}H_{60}$.
 Melezitose, $C_{12}H_{22}O_{11}$.
 Melidoacetic acid, $C_5H_8O_2N_6$.
 Melilotic acid, $C_9H_{10}O_3$.
 Melilotol, $C_9H_9O_2$.
 Melilotic coumarin, $C_{18}H_{16}O_5$.
 Melissaene, $C_{30}H_{60}$.
 Melissic acid, $C_{30}H_{60}O_2$.
 Melitose, $C_{12}H_{22}O_{11}$.
 Mellitic acid, $C_{12}H_6O_{12}$.
 Mellone, $C_6H_3N_9$.
 Mellonhydride, $C_9H_3N_{13}$.
 Mellophanic acid, $C_{16}H_6O_8$.
 Melolonthin, $C_5H_{12}O_3SN_2$.


- Menaphoximide, $C_{23}H_{15}O_2N_3$.
 Menaphthylamine, $C_{11}H_{11}N$.
 Menspermine, $C_9H_{12}ON$;
 $C_{18}H_{24}O_2N_2$.
 Menthene, $C_{10}H_{18}$.
 Menthol, $C_{10}H_{20}O$.
 Menthone, $C_{10}H_{18}O$.
 Menthyl alcohol, $C_{10}H_{20}O$.
 Menyanthin, $C_{22}H_{36}O_{11}$.
 Menyanthol, C_9H_8O .
 Mercaptane, C_2H_6S .
 Mesaconic acid, $C_8H_6O_4$.
 Mesamalic acid, $C_8H_8O_5$.
 Mesidic acid, $C_8H_8O_4$.
 Mesidine, $C_9H_{13}N$.
 Mesitene, $C_6H_{24}O_3(?)$.
 Mesitol, $C_9H_{12}O$.
 Mesitonic acid, $C_7H_{12}O_3$.
 Mesityl alcohol, $C_9H_{12}O$.
 Mesitylene, C_9H_{12} .
 Mesitylenic acid, $C_9H_{10}O_2$.
 Mesitylene quinhydrone, $C_{27}H_{32}O_6$.
 Mesityl oxide, $C_6H_{10}O$; $C_{12}H_{22}O$.
 Mesityloxime, $C_6H_{11}ON$.
 Mesitylic acid, $C_8H_{13}O_3N$.
 Mesocamphoric acid, $C_{10}H_{16}O_4$.
 Mesorcinol, $C_9H_{12}O_2$.
 Mesoxalic acid, $C_3H_4O_6$.
 Mesotartaric acid, $C_4H_6O_6$.
 Metacamphretic acid, $C_{10}H_{10}O_5$.
 Metacetone, $C_6H_{10}O$.
 Metacopaibic acid, $C_{22}H_{34}O_4$.
 Metadehydracetic acid, $C_{14}H_{14}O_7$.
 Metaldehyde, $C_4H_8O_2$.
 Metanaphthalene, $C_{10}H_8$.
 Metaphloretin, $C_{33}H_{32}O_{14}$.
 Metapurpuric acid, $C_7H_5O_4N_3$.
 Metatempene, $C_{15}H_{24}$.
 Metaterebinthene, $C_{20}H_{32}$; $C_{20}H_{32}O$.
 Metatropine, $C_{18}H_{15}ON$.
 Metaustraterebinthene, $(C_{10}H_{16})_n$.
 Meteceric acid, $C_2H_2O_2$.
 Methacrylic acid, $C_4H_6O_2$.
 Methane, CH_4 .
 Methazonic acid, $C_2H_4O_3N_2$.
 Methintricarboxylic acid, $C_4H_4O_6$.
 Methylal, $C_3H_8O_2$.
 Methyl alcohol, CH_4O .
 Methylazaurolic acid, CH_2ON_2 .
 Methylchloracetol, $C_3H_6Cl_2$.
 Methylcodethylene, $C_4H_6O_2N_4$.
 Methylenecaffic acid, $C_{10}H_8O_4$.
 Methylenebiphenylene, $C_{13}H_{10}$.
 Methylenediquinoid, $C_{19}H_{14}N_2$.
 Methylenehomocaffeic acid, $C_{11}H_{10}O_4$.
 Methyleneitane, $C_7H_{14}O_6$.
 Methylene white, $C_{32}H_{40}S_2N_6$.
 Methylenehympinacone, $C_8H_{18}O_2$.
 Methylisatoïd, $C_{17}H_{12}O_4N_2$.
 Methylketole, C_9H_9N .
 Methylleucaurine, $C_{20}H_{18}O_3$.
 Methylnitrolic acid, $CH_3O_3N_2$.
 Methylphosphinic acid, CH_3O_3P .
 Milk sugar, $C_{12}H_{22}O_{11}$.
 Morin, $C_{12}H_{10}O_6$.
 Morindin, $C_{14}H_8O_3$.
 Morinic acid, $C_{12}H_{10}O_6$.
 Morintannic acid, $C_{18}H_{10}O_6$.
 Morphine, $C_{17}H_{19}O_3N$.
 Morphothebaine, $C_{17}H_{17}O_3N$.
 Moschatine, $C_{21}H_{27}O_7N$.
 Mucic acid, $C_6H_{10}O_8$.
 Mucobromic acid, $C_4H_2Br_2O_3$.
 Muconic acid, $C_6H_6O_4$.
 Munjistin, $C_{15}H_8O_6$.
 Murexan, $C_4H_5O_3N_3$.
 Murexide, $C_8H_6O_6N_5$.
 Murexoïn, $C_{12}H_{16}O_6N_6$.
 Murrayetin, $C_{12}H_{12}O_5$; $C_{24}H_{24}O_{10}$.
 Murrayin, $C_{18}H_{22}O_{10}$.
 Muscarin, $C_5H_{15}O_3N$.
 Mustard oil, C_4H_8SN .
 Mycomelinic acid, $C_4H_4O_2N_4$.
 Mycoprotein, $C_{25}H_{42}O_9N_9$.
 Mycose, $C_{12}H_{22}O_{11}$.
 Myricin, $C_6H_9O_2$.
 Myricyl alcohol, $C_{30}H_{62}O$.
 Myristic acid, $C_{14}H_{28}O_2$.
 Myristicin, $C_{10}H_{20}O_3$.
 Myristicol, $C_{10}H_{16}O$.
 Myristin, $C_{45}H_{86}O_6$.
 Myristolic acid, $C_{14}H_{24}O_2$.
 Myristone, $C_{27}H_{54}O$.
 Myristoxime, $C_{27}H_{55}ON$.
 Myronic acid, $C_{10}H_{19}O_{10}S_2N$.
 Myroxocarpin, $C_{24}H_{34}O_5$; $C_{48}H_{70}O_6$.
 Naphartannic acid, $C_{56}H_{56}O_{37}$.
 Naphthacoumaric acid, $C_{13}H_{10}O_3$.
 Naphthacoumarin, $C_{13}H_8O_2$.
 Naphthalene, $C_{10}H_8$.
 NaphthalEOSin, $C_{24}H_{10}Br_4O_5$.
 Naphthalic acid, $C_{12}H_8O_4$.
 Naphthazarin, $C_{10}H_6O_4$.
 Naphthene alcohol, $C_{10}H_{12}O_4$.
 Naphthesic acid, $C_{10}H_6O_4$.
 Naphthocyaminic acid, $C_{25}H_{18}O_9N_3$.
 Naphthoic acid, $C_{11}H_8O_2$.
 Naphthol, $C_{10}H_8O$.
 Naphtholdiquinone, $C_{10}H_4O_4$.
 Naphtholphthaleïn, $C_{28}H_{16}O_3$.
 Naphthoquinhydrone, $C_{20}H_{14}O_4$.
 Naphthoquinol, $C_{10}H_8O_2$.
 Naphthoquinoline, $C_{13}H_9N$;
 $C_{39}H_{27}N_3$.
 Naphthoquinone, $C_{10}H_6O_2$.
 Naphthoquinonechlorimide,
 $C_{20}H_{10}ClO_3N$.
 Naphthoxalic acid, $C_{10}H_8O_6$.
 Narceïne, $C_{23}H_{29}O_9N$.
 Narcotine, $C_{22}H_{23}O_7N$.
 Naringin, $C_{23}H_{26}O_{12}$.
 Nartine, $C_{20}H_{16}O_6N_2$.
 Nartinic acid, $C_{20}H_{16}O_6N_2$.
 Natoloin, $C_{25}H_{28}O_{11}$; $C_{31}H_{38}O_{15}$.
 Neurin, $C_8H_{13}ON$.
 Nenrostearic acid, $C_{18}H_{36}O_2$.
 Ngai borneol, $C_{10}H_{18}O$.
 Ngai camphor, $C_{10}H_{18}O$.
 Nicotic acid, $C_6H_5O_2N$.
 Nicotine, $C_{10}H_{14}N_2$.
 Nigrosine, $C_{36}H_{27}N_3$.
 Nithialin, $C_{12}H_{16}OSN_4$.
 Nitranilic acid, $C_8H_8O_8N_2$.
 Nitrocarbole, CH_3O_2N .
 Nitroform, CHO_3N_3 .
 Nitroglycerin, $C_3H_5O_9N_3$.
 Nonane, C_9H_{20} .
 Nonine, C_9H_{16} .
 Nonodecane, $C_{19}H_{40}$.
 Nonodilactone, $C_{10}H_{12}O_4$.
 Nonyldecoylcarbamide, $C_{20}H_{40}O_2N_2$.
 Nonylene, C_9H_{18} .
 Nonylic acid, $C_9H_{18}O_2$.
 Nonnarcotine, $C_{19}H_{17}O_7N$.
 Noropianic acid, $C_8H_6O_6$.
 Nucin, $C_{18}H_{12}O_5$.
 Nucleïn, $C_{23}H_{49}O_{22}N_9P_3$.
 Nupharin, $C_{18}H_{24}O_2N_2$.
 Nupharphlobaphen, $C_{66}H_{50}O_{35}$.
 Nymphæaphlobaphen, $C_{66}H_{48}O_{36}$.
 Nymphæatannic acid, $C_{66}H_{38}O_{38}$.
 Octane, C_8H_{18} .
 Octine, C_8H_{14} .
 Octocosane, $C_{28}H_{58}$.
 Octodecane, $C_{18}H_{38}$.
 Octodecene, $C_{18}H_{36}$.
 Octodecylidene, $C_{18}H_{34}$.
 Octooxybenzoïd, $C_{66}H_{34}O_{17}$.
 Octylene, C_8H_{16} .
 Enanthodiureide, $C_9H_{20}O_2N_4$.
 Enanthohexureide, $C_{41}H_{34}O_6N_{12}$.
 Enanthol, $C_7H_{14}O$.
 Enanthone, $C_{13}H_{26}O$.
 Enanthotetrureide, $C_{25}H_{52}O_4N_8$.
 Enanthothialdin, $C_{21}H_{43}S_2N$.
 Enanthylic acid, $C_7H_{14}O_2$.
 Enanthylidene, C_7H_{12} .
 Enanthylidenebenzidin, $C_{26}H_{36}N_2$.
 Enanthylidenedibenzamide,
 $C_{33}H_{34}O_2N_2$.
 Enoglucinol, $C_6H_6O_3$.
 Enolin, $C_{20}H_{20}O_5$.
 Oleandrine, $C_4H_5O_6N_4$.
 Oleïc acid, $C_{18}H_{34}O_2$.
 Oleïn, $C_{67}H_{104}O_6$.
 Olibene, $C_{10}H_{16}$.
 Olivil, $C_{14}H_{18}O_5$.
 Onocerin, $C_{12}H_{20}O$.
 Ononetin, $C_{25}H_{22}O_6$; $C_{45}H_{44}O_{13}$.
 Ononin, $C_{30}H_{34}O_{13}$; $C_{62}H_{68}O_{27}$.
 Onospin, $C_{29}H_{34}O_{12}$; $C_{60}H_{68}O_{25}$.
 Ophelic acid, $C_{13}H_{20}O_{10}$.
 Opiummon, $C_{20}H_{19}O_3N$.
 Opianic acid, $C_{10}H_{10}O_6$.
 Opianine, $C_{22}H_{23}O_7N$.
 Opinic acid, $C_9H_6O_3$; $C_{14}H_{10}O_8$.
 Opionine, $C_{22}H_{23}O_7N$.
 Opoponax resin, $C_{20}H_{24}O_7$.
 Orcacetophenone, $C_9H_{10}O_3$.
 Orceïn, $C_7H_7O_3N$.
 Orcendialdehyde, $C_8H_8O_4$.
 Orcinol, $C_7H_8O_2$.
 β -Orcinol, $C_8H_{10}O_2$.
 Orcinaurin, $C_{22}H_{18}O_5$.
 Orcinphthaleïn, $C_{22}H_{16}O_5$.
 Orcinphthalin, $C_{22}H_{18}O_4$.
 Oreylaldehyde, $C_8H_8O_3$.
 Oreyldiglycollic acid, $C_{11}H_{12}O_6$.
 Ormithin, $C_6H_{12}O_2N_2$.
 Ormithuric acid, $C_{19}H_{20}O_4N_2$.
 Oroselone, $C_{14}H_{12}O_4$.
 Orsellinic acid, $C_8H_8O_4$.
 Ostruthin, $(C_{14}H_{17}O_2)_n$.
 Otobite, $C_{24}H_{26}O_6$.
 Oxaceïn, $C_{18}H_{16}O_4$.
 Oxalantin, $C_6H_6O_8N_4$.
 Oxaleïn, $C_{20}H_{12}O_6$.
 Oxalethylene, $C_8H_{10}N_2$.
 Oxalic acid, $C_2H_2O_4$.
 Oxalmethylene, $C_4H_6N_2$.
 Oxalynaphthalide, $C_{22}H_{16}ON_2$.
 Oxalylthiosinamin, $C_6H_6O_2SN_2$.
 Oxamethane, $C_4H_7O_3N$.
 Oxamic acid, $C_2H_3O_3N$.
 Oxamide, $C_2H_4O_2N_2$.
 Oxamoïdin, $C_{14}H_{23}O_{16}N_{11}$.
 Oxatolylic acid, $C_{16}H_{16}O_3$.
 Oxindole, C_8H_7ON ; $C_{16}H_{14}O_2N_2$.
 Oxooctenol, $C_8H_{16}O_2$.
 Oxonic acid, $C_4H_5O_4N_3$.
 Oxyacanthine, $C_{16}H_{23}O_6N$;
 $C_{32}H_{46}O_{11}N_2$.
 Oxybenzuric acid, $C_9H_9O_4N$.
 Oxyannabin, $C_6H_6O_2$; $C_{20}H_{20}O_7N_2$.
 Oxycellulose, $C_{18}H_{26}O_{16}$.
 Oxyconiceïne, $C_8H_{15}ON$.
 Oxyecyclopin, $C_{25}H_{30}O_{16}$.
 Oxydimorphine, $C_{34}H_{36}O_6N_2$.
 Oxyguanin, $C_{10}H_{14}O_9N_3$.
 Oxyheptinic acid, $C_{21}H_{32}O_7$.
 Oxyhexic acid, $C_{18}H_{25}O_{10}$.
 Oxydrialin, $C_{80}H_{46}O_{10}$.
 Oxylepidenic acid, $C_{28}H_{22}O_3$.
 Oxyptaldin, $C_{10}H_{16}ON$.
 Oxyptic acid, $C_{15}H_{20}O_{10}$.
 Oxypeucedanin, $C_{14}H_{22}O_7$.
 Oxyppurpurogallin, $C_{20}H_{12}O_{19}$.
 Oxysulphobenzide, $C_{12}H_{10}O_4S$.
 Oxytetric acid, $C_{12}H_{14}O_{10}$.
 Oxytolic acid, $C_7H_6O_3$.
 Oxytolidene, $C_{14}H_{10}O_2$.
 Pachymose, $C_{10}H_{24}O_{14}$.
 Palmitic acid, $C_{16}H_{32}O_2$.
 Palmitin, $C_{81}H_{98}O_6$.
 Palmitolic acid, $C_{16}H_{28}O_2$.
 Palmitone, $C_{31}H_{62}O$.
 Palmitoxylic acid, $C_{15}H_{28}O_4$.
 Panacone, $C_{19}H_{30}O_7$.
 Panaquilone, $C_{20}H_{42}O_{15}$.

- Papaveric acid, $C_{18}H_{13}O_7N$.
 Papaverine, $C_{21}H_{21}O_4N$.
 Parabuxin, $C_{26}H_{48}ON_2$.
 Parabanic acid, $C_3H_2O_3N_2$.
 Paracajeputene, $C_{20}H_{32}$.
 α -Paracatol, $C_{15}H_{24}O$.
 β -Paracatol, $C_{28}H_{40}O_2$.
 γ -Paracatol, $C_{28}H_{40}O_2$.
 Paraconic acid, $C_9H_6O_4$.
 Paracopaiba oil, $C_{15}H_{24}$.
 α -Paracotene, $C_{12}H_{18}$; $C_{45}H_{72}$.
 β -Paracotene, $C_{11}H_{18}$; $C_{45}H_{72}$.
 Paracotoic acid, $C_{19}H_{14}O_7$.
 Paracotoïn, $C_{19}H_{12}O_6$.
 Paracoumarhydrin, $C_9H_5O_3$.
 Paradiconiine, $C_{16}H_{27}N$.
 Paradigitalin, $C_{22}H_{34}O_7$.
 Paraffinic acid, $C_{24}H_{48}O_2$; $C_{13}H_{26}O_5N$.
 Paraglobularetin, $C_{12}H_{16}O_4$.
 Parahydrazotoluene, $C_{28}H_{30}N_4$.
 Paraldehyde, $C_6H_{12}O_3$.
 Paralol, $(C_4H_8O_2)_n$; $C_8H_{16}O_4$.
 Param, CH_2N_2 .
 Paramorin, $C_{12}H_8O_6$.
 Paramylene, $C_{10}H_{20}$.
 Paramylum, $C_6H_{10}O_6$.
 Paranicene, $C_{10}H_{12}$.
 Paraniline, $C_{12}H_{14}N_2$.
 Paraoxylophine, $C_{21}H_{16}ON_2$.
 Parapectin, $C_{32}H_{48}O_{32}$.
 Parapeptic acid, $C_{24}H_{34}O_{23}$.
 Parapeptone, $C_{144}H_{224}O_{24}SN_{36}$.
 Parapicoline, C_6H_7N ; $C_{12}H_{14}N_2$.
 Parasaffranine, $C_{20}H_{18}N_4$.
 Parasalicyl, $C_{14}H_{10}O_3$.
 Paraxanthine, $C_{15}H_{17}O_4N_9$.
 Parazotoluene, $(C_7H_7N)_n$.
 Parellic acid, $C_2H_6O_4$.
 Paricine, $C_{16}H_{18}ON_2$.
 Paridin, $C_{16}H_{26}O_7$.
 Paridol, $C_{26}H_{46}O_2$.
 Parigenin, $C_{28}H_{42}O_4$.
 Pariglin, $C_{18}H_{30}O_6$.
 Parillin, $C_{40}H_{70}O_{18}$.
 Paristypninn, $C_{38}H_{64}O_{18}$.
 Parsley camphor, $C_{12}H_{14}O_4$.
 Parvoline, $C_9H_{12}N$.
 Patchouli camphor, $C_{16}H_{26}O$;
 $C_{16}H_{28}O$.
 Patchoulin, $C_{15}H_{24}$.
 Patellaric acid, $C_{17}H_{20}O_{10}$.
 Paviin, $C_{16}H_{18}O_{10}$.
 Paytamin, $C_{21}H_{24}ON_2$.
 Paytin, $C_{21}H_{24}O_2N_2$.
 Pectic acid, $C_{14}H_{20}O_{13}$; $C_{16}H_{22}O_{18}$.
 Pectin, $C_6H_5O_5$; $C_9H_{14}O_8$;
 $C_{28}H_{42}O_{24}$; $C_{32}H_{48}O_{32}$.
 Pectin sugar, $C_6H_{12}O_6$.
 Pectolactic acid, $C_9H_8O_6$.
 Pectosinic acid, $C_{32}H_{46}O_{31}$.
 Pelargonic acid, $C_{19}H_{38}O_2$.
 Pelletierine, $C_9H_{15}ON$.
 Pellutein, $C_{18}H_{19}O_3N$.
 Pelosin, $C_{15}H_{21}O_3N$.
 Pentadecanaphthene, $C_{15}H_{30}$.
 Pentadecane, $C_{15}H_{32}$.
 Pentadecine, $C_{15}H_{28}$.
 Pentadecylic acid, $C_{16}H_{30}O_2$.
 Pentahiroline, $C_{13}H_{15}N$.
 Pentane, C_5H_{12} .
 Pentatriacontane, $C_{35}H_{72}$.
 Pentethyleneglycol, $C_{10}H_{22}O_6$.
 Pentic acid, $C_{15}H_{20}O_7$.
 Pentine, $(C_5H_8)_n$.
 Peppermint camphor, $C_{10}H_{20}O$.
 Perchlormesol, C_4Cl_6 .
 Perchloromethylene, C_6Cl_8 .
 Pereirine, $C_{19}H_{24}ON_2$.
 Perezonoxime, $C_{15}H_{21}O_3N$.
 Petinine, $C_4H_{11}N$.
 Petrocene, $C_{45}H_{72}$.
 Petrocin, $(C_{12}H_8)_n$.
 Petrolene, $C_{15}H_{24}$.
 Petroleum acid, $C_{11}H_{20}O_2$.
 Peucedanin, $C_{12}H_{12}O_3$; $C_{16}H_{16}O_4$;
 $C_{24}H_{24}O_6$.
 Phellanthrene, $C_{10}H_{18}$.
 Phellyl alcohol, $C_{17}H_{28}O$.
 Phenanthrene, $C_{14}H_{10}$.
 Phenanthrenebenzalquin, $C_{35}H_{24}O$.
 Phenanthrene quinacetone, $C_{17}H_{14}O_3$.
 Phenanthrene quinhidrone, $C_{28}H_{18}O_4$.
 Phenanthrenequinimidacetone,
 $C_{17}H_{15}O_2N$.
 Phenanthrenesulphéinresorcinol,
 $C_{26}H_{16}O_7S_2$.
 Phenanthrol, $C_{14}H_{10}O$.
 Phenanthroline, $C_{12}H_8N_2$.
 Phenanthrone, $C_{14}H_{10}O$.
 Phenetyltribenzoic acid, $C_{27}H_{18}O_6$.
 Phenetoll, $C_8H_{10}O$.
 Phenocyanin, C_9H_5ON .
 Phenoic acid, $C_8H_4O_2$.
 Phenol, C_6H_6O .
 Phenolcorallin, $C_{20}H_{16}O_4$.
 Phenolglucinol, $C_6H_6O_3$.
 Phenolglucoside, $C_{12}H_{16}O_6$.
 Phenolphthaleïn, $C_{20}H_{14}O_4$.
 Phenolphthalideïn, $C_{20}H_{14}O_4$.
 Phenolphthalidin, $C_{20}H_{14}O_3$.
 Phenolphthalin, $C_{20}H_{16}O_4$.
 Phenolphthalol, $C_{20}H_{18}O_3$.
 Phenoquinone, $C_{18}H_{14}O_4$.
 Phenosaffranine, $C_{18}H_{16}N_4$.
 Phenose, $C_6H_{12}O_6$.
 Phenacetropéïne, $C_{16}H_{21}O_2N$.
 Phenylanisaldehydine, $C_{22}H_{20}O_2N_2$.
 Phenylarabinosazone, $C_{18}H_{22}O_4N_4$.
 Phenylazonitrolic acid, $C_{12}H_{10}ON_3$.
 Phenylbenzaldehydine, $C_{20}H_{16}N_2$.
 Phenylcarbamidol, $C_{19}H_{19}ON_3$.
 Phenylfurfurazide, $C_{11}H_{10}ON_2$.
 Phenylgalactosazone, $C_{18}H_{22}O_4N_4$.
 Phenylgalactosazone, $C_{18}H_{22}O_4N_2$.
 Phenylgalactosazone, $C_{24}H_{32}O_9N_4$.
 Phenylmaltosazone, $C_{24}H_{32}O_9N_4$.
 Phenylsemicarbazide, $C_7H_9ON_3$.
 Phenylthiocarbazine, $C_7H_8SN_2$.
 Phenyltolylpinacone, $C_{28}H_{26}O_2$.
 Phenylensaffranine, $C_{18}H_{14}N_4$.
 Phillygenin, $C_{21}H_{24}O_6$.
 Phillyrin, $C_{27}H_{34}O_{11}$.
 Phloramine, $C_6H_7O_2N$.
 Phloreïn, $C_{18}H_{11}O_7N$.
 Phloretic acid, $C_9H_{10}O_3$.
 Phloretin, $C_{15}H_{14}O_5$.
 Phloretol, $C_8H_{10}O$.
 Phlorizeïn, $C_{21}H_{30}O_{13}N_2$.
 Phlorizin, $C_{21}H_{24}O_{10}$.
 Phlorizinanilide, $C_{33}H_{34}O_3N_2$.
 Phlorobromin, C_6HBr_2O .
 Phloroglucide, $C_{12}H_{10}O_5$; $C_{33}H_{32}O_{14}$.
 Phloroglucinol, $C_6H_6O_3$.
 Phloroglucinphthaleïn, $C_{20}H_{12}O_7$.
 Phloroglucinphthalin, $C_{20}H_{14}O_7$.
 Phloroglucinvanilleïn, $C_{20}H_{18}O_8$.
 Phlorol, $C_8H_{10}O$.
 Phlorone, $C_8H_8O_2$.
 Phlorose, $C_6H_{12}O_6$.
 Phorone, $C_9H_{14}O$.
 Phoronic acid, $C_9H_{16}O_2$; $C_{11}H_{15}O_5$.
 Phoronoxime, $C_9H_{15}ON$.
 Phosene, $C_{14}H_{10}$.
 Phosgene, CCl_2O .
 Phosphenylic acid, $C_8H_7O_3P$.
 Phosphobenzene, $C_{12}H_{10}P_2$.
 Photosantonin, $C_{15}H_{20}O_4$.
 Photosantonin, $C_{11}H_{14}O_3$.
 Phrenosin, $C_{41}H_{81}O_8N$.
 Phthalacene oxide, $C_{21}H_{14}O$.
 Phthalamidothiophenol, $C_{20}H_{12}S_2N_2$.
 Phthal green, $C_{24}H_{24}O_2N_2$.
 Phthalic acid, $C_8H_6O_4$.
 Phthalidanil, $C_{14}H_{11}ON$.
 Phthalidanilide, $C_{20}H_{14}ON_2$.
 Phthalidchloride, $C_8H_4OCl_4$.
 Phthalidine, C_8H_9N ; C_8H_7ON .
 Phthalophenone, $C_{20}H_{14}O_2$.
 Phthalureide, $C_9H_6O_3N_2$.
 Phthaluric acid, $C_9H_8O_4N_2$.
 Phthalylhydroxylamine, $C_8H_5O_3N$.
 Phthalylpinacone, $C_{16}H_{15}O_4$.
 Phthalylpiperidine, $C_{15}H_{24}O_2N_2$.
 Phthalyltropéïne, $C_{24}H_{32}O_4N_2$.
 Phycic acid, $C_8H_8O_2$.
 Phylloëcitannin, $C_{26}H_{24}O_{13}$.
 Phyllic acid, $C_{38}H_{84}O_8$.
 Phylloretin, C_8H_{10} .
 Physalin, $C_{14}H_{16}O_5$.
 Physetolic acid, $C_{16}H_{30}O_2$.
 Physodeïn, $C_{10}H_8O_6$.
 Physodin, $C_{10}H_{10}O_7$; $C_{12}H_{12}O_8$.
 Physostigmin, $C_{15}H_{21}O_2N_3$.
 Phytosterin, $C_{26}H_{44}O$.
 Picamar, $C_{10}H_{14}O_3$.
 Picene, $C_{22}H_{14}$.
 Picroerythrin, $C_{13}H_{16}O_6$.
 Picoline, C_6H_7N .
 Picolinic acid, $C_8H_8O_2N$.
 Picroaconine, $C_{24}H_{41}O_9N$.
 Picramic acid, $C_6H_5O_6N_3$.
 Picramide, $C_6H_4O_6N_4$.
 Picric acid, $C_6H_3O_7N_3$.
 Picroaconitine, $C_{31}H_{45}O_{10}N$.
 Picroerythrin, $C_{12}H_{16}O_7$.
 β -Picroerythrin, $C_{13}H_8O_6$.
 Picrolichenin, $C_{12}H_{20}O_6$.
 Picrorocellin, $C_{27}H_{39}O_5N_3$.
 Picrotin, $C_{15}H_{15}O_7$; $C_{21}H_{24}O_{10}$;
 $C_{25}H_{30}O_{12}$.
 Picrotoxin, $C_9H_{10}O_4$; $C_{12}H_{14}O_5$;
 $C_{15}H_{16}O_6$; $C_{30}H_{34}O_{13}$; $C_{36}H_{40}O_{16}$.
 Picrotoxinin, $C_{15}H_{12}O_7$.
 Picrylamine, $C_{12}H_6O_{12}N_7$.
 Pilocarpene, $C_{10}H_{16}$.
 Pilocarpin, $C_{11}H_{16}O_2N_2$.
 Pimaric acid, $C_{20}H_{30}O_2$.
 Pimelic acid, $C_7H_{12}O_4$.
 Pimento oil, $C_{45}H_{72}$.
 Pinacolin, $C_{12}H_{26}O_2$.
 Pinacone, $C_6H_{14}O_2$.
 Pinipicrin, $C_{22}H_{36}O_{11}$.
 Pinite, $C_6H_{12}O_5$.
 Pennitanic acid, $C_7H_8O_4$.
 Piperethylalkamine, $C_7H_{15}ON$.
 Piperhydronic acid, $C_{12}H_{14}O_4$.
 Piperic acid, $C_{12}H_{10}O_4$.
 Piperidine, $C_6H_{11}N$.
 Piperidinic acid, $C_4H_9O_2N$.
 Piperine, $C_{17}H_{19}O_3N$.
 Piperonal, $C_8H_6O_3$.
 Piperonyl alcohol, $C_8H_8O_3$.
 Piperonylic acid, $C_8H_6O_4$.
 Piperylene, C_5H_8 .
 Piperylhydrazine, $C_5H_{12}N_2$.
 Piperylsemicarbazide, $C_6H_{13}ON_3$.
 Pipitzahoinic acid, $C_{15}H_{20}O_3$.
 Piryrene, C_8H_6 .
 Piscidine, $C_{29}H_{24}C_8$.
 Plumieric acid, $C_{10}H_{20}O_6$.
 Podocarpic acid, $C_{17}H_{22}O_3$.
 Podophylloquercetin, $C_xH_yO_z$.
 Pœonin, C_8H_4O .
 Poley oil, $C_{10}H_{16}O$.
 Polyasparagincarbamide,
 $C_{34}H_{40}O_{25}N_{10}$.
 Polychroïte, $C_{48}H_{68}O_{18}$.
 Polydehydroazotoluene, $C_{28}H_{26}N_4$.
 Polyethylene, $C_{16}H_{32}$.
 Polyfurfurol, $(C_6H_4O)_n$.
 Polyporic acid, $(C_9H_7O_2)_n$; $C_{15}H_{14}O_4$.
 Polystyrolene, $(CH)_n$.
 Polythymoquinone, $(C_{10}H_{12}O_2)_n$.
 Populin, $C_{20}H_{22}O_8$.
 Porphyrine, $C_{21}H_{25}O_2N_3$.
 Prehnnitic acid, $C_{10}H_6O_5$.
 Prehnnomalic acid, $C_{10}H_8O_6$.
 Primula camphor, $C_{11}H_{12}O_5$;
 $C_{22}H_{24}O_{10}$.
 Propane, C_3H_8 .
 Propargylic acid, $C_3H_2O_2$.

- Prophetin, $C_{23}H_{36}O_7$.
 Propionic acid, $C_3H_6O_2$.
 Propylal, C_3H_6O .
 Propylaldoxime, C_3H_7ON .
 Propylene, C_3H_6 .
 Propylphycite, $C_3H_8O_4$.
 Protagon, $C_{160}H_{308}O_{35}N_5P$.
 Protamine, $C_9H_{21}O_3N_6$.
 Protocatechuic acid, $C_7H_6O_4$.
 Protopine, $C_{20}H_{19}O_5N$.
 Protoquinamicin, $C_{17}H_{20}O_2N_2$.
 Pseudoaconine, $C_{27}H_{41}O_9N$.
 Pseudoaconitine, $C_{36}H_{49}O_{12}N$.
 Pseudatropine, $C_{17}H_{23}O_3N$; not $C_{17}H_{23}ON$.
 Pseudobenzopyrrolone, $C_{11}H_9ON$.
 Pseudocaproic acid, $C_6H_{12}O_2$.
 Pseudocholoidanic acid, $C_{16}H_{24}O_7$.
 Pseudocorallin, $C_{26}H_{33}O_{10}$.
 Pseudocumene, C_9H_{12} .
 Pseudocumenol, $C_9H_{12}O$.
 Pseudocumidine, $C_{19}H_{23}N$.
 Pseudocumolphthaloylic acid, $C_{17}H_{16}O_3$.
 Pseudodiazoacetamide, $C_6H_9O_3N_3$.
 Pseudoheptylene, C_7H_{14} .
 Pseudojervine, $C_{29}H_{43}O_7N$.
 Pseudoleucaniline, $C_{19}H_{19}N_3$.
 Pseudolustostyryl, C_7H_9ON .
 Pseudomauveine, $C_{24}H_{20}N_4$.
 Pseudomorphine, $C_{17}H_{19}O_4N$.
 Pseudopelletierine, $C_9H_{15}ON$.
 Pseudophenanthrene, $C_{16}H_{12}$.
 Pseudopurpurin, $C_{15}H_8O_7$.
 Pseudorosolic acid, $C_{20}H_{14}O_5$.
 Pseudotoluidine, C_7H_9N .
 Pseudotriacetonealkamine, $C_9H_{19}ON$.
 Pseudotropine, $C_8H_{15}ON$.
 Pseudoveratrine, $C_{14}H_{26}O_3N_2$.
 Pseudoxanthin, $C_5H_4O_2N_4$.
 Psoronic anhydride, $C_{20}H_{14}O_9$.
 Psychosin, $C_{23}H_{45}O_7N$.
 Pterocarpin, $C_{20}H_{16}O_6$.
 Pulvamic, $C_{18}H_{13}O_4N$.
 Pulvic acid, $C_{18}H_{12}O_5$.
 Purpuric acid, $C_8H_5O_3N_5$.
 Purpurin, $C_{14}H_8O_5$.
 ϵ -Purpurin, $C_{15}H_8O_6$.
 Purpurogallin, $C_{20}H_{16}O_9$.
 Purpuroxanthin, $C_{14}H_8O_4$.
 Pyrene, $C_{16}H_{10}$.
 Pyridine, C_5H_5N .
 Pyridine betaine, $C_7H_7O_2N$.
 Pyridone, C_5H_5ON .
 Pyroamaric acid, $C_{16}H_{16}O_2$.
 Pyrocamphretic acid, $C_{10}H_{14}O_4$.
 Pyrocatechol, $C_6H_6O_2$.
 Pyrochinovic acid, $C_{31}H_{48}O_4$.
 Pyrocholesteric acid, $C_{11}H_{16}O_6$.
 Pyrocinchonic acid, $C_6H_8O_4$; $C_{10}H_{10}O_6$.
 Pyrocoll, $C_{10}H_6O_2N_2$.
 Pyrocomenamic acid, $C_8H_5O_2N$.
 Pyrocressol, $C_{28}H_{26}O_2$.
 α -Pyrocressoldioxide, $C_{28}H_{22}O_6$.
 Pyrocressoloxide, $C_{28}H_{22}O_4$.
 Pyrodextrin, $C_{48}H_{74}O_{37}$.
 Pyrogallinphthaleinic acid, $C_{20}H_{12}O_8$.
 Pyrogallol, $C_6H_6O_4$.
 Pyrogalloquinone, $C_{18}H_{14}O_8$.
 Pyrogallolalanhydride, $C_{21}H_{14}O_7$.
 Pyrogallovannillin, $C_{20}H_{18}O_3$.
 Pyroglutamic acid, $C_5H_7O_3N$.
 Pyroglycide, $C_6H_{12}O_4$.
 Pyroguajacol, $C_{18}H_{18}O_3$; $C_{19}H_{22}O_3$.
 Pyroinulin, $C_6H_{10}O_5$.
 Pyroisomalic acid, $C_6H_5O_5$.
 Pyrolithofellic acid, $C_{20}H_{34}O_2$.
 Pyrolivilic acid, $C_{20}H_{26}O_6$.
 Pyromaric acid, $C_{20}H_{30}O_2$.
 Pyromecazone, $C_6H_5O_3N$.
 Pyromecazonic acid, $C_5H_6O_3N$.
 Pyromeconic acid, $C_5H_4O_3$.
 Pyromellitic acid, $C_{10}H_6O_8$.
 Pyromucic acid, $C_5H_4O_2$.
 Pyropapaveric acid, $C_{15}H_{13}O_5N$.
 Pyrophotosantonin acid, $C_{14}H_{20}O_2$.
 Pyrophthalone, $C_{14}H_9O_2N$.
 Pyrrocemic acid, $C_8H_4O_3$.
 Pyrrocinic acid, $C_{18}H_{30}O_2$.
 Pyrotartaric acid, $C_6H_8O_4$.
 Pyrotrebecic acid, $C_6H_{10}O_2$.
 Pyrotritaric acid, $C_7H_8O_3$.
 Pyrousnetic acid, $C_{14}H_{14}O_6$.
 Pyrousnic acid, $C_{12}H_{12}O_6$.
 Pyroxanthin, $C_5H_3O_2$; $C_{15}H_{12}O_3$.
 Pyrrol, C_4H_5N .
 Pyrrolic acid, $C_5H_5O_2N$.
 Pyrroline, C_4H_5N .
 Pyrrol red, $C_{12}H_{14}ON_2$.
 Pyrrone, $C_9H_8ON_2$.
 Pyruvic acid, $C_3H_4O_3$.
 Pyruvin, $C_9H_{10}O_5$.
 Pyruvamide, $C_4H_4O_2N_2$.
 Pyvuril, $C_5H_3O_3N_4$.
 Quartenylic acid, $C_4H_6O_2$.
 Quassiu, $C_{10}H_{12}O_3$; $C_{31}H_{42}O_9$.
 Quebrachamine, $C_8H_6O_6N_4$.
 Quebrachine, $C_{21}H_{26}O_3N_2$.
 Quebrachotaunic acid, $C_{26}H_{27}O_{10}$.
 Quebrachol, $C_{20}H_{34}O$.
 Quercetagenin, $C_{27}H_{22}O_{13}$.
 Quercetin, $C_{30}H_{48}O_{11}$.
 Quercetic acid, $C_{16}H_{10}O_7$.
 Quercigluculin, $C_6H_6O_3$; $C_{18}H_{15}O_9$.
 Quercimeric acid, $C_8H_6O_5$.
 Quercite or Quercitol, $C_6H_{12}O_5$.
 Quercitan, $C_6H_{10}O_4$.
 Quercitrin, $C_{15}H_{16}O_3$; $C_{36}H_{38}O_{20}$.
 Quercitetartaric acid, $C_{22}H_{32}O_7$.
 Quinacetophenone, $C_9H_8O_3$.
 Quinaldine, $C_{10}H_9N$.
 Quinamicine, $C_{19}H_{24}O_2N_2$.
 Quinamidine, $C_{19}H_{24}O_2N_2$.
 Quinamine, $C_{12}H_{24}O_2N_2$.
 Quinamide, $C_{13}H_{17}O_5N$.
 Quindecone, $C_{15}H_{26}$.
 Quindecylic acid, $C_{15}H_{30}O_2$.
 Quinethionic acid, $C_{14}H_{18}O_9$.
 Quinetum, $C_4H_7O_2$.
 Quinhydrone, $C_{12}H_{10}O_4$; $C_{32}H_{22}O_4$.
 Quinic acid, $C_7H_{12}O_6$.
 Quinicine, $C_{20}H_{23}O_2N_2$.
 Quinide, $C_7H_{10}O_5$.
 Quinidamine, $C_{19}H_{24}O_2N_2$.
 Quinidine, $C_{20}H_{24}O_2N_2$.
 Quinine, $C_{20}H_{24}O_2N_2$.
 Quininic acid, $C_{11}H_9O_3N$.
 Quinisatin, $C_9H_5O_3N$.
 Quinizarin, $C_{14}H_8O_4$.
 Quinol, $C_6H_6O_2$.
 Quinoline, C_8H_7N .
 Quinolinebenzcarboxylic acid, $C_{10}H_7O_2N$.
 Quinolinebetaïne, $C_{11}H_9O_2N$.
 Quinolinecyanine, $C_{28}H_{35}N_2I$.
 Quinolinic acid, $C_7H_5O_4N$; $C_9H_9O_3N$.
 Quinoline yellow, $C_{15}H_{11}O_2N$.
 Quinolic acid, $C_9H_6O_4N_2$.
 Quinone, $C_6H_4O_2$.
 Quinonamide, $C_{18}H_{15}O_6N$.
 Quinophenol, C_9H_7ON .
 Quinophthalone, $C_{17}H_9O_2N$.
 Quinoxaline, $C_8H_6N_2$.
 Racemic acid, $C_4H_6O_6$.
 Raffinose, $C_6H_4O_7$; $C_9H_{16}O_8$.
 Rangiformic acid, $C_{11}H_{18}O_3$.
 Ratanhia red, $C_{26}H_{22}O_{11}$.
 Ratanhin, $C_{10}H_{13}O_3N$.
 Regianic acid, $C_6H_9O_7$.
 Reichenbach's paraffin $(CH_2)_n$.
 Resacetein, $C_{16}H_{12}O_4$.
 Resacetophenone, $C_9H_8O_3$.
 Resaurin, $C_{19}H_{14}O_6$.
 Resinein, $C_{20}H_{30}O$.
 Resineone, $C_{29}H_{46}O$.
 Resinone, $C_{11}H_{15}O$.
 Resocyanin, $C_{21}H_{18}O_6$.
 Resoquinone, $C_{12}H_{10}O_4$.
 Resorcinol, $C_6H_6O_2$.
 Resorcibencein, $C_{19}H_{14}O_4$; $C_{39}H_{30}O_9$.
 Resorcindophan, $C_9H_4O_6N_4$.
 Resorcinoxaline, $C_{30}H_{14}O_7$.
 Resorciphthalein, $C_{14}H_{10}O_6$; $C_{20}H_{14}O_6$.
 Resorciquinolinc, $C_{24}H_{20}O_2N_2$.
 Resorcyldialdehyde, $C_8H_6O_4$.
 Resoreylic acid, $C_7H_6O_4$.
 Retene, $C_{18}H_{18}$.
 Retenic acid, $C_{18}H_{18}O_2$.
 Retenindole, C_9H_8ON .
 Retinic acid, $C_{10}H_8O_6$.
 Retinaphtha, C_7H_8 .
 Retinite, $C_{40}H_{82}O_3$.
 Retinol, C_8H_{18} .
 Retinyl, C_9H_{12} .
 Retistenequinoxime, $C_{16}H_{16}O_2$.
 α -Rhamnegin, $C_{48}H_{66}O_{29}$.
 Rhamnatin, $C_{12}H_{10}O_8$.
 Rhamnolulcitol, $C_8H_{14}O_6$.
 Rheumtannic acid, $C_{26}H_{26}O_{14}$.
 Rheumatic acid, $C_{20}H_{16}O_9$.
 Rhinanthin, $C_{29}H_{52}O_{20}$.
 Rhodanin red, $C_9H_5O_3S_6N_3$.
 Rhodanic acid, $C_3H_3OS_2N$.
 Rhodizonic acid, $C_5H_9O_6$.
 Rhodotanic acid, $C_{14}H_{14}O_9$.
 Rhœadine, $C_{21}H_{21}O_6N$.
 Rhœagenine, $C_{21}H_{21}O_6N$.
 Ricinedaidic acid, $C_{18}H_{34}O_3$.
 Ricinelaïdin, $C_{39}H_{72}O_7$.
 Ricinoleic acid, $C_{18}H_{34}O_2$.
 Ricinostearic acid, $C_{18}H_{32}O_2$.
 Ricinostearoxylic acid, $C_{15}H_{32}O_4$.
 Robinin, $C_{25}H_{30}O_{16}$.
 Roccellin, $C_{18}H_{16}O_7$.
 Roccellic acid, $C_{17}H_{32}O_4$.
 Rosaniline, $C_{19}H_{19}ON_3$; $C_{20}H_{21}ON_3$.
 Rose oil $(CH_2)_n$.
 Rosolic acid, $C_{20}H_{16}O_8$; $C_{29}H_{28}O_{10}$.
 Rottlerin, $C_{11}H_{10}O_3$.
 Rubeanhydride, $C_8H_4S_2N_2$.
 Ruberythric acid, $C_{26}H_{28}O_{14}$.
 Rubidine, $C_{11}H_{17}N$.
 Rubijervine, $C_{28}H_{43}O_2N$.
 Rubiretin, $C_7H_6O_2$.
 Ruficarmin, $C_{16}H_{12}O_6$.
 Ruficocain, $C_{16}H_{10}O_6$.
 Rufigallic acid, $C_{14}H_8O_8$.
 Rufimoric acid, $C_{16}H_{14}O_9$.
 Rufin, $C_{21}H_{20}O_8$.
 Rufopin, $C_{14}H_8O_6$.
 Rufohydroellagic acid, $C_{14}H_8O_4$.
 Rufol, $C_{14}H_{10}O_2$.
 Rutin, $C_{25}H_{28}O_{15}$.
 Rutylene, $C_{10}H_{18}$.
 Sabadilline, $C_{20}H_{26}O_5N_2$; $C_{34}H_{53}O_6N$.
 Saccharamide, $C_6H_{12}O_8N_2$.
 Saccharic acid, $C_6H_{12}O_6$.
 Saccharide, $C_6H_{10}O_5$.
 Saccharin, $C_6H_{10}O_5$.
 Saccharone, $C_6H_{10}O_2$.
 Saccharonic acid, $C_6H_{10}O_7$.
 Saccharose, $C_{12}H_{22}O_{11}$.
 Saccharovanillic acid, $C_{14}H_{18}O_9$.
 Saccacharumic acid, $C_{14}H_{18}O_{11}$.
 Safflower yellow, $C_{24}H_{30}O_{15}$.
 Saffranine, $C_{21}H_{20}N_4$.
 Safrene, $C_{10}H_{16}$.
 Safrol, $C_{10}H_{10}O_2$.
 Salicin, $C_{13}H_{18}O_7$.
 Salicylic acid, $C_7H_6O_3$.
 Salicylide, $C_7H_4O_2$; $C_{14}H_8O_4$.
 Salicylol, $C_7H_6O_2$.
 Salicyltropeine, $C_{16}H_{19}O_3N$.
 Saligenin, $C_7H_8O_2$.
 Saliretin, $C_{14}H_{14}O_3$; $C_{28}H_{26}O_3$.
 Saliretone, $C_{14}H_{12}O_3$.
 Salviol, $C_{10}H_{18}O$.

- α -Salylic acid, $C_{14}H_{14}O_5$.
 β - " " $C_{21}H_{22}O_8$.
 Samandarin, $C_{34}H_{60}O_6N_2$.
 Sanguinarin, $C_{17}H_{15}O_4N$.
 Santal, $C_6H_6O_3$.
 Santalic acid, $C_{15}H_{14}O_6$.
 Santalin, $C_{15}H_{14}O_6$; $C_{17}H_{16}O_6$.
 Santalol, $C_{15}H_{24}O$.
 Santanal, $C_{16}H_{24}O$.
 Santanol, $C_{15}H_{18}O$.
 Santonic acid, $C_{15}H_{20}O_4$.
 Santonide, $C_{15}H_{18}O_3$.
 Santonin, $C_{15}H_{18}O_3$.
 Santonous acid, $C_{15}H_{20}O_3$.
 Sapogenin, $C_{14}H_{22}O_2$.
 Saponin, $C_{32}H_{64}O_{18}$.
 Sappanin, $C_{12}H_{10}O_4$.
 Sarcine, $C_3H_4ON_4$.
 Sarcosine, $C_3H_7O_2N$.
 Scheelite (CH_4).
 Scoparin, $C_{21}H_{22}O_{10}$.
 Scyllite, $C_6H_{12}O_6$.
 Sebacic acid, $C_{10}H_{18}O_4$.
 Sebacin, $C_{10}H_{18}$; $C_{16}H_{30}O_8$.
 Semiglutin, $C_{55}H_{85}O_{22}N_{17}$.
 Senegin, $C_{22}H_{64}O_{18}$.
 Sequoiene, $C_{10}H_{16}$; $C_{13}H_{10}$.
 Sericic acid, $C_{15}H_{30}O_7N_4$.
 Sericine, $C_{15}H_{25}O_3N_6$.
 Serin, $C_3H_7O_3N$.
 Sesquiterbene, $C_{15}H_{22}$.
 Sesquiterpene, $C_{15}H_{24}$.
 Sikimine, B., 14, 1721; m.p. 175.
 Sinalbin, $C_{30}H_{44}O_{16}S_2N_2$.
 Sinamine, $C_4H_6N_2$.
 Sinapic acid, $C_{11}H_{12}O_6$.
 Sinapin, $C_{15}H_{23}O_5N$.
 Sincalin, $C_5H_{15}O_2N$.
 Sinistrin, $C_6H_{10}O_6$.
 Skatole, C_9H_9N .
 Smilacin, $C_{15}H_{30}O_6$.
 Socotrinaloin, $C_{15}H_{16}O_7$.
 Solanicine, $C_{26}H_{39}ON$.
 Solanidine, $C_{26}H_{41}O_2N$.
 Solanine, $C_{42}H_{75}O_{15}N$.
 Sorbic acid, $C_6H_8O_2$.
 Sorbin, $C_5H_{12}O_6$.
 Sorbite, $C_6H_{14}O_6$; $C_{12}H_{30}O_{13}$.
 Sordidin, $C_{13}H_{10}O_8$; $C_{16}H_{18}O_7$.
 Sparteine, $C_{15}H_{26}N_2$.
 Spermine, C_2H_5N .
 Sphingosin, $C_{17}H_{35}O_2N$.
 Starch, ($C_6H_{10}O_5$).
 Staphisagrin, $C_{22}H_{33}O_5N$.
 Stearic acid, $C_{18}H_{36}O_2$.
 Stearidic acid, $C_{18}H_{34}O_2$.
 Stearin, $C_{57}H_{110}O_6$.
 Stearic acid, $C_{25}H_{48}O_4$.
 Stearolic acid, $C_{18}H_{32}O_2$.
 Stearone, $C_{35}H_{70}O$.
 Stearoptene, $C_{10}H_{14}O$; $C_{23}H_{30}O_5$.
 Stearoylic acid, $C_{18}H_{32}O_4$.
 Steraoptene, $C_{45}H_{72}$.
- Stilbene, $C_{14}H_{12}$.
 Stilbous acid, $C_{15}H_{12}O_3$.
 Storesin, $C_{36}H_{58}O_3$.
 Strychnine, $C_{21}H_{22}O_2N_2$.
 Stryphnic acid, $C_4H_3O_2N_5$.
 Stycerin, $C_9H_{12}O_3$.
 Styphnic acid, $C_6H_3O_3N_3$.
 Styracin, $C_{18}H_{16}O_2$.
 Styrene, C_8H_8 .
 Styrogenin, $C_{26}H_{40}O_3$.
 Styrolene, C_9H_8 .
 Styrolene alcohol, $C_9H_{10}O_2$.
 Styrolene pinacolin, C_9H_8O .
 Styron, $C_9H_{10}O$.
 Suberancarboxylic acid, $C_8H_{14}O_2$.
 Suberconic acid, $C_8H_{12}O_4$.
 Suberencarboxylic acid, $C_8H_{12}O_2$.
 Suberic acid, $C_8H_{14}O_4$.
 Suberocarboxylic acid, $C_9H_{14}O_6$.
 Suberomalic acid, $C_8H_{14}O_5$.
 Suberone, $C_7H_{12}O$; $C_{14}H_{24}O_2$.
 Suberotartaric acid, $C_8H_{14}O_6$.
 Suberoxime, $C_7H_{13}ON$.
 Suberylglycollic acid, $C_8H_{14}O_3$.
 Succinylamide, $C_5H_6O_3N_2$.
 Succinic acid, $C_4H_6O_4$.
 Succinimidine, $C_4H_7N_3$.
 Succinylfluorescein, $C_6H_{12}O_6$.
 Succisterene, $C_{15}H_{10}$.
 Sulphisantonic acid, $C_8H_7O_4SN$.
 Sulphohydroquinone yellow,
 $C_{12}H_{12}O_4S$.
 Sulphohydroquinone brown,
 $C_{15}H_{10}O_4S_2$.
 Sulphovinuric acid, $C_4H_4O_2SN_2$.
 Sulphonediactic acid, $C_4H_6O_6S$.
 Sycoceryl alcohol, $C_{18}H_{30}O$.
 Sylvan, C_6H_6O .
 Sylvestrene, $C_{10}H_{16}$.
 Sylvic acid, $C_{20}H_{30}O_2$.
 Sylvinic acid, $C_{25}H_{36}O_4$.
 Synanthrene, $C_{14}H_{10}$.
 Synanthrose (Levulan), $C_6H_{10}O_5$.
 Syntonin, $C_{144}H_{224}O_{24}SN_{30}$.
 Syringenin, $C_{13}H_{18}O_5$.
 Syringin, $C_{19}H_{23}O_{10}$.
- Taiguic acid, C_4H_4O .
 Tampicin, $C_3H_5O_{14}$.
 Tampicinic acid, $C_{34}H_{60}O_{17}$.
 Tampicollic acid, $C_{16}H_{32}O_3$.
 Tanacetylhydride, $C_{10}H_{16}O$.
 Tannic acid, $C_{20}H_{20}O_9$.
 Tannin, $C_{14}H_{10}O_9$.
 Tannomelanic acid, $C_6H_4O_3$.
 Tannoxylic acid, $C_7H_6O_6$.
 Tansol, $C_{10}H_{16}O$.
 Tarconic acid, $C_{10}H_7O_3N$.
 Tarconin, $C_{11}H_9O_3N$.
 Tarconyl alcohol, $C_{50}H_{102}O$; $C_{51}H_{104}O$.
 Tarnin, $C_{10}H_9O_3N$; $C_{11}H_9O_4N$.
 Tartaric acid, $C_4H_6O_6$.
 Tartalic acid, $C_8H_{10}O_{11}$.
- Tartrellic acid, $C_4H_4O_6$.
 Tartronic acid, $C_5H_4O_6$.
 Tartrophthalic acid, $C_9H_{12}O_6$.
 Taurin, $C_2H_7O_3SN$.
 Taurocarbamic acid, $C_3H_5O_4SN_2$.
 Taurobetain, $C_5H_{13}O_3N$.
 Taurochenolic acid, $C_{29}H_{49}O_6SN$.
 Taurocholic acid, $C_{26}H_{45}O_7SN$.
 Taurocyamine, $C_3H_9O_3SN_3$.
 Tauroglycocyanine, $C_3H_9O_3SN_3$.
 Taxin, $C_8H_6O_2N_4$.
 Tectochrysin, $C_{16}H_{12}O_4$.
 Telcescin, $C_{18}H_{30}O_7$.
 Tekoretin, (C_8H_8).
 Templin oil, $C_{10}H_{16}$.
 Teracanic acid, $C_7H_{10}O_4$.
 Teracrylic acid, $C_7H_{12}O_2$.
 Terebangle, $C_{10}H_{16}$.
 Terebene, $C_{10}H_{16}$.
 Terebentene, $C_{10}H_{16}$.
 Terebentic acid, $C_8H_{10}O_2$.
 Terebentic acid, $C_9H_{11}O_5$.
 Terebenzic acid, $C_{14}H_{14}O_4$.
 Terebic acid, $C_7H_{10}O_4$.
 Terebilene, $C_{10}H_{16}$.
 Terebilenic acid, $C_7H_8O_4$.
 Terebilic acid, $C_3H_3O_4$.
 Terecamphene, $C_{10}H_{16}$.
 Terechrysinic acid, $C_6H_8O_5$.
 Terecuminic acid, $C_{10}H_{12}O_2$.
 Terelactone, $C_6H_8O_2$.
 Terepentin, $C_{10}H_{16}$.
 Terephthalic acid, $C_6H_6O_4$.
 Terpene, $C_{10}H_{16}$.
 Terpenylic acid, $C_9H_{12}O_4$; $C_9H_{14}O_5$.
 Terpilene, $C_{10}H_{16}$.
 Terpene, $C_{10}H_{20}O_2$.
 Terpinene, $C_{10}H_{16}$.
 Terpinol, $C_{10}H_{18}O$; $C_{20}H_{34}O$.
 Terpinylene, $C_{10}H_{16}$.
 Tetrabutylaldin, $C_{16}H_{29}ON$.
 Tetracetylquinide, $C_{15}H_{15}O_9$.
 Tetrachlorglycide, $C_3H_4Cl_4$.
 Tetracodeine, $C_{72}H_{94}O_{12}N_4$.
 Tetracosane, $C_{24}H_{50}$.
 Tetradecanaphthene, $C_{14}H_{23}$.
 Tetradecane, $C_{14}H_{30}$.
 Tetradecylene, $C_{14}H_{26}$.
 Tetrahiroline, $C_{12}H_{13}N$.
 Tetramorphine, $C_{65}H_{76}O_{12}N_4$.
 Tetramylene, $C_{20}H_{40}$.
 Tetraphenol, $C_4H_4O_2$.
 Tetraphenyltetrazone, $C_{24}H_{20}N_4$.
 Tetrapyrvinetetraureide,
 $C_{16}H_{16}O_8N_8$.
 Tetraterbentene, $C_{40}H_{64}$.
 Tetrene urethane, $C_7H_9O_2N$.
 Tetric acid, $C_{12}H_{14}O_7$.
 Tetroenanthoxaldin, $C_{23}H_{33}ON$.
 Tetrol, C_4H_4O .
 Tetrolcarbamide, $C_6H_6ON_2$.
 Tetrolcyanuramide, $C_{15}H_{12}N_6$.
- Tetroldianil, $C_{16}H_{14}N_2$.
 Tetrolditoly, $C_{15}H_{13}N_2$.
 Tetrollic acid, $C_4H_4O_2$.
 Tetrolmelamine, $C_{15}H_{12}N_6$.
 Tetroxylbenzoid, $C_{28}H_{18}O_{13}$.
 Tetrylencarboxylic acid, $C_6H_8O_4$.
 Tetryltrimine, $C_4H_{11}N_3$.
 Teucin, $C_{21}H_{24}O_{11}$.
 Thallin, $C_{10}H_{13}ON$.
 Thannouynphoin, $C_{56}H_{82}O_{36}$.
 Thapsic acid, $C_{16}H_{30}O_4$.
 Thebain, $C_{18}H_{21}O_3N$.
 Thebenin, $C_{19}H_{21}O_3N$.
 Thein, $C_8H_{10}O_2N_4$.
 Theobromine, $C_7H_8O_2N_4$.
 Theobromic acid, $C_{64}H_{128}O_{22}$.
 Theveresin, $C_{48}H_{70}O_{17}$.
 Thevetin, $C_5H_8O_{23}$.
 Thiacetone, $C_9H_{19}S_2N$.
 Thialdin, $C_6H_{13}S_2N$.
 Thiammelin, C_3H_3SN .
 Thianilide, $C_{12}H_{12}SN_2$.
 Thianissic acid, $C_{10}H_{14}O_4S$.
 Thiobenzaldin, $C_{21}H_{19}S_2N$.
 Thiochronic acid, $C_6H_7O_{17}S_5$.
 Thiodilactylic acid, $C_4H_{10}O_4S$.
 Thioisatyde, $C_6H_{12}O_3SN_2$.
 Thiolepidin, $C_{28}H_{20}S$.
 Thionessal, $C_{28}H_{20}S$.
 Thiophene, C_4H_4S .
 Thiorufnic acid, $C_{10}H_{14}O_4S_3$.
 Thiosinnamin, $C_4H_5SN_2$.
 Thiosulphaniline, $C_{24}H_{22}S_3N_4$.
 Thionuric acid, $C_4H_5O_6SN_3$.
 Thiuramdisulphide, $C_2H_4S_4N_2$.
 Thiuramsulphide, $C_2H_4S_3N_2$.
 Thujetin, $C_{14}H_{14}O_3$.
 Thujetic acid, $C_{23}H_{22}O_{13}$.
 Thujigenin, $C_{14}H_{12}O_6$.
 Thujin, $C_{20}H_{22}O_{12}$.
 Thymene, $C_{10}H_{16}$.
 Thymoöl, $C_{12}H_{16}O_2$.
 Thymoölol, $C_{12}H_{15}O_2$.
 Thymol, $C_{10}H_{14}O$.
 Thymoquinol, $C_{10}H_{14}O_2$.
 Thymoquinone, $C_{10}H_{12}O_2$.
 Thymotic acid, $C_{11}H_{14}O_3$.
 Thymotide, $C_{11}H_{12}O_2$.
 Tiglic acid, $C_5H_8O_2$.
 Tolane, $C_{14}H_{10}$.
 Toluene, $C_{10}H_{16}$.
 Tolidine, $C_{14}H_{16}N_2$.
 Toluanisaldehydin, $C_{23}H_{22}O_2N_2$.
 Tolubenzaldehydin, $C_{21}H_{18}N_2$.
 Toluene, C_7H_8 .
 Toluylfuraldehydin, $C_{17}H_{14}O_2N_2$.
 Toluic acid, $C_8H_8O_2$.
 Toluidine, C_7H_9N .
 Toluidine black, $C_{35}H_{35}N_5$.
 Toluquinhydrone, $C_{21}H_{20}O_6$.
 Toluquinine, $C_{27}H_{30}O_2N_2$.
 Toluquinol, $C_7H_8O_2$.
 Toluquinoline, $C_{10}H_9N$.

- Toluquinone, $C_7H_6O_2$.
 Tolquinoxaline, $C_9H_8N_2$.
 Toluric acid, $C_{10}H_{11}O_3N$.
 Toluylene blue, $C_{15}H_{18}N_4$.
 Toluylene red, $C_{15}H_{16}N_4$.
 Tolyene, C_7H_6 .
 Tolyene dibromide, $C_6H_3Br_2$.
 Tolyene alcohol, $C_8H_{10}O_2$.
 Tormentill red, $C_{26}H_{22}O_{11}$.
 Trehalose, $C_{12}H_{22}O_{11}$.
 Triacetonalcamine, $C_9H_{19}ON$.
 Triacetonamine, $C_9H_{17}ON$.
 Triacetondiamine, $C_9H_{20}ON_2$.
 Triacetylformidil, $C_9H_{11}O_3N_3$.
 Triamylene, $C_{15}H_{30}$.
 Trianilcesculin, $C_{33}H_{31}O_6N_3$.
 Tricarballic acid, $C_6H_8O_6$.
 Trichlorhydrin, $C_3H_5Cl_3$.
 Tricodaine, $C_{54}H_{63}O_9N_3$.
 Tricosane, $C_{23}H_{48}$.
 Tricumylamine, $C_{30}H_{59}N$.
 Tridecane, $C_{13}H_{28}$.
 Tridecylene, $C_{13}H_{26}$.
 Tridecylic acid, $C_{13}H_{26}O_2$.
 Triepinic acid, $C_3H_6O_5$.
 Triethylalkamine, $C_6H_{15}ON$.
 Triethylin, $C_9H_{20}O_3$.
 Trigenic acid, $C_4H_7O_2N_3$.
 Triglycerol, $C_9H_{20}O_7$.
 Triglycolamidic acid, $C_6H_9O_6N$.
 Trihydrocarboxylic acid, $C_{10}H_{10}O_{10}$.
 Trimellitic acid, $C_9H_6O_6$.
 Trimesic acid, $C_9H_6O_6$.
 Trimorphine, $C_{51}H_{57}O_9N_3$.
 Trinitropetrol, $C_8H_7O_6N_3$.
 Trinkerite, $C_8H_6O_8S_4$.
 Triopianide, $C_{30}H_{25}O_{14}$.
 Triploretide, $C_{27}H_{20}O_7$.
 Trisulphonediphenylnitric oxide,
 $C_{36}H_{27}O_7S_3N$.
 Trivalerylene, $C_{15}H_{24}$.
 Tropic acid, $C_9H_{10}O_3$.
 Tropide, $C_9H_8O_2$.
 Tropidine, $C_8H_{13}N$.
 Tropigenin, $C_7H_{13}ON$.
 Tropilene, $C_7H_{10}O$.
 Tropilidene, C_7H_8 .
 Tropic acid, $C_9H_{13}O_4N$.
 Tropine, $C_9H_{15}ON$.
 Tulucunin, $C_{10}H_{14}O_4$.
 Tunicin, $C_6H_{10}O_5$.
 Turmerol, $C_{19}H_{28}O$.
 Turpentine, $C_{10}H_{16}$.
 Turpethin, $C_{34}H_{56}O_{16}$.
 Turpethinic acid, $C_{34}H_{60}O_{18}$.
 Turpetholic acid, $C_{16}H_{32}O_4$.
 Tyroleucine, $C_7H_{11}O_2N$.
 Tyrosine, $C_9H_{11}O_3N$.
 Ultraquinine, $C_{19}H_{22}O_2N_2$.
 Umbellic acid, $C_9H_{10}O_4$.
 Umbelliferone, $C_9H_8O_3$.
 Umbelliferonic acid, $C_9H_8O_2$.
 Umbellol, $C_9H_{12}O$.
 Umbellulic acid, $C_{11}H_{22}O_2$.
 Undecane, $C_{11}H_{24}$.
 Undecolic acid, $C_{11}H_{18}O_2$.
 Undecylene, $C_{11}H_{22}$.
 Undecylenic acid, $C_{11}H_{20}O_2$.
 Undecylic acid, $C_{11}H_{22}O_2$.
 Uramidobenzoic acid, $C_8H_9O_3N_2$.
 Uramil, $C_4H_5O_3N_3$.
 Uramilic acid, $C_8H_9O_7N_5$.
 Urea, CH_4ON_2 .
 Urechitin, $C_{28}H_{42}O_8$.
 Urechitoxin, $C_{13}H_{20}O_5$.
 Urethane, $C_3H_7O_2N$.
 Urethanebenzoic acid, $C_{10}H_{11}O_4N$.
 Uric acid, $C_5H_4O_3N_4$.
 Urinilic acid, $C_8H_7O_6N_7$.
 Urobilin, $C_{32}H_{40}O_7N_4$.
 Urobromæmalin, $C_{34}H_{31}O_7N_4Fe$.
 Urobutylchloralic acid, $C_{10}H_{15}Cl_3O_7$.
 Urocanin, $C_{11}H_{10}ON_4$.
 Urocaninic acid, $C_6H_6O_2N_2$;
 $C_{12}H_{12}O_4N_4$.
 Urochloralic acid, $C_9H_{11}Cl_3O_7$.
 Urofoscohematin, $C_{34}H_{37}O_8N_4$.
 Uromelamin, $C_{36}H_{44}O_8N_2$.
 Uronitrotoluolic acid, $C_{13}H_{15}O_9N$.
 Urosulphinic acid, $C_5H_4O_2SN_2$.
 Uroxanic acid, $C_6H_8O_6N_4$.
 Ursone, $C_{10}H_{16}O$.
 Usneol, $C_{11}H_{12}O_3$.
 Usnetic acid, $C_9H_{10}O_3$.
 Usnetol, $C_{13}H_{14}O_4$.
 Usnic acid, $C_{18}H_{18}O_7$.
 Usnolic acid, $C_{27}H_{24}O_{10}$.
 Uvic acid, $C_7H_8O_3$.
 Uvitic acid, $C_9H_8O_4$.
 Uvitonic acid, $C_9H_{14}O_9$.
 Uvitonic acid, $C_8H_7O_4N$.
 Valeraldin, $C_{15}H_{31}S_2N$.
 Valeric acid, $C_5H_{10}O_2$.
 Valeritrine, $C_{15}H_{27}N$.
 Valerol, $C_8H_{10}O$.
 Valerolactide, $C_5H_8O_2$.
 Valerolactone, $C_5H_8O_2$.
 Valerone, $C_9H_{18}O$.
 Valerylene, C_8H_8 .
 Validine, $C_{16}H_{21}N$.
 Valylene, C_5H_6 .
 Vanillic acid, $C_8H_8O_4$.
 Vanillin, $C_8H_8O_3$.
 Veratralbin, $C_{28}H_{43}O_5N$.
 Veratric acid, $C_9H_{10}O_4$.
 Veratrine, $C_{32}H_{49}O_9N$; $C_{37}H_{53}O_{11}N$.
 Veratroidine, $C_{24}H_{37}O_7N$;
 $C_{51}H_{78}O_{16}N_2$.
 Veratrol, $C_8H_{10}O_2$.
 Verine, $C_{28}H_{45}O_3N$.
 Vertivert oil, $C_{45}H_{72}$.
 Vicine, $C_{28}H_{51}O_{21}N_{11}$.
 Vinylbromide, C_2H_3Br .
 Violaniline, $C_{15}H_{15}N_3$.
 Violantin, $C_8H_6O_9N_6$.
 Violuric acid, $C_4H_3O_4N_3$.
 Viridine, $C_{12}H_{19}N$.
 Viscicaoutchin, $C_8H_{16}O$.
 Viscin, $C_{10}H_{24}O_4$.
 Viscose, $C_6H_{10}O_5$.
 Vulpic acid, $C_{19}H_{14}O_5$.
 Walcbovite, $C_{40}H_{62}O_3$.
 Waldivin, $C_{15}H_{24}O_{10}$.
 Xanthil, $C_4H_2O_3$?
 Xanthin, $C_8H_4O_2N_4$.
 Xanthogallol, $C_9H_2Br_7O_3$;
 $C_{18}H_4Br_{14}O_6$.
 Xanthoquinic acid, $C_{10}H_7O_3N$.
 Xanthorhamnin, $C_{23}H_{28}O_{14}$;
 $C_{48}H_{66}O_{29}$.
 Xanthorocellin, $C_{27}H_{17}O_2N_2$.
 Xanthoxylene, $C_{10}H_{12}O_4$; $C_{10}H_{16}O$.
 Xanthurin, $C_4H_3O_2S$.
 Xantinin, $C_4H_3O_2N_3$.
 Xeronic acid, $C_8H_{12}O_4$.
 Xylene, C_8H_{10} .
 Xylenol, $C_8H_{10}O$.
 Xyletic acid, $C_9H_{10}O_3$.
 Xylidine, $C_8H_{11}N$.
 Xylic acid, $C_9H_{10}O_2$.
 Xylidic acid, $C_9H_8O_4$.
 Xylite, $C_4H_7O_2$.
 Xylite naphtha, $C_{12}H_{22}O_3$.
 Xylite oil, $C_{12}H_{18}O$.
 Xylitone, $C_{12}H_{18}O$.
 Xyloidin, $C_8H_9O_7N$.
 Xyloquinol, $C_8H_{10}O_2$.
 Xyloquinone, $C_8H_8O_3$.
 Xyloretin, $C_{10}H_{18}O$.
 Xylyl alcohol, $C_8H_{10}O$.
 Zeorin, $C_{13}H_{22}O$.



13217

C Carnelly, Thomas
C2895 m Melting and boiling point tables. vol.2.

UNIVERSITY OF TORONTO
LIBRARY

DO NOT
REMOVE
THE
CARD
FROM
THIS
POCKET



